

BOOK 650

650

650

F I E L D   N O T E S  
O F   T H E   S U R V E Y   O F

Township 6 South, Range 6 East.

Gila and Salt River Base and  
Meridian,

ARIZONA.

By. ~~R.~~ C. Powers, D.S., under  
Contract dated July 20, 1883.  
Survey commenced Jan. 26, 1888.  
Survey completed Feby. 3, 1888.

Township 6 S. R. 6 E.

BOOK 650

1A

|                   |    |    |     |               |        |    |    |    |    |    |
|-------------------|----|----|-----|---------------|--------|----|----|----|----|----|
| 6                 | 81 | 5  | 60  | 4             | 45     | 3  | 32 | 2  | 16 | 1  |
| <del>77 1/2</del> |    | 79 |     | <del>59</del> |        | 44 |    | 31 |    | 15 |
| 7                 | 78 | 8  | 58  | 9             | 43     | 10 | 29 | 11 | 14 | 12 |
| 76                |    | 75 |     | 56            |        | 42 |    | 28 |    | 13 |
| 18                | 74 | 17 | 55a | 16            | 40     | 15 | 26 | 14 | 11 | 13 |
| 73                |    | 71 |     | 55            |        | 39 |    | 25 |    | 10 |
| 19                | 70 | 20 | 53  | 21            | 37 1/2 | 22 | 24 | 23 | 8  | 24 |
| 69                |    | 67 |     | 52            |        | 37 |    | 23 |    | 7  |
| 30                | 65 | 29 | 50  | 28            | 36 1/2 | 27 | 21 | 26 | 6  | 25 |
| 64 1/2            |    | 64 |     | 49            |        | 36 |    | 20 |    | 4  |
| 31                | 62 | 32 | 47  | 33            | 34     | 34 | 18 | 35 | 3  | 36 |

sub-division

T. 6. S. R. 6 E.

As I have recently surveyed the interiors of this township with the same instrument and chain I now use in running the subdivisional lines my Compass will therefore run the same lines with the Exterior boundaries and the Chaining will agree.

At 12 o'clock M today I found latitude to be  $32^{\circ} 42'$  N. and my Compass in good adjustment.

For Preliminary notes of assistants see Book No. 1 of Exterior boundaries.

T 6 S R 6 E

Commencing at the Cor to Secs  
1, 2, 35 and 36 on the S. Side of  
the Sp. previously <sup>established and</sup> described by me  
I run

N. bet Secs 35 and 36  
7a 120° 50' Ee

Over level ground

40.00 Set mesq. post 3 ft long 3 ins  
sq. with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on W face  
dug pits 18 + 18 + 12 ins N  
S. of post 5  $\frac{1}{2}$  ft dist and  
raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post.

80.00 Set mesq. post 4 ft long  
4 ins sq. with marked  
stone 12 ins in the ground



chs

T6 S. R6 E

for Cor to Secs 25, 26, 35 and 36  
marked T6 S. S 25 on N.E.

R6 E S36 on S.E.

S. 35 on SW and

S26 on NW faces with notch  
on S. and E edges, dug  
pits 18+18+12 ins in each  
Sec 5 1/2 ft dist and raised  
a mound of earth 2 ft  
high 4 1/2 ft base around post.  
Land level

Soil sedimentary 18" thick  
Lays brush and mesq.

E. on a poudous line bet Secs 25 & 36

Over level ground 7a 12° 49' E

40.00 Set temporary 1/4 Sec Cor

80.60 Intersect E. Bdry of T6

at the Cor to Secs 25, 30, 31 &

chs

T. S. R. 6 E

36 previously established and described  
by me. Theace I run  
N. on a true line bet. Secs. 25 & 36

With same rd

Over level ground

4030 Set mesq<sup>t</sup> post 3 ft long 3 ins  
sq. with marked stone 12  
ins in the ground for  $\frac{1}{4}$  Sec  
Cor marked  $\frac{1}{4}$  S on N face  
dug pits 15 + 15 + 12 ins E of N  
of post  $5\frac{1}{2}$  ft diam and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post

80.60 Cor to Secs 25. 26. 35 & 36

Land level

Soil sedimentary 18<sup>th</sup> rate  
Dense sug<sup>r</sup> + scat mesq<sup>t</sup> brush.

Chs

T6 S. R6 E

N. bet Secs. 25 and 26

7a 12° 49' E

Over level ground

40.00 Set mesq<sup>t</sup> post 3 ft long 3 in  
 sqr with marked stone 12 in  
 in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$  S on W face dug  
 pits 18+18+12 in. N + S of post  
 5 $\frac{1}{2}$  ft dist and raised a mound  
 of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
 around post.

60.00 Cross road bet E + W

80.00 Set mesq<sup>t</sup> post 4 ft long 4 in  
 sqr with marked stone 12 in  
 in the ground for Cor to Secs 23  
 24, 25 and 26 marked  
 T6 S S 24 on NE  
 R6 E S 25 on SE  
 S 26 on SW and



cls

T6 S. R<sup>1</sup>/<sub>2</sub> E

S. 23 on NW faces with 2 notches  
on S. and 1 notch on E. edges  
dug pits 15 + 18 + 12 ins in each  
Sec 5 1/2 ft. dist. and raised a  
mound of earth 2 ft high + 2  
ft base around post.

Land level

Soil yellow loam 1<sup>st</sup> rate  
bunch brush, sage, mesq + greasewood

E. on a random line bet Secs 24 + 25

7a 12° 48' Ee  
over level ground

40.00 Set - temporary 1/4 Sec Cor

80.48 Intersect E. Bdry of T<sub>6</sub> 17 lbs

S. of the Cor to Secs. 19, 24, 25 + 30  
permanently established and described by me  
Thence I ran

S 87° 33' W. on a true line bet Secs 24 + 25

With same va

Over level ground



Clas T 6 S R 6 E

40.24 Set mesq. post 3 ft long 3 ins  
sq. with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  S on N face dug  
pit 78 + 18 + 12 ins E of W of post  
 $5\frac{1}{2}$  ft dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

80.48 Cor to Secs 23, 24, 25 and 26  
Land level

Soil yellow loam & silt  
Dense brush Sage greasewood  
and mesq. 1 entire mile

N. bet Secs 23 and 24

... .. Va  $12^{\circ} 48' E$

Over level ground

40.00 Set mesq. post 3 ft long 3 ins  
sq. with marked stone

chs

T6 S R6 E

12 ins in the ground for 1/4 Sec  
 Cor marked P & S on W face  
 clay pits 18+18+12 ins N & S of  
 post 5 1/2 ft dist and raised a  
 mound of earth 1 1/2 ft high  
 3 1/2 ft base around post.

80.00 Sec mesys post 4 ft long 4 ins  
 sqx with marked slate 12 ins  
 in the ground for Cor to Secs  
 13, 14, 23 and 24 marked  
 T6 S S13 on N.E.

R6 E S24 on S E

S23 on S W and

S14 on N W faces with 3 nodules  
 on S and 1 notch on E edges  
 dug pits 18+18+12 ins in each  
 Sec 5 1/2 ft dist. and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base around post

Subdivisions T.C.S. R.C.E. continued  
 Chain

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense brush, sage, greasewood and  
 mesquite entire mile

East on a random line bet Secs 13 & 24

On  $12^{\circ}48' E.$

Over level ground

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

70.54 Enter Santa Cruz river flat bears NW.

80.54 Intersect E. bdy of Tp 29 lks South  
 of the Cor to Secs 13, 18, 19 & 24 previously  
 established and described by me

Fence Line

S  $89^{\circ}48' W$  on a true line bet Secs 13 & 24  
 with same Var.

40.27 Set mesquite post 3ft long 3 ins square  
 with marked stone 12 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  South face dug



## Subdivisions T &amp; R 6 E.

Chains

pits 18x18x12 in E & W of post 5 1/2  
ft dia and raised a mound  
of earth 1 1/2 ft high 3 1/2 ft base  
around post

80.54 Cor to Secs 13, 14, 23 &amp; 24

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense brush entire mile

North bet Secs 13 and 14

Var. 12° 48' E.

Over level ground

40.60 Set a mesquite post 3 ft  
long 3 in square with marked  
stone 12 in in the ground  
for 1/4 Sec cor. marked 1/4 Sec N face  
dig pits 18x18x12 in N & S of  
post 5 1/2 ft dia and raised a  
mound of earth 1 1/2 ft high



Chs

T6 S R6 E

- 3½ ft base around post -
- 60.00 Center Santa Cruz Flats br E 0° N
- 74.00 Cross Carr Grande and Florence  
road brs N 50° E & S 50° W
- 80.00 Set mesquite post 4 ft long 4 in  
dgr with marked stone 12 ins  
in the ground for Cattle c 8<sup>th</sup>,  
12, 13 and 14 marked  
T6 S S 12 on NE  
R6 E S 13 on SE  
S 14 on SW and  
S 11 on NW faces with 4 notches  
on Sand 1 notch on Edgys  
dry pits 18 + 15 + 12 ins in  
each Dec 5½ ft dist & raised  
a mound of earth 2 ft high  
4½ ft base around post -  
Sand level  
Soil yellow loam 18" sub -  
dense brush entire mile.

chs T 6 S R 6 E

Run a random line bet Secs 12 & 13

16.34 Over level ground Fa  $12^{\circ} 48' E$   
 40.00 ~~Set~~ temporary  $\frac{1}{4}$  sec cor

80.34 Intersect Ed. Bdry of T<sub>6</sub> 25  
 chs S of the Cor to Secs 7, 12,  
 13 and 18 previously established and de-  
 scribed by me Thence I run  
 S. 89 $^{\circ}$  49' W. on a true line bet Secs 12 & 13

With same run

Over level ground

40.17 Set mesyt post 3 ft long 3 ins  
 set with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face dug  
 pits 18 + 18 + 12 ins E or W of post  
 5 $\frac{1}{2}$  ft dist. and raised a  
 mound of earth 1 $\frac{1}{2}$  ft high

~~40.00~~  $3\frac{1}{2}$  ft true ground post  
 across road bet A. 2 & 8 W.  
 80.34 Cor to Secs 11, 12, 13 & 14

## T. O. S. R. 6 E.

Trans

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense brush entire mile

North bet Secs 11 and 12

Var  $12^{\circ} 48' E.$ 

Over level ground

20.00 Leave Santa Cruz Flats head E &amp; W.

40.00 Set mesquite post 3 ft long 3 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  d. on W. face, dug post 18x18x12 ins N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80.00 Set a mesquite post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor



Subdivision J. C. S. R. C. E. Continued

to Secs 1, 2, 11 and 12 marked  
J. C. S. 11 on NE.

R. C. E. 12 on SE

S. 11 on SW and

S. 2 on NW face, with 5 notches  
on S and 1 notch on E edges  
dug pits 18x18x12 in in each  
Sec 5 1/2 ft dia and raised  
a mound of earth 2 1/2 ft high  
4 1/2 ft base around post.

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense sage brush mesquite  
and greasewood

E. on a random line bet Sec 18/12  
N or 12° 44' E.

Over level ground

40.00 Set temporary 1/4 Sec corner



## T. C. S. R. 6 E.

80.00 Intersect E. edge of Tp at the cor  
to Secs 1. 6. 7 & 12 previously established  
and described by me

Thence I run

W. on a true line bet Secs 1 & 12 with  
same cor.

40.00 Set mesquite post 3 ft long 3 ins  
square with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dig pits 18 x 18 x 12  
ins E & W. of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post

80.00 Thence cor to Secs 1. 2. 11 & 12

Land level

Soil sandy and loose 1<sup>st</sup> rate  
Large brush and some Cactus

Chs

T. G. S. R. C. E.

N. on a true line bet Secs 18 &amp; 2.

N  $12^{\circ} 49' E$ .

Pace level ground

40 -

Set mesquite post 3 ft long 3 ins square  
with marked stone 12 ins in the ground  
for  $1/4$  sec line marked  $1/4$  S on W face  
dig pits 18 X 18 X 12 ins <sup>5 1/2 ft deep</sup> N & S of post and  
raised a mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

81.30

Intersect First Standard Parallel S.  
18 lks E of the Stand. Cor. to Secs 31 & 36  
T. G. S. R. C. E. previously decided by me  
At this point I set a mesquite post  
4 ft long 4 ins square with marked  
stone 12 ins in the ground for  
closing Cor. to Secs 1 and 2 marked  
T. G. S. R. C. E. on S

S 1 on E and

S 2 on Wedge with 1 notch on E

20

T 6 S R. 6 E

and 5 notches on W edge of dug  
 pits 75 + 18 + 12 ins S. E. & W of post  
 5 1/2 ft. dist. and raised a mound  
 of earth 2 ft high 4 1/2 ft base  
 around post.

Land level

Soil loam

Scarcely brush entire mile.

Jan. 26<sup>th</sup> 1888

From the Cor. to Secs. 2, 3, 34 and  
 35 on the S. Bdry of the T<sup>p</sup> previously  
 established and described by me

I run

N. bet. Secs. 34 and 35 -

72° 12' 50" E.

Over level ground

40.00 Set merged post 3 ft long 3 ins.

chs

T6 S. R6 E

Sept with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  S on W face dug pits  
18+18+12 ins. N & S of post  $3\frac{1}{2}$   
ft dist. and raised a mound of  
earth 1 $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

80.00 Set mesq post 4 ft long 4 ins  
sq with marked stone 12 ins  
in the ground for Cor to Secs  
26, 27, 34 and 35 marked  
T6 S S 26 on N E  
R6 E S 35 on S E  
S 34 on S W and  
S 27 on N. W. faces with 1 notch  
on S and 2 notches on E edge +  
dug pits 18+18+12 ins in each  
Sec.  $5\frac{1}{2}$  ft dist. and raised a  
mound of earth 2 ft high



Chs

T. S. R. &amp; E.

11 1/2 ft base around post  
Sand level

Soil yellow loam 18" put  
Sage brush & mesq. within mile

E. on a random line bet Secs 26 & 35-

va 12° 44' Ee  
Over level ground

40.00 Set temporary 1/4 Sec Cor.

80.00 Intersect N + S line 17 lbs

S. of the Cor to Secs 25, 26, 35, and 36

thence S run

S 89° 53' W. on a true line bet Secs 26 & 35-

With same va

Over level ground

40.00 Set mesq. post 3 ft long 3 ins

sq. with marked stone 12 ins

in the ground for 1/4 Sec Cor

marked 1/4 S on N face dug

pits 18 + 18 + 12 ins E or W of

Chs T6 S. R6, E

post  $5\frac{1}{2}$  ft dia and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post  
 80.00 Cor to Secs 26, 27, 34 + 35  
 Sund level  
 Soil yellow loam  
 dense brush entire mt.

N. bet - Secs 26 and 27

$74^{\circ} 12' 49''$  E

Over level ground

40.00 Set survey post 3 ft long 3 in  
 sq with marked stakes 2  
 in in the ground for  $\frac{1}{4}$  Sec  
 Cor marked  $\frac{1}{4}$  S. on W  
 face, dug pits  $18 + 18 + 12$   
 in N. of post  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around <sup>post</sup>

Chd

T6 S R6 E

62.00 Cross ranch road to E &amp; W

80.00 Set mesq post 4 ft long 4 ins  
sq with marked stone 12 ins  
in the ground for Cor to Secs.

22, 23, 24 and 27 marked

T6 S S 23 on N.E.

R6 E S 26 on S.E.

S 27 on S.W. and

S 22 on N.W. corners with 2

pickets on S and E edges

dig pits 18+18+12 ins in each

Sec 5 1/2 ft dist and raised a

mound of earth 2 ft high 4 1/2 ft

base around post

Land level

Soil yellow loam 18" rate

sensib brush. Sagg, mesq.

- greasewood.



chs

T. S. R. 6 E

Run a random line bet Secs 23 & 26

7a  $12^{\circ} 48' E$   
 Over level ground.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.42 Intersect A S line 141 lbs

S. of the Cor to Secs 23, 24, 25 & 26

thence I run

S 89° 34' W. on a true line bet Secs 23 & 26

With same va

Over level ground

40.21 Set mag. post 3 ft long 3 ins

dgr with marked stone 12

ins in the ground for  $\frac{1}{4}$  Sec

Cor marked  $\frac{1}{4}$  S on

N. face. dug pits 18 + 18 + 12 ins

E or W of post  $3\frac{1}{2}$  ft dist and

raised a mound of earth

$1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base

around post.

80.42 Cor to Secs 22, 23, 26 & 27



cls

T. S. R. &amp; E.

Land level

Soil yellow loam 1 $\frac{1}{2}$  rats  
 level sq + set mesq + bush

N. bet Decs 22 and 23

7 $\frac{1}{2}$  12 $^{\circ}$  48' Ee

Over level ground

40.00 Set mesq post 3 ft long 3 in  
 sq. with marked stone 12 in  
 in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$  S on W face. dug  
 pits 18 + 18 + 12 in N-S of  
 post - 5 $\frac{1}{2}$  ft dist and raised a  
 mound of earth 1 $\frac{1}{2}$  ft high  
 3 $\frac{1}{2}$  ft base around post -

80.00 Set mesq post 4 ft long  
 4 in sq with marked stone  
 12 in in the ground for Cor  
 to Decs 14, 15, 22 + 23 marked

chs

T6 S R6 E

T6 S S14 on N.E.

R6 E S 23 on S.E.

S 22 on SW and

S. 15 on NW faces with 3 notches  
on S. and 2 notches on edges  
 dug pits 18 + 8 + 12 ins in each  
 Sec 5 1/2 ft dist and raised a  
 mound of earth 2 ft high  
 1/2 ft base around post.

Land level

Soil yellow loam 1st rate  
Sense sage brush + mesq.

E. on a random line bet Secs 14 + 23

over level ground  
7 or 12° 47' E.

40.00 Set temporary 1/4 Sec. Cor.

80.10 Intersect N-S line at the Cor  
to Secs 13, 14, 23 + 24.

Thence S run

chs

T. S. R. &amp; E.

N. on a true line bet Secs 14 &amp; 23

With same run

Over level ground

40.05 Set mesq. post 3 ft long  
 3 ins sq with marked stone  
 12 ins in the ground for  $\frac{1}{4}$  sec  
 Cor marked  $\frac{1}{4}$  S. on N face  
 dug pits 18 + 18 + 12 ins E & W  
 of post  $5\frac{1}{2}$  ft dist. and raised  
 a mound of earth 15 ft high  
 $3\frac{1}{2}$  ft base around post

80.10 Cor to Secs, 14, 15, 22 &amp; 23

Land level

Soil learn 180° rate

Sense true entire mile

N. bet Secs 14 and 15

70 12° 47' E

Over level ground



chs

T. 6 S. R. 6 E.

- 20.00 Cross Casa Grande & Florence  
road hrs N60°E & S60°W
- 40.00 Set mesq post 13 ft long 3 ins  
sqr with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor  
marked  $\frac{1}{4}$  S on W face  
dug pits 18 + 18 + 12 ins N + S  
of post  $3\frac{1}{2}$  ft dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.
- 68.00 Center Santa Cruz Flats or E. 10
- 80.00 Set mesq post 4 ft long  
4 ins sqr with marked  
stone 12 ins in the ground  
for Cor to Secs 10, 11, 14 & 15 marked  
T. 6 S. S. 11 on N. E.  
R. 6 E. S. 14 on S. E.  
S. 15 on S. W. and  
S. 10 on N. W. faces with 4



Chs

T. S. R. &amp; E.

notches on S. and 2 notches  
on E edges; dug pits 78 + 18  
+ 12 ins in each sec. 5 1/2 ft  
dist. and raised a mound of  
earth 2 ft high 4 1/2 ft base  
around post

Land level

Soil dark loam 18<sup>th</sup> rate  
sense brush entire mile.

Jan. 27, 1888

E. on a random line bet Secs 11 + 14

7a 120 47' Ee

Over level ground

40.00 Set temporary 1/4 Sec Cor

80.00 Intersect N + S line 2 1/2 Secs

N of Cor to Secs 11, 12, 13 + 14

Thence S 1/2 mile

N. 89° 05' W. on a true line bet Secs 11 + 14

With same in

Over level ground.

Chs

T. S. R. 6 E

40.00 Set mesq. post 3 ft long 3 in  
sq. with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  sec cor marked  
N. on N face, dug pits 18+18+12  
ins E-W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

80.00 Cor to Secs <sup>14 & 15</sup> 9, 10, 15 & 16

Land level

Soil yellow loam strata  
some brush entire mile,

N. bet Secs 10 and 11

7a 12° 47' E

Over level ground

20.00 Low Flats br 2 ft

46.00 Set mesq. post 3 ft long  
3 in sq. with marked stone  
12 ins in the ground for  $\frac{1}{4}$

chs

T6 S. R6 E

Sec. Cor. marked '40 S. on NW  
face; dug pits 18+18+12 ins  
N+S of post 5 1/2 ft dist and  
raised a mound of earth 1 1/2 ft  
high 3 1/2 ft base around post.

80.00 Set mesq post 4 ft long 4 ins  
sq with marked stone 12 ins  
in the ground for Cor to Secs

2, 3, 10 and 11 marked

T6 S S 2 on NE

R6 E S 11 on SE

S 10 on NW and

S 3 on NW faces, with 5 notches

on S and 2 notches on E edges

dug pits 18+18+12 ins in each

Sec 5 1/2 ft dist. and raised a

mound of earth 2 ft high 4 1/2

ft base around post -

Land line



chs

T. S. R. to E.

Soil yellow loam 1<sup>st</sup> sub-  
 sence dug & cut mesyt brush.

E. on a random line bet Dec 2011

over level ground  $700 \times 12' 49' E$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.05 Substituted N-S line at the

Cor to Dec. 1, 2, 11 & 12

Thence I run

N. on a true line bet Dec 2011

With same ra

Over level ground

40.04 Set mesyt post 3 ft long 3 ins

dgr with marked stone 12 ins

in the ground for  $\frac{1}{4}$  Sec Cor

marked  $\frac{1}{4}$  S on N face, dug

fits 18+18+12 ins E & W of post

$5\frac{1}{2}$  ft dist. and raised a mound

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base



Obs

T 6 S R 6 E

around post -

80.08 Cor to Secs 2, 3, 16 and 11

Lined level

Soil yellow loam 18" rate

Sugr bush grass and mesq

N. on a true line bet Secs 2 and 3

70 12° 49' E

Over level ground

40.00 Set mesq post 3 ft long 3 in's  
sq with marked stone 12 in's  
in the ground for 1/4 Sec cor marked  
1/4 S or W face dug pits 18 + 18 + 12  
ins N & S of post 3 1/2 ft dia and  
raised a mound of earth 1 1/2 ft  
high 3 1/2 ft base around post -

81.40 Intersect 1<sup>st</sup> Stand Parallel  
S. 26 chs W. of the Stand Cor  
to Secs 35 & 36. T 5 S R 6 E

chs

T6 S R6 E

previously established and described by me.  
 At this point I set a mesq<sup>ue</sup>  
 post 4 ft long 4 ins sq with  
 marked stone 12 ins in the  
 ground for closing Cor. to  
 Secs 2 and 3 marked  
 CC T6 S R6 E on S  
 S2 on E and  
 S3 on W faces, with 2 notches  
 on E and 4 notches on W edges  
 dug pits 15 + 15 + 12 ins S  
 E + W of post - 5½ ft dist  
 and raised a mound of  
 earth 2 ft high 4½ ft  
 base around post  
 Sand level  
 Soil loam 1st rate  
 dense brush.

Chs

T. B. S. R. 6 E

From the Cor to Secs 3, 4, 33 & 34  
on the S. Bdry. of the T<sup>h</sup> previously  
described

I run

N. bet Secs 33 and 34

Va.  $12^{\circ} 49' E$ 

Over level ground

14.00 Cross ranch road bet N  $53^{\circ} W$ 29.00 Cross Southern Pacific R R bet  
N  $53^{\circ} 50' W$  and S  $53^{\circ} 50' E$ 39.50 Cross Sutter road bet N  
 $53^{\circ} W$  and S  $54^{\circ} W$ 

40.00 Set merge post 3 ft long  
3 in sq. with marked stone  
12 in in the ground for  
 $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on  
N. face dug pits 18+18+12  
ins to S of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base



Chs

T6 S R6 E

around post -

80.00 Set mercury post 4 ft long  
4 ins sq. with marked  
stone 12 ins in the ground  
for cor. to Secs 27, 28, 33 & 34  
marked T6 S. S. 27 on NE

R6 E S 34 on SE,

S 33 on SW and

S. 28 on NW faces with notch  
on S and 3 notches on E edges  
dug pits 18 + 18 + 12 ins in each  
Sec. 5 1/2 ft dist. and raised  
a mound of earth 25 ft high  
4 1/2 ft base around post.

Land level

Soil yellow loam strati  
dense brush entire mile

Jan 28, 1888,



chs

T. S. R. &amp; E

E. on a random line bet Secs 27 &amp; 34

over level ground  
7<sup>th</sup> 12° 49' E40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.43 Intersect  $\frac{1}{4}$  S. line 15' W. S.

S. of Cor to Secs 26, 27, 34 &amp; 35

Thence Sprung

S by 84<sup>th</sup> W. on a true line bet Secs 27 & 34

With same run

Over level ground

40.21 Set mark post 3 ft long 3 ins sq with  
marked stone 12 ins in the groundfor  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  face, dugpits 10<sup>th</sup> 8<sup>th</sup> 12 ins E & W of post 5 ft

dist and raised a mound of earth

1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base around post

80.43 Cor to Secs. 27, 28, 33 &amp; 34

Land level

Soil yellow loam 18' rate  
some brush entire mile.

chs

T6 S. R6 E

N. bet Secs 27 and 28  
 T6 12° 49' E

Over level ground

40.00 Set mesq<sup>t</sup> post 3 ft long 3 ins  
 sqr with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$  S on W face dug  
 pits 18 + 18 + 12 ins N + S of post  
 $5\frac{1}{2}$  ft dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

65.00 Across ranch road bet E + W

80.00 Set mesq<sup>t</sup> post 4 ft long 4 ins  
 sqr with marked stone 12 ins in  
 the ground for Cor to Secs 21, 22  
 27 and 28 marked  
 T6 S.S. 22 on N.E.  
 R6 E S 34 on S.E.  
 S33 on W and

Chs

T 6 S R 6 E

S. 21 on NW face with 2 notches  
on S and 3 notches on E edges  
dug pits 18+18+12 ins in Each  
Sec. 5 $\frac{1}{2}$  ft dist and raised a  
mound of earth 2 ft high  $4\frac{1}{2}$   
ft base around feet.

Land level

Soil yellow loam 1 $\frac{1}{2}$  ft  
some sage + mesquite brush

E. on a random line bet Secs 22+27

Over level ground  $\text{Bd. } 12^{\circ} 48' \text{ Ee}$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.12 Intersect AA line at the Cor  
to Secs. 22, 23, 26 and 27

Thence I run

N. on a true line bet Secs. 22+27

With same rd

Over level ground



chs

T6 S. R. L. E

4006 Set mesq post 3 ft long 3 ins  
sq. with marked stone 12  
ins in the ground for  $\frac{1}{4}$  section  
marked  $\frac{1}{4}$  S on N face dry  
pits 18 + 18 + 12 ins E of  
post 5  $\frac{1}{2}$  ft dirt and raised a  
mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around post

80.12 Cor to Secs. 21, 22, 27 and 28

Land level  
Soils Clay loam at site  
Dense Sage & greasewood brush

N. bet Secs 21 and 22

7a 12° 48' Ee

Over level ground

4000 Set mesq post 3 ft long 3 ins  
sq. with marked stone 12  
ins in the ground for  $\frac{1}{4}$

chs

T6 S. R6 E

Sec Cor marked  $\frac{1}{4}$  S on NW  
face dug pits 18+18+12 ins  
N+S of post 5 $\frac{1}{2}$  ft dist and  
raised a mound of earth  
1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base <sup>post</sup> around.

60.00 Cross Florence road brs  
N 60° E  $\vee$  S 75° W

80.00 Set mesq post 4 ft long  
4 ins sq with marked stone  
12 ins in the ground for  
Cn to Secs 15, 16, 21 & 22 marked

T6 S S 15 on N.E.

R6 E S 22 on S.E.

S 21 on SW end

S 16 on NW faces with 3 notches  
on S and E edges dug pits  
18+18+12 ins in each Sec 5 $\frac{1}{2}$   
ft dist and raised a mound of  
earth 2 ft high 4 ft base

Chs

T 6 S R 6 E

around post -

Land level

Soil Clay loam 1st rate

Dense sage &amp; greasewood brush

E. on a random line bet Secs 15 &amp; 22

Over level ground  $7d 12^{\circ} 48' Ee$ 4000 Set temporary  $\frac{1}{4}$  Sec Cor

38.00 cross distance east from S 60° W

80.16 Intersect N &amp; S line 22 lks

N of the Cor. to Secs 14, 15, 22

and 23

Thence I run

N 89° 51' W on a true line bet Secs 15 &amp; 22

With same  $7d$ 

Over level ground

4008 Set mesquite post 3 ft long

3 ins sq with marked

stone 12 ins in the ground

for  $\frac{1}{4}$  Sec. Cor marked  $\frac{1}{4}$  S



chs

T6 S. R6 E.

on N face dug pits 18+18+12  
ins. E-W of post 5 1/2 ft dist  
and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around,

86.16 Cor to Secs 15, 16, 21 and 22  
Sand level

Soil Clay loam 18<sup>th</sup> rate  
dense sage brush greasewood  
and Alkali Flats.

N. bet - Secs 15 and 16

7a 12° 45' E

Over level ground

40.00 Set mesq - post 3 ft long 3 ins  
sq with marked stone 12 ins  
in the ground for 1/4 Sec Cor  
marked 1/4 S on N face dug pits  
18+18+12 ins N-S of post  
5 1/2 ft dist and raised a mound

chs

T6 S. R 6 E

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

70.00 Santa Cruz Flats br E & W

80.00 Set survey post 4 ft long 4 ins.  
sq with marked stone 12 ins in  
the ground for Cor to Secs 9, 10  
15 and 16. marked

T6 S S. 10 on N. E.

R 6 E S 15 on S E

S 16 on S W and

S 9 on NW faces with 4 notches  
on S and 3 notches on E edges  
dry pits 18+18+12 ins in each Sec  
 $5\frac{1}{2}$  ft dia and raised a mound  
of earth 2 ft high  $4\frac{1}{2}$  ft base around <sup>post</sup>  
Land level

Soil Clay loam 15% sub-  
sense brush entire hills.

cls

H. S. R. &amp; E.

E. on a random line bet Secs 10 + 15 -

Over level ground  $72^{\circ} 47' E$ 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor80.10 Intersect N + S line 15-pts. S. of Cor  
to Secs. 10, 11, 14 and 15 -

Thence I run

 $S 89^{\circ} 54' N$ , on a true line bet Secs 10 + 15 -

With same run

Over level ground

40.05 Set metal post 3 ft long 3 in  
dgr with marked stone 12 in in  
the ground for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  S on N face dug pits 18 + 18  
+ 12 in E + N of post  $3\frac{1}{2}$  ft dia.  
and raised a mound of earth  
14 ft high  $3\frac{1}{2}$  ft base around  
post -

80.10 Cor to Secs 9, 10, 15 and 16

Level level  
Soil Clay loam 1st rate  
dense brush entire with.



chs

T6 S. R6 E

N. bet- Secs 9 and 10

7d 12° 47' Ee

Over level ground

25.00 Line Santa Cruz Hatcher E &amp; W

40.00 Set mesyt post 3 ft long 3 ins  
 sgr with marked stone 12 ins  
 in the ground for 1/4 sec cor  
 marked 1/4 S on W face dug pits  
 15+15+12 ins N & S of post 3 1/2  
 ft dist and raised a mound  
 of earth 1 1/2 ft high 3 1/2 ft base  
 around post.

80.00 Set mesyt post 4 ft long 4 ins  
 sgr with marked stone 12 ins  
 in the ground for cor to Secs  
 3, 4, 9 and 10 marked  
 T6 S S 3 on N.E.  
 R6 E S 10 on S.E.  
 S 9 on W and

cls

T. 6 S. R. 6 E.

S. 4 on NW faces, with 5  
notches on Sand 3 notches on  
E edges, dug pits 75+18+12  
ins in each Sec 5 1/2 ft diam  
and raised a mound of earth  
2 ft high 4 1/2 ft base  
around post.

Sand level

Soil yellow loam 1<sup>st</sup> rate  
dense sedge & Mesquit brush

E. on W random line bet Secs 3 & 10

7<sup>th</sup> 12° 45' E

Acres level ground

40.00 Set temporary 1/4 Sec Cor

80.00 Set stakes to S line 28 lbs

S. of Cor. to Secs. 2, 3, 10 & 11

Thence S run

S 79° 48' W on a true line bet Secs 3 & 10

With same run

chs

T. S. R. &amp; E.

Over level ground

40.00 Set mesq. posts 3 ft long 3 in  
sq. with marked stone 12 in  
in the ground for  $\frac{1}{4}$  sec. Cor marked  
 $\frac{1}{4}$  S on N face, dug pits 7.5 + 15 + 12  
in E + W of post 5  $\frac{1}{2}$  ft dist  
and raised a mound of  
earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post —

80.00 Cor to Secs 3, 4, 9 and 10  
Level level

Soil yellow loam 1<sup>st</sup> rate  
Scrub brush entire mile.

Now a true line bet Secs 3 + 4

7d 12° 48' E

Over level ground

40.00 Set mesq. posts 3 ft long  
3 in sq. with marked stone



cls

T6 S R 6 E

12 ins in the ground for  
 1/4 Sec Cor marked 74 S on  
 N face dug pits 18+18+12  
 ins N-S of post 5 1/2 ft diam  
 and raised a mound of  
 earth 1 1/2 ft high 3 1/2 ft diam  
 around post.

8:50 Intersect - 1<sup>st</sup> Stand Parallel  
 S 33 lks N of Stand Cor to  
 Secs 34 + 35 - T6 S R 6 E  
 previously described

At this point I set a metal  
 post 4 1/2 ft long 4 ins sq  
 with marked stone 12 ins in  
 the ground for Closing Cor  
 to Secs 3 and 4 marked  
 C.C. T6 S R 6 E on S  
 S3 on Ee and  
 S4 on N faces with 3 notches

Chs T. C. S. R. Co. E.

on Ee and Wedges, dug pits  
 15+18+12 ins S. E. 1/4 of  
 just 5 1/2 ft dia - and raised  
 a mound of earth 2 ft high  
 4 1/2 ft base around first  
 Land level

Soil yellow loam 1<sup>st</sup> set -  
 dense brush entire m<sup>ts</sup>.

Jan. 30<sup>th</sup> 1888.

From the Cor. to Secs 4, 3, 32+33  
 on the S boundary of the T<sup>p</sup>  
 previously established and  
 described by me I run  
 N. bet Secs 32 and 33

7d 12° 49' E

Over level ground  
 4000 Set mark - post 3 ft long 3 ins  
 sq with marked stone 12 ins  
 in the ground for 1/4 Sec Cor

T6 S. R6 E.

marked  $\frac{1}{4}$  S on W face dry  
pits 18 x 18 x 12 ins N & S of post  
 $5\frac{1}{2}$  ft dist and raised a mound  
of earth  $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

80.00

Set mercurite post 4 ft long 4  
ins square with marked  
stone 12 ins in the ground for Cor-  
to Secs 28, 29, 32 & 33 marked

T6 S. S. 28 on NE

R6 E S 33 on SE

S 32 on SW and

S 29 on NW face, with 1 notch

on S and 4 notches on E edge

dry pits 18 x 18 x 12 ins in each dir  
 $5\frac{1}{2}$  ft dist and raised a mound  
of earth  $\frac{1}{2}$  ft high  $4\frac{1}{2}$  ft base around post  
land level

Soil yellow loam 1st rate

Dense brush entire mile



## T6 S. R6 E

Chs

È on a random line bet Secs 28 & 33  
Var  $12^{\circ}49'E$ .

Over level ground

- 7.00 Cross ranch road bears  $N53^{\circ}W$   
10.00 Cross Southern Pacific Railroad  
bears  $N53^{\circ}50'W$  and  $S53^{\circ}50'E$ .  
22.00 Cross road from Tucson bears  
 $N54^{\circ}W$  &  $S54^{\circ}E$ .  
40.00 Set temporary  $\frac{1}{4}$  Sec Cor.  
80.00 Intersect N & S line 25 lks  
N of the Cor. to Secs 27, 28, 33  
and 34

Thence from

- $N89^{\circ}49'W$  on a true line bet  
Secs 28 & 33 with same Var.  
40.00 Set mesquite post 3 ft long  
3 ins square with marked  
stone 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}S$ .

## T6 S. R6 E.

on N. face, dug pits 18 X 18  
X 12 ins 5 1/2 ft dist N & S of  
post and raised a mound  
of earth 1 1/2 ft high 3 1/2 ft base  
around post.

80.00 The cor to Secs 28, 29, 32 & 33.

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense brush entire mile.

N hit Secs 28 & 29

Var 12° 49' E.

Over level ground

6.00 Cross ranch road to Casa

Grande bears N 54° W & S 53° E.

8.00 Cross Southern Pacific

Railroad bears N 53° 50' W & S 53° 50' E

35.00 Cross Tucuman wagon road

bears N 53° W & S 54° E

## J. C. S. R. C. E.

- Obs
- 40.00 Set mesquite post 3 ft long 3 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face dig pits 18 x 18 x 12 ins N & S of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 60.00 Cross ranch road bears E & W.
- 80.00 Set mesquite post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor to Secs 20-21-28 and 29 marked  
 T6 S. S. 21 on NE  
 R6E S 28 on SE  
 S 29 on SW and  
 S. 20 on W. face with 2 notches on S and 3 notches on E edges, dig pits 18 x 18 x 12



als

T. S. R. L. E.

ins in Each Sec.  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth 2 ft  
 high  $4\frac{1}{2}$  ft base around post  
 Sand line

Soil yellow loam 1<sup>st</sup> rate  
 dense grass and sage brush

E. on a random line bet Secs 21 & 28

$74^{\circ} 12' 48''$  E

40.00 Set temporary  $\frac{1}{4}$  sec cor

74.82 Submerged St & S line 17 lks

N. of the Cor to Secs 21, 22, 27 & 28

Thence I run

$84^{\circ} 33' 11''$  N, on a true line bet Secs 21 & 28

With same ra

Over level ground,

39.91 Set mesq post 3 ft long 3 ins  
 sqr with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  sec cor,

Chs

T6 S R 6 Ee

marked  $\frac{1}{4}$ S on N face dug  
 pits 78+18+12 ins E of post  
 $5\frac{1}{2}$  ft-dia and raised a  
 mound of earth 1 $\frac{1}{2}$  ft high  
 3 $\frac{1}{2}$  ft base around post  
 79.82 Cor to Secs. 20, 21, 28 & 29

Land level

Soil yellow loam 1 $\frac{1}{2}$  ft  
 some sugar & greasewood brush  
 entire mile.

N. bet Secs 20 and 21

7a 12048' Ee

Over level ground.

40.00 Set mesquite post 3 ft long 3 ins  
 sq with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$ S on N face dug  
 pits 78+18+12 ins N of

Ths.

of post  $5\frac{1}{2}$  ft dia. and raised  
a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post

65.00 Cross Casa Grande and Florence  
road bears SW and E.

80.00 Set square into post 4 ft long 4 in  
square with marked stone 12 in  
in the ground for cor to Secs 16, 17  
20 & 21 marked

S 16 on NE

RCE S 21 on SE

S 20 on SW and

S. 17 on NW face, with 3 notches  
on S and 4 notches on E edges

dry pits  $18 \times 18 \times 12$  in in  
each sec.  $5\frac{1}{2}$  ft dia. and raised  
a mound of earth 2 ft  
high  $4\frac{1}{2}$  ft base around  
post.



Subdivision F. C. S. R. C. E. Section 16 & 21  
 Chancery

Land level

Soil clay loam 1<sup>st</sup> rate

Sage and greasewood brush and  
 scattering mesquite.

East on a random line bet Secs 16 & 21

Var  $12^{\circ}48' E$ .

Over level ground

40.60 Set temporary  $\frac{1}{4}$  Sec cor.

80.48 Intersect N & S line 30 ths S. of the cor  
 to Secs 15, 16, 21 & 22

Hence I run

$S89^{\circ}47' W$  on a true line bet Secs  
 16 & 21 with same Var.

40.24 Set mesquite post 3 ft high 3 ins square  
 with marked at top 12 ins in the  
 ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N face dry pits 18x18  
 x 12 ins E & W. of post  $5\frac{1}{2}$  ft dist

chains

and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post.

80.48

Cor to Secs 16, 17, 20 and 21

Land level

Soil clay loam 1<sup>st</sup> rate

Dense sage brush and  
 scrub mesquite

North bet Secs 16 & 17

W.  $12^{\circ}48'E$ .

Over level ground

40.00

Set mesquite post 3 ft long 3 in square  
 with marked stone 12 in in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on N. face say  
 pits 18x18x12 in set  $\frac{1}{4}$  S of post  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post

80.00

Set mesquite post 4 ft long 4 in square with  
 marked

also T. S. R. & E.

stone 12 ins in the ground for  
 Cor to Dec. 8, 9, 16 & 17 marked

T. S. S. 9 on N. E.

R. 6 E. S. 16 on S. E.

S. 17 on S. W. end

S. 8 on N. W. faces with 4 notches  
 on S and E edges; dry pits

18 x 18 + 12 ins in each Sec

5 1/2 ft dist and raised on

mound of earth 2 ft high

4 1/2 ft base around post.

Land level

Soil, Clay loam 1<sup>st</sup> rate

Sage + Deciduous mesq. brush

Jan. 31, 1888

E. on a random line bet Dec 9 & 16 is

74 12° 47' E

40  
 10.00 Set temporary 1/4 Sec. Cor  
 6.00 Enter Plate bear N. 80° W.  
 0.19 Culvert S. S. line 22 lbs

60

80.19



cls

T. S. R. 6 E.

S of the line to Decs 9, 10, 15 &amp; 16

Thence I run

S 89° 31' W. on a true line bet Decs 9 &amp; 16

with same run

Over level, grassland

20.00

Square hole cut by N. 80° W.

40.00

Set magnet post 3 ft long

3 ins sep with marked stone

12 ins in the ground for 1/4

Sec line marked 1/4 S on

N face. dug pits 18 + 18 + 12 ins

E &amp; W of post 5 1/2 ft dist and

raised a mound of earth 1 1/2

ft high 3 1/2 ft base around post

80.19 line to Decs. 8, 9, 16 &amp; 17

Land level

Soil Clay loam with  
dense sugar brush & cut mesquite  
& grasswood

Chs

T. S. R. 6 Ee.

N. bet Secs 8 and 9

Ta 12° 47' Ee

Over level ground &amp; flats

13.00 Inter flats br. W

40.00 Set mesq post 3 ft long

3 ins sq with marked stone

17 ins in the ground for 4 sec

Co marked 1/4 S on W face

dug pits 18 + 18 + 12 ins N + S

of post 5 1/2 ft diam - and raised

a mound of earth 1 1/2 ft high

3 1/2 ft base around post -

52.00 Line flats br E + W

80.00 Set mesq post 4 ft long 4 ins

sq with marked stone 12 ins in

the ground for Co. to Secs. 4

5, 8 and 9 marked

T. S. S. 4 on N. Ee.

R. 6 E S 4 on S. Ee.

Chs

T 6 S. R 6 E

S 8 on SW and

S 5 on NW faces with 5 notches  
on S and 4 notches on E edges  
dry pits 18+18+12 ins in eachSec 5 1/2 ft - dia and raised a  
mound of earth 2 ft - high  
4 1/2 ft - base around post -  
Land levelSoil yellow loam 1<sup>st</sup> rate  
dense brush entire mile,

E. on a random line bet Secs 4 &amp; 9

7a 12° 49' E

40.00 Set temporary 1/4 Sec Cor

80.21 Intersect to S line 31 yds

S of the Cor to Secs 4, 5, 8 &amp; 9.

Thence S 1/2 W

S 89° 47' N. on a true line bet Secs 4 &amp; 9

with same ra



Chs T 6 S R 6 E

Over level ground

40.10 Set mesq post 3 ft long 3 ins  
sqr with marked stone 1 1/2 ins in  
the ground for 1/4 Sec. A marked  
1/4 Sec on N face; dug pits 18 + 8 + 12  
ins E of post 5 1/2 ft diam  
and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post.

80.21 Cor to Secs 4, 5, 8 and 9  
Land level

Soil yellow loam 1st rate  
dense sup. & green wood.

A, on a true line bet Secs 4 & 5  
Ta 12° 49' E

Over pretty ascending ground in

40.00 Set mesq post 3 ft long 3 ins  
sqr with marked stone 1 1/2 ins  
in the ground for 1/4 Sec Cr

chs

T. 6 S. R. 6 E.

marked  $\frac{1}{4}$  S on W face dug  
 pits 18 + 18 + 12 ins N to S of  
 post  $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

81, 83 - Intersect - 1st Stand Parallel  
 S. 49 lks W. of the Stand Cor to  
 Secs 33 and 34 T. 5 S. R. 6 E  
 previously described.

At this point I set a magst  
 post  $4\frac{1}{2}$  ft long 4 ins sq with  
 marked stone 12 ins in the  
 ground for closing Cor to  
 Secs 4 and 5 marked  
 E. 6 S. R. 6 E on S  
 S 4 on E and  
 S 5 on W faces with 4  
 nails on E and 2 nails  
 on W edges; dug pits

Ches

T. S. R. &amp; Co

18+18+12 ins S. E. or W. of  
 post 5 1/2 ft - dist and raised  
 a mound of earth 2 ft high  
 4 1/2 ft - base around post -  
 found nearly level.

Soil yellow loam 1<sup>st</sup> rate  
 dense syc brush &  
 2 cut - meast.

From the Cor to Secs 5. 6. 31 and  
 32 on the South Boundary of the T<sup>h</sup>  
 previously established and described  
 by me. I run

N. bet Secs 31 and 32

7a. 120 49' E.

Over level ground

40.00 Set meast - post 3 ft long 3 ins



chs

T 6 S R 6 E

sq. with marked stone 12 ins  
in the ground for 4 Sec Cor  
marked '4 S. on N. face dug  
pits 18+18+12 ins N. S. of  
post 5 1/2 ft dia and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft diam around post.

80.00 Set misc post 4 ft long 4 ins  
sq. with marked stone 12 ins  
in the ground for Cor to Secs  
29, 30, 31 and 32 Marked  
T 6 S S 29 on N. E.  
R 6 E S 32 on S. E.  
S 31 on SW and  
S 30 on N. W faces with 1 notch  
on S and 5 notches on E edges  
dug pits 18+18+12 ins in  
each Sec 5 1/2 ft dia and  
raised a mound of earth

C. 64

T. S. R. &amp; E.

2½ ft high 4½ ft base around post  
 Land level

Soil Clay loam 18" roots  
 Syc mesq + greasewood brush  
 entire mile.

Cor. a random line bet. Secs. 29 + 32

Over level ground  $74^{\circ} 12' 49''$  E

4600 Set temporary ¼ Sec. Cor.

79.90 Subsect St. S. line at the  
 Cor to Secs 28, 29, 32 and 33

Thence I run

St. on a true line bet Secs 29 + 32

With same ra

Over level ground

39.95 Set mesq post 3 ft long 3 in  
 sq. with marked stone 12  
 in in the ground for ¼ Sec.  
 Cor marked ¼ S on N face

Chs

T. S. R. C. E.

dug pits 18 + 18 + 12. in's E or W

of post  $5\frac{1}{2}$  ft - dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft - base around post

79.90 Cor to Secs 29, 30, 31 &amp; 32

Land level

Soil Clay loam 1st. rate

Sewer brush entire mile

Feb. 1, 1888.

M. was a random line bet Secs 30 &amp; 31

37.90.

Over level poured  $74^{\circ} 12' 49''$  ECrossroad from Cara Grande to mine bears  $82^{\circ} 22' 00''$  W40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

78.40 Intersect W. Boundary of Trp

43 chs N. of the Cor. to Secs

25, 30, 31 and 36 previously established

as described by me then ce I run

 $89^{\circ} 42'$  E on a true line bet Secs 30 & 31

With same run



T6 S R 6 E

Over level ground

38.40 Set monument post 3 ft long 3 ins  
 sq with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$  Sec N face; dug  
 pits 18+18+12 ins E of post  
 $5\frac{1}{2}$  ft dist and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

<sup>37.90</sup>  
 40.30 Cross road from Casa Grande  
 to mines by S  $22^{\circ}$  W

78.40 Cor to Secs 29, 30, 31 + 32

Land level

Soil Clay loam 1<sup>st</sup> rate  
 dense brush entire mile.

N. bet. Secs. 29 and 30

To  $12^{\circ}$  49' E

Over level ground

Chs

T. S. R. 6 E.

- 37.00 Cross road to mines hrs  
NE - SW.
- 40.00 Set mesyl-post 3 ft long  
3 ins sqr with marked stone  
12 ins in the ground for  
1/4 Sec Cor marked 1/4 S on N  
face; dug pit 18+18+12 ins  
N-S of post 5 1/2 ft-dia and  
raised a mound of earth 1/2  
ft high 3 1/2 ft back around post.
- 66.00 Cross rail road hrs N 53°  
50' W or S 53' 50' E.
- 76.40 Cross wagon road double track S 80° E
- 80.00 Set mesyl post 4 ft long 4 ins  
sqr with marked stone 12 ins  
in the ground for Cor to Secs  
19, 20, 29 and 30 marked  
T. S. S. 20 on N. E.,  
R. 6 E. S. 29 on S. E.,  
S. 30 on SW and

T. S. R. &amp; E.

Sig out NW face with 2 notches on S  
and 5 notches on E edges. dug pits  
18+18+12 ins in Each Sec 5 1/2 ft  
dist. and raised a mound of earth  
2 ft high 4 1/2 ft base around post  
From this Cor. the Town of Casa  
Grande bro S.E. and occupies  
a large part of the NW 1/4 of Sec 29  
Land level

Soil sandy loam 1st rate  
No timber. S 1/2 cat brush.

E. on a random line bet Secs 20 & 29

Over land poured Feb 12° 49' E.

11.00 Cross road bears N 85° S

4000 Set temporary 1/4 Sec Cor

44.00 Org. 29. Experience road bears N 30° E

80.00 Intersect N to S line at cor to Secs

20, 21, 28 and 29

Thence I run

N. on a true line bet Secs 20 & 29



Chs

T. L. N. E.

with same va

Over level ground.

<sup>47.00</sup>  
36.00 Cross Haines road box A 30 E

40.00 Set mercury post 3 ft long 3 in  
sq. with marked stone 12 ins  
in the ground for 1/4 Sec. Cor  
marked 1/4 South face of pits  
15 + 15 + 12 ins E of W of post  
5 1/2 ft chest and raised on  
mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

Then a near edge of town

<sup>17.00</sup>  
69.00 Cross road box A & B

80.00 Cor to Secs 19, 20, 29 &amp; 30

Land line

Soil yellow loam 1st with  
Greensod brush & Cat Sage.

## T. 6 S R 6 E.

this

W. on a random line bet Decs 19 &amp; 30

Var  $12^{\circ}49'E$ .

10.00

Over level ground  
crossing road course

27.00

Cross Southern Pacific Railroad  
bears  $N53^{\circ}50'W$  and  $S53^{\circ}50'E$ .

31.00

Cross road bears  $N53^{\circ}W$ .

40.00

Set temporary  $\frac{1}{4}$  sec cor.

48.55

Intersect W. bdy of Tp 17 the N  
of the cor. to Decs 19. 24. 25 & 30Previously established and described  
by me

Thence I run

 $N89^{\circ}53'E$  on a true line bet Decs  
19 & 30 with same Var.

38.55.

Set meagrite post 3 ft long 3 ins square  
with marked atom 12 ins in the ground  
for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S on N. post  
dig pits 18 x 18 x 12 ins E & W of post  $5\frac{1}{2}$  ft  
dist and raised a mound of earth

## J. C. S. R. C. E.

No

48.55  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post  
The Cor to Secs 19, 20, 29 & 30  
Land level  
Soil yellow loam  $\frac{1}{2}$  rate  
Sage and mesquite brush between miles.

N. hot Secs 19 &amp; 20

Nor  $12^{\circ}49'E$ .

Over level ground

40.00 Set mesquite post 3 ft long 3 ins square  
with marked above 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  Sec on W. face  
dry pits 18 X 18 X 12 ins N & S of post  
 $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around  
post

80.00 Set mesquite post 4 ft long 4 ins



71

T6 S R6 E

sepr. with marked stone 12 ins in  
the ground for Cor. to Secs 17  
18, 19 and 20 marked  
T6 S S 17 on N.E.

R6 E S 20 on S.E.

S 19 on S.W. and

S 18 on N.W. faces with 3 notches on  
S and 5 notches on E edges

dug pits 18+18+12 ins in  
each Sec 5 1/2 ft dist. and  
raised a mound of earth  
2 ft high 4 1/2 ft base around post  
S and level

Soil yellow loam 18 ft high  
Sage & greasewood brush

E. on a random line bet Secs 17 & 20

On background Feb 12<sup>th</sup> 48' Ee

12-88 Cross into road bears N.

4000 Set temporary 1/4 Sec Cor

Chs

T6 S R6 E

79.88 Intersect N + S line at  
the Cor to Secs 16, 17, 20 + 21

Hence I run  
N. on a true line bet Secs 17 + 20

With same run

Over level ground

39.94 Set mercury post 3 ft long 3  
ins sqr with marked stone  
12 ins in the ground for  $\frac{1}{4}$   
Sec Cor marked  $\frac{1}{4}$  Sec N face  
dug pits 18 + 18 + 12 ins E + N  
of post  $3\frac{1}{2}$  ft - dist + raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft - base around post.

~~69.00~~ Cross new road back

79.88 Cor to Secs 17, 18, 19 + 20

Land level

Soil yellow loam

Sage + greasewood brush

Clos

T. S. R. C. E.

W. on a random line bet Secs 18 + 19  
 Va 12' 48' E

4000 Set temporary 1/4 Sec Cir  
 61150 Cross Fortbep's ranch road course SE  
 7850 Entered N. Bdry of the 28 Acs

N of the Cir to Secs 13, 15, 19 + 24

Previously established and described  
 by me Thence I run

N 89° 48' E. on a true line bet Secs 18 + 19  
 With same va

Over nearly level ground

3850 Set mark 1 post 3 ft long Cir's sgr with  
 marked stone 12 ins in the ground for  
 1/4 Sec Cir marked 1/4 S on N face dug pits  
 18 + 18 + 12 ins E of post 5 1/2 ft dist raised  
 a mound of earth 1 1/2 ft high 3 1/2 ft base around <sup>post</sup>

7850 Cir to Secs 17, 18, 19 and 20

Land nearly level

Soil yellow loam 18" rate  
 dense brush entire mile.



chs

T6 S. R6 E

N. bet Secs 17 and 18

Ta. 120 48' Ee

Over level ground

40.00 Set mesq<sup>t</sup> post 3 ft long  
 3 ins sq. with marked stone  
 12 ins in the ground for  
 1/4 Sec Cor marked 1/4 Sec W face  
 dug pits 18+18+12 ins N of post 3 1/2 ft  
 dist and raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base around post

80.00 Set mesq<sup>t</sup> post 4 ft long 4 ins  
 sq with marked stone 12 ins  
 in the ground for Cor to Secs  
 7, 8, 17 and 18 marked  
 T6 S. S 8 on NE  
 R6 E S 17 on SE,  
 S 18 on NW and  
 S 7 on NW faces with 4 notches on  
 Sand 5 notches on E edges

chs

T. S. R. L. E.

dry pits 18 + 18 + 12 ins in each  
 the 5<sup>1</sup>/<sub>2</sub> ft dia. and raised a mound  
 of earth 2 ft high 4<sup>1</sup>/<sub>2</sub> ft bare  
 around post.

Ground level

Soil Clay loam 18<sup>th</sup> water  
 dense brush entire mile

Feb. 2<sup>nd</sup>, 1888.

E. on a random line bet Secs 8 & 17

Over level ground  $\gamma$  a  $12^{\circ} 48' E$   
 cross near road to Sacaton near N.W.S.

15.84  
 40.00 Set temporary  $\gamma$  Sec cor

79.84 Intersect to S line 36 lks N of  
 the Cor to Secs 8, 9, 16 and 17

Thence S run

N  $89^{\circ} 45' W$  on a true line bet Secs 8 & 17

with same run

Over level ground

39.92 Set mark post 3 ft long 3 ins  
 dia with marked stone 12 ins in

chs

T. L. S. R. G. E.

the ground for  $\frac{1}{4}$  sec cor marked  
 $\frac{1}{4}$  S on N face dug pits 15 + 18 + 12  
 ins E of pit of just  $3\frac{1}{2}$  ft dist and  
 raised a mound of earth  $1\frac{1}{2}$  ft high  
 3 ft base around pit.

~~64.80~~ Glass run road to Section  
 his N. S.

79.84 Cor to Secs. 7, 8, 17 and 18  
 Land level

Soil Clay loam 1<sup>st</sup> run  
 dense brush entire mile

M. on a random line bet Secs 7 + 18  
 Ta  $12^{\circ} 48' E$

40.00 Set temporary  $\frac{1}{4}$  sec cor  
 78.38 Intersect N. Bdry of Twp 61 E  
 N of Cor to Secs 9, 12, 13 and 18  
 previously established and described  
 by me Thence I run



els T6 S R6 E

18934' E. and true line bet Secs 7 & 8

With same run

Over level of ground

3838 Set monument post 3 ft long 3 ins  
sq. with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S on N face dug pits  
18+18+12 ins E & W of post  $5\frac{1}{2}$   
ft dia and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

From this Cor Farbachs Knob  
75 feet high bet S  $20^{\circ}$  W about  
40 Chs dia.

7838 Cor to Secs. 7, 8, 17 and 18  
Land level

Soil Clay loam 1<sup>st</sup> rate  
dense brush entire mile.

cls

T. S. R. L. E.

N. bet Secs 7 and 8  
 7d 12° 48' E

Over level ground

20.00 Enter Santa Cruz bottoms

39.00 Cross Santa Cruz Course W.

40.00 Set mesq<sup>t</sup> post 3 ft long  
 3 ins sq r. with marked stone  
 12 ins in the ground for  $\frac{1}{4}$  Sec  
 Cor marked  $\frac{1}{4}$  S on W face  
 dug pits 18 + 18 + 12 ins N + S  
 of post  $3\frac{1}{2}$  ft dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft bare around post.

48.00 Leave Santa Cruz bottoms

80.00 Set mesq<sup>t</sup> post 4 ft long +  
 ins sq r with marked stone  
 12 ins in the ground for Cor.  
 to Secs 5, 6, 7 and 8 marked  
 T. S. S. 5 on N. E.

## T6 S. R6 E.

R6 E S. 8 on S E.

S 7 on S W and

S 6 on N W. faces with 5 watered  
 on S and W faces, dry pits  
 18 x 18 x 12 ins in each dec 5 1/2 ft  
 dist and raised a mound  
 of earth 2 ft high 4 1/2 ft base  
 around post

Land nearly level

Soil sedimentary brown 1<sup>st</sup> rate

Dense brush entire mile

E. on a random line bet Secs 5 &amp; 8

..... Nor 12° 49' E.

Over level ground

18-76 Cross new road to Sacaton cross N &amp; S.

40-00 dit temporary 1/4 Sec Cor.

79-76 Intersect N &amp; S in 30 Mo Sof Cor to Sec

4. 5. 8 &amp; 9

Thence I run



## T. 6 S. R. 6 E.

Obs

S  $89^{\circ}47'$  W. on a true line bet Secs  
5 & 8 with sand bar.

39.88 Set magenta post 3 ft long 3 ins

square with marked stone 12 ins

in the ground for  $\frac{1}{4}$  Sec Cor

marked  $\frac{1}{4}$  S on N face dug

pits 18 X 18 X 12 ins E & W of

post  $5\frac{1}{2}$  ft dia and raised a  
mound of earth  $1\frac{1}{2}$  ft high

$3\frac{1}{2}$  ft base around post

79.76 Cor to Secs 5, 6, 7, and 8

Land level

Soil yellow loam 1<sup>st</sup> rate

Dense brush entire mile

W. on a random line bet Secs 6 & 7

Var  $12^{\circ}49'$  E.

Over nearly level ground

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

chs

T. L. R. &amp; Co

78.25 Entered W. Bdry of Tl 72  
 lks N. of the Cist to Secs 1  
 6, 7 and 12 Previously established  
 & described by me thence I run  
 N. 89° 29' E. on a true line bet Secs 6 & 7

With same or

Over nearly level ground

38.25 Set mesq post 3 ft long 3 ins  
 sq. with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec cor-  
 marked  $\frac{1}{4}$  Sec in N. face dug pits  
 18 + 18 + 12 ins E. & W. of post -  
 5  $\frac{1}{2}$  ft dist. and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$   
 ft base around post -

78.25 Clear to Secs 5, 6, 7 and 8  
 Land nearly level  
 Soil clay loam 1st rate  
 dense brush entire mile.

chs

T6 S. R6 E

N. on a true line bet Secs 5 &amp; 6

7a  $12^{\circ} 49'$  Ee

Over gently ascending ground,  
 40.00 Set mesq<sup>t</sup> post 3 ft long  
 3 ins sq with marked stone  
 12 ins in the ground for  $\frac{1}{4}$  Sec  
 Cor marked  $\frac{1}{4}$  S on W face  
 dug pits 18+18+12 ins N & S  
 of post  $3\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

82.00 Intersect 1<sup>st</sup> Stand Parallel  
 S. 52 lks W of the Stand, Cor.  
 to Secs. 32 and 33 T5-S R6E  
 previously described  
 At this point I set a mesq<sup>t</sup>-  
 post  $4\frac{1}{2}$  ft long 4 ins sq  
 with marked stone 12 ins in  
 the ground for closing Cor



Els

T6 S R 6 E

to Sec 5 and 6 marked

C.C. T6 S R 6 E on S

S 5 on E and

S 6 on W faces with 5 notches

on E and 1 notch on W edges

dug pits 18+18+12 ins S.

E + W of post  $5\frac{1}{2}$  ft dist

and raised a mound of

earth 2 ft high 4 ft diam

around post -

Land nearly level

Soil yellow loam with

scuse brush entire mile.

Feb 3<sup>d</sup>, 1888.

At 12 o'clock P.M. to-day I  
found latitude to be  $32^{\circ}55'N$   
and my compass in good  
adjustment.

chs

T. S. R. &amp; E.

## General Description

With the exception of Sec 18 which contains Farbrades knob, this Tr is nearly level. The soil is deep and rich and the ground covered with a more or less dense growth of sage and greasewood brush and scrub mesquite.

The Course of the Saline Creek which from the point where it leaves its banks in the S W Cor of T. S. R. & E. is indicated on the surface of the Country by Flats over which the water spreads in the wet season is again defined by

## T. C. S. R. C. E.

banks as it passes through  
Sec 8 of this township.

The town of Casa Grande  
with about 200 inhabitants  
occupies a large part of the  
N.W. 1/4 of Sec. 29 and is  
the principal shipping depot  
for the towns and mines  
of this section of country.