

VOL. 1.

BOOK 652

No. 652

Subdivisions

4-671

652

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision
No. 1

T. N^o 6, S. R. N^o 8, E.
Vol 1

Albert T. Colton

Contract No 11.

Approved by Com^r G. S. O.
April 24, 1890.

Preliminary Oaths of Assistants.

We Anthony Dean
 and Lewis G. Vinger
 do solemnly swear that we will well and faithfully execute
 the duties of Chain Carriers; that we will level the chain over
 even and uneven ground, and plumb the tally pins, either by
 sticking or dropping the same; that we will report the true dis-
 tance to all notable objects, and the true length of all lines that
 we assist in measuring, to the best of our skill and ability and
 in accordance with instructions given us in the survey of the
Township 6. S. R. 8. E. Gila
and Salt River Meridian
Arizona

of the principal base and meridian in the Territory of Arizona.

Anthony Dean Chainman.
Lewis G. Vinger Chainman.

Subscribed and sworn before me, this 19th

of August 1889

J. P. Welles
 Notary Public.

1A

We *Louis Kline*
M. M. Rice

do solemnly swear that we will well and truly perform the
 the duties of *Flagman* and
Ax-man

in the establishment of corners and other duties according to
 instructions given us, and to the best of our skill and ability
 in the survey of the *Township 6. S. R 8 E*

of the principal base and meridian in the Territory of Arizona

Louis Kline
M. M. Rice
 ax

Subscribed and sworn to before me this *19th*

day of *August* 188*9*

J. P. Willes

18

ECOK 652

Preliminary to commencing this
Survey, I ran West on a blank
line on the South boundary
of sec. 36. and at 40 ch. found
the sec. cor. and at 80 ch. found
the Sec. Cor.

My Transit will therefore run
the same line, and the chaining
agrees.

Field notes of the survey
of the subdivision ^{lines} of Town-
ship No. 6. South Range
No. 8. East of the
Principal Base ^{and} meridian

of
Arizona Territory
as surveyed by
Albert P. Colton
U. S. Deputy Surveyor
under his contract
No. 11

Dated June 8th 1889

Survey commenced
July 24th 1889
Survey completed
Sept. 1st. 1889

BOOK 652

Names and duties of Assistants

Lewis J. Ungar Chairman
 Anthony Dean "
 Louis Kline Hayman
 M. M. Ricci Alderman

(4-674.)

Township *W. S.* R. *8 E*
 BOOK 653
 BOOK 652

6	85	5	53	4	50	3	36	2	20	1
84		83		52		49		35		18
7	81	8	61	9	48	10	33	11	17	12
80		79		60		47		32		15
18	77	17	58	16	46	15	31	14	14	13
76		74		57		45		29		12
19	73	20	56	21	43	22	28	23	11	24
72		71		46		42		27		9
30	68	29	54	28	37	27	25	26	7	25
68		57		53		34		24		5
31	65	32	52	33	38	34	22	35	3	36

The Survey commenced Aug. 24th 1889 with Youngs Improved
mountain Solar Transit.

I commenced at the cor.
to secs. 1-2-35th & 36 on the
S. Boundary of Township, which
is a charred mesquite post
4 ins. sq. marked

P. 6. S. S. 36 on N. E.

R. 8. E. S. 1 on S. E.

P. 7. S. S. 2 on S. W.

S 35 on N. W. faces
with 1 notch on E. and 5
notches on W. edges,
with pits in each sec. 5 $\frac{1}{2}$ ft.
dist. and mound of earth
around post.

I ran N. between secs 35
& 36
Va. 13° 57' East.

Chs.

- 40.⁰⁰ Set a charred mesquite post
3 ft. long 3 ins. sq. for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S on N. face,
dug pits 18X18X12 ins N & S
of post $5\frac{1}{2}$ ft. dist. and
raised mound of earth
 $1\frac{1}{2}$ ft. high around post.
- 43.⁰⁰ cross dry wash bears E & N.
- 51.⁰⁰ Cross Florence Canal bears
N.E. running S.W.
- 80.⁰⁰ Set a charred mesquite post
3 ft. long 3 ins sq. 12 ins in
ground for cor. to Secs. 25-26-35 & 36
marked T. 6. S. S. 25 on NE,
R. 8. E. S 36 on SE,
S 35 on SW,
S 26 on NW faces
with 1 notch on E. and

The 1 notch on S. faces
 dug pits $18 \times 18 \times 12$ ins. in each
 Sec. $5\frac{1}{2}$ ft. dist. and raised
 mound of earth 2 ft high $5\frac{1}{2}$ ft
 base around post. Land lot class
 covered with dense growth of mesquite.

E. on random line between Secs.
 25 & 36.

Ca. $13^{\circ} 57' E$.

5.0⁰ Cross dry wash bears $S. 45^{\circ} E$,
 $N. 45^{\circ} W$.

25.0⁰ Cross Florence Canal. Course $N. 45^{\circ} S$.

40.0⁰ Set temporary $\frac{1}{4}$ cor.

60.0⁰ Leave mesquite for open ground

64.0⁰ Cross cleared line for E. bound-
 -ary of Florence Canal C. Reservoir

79.70 Intersect E. boundary of tp.

Obs. 60 lks. S. of cor. to secs. 25-30-
-31nd 36. which is a mesquite
post 4 ins. sq. marked

P. 6. S. S. 30 on N.E.

R. 9. E. S. 31 on S.E.

S. 36 on S.W.

R. 8. E. S. 25 on N.W. face
with pits in each sec. $5\frac{1}{2}$ ft.
dist, and mound of earth
around post,

Hence I run

S. $89^{\circ}34'W$. on true line
between Secs. 25 & 36. Same Va. 4

39.85

Set charred mesquite post
3 ft. long 3 ins. sq. 12 ins. in ground
for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S.
on N. face, dug pits $18 \times 18 \times 12$
E. & W. of post $5\frac{1}{2}$ ft. dist and
raised mound of earth $1\frac{1}{2}$ ft. high

Gas around post.

79.70 Cor to secs. 25-26-35 & 36
Land 1st class, Dense mesquite.

North between secs. 25th & 26
Va. $13^{\circ} 57' E.$

40.00 Set charred mesquite post 3 ft. long
3 ins. sq for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4} S$ on W. face, dug pits
18. X 18. X 12. ins. N. & S. of post
 $5\frac{1}{2}$ ft. dist. and raised mound
of earth $1\frac{1}{2}$ ft high around post

14.50 Cross cleared like for the N.
boundary of J. C. Co. Reservoir.

74.00 Cross McSellan Wash
course N. $60^{\circ} W.$ 50 lks, wide
This is in a large catchment
for a great slope of country
to the E. & S. E. including

Chs the Picacho mountains and
conducts the water to the
Gila River in T. 4, R. 7.

80 Set a charred mesquite post
4 ft. long 4 ins. sq. for cor. to
Secs. 23-24-25 and 26. marked
T. 6, S. 3, 24 on N. E.
R. 8, E. S. 25 on S. E.

S. 26 on S. W.

S. 23 on N. W. faces
with 1 notch on E and 2
notches on S. edges,
aug pits 18x18x12, ins. in each
Sec. 5 1/2 ft. dist. and raised
mound of earth 2 ft. high
5 ft. base around post.
Land 2nd class
mesquite and sage brush

Chs

E. on a random line

Na. $13^{\circ} 57'$ East.between secs. 24th & 25

21.00 N. W. cor. S. P. Co. Reservoir Line

1 ch. S.

40.00 Set temporary $1/4$ sec. cor.

57.00 Cross Florida Canal, course

S. 45° W.

79.90 Intersect E. boundary of tp.

44 lks. S. of cor. to secs. 19-30-

-24-25 which is a charred

mesquite post 4 ins. sq marked

T. 6. S. S. 19 on N. E.

R. 9. E. S. 30. on S. E.

S. 25 on S. W.

R. 8. E. S. 24 on N. W. faces

with 4 notches on n. and 2

notches on edges. pits in

each sec. $5\frac{1}{2}$ ft. dist. and

Obs.

mound of earth around post.
 Thence I run S. $89^{\circ}41'N$.
 on a true line between ^{Secs} 24 & 25
 Va. $13^{\circ}57'E$.

39.95 Set a charred mesquite post
 3 ft. long, 3 in. sq. 12 ins. in
 ground for $\frac{1}{4}$ sec. cor. dug
 pits $18 \times 18 \times 12$ ins. E. $\frac{1}{4}$ N.
 of post $5\frac{1}{2}$ ft. dist. post
 marked $\frac{1}{4}$ S. on face

79.90 Cor. to secs. 23-24-25 & 26
 Soil 3rd rate short sagebrush
 and cactus
 Sec. 25 is the Desert Claim of
 Henry H. Finville

North between secs. 23 & 24
 Va. $13^{\circ}57'E$.
 over uneven ground

Chis.

40.00 Set charred mesquite post
3 ft. long 3 ins. eq. 12 ins. in
the ground for $\frac{1}{4}$ sec, cor.
marked $\frac{1}{4}$ S. on W. face dug
pits 18x18x12 ins. N. & S. of post
 $5\frac{1}{2}$ ft. dist. raised mound of
earth $1\frac{1}{2}$ ft. high around
post

74.00 Cross dry-wash course N.
80.00 set a charred mesquite post
4 ft. long 4 in. eq. 12 ins in
ground for cor. to sec's. 13-14-
-23 & 24. marked
T. 6. S.S. 13, on N.E.
R. 8. E.S. 221, on S.E.
S. 23, on S.W.
S. 14, on N.W. faces.
dug pits 18x18x12 ins. in
ground in each sec. $5\frac{1}{2}$ ft.

Chs.

dist. raised mound of
earth 2 ft. high around post
Soil 3rd rate small sage
and cactus,

E on a random line bet.
secs. 13th & 24.

Na. $13^{\circ} 57' E$,

over uneven ground.

14.00 cross wash course S. W.

40.00 Set. temporary $\frac{1}{4}$ sec. cor.

70.00 Cross Florence Canal.

Course S. $5^{\circ} W$,

79.90 Intersect E. boundary of tp.
60th N. S. of Cor. to secs. 18-19-

-13th & 24. which is a
mesquite post 4 ins. sq
marked:—

T. 6. S. S. 18 on S. E.

Chis.

R. 9. E. S. 19 on S. E.,
S. 24 on S. W.

R. 8. E. S. 13 on N. W. Faces
Pits in each sec. $5\frac{1}{2}$ ft. dist.
and mound of earth around
post.

Thence I run S. $89^{\circ} 34'$
W on a true line. Set. secs
13 ^{and} 24.

Na. $13^{\circ} 57' E.$

39,95 Set a charred mesquite post
3 ft. long 3 in. sq, 15 in. in ground
for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ S. on
N. face. dug pits $18 \times 18 \times 12$ in.
E. & W. of post $5\frac{1}{2}$ ft. dist.
and raised mound
of earth $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft.
base around post Sec. 24 is
the Desert claim of James Coyle

79,90 Cor. to secs. 13-14 & 23-24.

Chis.

Soil 3rd rate Sagend cactus.

North bet. Secs. 13th & 14th,
 Pa. 13° 57' E.

was level ground

40.5 Set a charred mesquite post
 3 ft. long 3 in. sq. 12 ins in
 ground for $\frac{1}{4}$ sec. Cor. marked
 $\frac{1}{4}$. S. on N. face. dug pits
 18 X 18 X 12 ins. Nth of post
 5 $\frac{1}{2}$ ft. dist nd raised mound
 of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
 around post.

79.5 crossed road N. 5° E. S. 5° W.

80.5 Set Charred mesquite post
 4 ft. long 4 in. sq. 12 ins. in
 ground for cor. to secs.
 11-12-13-14. marked.
 T. 6. S. S. 12. on N. E.

his.

R. 8. E. S. 13 on S. E.

S. 14. on S. W.

S. 11. on N. W. faces.

dug pits 18x18x12 ins in
each sec. 5 1/2 ft. dist. and
raised mound of earth 3 ft. high
5 1/2 ft. base around post.

Soil 3rd rate short sage,
cactus ⁴/₅ scattering mesquite

Sec. 13 is the Desert Claim of
Geo. H. Daily (Aug. 24th)
1889

East on a random line bet.
secs. 12th & 13

No. 13° 57' E.

over level ground.

0.50 Cross road N. 5° E. S. 5. W.

40.00 Set temporary 1/4 sec. cor.

79.76 Intersect E. boundary of the

Chs.

50 lks. S. of cor. to secs. 7-18-
- 12th & 13 which is a mesquite
post 4 in. sq. Marked

T. 6. S. S. 7. on N. E.

R. 9. E. S. 18 on S. E.

S. 13. on S. W.

R. 8. E. S. 12. on N. W. faces with
2 notches on N. and 4 notches on
S. edges. Pits in each Sec.
5 1/2 ft. dist. and mound of
earth around post.

Thence I run S. 89° 39' W.
on a true line bet. secs. 12 & 13.

Same Va.

39.18

Set a charred mesquite post
3 ft. long, 3 in. sq. 12 in. in the
ground for 1/4 sec. cor. Marked 1/4 S.
on S. face, dug pits 18 X 18 X 2 in.
Eth & W. of post 5 1/2 ft. dist.

Chis.

and raised mound of earth
 1 1/2 ft. high 3 1/2 ft. base around
 19.76 post for Cor. to secs. 11-12-13 & 14
 Soil 2nd rate. scattering mesquite.

North between Secs. 11th & 12th.
 Na. 13° 57' E,

on level ground.

40.00 Set a charred mesquite post
 3 ft. long 3 in. sq. 12 ins. in ground
 for 1/4 sec. cor. marked 1/4 S on
 W. face. dug pits 18X18X12 ins.
 N. & S. of post 5 1/2 ft. dist. and
 raised mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around post

42.00 Cross road bears N. 50° S. 5° E.

80.00 Set a charred mesquite post
 3 ft. long 3 in. sq. 12 ins. in
 ground for Cor. to sec 2-11th & 12th.

Chs.

Marked T. 6. S. S. 1. on N. E.

S. 8. E. S. 12. on S. E.

S. 11. on S. W.

S. 2. on N. W.

with one notch on E. and
5 notches on S. edgesDig pits in each sec. 18X18
X12 ins. 5 1/2 ft. dist. andraised mound of earth
2 ft. high 5 ft. base
around post. Soil 1st rate
mesquite and grass-wood.

East on a random line bet.

Secs. 1st and 12. on level ground.40. Set temporary ^{var. 13th - 1st 34th E.} 4 sec. Cor.

79.60 Intersect E. boundary of tp.

36 Chs. S. of Cor. to Secs. 6-7-18 & 12.

which is a post 4 ft. long 4 ins. dia.

Obs

Marked T. 6. S. S. 6. on N. E.

R. 9. E. S. 7 on S. E.

S. 12. on S. W.

R. 8. E. S. 1 on N. W. Faces
with 1 notch on N. ⁴ and 5 notches
on S. edges. Pits in each sec.
5 1/2 ft. dist. mound of earth
around post.

Thence I run S. 89° 45' W. on
a true line

Same Va. bet. secs. 1. ⁴ and 12.

3980

Set a charred mesquite post
3 ft. long 3 ins. sq. 12 ins. in ground
for 1/4 sec. cor. marked 1/4. S.
on N. face, and dug pits
18 x 18 x 12 ins. E. ⁴ and W. of post 5 1/2 ft.
dist. and raised mounds of
earth 1 1/2 ft. high 3 1/2 ft. base
around post.

Chis.

79.60 ^{the} Cor. 4th secs. 1-2-11th & 12,
Soil 1st rate. Mesquite
Sec. 12, is the desert claim
of W. Nelson Crandall

North between Secs. 1st & 2,
Ta. 13° 57' E.

on level ground

40.5⁰ Set a charred mesquite
post 3 ft. long 3 ins. sq. 12 ins.
in ground for 1/4 sec. Cor.
marked 1/4 S. on N. face
Dig pits 18X18X12 ins N. & S. of
post 5 1/2 ft. dist. Raised mound
of earth 1 1/2 ft. high 3 1/2 ft.
base around post.

54.5⁰ Cross road bears E. 4th N.

64.5⁰ Cross road bears E. 4th N.

119.40 Intersect 1st standard S.

chs

2 chs. ⁴/₅ 50 lks, E. of $\frac{1}{4}$ cor, of
Sec. 36. T. 5. S. R. 8. E.

Set Charred mesquite post $4\frac{1}{2}$ ft.
Long 4 ins, eq, 12 ins, in ground
for closing cor. to secs. 1, ⁴/₅ 2,
T. 6. S. R. 8. E.

Marked C. C. T. 6. S. R. 8. E. on S.
S. 1. on E. ⁴/₅ S. 2. on N. faces.
with notch on E. and 5
notches on N. faces.

Dug pits 18 X 18 X 12 E. W. & S. of
post $5\frac{1}{2}$ ft. dist and raised
mound of earth 2 ft. high
5 ft. base around post.

Coil 1st rate. Mesquite.

Sec. 1. is the Desert Claim of
Leonora C. Wrampelmeier
Branch of Florence Canal
35 lks N. this line. Runs West,

Chis.

From the cor. to secs. 23, 34 & 35
 on the S. boundary of t^h, which
 is a charred mesquite post
 4 in. sq, marked
 T. 6. S. S. 35 on N. E.,
 R. 8. E. S. 2 on S. E.,
 T. 7. S. S. 3 on S. W.,
 S. 34, on N. W.,
 with 2 notches on E. and 4
 notches on W. edges. with
 pits in each sec. 5 1/2 ft.
 dist. mound of earth
 around post.

I run N. bet. secs. 34 & 35

No. 13° 57' E,

cor. level ground covered with
 dense growth of mesquite

7.50 Cross road from Sacaton
 to Tucson bars N. W. & S. E.

Obs.

40. Set a charred mesquite post
3 ft. long 3 in. eq. 12 in. in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. side

Dug pits 18X18X12 in. N^W & S of
post $5\frac{1}{2}$ ft dist raised
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post

65.50 Cross Flunnel Canal Course
S. 75° E.

80. Set a charred mesquite post
4 ft. long 4 in. eq. 12 in. in
the ground for cor. to sec.
26-27-34 & 35. marked

T. 6. S. S. 26. on N. E.

R. 8. E. S. 35. on S. E.

S. 34. on S. W.

S. 27. on N. W. faces.

with 2 notches on E and

Ch's.

1 notch on S. Edges.
 Dig pits 18X18X12, ins. in
 each sec. ^{5 1/2 ft. dist.} and raised
 mound of earth 2 ft. high
 5 ft. base around post
 Soil 1st Rate

E. on random line bet. Secs. 26
 & 35

Na, $13^{\circ} 57' E$,
 corr level land. Dense
 mesquite growth.

40.5^o Set temp. 1/4 sec. cor.

80.50 Was 14 cks N. of cor. to sec.

25-26-35 & 36. Thence I
 run N, $89^{\circ} 54' W$. on a true
 line between Secs. 26, & 35,

Same Na,

40.25 Set a charred mesquite post

Chs.

3 ft. long 3 ins. sq. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face. Dig pits 18X18X12 ins. N $\frac{1}{2}$ S. of post 5 $\frac{1}{2}$ ft. dist. and raised mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post.

10.50 The cor. to secs. 26-27-34 & 35.
Soil 1 $\frac{1}{2}$ rate. Mesquite.

North bet. secs. 26⁴⁰ & 27.
Na. 13° 57' E.

30.0 Old ruins about 15 chs. west.

40.0 Set a charred mesquite post 3 ft. long 3 ins. sq. 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face. Dig pits 18X18X12 ins. N $\frac{1}{2}$ S. of post 5 $\frac{1}{2}$ ft. dist. and

Chs.

raised mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post.

80.00 Set a charred mesquite post
 4 ft. long 4 ins sq. 12 ins in
 the ground for cor. to secs.
 22-23-26 & 27. marked,
 T. 6. S. S. 23, on N. E.
 R. 8. E. S. 26, on S. E.
 S. 27, on S. W.
 S. 22, on N. W. faces,
 with 2 notches on E. and
 2 notches on S. edges.
 Dig pits $18 \times 18 \times 12$ ins in
 each sec. $5\frac{1}{2}$ ft. dist. and
 raised mound of earth
 2 ft. high 5 ft. base around
 post. Soil about 8 ins.
 sediment on bed of cement.

His.

Sense mesquite growth

East on a random line bet.
secs. 23rd & 26.

Na. $13^{\circ} 57' E$,

12.50 Cross a dry wash Course S. 20° E,

40.00 Set temporary $\frac{1}{4}$ sec. cor,

55.00 Enter McSellan Wash

74.00 Leave Wash Course N. W.

80.54 Intersect N. $\frac{1}{4}$ S. line at post
Cor. to secs. 23-24-25th & 26.

Hence I run N. on a true line

Same Na,

40.27 Set a charred mesquite post

3 ft. long 3 ins. sq. for $\frac{1}{4}$ sec. cor,

marked $\frac{1}{4}$ S. on N. face. Aug

pile 18X18X12. ins. E. & W. of

post $5\frac{1}{2}$ ft. dist. raised,

mound of earth $1\frac{1}{2}$ ft high

Chs.

3½ ft. base around post
 80.54 Cor. to secs. 22-23-26^W 27
 Soil 1st rate Dense mesquite

North bet. Secs. 22, ^W 23,
 Va. 13° 57' E,

over level land, through dense ^{mesquite}

40.00 Set a charred mesquite post
 3 ft. long 3 ins. sq. 12 ins. in ground
 for ¼ sec. cor. Marked ¼ S,
 on N. face. Dig pits 18x18x12
 ins. N^W S. of post 5½ ft. dist,
 raised mound of earth 1½
 ft. high 3½ ft. base around
 post

70.00 Leave mesquite for open country

80.00 Set a charred mesquite post
 4 ft. long 4 ins. sq. 12 ins. in the
 ground for Cor. to secs.

Chs.

14-15-22^{and} 23, marked

T. 6, S. 5, 14, on N. E,

R. 8, E. S. 23, on S. E,

S. 22 on S. W,

S. 15, on N. W, faces,

with 2 notches on E. and 3
notches on S. Edges. Long

pits 18X18X12 in, in each sec,

5/8 ft. dist. raised mound of
earth 2 ft. high 5 ft. base
around post.

Soil 1st. Class

Sec. 23. is the Desert Claim
of Chas. A. Shibley.

E. on a random line bet secs,

14 & 23. Same Va,

on level ground scattering mesquite

4.00

Enters McSellen's Wash

Chi.

- 10.00 Clear wash, course N. 76.
 24.00 uncorn ground
 40.00 Set temporary $\frac{1}{4}$ Cor.
 51.00 Cross old road bears N. 8 S.
 60.00 Cactus Sand 3rd Rate
 80.60 Intersect N. $\frac{3}{4}$ S. line 27 lks
 N. of cor. to Secs. 13, 14, 23 $\frac{3}{4}$ 24
 Hence run N. 89.51' W. on a
 true line.
 40.30 Set a charred mesquite post
 3 ft. long 3 ins. sq, 12 ins. in
 ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. on N. face
 Dig pits 18X18X12 ins. E $\frac{3}{4}$ W.
 of post, 5 $\frac{1}{2}$ ft. dist. and
 raised mound of earth 1 $\frac{1}{2}$ ft.
 high 3 $\frac{1}{2}$ ft. base around post
 80.60 the cor. to Secs. 14-15-27X23
 Soil 1st, 2nd, 3rd class (8/26)

Aug. 26/89

Chs.

North between Secs, 14 & 15,
 Ta, $13^{\circ} 57' E$,

over uneven ground,

15.00 level ground

17.00 Enter McFellan Wash Course N.W.

40.00 Set charred mesquite post 3 ft,
 long 3 ins. sq, 12 ins. in ground

for $\frac{1}{4}$ sec. cor, marked $\frac{1}{4} S$,
 on N. Face, Day Pits N.W.S.

18 X 18 X 12 ins $5\frac{1}{2}$ ft. dist.
 raised mound ^{of earth} $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post

5.00 Clear wash

0.00 Set a charred mesquite post
 4 ft. long 4 ins. sq, 12 ins in ground
 for cor. to Secs. 10-11-14 & 15,
 marked T. 6. S. S. 11. on N. E,

R. 8. E. S. 14 on S. E,

S. 15 on S. W.

Chi.

S. 10. on N. W. faces.
 2 notches in E. and 4 notches
 in S. edges. Dig pits
 18X18X12 Ins. in each sec. 5 1/2
 ft. dist. Raised mound
 of earth 2 ft. high 5 ft
 base around post.
 Soil 1st Rate Growth, mesquite
 Sec. 14. Desert claim of
 Jeremiah Kenney

East on a random ^{line} bet. secs.
 11th and 14.

Na. $13^{\circ} 57' E.$

on uneven ground

40.00 Set temporary 1/4 sec. cor

80.50 Intersect N. S. line 36 lks N.
 of cor. to secs. 11-12-13th 14,
 thence run N. $89^{\circ} 45' N.$ on

His,

a true line,

Same Va,

- 0.25 Set a charred mesquite post
3 ft. long 3 ins. sq, 12 ins. in ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S,
on N. face. Sug pits
18x18x12 ins. E⁴⁵ of post
5 $\frac{1}{2}$ ft. dist. raised mound of
earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base
around post (the cor. to secs.
- 0.50 10-11-14th 15, Sand broken
2" class, short sage and cactus

North between Secs. 10th 11

Va, 13° 57' E,

- 40.00 Set a charred mesquite post
3 ft. long 3 ins. sq, 12 ins. in ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S,
on N. Face. Sug Pits

Chs.

18X18X12 ins. ~~in~~ ⁱⁿ N. ^{W.} S. of post
 5 1/2 ft. dist. raised mound of
 earth 1 1/2 ft. high 3 1/2 ft. base
 around post

57.00 wash bears E. W. course to W

62.00 wash course W.

64.00 Wash course W.

80.00 Set a charred mesquite post 4
 ft. long 4 ins. sq. 12 ins. in
 ground. for cor. to Secs. 2-3-
 10 ^W 11 marked:-

T. 6. S. S. 2 on N. E.

R. 8. E. S. 11 on S. E.

S. 10. on S. W.

S. 3 on N. W. ~~edges~~ faces

2 notches on E. and 5 notches
 on S edges.

Long pits 18X18X12 in each
 sec. 5 1/2 ft. dist.

Chi.

Raised mound of earth 2 ft. high
 5 ft. base around post
 Soil 2nd class. Sage brush
 Sec. 11 is the Desert claim of
 Wm W. Field

East on a random line bet.

secs. 2 & 11, on uncorn grounds

Co, 13° 57' E,

17.00 Wash course S. 88° 7',

40.00 temporary, 1/4 sec. cor,

80.38 Intersect Nth & S, line 18 lks

N. of cor, to secs. 1-2-11 & 12,

thence run N, 89° 52' W, on a
 true line bet. secs 2 & 11

Same Co,

40.19 Set a charred mesquite post
 for 1/4 sec. cor. Marked 1/4 S on
 N. face. Sug pits 18 X 18 X 12

Chs.

ins. End N. of post 5 1/2 ft.
 dist. raised mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post.

80.38 Cor. to sec. 2-3-10nd 11. Soil
 2nd class scattering mesquite

North between Secs. 2nd 3
 N. 13° 57' E,

over level land covered with
 short sage and cactus

10.00 Wash cartse N.

40.00 Set a charred mesquite post
 3 ft. long 3 in. sq. 13 ins in
 ground for 1/4 sec. cor. marked
 1/4 S. on N. Face. Dig pits
 18x18x12, 77th S of post 5 1/2 ft.
 dist. raised mound of earth
 1 1/2 ft. high 3 1/2 ft. base

Chis.

around post,

- 42.00 Road bears E $\frac{1}{2}$ N.
- 79.00 Road bears E. $\frac{1}{2}$ N.
- 118.60 Intersect 1st. Standard S,
 2 Chs. 3 2 lks. E. of $\frac{1}{4}$ cor. sec,
 35. T. 5. S. R. 8. E,
 Set a charred mesquite post 4
 ft. long, 4 ins. sq. 12 ins. in
 ground for King Cor. to see
 2 & 3 marked. -
 C.C. T. 6. S. R. 8 E. on S,
 S. 2. on E,
 S. 3 on W. faces with 2
 notches on E. and 4 notches on
 W. ^{edges} ~~faces~~. In pits 18x18x12
 ins. S. E. & W. of post 5 $\frac{1}{2}$ ft.
 dist. and raised mound of
 earth 2 ft. high 4 $\frac{1}{2}$ ft. base
 around post,

Chs.

Soil 2nd Class, Sage ^{and} Cactus
Sec. 2 is the desert clauvi
of David N. Widoms

From the Cor. to Secs 33-34-38, 4
on the S. boundary of tp,
which is a charred post

4 ins. sq. marked:—

T. 6. S. S. 34, on N. E,

R. 8. E. S. 3 on S. E.

T. 7. S. S. 4 on S. W.

S. 33, on N. W. faces

with 3 notches on E. & W. Wedges
pits. in each sec. 5 1/2 ft dist.

mound of earth around post

From north bet. 33rd & 34,

Co. 13° 57' E,

over level ground,

140.00

Set a charred mesquite post
3 ins. dia. 3 ft long for 1/4 sec. Cor. marked by S. on. w. led dug
pit 18 x 18 x 12 ins. dia. of post 5 1/2 ft dist. and raised mound of
earth. 1 1/2 ft high 3 1/2 ft dia. all around post.

Chis.

80.00

Set a standard Mesquite post
 4 ft. long 4 ins. sq, 12 ins. in
 ground for cor. to Secs. 27-28-
 -33 & 34. Marked:—
 T. 6. S. S. 27 on N. E.,
 R. 8. E. S. 34 on S. E.,
 S. 33 on S. W.,
 S. 28 on N. W. faces
 with 3 notches on E. and 1
 notch on S. Edges. Dig pits
 18 X 18 X 12 ins. in each sec 5 1/2
 ft. dist and raised mound
 of earth 2 ft. high 4 1/2
 ft. base around post.
 Sand 2" rate. Dage ⁴/₅ saw wood

E. on random line bet. Secs. 27 & 34
 Na. 13° 57' E.

25.00 Florence Canal Course N. W.

40.00 Set temporary 1/4 Sec. Cor.

Chs.

- 41.00 Cross Florence Canal Course
S. 60° W.
- 48.00 Cross Florence Canal Course N. 60° W.
- 57.00 old road to Tucson S. 10° E N. 70° W.
- 80.14 Intersect N. $\frac{1}{2}$ S. line 6 cks. N of Rev.
to secs. 26-27-34 $\frac{1}{2}$ 35. Thence
I run ^{N.} 89° 58' W. on a true line
bet. secs. 27 & 34
Since Va.
- 40.07 Set a charred mesquite post
3 ft. long 3 ins. sq. 12 ins. in the
ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face. Aug. 18 X 18 X 12
E. $\frac{1}{2}$ W. of post 50 ft. dist.
raised mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post
- 80.14 Cor. to secs. 27-28-33 $\frac{1}{2}$ 34
Sand - about 8 ins of rich soil

Obs.

on bed of cement. Mesquite & page

North bet. 27 & 28

Na. $13^{\circ} 57' E$,

over level land

15.00 Cross Florence Canal Course
N. $60^{\circ} W$,

37.00 Well 6 chs, 15 lks, $\frac{1}{2}$ Hd chain
of J. S. Miller N. $\frac{1}{2}$ of S. $\frac{1}{2}$. Sec. 28

40.00 Set a charred mesquite post,
3 ft long 3 ins eq, 12 ins. in the
ground for $\frac{1}{4}$ sec. cor. Dig
pits 18x8x12 ins. N. $\frac{1}{2}$ S. of post
 $5\frac{1}{2}$ ft. dist, raised mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post,

80.00 Set a charred mesquite post
4 ft. long 4 ins eq, 12 ins in
ground for cor. to secs. 21-22

Obs.

-27-28, marked

T. 6. S. S. 22. on N. E.

R. 8. E. S. 27 on S. E.

S. 28. on S. W.

S. 21. on N. W. faces with
3 notches on E. end 2 notches
on S. edges. Aug. pits in
each Sec. 18x18x12 ins. 5 1/2 ft.
dist. raised mound of earth
2 ft. high 4 1/2 ft. base around
post. Soil 2' deep, Sagond grasswood

E. on a random line bet. secs. 22nd & 27.
No. 13° 57' E.

- 17.00 Descend about 10 ft. into mesquite
20.50 Old Tucan road bears N. 35° W. S. 35° E.
40.00 Set. temporary 1/4 sec. cor.
80.00 Intersect N. S. line 18 lks S. of Cor
to secs. 22-23-26 & 27.

Chs

Thence Iron S. $89^{\circ}52'W$. in true
line Same Va.

40.00 Set a charred mesquite post
3 ft. long 3 ins. sq. 12 ins. in ground
for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}S$. on
N. face. Lay pipe 18X18X12,
ins. E $\frac{1}{2}$ W. of post $5\frac{1}{2}$ ft. dist.
raised mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around
post.

80.00 The cor. to secs. 21-22-27 & 28
Soil is rich about 8 ins deep
on bed of cement, mesquite
(Aug. 27/89)

North between secs. 21st & 22
Va. $13^{\circ}57'E$.

40.00 Set a charred mesquite post 3 ft.
long 3 ins. sq. for $\frac{1}{4}$ sec. cor.

Chis.

marked $\frac{1}{4}$ S. on N. face. Dig pits $18 \times 18 \times 12$ ins N. & S. of post $5\frac{1}{2}$ ft. dist. raised mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

48.00 Cross road bears N. 20° W. S. 20° E.

54.00 Second about 20 ft.

80.00 Set a charred mesquite post 4 ft. long 4 ins. sq. 12 ins. in ground for cor. to secs. 15-16-21 & 22.

Marked T. 6. S. S. 15. on N. E.

R. 8. E. S. 22. on S. E.

S. 21. on S. W.

S. 16. on N. W. faces.

3 notches on E. and 3 notches on S. edges

Dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. raised mound of earth

Ois.

3 ft. high $4\frac{1}{2}$ ft. base around
post. Soil 2" class. Sage & mesquite,

E. on a random line bet. secs. 15²² & 15²³

No. $13^{\circ}57'E$,

40.00 Set temporary $\frac{1}{4}$ sec. cor,

80.00 Intersect NW $\frac{1}{4}$ sec. 18 bk. S of cor. to
secs. 14-15-22 & 23. Fence I run
S. $89^{\circ}52'N$. on true line

Same Va.

40.00 Set a charred mesquite post
3 ft. long 3 ins. sq. 15 ins. in
ground for $\frac{1}{4}$ sec. cor, marked:

$\frac{1}{4}$ S. on N. face. dug pits
18x18x12, ins. E $\frac{1}{2}$ N. of post
 $5\frac{1}{2}$ ft. dist. raised mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

80.00 The cor. to secs. 15-16-21 & 22

Obs.

Broken ^{4m} 2" rate land, Mesquite,
 Sec. 27 is the Desert Claim
 of J. L. Copeland

North between Secs. 15 & 16,
 Va. $13^{\circ} 57' E$,

- 40.00 Set a charred mesquite post 3 ft.
 long 3 ins. eq. 12 ins. in ground for
 $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4} S$, on W. face
 Aug. pits 18X18X2. N. $\frac{1}{4}$ S, of post
 raised mound of earth $\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around post
- 80.00 Set a charred Redwood post
 4 ft. long 4 ins. eq. 12 ins. in
 ground for cor. to Secs. 9-10-
 15 $\frac{1}{4}$ 16 marked:—
 T. 6. S. S. 10. on N. E.
 R. 8. E. S. 15. on S. E.
 S. 16 on S. W. S. 9 on N. W. faces

Chs.

with 3 notches on E. ^{and} 4 notches
on S. Edges. Sug pits 18x18x12
ins. 5 1/2 ft. dist. raised
mound of earth 2 ft. high
4 1/2 ft. base around post
Sand rolling 2" rate,

E. on a random line bet. secs. 10 & 15
No. 13° 57' E.

- 40.00 Set temporary 1/4 sec. cor.
60.00 Enter McSellan Wash course N. W.
70.00 Leave wash
80.00 Intersect N. & S. line 2000 ft. S. of Cor.
to secs. 10-11-14 & 15. Thence down
S. 89° 51' W. on a true line bet.
secs. 10 & 15.

Same No.

- 40.00 Set a charred Redwood post
3 ft long 3 in. eq. 12 ins in ground

Chis.

for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
N. face. Aug pits 18X18X12. ins
E and W. of post. Raised mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

80.00 Cor. to secs. 9-10-15 & 16.

Soil 2nd rate. Sand rolling
mesquite.

Sec. 15 is the Desert Claim
of Francis M. Simville

North bet. secs. 9 & 10.

No. 1357 E.

40.00 Set a charred Redwood post 3 ft.
long 3 ins. sq. 12 ins. in ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
N. face. Aug pits 18X18X12.
ins. N & S. of post $5\frac{1}{2}$ ft. dist.
Raised mound of earth $1\frac{1}{2}$ ft. high

Obs.

80.00 3 1/2 ft. base around post
 Set a charred Redwood post
 4 ft. long, 4 in. sq, 12 in in
 ground for cor to sec. 3-4-9 & 10
 Marked: T. 6. S. 3. on N.E.
 R. 8. E. S. 10 on S.E.
 S. 9. on S. W. ^{1/4} S. 4. on N. W. faces.
 3. Notches on E. & 5 notches on
 S. Edges. Sng pits 18 X 18 X 12,
 ind. in each sec. 5 1/2 ft.
 dist, raised mound of
 earth 2 ft. high & 1 1/2 ft. base
 around post. Soil 1/2^{ct} rate.

E. on a random line bet. sec. 3 & 10,
 Na. 13° 57' E,

35.00 Enter McSellar Wash Course N.E.

40.00 Set temporary 1/4 sec. cor.

46.00 Leave Wash

Chs.

79.84 Intersect $7\frac{3}{4}$ S. line 8 lks. S of Cor
to Sec's, 2-3-10 & 11. Thence I
run S. $89^{\circ} 57' W.$ on a true line
Same Va.

3992 Set a charred Redwood post
3 ft. long 3 ins. sq. 12 ins. in ground
for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ S. on
N. face. Aug pits $18 \times 18 \times 12$, ins
E. & W. of post $5\frac{1}{2}$ ft. dist.
Raised mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

79.84 The cor. to secs. 3-4-9 & 10.

Soil 1st rate.

The Desert claim of Emma J. Munn is
the S. $\frac{1}{2}$ & the N. W. $\frac{1}{4}$ Sec. 10.

The Desert claim of E. M. Miller
is the N. E. $\frac{1}{4}$ of sec. 10.

North between Secs. 3 $\frac{3}{4}$ S. & 4.

Chis.

Va. 13° 57' E.

40.00 Set Charred mesquite post 3 ft.
 long 3 ins. sq, 12 ins. in ground
 for $\frac{1}{4}$ sec. cor. marked: —
 $\frac{1}{4}$ S. on N. face. Aug pits
 18x18x12. ins. $\frac{1}{2}$ S. of post $5\frac{1}{2}$
 ft. dist. Raised mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post.

43.00 Enter McEllan Wash Course N. W.
 66.00 Leave wash

18.34 Intersect 1st. Standard South
 2. ch. 34 lks, E. of $\frac{1}{4}$ Cor. of
 Sec. 34. T. 5. S. R. 8. E.

Set a charred mesquite post
 4 ft. long 4 ins. sq, 12 ins. in
 ground for cor. to Sec. 3 & 4,
 marked: - C. C. T. 6. S. R. 8. E. on S.
 Sec. 3 on E. S. 4. on N. faces.

Obs.

3 notches on E & W. edges
 Aug pits 18x18x12, S. E. & W. of
 post 5 1/2 ft. dist. Raised
 mound of earth ^{2 ft. high} 4 1/2 ft. bank
 around post. Soil 2nd grade.

From the cor. to sec. 32 & 33. 4 & 5,
 on the S. boundary of tp. which
 is a charred mesquite post 3
 ins. eq. marked. T. 6. S. S. 33 on
 N. E. — R. 8. E. S. 4 on S. E.,
 T. 7. S. S. 5 on S. W.

S. 32 on N. W. face 4 notches
 in E, and 2 notches in W. edges
 pits in each sec. 5 1/2 ft. dist.
 mound of earth around post
 Hence from N. bet. sec. 32 & 33,
 Na. 13° 57' E,

40,00 Get a charred mesquite post 3 ft.

Ohio.

Long 3 in. ^{12 in in ground} sq. for $\frac{1}{4}$ sec. cor, marked
 T.S. on N. face. Aug pits 18X18X12,
 ins, on N.S. of post 5 $\frac{1}{2}$ ft. dist.
 raised mound of earth 1 $\frac{1}{2}$ ft. high
 around post, 3 $\frac{1}{2}$ ft. base

81. or Set a charred mesquite post
 4 ft. long 4 in. sq. 12 ins. in ground
 for cor. to sec. 28-29-32 & 33.

Marked: - T. 6. S. S. 28. on N. E,

R. 8. E. S. 33 on S. E,

S. 32 on S. W, S. 29 on N. W. faces

4 notches on E, 1 notch on S. Edge

Aug pits 18X18X12 ins. in each
 sec. 5 $\frac{1}{2}$ ft. dist. raised mound
 of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
 around post. Soil 1st class. Grasswood,

E. on a random line bet. sec. 28 & 33

Na. 13° 57' E,

Chis.

40.00 Set temp. $\frac{1}{4}$ sec. cor.80.10 Intersect N. & S. line 16th S. of cor.^{to}
secs. 27-28-33 & 34. Thence
run S. $89^{\circ}53'W$, on a true line
bet. secs. 28 & 33

Same Va.

40.05 Set a charred mesquite post
3 ft. long 3 in. eq. for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face.Dig pits 18x18x12 ins E. & W.
of post $5\frac{1}{2}$ ft. dist. raise
in mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post80.10 The cor. to secs. 28-29-32 & 33
Soil 1st rate

N. bet. secs. 28 & 29.

Va. $13^{\circ}57' E$,27.00 Cross Flanna Canal Curve S. $5^{\circ}W$.

Ohio.

40.00 Set a charred mesquite post
3 ft. long, 3 in. sq, for $\frac{1}{4}$ S. Cor.
Marked $\frac{1}{4}$ S. on N. Face
Dug pits 18x18x12 ins., $5\frac{1}{2}$ ft. dist
N & S of post. Raised mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

80.00 Set a charred mesquite post 4 ft.
long 4 ins sq, 13 ins. in ground
for cor to eecs. 20-21-28 & 29
Marked: -T. 6, S. S. 21. on N. E.

R. 8. E. S. 28 on S. E.

S. 29 on S. W. S. 20 on N. W.

faces. 4 notches on E, 2 notches
on S. edges, Dug pits 18x18x12
ins. in each ec, $5\frac{1}{2}$ ft. dist
raised mound of earth 2 ft.
high $4\frac{1}{2}$ ft. base around
post. Soil 1st Class, Aug. 28.

Ohs.

E, on a random line bet. Secs. 21 & 28
 Va, $13^{\circ} 57' E$,

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.10 Intersect N & S line 23 lks. S. of
 Cor. to Secs. 21, 22, 27 & 28. ^{Thru}
 $S, 89^{\circ} 50' N$, in a true line bet. secs.
 21-28. Same Va,

40.05 Set a charred mesquite post $\frac{3}{4}$ ft.
 long, 3 ins. sq., 12 ins. in ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
 N. face. dug pits $18 \times 18 \times 12$ ins
 $E \frac{1}{2} N$. of post $5 \frac{1}{2}$ ft. dist.
 raised mound of earth $1 \frac{1}{2}$ ft
 high $3 \frac{1}{2}$ ft base around post

80.10 The cor. to secs. 20-21-28 & 29.
 Soil 1st rate. Dags ⁴ mesquite

North between Secs. 20 & 21
 Va, $13^{\circ} 57' E$,

Chis.

40.00 Set a charred mesquite post
3 ft. long 3 in. sq. 12 in. in
ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{2}$ S. on W. face. Dig pits
18X18X12, ins. N & S. of post $5\frac{1}{2}$ ft.
dist. raised mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around
post.

80.00 Set a charred mesquite post
4 ft. long 4 in. sq. 12 in. in
ground for cor to sec. 16-17-20 & 21,
marked: - T. 6. S. S. 16 on N. E.,
R. 8. E. S. 21 on S. E.,
S. 30. on S. W. S. 17. on N. W. faces
4 notches on E, $\frac{2}{3}$ 3 notches on S.
Edges. Dig pits 18X18X12, ins.
in each sec. $5\frac{1}{2}$ ft. dist. raised
mound of earth 2 ft. high $4\frac{1}{2}$ ft. base
around post. Soil 1 $\frac{1}{2}$ rate. Mesquite.

Obs.

E. on a random line bet. secs. 16 & 21
 No. $13^{\circ}57' E$,

40.00 Set temp. $\frac{1}{4}$ sec. cor.

71.40 Cross road bears NYS;

80.16 Intersect NYS line 9th Co. N of Cor.
 to secs. 15-16-21 & 22. Thence I
 run N. $89^{\circ}56' W$. on a true line
 same No.

40.08 Set a charred mesquite post
 3 ft. long 3 ins. sq. 12 ins. in ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N.
 face. Dig pit 18X18X12 ins.
 $E \& W$ of post $5\frac{1}{2}$ ft. dist.
 raised mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around post

80.16 One cor to secs. 16-17-20 & 21,
 Soil 1st Rate

North between 16. & 17.

Obs.

No. 13° 57' E,

40.00 Set a charred mesquite post 3 ft.
 long 3 in. sq. 12 in. in ground
 For $\frac{1}{4}$ sec. cut, marked 145. on
 N. face. Aug pits 18x18x12, in.
 N & S of post $5\frac{1}{2}$ ft. dist.

Raised mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post,

80.00 Set a charred mesquite post
 14 ft. long 4 in. sq. 12 in. in ground
 For cut to Secs. 8-9-16 & 17.
 Marked: T. 6. S. 5. 9 on N. E,

R. 8. E. S. 16 on S. E,

S. 17 on S. W. & S. 8 on N. W. Faces
 4 notches on E, & 4 notches on
 S. edges. Aug pits 18x18x12,
 in. in ground in each sec.
 $5\frac{1}{2}$ ft. dist. raised mound of
 earth 2 ft. high $4\frac{1}{2}$ ft. base

Ch.

around post.
Soil 1st class. Mesquite

E. on a random line bet. secs. 9 & 16.
Va 13° 57' E.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

46.50 Cross road bears $71^{\circ} 20'$ N. S. 20° E.

80.20 Intersect N & S line 21 lks. N. of cor.
to secs. 9-10-15 & 16.

Thence I run $77^{\circ} 51'$ ^W on a
true line bet secs. 9 & 16.

Same Va.

40.10 Set a charred mesquite post 3 ft.
long, 3 in. sq. 12 in. in ground
bet $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N.
face. Aug pits 18X18X12 in.
E. 90° N. of post $5\frac{1}{2}$ ft. dist.
raised mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.

Chs.

80.20 The cor. to secs. 8-9-16 & 17.
Soil 1st rate

North between Secs. 8 & 9.
No. $13^{\circ} 57' E$.

36.00 Cross road Bear N. $40^{\circ} E$. S. $40^{\circ} W$.

40.00 Set charred mesquite post 3 ft
long 3 ins. sq. 12 ins. in ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4} S$ on
N. face. Dig pits $18 \times 18 \times 12$
ins. N & S. of post $5\frac{1}{2}$ ft dist.
raised mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post.

Caral. Well and adob. house 2 Chs. E.

80.00 Set a charred mesquite post 4 ft.
long 4 ins. sq. 12 ins. in ground
for cor. to Secs. 4-5-8 & 9.
Marked: —

Obs.

T. 6. S. S. 4. on N. E.
 R. 8. E. S. 9 on S. E.
 S. 8 on S. W. S. 5. on N. W. faces
 4 notches on E. 5 notches on S.
 edges. Sug pits 18X18X12, ins.
 In each sec. 5 1/2 ft. dist.
 Raised mound of earth 2 ft.
 high 4 1/2 ft. base around
 post. Soil 1st. class.
 Sec. 9 is the Desert Claim of
 R. W. Kersey.

E. on a random line bet. Secs. 4 & 9,
 No. 13° 57' E,

17.30 Cross road here. N. E. of S. W.
 40.00 Set. temp. 1/4 sec. cor.
 79.60 Intersect N & S. line at post
 cor. sec. 4-5-8 & 9,
 Thence down N. on a true line

Chis.

Same Va.

39.80 Set a charred mesquite post
3 ft. long 3 in. sq. 16 ins in ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
W. face. Dig pits 18x18x12,
ins. E⁹⁰W. of post. 5 $\frac{1}{2}$ ft.
dist. raised mounds of earth
 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around
post.

79.60 The cor. to sec. 4-5-8 & 9.
Soil 1st. rate.

North bet. sec. 4 & 5.

Va. 13.57' E.

40.00 Set a charred mesquite post
3 ft. long 3 ins sq for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face.
Dig pits 18x18x12 ins. N & S
of post 5 $\frac{1}{2}$ ft. dist.

Chs.

Raised mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around post.
 52.00 Cross road. Bears N. 40° W. S. 40° E.
 117.00 Intersect the 1st standard south
 3 chs. 28 lks. E. of $\frac{1}{4}$ cor. to sec.
 33, T. 5. S. R. 8. E.

Set a charred mesquite post
 4 ft. long 4 in. sq. 12 in. in ground
 for cor to secs. 4 & 5
 marked:—C.C.T. 6. S. R. 8. E. on S.
 S. 4. on E. & S. 5 on W. faces
 4 notches on E. & 2 notches
 on W. edges. Dug pits
 18X18X12, ins. S. E. & W. of post
 $5\frac{1}{2}$ ft. dist. Raised mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post. Soil 2nd rate
 Sec. 4 is the Desert Claim of
 Christian Vallrick.

Concluded, Book 653.

61
P. 53