

Recd. April 10 1892

2.

Platted, &c.

58

To Gen. L. O. May 27, 1892

Survey approved.

August 31, 1892

4-671

BOOK 65g

No. 655

655

FIELD NOTES

BOOK 655

GENERAL LAND OFFICE.

Subdivision

T6S.R9E

By Daniel Drummond U.S.D.S.

UNDER CONTRACT, N<sup>o</sup> 19.

Dated June 13, 1891,

SUR. Tp. Commenced, Dec. 12, 1891.

SUR. Tp. Completed, Dec. 19, 1891.

59

BOOK 655

(4-674.)

Township *6 South R. 9 East*

6	90	5	65	4	3	2	1
88	87		64				
7	85	8	62	9	10	11	12
84	82		61				
18	81	17	60	16	15	14	13
79	78						
19	77	20		21	22	23	24
75	74						
30	73	29		28	27	26	25
71	70						
31	68	32		33	34	35	36

BOOK 655

60.

No. 655

Subdivision T. 6 S. R 9 E. Cont<sup>d</sup>

Chains

N. 0° 2' W. bet Secs 16 & 17

Var 12° 55' E.

Over level ground.

40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor - marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 ins N & S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor. to Secs 8-9-16 & 17 marked

T. 6 S. S. 9 on NE

R 9 E S. 16 on SE

S. 17 on SW and

S. 8 on NW faces

with 4 notches on S. and E.

## Subdivision T. 6 S. R. 9 E

Chains

edges, dug pits 18 X 18 X 12 ins in each  
 Sec. 5  $1\frac{1}{2}$  ft dist and raised a  
 mound of earth 2 ft high  $4\frac{1}{2}$  ft  
 base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate  
 Timber, scattering mesquites.

S.  $89^{\circ}30'E$  on a random line bet

Secs 9 & 16

Var  $12^{\circ}55'E$

Over level ground

40.00 Set temp  $1\frac{1}{4}$  Sec. lev.

80.00 Intersect N & S line at the cor  
 to Secs 9-10-15 & 16.

Thence I run

N.  $89^{\circ}30'W$  on a true line bet

Secs 9 & 16

Var  $12^{\circ}55'E$ .

62

BOOK 655

## Subdivision T. C. L. R. G. C.

Phases

40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 in E & W. of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

80.00 The cor to secs 8-9, 16 & 17  
Land level  
Soil sandy loam 1<sup>st</sup> rate  
Timber, scattering mesquite.

N.  $0^{\circ}2'$  W. bet Secs 8 & 9

Var.  $12^{\circ}55'$  E.

Over level ground.

40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor. marked

## Subdivisions T6 S. R9E.

chains

$\frac{1}{4}$  S on W. face, dug pits  $18 \times 18 \times 12$   
 ins N & S of post  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for cor to secs 4, 5.

8 & 9 marked

T6 S. S 4 on NE

R9E. S. 9 on SE.

S 8 on SW and

S 5 on NW. faces

, with 5 notches on S. and 4 notches  
 on E edges, dug pits  $18 \times 18 \times 12$  ins  
 in each sec.  $5\frac{1}{2}$  ft dist. and  
 raised a mound of earth 2 ft  
 high  $4\frac{1}{2}$  ft base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

BOOK 655 64

## Subdivision of T. C. L. R. &amp; E.

Name

Timber, scattering mesquite.

S 89° 30' E on a random line bet  
Secs 4 & 9

Var. 12° 55' E.

Over level ground

40.00 Set temp 1/4 Sec Cor.

79.96 Intersect N & S line 3 lks S. of  
the cor to Secs 3-4-9- & 10

Hence I run

N. 89° 31' W. on a true line bet  
Secs 4 & 9

Var 12° 55' E

39.98 Set a post 4 ft long 4 ins square  
with marked down 12 ins in  
the ground for 1/4 Sec Cor marked  
1/4 S. on N. face, dug pits 15 x 18  
x 12 ins E & W. of post 5 1/2 ft  
dist. and raised a mound

Lead divisions T. C. S. R 9 E  
 Charms

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

79.96 The cor to Secs 4, 5, 8 & 9.

Land level

Soil, sandy loam 1<sup>st</sup> rate.

Timber, scattering mesquite.

N.  $0^{\circ} 2'$  W. bet Secs 4 & 5

Var  $12^{\circ} 55'$  E.

Over level ground

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  Sec Cor.

marked  $\frac{1}{4}$  S. on W. face, dug  
 pits 18 X 18 X 12 ins N & S. of post  
 $5\frac{1}{2}$  ft dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post.

118.41 Intersect the N. bd'y of Tp.



Subdivision T. 6 S. R. 9 E.

Chance

and First Standard Parallel South  
at a point S. 89° 40' E. 39.76 chs  
from the Standard Cor to Secs 32 & 33  
recently reestablished and  
hereinbefore described by me  
where I set a post 4 ft  
long 4 ins. square with  
marked stone 12 ins in  
the ground for closing Cor.  
to Secs 4 & 5 marked

C. C. T. C. S. R. 9 E. on S.

S. 4 on E and

S. 5 on W. faces

with 4 notches on E and 2 notches  
on W. faces, dug pits 18 x 18 x 12  
ins S. E & W of post 5 1/2 ft  
dia and raised a mound  
of earth 2 ft high 4 1/2 ft base  
around post.

## Subdivision T 6 S. R 9 E.

Ch arms

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite

Dec 16<sup>th</sup> 1891

BOOK 655 68

## Subdivision T. 6 S. R. 9 E.

Chains

From the cor to Secs 5. 6. 31 & 32  
on the S. bd'y of the Tp. recently  
established and heretofore  
described by me I run

N.  $0^{\circ} 3' W.$  bet Secs 31 & 32

Var.  $12^{\circ} 55' E$

Over level ground

40.00 Set a post 4 ft long 4 in square  
with marked above 12 in in the  
ground for  $\frac{1}{4}$  Sec Cen. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 X 18 X 12  
in N & S of post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 in square  
with marked above 12 in in the  
ground for cor to Secs 29. 30. 31  
and 32 marked

T. 6 S. S. 29 on N.E.

## Subdivisions T. 6 S. R 9 E

Chamo

R 9 E. S. 32 on SE

S. 31 on SW and

S. 30 on NW faces

with 1 notch on S. and 5 notches  
on E. edges, dug pits 18 X 15 X 12 ins  
in each sec 5 1/2 ft dist and  
raised a mound of earth 2 ft  
high 4 1/2 ft base around post.

Land level

Soil, sandy loam + strata  
Timber, none.

---

BOOK 655

70

## Subdivisions T. 6 S. R. 9 E.

Chains

S.  $89^{\circ}29'E$  on a random line  
bet secs 29 & 32

Var  $12^{\circ}55'E$ .

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.10 Intersect N & S line of the cor to Secs 28, 29, 32 & 33

Thence I run

N.  $89^{\circ}32'W$  on a true line bet  
Secs 29 & 32

Var.  $12^{\circ}55'E$

40.05 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18x18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

## Subdivision of T. 6 S. R. 9 E.

chain

80.10 The cor to secs 29. 30. 31 &amp; 32

Land level -

Soil sandy loam 1<sup>st</sup> rate

No timber.

N. 89° 29' W. on a random line  
bet Secs 30 & 31

Var 12° 55' E.

Over level ground

40.00 Sit temp 1/4 Sec cor.

75.07 Intersect W. bdy of T<sub>6</sub> at cor to  
Secs 25. 30. 31 & 36. which is a  
post firmly set and properly  
marked as described in the  
Field Notes furnished by the  
Surveyor General.

Thence I run

S. 89° 29' E on a true line bet  
Secs 30 & 31

BOOK 655 72

## Subdivision T. 6 S. R. 9 E.

Chains

Var.  $12^{\circ}55'E$ 

- 7.00 Wagon road NE & SW.
- 32.47 Wagon road from Picacho to  
Florence bears NW & SE
- 35.07 Set a post 4 ft long 4 ins. square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18x18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 75.07 The cor to Secs 29, 30, 31 & 32  
Land level  
Soil sandy loam 1<sup>st</sup> rate  
Timber, none.

Subdivision T. 6 S. R. 9 E.

Chains

N. 0° 3' W. bet Secs 29 & 30

Var. 12° 55' E.

Over level ground.

40.00 Set a post 4 ft long 4 in square  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 15 x 18  
x 12 in N & S of post 5  $\frac{1}{2}$  ft dist.  
and raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post

80.00 Set a post 4 ft long 4 in square  
with marked stone 12 in in the  
ground for Cor to Secs 19-20  
29 & 30 marked

T. 6 S. S. 20 on NE

R. 9 E. S. 29 on SE.

S. 30 on SW and

S. 19 on NW. faces

with 2 notches on S and 5 notches



BOOK 655 74

## Subdivisions T. C. S. R 96.

on E. edges dug pits 18 X 18 X 12 ins  
in each Sec 5 1/2 ft dist. and raised  
a mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, none

S. 89° 32' E on a random line bet  
Secs 20 & 29

Var. 12° 55' E

Over level ground.

40.00 Sit temp 1/4 Sec Cor.

80.06 Intersect N & S line 100ks N. of  
the cor. to Secs 20, 21, 28 & 29

Thence I run

N. 89° 28' W. on a true line bet  
Secs 20 & 29

Var. 12° 55' E

Subdivisions T. 6 S. R. 9 E.

chains

40.03 Set a post 4 ft long 4 in's square with marked stone 12 in's in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  S. on N. face; dug pits 15 x 15 x 12 in's E & W. of post 5  $\frac{1}{2}$  ft dia and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft across around post.

80.06 The cor to Secs 19, 20, 29 & 30  
Land level  
Soil sandy loam 1<sup>st</sup> rate  
Timber, none.

N. 89° 29' W. on a random line  
bet Secs 19 & 30  
Var 12° 55' E

Over level ground

40.00 Set temp.  $\frac{1}{4}$  Sec cor.  
75.10 Intersect W. bdy of Tp at cor

BOOK 655 76

## Subdivisions T.C. R &amp; E.

to Secs 19, 24, 25 & 30 which is  
a post firmly set and properly  
marked as described in the Field  
Notes furnished by the Surveyor  
General.

Thence I run

S.  $89^{\circ} 29' 6''$  on a true line bet  
Secs 19 & 30.

W.  $12^{\circ} 55' 6''$ .

35.10 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18x18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post.

40.00 Wagon road from Picocho to

Florence course N & S.

as to Secs 19, 20, 29 & 30

Found level

soil sandy loam 1st rate

Timber none

Dec 18, 1891

## Subdivision of T. C. L. R 96

Chains.

N.  $0^{\circ}3'$  W. bet Secs 19 & 20Var.  $12^{\circ}55'6''$ .

Over level ground.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S.  
on W. face, dug pits  $18 \times 18 \times 12$  ins  
N. & S. of post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for cor to Secs 17, 18  
19 & 20 marked

T. C. L. S. 17 on NE

R 96. S 20 on SE

S. 19 on SW and

S. 18 on NW. faces  
with 3 notches on S and 5

BOOK 655 78

## Subdivision T. 6 S. R. 9 E.

Plan

notches on E. edges, dug pits 18x18  
x 12 ins in each Sec 5 1/2 ft dist  
and raised a mound of earth  
2 ft high 4 1/2 ft base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate.

No timber.

S 89° 28' E on a random line  
bet Secs 17 & 20  
Var 12° 55' E.

Over level ground

40.00 Set temp 1/4 sec cor.

80.04 Intersect N & S line 5 Mts S of  
the cor to Secs 16, 17, 20 & 21

Fence 1 run

N. 89° 30' W. on a true line bet  
Secs 17 & 20

Var. 12° 55' E.

## Subdivision T6S. R9E.

Main

- 31.00 Cross road corner NW $\frac{1}{4}$  S6.
- 46.02 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 11 x 18 x 12 in E & W. of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.
- 80.04 The cor to Secs 17, 18, 19 & 20  
Land level  
Soil, sandy loam 1<sup>st</sup> rate  
Timber, none.

N. 89° 29' W. on a random line  
hit Secs 18 & 19  
Cor. 12° 55' E

- Over level ground  
40.00 Set temp  $\frac{1}{4}$  sec cor.

BOOK 655 80

No. 655

## Subdivisions T. 6 S. R. 9 E.

Chains

75.08 Intersect W. bd y of Tp 68 N. S. N. of the cor. to Secs 13, 18, 19 & 24 which is a post firmly set and properly marked as described in the Field Notes furnished by the Surveyor General.

Thence I run

East on a true line bet  
Secs 18 & 19

Var.  $12^{\circ} 55' E.$

35.08 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  in E & W of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

46.00 Wagon road from Picacho to

Subdivisions T. 6 S. R. 9 E.  
Chains

to Florence bears N. & S.

75.08 The cor to Secs 17, 18, 19 & 20.

Land level

Soil, sandy loam 1<sup>st</sup> rate

No timber.

N. 0° 3' W. bet Secs 17 & 18

Var. 12° 55' E.

Over level ground.

40.00 Set a post 4 ft long 4 in square  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 x 18  
x 12 in N & S of post 5  $\frac{1}{2}$  ft dist  
and raised a mound of  
earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post.

62-70 Cross road bears N. W. & S. E.

80.00 Set a post 4 ft long 4 in



BOOK 655 82

Subdivisions T. 6. S. R. 9. E.

Chambers

square with marked stone  
12 ins in the ground for box  
to Secs 7, 8, 17 & 18 marked

T. 6. S. 8 on NE

R. 9. E. 17 on SE.

S. 18 on SW and

S. 7 on NW. posts

with 4 notches on S and 5 notches

on E. edges, dug pits 18 X 18 X 12

ins in each Sec 5 1/2 ft dia

and raised a mound of earth  
2 ft high 4 1/2 ft base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber. none.

S. 89° 30' E on a random line

bet Secs 8 & 17

Var. 12° 55' E

BOOK 655

## Subdivision T6 S. R9E

Chain

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.80.10 Intersect N $\frac{1}{2}$  S line 5 lks S. of  
the cor to Secs 8, 9, 16 & 17

Thence S run.

N $89^{\circ}32'$  W. on a true line bet  
Secs 8 & 17Var  $12^{\circ}55'$  E

40.05 Set a post 4 ft long & 4 in square  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dry pits 18 x 18  
x 12 in E & W of post  $5\frac{1}{2}$  ft  
dist and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

80.10 The cor to Secs 7, 8, 17 &amp; 18

Land level

Soil, sandy loam 1<sup>st</sup> rate.

BOOK 655<sup>84</sup>

## Subdivision T6 S. R9E.

Chains

No timber

West on a random line bet

Secs 7 &amp; 18

Var.  $12^{\circ}55'E$ .40.00 Set temp  $1/4$  Sec line.

75.12 Intersect W. bd'y of Tp 47 Wks  
N. of the cor to Secs 7. 12. 13 & 18  
which is a post firmly set and  
properly marked as described  
in the Field Notes furnished  
by the Surveyor General.

Thence I run

$N89^{\circ}40'E$  on a true line  
bet Secs 7 & 18

Var.  $12^{\circ}55'E$ .

4.20 Florence Canal 70 Wks wide  
flows southwest only.

## Subdivision T. 6 S. R. 9 E

Chains

- 11.85 Wagon road along canal
- 35.12 Set a post 4 ft long 4 in square  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18x18  
x 12 in E & W of post  $5\frac{1}{2}$  ft  
dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.
- 51.60 Wagon road from Picocho to  
Stovence course, N & S.
- 75.12 The cor. to Secs 7 & 8. 17 & 18  
Land level  
Soil sandy loam 1<sup>st</sup> rate  
Timber none.

---

N.  $0^{\circ}3'$  W. bet Secs 7 & 8

Var.  $12^{\circ}55'$  E.

Over level ground.

BOOK 655

86

Subdivision T. 6 S. R. 9 E.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec low marked  
 $\frac{1}{4}$  low W. face, dug pits 18 X 18  
X 12 ins N & S. of post 5  $\frac{1}{2}$  ft  
dist and raised a mound  
of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
base around post.

80.00 Set a post 4 ft long 4 ins  
square with marked stone  
12 ins in the ground for  
Cor to Secs 5-6-7 & 8 marked  
T. 6 S. S. 5 on NE  
R 9 E. S. 8 on SE  
S. 7 on SW and  
S. 6 on NW. faces  
with 5 notches on S and  
E. edges, dug pits 18 X 18 X 12  
ins in each Sec 5  $\frac{1}{2}$  ft dist

Subdivision T. 6 S. R. 9 E.

Chains

and raised a mound of earth  
2 ft high 4 1/2 ft base around  
post.

Land level

Soil sandy loam 1<sup>st</sup> rate  
No timber.

S. 89° 32' E on a random line  
bet Secs 5 & 8  
Var 12° 55' E.

Over level ground

70.00 Set stump 1/4 Sec cor.

80.08 Intersect N & S line at cor  
to Secs 4, 5, 8 & 9

Thence I run

N. 89° 32' W. on a true line  
bet Secs 5 & 8

Var 12° 55' E.

40.04 Set a post 4 ft long 4 in's

## Subdivision T. 6 S. R. 9 E.

Remo  
 square with marked stone lines  
 in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  S. on N. face, dug  
 pits 18 X 18 X 12 ins E & W of  
 post  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around post

20.05 The cor to Secs 5, 6, 7, & 8

Land level

Soil, sandy loam 1<sup>st</sup> rate  
 No timber.

S.  $89^{\circ}40'$  W. on a random line  
 bet Secs 6 & 7

Var  $12^{\circ}55'$

Over level ground

40.00 Set temp  $\frac{1}{4}$  Sec cor.

45.10 Intersect W. bdy of Ep  
 32 lks N. of the cor to Secs 1, 6

## Subdivisions T.C. R 9 C.

Chains.

7 & 12 which is a post firmly set and properly marked as described in the Field Notes furnished by the Surveyor General.

Fence Line

N. 89° 26' E on a true line bet

Secs 6 & 7

Dist. 12° 55' E.

15-60 Florence Canal 70 lks wide flows southwesterly

27.00 Wagon road along Canal

35.10 Set a post 4 ft long & 4 in square with marked above 12 in in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face dug pits 18 x 18 x 12 in E & W. of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base.



BOOK 655 90

## Subdivisions T. C. S. R. 90.

Cham

around post,

57.20 Major road from Picoacho  
to Florence course N. & S.15.10 The Cor to Secs 5, 6, 7 & 8  
Land levelSoil sandy loam 1<sup>st</sup> rate  
No timber.N.  $0^{\circ} 3' W.$  bet Secs 5 & 6  
Var  $12^{\circ} 55' E.$ 

Over level ground.

40.00 Set a post 4 ft long 4 ins  
square with marked above  
12 ins in the ground for  
 $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on  
W. face, dug pits  $18 \times 18 \times 12$   
ins N & S. of post  $5\frac{1}{2}$  ft  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft

## Subdivisions T6 S. R9E

Chains.

118.50 high  $3\frac{1}{2}$  ft base around post  
Intersect N. hdy of T<sub>6</sub> and  
First Standard Parallel South  
at a point S.  $89^{\circ} 40' E$ . 39.78 chs  
from the Stand. Cor to Secs  
31 & 32 T<sub>6</sub> S. R9E.

recently re-established and  
hereinbefore described by me;  
I set a post 4 ft long 4 ins  
square with marked stone 12 ins  
in the ground for closing cor  
to Secs 5 & 6 marked

C.C. T. 6 S. R9E on S.

S 5 on E and

S 6 on W. face

with 5 notches on E and  
1 notch on W. face, dug  
pts 18 x 18 x 12 ins S. E & W.  
of post  $5\frac{1}{2}$  ft dist and

BOOK 655 92.

## Subdivisions T. S. R. G. E.

chain

raised a mound of earth  
2 ft high 4 $\frac{1}{2}$  ft base around  
post

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber scattering mesquite  
bush

Dec 19<sup>th</sup> 1891

## General Description

This township contains land that is mountainous broken, and plains, and soil, that is sandy loam rocky and Gravelly. The soil in the Southeastern portion, can be classed as, 2<sup>d</sup> and 3<sup>d</sup> rate.

Irrigation is necessary to grow an agricultural crop. The Florence Canal runs through the north western portion, and flows in a Southwesterly direction.

The washes running in a Southwesterly course

are dry, except during the  
raining season.

The timber (if indeed it  
can be classed as such)  
is Palo Verde and Mesquite  
growing to a height of  
from ten to twenty feet.

The Palo Verde growing  
quite luxuriant along  
the washes in the south  
eastern portion.

The mean declination for  
the plat, the average of  
five observations is  $12^{\circ}55'E$

No Springs or natural  
water in the township

Daniel Drummond  
U.S. Deputy Surveyor.

## Final Oaths for Surveys.

## LIST OF NAMES.

A List of the Names of Individuals employed by  
*Daniel Drummond* U. S. Deputy Surveyor to  
 assist in running, measuring and marking the lines and  
 corners described in the foregoing Field Notes of the survey of  
 the Exterior and Subdivisional lines of  
 Tps. 6 S. R. 4<sup>th</sup> & 5<sup>th</sup> W. Exterior and Sub-  
 divisional lines of Tps. 2 S. R. 5 E.  
 Exterior & Subdivisional lines of Fract. T. 5 S. R. 7 E.  
 and Exterior & Subdivisional lines T. 6 S. R. 9 E.  
 of the principal base and meridian in the Territory of Arizona,  
 showing the respective capacities in which they acted.

*Charles D. Mansfield* Chairman  
*Andrew J. Burks* Chairman  
*Stewart Edwards* Flagman  
*Stephen D. Ramsdell* Axeman

## Final Oaths of Assistants.

We hereby certify that we assisted Daniel  
Drummond U. S. Deputy Surveyor, in surveying  
 the Exterior and Subdivisional lines of  
 T. 6. S. R. 4<sup>th</sup> & 5<sup>th</sup> W. The Exterior and  
 Subdivisional lines of T. 2. S. R. 5 E.  
 The Exterior & Subdivisional lines of T. 5. S. R. 7 E.  
 and Exterior and Subdivisional lines of T. 6. S. R. 9 E.  
 of the principal base and meridian in the Territory of Arizona,  
 as are represented in the foregoing field notes as having been  
 surveyed by him and under his direction; and that said Survey  
 has been in all respects, to the best of our knowledge and belief,  
 well and faithfully surveyed, and the corner monuments es-  
 tablished according to the instructions furnished by the U. S.  
 Surveyor-General for Arizona.

Charles D. Mansfield Chairman  
Andrew J. Burks Chairman  
Stewart Edwards Flayman  
Stephen D. Russell A. S. Man

Subscribed and sworn to before me this 2<sup>nd</sup>  
 day of December 1891

H. G. Miller  
 Notary Public.

Final Oath of U. S. Deputy Surveyor

1 Daniel Drummond

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Royal A.

Johnson U. S. Surveyor General for Arizona bearing date of the Ninth day of October

1891 I have well, faithfully, and truly, in my own proper person and in strict conformity, with the instructions furnished by the U. S. Surveyor General for Arizona, the surveying manual and the laws of the United States surveyed the Exterior

- X Subdivisional lines of T. 6. S. R. 4 & 5. W.
- Exterior X Subdivisional line of T. 7. S. R. 5. E. S. 1.
- X Subdivisional lines of Fract. Tp. 5. S. R. 7. E.
- and Exterior X Subdivisional lines of Tp. 6. S. R. 9. E.

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing fields notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of the said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the U. S. Surveyor General for Arizona, and in the



specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

David Drummond  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10<sup>th</sup>  
day of April - 1892.

Wm. J. Johnson  
Notary Public.

W. S. Surveyor General