

T6 SR 23 E 1
CONTRACT T 53

R. CONTZENDER #
DEP. SUR

Subs.

BOOK 656

4-671

FIELD NOTES
GENERAL LAND OFFICE.

656

No. 656

Field Notes
of the
Subdivision lines
of
Township 6 South, Range 23 East
of the
Gila & Salt River Base and Meridian
in the
Territory of Arizona
as surveyed by
Philip Coutzen
U. S. Deputy Surveyor
under his contract No 53
Dated June 17, 1899

Survey commenced April 21, 1900.
Survey completed May 28, 1900.

BOOK 656

BOOK 657

(4-674.)

Township 6. S. R. 23 E. G. & S. R. Mer.

6	114	5	88	4	69	3	49	2	30	1
112		110		86		67		48		29
7	108	8	84	9	65	10	46	11	27	12
107		105		83		63		44		25
18	103	17	81	16	61	15	42	14	23	13
102		100		78		60		40		21
19	97	20	76	21	58	22	38	23	19	24
96		94		75		56		36		18
30	92	29	72	28	53	27	34	26	16	25
12		10		8		6		4		2
AUXILARY BASE LINE										
31	91	32	71	33	52	34	31	35	15	36

1B

BOOK 656

Auxiliary Base LineAuxiliary Base Line.

Owing to the fact that the South boundary is out in alignment and measurement I proceed to establish an auxiliary Base Line

Commence at cor. to secs. 25, 30, 31 and 36 on the W. Bdy. of the Tp. as heretofore described.

April 21, 1900. at 7.30 am. l.m.t. I set off $32^{\circ}51'$ on the lat. arc; $11^{\circ}50'N$ on the decl. arc; and determine a true meridian with the solar. Thence I run East, on a random line set 1st temp. $\frac{1}{4}$ sec. cor. at 36.00 chs. thence set Temp. $\frac{1}{4}$ and sec. corners. at intervals

T. 6. 0. R. 23 E. continued

chains

of 40.00 chains, at 476.40 chs.
Intersect E. Bdy. of T. 208 lks.
N. of Cor. W. Secs. 25, 30, 31 and
36. The falling answers to
a correction of 15' or 35 lks.
S and 40 lks. W. per mile
counting from cor. of secs.
25, 30, 31 and 36 on W. Bdy.
of T. 208.

Therefore I run
April 23, 1900.

N 89° 45' W. bet. secs. 25 and 36.
over level land

40.00 Set a Granite stone 18 x 8 x 6 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S. 25. on N. face,
36 on S. face, from which
a mesquite 12 ins. diam.
bears, N 64° W. 14 $\frac{1}{2}$ lks. dist.

Auxiliary Base Line

chains

marked $\frac{1}{4}$ S. 25, 13.T.

a mesquite 20 ins. diam. bears
 $S76^{\circ}W$. 228 lks. dist. marked
 $\frac{1}{4}$ S. 36, 13.T.

44.00 Wash 100 lks. wide, course N. Eastly

50.75 Wash 50 lks. wide, course N. Eastly

75.50 Wash 10 lks. wide, course N. Eastly

80.00 Set a granite stone 18 x 8 x 8 ins.

12 ins. in the ground for cor. of
 sec 25, 26, 35 and 36, marked
 with 1 notch on S & E edges.

from which a scrub
 mesquite 6 ins. diam. bears
 $N85\frac{1}{2}^{\circ}E$. 124 lks. dist. marked
 T6S. R23E. S. 25, 13.T.

a scrub mesquite 6 ins. diam.
 bears $S44^{\circ}E$ 229 lks. dist. marked
 T.6.S. R23E. S. 36, 13.T.

a scrub mesquite 6 ins. diam.

T. 6. S. R. 23 E. continued

chains

bears S 12° W. 259 lks dist.
 marked T 6 S. R 23 E. S. 35. B. T.
 A scrub mesquite 6 ins. diam.
 bears N $53\frac{1}{2}^{\circ}$ W. 348 lks. dist.
 marked T. 6. S. R. 23 E. S. 26. B. T.

Land, Level

Soil, sandy. 1st & 2nd rate
 Timber, a few scattering scrub
 mesquite.
 Undergrowth, greasewood.

N $89^{\circ} 45'$ W. bet. secs. 26 and 35
 over level land

5.00

Wash 20 lks. wide, course N. easterly

40.00

Set a sand stone 18 x 10 x 4 ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 26. on N. face.
 35 on S. face, from which
 a scrub mesquite 10 ins. diam.

Auxiliary Base Line

chains

bears $S 19\frac{3}{4}^{\circ} W$, 57 lks. dist. marked, $\frac{1}{4} S$, 35, B.T. no other tree within limits, dig pits $18 \times 18 \times 12$ ins. E and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft. high N. of cor.

80.00 Set a Granite Stone $18 \times 10 \times 6$ ins. 12 ins. in the ground for cor of secs. 26, 27, 34 and 35. marked with 1 notch on S, and 2 notches on E, edges from which a mesquite 10 ins. diam. bears $N 5\frac{1}{2}^{\circ} E$, 315 lks. dist. marked T6S, R23E, S, 26, B.T. a mesquite 12 ins. diam. bears $N 21\frac{1}{4}^{\circ} W$, 245 lks. dist. marked T6S, R23E, S, 27, B.T. dig pits

T6S, R23E, continued

chains

18x18x12 ins. in sec's. 34
and 35. 5½ ft. dist. and
raise a mound of earth
3½ ft base ½ ft. high N of cor.
Sand, level

Soil, sandy and gravelly, 1st
and 2nd rate

Timber, a few scrub mesquite
undergrowth, grease wood
and scrub mesquite.

N89°45'W. bet. sec's. 27 and 34
over level and broken land

5.50 Wash 200 lks. wide, course N Easterly

40.00 The point for ¼ sec. cor. falls
in wash 4 lks. wide, course N. Easterly

41.00 Set a granite stone, 18x7x6 ins.
12 ins. in the ground for witness
cor to ¼ sec. cor. marked

Auxiliary Base Line

chains

W.C. $\frac{1}{4}$ S. 27, on N face, 34. on S. face. and raise a mound of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. Pito impracticable.

Enter mountainous land.

46.00 Wash 60 lks. wide, course N Easterly

49.60 Wash 50 lks. wide, course S W.

60.00 Leave mountainous land and enter broken mesa.

75.00 Wash 30 lks. wide, course Northerly

80.00 Set a Granite stone $18 \times 8 \times 6$ ins. 12 ins. in the ground for cor. of sec. 27, 28, 33 and 34, marked with 1 notch on S. and 3 notches on E. edges. dig pits $18 \times 18 \times 12$ ins in each section, $5\frac{1}{2}$ ft. dia. and raise a mound of earth 4 ft base, 2 ft. high, W of cor. Land level mountainous & broken

T6S, R 23E, continued

chains

Soil, sandy & gravelly, 2nd rate
No Timber,

Undergrowth, greasewood, acatillo
Mountainous land 19.00 chs.

N 89° 45' W. bet. sects. 28 and 33
over broken mesa

- 18.60 Wash 40 lks. wide, course Northerly
21.40 Wash 30 lks. wide, course N. Easterly
40.00 Put a Sand Stone 18x6x4 ins.
12 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. 28 on N. face, 33. on
S. face, dig pits 18x18x12 ins.
E and W. of cor. 3 ft. dist. and
raise a mound of earth 3 $\frac{1}{2}$
ft. base, 1 $\frac{1}{2}$ ft. high N of cor.
49.90 Wash 40 lks. wide, course Northerly
65.00 Wash 20 lks. wide, course Northerly
75.00 Descend NE & SW

Auxiliary Base Line

chains

80.00

Set a granite stone $18 \times 8 \times 6$ ins.
 12 ins. in the ground for cor.
 of sects. 28, 29, 32 and 33
 marked with 1 notch on S
 and 4 notches on E. edges
 from which a cedar 12 ins.
 diam. bears $58\frac{1}{2}^\circ$ E. 238 lks.
 dist. marked T6S, R23E, S.33
 B.T. and raise a mound of
 of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high
 W. of cor. no other trees within
 limits. pits impracticable
 Land rolling and broken
 Soil gravelly 2nd & 3rd rate
 No Timber
 Undergrowth, greasewood
 ocotillo & scrub mesquite

T6S, R23E, continued

chains

N89°45'N, bet. secs. 29 and 32

3.00 Foot of descent, and enter

Trip Canyon bears N. Easterly

13.00 Wash, 10 lks wide course N. Easterly

17.00 Leave wash

28.00 Wash 50 lks. wide, course N. Easterly

28.60 Road, bears NE and S Westerly

39.00 Leave Trip Cañon

40.00 Det a Granite stone, 18 x 8 x 8 ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 29. on N face,
 32 on S. face, from which
 a mesquite 6 ins. diam. bears
 N7 $\frac{3}{4}$ °E. 54 lks. dist. marked
 $\frac{1}{4}$ S. 29. 13.T. a mesquite 6 ins.
 diam. bears S80 $\frac{1}{2}$ °E. 89 lks.
 dist. marked $\frac{1}{4}$ S. 32. 13.T.

45.90 Ridge bears NE and SW

49.00 Wash, 20 lks. wide, course Northerly

Auxiliary Base Line

chains

54.00 Wash, 20 lks. wide, course $\frac{1}{2}$ E. & S.

80.00 Set a Granite stone $18 \times 8 \times 8$ ins. 12 ins. in the ground for cor. of secs. 29, 30, 31 and 32, marked with 1 notch on S. and 5 notches on E. edges. from which a Mesquite 4 ins. diam. bears $N 69^\circ E$. marked T. 6. S. R. 23 E. S. 29. B. T. no other trees within limits. dug pits $18 \times 18 \times 12$ ins. in secs. 30, 31. & 32. $5\frac{1}{2}$ ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft. high W. of cor.

Land, level and broken
Dail,

Timber, a few mesquite & Tesolá
undergrowth, mesquite, nopal
& yucca, & cholla

T. 6. S. R. 23 E. continued

chain

N 89° 45' W. bet secs. 30 and 31,
over level land

8.30

Road to Pima, bears N. Easterly

22.80

Wash, 30 lks. wide, course N. Easterly

37.80

Wash 20 lks. wide, course N. Easterly

40.00

Set a Granite stone 18 x 8 x 6 ins.

12 ins. in the ground for $\frac{1}{4}$ sec.Cor. marked $\frac{1}{4}$ S. 30, on N face

31, on S. face from which a

mesquite 6 ins. diam. bears

N 72 $\frac{1}{2}$ ° W. 25 $\frac{1}{2}$ lks. dist. marked $\frac{1}{4}$ S. 30, B.T. a mesquite 6 ins.diam. bears S 12 $\frac{1}{4}$ ° W. 57 lks.dist. marked $\frac{1}{4}$ S. 31, B.T.

40.30

Wash 10 lks. wide, course N. Easterly

46.20

Wash 10 lks. wide, course N. Easterly

53.00

Wash 10 lks. wide, course N. Easterly

76.40

The cor. to secs. 25, 30, 31 and 36.

Land Level.

Sail, gravelly, 2nd rate
Timber, scrub mesquite
Undergrowth, scrub mesquite
cholla, nopal & yucca
April 23, 1900

Subdivision of T6S, R23E, continued
chains

Survey commenced May 16, 1900 with a Young & Sons, light mountain transit No 5609 with a Smith solar attachment. The instrument was examined and tested on the true meridian at Tucson, A.T. and found correct and was approved by the surveyor General for Arizona.

Preliminary to commencing I tested the instrument on the meridian established March 28, 1900, at S.C. of T. 5S, R. 22 and 23 E as heretofore described, and found the same in perfect adjustment.

Subdivision of

chains

From cor. of secs. 25, 26, 35 and 36
as heretofore described & run.

$S 3^{\circ} 04' W.$ on a random line

bet. secs. 35 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor

80.50 Intersect @ Bdy. of Tfr. 9 lks. W. of Cor.
to secs. 35 and 36 as heretofore
described.

Thence I run

North, bet. secs. 35 and 36.

from @ Bdy. of Tfr.

over level land.

27.25 Wash 175 lks. wide, course Easterly

37.20 Wash 20 lks. wide, course Easterly

40.50 Set a Granite Stone $18 \times 8 \times 6$ ins,
12 ins. in the ground for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S. 35 on W. face,
36 on E face, from which
a mesquite 7 ins. diam. bears
 $S 21^{\circ} E.$ 108 lks. dist, marked

T. 6. R. 23 E, continued

chains

$\frac{1}{4}$ S. 36. 13.7. a mesquite
6 ins. diam. bears $S 74^{\circ} \frac{1}{4}' W$
90 lks. dist. marked $\frac{1}{4}$ S.
35. 13.7.

51.70 Wash 40 lks. wide, course Easterly

56.10 Wash 30 lks. wide, course Easterly

56.60 Wash 40 lks. wide, course Easterly

80.50 The cor. to secs. 25, 26, 35 and 36.

Land, level

Soil, sandy, 1st and 2nd rate

Timber, a few scrub. mesquite

Undergrowth, greasewood and
scrub mesquite.

$N 0^{\circ} 04' E$, bet. secs. 25 and 26

17.00 Wash 200 lks. wide, course Easterly

29.30 Top of low ridge, bears E + W.

40.00 Set a Granite Stone $18 \times 8 \times 8$ ins.

12 ins. in the ground for $\frac{1}{4}$ sec.

Subdivision of

chains

Cor. marked $\frac{1}{4}$ S. 26. on W face,
 25. on E face, from which
 a mesquite 6 ins diam. bears
 $S 44^\circ W$, 154 lks. dist. marked
 $\frac{1}{4}$ S. 26. B.T. dog pits $18 \times 18 \times 12$ ins
 N and S of cor. 3 ft dist. and
 raise a mound of earth $3\frac{1}{2}$ ft.
 base, $1\frac{1}{2}$ ft high, W. of cor.

- 40.20 Wash 10 lks. wide, course Easterly
 46.50 Wash 50 lks. wide, course Easterly
 49.30 Wash 40 lks. wide, course Easterly
 67.50 Wash 10 lks. wide, course Easterly
 73.50 Wash 150 lks. wide, course SEasterly
 80.00 Put a Lime stone $18 \times 8 \times 8$ ins,
 12 ins. in the ground for cor. of
 secs. 23, 24, 25 and 26. marked
 with 2 notches on S. and 1 notch
 on E. edges. from which
 a mesquite 10 ins. diam. bears

T. 6. S. R. 23 E. continued.

chains.

N 48° W. 275 lks, dist. marked
T 6 S. R 23 E. S. 26. B. T. no other
trees within limits. dug pits
18x18x12 ins. in each sec.

5½ ft. dist. and raise a
mound of earth 4 ft. base
2 ft high W. of cor.

land, level

Soil, sandy and gravelly 2nd rate

No timber

Undergrowth, gre asewood
and scattering mesquite.

S 89° 45' E on a random line
bet. secs. 24 and 25.

40.00 set temp ¼ sec. cor.

80.26 Intersect E. Bdy of Tp 3 lks. S
of cor. to secs. 24 and 25.

Thence I run

Sub-division of

chains

- $N 89^{\circ} 46' W$. bet secs. 24 and 25
over level land
- 40.14 Set a Lime stone $18 \times 8 \times 3$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 24. on N face.
25. on S face. dig pits. $18 \times 18 \times$
12 ins. E and W. of cor. 3 ft.
dist. and raise a mound
of earth. $3\frac{1}{2}$ ft. base. $1\frac{1}{2}$ ft.
high N of cor.
- 80.26 The cor. to secs. 23, 24, 25 and 26
Land, level
Soil, sandy, 1st rate
No timber
Undergrowth, greasewood.
-
- $N 0^{\circ} 04' E$. bet. secs. 23 and 24
- 3.60 Wash 12 lks. wide, course Easterly
- 22.00 Wash 20 lks. wide, course S. Easterly;

T. 6. S. R. 23 E. continued

chains

Leave level land and enter broken mesa.

- 40.00 Set a Lime rock $18 \times 8 \times 4$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 23 on W face, 24 on E. face, dug pits $18 \times 18 \times 12$ ins. N and S. of stone and raised a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 67.05 Wash 20 lbs. wide, course Easterly
- 79.90 Wash 10 lbs. wide, course Easterly
- 80.00 Set a Granite stone $18 \times 7 \times 5$ ins. 12 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked with 3 notches on S. and 1 notch on E edges. from which a Palo Verde buoy, diam. bears $S 16\frac{1}{4}^{\circ} W$.

Subdivision of

chains

45½ lks. dist. marked

T6S. R23E. S. 23. B.T. no other
trees within limits. raised
a mound of stone 2½ ft. base
1½ ft. high, W. of cor. Pits
impracticable.

Land level and broken
Soil

No timber

Undergrowth, greasewood &
ocotillo.

S 89° 46' E. on a random line
bet. secs 13 and 24.

40.00 set temp. ¼ sec. cor.

80.38 Intersect E. Bdy. of Tp. 3 lks. S
of cor. to secs. 13 and 24

Thence I run

N 89° 47' W. on a true line

T. & S. R 23 E, continued

chains

bet. Secs. 13 and 24.

over level land.

30.50 Leave level land and enter
broken mesa.

40.00 Wash 4 lks. wide, course northerly

40.19 Set a Granite stone 18x8x6 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 13. on N. face
24. on S face. dug pit 18x18x12
ins. E and W. of stone. 3 ft. dia.
and raised a mound of earth
 $3\frac{1}{2}$ ft. base. $1\frac{1}{2}$ ft. high N. of cor.

41.40 Wash 10 lks. wide, course N. Easterly

46.40 Wash 10 lks. wide, course N. Easterly

80.38 The cor. to secs. 13, 14, 23 & 24.

Land level and broken

Soil, sandy & gravelly 2nd, 3rd rate

No Timber.

Undergrowth, grasswood, & coccillo.

some mesquite and Palo verde

Subdivision of

chains

- $N 0^{\circ} 04' E$, bet. sec. 13 and 14
over broken land
- 35.00 Leave broken land and enter
Trip Valley.
- 40.00 Set a Lime stone $18 \times 10 \times 3$
ins. 12 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4} S$, 14 on
W. face, 13 on E. face, from
which a mesquite 12 ins. diam.
bears $N 42\frac{1}{2}^{\circ} E$, 151 lks. dist.
marked $\frac{1}{4} S$, 13, B.T.
A mesquite 14 ins. diam. bears
 $S. 67\frac{1}{4}^{\circ} W$, 95 lks. dist. marked
 $\frac{1}{4} S$, 14, B.T.
- 49.20 Road to Pina bears NE
- 57.10 Road bears NE and O.W.
- 78.80 Wash 10 lks. wide, course, Easterly.
- 80.00 Set a Granite stone $18 \times 8 \times 8$ ins
12 ins. in the ground for cor.

T. 6 S. R. 23 E. continued

chains

of secs. 11, 12, 13 and 14
 marked with 4 notches on
 S. and 1 notch on E. edges,
 from which a mesquite
 6 ins. diam. bears $N 60\frac{1}{4}^{\circ} W$,
 275 lks. dist. marked T 6 S.
 R 23 E, S. 11, B. T. A mesquite
 6 ins. diam. bears $S 66^{\circ} W$
 272 lks. dist. marked T 6 S.
 R 23 E, S. 14, B. T. no other
 trees within limits, dug
 pits $24 \times 24 \times 12$ ins. in secs.
 12 and 13, $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 4 ft base, 2 ft. high, W. of cor.
 Land, level and rolling
 Soil, sandy and gravelly 2nd & 3rd rate
 Timber, scrub mesquite
 Undergrowth, grasswood, ocotillo and
 scrub mesquite. May 16, 1900

chains Subdivision of

May 17, 1900, at 7 am, l.m.t.
I set off $32^{\circ}54'$ on the lat. arc;
 $19^{\circ}19'N$. on the decl. arc; and
determine a true meridian
with the solar, at the cor.
of secs. 11, 12, 13 and 14.

Thence I run

$S89^{\circ}47'E$ on a random
line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.26 Intersect E. Bdy. of Tp. 4 lks.
N of cor. to secs. 12 and 13

Thence I run

$N89^{\circ}45'W$. on a true line
bet. secs. 12 and 13

over level land.

40.13 Put a line stone $18 \times 8 \times 5$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 12. on N face

T. 6. S. R. 23 E. continued

chains

13. on S. face, from which
 a mesquite 7 ins. diam.
 bears $N 6^{\circ} E$, 282 lks, dist.
 marked $\frac{1}{4} S. 12, 13, T.$ no
 other tree within limits
 dug pits 18 x 18 x 12 ins. E &
 W of stone, 3 ft. dist. and
 raised a mound of earth
 $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high, N of cor.

41.00 Road to Pima bears NE and SW

61.00 Leave level land, bears NE
 and ascend over broken land.

75.00 Leave broken land and enter
 level land

80.26 The cor. to secs. 11, 12, 13 & 14.
 Land, level and broken
 Soil, sandy & gravelly, 2nd & 3rd rate
 No timber
 Undergrowth, Greasewood

Sub-division of
chains.

- $N0^{\circ}04'E$, bet. secs. 11 and 12
over level and rolling mesa.
- 1.60 Enter mesa
- 31.30 Wash 10 lks. wide, course N Easterly
- 40.00 Set a Granite stone $18 \times 8 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S. 11. on N . face
12. on E face. from which
A mesquite 6 ins. diam. bears
 $N30^{\circ}\frac{1}{2}'E$, 35 lks. dist. marked
 $\frac{1}{4}$ S. 12. 13. T. a Lesota 6 ins.
diam. bears $S62^{\circ}\frac{1}{4}'W$, 126 lks.
dist. marked $\frac{1}{4}$ S. 11. 13. T.
- 40.30 Wash 20 lks. wide, course Easterly
- 77.50 Wash 30 lks. wide, course N . Easterly
- 80.00 Set a Granite stone $18 \times 8 \times 8$ ins.
12 ins. in the ground for cor. of
secs. 1, 2, 11 and 12, marked
with 5 notches on S . and 1 notch

T. 6 S. R. 23 E. continued

chains

on E. edges, from which
a mesquite 6 ins. diam,
bears $N 67^{\circ} E$, 146 lks, dist.
marked T 6 S, R 23 E, S. 1, B. T.
a mesquite 12 ins. diam, bears
 $S 69^{\circ} E$, 117 lks, dist, marked
T 6 S, R 23 E, S. 12, B. T.
A mesquite 15 ins. diam, bears
 $S 3^{\circ} W$, 173 lks, dist, marked
T 6 S, R 23 E, S. 11, B. T.
A mesquite 8 ins. diam, bears
 $N 16\frac{3}{4}^{\circ} W$, 128 lks, dist, marked
T 6 S, R 23 E, S. 2, B. T.
Land, level and rolling
Soil, gravelly 2nd & 3rd rate
Timber, some scrub mesquite
Undergrowth, greasewood
and mesquite

Subdivision of

chains

- S. $89^{\circ}45'$ E. on a random line
bet. Secs. 1 and 12.
- 40.00 set. Temp. $\frac{1}{4}$ sec. cor.
- 50.10 Intersect E. Bdy. of Tp at cor.
to Secs. 1 and 12.
- Thence I run
N $89^{\circ}45'$ W. on a true line
bet. Secs. 1 and 12.
over level and broken land.
- 6.00 Enter broken land
- 25.00 Leave broken land
- 34.20 Wash 30 lks. wide, course N E.
- 36.00 Enter broken land
- 40.05 Set a Granite stone $18 \times 8 \times 5$ ins.
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. 1. on
N. face. 12. on S. face.
from which a ^{sec.} musquite 6 ins.
diam. bears, N $6\frac{1}{4}^{\circ}$ E. 44 lks.

T. 6 S. R. 23 E, continued

chains.

dist. marked $\frac{1}{4}$ S. 1. B.T.

A. sc. Mesquite 7 ins. diam.

bears $S 49\frac{1}{2}^{\circ} E$. 81 lks. dist.marked $\frac{1}{4}$ S. 12. B.T.

56.00 Enter level land

61.00 Wash 20 lks. wide, course N. Easterly

78.50 Wash 30 lks. wide, course N. Easterly

80.10 The cor. to secs. 1, 2, 11 and 12.

Land, level and broken

Soil, gravelly. 2nd & 3rd rate

Timber, some scrub mesquite

undergrowth, greasewood

and scrub mesquite.

 $N 0^{\circ} 04' E$ between secs 1 and 2

9.30 Enter broken land

40.00 Set a Limestone 18x8x3 ins.

12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 2, on

chains Subdivision of

W. face, 1. on E. face, dug pits
18x18x12 ins. N and S, of stone
3 ft. dist. and raised a mound
of earth 3½ ft. base, 1½ ft. high
W. of cor.

42.00 Top of divide, bears E and W;
descend gradually over
broken mesa.

76.30 Intersect the 1st Standard
Parallel South 26.13 chs
N 89° 48' W of D. C. to secs. 35
and 36 as described by the
surveyor General.

Set a Limestone stone 18x12x6 ins
12 ins. in the ground for closing
cor. to secs. 1 and 2, marked
with 1 groove on E. and 5 grooves
on W. face, C.C. on S. face
and raised a mound of stone

T. 6S. R. 23E. continued

chains

2½ ft. base 1½ ft. high S. of cor.

Pits impracticable.

Land, rolling and broken

Soil, gravelly, 2nd and 3rd rate.

No Timber,

Undergrowth, greasewood and
ocotillo.

May 17, 1900.

May 18, 1900. at 7.50 am. l.m.t.

I set off $32^{\circ} 51'$ on the lat. arc; $19^{\circ} 32' 11''$ on the decl. arc. and determine

a true meridian with the

solar at the cor. of secs

26, 27, 34 and 35. on the

auxiliary Base line.

Thence I run

 $S 0^{\circ} 04' 11''$ on a random line
bet. secs. 34 and 35.40.00 set temp $\frac{1}{4}$ sec. cor.

80.90 Intersect S. Bdy. of Tp. 7. lks. N.

Subdivision of

chains

- of cor. to secs. 34 and 35.
 Thence I run
 from cor. point
 $N 0^{\circ} 03' E$, bet. secs. 34 and 35
- 0.10 Leave wash, course N , Easterly
- 4.00 Wash 30 lks. wide, course N Easterly
- 20.50 Wash 20 lks. wide, course Easterly
- 40.90 Set a Granite stone $18 \times 10 \times 4$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4} S$, 34, on N face
 35 on E . face, from which
 A mesquite 6 ins. diam. bears
 $N 59^{\circ} \frac{3}{4}' W$ 52 lks. dist. marked
 $\frac{1}{4} S$, 34, B.T. A mesquite 6 ins.
 diam. bears $S 61^{\circ} \frac{3}{4}' E$ 100 lks.
 dist. marked $\frac{1}{4} S$, 35, B.T.
- 41.12 Wash 6 lks. wide, course Easterly.
- 47.50 Wash 10 lks. wide, course Easterly.
- 80.90 Cor to secs. 26, 27, 34 and 35.

T6S. R23E, continued

chains

Land, level and rolling
 Soil, gravelly 2nd & 3rd rate
 Timber, a few scrub
 mesquites
 Undergrowth, greasewood

N 0° 04' E, bet. secs. 26 and 27
 over level and broken land

- 3.20 Wash 100 lks. wide, course Easterly
 3.60 Bluff 10 ft high
 5.50 Ridge bears E & W
 19.00 Enter flat, bears Easterly.
 20.00 Wash 30 lks. wide, course Easterly
 25.50 Small knoll, 2 chs. W.
 32.00 small knoll 5 chs. W;
 wash 20 lks. wide, course S. Easterly.
 40.00 Put a sandstone, 18x8x8 ins. 12 ins.
 in the ground for 1/4 sec. cor.
 marked 1/4 27 on W. face, 26 on E face

- Subdivision of
chains
- dug pits 18x18x12 ins. N and S of
 stone 3 ft dist. and raised
 a mound of earth 3½ ft. base
 1½ ft. high. W. of cor.
- 48.50 Leave flat bears E & W;
ascend
- 58.80 Ridge bears E & W.
- 70.20 Wash 10 lks. wide, course N easterly;
Enter flat bears E & W.
- 80.00 Set a Granite stone 18x8x8 ins.
12 ins. in the ground for cor of
secs. 22, 23, 26 and 27 marked
with 2 notches on S and 2 notches
on E. edges, from which
A mesquite 10 ins. diam. bears
N 9½° E, 111 lks. dist. marked
T 6 S, R 23 E, S 23, B. T.
a mesquite 6 ins. diam. bears
S 52° E, 178½ lks. dist. marked

T. 6. S. R. 23 E, continued

chains

T 6 S. R 23 E, S. 26, B.T.

A mesquite 12 ins. diam. bears
S. $28\frac{1}{4}^{\circ}$ W. 349 lks. dist. marked.

T 6 S. R 23 E, S. 27 B.T.

A mesquite 4 ins. diam. bears
N $48\frac{1}{4}^{\circ}$ W. 20 lks. dist. marked

T 6 S. R 23 E, S. 22, B.T.

Land, level and broken
Soil, sandy & gravelly 1st, 2nd & 3rd rate
Timber, some mesquite
Undergrowth, greasewood and
scrub mesquite acedillo.S $89^{\circ}45'$ E on a random line
bet. secs. 23 and 2640.00 set temp. $\frac{1}{4}$ sec. cor.80.00 Intersect N & S line, 11 lks. S.
of cor. to secs. 23, 24, 25 and 26
Thence I run

- Subdivision of
- chains
- $N 89^{\circ} 50' W$. on a true line
bet. secs. 23 and 26.
over level land
- 10.60 Enter wash, course S. Easterly
- 17.40 Leave wash, course @. Easterly
- 23.05 Wash 10 lks. wide, course @. Easterly
- 40.00 Set a Granite stone, $18 \times 8 \times 8$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 23 on N face
26 on S face, from which
a mesquite 6 ins. diam. bears
N $14\frac{1}{2}^{\circ} W$. 172 lks. dist. marked
 $\frac{1}{4}$ S. 23, B.T. A mesquite 8 ins
diam. bears $N 52^{\circ} W$. 156 lks.
dist. marked $\frac{1}{4}$ S. 23, B.T.
- 49.00 Wash 20 lks. wide, course N. Easterly
- 73.50 Wash 20 lks. wide, course S. Easterly
- 80.00 The cor. of secs. 22, 23, 26 and 27
Land, level

BOOK 656

T 6 S. R 23 E. continued

chains

Soil, sandy. 1st & 2nd rate
 Timber, mesquite
 Undergrowth, greasewood &
 mesquite.

N 0° 04' E. bet. secs. 22 and 23.

- 3.80 Wash 1000 wide course Easterly
 7.50 Wash 1000 wide course Easterly
 20.00 Small knolls, 3 chs. & 8 chs. East
 36.00 ascend ridge
 38.00 Top of ridge bears E and W.
 40.00 Det a Limestone 18 x 8 x 6 ins.
 12 ins in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S 22, on W face
 23 on E face. from which
 a mesquite 8 ins. diam. bears
 N 88 $\frac{3}{4}$ ° E, 289 lks. dist. marked
 $\frac{1}{4}$ S. 23 B.T. a mesquite 6 ins.
 diam. bears N 69 $\frac{3}{4}$ ° W 290 lks.

Subdivision of

chains

- dist. marked $\frac{1}{4}$ S. 22. B.T.
- 40.50 Wash 6 lks. wide, course westerly
- 47.00 Enter level land; Trip cañon
- 66.60 Road bears NE and S Westly
- 80.00 Set a Granite stone 18x18x6 ins
12 ins. in the ground for cor. of
secs. 14, 15, 22 and 23
marked with 3 notches on S,
and 2 notches on E. edges,
from which
a mesquite 8 ins. diam. bears
N 48 $\frac{1}{2}$ ° E. 203 lks. dist. marked
T 6 S. R 23 E. S. 14, 13 T.
a mesquite 14 ins. diam. bears
S 10 $\frac{1}{4}$ ° E. 210 lks. dist. marked
T 6 S. R 23 E. S. 23, 13 T.
a mesquite 7 ins. diam. bears
S 61 $\frac{1}{4}$ ° W. 236 lks. dist. marked
T 6 S. R 23 E. S. 22, 13 T.

T6S. R23E, continued

chains

a mesquite 8 ins. diam.
 bears N. 38° W. 114 lks. dist.
 marked T6S. R23E. S. 15. B.T.

Land, level and hilly
 Soil, sandy & gravelly, 2nd & 3rd rate
 Timber, a few scrub mesquite
 Undergrowth, greasewood

S 89° 50' E on a random line
 bet. secs 14 and 23.

40.00 set Temp. 1/4 sec. cor.

80.04 Intersect N & S line, at cor. of
 secs. 13, 14, 23 and 24

Thence I run

N 89° 50' W, on a true line
 bet. secs. 14 and 23.

over broken mesa

35.00 Leave broken land and enter
 Trip Valley

Subdivision of

chains

- 40.02 Set a Line stone 18 x 10 x 3 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 1 on N face
23. on S. face, from which
a mesquite 6 ins. diam. bears
S 58° W. 120 lks. dist. marked
 $\frac{1}{4}$ S 23. B.T. a mesquite 6 ins.
diam. bears N $74\frac{1}{2}^{\circ}$ W. 83 lks.
dist. marked $\frac{1}{4}$ S. 14. B.T.
- 61.20 Road to Pima bears NE and SW.
- 68.00 Leave Trip Valley and ascend
- 80.04 The cor. to secs. 14, 15, 22 and 23
Land level and broken
Soil, sandy & gravelly, 2nd & 3rd rate
Timber, scrub mesquite
Undergrowth, greasewood
ocotillo and scrub mesquite

May 18, 1900

T6S, R23E, continued

chains

May 19, 1900, at 8.30 am, amt.
I set off $32^{\circ}53'$ on the lat. arc;
 $19^{\circ}47'$ on decl. arc; and determine
a true meridian with the
solar. at the cor. of secs. 14, 15
22 and 23.

Thence I run
 $N0^{\circ}04'E$ on a true line
bet. secs. 14 and 15,
over rolling land.

- 37.80 Road to Lima bears NE.
39.30 Wash 10 ft. wide, course NE easterly
40.00 Set a lime stone $18 \times 8 \times 3$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 15. on W. face
14. on E. face, from which
a mesquite 7 ins. diam. bears
 $S6^{\circ}E$, 22 ft. dist. marked
 $\frac{1}{4}$ S. 14. B.T. a mesquite 14 ins.

chains Sub-division of
 diam. bears $S 30\frac{3}{4}^{\circ} W$, 73 lks.
 dist. marked $\frac{1}{4} S. 15 B.T.$
 42.80 Wash 10 lks. wide, course S. Easterly
 80.00 Set a Lime Stone $18 \times 8 \times 6$ ins.
 12 ins. in the ground for cor. of
 secs. 10, 11, 14 and 15, marked
 with 4 notches on S and 2
 notches on E. edges,
 from which
 a mesquite 6 ins. diam. bears
 $N 1^{\circ} E$, 157 lks. dist. marked
 $T 6 S. R 23 E. S. 11. B.T.$
 a mesquite 6 ins. diam. bears
 $S 48^{\circ} E$, 81 lks. dist. marked
 $T 6 S. R 23 E. S. 14. B.T.$
 a mesquite 12 ins. diam. bears
 $S 63^{\circ} W$, 64 lks. dist. marked
 $T 6 S. R 23 E. S. 15. B.T.$
 a mesquite 6 ins. diam. bears

T6S. R23E. continued

chains

N64 $\frac{1}{2}$ °W. 289 lks. dist. marked

T6S. R23E. S 10. B.T.

Land rolling

Soil, sandy. 1st & 2nd rate

No timber

Undergrowth, greasewood
and scrub mesquiteS. 89° 50' E on a random line
bet. secs. 11 and 1440.00 set temp. $\frac{1}{4}$ sec. cor.79.94 Intersect N+S. line 11 lks N
of cor to secs. 11, 12, 13 and 14

Thence I run

N89° 45' W on a true line
bet. secs. 11 and 14
over level mesa.

5.43 Wash 10 lks. wide. course S. Easterly

19.40 Leave level land & enter broken land

chains Sub-division of

39.97 Set a sandstone 18x8x7 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 11 on N face
14 on S. face, from which
a mesquite 7 ins. diam. bears
N $12\frac{1}{4}^{\circ}$ W $93\frac{1}{2}$ lks. dist. marked
 $\frac{1}{4}$ S. 11, B.T. A mesquite 10 ins.
diam. bears S. $20\frac{3}{4}^{\circ}$ E 104 lks.
dist. marked $\frac{1}{4}$ S. 14, B.T.

Leave broken center level land

52.17 Wash 6 lks. wide, course N Easterly

79.94 The cor. to secs. 10, 11, 14 and 15
Land level and broken
Soil, gravelly, 2nd rate
Timber, scrub mesquite
Undergrowth, greasewood and
scrub mesquite

T 6 S. R 23 E continued

chains

N 0° 04' E, bet. secs. 10. and 11
over level and rolling land

- 6.10 Wash 5 lks. wide, course Easterly
 23.50 Wash 10 lks. wide, course Easterly
 40.00 Set a Lime stone 18 x 12 x 4 ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 10 on W. face
 11 on E. face, from which
 a mesquite 6 ins. diam. bears
 N 83° E, 256 lks. dist. marked
 $\frac{1}{4}$ S. 11. B.T. a mesquite 6 ins.
 diam. bears S. 85 $\frac{3}{4}$ ° W 242 $\frac{1}{2}$ lks
 dist. marked $\frac{1}{4}$ S. 10. B.T.
 58.00 Enter Valley bears N Easterly
 66.50 Wash 20 lks. wide, course N Easterly
 78.10 Wash 10 lks. wide, course N Easterly
 80.00 Set a Lime stone 18 x 12 x 3 ins.
 12 ins. in the ground for cor.
 of secs. 2, 3, 10 and 11

chains
 Subdivision of

marked with 5 notches on S,
 and 2 notches on E. edges,
 from which,

A mesquite 7 ins. diam. bears
 N20°E, 40 lks. dist. marked
 T6S, R23E, S. 2, B.T.

A Tesolá 5 ins. diam. bears
 S. 40°E, 125 lks. dist. marked
 T6S, R23E, S. 11, B.T.

A mesquite 10 ins. diam. bears
 S49°W 225 lks. dist. marked
 T6S, R23E, S 10, B.T.

a mesquite 8 ins. diam. bears
 N57½°W. 98 lks. dist. marked
 T6S, R23E, S. 3, B.T.

Land level, rolling and broken
 Soil, sandy & gravelly, 2nd & 3rd rate
 Timber, a few scrub mesquite
 undergrowth, greasewood & mesquite

T. 6 S. R. 23 E. continued

chains

S $89^{\circ}45'E$ on a random line
bet. secs. 2 and 11

40.00 set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect N and S. line at cor.
of secs. 1, 2, 11 and 12

Thence I run

N $89^{\circ}45'W$. on a true line
bet. secs. 2 and 11

4.50 Enter broken land

39.96 Set a Lime Stone $18 \times 8 \times 4$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 2. on N face
11. on S. face. from which
a scrub mesquite 6 ins. diam
bears N $62\frac{3}{4}^{\circ}E$, 102 lks. dist.
marked $\frac{1}{4}$ S. 2. B.T.
a scrub mesquite 6 ins. diam.
bears S. $77\frac{1}{4}^{\circ}W$, 231 lks. dist.
marked $\frac{1}{4}$ S. 11. B.T.

Sub-division of

chains

49.00

Leave broken land and
enter level land, bears N. Easterly

64.30

Wash 10 lks. wide, course NEasterly

79.92

The cor. of secs. 2, 3, 10 and 11.
Land, level and broken
Soil, gravelly, 2nd & 3rd rate
No Lumber

Undergrowth, greasewood
and scrub mesquite.

N 0° 04' E, bet. secs. 2 and 3,
over level land and gently
rolling.

14.00

Wash 20 lks. wide course Easterly

21.30

Wash 50 lks. wide, course Easterly

24.10

Wash 50 lks. wide, course Easterly

27.75

Road bears NE + SW.

40.00

Set a Lime Stone, 18 x 8 x 3 ins.
12 ins. in the ground for 1/4.

T. 6 S. R. 23 E. continued

chains

sec. cor. marked $\frac{1}{4}$ S. 3. on
 W. face, 2 on E. face. dug pits
 18x18x12 ins. N and S. of cor.
 3 ft. dist. and raised a
 mound of earth $3\frac{1}{2}$ ft. base
 $1\frac{1}{2}$ ft. high. W. of cor.

- 60.00 Low ridge bears E and W.
 64.50 Nash 100 lbs. wide, course NE
 74.00 Road bears NE and SW.
 76.23 Intersect 1st Standard
 Parallel South 26.90 chs. N89°53'W
 of S.C. to Sec's 34 and 35,
 Set a Granite stone 18x8x4 ins.
 12 ins. in the ground for closing
 cor. of secs. 2 and 3
 marked with 4 grooves on W.
 and 2 grooves on E. faces.
 C.C. on S. face from which
 a mesquite 8 ins. diam. bears.

Subdivision of
chains

S $73\frac{3}{4}^{\circ}$ E, 227 lks. dist, marked
T. G. S. A 23 E, S. 2, B. T. no other
tree within limits. dug pits
24x18x12 ins. crosswise on
each line E and W, 3 ft.,
and S of stone 7 ft. dist, and
raise a mound of earth
4 ft. base 2 ft. high, S of cor.
Land level and rolling.
Soil, Sandy, 2nd rate
No Timber.

Undergrowth, greasewood.

May 19, 1900.

May 21, 1900. at 8.10 am, l.m.t.
I set off $32^{\circ}51'$ on the lat. arc;
 $20^{\circ}11'N$ on the decl. arc; and
determine a true meridian
with the solar at the cor.
of secs. 27, 28, 33 and 34,

T 6 S. R 23 E. continued

chains.

Thence I run $S 0^{\circ} 03' N$, on a
random line bet. secs 33 & 34

40.00 Set temp. $\frac{1}{4}$ sec. cor.

81.90 Intersect S. Bdy of Tp. 4 lks. E
of cor. to secs. 33 and 34.

Thence I run

$N 0^{\circ} 05' E$, on a true line
bet. secs. 33 and 34
over broken land

39.60 Canyon 20 lks wide, course N Eastly

41.90 Set a sandstone $18 \times 8 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4} S 33$ on
W. face, 34 on E. face
from which a mesquite
6 ins. diam. bears $S 39^{\circ} \frac{1}{4} E$
193 lks. dist. marked $\frac{1}{4} S$
34. B.T. no other tree within
limits. raised a mound of

Subdivision of

chains

- stone $2\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high
W. of cor. Pits impracticable.
- 57.90 Canyon 20 lks. wide, course N. Easterly
- 77.90 Canyon 20 lks. wide, course N. Easterly;
ascend
- 80.60 Top of ascent bears NE & SW.
- 81.90 The cor. of secs 27, 28, 33 and 34
Land broken
Soil gravelly, 3rd rate
No Timber,
Undergrowth, greasewood
and acotills.
-
- N $0^{\circ}03'E$, bet. secs. 27 and 28
over broken land
- 1.00 Wash 20 lks wide course N. Easterly
- 3.20 Wash 20 lks wide course N. Easterly
- 4.00 Wash 20 lks. wide course N. Easterly
- 10.00 Ridge bears E & W.

T6S. R23E. continued

chains

30.00

Leave broken land and enter
Trip Valley

40.00

Set a Lime stone $18 \times 8 \times 7$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S 28 on W. face
27 on E face, from which
a mesquite 8 ins. diam. bears
 $N 51^\circ W$, 26 sks. dist. marked
 $\frac{1}{4}$ S. 28. 13.T. no other tree within
limits. dug pits. $18 \times 18 \times 12$ ins.
N and S, 3 ft dist. and raised a
mound of earth $3\frac{1}{2}$ ft. base
 $1\frac{1}{2}$ ft. high. W. of cor.

65.00

old road bears N.E.

74.80

Enter wash, course Easterly

78.20

Leave wash, course Easterly

80.00

Set a Granite stone $18 \times 7 \times 5$ ins.
12 ins. in the ground for cor.
of secs. 21, 22, 27 and 28.

chains
 Sub-division of

marked with 2 notches on S,
 and 3 notches on E. edges,
 from which

A *Lesotā* 10 ins. diam. bears
 N 2° E, 77 lks, dist. marked
 T 6 S. R 23 E. S. 22, B.T.

A mesquite 8 ins. diam. bears
 S 79½° E, 117½ lks, dist. marked
 T 6 S. R 23 E. S. 27, B.T.

A mesquite 7 ins. diam. bears
 S 49½° W, 30 lks, dist. marked
 T 6 S. R 23 E. S. 28, B.T.

A *Lesotā* 6 ins. diam. bears
 N 48° W, 82 lks, dist. marked
 T 6 S. R 23 E. S. 21, B.T.

Land broken and level
 Soil, sandy & gravelly, 2nd & 3rd rate
 Timber, some scrub mesquite
 and *Lesotā*.

T6S. R23E. continued

chains

undergrowth, greasewood,
ocotillo, yucca, scrub mesquite
and Tsala.

S 89° 45' E. on a random line
bet. secs. 22 and 27

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N and S line at cor. of
secs. 22, 23, 26 and 27.

Thence I run

N 89° 45' W. on a true line
bet. secs 22 and 27

over level land

5.50 Wash 20 fts. wide, course SEasterly

36.50 old road bears NW and SE

40.00 Set a granite stone 18x8x8 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 22 on N. face.
27. on S face from which

Subdivision of T6S, R23E, continued
chains

a mesquite 10 ins. diam. bears
N 39 $\frac{1}{4}$ ° W. 79 $\frac{1}{2}$ lks. dist. marked
"4S. 22. B.T. a mesquite 6 ins.
diam. bears S 33 $\frac{1}{4}$ ° W. 91 lks. dist.
marked "4S. 27. B.T.

- 62.70 Enter Trip Valley, bears N Easterly
71.20 Wash 100 lks. wide, course S Easterly
80.00 The cor. of secs 21, 22, 27 & 28.
Land level
Soil, sandy, 1st & 2nd rate.
Timber, a few scrub
mesquites.
Undergrowth, greasewood
and mesquite
-

Concluded, Book 657.