

T 6 S R 23 E

2

CONTRACT 53

P. CONTZEN
DEP. SUR

BOOK 657
Subs

4-671

FIELD NOTES
GENERAL LAND OFFICE.

657

No. 657

57

Indexed, Book 656.

Township 65 R. 23E

6	114	5	88	4	69	3	2	1
112		110		86		67		
7	108	8	84	9	65	10	11	12
107		105		83		63		
18	103	17	81	16	61	15	14	13
102		100		78		60		
19	97	20	76	21	58	22	23	24
96		94		75				
30	92	29	72	28		27	26	25
31	91	32	71	33		34	35	36

Subdivision of T₆S. R₂₃E continued
chains

- No° 03'E. bet. sec. 21 and 22
- 2.30 Wash 50 lks. wide, course Easterly
- 0.40 Wash 80 lks. wide, course Easterly
- 26.40 Road to Puma bears E and W.
- 33.40 Enter broken land
- 39.50 Wash 10 lks. wide, course Easterly
- 40.00 Set a Limestone 18 x 8 x 5 ins.
12 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. 21 on W. face. 22
on E. face. from which
a mesquite 5 ins. diam, bears
N 62 $\frac{3}{4}$ ° W. 96 lks. dist. marked
 $\frac{1}{4}$ S. 21. B.T. a mesquite 8 ins.
diam, bears S 71 $\frac{1}{4}$ ° E 179 lks.
dist. marked $\frac{1}{4}$ S. 22. B.T.;
ascend
- 41.50 Enter mesa
- 80.00 Set a sand stone 18 x 12 x 8 ins.
12 ins. in the ground for cor. of

chains
 Sub-division of

Secs. 15, 16, 21 and 22, marked
 with 3 notches on S. and E.
 edges, from which
 a mesquite 5 ins. diam. bears
 $N17^{\circ}E$, 236 lks, dist, marked
 T6S, R23E, S15, B.T.

a Tesolā 5 ins. diam. bears
 $S33\frac{3}{4}^{\circ}E$, 32 lks, dist, marked
 T6S, R.23E, S.22, B.T.

a mesquite 4 ins. diam. bears
 $S89\frac{1}{4}^{\circ}W$, $10\frac{1}{2}$ lks, dist, marked
 T6S, R23E, S.21, B.T.

a mesquite 6 ins. diam. bears
 $N53\frac{1}{4}^{\circ}W$, 144 lks, dist, marked
 T6S, R23E, S.16, B.T.

Land level and broken
 Soil, gravelly, 1st & 2nd rate
 Timber, a few mesquites
 Undergrowth, greasewood & mesquite

T 6. S. R 23 E, continued

chains

S. $89^{\circ}45'E$, on a random line
bet. secs. 15 and 22.

40.00 set temp. $\frac{1}{4}$ sec. cor

79.90 Intersect N and S line, 3 lks N
of cor. to secs. 14, 15, 22 and 23

Thence I run

N $89^{\circ}44'W$, on a true line
bet. secs. 15 and 22.

over broken land; ascending,

25.00 Top of ascent, bears, N E;
entire level mesa.

39.95 Set a Granite stone, $18 \times 8 \times 3$ ins.
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}S, 15$ on N.

face, 22 on S. face,

from which

a scrub mesquite 6 ins. diam.
bears, N $71^{\circ}W$, 134 lks, dist.

marked $\frac{1}{4}S, 15, B.T.$

chains Subdivision of

- a scrub mesquite 6 ins. diam.
 bears. $55\frac{1}{4}^{\circ}$ E, 57 lks. dist.
 marked $\frac{1}{4}$ S. 22. B.T.
- 45.00 Road to Pima bears N Easterly
 and S Westerly.
- 79.90 The cor. of secs. 15, 16, 21 and 22.
 Land, level and broken
 Soil, gravelly, 2nd rate
 Timber, scrub mesquite
 Undergrowth, scrub mesquite

May 21, 1900.

May 22, 1900

- $N 0^{\circ} 03' E$, bet, secs. 15 and 16.
 over level land.
- 3.30 Wash 10 lks, wide, course N Easterly
- 37.50 Wash 10 lks, wide, course N. Easterly
- 40.00 Bet a granite stone $18 \times 8 \times 8$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. 16 on W. face

T 6 S, R 23 E, continued

chains

15 on E. face, from which
a mesquite 8 ins. diam.
bears S $25\frac{1}{4}^{\circ}$ E, 128 lks
dist. marked $\frac{1}{4}$ S, 15 B.T.

a mesquite 8 ins. diam. bears
N $17\frac{1}{2}^{\circ}$ W, 183 lks, dist. marked
 $\frac{1}{4}$ S, 16. B.T.

44.60 Wash 20 lks, wide, course N. Easterly

46.00 Wash 20 lks, wide, course N. Easterly

63.00 Wash 10 lks, wide, course N. Easterly

80.00 Put a Granite stone 18x8x8 ins.

12 ins. in the ground for cor.
of secs. 9, 10, 15 and 16.

marked with 4 notches on S,
and 3 notches on E. edges
dug pits 18x18x12 ins. in
each sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth
4 ft. base, 2 ft high W. of cor.

chains Subdivision of

Land level and broken
Soil, gravelly, 2nd & 3rd rate
No timber
Undergrowth, grease wood
scrub mesquite & acotillo.

S 89° 44' E on a random line
bet. secs. 10 and 15.

40.00 set temp. 1/4 sec. cor.

79.90 Intersect N and S. line, at cor.
of secs. 10, 11, 14 and 15

Thence I run

N 89° 44' W. on a true line
bet secs. 10 and 15
over broken mesa

36.00 Enter Valley, course N Easterly

38.90 Wash 10 fms. wide, course N Easterly

39.95 Put a line stone 18 x 14 x 4 ins.
12 ins. in the ground for 1/4 sec

T6S. R23E, continued

chairs

cor. marked $\frac{1}{4}$ S. 10. on N face
 15 on S. face. from which
 a mesquite 6 ins. diam. bears
 $N64^{\circ}E$. 146 lks, dist. marked
 $\frac{1}{4}$ S. 10. B.T. A mesquite 6 ins.
 diam. bears $S2\frac{1}{2}^{\circ}W$. 138 lks, dist.
 marked $\frac{1}{4}$ S. 15. B.T.

43.00 Wash 30 lks, wide, course N. Easterly

43.90 Leave Valley bears N Easterly

45.90 small ridge extends 2 lks. SW

67.90 Wash 12 lks wide course N Easterly

79.90 The cor. to secs. ^{7, 10, 15 and 16.} ~~10, 11, 14 and 15.~~

Land, level and broken

Soil, gravelly. 2nd & 3rd rate

Timber, some scrub. mesquite

Undergrowth, greasewood

and scrub mesquite.

Subdivision of

chains

- $N 0^{\circ} 03' E$, bet. secs 9 and 10
over level and broken
- 18.00 Enter Valley, bears NE
- 25.80 Enter wash course NE
- 31.00 Leave wash course NE
- 37.00 Leave Valley bears NE easterly
Enter broken mesa
- 40.00 Set a granite stone $18 \times 10 \times 8$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4} S. 9$ on $W.$ face.
 10 on E face. from which
a mesquite 6 ins. diam. bears
 $S 71\frac{1}{2}^{\circ} E$. 226 lks. dist. marked
 $\frac{1}{4} S. 10$. B.T. no other tree within
limits. raised a md. of stone
 $2\frac{1}{2}$ ft base. $1\frac{1}{2}$ ft. high. $W.$ of cor.
fits impracticable
- 60.00 Leave mesa and enter level
land

T6S. R23E, continued

chains

78.20 Wash 30 lks, wide, course NE

80.00 Set a granite stone 18x8x6 ins.
 12 ins. in the ground for cor. of
 sec. 3, 4, 9 and 10, marked
 with 5 notches on S and 3 notches
 on E, edges, from which
 a scrub mesquite 8 ins. diam.
 bears S $78\frac{3}{4}^{\circ}$ W. 206 lks. dist.
 marked T6S. R23E. S. 10. B.T.
 no other trees within limits
 dug pits 18x18x12 ins. in
 each sec. 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 4 ft base 2 ft high W. of cor.
 Land level and broken
 Soil, gravelly, ~~2nd~~ 3rd ~~rd~~
 No timber
 Undergrowth, greasewood and
 scrub mesquite

chains Sub-division of
 S $89^{\circ}44'E$ on a random line
 bet secs. 3 and 10
 40.00 set temp. $\frac{1}{4}$ sec. cor.
 79.92 Intersect N and S, line 2 lks S
 of cor. to secs. 2, 3, 10 and 11
 Thence I run
 N $89^{\circ}45'W$, on a true line
 bet. secs. 3 and 10.
 over valley
 8.50 Wash 100 lks, wide, course N E easterly
 11.60 Wash 30 lks, wide, course N Easterly
 16.25 old road bears N E and S W.
 20.50 Wash 30 lks, wide, course N Easterly
 28.00 Wash 20 lks, wide, course N Easterly
 32.00 Leave valley and enter broken mesa
 39.96 Set a Granite stone $18 \times 8 \times 6$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 3 on N. face
 10 on S. face, from which

T6S. R23E. continued

chains

a mesquite 7 ins. diam. bears
 N 30 $\frac{3}{4}$ ° W. 219 lks dist. marked
 $\frac{1}{4}$ S. 3. B. T. no other tree
 within limits. dug pits
 18x18x12 ins. E and W. 3 ft.
 dist. and raised a mound
 of earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft. high.
 No of cor.

65.00 Wash 10 lks. wide, course N Easterly

68.00 Low ridge bears N and S;
 small hill 4 chs. N.

71.00 Enter level land

77.50 Wash 10 lks. wide, course N Easterly

79.92 The cor. of secs. 3, 4, 9 and 10.

Land, level and broken
 Soil, gravelly, 2nd & 3rd rate
 No timber

Undergrowth, greasewood
 and scrub mesquite

- Subdivision of
- chains
- $N 0^{\circ} 03' E$, bet secs. 3 and 4
- 6.50 Wash 20 lks. wide, course Easterly
- 17.50 Wash 20 lks. wide, course Easterly
- 19.20 Road bears NE and S Westerly
- 40.00 Set a Sand stone $18 \times 8 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 4. on W face
3 on E. face. from which
a mesquite 7 ins. diam. bears
 $S 67\frac{1}{4}^{\circ} E$. 52 lks. dist. marked
 $\frac{1}{4}$ S. 3. B.T. a mesquite 8 ins.
diam. bears $N 27^{\circ} W$. 91 lks.
dist. marked $\frac{1}{4}$ S. 4. B.T.
- 72.70 Set a Lime stone $18 \times 7 \times 7$ ins.
12 ins. in the ground for witness
cor. to closing corner. marked
W.C. C.C. on S. with 3 grooves on
E and W. edges. and raised a
mound of stone $2\frac{1}{2}$ ft base

T 6 S. R 23 E, continued

chains

$\frac{1}{2}$ ft. high, S of cor. Pits
impracticable.

7300 Enter wash, course Easterly

76.04 Intersect 1st Standard Parallel

South 27.60 chs. N $89^{\circ}50'$ W of

S. C. 16 secs. 33 and 34,

Land, Level and broken

Soil, gravelly, 2nd & 3rd rate

No timber.

Undergrowth, greasewood

May 22, 1900.

May 23, 1900, at 8.15 am l.m.t.,

I set off $32^{\circ}51'$ on the lat. arc;

$20^{\circ}35'$ n. on the decl. arc; and

determine a true meridian

with the solar, at the cor. of

secs. 28, 29, 32 and 33, on the

auxiliary Base line.

Sub-division of
chains

- Thence I run
S. $0^{\circ}03'N$. on a Random line
bet. secs. ~~32 and 33~~ 32 and 33
40.00 set temp. $\frac{1}{4}$ sec. cor
82.30 Intersect S. Bdy. of Tp. 18 lks. E.
of cor. to secs. 32 and 33
Thence I run
N $0^{\circ}05'E$. on a true line
bet. secs. 32 and 33.
over gently rolling mesa.
1100 Wash 8 lks. wide course N Easterly
14.20 Wash 8 lks. wide course Easterly
32.20 Wash 12 lks. wide course Easterly
42.30 Set a Granite Stone $18 \times 10 \times 4$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. 32 on W. face, 33
on E. face, dug pits $18 \times 18 \times 12$
ins. N and S. of cor. 3 ft. dist.
and raised a mound of earth

T6S. R23E, continued

chains.

- $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 46.50 Wash 10 lks. wide, course N. Easterly
 76.00 Descend
 82.30 The cor. of secs. 28, 29, 32 and 33
 Land level and rolling
 Soil gravelly, 2nd & 3rd rate
 No Timber
 Undergrowth, greasewood.

N0°03'E. bet. secs. 28 and 29
 Descending

- 3.00 Enter Trip Valley, bears NE
 34.50 Wash 1 ch. wide, course Easterly
 38.00 Small Knoll, 3 chs. W.
 40.00 Get a granite stone 18 x 6 x 6 ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 29. on W. face
 28 on E. face, from which
 a mesquite 6 ins. diam.

chains Sub-division of

- bears $N 62\frac{1}{4}^{\circ} W$, 64 lks.
 dist. marked $\frac{1}{4} S 29$, B.T.
 a mesquite 6 ins. diam.
 bears $S 72\frac{3}{4}^{\circ} W$, 22 lks, dist.
 marked $\frac{1}{4} S 29$, B.T.
- 43.00 old road to Grant, bears NE
- 43.20 Wash 20 lks. wide, course N. Easterly
- 60.00 Leave Trip Canyon, Course Easterly;
 and ascend
- 62.00 Ridge bears E and W.
- 68.00 Canyon, course Easterly
- 72.00 Leave Canyon and enter mesa
- 80.00 Set a granite stone $18 \times 10 \times 4$ ins
 12 ins. in the ground for cor.
 of secs. 20, 21, 28 and 29
 marked with 2 notches on S
 and 4 notches on E. edges
 from which
 a mesquite 10 ins. diam.

T6S, R23E, continued

chains

N $27\frac{3}{4}^{\circ}$ E, 255 lks, dist.

marked T6S, R23E, S 21, B.T.

A mesquite 6 ins, diam, bears

S $88\frac{1}{2}^{\circ}$ E, 76 lks, dist, marked

T6S, R23E, S, 28, B.T.

A mesquite 6 ins, diam, bears

S $52\frac{3}{4}^{\circ}$ W, 66 lks, dist, marked

T6S, R23E, S, 29, B.T.

A mesquite 7 ins, diam, bears

N $64\frac{1}{2}^{\circ}$ W, 163 lks, dist, marked

T6S, R23E, S, 20, B.T.

Land level and broken

Soil, sandy 1st & 2nd rate.

Timber, some scrub mesquite
and *Lesola*.

Undergrowth, grease wood
mesquite, acatillo & yucca.

- Subdivision of
chains
- S $89^{\circ}45' E$ on a random line
bet. secs. 21 and 28.
- 40.00 set temp. $\frac{1}{4}$ sec. cor.
- 79.90 Intersect N and S line at
cor. of secs. 21, 22, 27 and 28.
Thence I run
N $89^{\circ}45' W$, on a true line
bet. secs. 21 and 28.
over level land
- 16.00 Wash 100 lks. wide course NEastly
- 38.60 old road bears NE and SW.
- 39.95⁻ Put a granite stone 18 x 10 x 8 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 21 on N face,
28 on S face, from which
a mesquite 7 ins. diam. bears
S. 189 lks. dist. marked $\frac{1}{4}$ S 28. B.T.
A mesquite 10 ins. diam. bears
N $28\frac{1}{2}^{\circ} W$. lks. dist. marked

T6S. R 23E. continued

chains

 $\frac{1}{4}$ S. 21. 13T.

- 45.60 Leave Trip Valley, bears N.E.
and ascend; broken land along
S. edge of mesa.
- 50.00 Wash 20 fms. wide, course S. Easterly
- 72.00 Top of mesa
- 79.90 The cor. of secs. 20, 21, 28 and 29.
Land level and broken
Soil sandy and gravelly
1st, 2nd and 3rd rate
Timber, a few scrub mesquite
Undergrowth, greasewood and
scrub mesquite

N 0° 03' E. bet. secs. 20 and 21
over mesa

- 6.50 Wash 20 fms. wide, course N. Easterly
- 12.90 Road to Pima, bears N. Easterly
- 28.80 Wash 30 fms. wide, course N. Easterly

Sub-division of

chains.

- 40.00 Set a granite stone $18 \times 8 \times 5$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 20 on W. face 21. on E. face, from which a mesquite 6 ins. diam. bears $S 71\frac{1}{2}^{\circ} E$, 204 $\frac{1}{2}$ lks. dist. marked $\frac{1}{4}$ S. 21, B.T. a mesquite 6 ins. diam. bears $N 80^{\circ} W$, 128 lks. dist. marked $\frac{1}{4}$ S. 20, B.T.
- 43.50 Wash 20 lks. wide, course N. Easterly
- 54.90 Wash 10 lks. wide, course Easterly
- 64.50 Wash 20 lks. wide, course Easterly
- 80.00 Set a granite stone $18 \times 8 \times 6$ ins. 12 ins. in the ground for cor. of secs. 16, 17, 20 and 21. marked with 3 notches on S, and 4 notches on edges, from which a mesquite 5 ins. diam. bears $N 36\frac{1}{2}^{\circ} E$, 149 $\frac{1}{2}$ lks. dist. marked

T6S. R23E, continued

chains

T6S. R23E, S. 16, B.T.

a mesquite 5 ins. diam. bears
S89°E, 66 lks. dist. marked

T6S. R23E, S. 21, B.T.

a mesquite 5 ins. diam. bears
S73 $\frac{3}{4}$ °W, 81 lks. dist. marked

T6S. R23E, S. 20, B.T.

a mesquite 12 ins. diam. bears
N63°W, 63 lks. dist. marked

T6S. R23E, S. 17, B.T.

Land gently rolling

Soil

Timber, scrub mesquite
undergrowth, greasewood and
scrub mesquite.

S89°45'E on a random line
bet. secs. 16 and 21

4000

set temp. $\frac{1}{4}$ sec. cor.

Subdivision of

chains

- 79.92 Intersect N and S line 4 lks S of cor. to sec. 15, 16, 21 and 22
Thence I run
N 89° 47' W, on a true line
bet. sec. 16 and 21.
over mesa land
- 34.90 Wash 20 lks. wide, course N. Easterly
- 39.96 The point for $\frac{1}{4}$ sec. cor. comes
in wash.
- 40.00 Wash 10 lks. wide, course N. Easterly
- 41.15⁵ Set a granite stone 18x8x8 ins.
12 ins. in the ground for witness
cor. to $\frac{1}{4}$ sec. cor. marked
W.C. $\frac{1}{4}$ S. 16. on N face. 21. on
S. face. from which
a mesquite 12 ins. diam.
bears N 23° E. 77 lks. dist.
marked W.C. $\frac{1}{4}$ S. 16. B.T.
A mesquite 10 ins. diam. bears

T6S. R23E, continued

chains

S41 $\frac{3}{4}$ °E. 64 lks, dist. marked
 N.C. $\frac{1}{4}$ S. 21. B.T.

48.45 Wash 10 lks, wide, course N Easterly

79.00 Wash 20 lks, wide, course N. Easterly

79.92 The cor. of secs. 16, 17, 20 and 21
 Land level and gently rolling
 Soil, gravelly, 2nd rate
 Timber, scrub mesquite
 Undergrowth, greasewood and
 scrub mesquite

May 23, 1900.

May 24, 1900, at 8:40 am, l.m.t.
 I set off 32° 53' on the lat. arc;
 20° 46' on the decl. arc, and
 determine a true meridian
 with the solar, at the cor. of
 secs. 16, 17, 20 and 21
 Thence I run

chains	Sub-division of
	N 0° 03' E, bet. secs 16 and 17
2,00	Wash 10 lks wide, course Easterly
23,20	Wash 40 lks, wide, course N. Easterly
29,50	Wash 10 lks, wide, course Easterly
40,00	Set a Granite Stone 18 x 8 x 6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 17 on W. face 16. on E face, from which a mesquite 10 ins. diam. bears S 43 $\frac{3}{4}$ ° E, 137 lks. dist. marked $\frac{1}{4}$ S. 16, B.T. a mesquite 6 ins. diam. bears N 66 $\frac{1}{2}$ ° W, 79 lks. dist. marked $\frac{1}{4}$ S. 17, B.T.
76,70	Wash 20 lks, wide, course N. Easterly
78,70	Road bears N E and S W.
80,00	Set a Granite Stone 18 x 8 x 5 ins. 12 ins. in the ground for cor. of secs. 8, 9, 16 and 17. marked with 4 notches on S and E. edges

T 6 S. R 23 E. continued

chains

from which

a scrub mesquite 7 ins. diam.
bears $N 7\frac{1}{4}^{\circ} E$, 107 lks, dist.

marked T 6 S, R 23 E, S. 9, B. T.

a scrub mesquite 6 ins. diam.
bears $S 29\frac{1}{4}^{\circ} E$, 68 lks, dist.

marked T 6 S, R 23 E, S 16, B. T.

a scrub mesquite 6 ins. diam.
bears $S 36^{\circ} W$, 198 lks, dist.

marked T 6 S, R 23 E, S. 17, B. T.

a scrub mesquite 5 ins. diam.
bears $N. 59\frac{1}{4}^{\circ} W$, 148 lks, dist.

marked T 6 S, R 23 E, S 8, B. T.

Land level

Soil gravelly 2nd rate

Timber, scrub oak

undergrowth, greasewood

cholla & mesquite,

- chains Sub-division of
- 40.00 S $89^{\circ}47'E$ on a random line
bet. secs. 9 and 16
- 80.00 set temp. $\frac{1}{4}$ sec. cor.
Intersect N & S line, 4 lks. N
of cor. to secs. 9, 10, 15 and 16.
Thence I run
N $89^{\circ}45'W$, on a true line
bet. secs 9 and 16
over broken mesa.
- 10.00 Enter small valley, bears N Easterly
- 12.00 Wash 20 lks. wide, course N Easterly
- 14.00 Wash 100 lks. wide, course N. Easterly
- 19.10 Wash 30 lks. wide, course N Easterly
- 20.00 Leave Valley bears N Easterly
re-enter broken mesa
- 40.00 Set a Granite stone $18 \times 8 \times 6$ ins
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 9. on N face
16 on S face, from which a

D. C. S. R 23 E, continued

chains

mesquite 12 ins. diam. bears
 N 21 $\frac{1}{4}$ ° W. 107 lks. dist. marked
 $\frac{1}{4}$ S. 9. 13. T. no other tree
 within limits raised a mound
 of stone 2 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N of cor.

80.00

The cor. of secs. 8, 9, 16 and 17
 Sand level and rolling
 Soil, sandy & gravelly. 2nd rate
 No timber.

Undergrowth, grease wood and
 scrub mesquite.

N 0° 03' E. bet. secs. 8 and 9.

4.00

Wash 20 lks. wide, course N. Easterly

38.30

Road bears NE and SW.

40.00

Set a granite stone 18 x 10 x 7 ins.
 12 ins. in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ S. 8 on
 W. face, 9. on E face.

chains

Subdivision of

from which

a mesquite 5 ins. diam. bears
 S 79 $\frac{3}{4}$ ° E. 76 lks. dist. marked
 1/4 S. 9. B.T. a mesquite 7 ins.
 diam. bears N 5° W. 151 lks.
 dist. marked 1/4 S. 8. B.T.

- 50.00 Wash 100 lks. wide course N. Easterly
 57.00 Wash 100 lks. wide, course N. Easterly
 59.00 Wash 30 lks. wide course N. Easterly
 68.00 Wash 10 lks. wide course N. Easterly
 80.00 Set a Granite Stone 18 x 8 x 5 ins.
 12 ins. in the ground for cor.
 of secs 4, 5, 8 and 9, marked
 with 5 notches on S. and 4 notches
 on E edges. from which
 a mesquite 6 ins. diam. bears
 S 63° W. 25 lks. dist. marked
 T 6 S. R 23 E. S. 8. B.T.
 a mesquite 6 ins. diam. bears.

T6S. R23E. continued.

chain

N76 $\frac{3}{4}$ ° W, 133 $\frac{1}{2}$ lks, dist. marked

T6S. R23E. S. 5. 13T.

no other trees within limits
 dug pits 18x18x12 ins. in
 secs. 4 and 9, 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth ft.
 base 1 $\frac{1}{2}$ ft. high, w. of cor.

Land level and rolling
 Soil, sandy & gravelly, 2nd rate
 Timber, scrub mesquite
 Undergrowth greasewood and
 scrub mesquite.

S 89° 45' E, on a random line
 bet. secs. 4 and 9.

40.00 set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N & S line at cor.
 of secs. 3, 4, 9 & 10.

Thence I run

Subdivision of
chains

- $N 89^{\circ} 45' W$, on a true line
bet. secs 4 and 9.
- 2.00 Enter wash course S. Easterly
- 5.00 Leave wash course S. Easterly
- 7.50 * Wash 100 lks. wide, course S Easterly
- 10.50 Ridge 1 ch. S of line
- 11.00 * Wash 100 lks wide, course S Easterly
- 16.90 Road bears NE and SW.
- 30.00 Enter broken mesa
- 33.00 Ridge bears N and S.
- 36.00 Leave broken and enter level
land.
- 39.97 Set a Granite Stone $18 \times 6 \times 6$ ins.
12 ins in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 4 on N face
9 on S. face. from which
a mesquite 8 ins. diam. bears
 $N 18\frac{1}{2}^{\circ} E$. 114 lks. dist. marked
 $\frac{1}{4}$ S. 4. B.T. a mesquite 6 ins.

T6S. R23E continued.

secs.

deam. bears, S $27\frac{3}{4}^{\circ}$ W, $136\frac{1}{2}$
 lks, dist. marked $\frac{1}{4}$ S. 9. B.T.

55.50 Wash 25 lks, wide, course Northerly

57.70 Wash 30 lks, wide, course Northerly

64.00 Wash 10 lks, wide, course S. Easterly

79.94 The cor. of secs. 4, 5, 8 and 9

Land level, rolling and broken.
 Soil sandy & gravelly 2nd rate
 Timber, some scrub mesquite
 Undergrowth, greasewood
 and scrub mesquite

N $0^{\circ} 03' E$. bet. secs. 4 and 5

8.40 Wash 20 lks, wide course Easterly

24.30 Wash 20 lks, wide, course Easterly

40.00 Set a granite stone $18 \times 6 \times 4$ ins.
 12 ins in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ sec. 5 on W. face
 4. on E. face, from which

chains Subdivision of

a mesquite 10 ins. diam. bears
 $S 16^{\circ} E$, 218 lks. dist. marked
 $\frac{1}{4}$ S.A., B.T. no other tree within
 limits, dug pits $18 \times 18 \times 12$ ins.
 N and S, 3 ft. dist. and raised
 a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high, W. of cor.

47.60 Wash 60 lks. wide, course N. Eastaly

75.95 Intersect 1st Standard Parallel
 South 28.08 chs. $N 89^{\circ} 46' W$ of
 S.C. to secs. 32. and 33.

Set a granite stone $18 \times 8 \times 8$
 12 ins. in the ground for
 closing cor. to secs. 4 and 5
 marked with 4 grooves on
 E face, 2 grooves on W. face,
 C.C. on S face, from which
 a mesquite 7 ins. diam. bears
 $S 4^{\circ} E$, 254 lks. dist. marked

T6S, R23E, continued

chains

T6S, R23E, S4, B.T.

a mesquite 7 ins. diam. bears
 $S73\frac{1}{2}^{\circ}W$, 193 lks. dist. marked
 T6S, R23E, S5, B.T.

Land level and rolling

Soil, sandy & gravelly 2nd rate
 Timber, some scattering mesquite
 Undergrowth, greasewood
 May, 24, 1900.

May 25, 1900. At 8.10 am, l.m.t.
 I set off $32^{\circ}51'$ on the lat. arc;
 $20^{\circ}57'N$ on the decl. arc; and
 determine a true meridian with
 the solar at the cor. of secs.
 29, 30, 31 and 32. on the
 Auxiliary Base Line.

Thence I run

 $S0^{\circ}02'W$ on a random line

chains Subdivision of
 bet. secs. 31 and 32
 40.00 set temp. $\frac{1}{4}$ sec. cor.
 83.16 Intersect S. Bdy. of Tp. 4 lks. W.
 of cor. to secs. 31 and 32.
 Thence I run
 North, bet. secs. 31 and 32
 6.16 Wash 60 lks. wide, course $\frac{1}{2}$ Easterly
 15.06 Leave Trip Canyon, course $\frac{1}{2}$ Easterly;
 ascend
 25.40 Gulch 50 lks. wide, course $\frac{1}{2}$ Easterly
 33.00 Top of mesa, bears $\frac{1}{2}$ E & $\frac{1}{2}$ S W.
 34.21 Road bears, S Westerly
 38.66 Wash 10 lks. wide, course $\frac{1}{2}$ Easterly
 43.16 Set a Granite stone, $18 \times 6 \times 6$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 31. on W face
 32 on E face, from which
 a mesquite 5 ins. diam. bears
 $S 8\frac{1}{2}^{\circ} E$, 71 lks. dist. marked
 $\frac{1}{4}$ S. 32, B.T. no other trees within

T6S, R23E, continued

chains

limits, dug pits $18 \times 18 \times 12$ ins.
N and S, 3 ft. dist. and raised
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high W. of cor.

50.16 Wash 100 lks, wide, course N. Easterly

63.16 Wash 100 lks wide, course N. Easterly

83.16 The cor. of secs. 29, 30, 31 and 32

Sand, level broken and rolling
Soil, gravelly 2nd & 3rd rate
Timber, a few scrub mesquite
Undergrowth, scrub mesquite,
Tesolá and yucca.

N $0^{\circ} 02' E$. bet. secs. 29 and 30.
over level mesa.

11.05 Road to Cedar Springs bears N.E.

40.00 Set a Granite stone $18 \times 6 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 30, on W. face

chains Subdivision of

- 29, on E. face from which
a mesquite 10 ins. diam
bears $N 11\frac{1}{2}^{\circ} W$, 128 lks. dist.
marked $\frac{1}{4} S. 30. B.T.$
A mesquite 8 ins. diam.
bears $S 86^{\circ} E$, 148 $\frac{1}{2}$ lks. dist.
marked $\frac{1}{4} S. 29. B.T.$
- 49.30 Wash 100 lks. wide, course N. Easterly
- 80.00 Set a Granite stone 18 x 8 x 7 ins
12 ins. in the ground for cor.
of secs 19, 20, 29 and 30
marked with 2 notches on S.
and 5 notches on E. edges
from which
A mesquite 5 ins. diam. bears
 $N 6\frac{1}{2}^{\circ} E$, 33 lks. dist. marked
 $T 6 S. R 23 E. S. 20. B.T.$
A mesquite 5 ins. diam. bears
 $S 13^{\circ} E$, 189 lks. dist. marked

T6S. R23E, continued

chains

T6S. R23E, S29, B.T.

a Teveta 5 ins. diam, bears
S. $57\frac{3}{4}^{\circ}$ W, 33 lks, dist, marked

T6S. R23E, S.30, B.T.

a mesquite 10 ins. diam, bears
N 76° W, 126 lks, dist, marked

T6S. R23E, S, 19, B.T.

Land, level

Soil, gravelly, 2nd and 3rd rate

Timber, scrub mesquite

Undergrowth, scrub mesquite

cholla and yucca.

S $89^{\circ}45'$ E on a random line

bet. secs. 20 and 29

40.00 set temp. $\frac{1}{4}$ sec. cor.

79.84 Intersect N+S, line, 11 lks. S.

of cor. to secs. 20, 21, 28 and 29,

Thence I run

chains Subdivision of

- N 89° 50' W, on a true line
bet. secs. 20 and 29,
over level land
- 6.00 Road to Pima bears N.E.
- 35.10 Wash 30 fms. wide, course N.E.
- 39.92 Set a Granite stone 18 x 12 x 12 ins.
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. 20, on
N face, 29, on S face from
which a scrub mesquite
6 ins. diam. bears N 17 $\frac{1}{4}$ ° E
291 fms. dist. marked $\frac{1}{4}$ S. 20, B.T.
a scrub mesquite 7 ins. diam.
bears, S 37 $\frac{1}{4}$ ° W, 53 fms. dist.
marked $\frac{1}{4}$ S. 29, B.T.
- 60.54 Wash 30 fms. wide, course N.E.
- 79.84 The cor. of secs. 19, 20, 29 and 30
Land level
Soil, gravelly, 2nd rate

T 6 S. R 23 E, continued

chains

Timber, scrub mesquite
 Undergrowth, scrub mesquite
 Yucca, cholla & yucca.

N 89° 45' W. on a random line
 between secs. 19 and 30.

40.00 set temp. $\frac{1}{4}$ sec. cor.

76.50 intersect W. Bdy of Tp. 4. E. S.
 of cor. to secs. 19 and 30.

Thence I run
 S 89° 47' E on a true line
 bet. secs 19 and 30.

1.75 Wash 10 fms. wide, course N easterly

36.50 Set a lime stone 28 x 10 x 3 ins
 22 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 19. on N face,
 30 on S. face, from which
 a scrub mesquite 6 ins. diam.
 bears N 74 $\frac{1}{2}$ ° W. 200 fms. dist.

chains Sub-division of

marked $\frac{1}{4}$ S. 19. 13.T.

a scrub mesquite 6 ins. diam.
bears S $48\frac{1}{2}^{\circ}$ E. 148 lks. dist.

marked $\frac{1}{4}$ S. 30. 13.T.

50.90 Wash 10 lks. wide, course N Easterly

51.45 Wash 10 lks. wide, course N Easterly

59.70 Wash 20 lks. wide, course N Easterly

65.80 Wash 30 lks. wide, course N Easterly

75.70 Wash 20 lks. wide, course N. Easterly

76.50 The cor. of sec. 19, 20, 29 and 30.

Land, level

Soil, gravelly, 2nd rate

Timber, scrub mesquite

Undergrowth, scrub mesquite

cholla and Yucca.

N $0^{\circ}02'$ E. bet. sec. 19 and 20

over level mesa

4.20 Wash 20 lks. wide, course N Easterly

T6S. R23E. continued

chains

- 6.60 Wash 20 lks. wide, course N Easterly
- 38.00 Wash 8 lks. wide, course N Easterly
- 40.00 Set a granite stone 18x12x10 ins., 12 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. 19 on W. face, 20 on E face
from which
a scrub mesquite 18 ins. diam. bears
S52°E, 114 lks. dist. marked
 $\frac{1}{4}$ S. 20 B.T. a scrub mesquite
4 ins. diam. bears N47 $\frac{1}{4}$ °W. 42 lks.
dist. marked $\frac{1}{4}$ S. 19, B.T.
- 42.30 Wash 20 lks. wide, course Easterly
- 80.00 Set a granite stone 18x8x8 ins.,
12 ins. in the ground for cor. of
secs. 17, 18, 19 and 20, marked
with 3 notches on S. and 5 notches
on E. edges, from which
a mesquite 5 ins. diam. bears
N16 $\frac{3}{4}$ °E, 197 lks. dist. marked

chains Subdivision of

T6S, R23E, S. 17, B.T.

A mesquite 5 ins. diam. bears
S58°E, 173 lks. dist. marked

T6S, R23E, S. 20, B.T.

A mesquite 6 ins. diam. bears
S80°W, 289 lks. dist. marked

T6S, R23E, S. 19, B.T.

A mesquite 4 ins. diam. bears
N54³/₄°W, 138 lks. dist. marked

T6S, R23E, S. 18, B.T.

Land level

Soil, gravelly, 2nd rate

Timber, scrub mesquite

Undergrowth, scrub mesquite
and cholla.

S89°50'E on a random line
bet. secs. 17 and 20.

40.00

set temp. 1/4 sec cor.

D. C. S. R 23 E. continued

chains

- 79.88 Intersect N + S line, at cor. of
secs. 16, 17, 20 and 21.
Thence I run
N 89° 50' W, on a true line
bet. secs. 17 and 20.
- 17.38 Wash 40 lks. wide, course N Easterly
- 39.94 Get a Limestone, 18 x 10 x 3 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 17 on N face,
20 on S face, from which
a scrub mesquite 6 ins. diam.
bears N 10 $\frac{1}{4}$ ° W, 38 lks. dist.
marked $\frac{1}{4}$ S. 17 B.T.
a scrub mesquite 7 ins. diam.
bears S 67 $\frac{1}{4}$ ° E, 50 lks. dist.
marked $\frac{1}{4}$ S. 20, B.T.
- 42.50 Wash 10 lks. wide, course Northerly
- 46.00 Wash 10 lks. wide, course Northerly
- 53.00 Wash 20 lks. wide, course Northerly

Subdivision of

chains

71.60

Road bears, NE and SW

74.50

Wash 10 lks. wide, course NE

75.30

Wash 10 lks. wide, course NEasterly

79.88

The cor. of secs. 17, 18, 19 and 20

Land level

Soil, gravelly, 2nd rate

Timber, scrub mesquite

Undergrowth, greasewood and
scrub mesquite

May 25, 1900.

May 26, 1900 at 7 am l.mt.
I set off $32^{\circ}53'$ on the lat. arc;
 $21^{\circ}06'$ on the decl. arc; and
determine a true meridian
with the solar at the cor. of
secs. 17, 18, 19 and 20.

Thence I run

$N89^{\circ}45'W$. on a random line
bet. secs. 18 and 19

T 6 S. R 23 E continued

chains

- 40.00 set temp. $\frac{1}{4}$ sec. cor.
- 76.25 Intersect W. Bay. of Tp. 4 lks. N
of cor. to secs. 18 and 19.
Thence I run
S $89^{\circ} 47' E$ on a true line
bet. secs. 18 and 19
- 6.75 Wash 8 lks. wide, course N Easterly
- 13.25 Road to St Thomas bears N E.
- 23.00 Wash 10 lks. wide, course N Easterly
- 24.75 Wash 10 lks. wide, course N Easterly
- 36.25 Set a line stone $18 \times 12 \times 4$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ 18. on N face
19 on S face, from which
a scrub mesquite 6 ins. diam.
bears N $40\frac{1}{4}^{\circ} W$. 166 $\frac{1}{2}$ lks. dist.
marked $\frac{1}{4}$ S. 18. B. T.
- a scrub mesquite 6 ins. diam.
bears S $47\frac{1}{2}^{\circ} W$. 147 lks. dist.

- chains Subdivision of
 $\frac{1}{4}$ S. 19, B.T.
 40.85 Wash 20 lks, wide, course Northerly
 57.25 Wash 20 lks, wide, course N Easterly
 76.25 The cor. of secs. 17, 18, 19 and 20.
 Land, level
 Dail,
 Timber, scrub mesquite
 Undergrowth, grease wood,
 scrub mesquite & yucca
-
- 16.50 $N 0^{\circ} 02' E$, bet. secs. 17 and 18
 Wash 20 lks, wide, course Easterly.
 40.00 Set a fine stone $18 \times 8 \times 4$ ins.
 12 ins. in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ 18 on W face,
 17 on E face, from which
 a Tiesota 4 ins. diam. bears
 $N 18^{\circ} 4' W$, 114 lks. dist. marked
 $\frac{1}{4}$ S. 18, B.T. a mesquite 10 ins.

T6S. R23E, continued

chains

diam. bears $S 65\frac{1}{4}^{\circ} E$, 150 lks.
 dist. marked $\frac{1}{4} S. 17. 13.T.$

41.12 Wash 20 lks, wide, course N. Easterly

46.60 Wash 10 lks, wide, course N Easterly

66.70 Wash 10 lks, wide, course Easterly

78.00 Wash 10 lks, wide, course N Easterly

80.00 Set a Lime stone $18 \times 8 \times 3$ ins.
 12 ins. in the ground for cor.
 of secs. 7, 8, 17 and 18, marked
 with 4 notches on S, and 5 notches
 on E, edges, from which

a Desota 5 ins. diam. bears
 $N 2\frac{1}{4}^{\circ}$, 144 lks, dist. marked
 T6S. R23E, S. 8, 13.T.

a mesquite 6 ins. diam. bears
 $S 28\frac{1}{2}^{\circ} E$, 95 lks, dist. marked
 T6S. R23E, S. 17, 13.T.

a mesquite 7 ins. diam. bears
 $S 69\frac{1}{2}^{\circ} W$, $9\frac{1}{2}$ lks, dist. marked

chains Subdivision of

T6S, R23E, S.18, B.T.

a Tesolā 5 ins. diam. bears
N4 $\frac{1}{4}$ °W, 105 $\frac{1}{2}$ lks, dist. marked

T6S, R23E, S.7, B.T.

Land level and gently rolling

Soil, gravelly 2nd rate

Timber, scrub mesquite

Undergrowth, mesquite,

cholla & yucca.

S89°50'E on a random line

bet. secs 8 and 17

40.00 Set Temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N & S line 11 lks N of

cor. to secs. 8, 9, 16 and 17.

Thence I run

N89°45'W, on a true line

bet. secs. 8 and 17.

3.80 Wash, 40 lks, wide, course N. Easterly

T 6 S. R 23 E, continued

chains

- 19.75 Wash 10 lks, wide, course N Easterly
- 23.10 Wash 20 lks, wide, course N Easterly
- 27.10 Wash 10 lks, wide, course N. Easterly
- 40.00 Set a Lime stone $18 \times 8 \times 8$ ins,
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 8. on N face,
17 on S face, from which
a mesquite 6 ins. diam. bears
 $N 19\frac{1}{2}^{\circ} E$, 105 lks. dist. marked
 $\frac{1}{4}$ S. 8. B.T. a mesquite 7 ins.
diam. bears $S 8\frac{1}{2}^{\circ} E$, 84 lks.
dist. marked $\frac{1}{4}$ S. 17. B.T.
- 53.10 Wash 30 lks, wide, course N Easterly
- 80.00 The cor. of secs. 7, 8, 17 and 18.
Land, level
Soil, gravelly, 2nd rate
Timber, scrub mesquite
Undergrowth, scrub mesquite

Subdivision of

chains

- $N 89^{\circ} 47' W$, on a random line
 bet. secs. 7 and 18.
 40.00 set temp. $\frac{1}{4}$ sec. cor.
 76.26 Intersect W. Bdy. of Tp. 4 lks.
 of cor. to secs. 7 and 18.
 Thence I run
 $S 89^{\circ} 45' E$ on a true line
 bet. secs. 7 and 18.
 1.50 Wash 10 lks. wide, course N Easterly
 8.30 Wash 8 lks. wide, course N Easterly
 16.80 Wash 14 lks. wide, course N Easterly
 18.50 Road to Ft Thomas, bears NE & SW
 23.70 Wash 6 lks. wide, course N Easterly
 36.26 Set a lime stone $18 \times 4 \times 4$ ins.
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. 7. on N face
 18 on S. face, from which
 a mesquite 7 ins. diam. bears
 $N 49^{\circ} W$, 244 lks. dist. marked

T 6 S, R 23 E, continued

Chains

- $\frac{1}{4}$ S. 7. B.T. a mesquite 6 ins.
diam. bears, $S 56\frac{3}{4}^{\circ} E$, 66 lks.
dist. marked $\frac{1}{4}$ S. 18. B.T.
- 49.00 Wash 10 lks. wide, course N. Easterly
- 67.00 Wash 10 lks. wide, course N. Easterly
- 75.90 Wash 10 lks. wide, course N. Easterly
- 76.26 The cor. of secs. 7, 8, 17 and 18
Land level.
Soil, gravelly, 2nd rate
Timber, scrub mesquite
Undergrowth, scrub mesquite.

N 0° 02' E, bet. secs. 7 and 8

- 0.60 Wash 10 lks. wide, course N. Easterly
- 1.30 Wash 10 lks. wide, course N. Easterly
- 17.50 Wash 10 lks. wide, course N. Easterly
- 33.70 Wash 10 lks. wide, course N. Easterly
- 40.00 Set a granite stone 18 x 8 x 5 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.

chains

Subdivision of

cor. marked $\frac{1}{4}$ S. 7 on W face,
8 on E face, from which
a mesquite 6 ins. diam.
bears $N 10^{\circ} E$, 79 lks. dist.
marked $\frac{1}{4}$ S. 8, B.T.

a mesquite 5 ins. diam.
bears $N 59^{\circ} \frac{1}{2} W$, 85 lks. dist.
marked $\frac{1}{4}$ S. 7 B.T.

- 57.00 Wash 10 lks. wide, course N Easterly
64.60 Wash 10 lks. wide, course N Easterly
67.80 Wash 10 lks. wide, course N Easterly
79.90 Wash 10 lks. wide, course N Easterly
80.00 Set a Lime stone $18 \times 8 \times 2$ ins.
12 ins. in the ground for cor.
of secs. 5, 6, 7 and 8, marked
with 5 notches on S. and E.
edges, from which
a mesquite 10 ins. diam
bears, $N 25^{\circ} \frac{1}{2} E$ $6^{\frac{1}{2}}$ lks. dist.

T6S, R23E, continued

chains

marked T6S, R23E, S. 5, 13, T.
 a mesquite 6 ins. diam. bears
 S $60\frac{1}{2}^{\circ}$ E, 58 lks, dist. marked
 T6S, R23E, S. 8, 13, T.

a mesquite 12 ins. diam. bears
 S $72\frac{1}{2}^{\circ}$ W, 78 $\frac{1}{2}$ lks, dist. marked
 T6S, R23E, S. 7, 13, T.

a mesquite 5 ins. diam. bears
 N $40\frac{3}{4}^{\circ}$ W, 20 lks, dist. marked
 T6S, R23E, S. 6, 13, T.

Land level

Soil, gravelly, 2nd rate

Timber, scrub mesquite

Undergrowth, scrub mesquite,

cholla & yucca.

S $89^{\circ}45'$ E on a random line
 bet. secs. 5 and 8

40.00

set temp. $\frac{1}{4}$ sec cor.

Subdivision of

chains

80.00

Intersect N & S line at cor
of secs, 4, 5, 8 and 9

Thence I run

N $89^{\circ}45'W$. on a true line
bet. secs. 5 and 8
over rolling land

39.00

Set a granite stone $18 \times 8 \times 6$ ins.
12 ins. in the ground for witness
cor. to $\frac{1}{4}$ sec. cor. marked
W.C. $\frac{1}{4}$ S. 5. on N face, 8. on S face
from which

a mesquite 6 ins. diam bears
S $20^{\circ}4'W$. 70 lks. dist. marked
W.C. $\frac{1}{4}$ S. 8. 13.T.

A mesquite 6 ins. diam. bears
N $26^{\circ}4'W$. 64 lks. dist. marked
W.C. $\frac{1}{4}$ S. 5. 13.T.

40.00

The point for $\frac{1}{4}$ sec. cor.

60.30

Wash 20 lks. wide, course N. Easterly

T6S, R23E, continued

chains

79.40

Wash 10 lks. wide, course N Easterly

80.00

The cor. of secs. 5, 6, 7 and 8.

Land level and rolling

Soil, gravelly, 2nd rate

Timber, some scrub mesquite

Undergrowth, grasswood and

scrub mesquite

May, 26, 1900.

May 28, 1900 at 7.05 am, l.m.t.
I set off $32^{\circ}55'$ on the lat. arc;
 $21^{\circ}27'$ on the decl. arc; and
determine a true meridian
with the solar, at the cor. of
secs. 5, 6, 7 and 8.

Thence I run

$N 89^{\circ}45' W.$ on a random line
bet. secs. 6 and 7

40.00

set temp. $\frac{1}{4}$ sec. cor.

76.20

Intersect W. Bdy. of Tp. at cor. of secs.

chains Sub-division of

6 and 7.

Thence I run

S89°45'E. on a true line
bet. secs. 6. and 7.

8.60 Wash 10 lks. wide, course N Easterly

12.80 Wash 10 lks. wide, course N Easterly

21.45 Road to St Thomas bears N and S.

36.20 Set a Lime stone 18x8x3 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. 6. on N face,
7 on S face, from which
a scrub mesquite 6 ins. diam.
bears N37 $\frac{1}{2}$ °W, 16 lks. dist.
marked $\frac{1}{4}$ S 6. B.T.

a scrub mesquite 6 ins. diam.
bears N40 $\frac{1}{4}$ °E, 22 lks. dist.
marked $\frac{1}{4}$ S. 6. B.T.

58.80 Wash 20 lks. wide, course N Easterly

68.20 Wash 10 lks. wide, course N Easterly

T6S, R23E, continued

chains

76.20

The cor. of secs. 5, 6, 7 and 8
 Land level and gently rolling
 Soil, sandy, 2nd rate
 Timber, mesquite
 Undergrowth, scrub mesquite
 cholla & yucca.

N0°02'E, bet. secs. 5 and 6

460

Wash 20 lks, wide, course Easterly

1900

Wash 20 lks, wide, course Easterly

2290

Wash 8 lks, wide, course Easterly

40.00

Set a lime stone 18x8x5 ins.
 12 ins. in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ S. 6. on W. face
 5 on E. face. from which
 a mesquite 8 ins. diam. bears
 S26 $\frac{1}{2}$ °E, 34 lks, dist. marked
 $\frac{1}{4}$ S. 5. B.T. a mesquite 12 ins.
 diam. bears S79 $\frac{1}{4}$ °W, 77 lks, dist.

Subdivision of T6S, R23E, concluded.
chains

marked $\frac{1}{4}$ S. 6, 13, T.

56,15

Wash 10 lks. wide, course S. Easterly

75,90

Intersect 1st Standard Parallel

South 29,07 chs. N $89^{\circ}56'$ W. of

S. C. 4 sec. 31 and 32.

Set a line stone $18 \times 12 \times 6$ ins.

12 ins. in the ground for closing

cor. of sec. 5 and 6, marked

with 5 grooves on E face, 1

groove on W. face, C.C. on

S. face, dug pits $24 \times 18 \times 12$ ins

cross wise on each line E

and W, 3 ft. dist. and S of stone

7 ft. dist. and raised a mound

of earth 4 ft. base, 2 ft. high S

of cor.

Land level and gently rolling

Soil, gravelly, 2nd rate

Timber, scrub mesquite

Undergrowth, greasewood & c. mesquite

May 28, 1900.

T6S, R23E.

General Description

This Township is mostly level and rolling mesa land with good soil.

The SE portion is generally rich black sandy loam capable of producing abundant crops with irrigation.

at the time of the survey a number of settlers were taking up land in the SE portion and were making preparations to bore for artesian water and reclaim and cultivate thereby their lands.

There is no water in this township, nor any timber of any value

Philip Contzen
U. S. Deputy Surveyor.

U. S. Surveyor-General's Office,
Tucson, Arizona, Oct. 27, 1900.

The foregoing field notes of the survey of.....

Subdivisions of T. 6 S.
R. 23 E......

of the G. & S. R. B. & M., Arizona, executed by

PHILIP CONTZEN, D.S.,

under his contract No. 53, dated June 17, 1899, having been critically examined, and the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

George Christ
U. S. Surveyor-General.