

18

3.

No. 660

BOOK 660

660

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

*Subdivision*  
*of*  
*T. 6 S. R. 26 E.*

Indexed, Book 658.

Township 6S R. 26E 125

6	172	5	144	4	3	2	1
170		168		141			
7	167	8	140	9	10	11	12
165		163		137			
18	161	17	135	16	15	14	13
159		158		133			
19	156	20	131	21	22	23	24
153		151		128			
30		29		28	27	26	25
31		32		33	34	35	36

36

## Subdivisions T. 6. S. R. 26. E.

Chain 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of Cor.  
 Pits impracticable  
 Land, Mountainous  
 Soil, Stony, 4<sup>th</sup> rate.  
 Greasewood, Mesquite & Decid.  
 undergrowth. No timber. -  
 Mountainous land 78.46 chs.

---

From the Cor. of Secs.  
 28, 29, 32, and 33, as recently  
 established by me and  
 heretofore described. -

I run

$S 1^{\circ} 2' E$  on a random line  
 bet. Secs. 32, and 33.

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.  
 78.80 Intersect S. side of Sp. 49  
 lks. W. of Cor of Secs. 4, 5  
 32, and 33. Thence I run

## Subdivisions.

- |        |   |
|--------|---|
| Chains | $N 1^{\circ} 23' W$ , on a true line<br>bet. Secs. 32. <sup>and</sup> 33.<br>Over level land  |
| 24.53  | Trail, bears N.E. <sup>and</sup> S.W.   |
| 38.80  | Set a Malpais Stone $18 \times 12 \times 6$ ins.,<br>12 ins. in the ground for $\frac{1}{4}$ Sec.<br>Cor., marked $\frac{1}{4}$ on W. face, and<br>raise a mound of Stone 2 ft.<br>base, $1\frac{1}{2}$ ft. high, W. of Cor.<br>Pits impracticable. |
| 57.80  | Gulch, 200 lks. wide, flows S.W.  |
| 74.80  | Descend from mesa. bears E. & W.  |
| 77.80  | W.C. of Secs. 28, 29, 32 & 33.  |
| 78.80  | The true Cor point of<br>Secs. 28, 29, 32 <sup>and</sup> 33.<br>Land, rallying.<br>Soil, gravelly loam; 2 <sup>d</sup> rate<br>Greasewood & Mesquite undergrowth<br>No timber.  |



## T. G. S. R. 26. E.

chains	N 0° 2' W, bat. Secs. 28. <sup>4</sup> and 29. Over level land
.50	Dry wash, 125 lks. wide, flows S.W.
1.80	Dry wash, 20 lks. wide, flows S.W.
4.03	Trail, trans. N.N.W. <sup>4</sup> and S.S.E.
10.30	Dry wash, 25 lks. wide, flows S.W.
13.00	Begin ascent, trans. N.E. & S.W.
14.00	Sap, trans. N.E. & S.W.
26.00	Ascend steeper.
40.00	Set a Malpais Stone 18x8x6 ins. 12 ins; in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ on W. face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of Cor. Gits impracticable
42.00	Sap, trans. N.E. & S.W.
45.34	Road from Safford to Cotton- wood Springs, trans N.E. & S.W.
58.92	Dry wash, 10 lks. wide, flows S.W.

## Subdivisions.

- Chs.  
 68.55 Dry wash, 11 lks. wide, flows. W.  
 70.59 Dry wash, 8 lks. wide, flows. S.W.  
 75.00 Dry wash, 10 lks. wide, flows. S.D.W.  
 80.00 Set a Malpais Stone 20x12x10 ins.  
 15 ins. in the ground for Cor. of  
 Secs. 20, 21, 28 & 29, marked.  
 T. 6. S. on N.E. and  
 R. 26. E on S.E. faces, with 2  
 notches on S. and 4 notches  
 on E. edges; and raise a mound  
 of stone, 2 ft. base, 1 1/2 ft.  
 high, W. of Cor.  
 Cuts impracticable.  
 Land rolling  
 Soil, gravelly loam; 2<sup>d</sup> rate  
 Greasewood undergrowth  
 No timber

---

S 89° 57' E on a random line,

## T. 6. S. R. 26. E.

chains	bet. Secs. 21 <sup>and</sup> 28.
	Over level land
40.00	Set temp. 1/4 Sec. Cor.
79.96	Intersect N. <sup>and</sup> S line at Cor. of Secs. 21. 22. 27 <sup>and</sup> 28.
	Thence I run
	N 89° 57' W, on a true line bet. Secs. 21 <sup>and</sup> 28. ✓
	Over level land
5.15	Trail, bears. N.N.E. 4 S.S.W.
6.90	Dry wash, 15 lks. wide, flows. S.
14.80	Dry wash, 12 lks. wide, flows. S.
17.30	Dry wash, 10 lks. wide, flows. S, S, E.
20.82	Dry wash, 18 lks. wide flows. S, S, W.
22.06	Trail, bears. N.E. 4 S.W.
26.22	Dry wash, 8 lks. wide, flows S, W.
27.10	Dry wash, 9 lks. wide, flows. S.
33.42	Dry wash, 12 lks. wide, flows S, W.
39.98	Set a Malpais Stone 12x8x8 ins.



## Subdivisions.

- Chains 8 ins., in the ground for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  on N. face, and  
raise a mound of Stone 2 ft.  
base,  $1\frac{1}{2}$  ft high, N. of Cor.  
Pits impracticable. -
- 42.61 Dry wash, 10 lks. wide, flows. S.W.,
- 45.83 Dry wash, 15 lks. wide, flows. S.,
- 49.96 Dry wash, 10 lks. wide, flows. S.W.,
- 55.57 Road from Safford to Cottonwood  
Springs, bears. N.E. & S.W.,
- 63.67 Dry wash, 9 lks. wide, flows. S.S.W.,
- 75.80 Dry wash, 8 lks. wide, flows. S.W.,
- 79.96 The Cor. of Secs. 20, 21, 28 & 29  
Land level.  
Soil, gravally loam; 2<sup>d</sup> rate,  
Greasewood & Mesquite undergrowth.  
No timber.

---

N<sup>o</sup> 2' W. bet. Secs. 20<sup>th</sup> & 21.



## T. C. S. R. 26. E.

- Chims. Over rolling land
- 9.10 Dry wash, 14 lks. wide, flows. W.
- 11.82 Dry wash, 20 lks. wide, flows. W.
- 25.15 Dry wash, 10 lks. wide, flows. S.S.W.
- 40.00 Set a Malpais Stone 15x10x8 ins.  
10 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked,  $\frac{1}{4}$  on W. face, and  
raise a mound of stone 2 ft.  
base  $1\frac{1}{2}$  ft. high W. of Cor.  
Pits impracticable
- 52.26 Gulch, 100 lks. wide, flows S.W.
- 65.40 Dry wash, 10 lks. wide, flows. S.W.
- 80.00 Set a Malpais Stone 18x10x6 ins.  
12 ins. in the ground, for Cor. of  
Secs. 16, 17, 20<sup>nd</sup> and 21, marked  
T. C. S. on N.E. and  
R. 26. E on S.E. faces, with 3 matches  
on S. and 4 matches on E. edges,  
and raise a mound of stone 2 ft.

## Subdivisions.

chains base  $1\frac{1}{2}$  ft. high w. of Cor.  
 Pits impracticable. —  
 Land, rolling.  
 Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.  
 Greasewood and Mesquite undergrowth  
 No timber. —

---

S 89° 57' E. on a random line  
 bet. Secs. 16 and 21.

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.04 Intersect N. and S. line 7 lks. S.  
 of Cor. of Secs. 15, 16, 21. and 22.

Thence I run

West <sup>on a true line</sup> bet. Secs. 16 and 21.

Over nearly level land.

1.20 Dry wash, 15 lks. wide, flows. S.

9.00 Descend, trans. N. & S.

9.30 Enter bottom

9.40 Dry wash, 20 lks. wide, flows. S.

## I. G. A. R. 26. E.

chs.	
10.00	Ascend
10.40	Top, trans. N. & S.
18.00	Descend
18.40	Enter bottom
18.50	Dry wash, 10 lks. wide, flows. S.
18.80	Ascend
19.60	Top, trans. N. & S.
21.32	Road, from Safford to Cottonwood Springs, trans. N. & S.
40.02	Set a Malpais Stone 18x10x5 ins. 12 ins, in the ground for $\frac{1}{4}$ sec. Cor., marked $\frac{1}{4}$ on N. face; and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of Cor. Pito impracticable.
41.60	Dry wash, 10 lks. wide flows S.W.
56.30	Descend, trans. N. & S.
56.40	Enter bottom.
56.57	Dry wash, 25 lks. wide, flows. S.



## Subdivisions.

Chs. 57.90	Ascend
58.10	Top, trans. N. <sup>and</sup> S.
78.10	Dry wash, 10 lks. wide, flows. S. S. W.
80.04	The Cor. of Secs. 16, 17, 20 <sup>and</sup> 21. Land, nearly level. Soil, gravelly; 2 <sup>d</sup> <sup>and</sup> 3 <sup>d</sup> rate. Greewood <sup>and</sup> Palo Verde undergrowth No timber. —

February 7 1896.

---

February 8, at 7.30 <sup>h m</sup> a.m., l.m.t.,  
I set off  $32^{\circ}55'$  on the lat. arc  
 $15^{\circ}0'$  S. on the decl. arc, and  
determine a true meridian  
with the Solar at the Cor.  
of Secs. 16, 17, 20 <sup>and</sup> 21.  
Thence I run  
 $N 0^{\circ}2' W.$  bet. Secs. 16. <sup>and</sup> 17.  
over level mesa land,

## J. L. S. R. 26. E.

Chs.	
11.40	Descend, trans. N.E. and S.W.
11.66	Enter bottom
12.22	Dry wash, 14 lks. wide flows. S.W.
12.52	Ascend,
12.82	Tap, trans. N.E. and S.W.
40.00	Set a malpais Stone 15x9x5 ins. 10 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Pits impracticable. —
55.82	Dry wash, 25 lks. wide, flows S.S.W.
58.82	Dry wash, 30 lks. wide, flows S.S.W.
60.82	Dry wash, 15 lks. wide, flows. S.S.W.
63.40	Same wash, 15 lks. wide, flows. S.S.E.
65.40	Same wash, 15 lks. wide, flows. S.S.W.
76.10	Road to Cottonwood Springs, trans N.E. and S.W.
80.00	Set a malpais Stone 15x8x5. ins.

## Subdivisions,

Chains. 10 ins; in the ground for Cor. of  
 Secs. 8, 9, 16<sup>th</sup> and 17. marked  
 T. 6. S. on N.E. and  
 R. 26. E. on S.E. faces, with 4 notches  
 on S. and E. edges, and raise  
 a mound of stone 2 ft. base,  
 1 1/2 ft. high, W. of Cor.  
 Pits impracticable  
 Land level mesa.  
 Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.  
 Greasewood<sup>th</sup> and Palo Verde undergrowth  
 No timber. —

---

East, on a random line  
 bet. Secs. 9<sup>th</sup> and 16.

40.00 Set temp. 1/4 Sec. Cor.  
 79.96 Intersect N. and S. line 7 lks. N.  
 of Cor. of Secs. 9, 10, 15, and 16.  
 Thence I run,



## T. 6. S. R. 26. E.

Chains.	N 89° 57' W. bet. Secs. 9 <sup>and</sup> 16. Over level land
2.56	Road from Safford to Cottonwood Springs, bears N.E. <sup>and</sup> S.W.
4.00	Dry wash, 10 lks. wide, flows. S.W.
15.25	Descend, bears N.N.E. <sup>and</sup> S.S.W.
15.43	bottom, Trail, bears N.W. <sup>and</sup> S.E.
17.70	Dry wash, 15 lks. wide, flows. S.S.W.
17.85	Ascend,
18.30	Top, bears N.N.E. <sup>and</sup> S.S.W.
31.18	Dry wash, 10 lks. wide, flows. S.S.W.
34.00	Descend, bears N. <sup>and</sup> S.
37.27	Enter bottom
37.50	Dry wash, 10 lks. wide, flows. S.
38.00	Ascend,
39.35	Top, bears N. <sup>and</sup> S.
39.98	Set a Malpais Stone 15x10x4 ins. 10 ins. in the ground, for 1/4 Sec. Cor. marked, 1/4 on N. face, and

## Subdivisions.

- Chain. raise a mound of Stone, 2 ft.  
base,  $1\frac{1}{2}$  ft high, N. of Cor.  
Pits impracticable. —
- 47.00 Descend, bears N. and S.
- 48.50 Enter bottom, dry wash 10 lks,  
wide flows S.
- 49.32 Ascend
- 49.78 Top, bears N. and S.
- 61.00 Dry wash, 8 lks. wide, flows S.
- 75.75 Dry wash, 50 lks. wide, flows S.
- 75.83 Road to Cottonwood Springs,  
bears N.E. & S.W.
- 79.96 The Cor. of Secs. 8, 9, 16 and 17.  
Land level.  
Soil, gravelly, 2<sup>d</sup> and 3<sup>d</sup> rate.  
Greasewood & Palo Verde undergrowth  
No timber. —
-

## T. 6. S. R. 26. E.

- Chains. No<sup>o</sup> 2' w. bet. Secs. 8<sup>th</sup> and 9.
- Over level mesa land,
- 7.53 Dry wash, 14 lks. wide, flows. S.W.
- 10.05 Dry wash, 7 lks. wide, flows. W. S.W.
- 14.72 Dry wash, 9 lks. wide, flows. W.
- 22.61 Dry wash, 8 lks. wide, flows. S.W.
- 26.00 Descend, trans. NNE. and S.S.W.
- 27.37 Enter bottom, and dense Tesata undergrowth, trans. NNE. & S.S.W.
- 33.60 Dry wash, 75 lks. wide, flows. S.S.W.
- 40.00 Set a Malpais stone 18x10x6 ins. 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of Cor. Pits impracticable. —
- 51.80 Ascend, and leave dense Tesata undergrowth, trans. NNE. and S.S.W.
- 52.17 Top, trans. NNE. and S.S.W.



## Subdivisions.

chs.  
80.00

Set a Malpais Stone 16x12x11 ins,  
11 ins, in the ground, for Cor. of  
secs. 4, 5, 8<sup>and</sup> 9, marked  
T. 6. S. on N.E. and  
R. 26. E. on S.E.<sup>face</sup> with 5 matches on  
S. and 4 matches on E. edges, and  
raise a mound of stone, 2 ft.  
base, 1 1/2 ft. high, W. of Cor.  
Pits impracticable. —  
Land, level mesa.

Soil, gravelly; 3<sup>d</sup> rate.  
Greasewood Palo Verde and Toota  
undugrowth. No timber. —

---

S 89° 57' E on a random line  
bet. Secs. 4<sup>and</sup> 9.

40.00 Set. temp. 1/4 Sec. Cor.

79.94 Intersect N. <sup>and</sup> S. line 2 lks.  
N. of Cor. of Secs. 3, 4, 9<sup>and</sup> 10.

## T. 6. S. R. 26. E.

Chain	Thence I run
	N 89° 56' W. on a true line
	bet. Secs. 4. <sup>and</sup> 9.
	Over level mesa land,
5.81	Road to Cottonwood Springs,
	trans N.E. <sup>and</sup> S.W.
9.00	Descend, trans N.E. <sup>and</sup> S.W.
10.15	Enter bottom, dry wash, 8 lks.
	wide, flows. S.W. and ascend
11.00	Top, trans N.E. <sup>and</sup> S.W.
17.34	Descend, trans N.E. <sup>and</sup> S.W. to Valley
18.00	Enter Valley
18.27	Dry wash, 15 lks. wide, flows. S.W.
26.29	Dry wash, 40 lks. wide flows. S.W.
29.30	Leave Valley
31.82	Dry Gulch, 75 lks. wide, flows. S.W.
34.55	Trail, trans N. <sup>and</sup> S.
39.97	Set a malpais Stone 18x14x6 ins.
	12 ins. in the ground, for 1/4 Sec.

## Subdivisions.

- Chains. Cor., marked  $\frac{1}{4}$  on N. face,  
and raise a mound of stone,  
2 ft. base,  $1\frac{1}{2}$  ft. high, N. of Cor.  
Pits impracticable, —
- 50.90 Descend, bears N.E. and S.W.
- 51.73 Enter bottom.
- 53.64 Dry wash, 15 lks wide, flows S.W.,  
and ascend
- 56.10 Top, bears N.E. and S.W.
- 61.75 Descend, bears N.E. and S.W.
- 62.12 Enter bottom
- 62.30 Dry wash, 30 lks. wide, flows S.W.
- 64.50 Begin ascent.
- 69.19 Dry wash, 15 lks. wide flows S.
- 69.91 Top, bears N. and S.
- 79.94 The Cor. of Secs. 4, 5, 8 and 9.  
Land, level mesa.  
Soil, gravelly, 2<sup>d</sup> and 3<sup>d</sup> rate  
No timber. —



## T. C. S. R. 26. E.

Chain	N 0° 2' W. bet. Secs. 4. <sup>and</sup> 5.
	over rolling land; ascending
34.00	Gulch, 100 lks. wide, flows S.S.W.
40.00	Set a Malpais Stone 20x14x6 ins. 15 ins. in the ground. for 1/4 Sec. Cor., marked 1/4 on W. face; <sup>and</sup> raise a mound of Stone, 2 ft. base, 1 1/2 ft. high, W. of Cor. Pits impracticable. -
51.50	Dry wash, 10 lks. wide, flows S.W.
59.00	Descend, trans N.E. & S.W.
60.00	Enter bottom
61.65	Dry wash, 100 lks. wide, flows S.W. and ascend
63.55	Tap, trans. N.E. <sup>and</sup> S.W.
66.22	Old Road, trans. N.E. & S.W.
70.68	Descend, trans. N.E. & S.W.
71.80	Enter bottom.
72.00	Dry wash, 10 lks. wide, flows S.S. E

## Subdivisions.

chs.	
74.50	Ascend
76.00	Top, bears N.E. and S.W.
78.37	Intersect First Standard parallel, S. at 2.88 chs. E. of Standard $\frac{1}{4}$ Sec. Cor. Sec. 32. as recently established by me. and heretofore described. Set a Malpais Stone 18x12x10 ins. 12 ins. in the ground for Closing Cor. of Secs. 4 <sup>th</sup> & 5 <sup>th</sup> marked, C.C. on S. with 4 grooves on E. and 2 grooves on W. faces, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of Cor. pits impracticable Land, rolling & mountainous. Soil, gravelly; 2 <sup>d</sup> & 3 <sup>d</sup> rate, No timber. — Mountainous land 78.37 chs. February 8. 1896.

## T. C. S. R. 26. E.

- Chains February 20. at  $7^{\text{h}} 30^{\text{m}}$  a.m., l.m.t.,  
 I set off  $32^{\circ} 53'$  on the lat. arc,  
 $10^{\circ} 55'$  S. on the decl. arc, and  
 determine a true meridian  
 with the Solar at the Cor.  
 of Secs. 29. 30. 31. <sup>and</sup> 32, as  
 recently established by me  
 and heretofore described.  
 Thence I run,  
 $S 1^{\circ} 23' E$ , on a random line  
 bet. Secs. 31 <sup>and</sup> 32.
- 40.00 Set temp.  $\frac{1}{4}$  Rec. Cor.
- 79.10 Intersect S. bdy of Sp. 30. lks  
 W. of Cor. of Secs. 5. 6. 31 <sup>and</sup> 32  
 as recently reestablished by  
 me, and heretofore described  
 Thence I run  
 $N 1^{\circ} 36' W$ . on a true line  
 bet. Secs. 31. <sup>and</sup> 32.



## Subdivisions.

Chains	Over level and rolling land. <sup>ascend</sup>
8.60	Tap, bears. E. & W., descend
12.50	Bottom <sup>and ascend</sup>
12.84	Tap, bears. N.W. <sup>and</sup> S.E.
13.45	Enter bottom
14.65	Dry wash, 8 lks. wide, flows. W. N.W. and ascend
15.10	Tap, bears. W. N.W. <sup>and</sup> E. S.E.
19.60	Descend 70 feet.
20.80	Enter bottom, and dense mesquite undergrowth, bears. E. & W.
21.10	Dry wash, 50 lks. wide, flows. W.
23.10	Dry wash, 50 lks. wide, flows. W.
23.18	Road, bears. E. & W.
25.10	Dry wash, 15 lks. wide, flows. W.
30.10	Enter dry wash, flows. S.W.
31.49	Leaves dry wash, flows. S.W.
33.50	Road, bears E. N.E. <sup>and</sup> W. S.W.
36.55	Dry wash, 10 lks. wide, flows. S.W.

## T. C. S. R. 26. E.

- 39.10 <sup>cho.</sup> Set a Malpais Stone 18x12x3 ins.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor., marked  $\frac{1}{4}$  on W. face, and  
 raise a mound of stone, 2 ft.  
 base,  $1\frac{1}{2}$  ft. high, W. of Cor.  
 Pits impracticable; whence  
 A Tesota 5 ins. diam, bears  
 $S 86\frac{1}{2}^{\circ} W 59$  lks. dist.,  
 marked  $\frac{1}{4}$  S. B. T. -  
 A Tesota 5 ins. diam, bears  
 $N 69\frac{1}{4}^{\circ} E 168$  lks. dist.,  
 marked  $\frac{1}{4}$  S. B. T. -
- 39.93 Dry wash, 10 lks. wide, flows S.W.
- 46.94 Trail, bears N.E. and S.W.
- 47.10 Dry wash, 20 lks. wide, flows S.W.
- 48.76 Road from Pafford, bears N.N.E. + S.S.W.
- 59.10 ascend along E. slope of mesa
- 62.10 Sup. and descent
- 63.10 bottom, dry wash, 50 lks. wide,  
 flows E.

## Subdivisions.

chs. 64.10	Entire same wash
68.10	leave same wash, flows S.E.
70.10	Entire same wash
73.10	leave same wash, flows S.W.
74.80	Dry wash, 10 lks. wide, flows E.
77.60	Entire dry wash
78.44	leave dry wash, flows S.E.
79.10	The Cor. of Acs. 29, 30, 31 & 32 Land, level and rolling. Soil, gravelly loam; 2 <sup>nd</sup> rate No timber. -

---

	No <sup>o</sup> 3' W bot. Acs. 29 <sup>th</sup> & 30.
	Over rolling land, ascend
.10	dry wash, 6 lks. wide, flows E.
3.50	Top, bears E. & W. descend
3.75	Entire bottom
3.96	Dry wash, 10 lks. wide, flows E.



## T. 6. S. R. 26. E.

chs. 5.10	Ascend
6.00	Top, trans. E. + W.
20.00	Entire dense undergrowth, trans. E. + W.
40.00	Leaves dense undergrowth, trans. E. + W. Set a Malpais Stone 15x8x7 ins. 10 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of Cor. Pits impracticable
56.59	Trail, trans. N.E. <sup>and</sup> S.W.
74.88	Trail, trans. N.E. <sup>and</sup> S.W.
76.89	Dry wash, 10 ft. wide flows. S.W.
80.00	Set a Malpais Stone 15x12x10 ins. 10 ins. in the ground, for Cor. of Secs. 19, 20, 29 <sup>and</sup> 30, marked T. 6. S. on N.E. and R. 26. E. on S.E. faces, with 2 notches on S. and 5 notches on

## Subdivisions.

Chains E. edges; and raise a mound  
 of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of Cor. pits impracticable;  
 Whence A Mesquite 15 ins. diam;  
 bears. S  $10\frac{1}{2}^{\circ}$  W 120 lks. dist;  
 marked T. 6 S. R. 26 E. S. 30. 13. 3.  
 No other trees within limits  
 Land, level and rolling.  
 Soil, gravelly loam, 2<sup>d</sup> rate.  
 Greasewood & Sage undugrowth.  
 Land covered with dune  
 undugrowth. 20. chains.

---

S  $89^{\circ}57'E$  on a random line  
 bet. Secs. 20<sup>nd</sup> & 29

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

80.04 Intersect N. <sup>nd</sup> S. line 7 lks.  
 S. of Cor. of Secs. 20, 21, 28 & 29  
 Thence I run.

## T. 6. S. R. 26. E.

- Chanis West, on a true line.  
 bet. Secs. 20<sup>th</sup> and 29<sup>th</sup>.  
 Over level land.
- 11.69 Dry wash, 80 lks. wide, flows. S.W.  
 19.30 Dry wash, 100 lks. wide, flows. S.S.W.  
 28.90 Dry wash, 8 lks. wide, flows. S.W.  
 31.52 Trail, bears N.E. <sup>and</sup> S.W.  
 33.88 Dry wash, 10 lks. wide, flows. S.S.W.  
 40.02 Set a Mulpais Stone 15x12x6 ins.  
 10 ins. in the ground for  $\frac{1}{4}$  Sec.  
 Cor., marked  $\frac{1}{4}$  on N. face, and  
 raise a mound of stone, 2 ft.  
 base, 1 $\frac{1}{2}$  ft. high, N. of Cor.  
 Pits impracticable, whence  
 A Mesquite 6 ins. diam., bears  
 N 49 $\frac{1}{4}$ ° W 184 lks. dist.,  
 marked  $\frac{1}{4}$  S. B. J.-
- 41.70 Dry wash, 12 lks. wide, flows. P.  
 45.90 Dry wash, 14 lks. wide, flows. S.S.E.



## Subdivisions.

- | chs.  |  |
|---|--|
| 52.58   | Dry wash, 10 lks. wide, flows. S.S. E.   |
| 56.17   | Trail, trans. N.E. <sup>4</sup> / <sub>4</sub> S.W.  |
| 59.94   | Dry wash, 8 lks. wide, flows. S.   |
| 62.61   | Dry wash, 10 lks. wide, flows. S.  |
| 67.00   | Dry wash, 10 lks. wide, flows. S.S. E.   |
| 68.66   | Trail, trans. N. <sup>4</sup> / <sub>4</sub> S.  |
| 68.82   | Road from Safford, trans. N. & S.  |
| 68.98   | Trail, trans. N. <sup>4</sup> / <sub>4</sub> S.  |
| 69.50   | Dry wash, 8 lks. wide, flows. S.W.   |
| 80.04   | The Cor. of Secs. 19, 20, 29 <sup>4</sup> / <sub>4</sub> 30.<br>Land, level.<br>Soil, gravelly loam; 2 <sup>d</sup> rate<br>Greasewood, Sage & Mesquite under-<br>growth. No timber. - |
| <hr/> N 89° 57' W on a random line<br>bet. Secs. 19 <sup>4</sup> / <sub>4</sub> 30. |  |
| 40.00   | Set temp. 1/4 Sec. Cor.  |
| 74.25   | Intersect W. bdy of Sp. 48.  |

## J. C. S. R. 26. E.

Chain. 1/2 m. N. of Cor. of Secs. 19, 24, 25  
and 30. as recently re establish  
ed by me and Huetoform described  
Thence I run.

N  $89^{\circ} 41' E$ . on a true line  
bet. Secs. 19. and 30.

Over level land; ascend,

- 2.61 Top, Enter mesa, bears NNE  $+ 55^{\circ}$ , W,  
19.25 Enter rolling mesa  
20.95 Descend  
21.65 bottom  
22.74 Dry wash, 10 lks. wide, flows. S.W.  
24.34 Ascend  
25.80 Top, bears. N.E. and S.W.  
34.25 Set a Malpais Stone  $14 \times 8 \times 6$  ins.  
9 ins. in the ground, for  $1/4$  Sec.  
Cor, marked 44 on N. face, and  
raise a mound of Stone, 7 ft.  
base,  $1\frac{1}{2}$  ft. high, N. of Cor.

## Subdivisions.

Chain Pits impracticable, whence  
 A Mesquite 12 ins. diam, bears  
 S  $34\frac{1}{2}^{\circ}$  W 146 lks. dist.,  
 Marked  $\frac{1}{4}$  S. B. I.

A Mesquite 6 ins. diam, bears  
 S  $2\frac{1}{2}^{\circ}$  E 193 lks. dist.,  
 Marked  $\frac{1}{4}$  S. B. I. -

34.65 Dry wash, 10 lks. wide, flows. S, W,

35.82 Trail, bears. N, N, E. End S, S, W,

40.19 Dry wash, 12 lks. wide, flows. S, W,

52.75 Dry wash, 10 lks. wide, flows. S, S, W,

65.25 Dry wash, 10 lks. wide, flows. S, S, W,

69.75 Dry wash, 8 lks. wide, flows. S.

71.61 Dry wash, 9 lks. wide, flows. S.

74.25 The Cor. of Secs. 19, 20, 29 & 30  
 Land, level.

Soil, gravelly loam, 2<sup>d</sup> rate  
 No timber. -



## T. C. S. R. 26. E.

Chains	N 0° 3' W. bet. Secs. 19. <sup>and</sup> 20. Over level land.
7.00	Dry wash, 10 lks. wide, flows. S.S.W.
11.85	Dry wash, 10 lks. wide, flows. S.W.
16.85	Trail, bears. N.E. <sup>and</sup> S.W.
20.70	Trail, bears. N.E. <sup>and</sup> S.W.
24.04	Dry wash, 10 lks. wide, flows. S.S.W.
25.51	Dry wash, 14 lks. wide, flows. W.
38.00	Dry wash, 20 lks. wide, flows. S.W.
40.00	Set a Malpais Stone 18x7x6 ins, 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of Cor. Pits impracticable, whence A mesquite 6 ins. diam, bears N 44° W 176 lks. dist., marked 1/4 S. B. I. - <small>no other trees within limits.</small>
49.67	Trail, bears. N.E. <sup>and</sup> S.W.

## Subdivisions.

- chs.  
 57.59 Dry wash, 10 lks. wide, flows S.W.  
 65.60 Dry wash, 12 lks. wide, flows S.W.  
 78.39 Dry wash, 10 lks. wide, flows S.W.  
 80.00 Set a Malpais Stone 18x11x8 ins  
 12 ins. in the ground, for Cor. of  
 Secs. 17, 18, 19<sup>th</sup> and 20, marked  
 T. 6. S. on N.E. and  
 R. 26. E on S.E. faces, with 3  
 notches on S. and 5 notches on  
 E. edges, and raise a mound  
 of stone 2 ft. base, 1 1/2 ft.  
 high W. of cor. pits impracticable,  
 whence a Mesquite 6 ins. diam. bears  
 N 61 1/4° W 145 lks. dist. marked  
 T. 6. S. R. 26. E. S. 18. B. J. -  
 No other trees within limits  
 Land level.  
 Soil, gravelly loam, 2<sup>d</sup> rate  
 No timber -

## T. C. S. R. 26 E.

- Chains East on a random line  
bet. Secs. 17<sup>th</sup> and 20.
- 40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 79.94 Intersect N. and S. line, 2 lks. N.  
of Cor. of Secs. 16, 17, 20<sup>th</sup> and 21.  
Thence I run.
- N 89° 59' W. on a true line  
bet. Secs. 17<sup>th</sup> and 20.
- Over level land.
- 9.85 Dry wash, 20 lks. wide, flows. S.W.
- 14.43 Dry wash, 20 lks. wide, flows. S.
- 27.87 Dry wash, 12 lks. wide, flows. S.W.
- 33.90 Dry wash, 9 lks. wide, flows. S.W.
- 39.97 Set a Malpais Stone 20 x 15 x 10 ins.  
15 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raise a mound of stone 2 ft.  
base,  $1\frac{1}{2}$  ft. high, N. of Cor.  
Pits impracticable. -



## Subdivisions.

- chs.  
 40.72 Dry wash, 9 lks. wide, flows S.W.  
 49.85 Dry wash, 11 lks. wide, flows. S.S.W.  
 56.40 Dry wash, 14 lks. wide, flows. S.W.  
 57.91 Road to Cottonwood Springs, bears. N.E. S.W.  
 62.72 Trail, bears. N. <sup>4</sup> S.  
 62.85 Road from Safford, bears. N. <sup>4</sup> S.  
 68.20 Dry wash, 10 lks. wide, flows. S.W.  
 72.25 Dry wash, 9 lks. wide, flows. S.W.  
 78.25 Dry wash, 10 lks. wide, flows. S.W.  
 79.94 The Cor. of Secs. 17, 18, 19 <sup>4</sup> and 20.  
 Land level.

Soil, gravelly; 2<sup>d</sup> <sup>4</sup> and 3<sup>d</sup> rate  
 Greewood & mesquite undergrowth  
 No timber.

---

S 89° 41' W on a random line  
 bet. Secs. 18<sup>4</sup> and 19.

- 40.00 Set. temp. 1/4 Sec. Cor.  
 74.04 Intersect W. bdy. of Sp. 34 Sec

## T. O. S. R. 26. E.

- Chains N. of Cor. of Secs. 13, 18, 19 & 24,  
as recently re-established by  
me, and heretofore described  
thence I run.
- N 89° 25' E on a true line,  
bet. Secs. 18<sup>th</sup> & 19.
- Over level land.
- 1.84 Dry wash, 14 lks. wide, flows. S.W.  
24.23 Dry wash, 12 lks. wide, flows. S.W.  
25.04 Dry wash, 10 lks. wide, flows. S.W.  
34.04 Set a Malpais Stone 12x10x10 ins  
8 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raise a mound of Stone, 2 ft.  
base, 1 $\frac{1}{2}$  ft. high, N. of Cor.  
Pits impracticable.
- 35.00 Trail, trans. N.E. + S.W.  
44.44 Dry wash, 18 lks. wide, flows. S.  
60.72 Dry wash, 10 lks. wide, flows. S.W.

## Subdivisions.

- chs.  
63.04 Dry wash, 11 lbs. wide, flows S.W.  
72.04 Dry wash, 40 lbs. wide, flows. S.W.  
74.04 The Cor. of Secs. 17. 18. 19. <sup>and</sup> 20.  
Land, level.  
Soil, gravelly; 3<sup>d</sup> rate.  
Greasewood & Mesquite undergrowth  
No timber -

February 20, 1896.

February 21 at 7.30<sup>th</sup> <sup>2m</sup> a.m. L.M.T.  
I set off 32° 55' on the lat. arc,  
10° 34' on the decl. arc. and  
determine the true meridian  
with the Solar. at the Cor. of  
Secs. 17. 18. 19. <sup>and</sup> 20.

Thence I run

N 0° 3' W. bet. Secs. 17 <sup>and</sup> 18.

Over level mesa land

4.40 Dry wash, 40 lbs. wide, flows. S.W.



## T. C. S. R. 26. E.

- 11.67 Dry wash, 11 lks. wide, flows. S.W.
- 29.32 Dry wash, 18 lks. wide, flows. S.W.
- 35.78 Dry wash, 8 lks. wide, flows. S.W.
- 37.93 Dry wash, 12 lks. wide, flows. S.W.
- 40.00 Set a malpais Stone 18x10x10 ins.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  on W. face, and  
raise a mound of Stone, 2 ft.  
base,  $1\frac{1}{2}$  ft. high, W. of Cor.  
Bits impracticable
- 45.18 Dry wash, 15 lks. wide, flows. S.W.
- 52.24 Dry wash, 8 lks. wide, flows. S.W.
- 65.50 Dry wash, 11 lks. wide, flows. S.W.
- 70.89 Dry wash, 10 lks. wide, flows. S.W.
- 79.73 Dry wash, 10 lks. wide, flows. S.W.
- 80.00 Set a malpais Stone 24x12x6 ins.  
18 ins. in the ground for Cor. of  
Secs. 7, 8, 17, and 18, marked  
T. C. S. on N.E., and.

## Subdivisions.

Chain. R. 26 E. on S. E. faces, with 4  
 matches on S. and 5 notches on  
 E. edges, and raise a mound  
 of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of Cor. pits, impracticable  
 Land, level mesa  
 Soil, gravelly; 2<sup>d</sup> & 3<sup>d</sup> rate.  
 Mesquite, and greasewood undergrowth  
 No timber, —

---

S  $89^{\circ}54'E$ . on a random line  
 bet. Secs. 8<sup>and</sup> 17.

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

79.96 Intersect N. <sup>and</sup> S. line 2 lks.  
 S. of Cor. of Secs. 8, 9, 16. <sup>and</sup> 17.

Thence I run

West, on a true line  
 bet. Secs. 8<sup>and</sup> 17.

Over level land.

## T. C. S. R. 26. E.

- chs.  
 8.61 Dry wash, 8 lks. wide, flows. S.  
 9.62 Dry wash, 20 lks. wide, flows. S.W.  
 10.93 Dry wash, 15 lks. wide, flows. S.S.W.  
 20.50 Dry wash, 60 lks. wide, flows S.S.W.  
 21.80 Dry wash, 25 lks. wide, flows. S.W.  
 39.98 Set a Malpais Stone 20x8x5 ins.  
 15 ins. in the ground. for  $\frac{1}{4}$  Sec.  
 Cor., marked  $\frac{1}{4}$  on N. face, and  
 raise a mound of Stone, 2 ft.  
 base,  $1\frac{1}{2}$  ft. high, N. of Cor.  
 Pits impracticable.  
 51.12 Road from Safford, trans. N. & S.  
 51.48 Dry wash, 10 lks. wide, flows. S.  
 64.42 Dry wash, 11 lks. wide, flows. S.  
 67.26 Dry wash, 10 lks. wide, flows. S.  
 79.73 Dry wash, 10 lks. wide, flows. S.W.  
 79.96 The Cor. of Secs. 7, 8, 17<sup>and</sup> 18.  
 Land, level.  
 Soil, gravelly, 3<sup>d</sup> rate.



## Subdivisions.

Chains. Greasewood <sup>and</sup> Palo Verde Undergrowth  
No timber. —

---

S 89° 25' W. on a random line  
bet. Secs. 7. <sup>and</sup> 18.

40.00 Set temp. 1/4 sec. Cor.

73.69 Intersect. W. bdy. of Sp. 40 lks.  
N. of Cor. of Secs. 7, 12, 13. <sup>and</sup> 18.  
as recently re-established by  
me, and heretofore described  
Thence I run.

N 89° 6' E. on a true line  
bet. Secs. 7 <sup>and</sup> 18.

Over level land.

8.54 Dry wash, 10 lks. wide, flows. S.W.

15.31 Dry wash, 10 lks. wide, flows. S.W.

17.34 Road, bears. N.E. <sup>and</sup> S.W.

21.83 Dry wash, 12 lks. wide, flows. S.W.

26.52 Dry wash, 40 lks. wide, flows. S.W.

## T. C. S. R. 26. E.

- Chs.  
30.34 Dry wash, 11 lks. wide, flows S.W.
- 33.69 Set a Mulpais Stone 15x8x6 ins.  
10 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  on N. face, and  
raise a mound of stone, 2 ft.  
base,  $1\frac{1}{2}$  ft. high, N. of Cor.  
Pits impracticable:-
- 34.42 Dry wash, 10 lks. wide, flows. S.W.
- 39.64 Dry wash, 10 lks. wide, flows. S.W.
- 42.69 Dry wash, 10 lks. wide, flows. S.W.
- 49.47 Dry wash, 10 lks. wide, flows. S.W.
- 67.08 Dry wash, 17 lks. wide, flows. S.W.
- 73.69 The Cor. of Secs. 7, 8, 17, <sup>and</sup> 18.  
Land, level.  
Soil, gravelly; 3<sup>d</sup> rate.  
Greewood undergrowth.  
No timber:-
-

## Subdivisions.

Chains No° 3' W. bet. Secs. 7. and 8.

Over level land.

- 7.06 Dry wash, 10 lks. wide, flows. W.  
 9.00 Dry wash, 12 lks. wide, flows. S.W.  
 20.64 Dry wash, 14 lks. wide, flows. S.W.  
 32.24 Dry wash, 8 lks. wide, flows. S.W.  
 35.18 Dry wash, 9 lks. wide, flows. S.S.W.  
 38.73 Dry wash, 12 lks. wide, flows. S.W.  
 39.50 Set a malpais Stone 14x10x5 in.,  
 9 ins. in the ground, for Witness  
 Cor. to 1/4 Sec. Cor., marked W.C.,  
 1/4 on W. face, and raise a  
 mound of Stone, 2 ft. base 1 1/2  
 ft. high. W. of Cor. pits impracticable.  
 40.00 Dry wash, 10 lks. wide, flows. S.W.  
 46.13 Dry wash, 9 lks. wide, flows. S.W.  
 50.72 Dry wash, 30 lks. wide, flows. S.W.  
 53.20 Dry wash, 20 lks. wide, flows. S.S.W.  
 58.52 Dry wash, 15 lks. wide, flows. S.S.W.



## T. 6 S. R. 26 E.

- chs.  
 59.97 Same wash, 15 lks. wide, flows. S. E.  
 63.57 Same wash, 15 lks. wide, flows. S. W.  
 74.20 Dry wash, 14 lks. wide, flows. S. W.  
 80.00 Set a malpais Stone 30x7x7 ins.  
 22 ins. in the ground, for Cor. of  
 Secs. 5, 6, 7<sup>th</sup> & 8. marked.  
 T. 6 S. on N.E. and  
 R. 26 E. on S.E. faces, with 5 notches  
 on S. and E. edges, and raise a  
 mound of Stone 2 ft. base 1 1/2  
 ft. high. W. of Cor. pits impracticable  
 Land. level.  
 Soil, gravelly, 3<sup>rd</sup> rate.  
 Greasewood & Palo Verde sending growth  
 No timber. —

---

East on a random line  
 bet. Secs. 5<sup>th</sup> & 8.

- 40.00 Set temp. 1/4 Sec. Cor.

## Subdivisions.

- chs.  
79.95 Intersect N. <sup>4</sup>d S. line 7 lks.  
N. of Cor. of Secs. 4, 5, 8 <sup>4</sup>d 9.  
Thence I run.  
N 89° 57' W. on a true line  
bet. Secs. 5 <sup>4</sup>d 8.  
Over level land
- 7.37 Dry wash, 8 lks wide, in Gulch  
100 lks. wide, flows. S.W.
- 16.60 Dry wash, 8 lks. wide, in gulch  
80 lks. wide, flows. S.W.
- 18.75 Dry wash, 10 lks. wide, in gulch  
200 lks, wide, flows. S.W.
- 20.27 Dry wash, 18 lks. wide, flows. S.W.
- 38.00 Dry wash, 8 lks. wide, flows. S.W.
- 39.00 Dry Wash, 14 lks. wide, flows. S.W.
- 39.975 Set a Malpais Stone 18x8x6 ins.  
12 ins, in the ground, for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  on N. face, and  
raise a mound of Stone, 2 ft.

## T. C. S. R. 26 E.

Chairs	base $1\frac{1}{2}$ ft. high, N. of Cor. Pits impracticable.
41.04	Dry wash, 15 lks. wide, flows S.W.
44.36	Dry wash, 8 lks. wide, flows S.W.
56.60	Road, bears. $N 85^{\circ} E$ & $S 85^{\circ} W$ .
66.00	Dry wash, 100 lks. wide, flows S.S.W.
68.17	Dry wash, 65 lks. wide, flows S.S.W.
79.95	The Cor. of Secs. 5, 6, 7 <sup>th</sup> & 8. Land, level. Soil, gravelly & stony, $3\frac{3}{4}$ & $4\frac{1}{2}$ rate Scattering Palo Verde No timber. —

---

$S 89^{\circ} 6' W$ . on a random line  
bet. Secs. 6<sup>th</sup> & 7.

40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
73.30	Intersect W. bdy of Sp. 24 lks. N. of Cor. of Secs. 1, 6, 7 & 12, as recently re-established by



## Subdivisions.

- Chains me and heretofore described  
thence I run.
- N 88° 54' E. on a true line  
bet. Secs. 6. and 7.
- Over level, mesa land.
- 2.82 Dry wash, 18 lks. wide flows, S. S. W.
- 4.80 Dry wash, 18 lks. wide flows, S. S. W.
- 7.74 Dry wash, 14 lks. wide, flows. S. W.
- 14.05 Dry wash, 13. lks. wide, flows. S. W.
- 32.68 Dry wash, 18 lks. wide, flows. S. W.
- 33.30 Set a Malpais Stone 20 x 10 x 5 ins.  
15 ins. in the ground, for 1/4 Sec.  
Cor., marked 1/4 on N. face, and  
raise a mound of Stone 2 ft.  
base, 1 1/2 ft high, N. of Cor.  
Pits impracticable. —
- 34.14 Dry wash, 12 lks. wide, flows. S. W.
- 37.60 Dry wash, 14 lks. wide, flows. S. W.
- 44.18 Dry wash, 10 lks. wide, flows. S. W.

T. 6 S. R. 26. E.

- chs.  
 49.22 Dry wash, 14 lks. wide, flows. S.W.  
 50.60 Dry wash, 10 lks. wide, flows. S.W.  
 54.10 Trail, trans. N.E. and S.W.  
 63.41 Dry wash, 9 lks. wide, flows. S.W.  
 72.58 Road, trans. N.E. and S.W.  
 73.30 The Cor. of Secs. 5, 6, 7, and 8.  
 Land, level mesa  
 Soil, gravelly & stony, 3<sup>d</sup> & 4<sup>th</sup> rate  
 Scattering Greasewood  
 No timber. —

---

No<sup>o</sup> 3' W. bet Secs. 5, and 6.  
 Over ralling land.

- .82 Road, trans. N.E. and S.W.  
 9.57 Dry wash, 10 lks. wide, flows. S.W.  
 14.00 Dry wash, 9 lks. wide, flows. S.W.  
 16.67 Dry wash, 12 lks. wide, flows. S.W.  
 19.20 Dry wash, 14 lks. wide, flows. S.W.  
 29.43 Dry wash, 10 lks. wide, in gulch

## Subdivisions.

- Chains 70 lks. wide, flows. S.W.
- 40.00 Set a Malpais Stone 15x14x8 ins,  
10 ins, in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on W. face, and  
raise a mound of stone, 2 ft.  
base,  $1\frac{1}{2}$  ft. high, W. of Cor.  
Pits impracticable. -
- 44.80 Dry wash, 15 lks. wide, flows. S.W.
- 47.79 Trail, trans. N.E. and S.W.
- 55.60 Dry wash, 20 lks. wide, flows. S.W.
- 57.00 Ascend E. slope of ridge  
trans. N.N.E. + S.S.W.
- 78.15 Interset First Standard  
parallel S., at 2.79 chs. E.  
of Standard  $\frac{1}{4}$  Sec. Cor. Sec.  
31, as recently established by  
me, and heretofore described  
Set a Malpais Stone 20x8x5 ins  
15 ins, in the ground, for.



## T. 6 S. R. 26 E.

Closing Cor. of Secs. 5. <sup>4th</sup> 6, marked  
C.C. on S, with 5. grooves. on E.  
and 1 groove on W. faces, and  
raise a mound of Stone 2 ft.  
base, 1 1/2 ft. high, S. of Cor.

Pits impracticable. —

Land, rolling and Mountainous  
Soil, gravelly <sup>2d</sup> Stony, 3<sup>d</sup> and 4<sup>th</sup> rate  
Greasewood undergrowth.

No timber.

Mountainous land 21.15 chains.

February 21, 1896.

Note: In the execution of the survey of  
this township, I destroyed all corner  
set by W. S. Deputy Surveyor A. E. Snippel,  
in compliance with instructions, dated  
September 23<sup>rd</sup> 1895.

### General Description.

This township is composed  
mostly of mesa land, the  
N.E. portion is Mountainous  
most of the soil is of a

poor quality. Timber is scarce. Permanent water is only found in the S.W.  $\frac{1}{4}$  of Sec. 31, which is settled by W. F. Skinner, the only settler in the township. There are some Copper mining claims in Secs. 1, and 2, and the N.  $\frac{1}{2}$  of Sec. 12.

Philip Contzen  
Compass man.

---

## List of Names.

A List of the Names of the Individuals

employed by *Philip Cortzer*, *Compassman*

U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing Field Notes of the survey of the

Exterior <sup>and</sup> Subdivision lines of

Townships 16 South, Ranges 23 <sup>and</sup> 24 East,

Townships 6 South, Ranges 26, 27 <sup>and</sup> 28 East

Meanderlines of Townships 6 South,

Ranges 27 <sup>and</sup> 28 East of the 1<sup>st</sup> Standard

Parallel South through Ranges

26, 27, 28 and 29 East

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

*A. C. Cree* ..... Chainman.

*C. Barthelmy* ..... Chainman.

*Manuel Brown* ..... Chainman.

*José Encinas* ..... Chainman.

*Wm Kelly* ..... Axeman.

*F. A. Romero* ..... *Flagman*  
Axeman.

..... Flagman.



Final Oath of Assistants.

We hereby certify that we assisted *Phillips*  
*Courten* <sup>Compassman and</sup> U. S. Deputy Surveyor, in  
 surveying all those parts or portions of the *Exterior*  
*and Subdivision lines of Townships*  
*6 South, Ranges 23<sup>rd</sup> & 24<sup>th</sup> East*  
*Townships 6 South, Ranges 26, 27<sup>th</sup> & 28 East*  
*Meanderlines of Townships 6 South Range*  
*26<sup>th</sup> & 27 East of the 1<sup>st</sup> Stand. Par. South through*  
*Ranges 26, 27, 28 and 29 East*  
 of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, as are represented in the  
 foregoing field notes as having been surveyed by him  
 and under his direction; and that said Survey has  
 been in all respects, to the best of our knowledge  
 and belief, well and faithfully surveyed, and the  
 corner monuments established according to the  
 instructions furnished by the United States Surveyor  
 General for Arizona.

*J. C. Cree* Chainman.  
*C. Barthelmy* Chainman.  
*Manuel Brown* Chainman.  
*Josh Encinas* Chainman.  
*Wm Kelly* Axeman.  
*L. S. Romero* Axeman.  
 \_\_\_\_\_ Flagman.

Sworn to and subscribed before me, this *2<sup>nd</sup>*  
 day of *March*, 189*6*.

*Thomas A. Boston*  
 Notary Public.

## Final Oath of U. S. Deputy Surveyor.

I, *Philip Costen, Comptroller*

U. S. Deputy Surveyor, do solemnly swear that in  
pursuance of <sup>Special Instructions</sup> ~~a contract~~ received from *I. L. H. Manning*,  
United States Surveyor-General for Ari-  
zona, bearing date of the *23<sup>rd</sup>* day of

*September* 189*5*, I have well, faith-  
fully, and truly, in my own proper person, and in  
strict conformity with the instructions furnished by  
the United States Surveyor-General for Arizona,  
the Manual of Surveying Instructions, and the  
laws of the United States, surveyed all those parts  
or portions of the *Ex. terior and Sub-*

*division lines of Townships 16 South,  
Ranges 23 and 24 East - Town-  
ships 6 South, Ranges 26, 27 <sup>and</sup> 28  
East, Meander lines of Townships 6 South  
Range 26 and 27 East <sup>of the 1<sup>st</sup> Standard</sup>  
Parallel South, through Ranges 26, 27, 28  
and 29 East.*

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing Field Notes as having been surveyed by  
me and under my direction; and I do further  
solemnly swear that all the corners of said surveys  
have been established and perpetuated in strict  
accordance with the Manual of printed instructions,  
the special instructions of the United States Sur-  
veyor-General for Arizona, and in the specific

179

BOOK 660

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

*Philip Couzen*  
Compassman and U. S. Deputy Surveyor.

Sworn to and subscribed before me this 22

day of June, 1896

*George J. Roskrug*  
U. S. Sur.<sup>v</sup> Genl



BOOK 660

U. S. Surveyor-General's Office,

Tucson, A. T. January 22, 1897.

180

The foregoing field notes of the Re-survey of the South and West boundaries and survey of the Subdivision lines of Township 6 South, Range 26 East, Gila and Salt River Meridian in Arizona, executed by Philip Contzen, Compassman, and U. S. Deputy Surveyor, under ~~his~~ contract No. 29, with A. L. Trippel, dated June 17, 1895, having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they describe are hereby approved.

*George J. Roskrige*  
U. S. Surveyor General,

For the Territory of Arizona.