

Rec^d Sept 20/91 No. 1201

Platted, Opened, Computed

Approved by Com^r

G. L. O. Sept 29, 1891

4-671

No. 667

667

FIELD NOTES BOOK 667
GENERAL LAND OFFICE.

SUBDIVISION LINES.

T. 6, S. R. 30, E.

Contract No. 18.

Daniel Drummond

Survey Aug. 31, 1891.

PA

BOOK 667

Township *6 South* ^(4-674.) R. *30 East*

6	<i>a</i>	5	<i>b</i>	4	3	2	1
<i>7</i>		<i>5</i>		<i>1</i>			
7		8		9	10	11	12
18		17		16	15	14	13
19		20		21	22	23	24
30		29		28	27	26	25
31		32		33	34	35	36

Subdivisions T. 6 S. R. 30. E.

chains From the Cor. to Secs. 3, 4,
9 and 10, I run
West. on a true line,
bet. Secs. 4 and 9.
Va. $12^{\circ}30' E$

Ascend

40.00 Set a Lava Stone $16 \times 10 \times 4$ ins
11 ins. in the ground. on
top of ridge, Course N and S.
for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$
on N face. And raised a
mound of Stone $1\frac{1}{2}$ ft
high, 2 ft base alongside
Pit's impracticable. descend

66.80 Gulch 15 lks. wide Course N.E.

80.00 Set a Volcanic Stone $24 \times 10 \times 4$
ins. 18 ins. in the ground.
for Cor to Secs. 4, 5, 8 and 9.
Marked with 5 notches on

Subdivisions T. C. S., R. 30, E.

S. and 4 Notches on E. faces.

and raised a mound of
stone $1\frac{1}{2}$ ft high, 2 ft base
alongside. Pits impracticable

Land. Mountainous
Soil. Stony. 4th rate
No timber

3.

BOOK 667

Subdivisions T. 6 S., R. 30 E.

chains N 0° 2' W bet. Secs. 4 and 5.

Va. 12° 30' E

28.20 Wash 10 lks wide Course N.E.

40.00 Set a Volcanic Stone 28x10x8 ins
21 ins. in the ground. for
1/4 Sec Cor. Marked 1/4 on
N face, and raised a mound
of stone 1 1/2 ft. high, 2 ft
base, along side

Pits impracticable

79.38 Intersect 1st Standard
parallel South, and N
bdy of Sp. 5.97^{chains} East.
of Standard Cor. to Secs.
31 and 32. T. 6 S., R. 30 E.
Set a Volcanic Stone 20x8x4
ins. 15 ins. in the ground.
for Closing Cor. to Secs
4 and 5. Marked C.C. on S

Subdivisions T. 6, S. R. 30, E.

with 4 notches on E., and 2
notches on W. faces, and raised
a mound of stone $1\frac{1}{2}$ ft. high
2 ft base, alongside.

Site impracticable
Land, mountainous.

Soil, rocky, 3^d rate

No timber.

(Subdivisions T. 6. S. R. 30. E.)

- c Chains. From the Cor. to Secs. 4, 5
8^{and} 9. I run
West on a true line
bet. Secs. 5^{and} 8.
Va. $12^{\circ}30'E$
Ascend
- 13.90 Enter mesa.
- 25.00 Leave mesa and descend
- 27.90 Gulch 10 lks wide Course N.E. ^{ascend}
- 34.80 Top of ridge Course N.E. descend
- 40.00 Set a Sandstone $17 \times 10 \times 4$ ins
11 ins in the ground, for
 $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$
on N face. and raised a
mound of stone $1\frac{1}{2}$ ft high
2 ft base alongside
Pits impracticable
- 45.10 Wash 10 lks wide Course N.E.
- 53.90 Gulch. 35 lks wide " N.E. ascend

Subdivisions T. 6. S. R. 30. E.

chs.
80.00 Set a Volcanic Stone 20x8x4
ins. 15 ins. in the ground for
Cor. to Secs. 5, 6, 7, and 8. Marked
with 5 notches on S. and E.
faces. and raised a mound
of stone 1 1/2 ft high. 2 ft
base. alongside.

Pits Impracticable
Land. Mountainous
Soil, rocky 3^d rate
No timber

7.

BOOK 667

Subdivisions T. 6 S. R. 30 E.

- chains West. on a random line
bet. Secs. 6 and 7.
Var. $12^{\circ} 31' E$
- 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
74.20 Intersect W boundary of
the township, 7 lks S. of
Cor. to Secs. 1, 6, 7, and 12.
as recently established by me
Thence I run
 $S 89^{\circ} 57' E$ on a true line
bet. Secs. 6 and 7.
Va. $12^{\circ} 30' E$
- 30.00 Gulch 20 lks wide Course N.E. ^{as used}
- 37.00 Top of ridge Course N.E. descend
- 40.00 Set a lava stone $16 \times 10 \times 4$ ins
11 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on
W face. And raised a mound
of stone $1\frac{1}{2}$ ft high 2 ft.

Subdivisions T. 6. S. R. 30. E.

bare alongside

Pits impracticable

56.80 Gulch 25 lks wide Course N. & S. descend

71.10 Top of ridge Course N. & S. descend

94.20 The Cor to Secs. 5, 6, 7 and 8.

Land. Mountainous

Soil. Stony. 3^d rate

No timber

Subdivisions T. 6 S. R. 30. E.

- Chains N 0° 3' W but. Secs. 5^{and} 6.
Va. 12° 30' E
- Ascend
- 36.00 Top of ridge Course E. & W. descend
- 40.00 Set a lava stone 18x10x4 in,
12 ins. in the ground. for
1/4 Sec. Cor. Marked 1/4
on W face, and raised a
mound of stone 1 1/2 ft. high
2 ft. base Alongside
Pits impracticable
- 66.20 To mesa
- 68.00 Gulch 10 lks wide Course N.E. ^{ascend}
- 68.55 To mesa
- 71.35 Gulch 20 lks wide Course NE
- 79.42 Intersect 1st Standard
parallel South. and N bdy
of township. 6.00 chains
East of the Standard

Subdivisions T. 6 S. R. 30 E.

Cor. to Secs. 31 and 36, Tps.
5 S. Rs. 29 and 30 E. a post
firmly set and properly
marked, as described by the
field notes, as furnished
by the Surveyor General
I set a limestone 15x10x6
ins. 11 ins. in the ground.
for closing Cor. to Secs.
5 and 6. Marked L.C. on S
5 notches on E, and 1 notch
on N. faces. And raised a
mound of stone 1 1/2 ft high
2 ft. base, alongside
Pits impracticable
Land. Manulainan
Soil, rocky 3^d rate
No timber
August 31, 1891.

U. S. Surveyor-General's Office,

TUCSON, A. T., Sept 21 1891

The foregoing Field Notes of the Surveys of
Township Six South -
Range Thirty one East.

of *Arizona* Gila and Salt River Meridian
 in *Arizona* executed by
Daniel Drummond

U. S. Deputy Surveyor, under his contract dated

May 29 1891

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Robert Johnson

U. S. Surveyor-General
 for the Territory of Arizona.