

No 9.

Platted, Copied Compared

Approved by Com<sup>3</sup>

G. L. O. Sept 26. 1891

4-671

BOOK 669

No. 669

669

**FIELD NOTES**

GENERAL LAND OFFICE.

SUBDIVISION LINES.

T. 8. S. R. 31. E.

Contract No. 18.

Daniel Drummond

August. 2<sup>1</sup>/<sub>2</sub> 1891.

1A

BOOK 669

Township <sup>(4-674.)</sup> 6 South R. 31 East.

|    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|
| 6  | 21 | 5  | 4  | 3  | 2  | 1  |
| 28 | 26 |    |    |    |    |    |
| 7  | 24 | 8  | 9  | 10 | 11 | 12 |
| 21 | 19 |    |    |    |    |    |
| 18 | 16 | 17 | 16 | 15 | 14 | 13 |
| 13 | 11 |    |    |    |    |    |
| 19 | 9  | 20 | 21 | 22 | 23 | 24 |
| 6  | 4  |    |    |    |    |    |
| 30 | 29 | 28 | 27 | 26 | 25 |    |
| 31 | 32 | 33 | 34 | 35 | 36 |    |

## Subdivisions T. 6. S. R. 31 E

Chains N  $0^{\circ} 3' W$  but Decs. 29<sup>and</sup> 30  
Va.  $12^{\circ} 30' E$

Over mesa, descend

15.70 Gulch 20 lks wide Course NE,

17.20 Ascend top of ridge Course NE descend

35.80 Arizona <sup>course N. 10. E. S. E.</sup> and New Mexico R. R.

36.40 Left bank of Gila River  
Set a post 4 ft. long, 4 ins.  
square, with marked stone  
12 ins in the ground, for  
Meander Cor. to fractional  
Decs. 29<sup>and</sup> 30. Marked M.C.  
on N. T. 6. S. on S. Sec 29  
on E. and Sec 30 on W faces  
dug pit 3 ft square 12 in  
deep 8 lks S of post, and  
raised a mound of earth  
2 ft high.  $4\frac{1}{2}$  ft base  
around post.

## Subdivisions I. C. S. R. 31, E.

- 8.75 Right bank of Gila River  
Set a post 4 ft long, 4 ins  
square, with marked stone  
12 ins. in the ground, for  
Meander Cor. to fractional  
secs. 29 and 30. Marked  
M.C. on S. R. 31, E on N.  
Sec 29 on E and S 30 on W faces  
dug pit 3 ft square, 12 ins.  
deep, 8 lks N of post, and  
raised a mound of earth 2 ft  
high, 4 1/2 ft base around post
- 10.00 Set a volcanic stone 20x8x4  
ins. 15 ins. in the ground  
for 1/4 Sec. Cor. Marked 1/4  
on W face, and raised a  
mound of stone 1 1/2 ft high  
2 ft base alongside.  
Pits impracticable

3.

BOOK 669

## Subdivisions T. 6. S. R. 31. E.

| chs.  |  |
|-------|--|
| 46.60 | Ascend top of ridge Course E + W.  |
| 69.50 | Descend Wash 10 lks wide " W   |
| 72.00 | Wash 10 lks wide Course W. S. W.   |
| 77.05 | Wagon road Course N. W. + S. E.  |
| 80.00 | Set a granite Stone. 24 x 10 x 6<br>ins. 18 ins in the ground,<br>for Cor. to Secs. 19, 20, 29 <sup>and</sup> 30<br>Marked with 2 notches on S.<br>and 5 notches on E faces. and<br>raised a mound of stone 2<br>ft high. 4 1/2 base. alongside<br>Pits impracticable<br>Land. Mountainous.<br>Soil. rocky 4 <sup>th</sup> rate<br>No timber |

## Subdivisions J. C. S. R. 31 E.

- chains East on a random line  
bet. Secs. 20<sup>th</sup> and 29.  
Var.  $12^{\circ}31'E$
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
79.92 Intersect N. and S. line at  
Cor to Secs. 20, 21, 28<sup>th</sup> and 29.  
Thence I run  
West, on a true line  
bet. Secs. 20<sup>th</sup> and 29.  
Var.  $12^{\circ}30'E$
- 6.10 Euntu mesa and descend  
11.30 Wash 40 lks wide Course S.W.,  
25.20 Euntu mesa, and ascend  
32.75 top of ridge Course S.W. descend  
39.96 Set a Volcanic Stone,  
16x7x5 ins. 11 ins. in the  
ground. for  $\frac{1}{4}$  Sec. Cor.  
Marked  $\frac{1}{4}$  on N face,  
and raised a mound of

5.

BOOK 669

## Subdivisions T. 6 S., R. 31 E.

chains Stone  $1\frac{1}{2}$  ft high, 2 ft.  
base alongside.

Pit's impracticable

41.85 Leave bottom and ascend

45.90 Top of ridge Course S.W. descend

50.00 Enter bottom.

55.85 Wash 15 lks wide Course S.W.

64.40 Leave bottom and ascend

70.80 Top of ridge Course S.W.

79.92 The Cor. to secs. 19, 20, 24 and 30

Land. rolling

Soil. Sandy. 2<sup>d</sup> rate

No timber

## Subdivisions T. 6. S. R. 31. E.

- chains 189°57'W on a random line  
bet. Secs. 19. and 30.  
Va. 12°30'E
- 40.00 Set temporary 1/4 Sec Cor.  
78.00 Intersect W. boundary of Tp.  
at 5 lks. S. of Cor to Secs.  
19. 24. 25 and 30.  
Thence I run  
N89°59'E on a true line  
bet. Secs. 19. and 30.  
Va. 12°30'E
- 12.60 Wash 15 Course N.E. ascend  
18.65 Top of ridge " N.E. descend  
38.00 Set a granite stone 18X10X8  
ins. 12 ins in the ground  
for 1/4 Sec. Cor. Marked 1/4  
on N face. and raised a  
mound of stone 1 1/2 ft high  
2 ft base. alongside Pits impracticable



7.

BOOK 669

## Subdivisions T. 6. S. R. 31. E.

- |       |  |
|-------|--|
| cho.  |  |
| 42.10 | Wash 10 lks Wide Course S.E.   |
| 44.70 | Arizona <sup>Course. N + S.</sup> and New Mexico R.R.  |
| 45.00 | Left bank of the Gila River<br>Set a granite stone 36x10x4<br>ins. 27 ins in the ground<br>for Meander Cor. to fract.<br>ional Secs. 19 and 30.<br>Marked M.C. on E face,<br>and raised a mound of<br>stone 1 1/2 ft high. 2 ft. base<br>alongside. Pits impracticable |
| 50.00 | Right bank of Gila River<br>Set a post. 4 ft. long. 4 in<br>square. with marked stone<br>12 ins in the ground. for<br>Meander Cor. to fractional<br>Secs. 19 and 30. Marked<br>M.C. on W. T. 6. S. on E.<br>Sec. 19 on N. and 30 on S. faces                           |

## Subdivisions T. 6. S. R. 31. E.

|        |   |
|--------|---|
| Chains | dug a pit 3 ft square, 12<br>ins. deep. 8 lks E of post,<br>and raised a mound of earth<br>2 ft high, 4 1/2 ft base<br>around post. |
| 50.50  | Ditch 10 lks wide Course N.   |
| 53.00  | Leaves bottom and ascend  |
| 55.20  | Edge of mesa. descend   |
| 57.20  | Wash 20 lks wide Course NW.   |
| 56.80  | Ascend top of ridge " NW.   |
| 57.76  | Wagon road running N. & S.  |
| 58.00  | The Cor to Secs. 19, 20, 29, and 30<br>Land rolling<br>Soil sandy 2 <sup>d</sup> rate<br>No timber                                  |

9.

BOOK 669

## Subdivisions T. 6 S., R. 31 E.

- |        |   |
|--------|---|
| chains | N 0° 3' W bet. Secs. 19 <sup>and</sup> 20,<br>Va. 12° 30' E   |
|        | Descend   |
| 7.15   | Enter bottom  |
| 9.10   | Wash 35 lks wide Course W.  |
| 13.40  | Top of ridge Course E & W, descend  |
| 25.10  | Enter Gila bottom   |
| 29.80  | Wash 30 lks wide Course S & W,  |
| 34.50  | Wagon road Course N. N. E.,   |
| 40.00  | Set a limestone 15 X 8 X 6 ins<br>11 ins in the ground. <sup>find</sup><br>1/4 Sec Cor. Marked 1/4 on<br>W face, dug pits. 18 X 18 X 12<br>ins. N and S of stone 5 1/2<br>ft dist. and raised a<br>mound of earth 1 1/2 ft high<br>3 1/2 ft base, alongside |
| 42.80  | Wire fence Course N 40° E   |
| 80.00  | Set a post. 4 ft long. 4 ins.   |

## Subdivisions T. 6. S. R. 31. E.

Square, with marked Stone  
12 ins. in the ground, for  
Cor. to Secs. 17, 18, 19, and 20.

Marked T. 6. S. Sec. 17 on N.E.

R 31 E S 20 on S.E.

S 19. on S.W. and S 18 on  
N.W. faces, with 3 notches  
on S. and 5 notches on E. edges

dug pits 18x18x12 ins  
in each Sec. 5 1/2 ft diam,  
and raised a mound of earth  
2 ft high, 4 1/2 ft base,

alongside

Land nearly level

Soil. Sandy loam 1<sup>st</sup> rate

No timber

August 22, 1891

11.

BOOK 669

Subdivisions T. 6. S. R. 31. E.

chains East on a random line

bet. Secs. 17, and 20.

Var.  $12^{\circ}30'E$ 40.00 Set temporarily  $\frac{1}{4}$  Sec Cor.79.90 Intersect N and S line 5  
Mts. S of Cor to Secs.  
16, 17, 20 and 21.

Thence I run

 $S89^{\circ}58'W$  on a true line

bet. Sec. 17. and 20

Var.  $12^{\circ}31'E$ 

Over Gila bottom

39.95 Set. a limestone  $15 \times 8 \times 5$  ins

11 ins. in the ground for

 $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  onN face dug up to  $18 \times 16 \times 12$ ins. ~~12 ins deep~~ N. and S.of Stone  $5\frac{1}{2}$  ft. dist. and

raised a mound of earth

## Subdivisions T. 6 S., R. 31 E.

chains  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside  
 71.20 ~~way on~~ road course N. + S.  
 71.70 Wire fence Course N. and S.  
 79.90 The Cor to Secs 17, 18, 19 and 20  
 Land. level  
 Soil. Sandy loam 1<sup>st</sup> rate  
 No timber, but  
 thick undergrowth

13.

BOOK 669

## Subdivisions T. 6. S. R. 31. E.

Chain 189°59'W on a random line  
bet. Secs. 18 and 19.

Var. 12°31'E

40.00 Set temporary 1/4 Sec. Cor.  
77.95 Intersect. W boundary  
of T<sub>6</sub>, at Cor to Secs. 13, 18, 19 and 24.

Thence I run.

N 89°59'E on a true line  
bet. Secs. 18 and 19.

Va 12°30'E

Ascend

24.25 Top of ridge Course N.E. descend  
30.40 Wash 15 lks wide " N.E. ascend  
36.70 Top of ridge Course N.E. descend  
37.95 Set a limestone 15 x 8 x 5 ins  
11 ins in the ground, for  
1/4 Sec Cor. Marked 1/4 on  
N face, and raised a mound

## Subdivisions T. 6 S., R. 31 E.

- pls. of Stone  $1\frac{1}{2}$  ft high, 2 ft.  
Base alongside  
Pits impracticable
- 41.70 Enter Gila bottom
- 50.13 Arizona <sup>and New Mexico</sup> R.R.
- 55.55 Left bank of Gila River  
Set a post 4 ft long, 4 in  
square with marked stone  
12 in in the ground, for  
meander cor. Its fract-  
ional Secs. 18 and 19,  
Marked M.C. on E  
T. 6 S. on W. S 18 on N,  
and S 19 on S faces.  
dug pit 3 ft. square .12 in  
deep 8 lks N of post  
and raised a mound of  
earth 2 ft high,  $4\frac{1}{2}$  ft.  
base, around post,



## Subdivisions T. 6. S. R. 31. E.

chs.  
59.35 Right bank of Gila River  
Set a post. 4 ft long. 4 ins  
square, with marked stone  
12 ins. in the ground. for  
meander Cor. to fractional  
Secs. 18 and 19. marked  
M.C. on W. T. 6. S. on E.  
S 18 on N. and S 19 on S  
faces. dug pit 3 ft square  
12 ins deep. 8 lks E of post  
and raised a mound of  
earth. 2 ft high 4 1/2 ft.  
base. around post.

75.95 Wire fence Course N 40° E

77.95 The Cor to Secs. 17, 18, 19 and 20

Land, nearly level

Soil. Sandy loam 1<sup>st</sup> rate

No timber

## Subdivisions T. 6. S. R. 31. E.

|       |   |
|-------|---|
| chs.  | N $0^{\circ} 3' W$ bet. Secs. 17 <sup>and</sup> 18,   |
|       | Va $12^{\circ} 30' E$   |
| 10.00 | Wire fence Course N $40^{\circ} E$  |
| 20.00 | Right bank of Gila River<br>Set a post 4 ft long, 4 ins.<br>Square, with marked stone<br>12 ins. in the ground, for<br>Meander Cor. to fractional<br>Secs. 17 <sup>and</sup> 18.. Marked<br>M.C. on N. T. 6. S. on S<br>Sec 17 on E and S 18 on W<br>faces. dug pit 3 ft square<br>12 ins. deep 8 lbs of<br>post, and raised a<br>mound of earth 2 ft high<br>4 1/2 ft. base around post. |
| 40.00 | Bed of Gila River   |
| 58.00 | Right bank of Gila River<br>Set a post 4 ft long, 4 in  |

## Subdivisions T. 6. S. R. 31. E.

Chain Square with marked Stone  
12 ins. in the ground, for  
Meander Cor. to fractional  
Secs. 17 and 18. Marked M.C.  
on S. T. 6. S. on N. S 17 on  
E. and S 18. on W faces.  
Dug pit 3 ft square. 12  
ins deep. 8 lbs N of post,  
and raised a mound of earth  
2 ft high. 4 1/2 ft base  
around post.

58.85 Wire fence course E & W.  
80.00 Set a post 4 ft long. 4 ins.  
square. with marked Stone  
12 ins. in the ground, for  
Cor. to Secs. 7 and 8. 17 and 18  
Marked T. 6. S. Sec 8 on N. E.  
R 31 E Sec 17 on S. E.  
Sec. 18 on S. W. and Sec.

## Subdivisions T. 6. S. R. 31. E.

7 on NW faces, with 4  
notches on S. and 5 notches  
on E edges dug pits  
18x18x12 ins. in each  
sec. 5 1/2 ft dist. and  
raised a mound of earth  
2 ft high. 4 1/2 ft base  
around post.

Land: level

Soil: Sandy loam 1<sup>st</sup> rate  
Timber: Cotton wood and willows

## Subdivisions T. 6 S., R. 31 E.

Chains N 89° 58' E on a random line  
bet. Secs. 8 and 17  
Var. 12° 30' E

40.00 Set temporary 1/4 Sec Cor

79.96 Intersect N and S line  
12 lks N of Cor to Secs.  
8, 9, 16 and 17. —

Thence I run

N 89° 57' W on a true line  
bet Secs 8 and 17

39.98 Set a limestone 18 x 8 x 5 ins.  
12 ins. in the ground for  
1/4 Sec Cor. Marked 1/4 on  
N face. And raised a mound  
of stone 1 1/2 ft high. 2 ft.  
base alongside

Pits impracticable

71.00 Wagon road running N & S.

72.10 Wire fence " N & S.

## Subdivisions T. 6. S. R. 31. E.

chs.  
79.96 The Cor to Secs. 7, 8, 17 and 18.  
Land, level  
Soil Sandy loam 1<sup>st</sup> rate  
No timber  
August 23, 1891

## Subdivisions, T. 6, S. R. 31, E.

chain  $\S$   $89^{\circ}59'W$  on a random line  
bet. Secs 7<sup>and</sup> 18  
Var.  $12^{\circ}31'E$

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

77.90 Intersect W boundary of  
4 $\frac{1}{2}$  3 lks S of Cor to Secs.  
7, 12, 13, <sup>and</sup> 18.

Thence I run

East on a true line

bet. Sec. 7, <sup>and</sup> 18.

Var.  $12^{\circ}30'E$

Descend

12.60 Enter bottom

28.00 Wash 40 lks wide Course N. E.

30.20 Ascend edge mesa

38.95 Set a limestone  $18 \times 10 \times 4$

ins.  $12$  ins. in the ground

for  $\frac{1}{4}$  Sec. Cor. marked

$\frac{1}{4}$  on N face. and raised

## Subdivisions T. 6. S. R. 31. E.

- Chains a mound of Stone  $1\frac{1}{2}$  ft high  
 2 ft base. alongside  
 Pits impracticable
- 42.50 Arizona and New Mexico R R,  
 43.00 Left bank of Gila River  
 Set a post 4 ft long, 4 ins  
 square, with marked stone  
 12 ins. in the ground, for  
 Meander Cor. to fractional  
 Secs. 7 and 18, marked  
 M.C. on E. T. 6. S. on W  
 Sec 7 on N. and S 18 on S.  
 faces, dug a pit 3 ft.  
 square, 1 ft deep 8 lks W  
 of post, and raised a  
 mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base around post.
- 51.20 Right bank of Gila River  
 Set a post 4 ft long 4 ins



## Subdivisions T. 6 S. R. 31 E.

Chains Square, with marked stone  
 12 ins. in. the ground for  
 Meander Cor. to fractional  
 Secs. 7 and 18. Marked  
 M.C. on W. T. 6 S. on E  
 Sec 7 on N. and S. 18 on  
 S faces. dug a pit 3 ft.  
 Square. 1 ft deep 8 lks E  
 of post. and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base. around post

54.25 Wire fence running N. & S.  
 77.90 The Cor to Secs. 7, 8, 17 and 18  
 Land mostly level  
 Soil sandy loam 1<sup>st</sup> rate  
 No timber

## Subdivisions T. 6 S., R. 31. E.

- Chains  $N 0^{\circ} 3' W$  bet. Secs 7<sup>th</sup> and 8.  
 Var.  $12^{\circ} 30' E$   
 Over level land
- 26.20 Wash 95 lks wide Course  $W$   
 32.40 Wire fence Course  $N 50^{\circ} W$   
 33.15 Wagon road "  $N 50^{\circ} W$   
 40.00 Set a limestone  $16 \times 8 \times 5$  ins.  
 11 ins. in the ground. for  
 $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  on  
 $W$  face. dug pits  $18 \times 18 \times 12$   
 ins.  $N$  and  $S$  of stone  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth  $2\frac{1}{2}$  ft high.  $3\frac{1}{2}$  ft.  
 base alongside
- 68.20 Leave bottom and ascend  
 72.00 edge of mesa  
 80.00 Set a sandstone  $20 \times 8 \times 4$   
 ins. 15 ins in the ground  
 for Cor to Secs. 5, 6, 7<sup>th</sup> and 8

## Subdivisions T. 6. S. R. 31. E.

Marked with 5 notches  
on S and E faces, and  
raised a mound of stone  
1 1/2 ft high 2 ft base  
alongside. Pits impracticable.  
Land. Mostly level  
Soil, sandy loam 1<sup>st</sup> rate  
No timber

## Subdivisions T. 6 S. R. 31 E.

chains  $\text{S } 89^{\circ} 57' \text{ E}$  on a random line  
bet Secs. 5 and 8.

Var.  $12^{\circ} 30' \text{ E}$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

80.02 Intersect N. and S line

9 lks S of Cor to Secs.

4, 5, 8 and 9.

Thence I run

$\text{S } 89^{\circ} 59' \text{ W}$  on a true line

bet Secs. 5 and 8.

Var.  $12^{\circ} 31' \text{ E}$

Ascend

8.25 Edge of mesa

32.20 Wash 15 lks wide Course SW,

40.01 Set a Sandstone  $22 \times 10 \times 4$

ins. 16 ins in the ground

for  $\frac{1}{4}$  Sec Cor. Marked

$\frac{1}{4}$  on N face, and raised

around of stone  $\frac{1}{2}$  ft high

27.

BOOK 669

Subdivisions T. 6. S. R. 31, E.

chans 2 ft base alongside  
Pits impracticable

43.00 Deep Cañon Course S. W.

46.00 Leaves deep Cañon " ascend

54.20 into mesa.

80.02 The Cor to Secs. 5, 6, 7, 8.

Land hilly and broken

Soil rocky 3<sup>d</sup> rate

No timber

August 24. 1891

## Subdivisions T. 6 S. R. 31 E.

chs West on a random line  
bet Secs. 6 and 7.

Var.  $12^{\circ} 29' E$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

77.75 Intersect W boundary of  
Tp. at Cor to Secs.  
1, 6, 7 and 12.

Thence I run

East on a true line  
bet. Secs. 6 and 7

Var.  $12^{\circ} 30' E$

4.10 Arizona <sup>and New Mexico R.R.</sup>

445 Left bank of Gila River  
Set a post 4 ft long, 4 in  
square with marked stone  
12 in. in the ground for  
meander Cor to fractional  
Secs. 6 and 7. Marked  
M.C. on E. Tp 6 S on W

## Subdivisions T. 6 S. R. 31 E.

chains 16 on N and 17 on S  
 faces dug pit 3 ft square  
 1 ft deep, <sup>3 1/2 ft. of post</sup> and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base around post.

10.00 Right bank of Gila River  
 Set a post 4 ft long, 4 ins  
 square, 24 ins. in the  
 ground, for Meander Cor,  
 to fractional Secs. 6 and 7  
 Marked M.C. on N  
 T. 6 S. on E. R 31 E. 16 on N,  
 and Sec 7 on S faces.

A Cottonwood 50 ins. diam,  
 bears S 80° W 68 lks, <sup>dist</sup> Marked  
 T. 6 S. R. 31 E. Sec 7 M.C. B.T.

A Cottonwood 40 ins. diam  
 bears N 80° W 227 lks dist,  
 Marked T. 6 S. R. 31 E. <sup>Sec. 6</sup> M.C. B.T.

## Subdivisions T. 6 S. R. 31 E.

- 7.80 Wash 65 lks wide Course SW by N  
 8.50 Coronado house bears S. 8.00 chs  
 7.00 Leave bottom and ascend  
 7.75 Set a limestone 16x10x4  
 ins. 11 ins in the ground  
 for  $\frac{1}{4}$  sec Cor. Marked  
 $\frac{1}{4}$  on N face, and raised  
 a mound of stone  $1\frac{1}{2}$  ft  
 high. 2 ft. base. Alongside  
 Pits impracticable  
 7.75 Enter bottom  
 3.15 Leave bottom and ascend  
 7.75 The Cor to Secs. 5, 6, 7 and 8.  
 Land level and rolling  
 Soil sandy loam 1<sup>st</sup> rate  
 No timber only  
 on banks of Gila River



31.

BOOK 669

## Subdivisions T. 6. S. R. 31. E.

Chains  $N 0^{\circ} 3' W$  bet. Secs 5 and 6.  
Var.  $12^{\circ} 30' E$

Descend

- 7.10 Gulch 25 lks wide Course E, ascend  
10.20 Top of ridge Course E & W, descend  
20.90 Wash 30 lks wide " W, ascend  
27.10 Top of ridge Course W descend  
31.15 Enter bottom  
35.10 Wash 30 lks wide Course W  
38.60 Wash 60 lks wide " W  
40.00 Set a Sandstone  $18 \times 8 \times 5$   
ins. 12 ins. in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$   
on W face, and raised a  
mound of stone  $1\frac{1}{2}$  ft high  
2 ft base alongside  
Pits impracticable  
Ascend  
58.75 Enter mesa.

## Subdivisions T. 6 S. R. 31 E.

Chains  
79.38

Intersect N boundary of T. 6 S. and first Standard Parallel South, at 4.96 chains East of the Standard Cor. to Secs. 31<sup>st</sup> and 36. Tps 5 S. Rs 30<sup>th</sup> and 31 E which is a past. firmly set, and properly marked, and as described in the field notes furnished me by the Surveyor General. Set a limestone 24 x 10 x 4 ins. 18 ins. in the ground for closing Cor. to Secs. 5 and 6. Marked CC on S, 5 notches on E and 1 notch on W faces, and raised a mound of stone 2 ft high, 3 ft base alongside

33.

BOOK 669

Subdivisions I. C. S. R. 31. E.

Pits impracticable  
Land, broken  
Soil, sandy 2<sup>d</sup> rate  
No timber.

August 25, 1891.

## General Description

This Township contains  
mountain, mesa and  
bottom land, the soil  
is rocky on the  
mountain's, but on  
the mesas, and the  
bottoms the soil is  
good. The bottom  
land on the Gila  
River is rich sandy  
loam, capable of  
producing good crops  
with the aid of  
irrigation. The mesas  
produce abundant  
grass, which support  
many thousand head  
of Cattle

No Mineral of any description was found in the Survey of this township. The Gila River runs through the western portion and is Capable of irrigating all the Cultivable land in the township

The Arizona and New Mexico Railroad runs along the west bank of the Gila River. through this township. The mean declination for the plat is  $12^{\circ}30'$  East

Daniel Drummond  
U. S. Deputy Sur,

U. S. Surveyor-General's Office,

TUCSON, A. T., *Sept 18* 1891

The foregoing Field Notes of the Surveys of  
Subdivisions of  
Township Six South  
Range Thirty One East  
of Gila and Salt River Meridian  
in Arizona executed by  
Daniel Drummond  
U. S. Deputy Surveyor, under his contract dated  
May 29<sup>th</sup> 1891  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

*Richard Johnson*  
U. S. Surveyor-General  
for the Territory of Arizona.