

BOOK 671

No. 671

No 11

Plotted
by
L. E. D. [unclear]
Comptroller

671

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

BOOK 671
—OF—

Corrected

Township 6 S Range 7 E

Gila and Salt River Base and Meridian

ARIZONA. No. 671

By R. C. Porter D. S.

under contract dated July 20, 1883.

Survey commenced Dec 3rd, 1883.

Survey completed March 14, 1885

Approved - by Com^r G. L. C.
February 27. 1890.

1A

BOOK 671 INDEX.

Township 6 S, Range R 7 E,

Gila and Salt River Meridian.

	6	5	4	3	2	1				
	60	44	33		11					
59	58	43	32			10				
7	57	8	42	9	31	10	11	9	12	
56	55	41	30		17				8	
18	54	17	40	16	29	15	16	14	7	13
53	52	39	28		17				6	
19	51	20	38	21	27	22	16	23	5	24
50	49	37	26		15				4	
30	48	29	36	28	25	27	16	26		25
47	46	35	24		13					
31	45	32	34	33	23	31		35		36

Referring the lines to the pages of the field notes.

For preliminary, refer to see Book 671

Subdivision T 6 S. R 7 E.

chains From the cor. to Secs. 12, 35 & 36
 on S. By of Sp. just recently
 established by an Iron North
 let Secs. 35 & 36 $\angle = 139 \frac{1}{2}^\circ$
 3000
 4000
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5 \frac{1}{2}$ ft. dist. and raised
 a mound of earth $1 \frac{1}{2}$ ft. high. $3 \frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 25, 26, 35 & 36 marked T. 6 S. 25 on
 N. E. R. 7 E S. 36 on S. E, S, 25 on
 S. W, and S, 26 on N, W, face, with \angle notch
 on S, and \angle notch on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5 \frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft, high. $4 \frac{1}{2}$ ft.
 base. around post.

land bank, Soil at each
 same height & measured
 land to enter each
 corner

Subdivision No 5.

chains

East on a random line
bet. Secs. 25 & 36

To 13° 12'

40.00

Set temporary off cor. cor.

20

Intersect E. By of Sp. 10 lks

S of cor. to Secs. 25, 30, 31 & 36

just recently established by us

Thence S. 89° 5' W.

on true line bet. Secs. 25 & 36

with same or

40.07

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on $\frac{1}{2}$ face, dug pits 18 x 18 x 12
ins. E and W of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
post.

80.15

The Cor. to Secs. 25, 26, 35 & 36

Soil 2^d rate. hand level

Source found & followed to the
center of the

N 7 E. continued

claims

North bet. Secs. 25 & 26
T₂ 13° 12' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for 1/4 Sec, Cor, marked 1/4 S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 23, 24, 25 & 26 marked T. 65 S. 24 on N. E. R. 7 E S. 25 on S. E, S, 26 on S, W, and S, 23 on N, W, face, with 2 notches on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base. around post.

from which a survey line was run S 75° E. 500 ft. dist. marked S. 6 S. R 75 S. 25 N. P.
Land level. Soil 2 d. sets
sure to mark the cut between
some grass.

Subdivision T. 6 S.

- claim
- East all a random line bet. Secs. 24 & 25
- 37.10 a Road to N. & S. T. 13° 12' E
- 40.00 Set temporary 1/4 sec. cor.
- 80.21 Intersect E. Ry of T. 10 Ch. S. of cor. to Secs. 19, 24, 25 & 30. just recently established by me.
- Place a iron S 30° 53' W on a true line bet. Secs. 24 & 25 with iron rod.
- 40.10 Set a post 3 ft. long 3 ins. diam with marked line. 12 ins. in the ground for 1/4 Sec. Cor, marked 1/4 S. on N face, dug pits 18 x 18 x 12 ins. E and W of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.
- 80.21 The cor. to Secs. 23, 24, 25 & 26 land level Soil 2d rate. Some brush & Palmetto trees the entire area.

N. E. corner

chain

North bet. Secs. 23 & 24
T. 13° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 13, 14, 23 & 24 marked T. 60 S. 13 on N. E. R. 72 S. 24 on S. E, S, 23 on S, W, and S, 14 on N, W, face, with 3 notches on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft. base. around post.

12 m. I find latitude to be $32^{\circ} 55' 21''$ and just in adjustment

Subdivisions No. 1

claims

East on a random line
bet. Secs. 13 & 24.

T = 13° 10' E

4000 Set temporary 1/4 sec. cor.

80.12 Intersect E. By of Sp. 17

the W. of cor. to Sec. 13 & 24
just recently established

by an. Thos. Penn 589 & 3171

on a line bet. sec.

13 & 24, with same on.

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E. and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

80.12

The cor. Secs. 13, 14, 23 & 24
Land bet. Sec. 29 & 30
Secs. 13 & 14 & 23 & 24
the other side

R. 7 E. continued

chains

North bet. Secs. 13 & 14

Ta 13¹² E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 11, 12, 13 & 14 marked T. 6^S S. 12 on N. E. R. 7^E S. 13 on S. E, S, 14 on S, W, and S, 11 on N, W, face, with $\frac{1}{4}$ notch on S, and $\frac{1}{4}$ notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

and level each 2 ft. high
 from mound to center and

Subdivisions No. 5.

Chains

Cast on a random line
bet. Secs. 12 & 13

72 13° 09' E

4000
40.00
80.10

Set temporary 1/4 sec. cor.
E. Road bet. H. and S. 1/2
Subsect. E. by a 17

line S. of cor. to line 7. 12. 13

Point recently set & marked by
stone & iron U.S. 17

line bet. Secs. 12 & 13

with same cor.

40.05

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. S and N of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base around
post.

80.10

The cor. to Secs. 11, 12, 13
and 14 is set at
the corner of the

R 7 E. continued

clades

North Lib. Secs. 11 & 12
Ta 13° 10' E'

24.00
40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs. 1, 2, 11 & 12 marked T. 6 S S. 1 on N. E. R. 7 E S. 12 on S. E, S, 11 on S, W, and S, 2 on N, W, face, with 5 notch on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

[Faint handwritten notes and corrections at the bottom of the page]

Subdivision No.

Chain

East on a random line
bet. Secs. 1 & 12

15.00 = Road to NW. $T = 13^{\circ} 04'$
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect E. Ry. of Sp. 11 lks S.
of cor. to Secs. 1 & 12 just
recently established by way
thru them $\angle 89^{\circ} 55'$ from
a true line bet. Secs. 1 & 12
with curve etc.

50.00 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around
post.

80.07 The cor. to Secs. 1 & 12, 11 & 12
and level, set $\frac{1}{4}$ sec.
corner and the center
of the road.

R 7 E. continued

North on a true line
 let. Sec. 12.

2 Rods to 9. 10° 10' 2
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for 1/4 Sec, Cor,
 marked 1/4 S. on W face, dug pits 18 x 18 x 12
 ins. 2 and 5 of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

86.25

Intersect the 1st Stand. S. between the two Stands Corner
 to Tps 5 S. Rs 7 & 8 E. 9. 28 Chs. N 49° E of one and
 42. 75 Chs. S 49° W of the other Stand Cor, which
 were recently re-established by me
 and at point of intersection -
 misc. etc.

Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 marked T. 65 S. R 7 E on
 S. 1 on E. E, S. 2 on
 E, W, and S. on N, W, face with 1 notch
 on S, and 5 notches on W faces
 S. E & W. of post
 dug pits 18 x 18 x 12 ins. in each Sec, 5 1/2 ft. dist.
 and raised a mound of earth 2 ft. high. 4 1/2 ft.
 base. around post.

land level. Soil 2 ft. red
 blue bank the surface is
 covered grass.

Subdivisions No. 1.

chain
32.16
4000

From the cor. to Secs. 2, 3, 34 & 35
on S. Ry. of the post recently established
by me & run north to the Secs.

34 & 35
Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

8000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
26, 27, 34 & 35 marked T. 6 S S. 26 on
N. E. R. 72 S. 35 on S. E, S, 34 on
S, W, and S, 27 on N, W, face, with 1 notch
on S, and 2 notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
base. around post.

from which a survey of 8 miles. etc. to
North. with the marked T. 6 S. S. 26, S. 27, S. 34
land level 5 and 2 3. etc.
Dense brush the entire work.

27. 351

Dec. 3, 1883

R. 7 E. continued:

chains

East on a random line
bet. Secs. 26 + 35.

$\text{R} = 130^{\circ} 10' S$

4000 Set temporary, acc. cor.

79.91 Intersect red line 17 lbs. S.
25. 26. 33. 36
of cor. to Secs. 27, 28, 33 + 34.

Thence I run $\text{R} = 89^{\circ} 53' 25''$
in a true line bet. Secs.
26 + 35. with some va.

39.95 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{4}$ ft. dist. and raised
a mound of earth $1\frac{1}{4}$ ft. high. $3\frac{1}{4}$ ft. base around
post. from which $\text{R} = 89^{\circ} 53' 25''$ to

74.91 N cor. to Secs. 26, 27, 34 + 35.
Land level. Soil 2^d sat.

Subdivisions T.C.S.

chains

North lot. Secs. 26 & 27
Ta 18° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

from about 2 days since 4/26/27
S. 26 E. 200 yds dist marked 248

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 22, 23, 26 & 27 marked T.C.S. S. 23 on N. E. R. 72 S. 26 on S. E. S. 27 on S. W, and S. 22 on N. W, face, with 2 notches on S, and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

from about 2 days since 4/26/27
S. 26 E. 200 yds dist marked 248

land level 1/2 ft. of soil
same level the entire width

R. 7. E. continued

claim

East on a random line
bet. Secs. 23 & 26.

N. $13^{\circ} 10' E$.

4000 Set timber line, 4 sec. cor.

7993 Intersect N. S. line 19th S
of cor. to Secs. 23, 24, 25 & 26

Stance Down

S. $89^{\circ} 52' W$. on a true
line bet. Secs. 23 & 26. with
same va.

3996

Set a post 3 ft. long 3 ins. diam with marked
stone. 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

7993 Fly cor to Secs. 22, 23, 26 & 27
and level, cool & set.

Stone mark to set the line
same place

Subdivision No. 1

Chas.

North bet. Secs. 22 & 23
Ta 13-10

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on ^W face, dug pits 18 x 18 x 12 ins. N. and ^O of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 14, 15, 22 & 23 marked T. 65 S. 14 on N. E. R. 2 S. 23 on S. E. S, 22 on S, W, and S, 15 on N, W, face, with \odot notch on S, and \ominus notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post. from sheet

1854-71 S. 23
1854-71 S. 22
1854-71 S. 15

R. 7 Co. continued

Chairs

Post on a random line bet.
Secs. 14 + 23.

$T = 13^{\circ} 10' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect red line 13 lks S of
cor. to Secs. 13, 14, 23 + 24.

Thence run $S 89^{\circ} 54' W.$ on
a true line bet. Secs. 14 + 23.
with same ca.

39.93

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on $\frac{1}{2}$ face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around
post. from which

$S 39^{\circ} 21' 31''$ (the distance is 16.5 ft.)

79.87

The cor. is Secs. 14, 15, 23 + 24.
Land level. Post at east
corner of the red line
on a grassy

Subdivisions A68

Chain

North lat. Secs. 14 & 15
T. 10° 10' S

7-000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor. marked $\frac{1}{4}$ S. on ^W face, dug pits 18 x 18 x 12 ins. $\frac{1}{2}$ and $\frac{5}{8}$ of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

8-000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor. to Secs. 10, 11, 14 & 15 marked T. 10° S. 11 on N. E. R. 72 S. 14 on S. E, S, 15 on S, W, and S, 10 on N. W, face, with 4 notch on S, and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Land level 300 ft. - 400 ft.
Have brush the entire with
some grass.

R. Y. E. continued

Chain

East on a random line
bet. Secs 11 & 14

To $13^{\circ}15'$

40.00 at temporary 4 sec. cor.

50.00 to true line 16 lks d.

of cor. to Secs. 11, 12, 13 & 14

Thence I run $S. 89^{\circ}53'21''$

on a true line bet.

Secs. 11 & 14, with

a line on

40.00

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

20.00

The cor. to Secs. 10, 11, 14 & 15.
and level Sept 2d 20th
thence toward the eastward to
the same place.

Subdivisions No. 1

chains

North bet. Secs. 10 & 11.

Ya 13° 10'

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor. marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around post.

5000

Road bet. N. 10 & S. 11

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 2, 3, 10 & 11 marked T. 65 S. 2 on N. E. R. 75 S. 11 on S. E, S, 10 on S, W, and S, 3 on N, W, face, with 5 notch on S, and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft. base. around post.

Level level, E. 1/2 of post.
Level level, E. 1/2 of post.
Level level, E. 1/2 of post.

R. 7 E. continued

chain

East on a random line
bet. Secs. 2 & 11

70° 13' 12" E.

4000 feet temporary line, cor.

79.91 Intersect red line with
after. to Secs. 1, 2, 11 & 12.

Chain 17 min

S 89° 56' N. on a true
line bet. Secs 2 & 11 with

chain 17 min.

39.95 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on A face; dug pits 18 x 18 x 12
ins. 2 and 11 of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft, high, 3 $\frac{1}{2}$ ft. base. around
post.

79.91 The cor. to Secs. 2, 5, 10 & 11
and level soil 2' wide
draw line to the center of

Subdivisions No.

Chain

North on a true line bet.
Secs. 2 & 3.

4.00

N 13° 10' E

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor.
marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12
ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

10.23

at the 1st Stand. Parallel with
G. 32. Ch. E. of S. 1st Cor. to Sec. 35 & 36
T. 5 S. R. 7 E. ~~at point of interest~~ and

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for ^{Cor} Cor, to Secs,
 2×3 marked T. 6 S. R. 7 E. on
N. E. A. S. 2 on S. E. S. 3 on
S. W. and S. on N. W. face, with 2 notches
on E. and 4 notches on W. edges, dug
pits ~~18~~ 18 x 12 ins. ^{S. E & W of Post.} each Sec, $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
base. around post.

land lead, soil & out
base mark to other north

R. T. Co. continued

Opains

From the cor. to Secs. 3, 4, 33 & 34
on S. W. of 1/4 just recently
established by me from
North let. Secs. 33 & 34

4000
4000
Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec, Cor.
marked 1/4 S. on N. face, dug pits 18 x 18 x 12
ins. N. and S. of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

4000
Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins. in the ground for Cor. to Secs,
33 & 34 marked T. G. S. S. 27 on
N. E. R. 72 S. 34 on S. E. S. 55 on
S. W. and S. 28 on N. W. face, with / notch
on S, and @ notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.
and raised a mound of earth 2 ft. high. 4 1/2 ft.
base. around post.

land level, Soil 2 ft. sat
since built the water level
was 2 ft. down

Subdivisions A. C. S.

chain

Set on a random line
bet. Secs. 26 & 27

$T = 15^{\circ} 10'$

4000 Set temporary N. ell. cor.

7991 Intersect red line 12 ft. N.
of cor. to Secs. 26 & 27. $34^{\circ} 55'$

Thence I run

$N 89^{\circ} 54' W$ on a true line
bet. Secs. 27 & 28. with
curve to.

5095 Set a post 3 ft. long 3-ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

7991 Thence to Secs. 27, 28, 29 & 34
and level out at the
curve toward the entire north

Sept. 4. 1883

R. E. continued

cladus

North bet. Secs. 27 & 28
T_c 13" 10' 2"

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on $\sqrt{}$ face, dug pits 18 x 18 x 12 ins. $\frac{1}{2}$ and $\frac{5}{8}$ of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 21, 22, 27 & marked T. 6 S. S. 22 on N. E. R. 7 E S. 27 on S. E., S. 28 on S. W. and S. 27 on N. W. face, with 2 notches on S, and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Land level, salt 2nd side
stone brick to center with
some grass.

Subdivisions N. S.

Chains

East on a random line
bet. Secs. 22 & 27.

4500 Set temporary 1/4 sec. cor.

79.93 Intersect N. S. line 10 lbs. S.
of cor. to Secs. 22, 26, 26 & 27.

Then S. line

S^{89°} 3' W. on a long line

bet. Secs. 22 & 27. with corner

20.

39.96 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

79.93 The cor. to Secs. 20, 22, 27 & 28
land level, but 2 ft. can
be seen from the entire mile

R 7 E. continued

Claims

North bet. Secs. 21 & 22
T₄ 13° 10' E

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on \overline{NW} face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 15, 16, 21 & 22 marked T. 6 S S. 15 on N. E. R. 7 $\frac{1}{2}$ S. 22 on S. E. S, 21 on S. W. and S, 16 on N. W. face, with 3 notch on S, and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

from which
I may remember the 250 74 153 lbs. are marked
5.6 8 12 7 2.5. 16 20. 1.

and have soil 2 ft. deep
above ground the center of the

12 m. I find latitude to be $32^{\circ} 55' N$.
and inst. in adjustment -

Subdivisions No. 1.

Chains

Post on a random line
bet. Secs. 15 & 22.

To 13° 12' E.

4000 ft. temporary, 1/4 sec. cor.

1996 I located NW 1/4 line 1000 ft.
of cor. at Secs. 14, 15, 22 & 23.

Thence I ran

S. 89° 56' W. on a true line
bet. Secs. 15 & 22. with same

va.

1998

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around
post.

1996

The cor. to Secs. 15, 16, 21 & 22
and level. Set 24 posts
thence along the entire north
corner of same.

R. 7 E. continued

chains

North bet. Secs. 15 & 16
 T₂ 13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on $\frac{27}{7}$ face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around post.

87.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 9, 10, 15 & 16 marked T₆ S. S. 10 on N. E. R. 15 S. 10 on S. E. S. 16 on E. W. and S. 9 on N. W. face, with 7 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. around post.

and level. Post at rate
 down from the middle of
 some ground

Subdivisions S. & S.

chains

East on a random line
bet. Secs. 14 & 15.

To $13^{\circ} 12' E.$

4000 Set temporary corner.

79.90 Intersect N. & S. line 1/4 Sec. 14
of cor. to Secs. 10, 11, 14 & 15.

Thence S. on

N $89^{\circ} 55' W.$ on a true line
bet. Secs. 14 & 15, north

same or.

30.95

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in. the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post. found a hole, 9 ins. dia. to 25 ft. To the
dbs. marked $\frac{1}{4}$ S. 13. 1.

79.90

The cor. to Secs. 9, 10, 15 & 16.
Land level. soil 2^d rate
leave to grow the entire circle
some grass

R. 7 E. continued

North bet. Secs 9 & 10
T. 15° 10' E

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{2}$ S. on N face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 9 & 10 marked T. 15° S. on N. E. R. 78 S. 10' on S. E. S. 9 on S. W. and S. 7 on N. W. face, with 5 notch on S. and 3 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Subdivisions No. 1

chains

Post on a mound on line bet.
Secs. 9 & 10.

to $13^{\circ} 12' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

89.02 Intersect $\frac{1}{4}$ sec. line 15 $\frac{1}{2}$ ch. S.
of cor. to Secs. 2, 3, 10 & 11.

Chain Down

289 $^{\circ} 54'$ ch. on a true line
bet. Secs. 9 & 10, with same
va.

40.01 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. around
post.

80.02 The cor. to Secs. 3, 4, 9 & 10.
Land level, post 29 on the
line with the entire south
corner.

R 7 E. continued

claims

North on a true line bet.
Secs. 3 & 4

No 13° 12' 0"

40000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12
ins. N and S. of post $5\frac{1}{2}$ ft dist. and raised
a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around
post.

30000

6. 40 Chs E of $\frac{1}{4}$ Sec. Cor. to Sec. 34 & 35
recently established by me
S. S. R. 7 E.

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
3 & 4 marked T. 6 S. R. 7 E on
N. S. R. S. 3 on S. E. S. 4 on
S. W. and S. on N. W. faces with \odot notch
on E. and \ominus notch on W. edges, dug
pits 18 x 18 x 12 ins. in each Sec; $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
base. around post.

from above all previous
lines to Sec. 3. about 1000 feet
land to be sold with a note
to be made of the same

Subdivisions D.C.S.

Chains From the cor. Secs. 4, 5, 32 & 33.
 on S. By of Sp. first recently
 established by me, from North
 lat. line. 32 & 33.

4000 90° 13' 10" E
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
 ins. N and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
 post.

4471 a Road to 2 x W.

8000 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor. to Secs.
 28, 29, 32 & 33 marked T. 6 S. 28 on
 N. E. R. 72 S. 33 on S. E, S, 32 on
 S, W, and S, 29 on N, W, face, with \vee notch
 on S, and \wedge notch, ∞ on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
 base. around post. from which

the square corner is in 53° 41' 78" the dist. marked 65.000
 71° 2' 35" 75.000 75-2490
 Land level soil 2 ft. out.
 Leave brush the cut line with
 some grass.

R. 7 E. continued

chains

East on a random line bet.
Secs. 28 & 33.

To $13^{\circ} 10'$ E.

4400

Set temporary $1/4$ sec. cor.

4401

Intersect old line 17 $1/2$ ft. N
of cor. to Sec. 29, 28, 33 & 34.

Thence S on

$4^{\circ} 54' 53''$ N. on a true line bet.
Secs. 28 & 33. with bench on

3471

Set a post 8 ft. long 3 ins. diam with marked
stone. 12 ins. in the ground for $1/4$ Sec. Cor.
marked $1/4$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 $1/2$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. 3 $1/2$ ft. base around
post.

3472

The cor. to Secs. 28, 29, 32 & 33.
Sand level. Post 2 $^{\text{d}}$ rate
dense bound the entire north
corner.

Subdivision No. 6.

4000

North lat. Secs. 28 & 29

T. 13° 10' E

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor. marked $\frac{1}{4}$ S. on $\frac{1}{2}$ face, dug pits 18 x 18 x 12 ins. $\frac{1}{2}$ and $\frac{1}{4}$ of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 20-21 28-29 marked T. 6 S. S. 21 on N. E. B. 78 S. 28 on S. E. S, 29 on S. W. and S, 20 on N. W, face, with 2 notch ∞ on S, and $\frac{1}{4}$ notch ∞ on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft. base. around post.

land hereby sold to the
 owner thereof the undersigned
 surveyor

Dec. 5. 1893.

BOOK 671

R 7 E. continued

Chain on a range line
East lat. Sec. 21 & 22
T. 10 N. R. 7 E.

4500 Set corner of 1/4 Sec. 21
7982 Intersect Red line 10 blocks
of cor. of Sec. 21 & 22
Place corner

S 10° 53' 21" on a true line
lat. Sec. 21 & 22 with corner
rod

7991 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec, Cor,
marked 1/4 S. on a face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft, high. 3 1/2 ft. base. around
post.

7982 The cor. of Sec. 20, 21, 28 & 29
land level, soil at site
Some trees the water with
was a grass

Subdivisions D & E

North lot, Secs. 20 & 21

T. 13ⁿ R. 10^e

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on ~~W~~ face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs. 16, 17, 20 & 21 marked T. 6^s S. 16 on N. E. R. 7^e S. 21 on S. E. S. 20 on S. W. and S. 17 on N. W. face, with a notch on S. end & notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

Land level, good soil, etc.
 Above ground the surface is
 uneven ground

R 7 E. continued

Chains

Put on a random line
bet. Secs. 16 & 21.

$\angle = 12^{\circ} 12' 2''$

40.00 Put temporary $\frac{1}{4}$ sec. cor.
79.95 at west NE $\frac{1}{4}$ line 16th
Prof. cor. to Secs. 15, 16, 21 & 22
from Town N. $89^{\circ} 53' 21''$
on a true line bet. Secs.
16 & 21. with same cor.

79.97

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dig pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

79.95

The cor. bears N. $72^{\circ} 20' 21''$
and $1\frac{1}{2}$ ft. dist. set out
from town the intersection
of the lines.

Subdivisions No. 5.

chains

North let. Secs. 16 & 17

12 13° 09'

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. $\frac{1}{4}$ and $\frac{1}{4}$ of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

8700

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 8, 9, 16 & 17 marked 1.6 S. 9 on N. E. R. 7 S. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. face, with notch on S, and notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Land level, So. C. 2? set
line and the entire mile
long

R. E. continued

Charles

East on a random line
bet. Secs. 9 & 16.

$N 13^{\circ} 10' E$

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.89 Intersect. N & S line 21 Ch. N
of cor. & Secs. 9, 10, 15 & 16.

Line & angle N $89^{\circ} 57' W$.

On a true line bet. Secs.
9 & 16. with same $\frac{1}{4}$ sec. cor.

79.90 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. 2 and 3 ft. of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
post.

79.91 The Cor. between 8, 9, 16 & 17

land level. Sub 2 & 3
lines. bound the corner with
stone & post.

Subdivisions N. S.

chain

North let. Secs. 8 & 9,

Ta 13-12-8

Set a post 3 ft. long 3 in. diam with marked stone, 12 ins. in the ground for 1st Sec. Cor. marked 15 on 2nd face, dug pits 18 x 18 x 12 ins. A and B. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 4 & 5 marked T. 6^S S. 4 on N. E. R. 7^S S. 9 on S. E. S. 8 on S. W. and S. 7 on N. W. face, with 5 notch on S. and 6 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post.

From level of Mangrove
 ground to top of 20' N. 126' S. 126' S. 126' S. 126' S.
 27 E. S. 5 1/2 ft.

land level. Soil 2 ft. part
 from level of Mangrove

R. 7. E. continued

Chain

East on a random line
Set Sec. 4 & 9.To $13^{\circ} 10' E$ 4000 Est. temporary $1/4$ sec. Cor.79.87 Intersect rd. line to the N.
of cor. to Secs. 3, 4, 9 & 10.

Thence I run

 $N 89^{\circ} 56' 11''$ on a true lineSet Sec. 4 & 9 with same
ra79.93 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $1/4$ Sec. Cor,
marked 1 S. on 7 sec, dug pile 18 x 18 x 12
ins. $\frac{1}{2}$ and $\frac{1}{2}$ of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around
post. from which a survey of 20 ins. dip.to $S 50^{\circ} 22' 10''$ the dist. marked $1/4$ sec. 13.5.

79.97 The cor. to Secs. 4, 5, 8 & 9.

Land level, set at same
same level the center of

Done 7-2-20

Subdivision N. 6 S.

claim

North on a true line bet.

Sec 4 & 5

13° 10' E

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on *W* face, dug pits 18 x 18 x 12 ins. *N* and *S*. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post.

6.42 ch E. 755. A. 76. 3 x 4

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs.

marked T. 6 S. R 72 on

N. E. R. S. $\frac{1}{4}$ on S. E. S. 5 on

S. W. and S. on N. W. face with 7 notches

on E. and 2 notches on *W* edges. dug

pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.

and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft.

base. around post.

*from what a surveyor...
land level and set...
around grass.*

R 7 E. continued

43.00 From the bar to Secs. 5, 6, 31 & 32
 in S. Bay of Sp. just recently
 established by my son
 North lat. was 32° 32'

$\gamma = 13^{\circ} 10' 2''$

44.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ S.W. Cor,
 marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12
 ins. N. and S. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high 3 1/2 ft. base around
 post.

44.50 Road br. E & W.

50.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor. to Seas,
 19.30 31 & 32 marked E. & W. S. 27 on
 N. E. R. 7° S. 32 on S. E. S. 31 on
 S. W. and S. 30 on N. W. face, with 1 notch
 on S, and 5 notch on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.
 and raised a mound of earth 2 ft. high 4 1/2 ft.
 base. around post.

Set level Sept 2nd 1881
 level found the water table
 was 10 ft. deep.

Subdivision N. 6. S.

claim

East on a random line bet.
Secs. 29 & 32.

To $13^{\circ} 10' E$.

40.00 Set temporary 1/4 sec. cor.

80.17 Intersect. W. line 1/4 sec. N.
of cor. to Sec. 28, 29, 32 & 33.

Thence Down N. $89^{\circ} 53' W$.

on a true line bet. Secs. 29 & 32
with a corner.

40.08 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.,
marked 1/4 S. on N. face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

80.17 The cor. to Secs. 29, 30, 31 & 32.
Land level. Soil 2d rate.
Be sure to mark the entire work
Some grass.

R. 7 E. continued

chains

West on a random line
bet. Dec. 30 & 31

To 15° 10' E.

4000 Set temporary 1/4 sec. cor.

77.87 Intersect 97. By of Sp. 17th

N of cor. to Dec. 25, 30, 31 & 29.

point recently established
by me, thence I run N 89° 50' E.

on a line bet. Dec. 30 & 31

with same 20.

37.87 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1 Sec. Cor.
marked 1 S. on N face, dug pit 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around
post.

77.87 The cor. to Dec. 29, 30, 31 & 22
land lead. Soil 2.9 rate
since brush, the entire work
consequent

Subdivisions 96 S

chains

North bet. Secs. 29 & 30
R. 13⁶ 10' E.

4000

Set a post 2 ft. long 3 ins. diam. with marked stone, 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor. marked $\frac{1}{2}$ S on N face, dug pits 18 x 18 x 12 ins. N. and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post.

3700

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 19, 20, 29, & 30 marked T. 6 S. 20 on N. E. R. & S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. face, with 2 notches on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base. around post.

land level. Post set
above ground the entire mound
some grass.

Dec. 6. 1888

R 7 E. continued

East on a random line
bet. Sec. 20 + 29.

To 130° 10' E

4.00 Set temporary 1/4 sec. cor.

20.13 Intersect R 7 line 15 Chs N
of cor. to Secs. 20, 21, 28 + 29.
I have from R 89° 05' N.
on a true line bet. sec.
20 + 29, with same ve.

40.16 Set a post 2 ft. long 3 ins. diam with marked
line 12 ins. in the ground for 1/4 Sec. Cor,
marked 48 on R face. dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around
post. from field to west of this one to
345° E. 30 ch. dist marked 1/4 sec. cor.

80.18 The Cor. to Secs. 19, 20, 29 + 30
land level, soil 2 ft. wet
mud in the center with
no grass

Subdivision No. 5.

Main

West on a random line
bet. Dec. 19 + 30

$72^{\circ} 10' E$

4000 ft temporary off sec. cor.

77.84 To correct W. by of sp. 10' 20'

of cor. to Dec. 19, 24, 25 + 30

post recently established
by me, Thence corner

$S 80^{\circ} 5' E$ on a true line bet.

Dec. 19 + 30. with same on

77.84

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
marked + S. on N face, dug pit 18 x 18 x 12
ins. E and W of post $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. $3 \frac{1}{2}$ ft. base. around
post.

77.84

In cor. to Dec. 19, 20, 21 + 30
Land level. Cor. 24 + 30

Have brack the entire north
some grass

R 7 E. continued

Chained

North bet. Secs. 19 & 20
 Pa $13^{\circ} 10' E$

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12 ins. N. and E. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 17, 18, 19 & 20 marked T.O.S. on $\frac{1}{4}$ on N. E. R. $7 E$ $5, 20$ on S. E. S. 10 on S, W. and S, $7 F$ on N, W. face, with 3 notches on S, and 1 notch on E. edge, dug pits 18 x 18 x 2 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

land level, ...
 ...
 ...

12 m. I find latitude to be $32^{\circ} - 55' M$,
 and just in adjustment -

Subdivision No. 6 S.

chain

East on a random line
bet. Secs. 17 & 20T = $13^{\circ} 12' E$

40.00 Set temporary 4 sec. cor.

80.04 Intersect west line 22 ch.
N. of cor. to Secs. 16, 17, 20 & 22.
Thence S 89° 57' W.
on a true line bet. Secs.
17 & 20. with same or40.02 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 4 Sec. Cor.,
marked 4 S. on N. face, dug pit 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.80.04 The cor. to Secs. 17 18 19 20
said level, Soil 24 sets
down with the water mark
some grass.

R 7 E. continued

chains

West on a random line
bet. Secs. 18 & 19.

$T = 13^{\circ} 10' E.$

4000 ft. temporary 1/4 sec. cor.

77.86 Intersect W. B. of Sp 40th
S. of cor. to Secs. 18, 18, 19 & 20
just recently established by me
Thence S 89° 43' E.
on a true line bet. Secs.
18 & 19, with same cor.

77.86 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dig pits 18 x 18 x 12
ins. E and W of post 5 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around
post. from a hole in the ground. Also see on

77.86 $35^{\circ} 10' E.$ on a true line bet. Secs. 17, 18, 19 & 20
Sand level soil 2 ft. rate
above level of surface with
a mound

Subdivisions No 5

chain

North bet. Secs. 17 & 18

T. 13° 12' E.

31.10

1800 yds 1500 yds with 60° E.

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12 ins. N. and E. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs,

7, 8, 17, 18 marked T. 65° S. 8° on

N. E. R. 7 E. S. 17 on S. E, S, 18 on

S, W, and S, 7 on N, W, face, with $\frac{1}{4}$ notchon S, and $\frac{1}{5}$ notch on E. edges, dugpits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft.

base. around post.

found a ~~...~~
 hand level, and it was
 found that the ~~...~~
 was ~~...~~

R. 7 E. continued

Chain

Cast on a random line bet.
Secs. 8 & 17.

To 13° 10' 2.

40.00 Set boundary, 1 sec. cor.

79.70 Put in a 3 ft. line as the
N. of cor. to Sec. 8. 9. 16° 17'
Dense brush 2 39° 01' 16"
on a line bet. Sec. 8 & 17
with same line.

39.81 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N. face, dig pit 18 x 18 x 12
ins. E and W of post 2 1/2 ft. dist and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, around
post.

79.79 The Cor. to Secs. 7, 8, 17 & 18.
Land level. Soil 2' of red
dense brush to center not
some grass.

Subdivision N 6 S

chain

West on a random line
bet. Secs. 7 & 18

$13^{\circ} 10' E$

40.00 Set temporary off cor.

77.92 Intersect N. Coy of Sp. 31

the N. of cor. 6 Secs 7, 12, 13 & 18

post recently established
by me, & fence down N $89^{\circ} 47' E$

on a true line bet. Secs.
7 & 18. with same cor.

37.92 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face. Run wire 18 x 18 x 12
ins. E and W of post $\frac{1}{4}$ ft. dist. and raise
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around
post.

77.92 The cor. 6 Secs. 7, 8, 11 & 18
land level soil 2 ft. out
from fence the entrance
is 100×100

R 7 E. continued

chain

North bet. Secs. 7 & 8
7th 13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked 4 S. on W face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post. from which a Mercurite 12 in. dia. to S 85° E. 150 ch. dist. marked 1/4 S. 53. E.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor. to Secs, 5, 6, 7 & 8 marked T. 6 S. S. 5 on N. E. R. 72 S. 7 on S. E. S. 7 on S. W. and S. 6 on N. W. face, with 5 notch on S, and 5 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post. from which a Mercurite 12 in. dia. to N 30° E. 240 ch. dist. marked S. 6 S. R 72 S. 5 B. T.

Land levels 100 ft. 20 ft. etc
Some times the water mark

Subdivisions N & S

Chains

East on a random line
bet. Secs. 5 & 8.Nc $13^{\circ} 10' E$.

40.00 Set temporary 1/4 sec. cor.

79.87 Intersect N & S. line 27 lbs.

Kafcor. 6 Secs. 4, 5, 8 & 9.

Thence down N $89^{\circ} 48' W$,

on a true line bet. Secs 5 & 8.

with same ra.

39.93

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $\frac{1}{4}$ ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, around
post.

79.87

Kafcor. 6 Secs. 5, 6, 8 & 9.

Thence down N $89^{\circ} 48' W$,

on a true line bet. Secs 5 & 8.

with same ra.

R. 7 E. continued

chains

West on a random line
bet. Secs. 6 + 7.

To $13^{\circ}10'E$.

77.00 Set temporary 4 sec. cor.

78.00 Enter Apple's Plat to road

78.00 Road to Florence to N.E.

77.89 Intersect W.B. of tp. 40 N.
N of cor. to Secs. 16. 7 + 12

post recently established
there. Thence on $89^{\circ}43'E$
on a true line bet. Secs.
6 + 7. with same

77.80 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

77.89 The Cor. to Secs. 5, 6, 7 + 8.

Land level Sp. 2^d nat
sure level the surface

Some grass

Subdivision No 5

Claim

North on a true line bet
Secs. 5 & 6

No 13th 10th E

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. N and S of post $5\frac{1}{2}$ ft. dist. and raise
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around
post.

40.73

62.64

80.08

Road to Florence via E & W
to clear up line to Florence lot 4th 10th
intersect line of St. Paul & Northern Pacific
of St. Paul & Ocean. 2-3rd 7th 7th E. 6. 55th E.

9

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor. to Secs.

5 & 6

marked T. 6th S. R. 7th 2 on

N. S. R.

S. 5 on S. E. S. 6 on

S. W. and S. on N. W. face with a notch

on E. and 1 notch on N. edges, dug

pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.

and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft.

base. around post.

land level 300th 2nd rate

from front to rear

Dec. 7. 1883.

Feb 14th 1885

R. T. E. continued

General Description

This Township is in the valley of the Santa Cruz River, the surface is level, and the soil 2^d rate, it is covered with a dense growth of Mesquite brush and some scattering trees, Water may be obtained from 40 to 60 feet below the surface. There is some good grass.

For final notes see Book No 18

U. S. Surveyor General's Office,

Tucson, Arizona, May 22^d 1885

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 6 South
Range 7 East

Of the Gila and Salt River Base and Meridian, Arizona, executed by R. L. Powers

Deputy Surveyor, under his contract of the 20th

day of July, 1883 having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson
Surveyor General.

