

688

Index card

No. 688

No. 688

BOOK 688

Field Notes

OF THE SURVEY OF THE

Subdivisions

-OF-

Township 7 South Range 22 East
Gila and Salt River Base and Meridian

ARIZONA.

No. 688

By C. H. Wallace D.S.

Under contract dated April 26 1886.

Survey commenced Oct. 14th 1886.

Survey completed Oct. 20th 1886.

Book No. 6

688

Field Notes

BOOK 688

Of the survey of
Township No. 7 South Range No. 22 East
of the
Gila and Salt River Base and
Meridian
of
Arizona Territory

As surveyed by
C. F. Wallace
U.S. Deputy Surveyor

Under His Contract
No. 3.

Dated April 26th 1886

Survey commenced Oct. 14th 1886
Survey completed Oct. 20th 1886.

BOOK 688

Names and of Assistants

H. C. Callahan	Chairman
Frank L. Lewis	Chairman
W. E. Cads	Member
B. F. Crawford	Member
A. B. Ford	Flagman

For Preliminary and Final Oaths
 See Books Nos. 1, 7, 6, 9, 10 and 11

2A

BOOK 688

Index

Township 7 South R. 22 East.

6	54	5	36	4	28	3	19	2	11	1
53		51		35		26		18		9
7	50	8	34	9	25	10	17	11	8	12
49		48		33		24		15		7
18	47	17	32	16	23	15	14	14	6	13
45		44		30		22		13		4
19	43	20	29	21	20	22	12	23	3	24
30	42	29		28		27		26		25
40		39								
31	38	32		33		34		35		36

BOOK 688

Subdivision T. 7 S. R. 22 E.

No. 688

Having myself established most of the boundaries of this township it is necessary to retrace any of its lines. I begin the subdivision at the most easterly part of the surveyable portion.

Survey commenced Oct. 14th 1886 with a Gurley solar transit.

I begin at the cor. to sec. 23, 24, 25 and 26. which is a stone 8x6x12 ins. set ⁱⁿ the ground, ^{and} a mound of stone ^{property established} alongside, from which a black oak - 20 ins. diam. ^{brs. S. 78° E. 12 1/2} dist. I run,

North bet. sec. 23 and 24.

Pa. 12° E.

Over rough hills.

4

Subdivision T. 7 S. R. 22 E

40.00 Set a stone 18x9x6 ins. ^{12 ins.} in the ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ m. N. face; raised a mound of stone alongside.

50.00 Top of hill, 300 ft. high, to E and W.

80.00 Set a granite stone 30x6x6 ins. ^{23 20 ins} in the ground. for Cor. to secs. 13, 14, 23, and 24. Marked with 1 notch on E. and 3 notches on S. Edges.
 Land rough and mountainous
 Soil very rocky, poor.
 No timber. Fair grass.

East on a random line bet. secs. 24 and 13
 Va. 12° E.

Over rolling ground.
 Ravine Course N.

8.00
 40.00 Set temporary $\frac{1}{4}$ sec. Cor.

50.00 Tripp Ravine, ^{100 ft. wide} Course N.

Subdivision T7 S. R. 22 E.

80.20

Across hill on mesa
Intersect E. boundary
line 60 M. N. of Cor. to
secs. 13, 18, 19, and 24
which are stone firmly
set in the ground marked
with 3 notches on North
and 3 notches on South
edges, with a mound
of stone alongside.

Thence I run

N. 89° 34' W. on a true line bet. secs. 13 and 24.
Var. the same.

40.10

Set a granite stone 24 X 8 X 4 ins. ^{18 ins.} ~~4~~ in
the ground for $\frac{1}{4}$ sec. cor. Marked -
 $\frac{1}{4}$ on N. face; raised a mound
of stone alongside.

From which R. B. Triple's house is.

Subdivision F. 7 S R. 23 E.

S. 29° E 13 ch. dist.

80.20

This cor. to sec. 13, 14, 23, and 24.

Land rough and rolling.

Soil very rocky, 4th rate.

No timber, fair grass.

North bet. sec. 13 and 14.

V. 12° E.

Ascending over rolling ground.

40.00

Set a granite stone 18 x 10 x 4 ins. ^{12 ins.} ~~18~~
 in the ground for 1/4 sec. Cor. Marked
 1/4 on W. face; raised a mound of
 stone alongside.

80.00

Set a granite stone 24 x 8 x 6 ins. ^{18 ins.} ~~24~~
 in the ground for cor. to sec. 11, 12, 13 and
 14. Marked with 4 notches on S. and
 1 notch on E. edges; raised a
 mound of stone alongside.

Subdivisions T₇S, R₂₂E.

Land rolling ridges running Northward.
Soil very rocky. 4th rate.
No timber. Good grass.

East on a random line to sec. 12 and 13
Va. 12° E.

Across rough rolling ground.

14.00 Deep ravine ^{100th bearing} Course N. E.

40.00 Set temporary 1/4 sec. cor.

42.00 Tripp ravine ^{78th bearing} Course North

80.10 Intersect E. boundary line 70 lks. N.
of cor. to sec. 7, 12, 13, and 18.

Which is a stone firmly set in the
ground, marked with 2 notches on N.
and 4 rocks on S. edges. Mound
stone alongside.

Thence Drive
N. 89°-30' W. on a true line to sec. 12 & 13.

Subdivision T, 7 S, R 22 E.

Var. the same.

40.05 This cor. is in ravine 65 lbs E. of bank 40 ft. high
 a rock in place 24x18x6 ins. ^{above ground} high for
^{over a corner} 1/4 sec. Cor. Marked with X, 74 on
 top; raised a mound of stone along
 side.

80.10 The cor. to secs. 11, 12, 13 and 14.

Go and rough, hilly

Soil rocky.

Some grass, No timber

North bet. secs. 11 and 12.

Var. 12° E.

Reminding along ridge 100 ft. high

40.00 Set a granite stone 14x8x5 ins. ^{29 ins}
 in the ground for 1/4 sec. Cor. Marked -
 74 on top. Raised a mound of
 stone alongside.

Subdivision T. 9 S. R. 22 E.

- 60.00 Trip to and Underwood Wash 80 W. wide
course N. E.
- 64.50 Globe and Wilcox road ^{trans} course N. E. and S. W.
- 80.00 Set a granite stone, $19 \times 9 \times 8$ ins. ^{3 in} in
the ground for Cor. to sec. 1, 2, 11 and 12.
Marked with 1 notch on E. and 5 notches
on the S. Edges. Raised a mound of stone
alongside.
Land rolling hills.
Soil gravelly 4th rate.
No timber. Fair grass.

East on a random line bet. sec. 1, and 12
Var. 12° E.

Along edge of mesa and low points,

14.00 Globe and Wilcox road, ^{trans} course N. and S.

27.00 Trip to Underwood Wash 100 W. wide course N. E.

40.00 Set temporary 1/4 sec. Cor.

Subdivision F. 7 S. R. 228

- 55.00 Tripp's Underwood Wash 100 ft wide course S. E.
- 80.18 Intersect E. boundary line 75 Mts. N. of cor. to
secs. 1, 6, 7, and 12, which is a stone firmly
set in the ground properly marked with
1 notch on N. and 5 notches on S. edges
with 1 bearing tree, br. N. 48° W. and
a mound of stone alongside.
Thence I run
N. $89^{\circ} 28'$ W. a true line bet. sec. 1 and 12,
Va. 12° E.
Over rough ground.
- 40.09 Set a granite stone $19 \times 6 \times 6$ (inc). ¹⁸ ~~9~~ in
the ground for 14 sec. Cor. marked $\frac{1}{4}$ on
N. face; raised a mound of stone
alongside.
- 80.18 The Cor. to sec. 1, 2, 11, and 12.
Land broken points along ravine
Soil rocky 4th rate
No timber.

Subdivision T, 78R, 22E.

- North on arandum line bet. secs. 1, and 2,
 Val. $12^{\circ} E$.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 40.20 Ravine ^{60 links wide} ~~Course~~ E .
- 79.90 Intersect N. boundary line 25 lks.
 east of cor. to secs. 1, 2, 35 and 36.
 which is mound of earth pits with
 stake properly marked.
 Thence draw
 $S. 0^{\circ} 11' E$ on a true line bet. secs. 1 and 2,
 Val. $12\frac{1}{2} E$.
- 39.90 Here a charred stake 12 ins. in the
 ground for $\frac{1}{4}$ sec. cor. dug pits $18 \times$
 18×12 ins. N. and $S_{\text{of corner}} 5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base over it. In N. pit drove
 a stake 2 ft. long 2 ins. square 12 ins.
 in the ground marked $\frac{1}{4} S$ on N. face.

Subdivision T. 7 S. R. 22 E.

7990 The cor. to sects. 1, 2, 11, and 12.
 Good high rolling mesa
 Soil 4th rate
 No timber, Mesquite and Cat-claw brush

Oct. 14, 1886

North bet. sects. 22 and 23.

Va. 12° E.

Over rolling ground ascending.

From the cor. to sects. 22, 23, 26 and 27,
 which is a stone. properly marked
 and named of stone alongside

40.00 On N. side of ravine course N. W. 1/4
 a stone 16 x 9 x 4 ins. ^{11 in} ~~12~~ in the
 ground for 1/4 sec. cor. Marked 1/4
 on N. face; raised a mound of
 stone alongside.

80.00 Set a granite stone 18 x 8 x 4 ins. ^{12 in} ~~12~~
 in the ground for cor. to sects. 14,

Subdivision T. 7 S. R. 23 E.

15, 22 and 23. Marked with 3 notches
on S. and 2 notches on E. Edges;
raised a mound of stone along
side.

Land hilly and rough,
No timber. Good grass.
Soil rocky, ^{is} ~~the~~ ^{tr} ~~u~~ ^l ~~e~~.

Eastward line bet. sees. 14 and 23
N. 12° E.

Overrolling hills and ridges extending N.

30.10 Ravine ^{40' wide} course N.

40.00 Set temporary 1/4 sec. cor.

64.15 Ravine course course N.W.

79.96 Intersect N and S. line 72 N. of cor.
to sees. 13, 14, 23, and 24.

These from

N. 89° 29' W. on a true line bet. sees. 14 and 23.

Subdivision F. 7 S. R. 22, E.

Var. the same.

39,98 Set a stone 20x6x5 ins. ^{15 ins.} ~~3/4~~ in the ground for $\frac{1}{4}$ sec, cor. Marked $\frac{1}{4}$ on N. face; raised a mound of stone alongside.

79,96 The cor. to sec. 14, 15, 22, and 23.

Land rolling ridged running North.

Soil rocky. ^{4th rate}

No timber. Good grass.

North bet. sec. 14 and 15.

Var. 12° E.

Along the E. side of deep cañon

40,00 Set a granite stone 18x6x4 ins. ^{12 ins. in the ground} on N.

margin of ravine course N.E. for $\frac{1}{4}$ sec, cor.

Marked $\frac{1}{4}$ on N. face; raised a mound of stone alongside.

58,30 Dry wash 20 blocks wide course N.E.

Subdivision T, 7 S, R 22, E.

80.00 Drove a chain stake 12 ins. in the ground
for Cor to secs. 10, 11, 14, and 15; dug
pits 18x18x12 in each sec. 5 1/2 ft. deep;
raised a mound of earth 2 ft. high 4 1/2
ft. base over it. In S. E. pit, drove a
stake 2 ft. long 2 ins. square 12 ins.
in the ground. Marked —
T. 7 S. S. 11 on N. E.
R. 22 E. S. 14 on S. E.
S. 15 on S. W. and
S. 10 on N. W. faces with 2 notches on E.
and 4 notches on S. edges.
Ground rolling hills sloping North.
Soil rocky 4th rate
No timber, good grass.

East on a random line bet. secs. 11 and 14.
Var. 12° E.

Subdivision F. 7 S. R. 23 E.

- 31.75 Ravine 30 lks wide course N. E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 40.30 Ravine 50 lks wide course N.
- 47.50 Ravine 20 lks wide course N.
- 56.00 Ravine ^{21 lks wide} course N.
- 80.06 Intersect N. and S. line 78 lks. N. of
cor. to secs. 11, 12, 13 and 14
Thence I run,
N. $89^{\circ} 26\frac{1}{2}'$ W. on a true line bet. secs. 11 & 14
V. the same.
- 40.03 Set a granite stone $15 \times 9 \times 6$ ins. ^{11 in} in
the ground for $\frac{1}{4}$ sec. cor. Marked
 $\frac{1}{4}$ on N. face; raised a mound of
stone alongside.
- 80.06 The cor. to secs. 10, 11, 14 and 15.
Land rolling hills.
Soil rocky 4th rate.
No timber, good grass.

Subdivision F. 7 SR 22 E.

North hit. sees. 10 and 11.

Var. 12° E.

Over rolling hills.

38.50 Globe and Wilcox road ^{trans} ~~course~~ N, E, and S, W.40.00 Set a granite stone $12 \times 8 \times 6$ ins. ~~8~~ ⁸ ins. in the ground for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ on W. face; raised a mound of stone alongside.

51.50 Nley Wash 60 lks. wide course E.

61.40 Nley Wash 20 lks. wide course E.

78.00 Rainin ^{13 miles wide} course S, E.80.00 Above a charred stake 12 ins. in the ground for cor. to sees. 2, 3, 10, and 11 dug pits $18 \times 18 \times 12$ ins. in each see. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base on it. In S. E. pit drove a stake 2 ft long 2 ins. square 12 ins. in the

Supelivision T. 7 S. R. 2 E.

ground marked.

T. 7 S. S. 2 m N. E.

R. 2 E. S. 11 m S. E.

S. 10 m S. W. and

S. 3 m N. W. faces with 2 notches on
E. and 5 notches on S. edges.

Level little rolling hills.

Soil gravelly. 4th rate.

No timber. Good grass.

East m. a random line bet. sec. 2 and 11.

N. $12\frac{1}{2}^{\circ}$ E.

Over little low hills

49.00

Set temporary 1/4 sec. cor.

79.86

Intersect N. and S. line 70 lks N. of
cor. to sec. 1, 2, 11 and 12.

Thence I run

N. $89^{\circ} 30'$ W. on a true line bet. sec. 2 + 11.

Subdivision T, 7 S, R 22 E

Val. 12° E.

39.43 Set a granite stone $16 \times 8 \times 5$ ins. ^{10 1/2 in} in
the ground for $\frac{1}{4}$ sec cor. Marked $\frac{1}{4}$
on N. face; raised a mound of
stone alongside.

79.86 The cor. to sec. 2, 3, 10 and 11.
Go and over little rolling hills.
Soil gravelly, 4 strata.
No timber, good grass,

North bet. sec. 2 and 3, on a random line
Val. $12\frac{1}{2}^{\circ}$ E.

Over little rough steep hills

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect N. boundary line $1\frac{1}{2}$ lks. E.
of cor. to sec. 2, 3, 34, and 35.

Thence Iron.

S. $0^{\circ} 07'$ E, on a true line bet. sec. 2 and 3,

Subdivision T. 7 S. R. 22 E.

Val 12° S.

40,20 Set a chummed stake 12 ins. in the ground
 for 1/4 sec. cor. dug pits 18x18x12
 ins. N. and S. ^{of corner} 5 1/2 ft. dist. In raised
 a mound of earth 1 1/2 ft. high 3 1/2 ft.
 base over it. In N. pit drove a
 stake 2 ft. long 2 ins. square 12
 ins. in the ground marked 1/4 S. on W. face.

80,20 The cor. to sec. 2, 3, 10, and 11,
 Go and over rolling hills,
 Soil, 4th rate,
 Good grass, No timber.

Oct. 15th 1886

From the established ^{corner} boundary at
 the cor. to sec. 21, 22, 27, and 28,
 which is a stone and mixed stone
 properly established and marked.

Subdivision T. 7 S. R. 22 E.

Irene

North bet. sec. 21 and 22.

Va. $12\frac{1}{2}^{\circ}$ E.

Over very rough ground.

7.00 Ravine ^{60 links wide} course N. E.15.00 Top of ridge 300 ft high ^{low} course N. E. and S. W.40.00 Set a granite stone $18 \times 16 \times 8$ ins. ~~2~~ ²/₂ ins
in the ground for $\frac{1}{4}$ sec. Cor. Marked
 $\frac{1}{4}$ m W. face; raised a rounded stone
alongside42.00 Ravine ^{10 links wide} course N. W.

54.00 Same ravine course N. E.

66.70 Ravine ^{30 links wide} in deep cañon course N. E.80.00 On hill set a granite stone $13 \times 10 \times 6$ ins.
^{9 ins} $\frac{2}{3}$ in the ground for cor. to sec. 15, 1621, and 22. Marked with 3 notches on
E. and S. edges; raised a rounded
of stone alongside.

Subdivisions T. 7 S. R. 22 E.

Band rough hills,
Soil rocky.
Some grass, No timber.

East on a random line bet. secs. 15 and 22,
N. 12° E.

Across very broken country.

- 10.50 ~~Deep~~ Cañon 150 ft. deep and ravine in it ^{170 ft. deep} N. E.
- 32.00 ~~Deep~~ Cañon 300 ft. deep course N.
- 38.50 Deep rocky gorge ^{200 yds wide} course N. E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 54.40 Deep ravine, course N.
- 64.00 Ravine ^{70 links wide} course N.
- 78.80 Cañon 200 ft. deep course N.
- 80.10 Intersect N. and S. line to the N. of
Cm to sec. 14, 15, 22 and 23.
Thence Iron,
N. $89^{\circ} 34'$ W. on a true line bet. sec. 15 + 22.

Subdivision F. 7 S. R. 22 E.

Var. the same.

40.05 Set a granite stone $36 \times 12 \times 4$ ins. ^{29 in} ~~34 in~~
 the ground for $\frac{1}{4}$ sec. cor. Marked
 $\frac{1}{4}$ on N. face; raised a mound of
 stone alongside.

80.10 The cor. to sec. 15, 16, 21 and 22,
 Loam very broken hills
 Soil rocky, 4th rate.
 No timber. Some grass.

North bet. sec. 15 and 16.

Var. 12° E.

Overrolling hills.

40.00 Set a granite stone $14 \times 6 \times 6$ ins. ^{9 in} ~~13 in~~
 the ground Marked $\frac{1}{4}$ on N. face for
 $\frac{1}{4}$ sec. cor. Raised a mound of
 stone alongside.

45.00 Ravine course N.E.

Subdivision T. 7 S., R. 22 E.

84.00 Set a granite stone $18 \times 13 \times 5$ ins. ^{12 ins.} in
 the ground for cor. to sec. 9, 10, 15 and 16
 marked with 3 notches on E. and 4
 notches on S. edges; raised a
 mound of stone alongside.
 Coquet rolling hills.
 Soil rocky. 4th rate.
 No timber. Good grass.

East on a random line bet. sec. 10 and 15
 Var. 12° E.

Over rolling mesa.

27.00 Ravine, course. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line 50 N. W. of cor.
 to sec. 10, 11, 14, and 15. Thence run

N. $89^\circ-39'$ W. on a true line bet. sec. 10 and 15
 Var. same.

Subdivision T. 7 S., R. 22 E.

- 40.06 Set a granite stone $18 \times 6 \times 6$ ins. ^{12 ins.} ~~3~~ in the ground marked $\frac{1}{4}$ on N. face for $\frac{1}{4}$ sec. cor.; raised a mound of stone around it.
- 80.12 One Cor. to sec. 9, 10, 15 and 16.
 Round rolling hills.
 Soil 4th rate.
 No timber. Good grass.
-
- North bet. sec. 9. and 10.
 Var. 12° E.
 Over broken ground, ascending.
- 8.00 Globe and Wilcox Road course N.E. and S.W.
- 15.25 Tripp and Lindenwood Wash 60 ft. wide
 course N.E.
- 40.00 Set a granite stone $14 \times 8 \times 4$ ins. ^{9 ins.} ~~3~~ in the ground for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ on N. face; raised a mound of

Subdivision F. 7 S. R. 22 E

- stone alongside.
- 60.00 Ravine, ^{24' high wide} Course E.
- 69.10 Ravine, ^{24' high wide} Course E.
- 76.50 Ravine, ^{24' high wide} Course S. E.
- 82.00 Set a stone 21 X 9 X 9 ins. ^{3 1/2' high} in the ground for corners 3, 4, 9 and 10. Marked with 3 notches on E. and 5 notches on S. Edges: and raised a mound of stone alongside.
- Land, hilly and broken,
Soil, 4th rate.
No timber. Good grass.
-
- East on a random line bet. sec. 3 + 10.
Var. 12° E.
- Across little steep hills
- 26.00 Ravine, ^{36' high wide} Course S. E.

Subdivision F. 7 S. R. 22 E.

- 39.50 Ravine, ^{17 1/2} ⁵ ^{width} Course S. E.
- 40.00 Set temporary 1/4 sec. cor.
- 45.80 Ravine, ⁷⁸ ^{1/2} ^{width} Course S. E.
- 78.50 Ravine, ⁴¹ ^{1/2} ^{width} Course S. E.
- 80.18 Intersect N. and S. line 65 ft.
 N. of cor. to sec's, 2, 3, 10 and 11.
 Thence S. 89° 32' W. on a true line bet. sec's 3 and 10.
 Val. 12 1/2° E.
 Over rough little hills.
- 40.09 Set a chamed stake 12 ins. in the ground for 1/4 sec. cor. dug pits 18x18x12 ins. E. and ^{of corner} W. 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. Set E. pit down a stake 2 ft. long 2 ins. square 12 ins. in the ground marked, 1/4 S. on N. face.

Subdivision F, 7 S, R. 23 E.

80.18

The cor. to sec. 3, 4, 9, and 10.
 (Went, over little hills).
 Soil, 4th rule,
 Good grass. No timber.

North, over a random line, bet. sec. 3 and 4.
 Val. 12° E.

Over rolling hills covered with grass.

27.00

Ravine, ^{40 ft wide} course N, E.

40.09

Set temporary 1/4 sec. cor.

80.40

Determine N. boundary line, 35, lks. N.
 of cor. to sec. 3, 4, 33, and 34.
 These 3 runs.

S. 0° 15' N. on a true line bet. sec. 3 and 4.
 Val. the same.

40.40

Set a granite stone 14 x 11 x 5 ins. ^{9 ins} ~~7 3/8~~
 in the ground for 1/4 sec. cor. Marked
 1/4 on N. face and raised a

Subdivision, T. 7 S. R. 22 E.

80.40 Mound of stone alongside,
The cor. to secs. 3, 4, 9, and 10.
On and, rolling hills.
Soil, 4th rate.

No timber, good grass.

Oct., 16th 1886.

From the established ^{South} boundary line
at the cor. to secs. 20, 21, 28, and
29, which is a granite stone and
mound of stone properly established
and marked, I run,

North bet. secs. 20 and 31.

Var. 12° E.

Over rolling hills,

40.00 Set a granite stone 20 X 8 X 4 ins. ^{15 in.} ~~7 1/2~~
in the ground for 1/4 sec. cor. Marked,
1/4 on N. face; raised a mound of

Subdivision T. 7 S. R. 22 E.

stone alongside

67.00 Ravine 50 Mts wide Course N.E.

71.50 Globe and Hilbert road ~~Course~~ ^{Course} N.E. and S.W.80.00 Set a granite stone 18x16x6 ins. ^{12 ins} ~~7 1/2~~ in
the ground for Cor. to sec. 16, 17, 20 and 21Marked with 4 notches on E. and 3
notches on S. Edge. Raised a mound
of stone alongside.

Land, rough hills.

Soil, rocky, 4th rate.

No timber, Good grass.

East on a random line bet. sec. 16 and 21
Var. 12° E.

Cross falling hills,

1.50 Globe and Hilbert road Course N.E. & S.W.

3.50 Ravine Course N.E. 50 Mts wide

40.00 Set temporary 1/4 sec. Cor

Subdivision T. 7 S. R. 22 E.

59.00 Old hay road course N. E.

80.00 Intersect N. and S. line 50 lks. N.
of Cor. to sec. 15, 16, 21 and 22.

Thence I run,

N. $89^{\circ} 39' 1/2$ W. on a true line bet. sec. 16 & 21
N. the same.

40.00 Set a granite stone $18 \times 8 \times 3$ ins. $12 \frac{1}{2}$ in
the ground for $1/4$ sec. Cor. Marked
 $1/4$ on N. face, raised a mound of
stone alongside.

80.00 The cor. to sec. 16, 17, 20 and 21;

Level, rolling hills.

Soil, rocky with rath.

Good Grass. No timber

At this place by the solar apparatus
I find the latitude to be $32^{\circ} 52' 29''$ N.

Subdivision F. 7 S. R. 22 E.

North, bet. sec. 16 and 17.
 Va. 12° E.

Over rough rocky hills.

40.00

Set a granite rock 36x6x3 ins. ^{26 in} ~~34~~
 in the ground for 1/4 sec. Cor. Marked,
 1/4 on N. face raised a mound of
 stone alongside.

64.00

Wap. ravine ^{60 in wide} Course E.

73.50

Wap. ravine ^{75 in wide} Course E.

80.00

Set a granite stone 28x6x8 ins. on N.E.
 bank of Cottonwood ravine course N.E.
^{14 in} 2/3 in the ground for Cor to sec 8, 9,
 16, and 17, Marked with 4 notches
 on E. and 4 notches on S. Edges
 and raised a mound of stone
 alongside. A Mesquite *Prosopis juliflora*
^{N: 2 1/4} 26 ft. dist. marked, 75, R. 22 E. S. 8, 13, 17.
 Ground, rough and rolling.
 Soil, rocky. 4th rule,

Subdivision F. S. R. 22 E.

No Timber, good grass.

East, on abandoned line bet. sec. 9 and 16,
 Val. 12° E.

Road along Cotton Wood Wash.

4.00 . Cross to S. side of Cottonwood creek, 2 chains ^{East} N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

63.00 Trip to and Underwood Wash 600 ft. wide
 course N.E.

71.00 Glob and Viceroy Road ^{trans} ~~cross~~ N.E. & S.W.

79.94 Intersect N. and S. line 600 ft. N.
 of Cor. to sec. 9, 10, 15, and 16.
 Hence I run.

N. $89^{\circ} 33'$ W. on a true line bet. sec. 9 and 16

39.97 Set a granite stone $16 \times 8 \times 3$ ins. ^{11 in.} ~~13~~ in the
 ground for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ on
 N. face and raised around of
 stone along side, from which

Subdivision T. 7 S. R. 2 E.

At Oakberry 10 ris. (diam. 10 in). S. 60° W. 100 ft. ^{marked 7/8, 13/5}
 Cottonwood Wash is 60 ft. North
 Course E.

79.94 The cor. to sec. 8, 9, 16 and 17.
 Sand, rough hills.
 Soil, 4th rate.
 No timber. Fair grass.

North bet. sec. 8. and 9.

Var. 12° E.

Over rolling hills

4000 Set a granite stone 22x8x4 ins. ^{16 in x 2 1/4}
 in the ground for 1/4 sec. cor. Marked
 1/4 on N. face, raised a mound
 of stone along side, which is on
 Top ridge, 10 ft. high Course N. and E.

5800 Ravine ^{63 ft wide} Course N. E.

7400 Ravine ^{47 ft wide} Course N. E.

Subdivision F. D. Rec. C.

80.00 Set a granite stone 18X7X6 ins. ^{12 ins} ~~7 1/2~~ in
 the ground for cor. to sec. 4, 5, 8, and 9.
 Marked with 4 notches on E. and 5
 notches on S. Edges, raised a mound
 of ~~stone~~ ^{gravel} alongside.
 Gravel, hillly.
 Soil, 4th rate.
 No timber.

East, on a random line bet. sec. 4 and 9,
 Val. 12° E.

Over rolling ground.

26.50 Ravine, ^{27 ft wide} course N. E.

40.00 Set temporary 1/4 sec. cor.

45.20 Ravine, ^{18 ft wide} course N. E.

79.90 Intersect N. and S. line 78 ft N. E.
 of cor. to sec. 3, 4, 9, and 10.
 These Drums,

Subdivision 378, R. 23E,

N. $89^{\circ} 27'$ W. on a true line bet. sec. 4 & 9.
Overruling ground. Val. same

39.95 Set a granite stone $14 \times 11 \times 4$ ins. ~~in~~
in the ground for 1/4 sec. cor. Marked
1/4 on N. face raised a mound of
stone alongside.

79.90 The cor to sec. 4, 5, 8, and 9.

Gravel, rolling hills.

Soil, rocky.

No timber. Good grass.

North on a random line bet. sec. 4, and 5.
Val. $12^{\circ} E$.

Overruling land

40.00 Set temporary 1/4 sec. cor. 16 ins. $3/3$

46.10 Ravier corner N. Cor. 200 feet

80.30 Intersect N. boundary line at
the cor. to ^{sec.} 4, 5, 32 and 33.

Subdivision T. 7 S. R. 22 E.

which is a stone marked with 2 notches
 on W. and 4 notches on E. edges and
 mound of stone alongside. properly
 established.
 Then I run,
 South on true line bet. sees 4, and 6.
 Va. the same.

40.30 Set a granite stone 14 X 8 X 6 ins. ^{9 in} _{7 1/2}
 in the ground for 1/4 sec, cor marked
 1/4 on W. face, and raised a mound
 of stone alongside.

80.30 The cor. to sees 11, 5, 8, and 9.
 Lo and rolling,
 Soil 4 to rate
 Some grass. No timber.
 Oct. 18, th 1886

Return to South boundary and
 by observation, with the solar apparatus
 I find the latitude to be 32° 49' 53.6" N.

Subdivision F. W. R. 22 Co.

From the Cor. to sec. 5, 6, 31 and
32, on S. boundary of township
which is a stone mark with 1
Notch on W. and 5 notches on E.
Edges ^{of} mound of stone alongside
tree,

North, bet. sec. 31, and 32,
Var. 12° E.

Occurring over rolling brushy hills.

40.00

Set a granite stone $16 \times 14 \times 4$ ins.
^{11 in}
~~12~~ in the ground for $\frac{1}{4}$ sec. cor.
Marked, $\frac{1}{4}$ on W. face; raised
a mound of stone alongside.

78.00

Ravin ^{33 links and}
Course N. E.

80.00

Set a granite stone $16 \times 8 \times 6$ ins.
^{10 in}
~~12~~ in the ground for the cor. to sec.
29, 30, 31 and 32, marked, with 1
notch on W. and 5 notches on E.

Subdivision T. 7 S. R. 22 E.

edges; raised a mound of stone
alongside.

Land broken little hills, brushy.
Soil rocky ~~at~~ ^{the} ~~route~~.
No timber.

γ East, on a random line bet. sects.
29 and ³²~~30~~.

N. 12° E.

Over rolling brushy hills.

39,20 Ravine, ^{60 ft. wide} Course N. E.

40,00 Set temporary $\frac{1}{4}$ sec. cor.

44,00 Ravine, ^{30 ft. wide} course N.

80,04 Intersect - N. and S. line 75 ft. N. of
cor. to sects. 28, 29, 32 and 33, which
is a stone properly marked, ^{and} mound
of stone alongside.
Thence I read,

Subdivision T. 7 S. R. 22 E.

N. 89° 28' W. water line bet. sec. 29 & 32,
 Val. the same,

40,02 Set a granite stone 18x12x5 ins, ^{12 ins} in
 the ground for 1/4 sec. Cor. Marked, 1/4
 on N. face, raised a mound of
 stone alongside.

80,04 This cor. to sec. 29, 30, 31 and 32.
 Do and, low broken hills
 Soil very rocky.
 No timber, House Brush.

West on a road line bet. sec. 30 & 31.
 Val. 120 E.

Over rough hilly ground.

16,00 Ravine ^{30 links wide} Course N.

24,50 Ravine ^{22 links wide} Course N.W.

39,40 ? Ravine ^{54 links wide} Course N.W. 15 links wide.

40,00 Set temporary 1/4 sec. Cor.

Subdivision T. 7 S. R. 22 E.

9160 Intersect W. boundary line 90' W. S. of Cor. to sees. 25, 30, 31, and 36 which is a Post in mound of stone, post marked, T. 7 S. S. 30 on N. E.

R. 22 E. S. 31 on S. E.

R. 21 E. S. 36 on S. W. and

S. 25 on NW. post with 1 notch on S. and 5 notches on N. Edges

Thence S. 89° 21' E. on a true line bet. sees. 30 & 31.

Var. 12 1/2° E.

51,60 Set a granite stone 22x6x5 ins. ^{16 ins.} ~~3 1/2~~ in the ground for 1/4 sec. cor. Marked, 1/4 on N. face; raised a mound of stone alongside.

91,60 The Cor. to sees. 29, 30, 31 and 32 Do and broken low hills Soil; granite gravel. poor. No timber, some oak brush.

42

Subdivision F. 7 S. R. 22 E.

North, on a random line bet. sec.
29, and 30.

Va. 12° E.

Over rolling bushy hills.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

65.00 Tripp and Underwood ^{60 ft wide} Wash, Course N. E.

75.00 Globe and Wiley Road course N. E. & S. W.

80.00 The E. and W. line at cor. to sec.

19, 20, 29, and 30, ^{which is a true} properly established

with rounded stone alongside and
marked with 5 notches on E.
and 2 noches on S. Edges

Thence I run,

S. south ^{to} on a true line bet. sec.

29 and 30.

Va. the same.

40.00 Set a granite stone $30 \times 14 \times 12$ ins. ^{21 ins} ~~34~~
in the ground for $\frac{1}{4}$ sec. cor. marked

Subdivision F. 7 S. R. 22 E.

1/4 on N. face and raised a mound
of stone alongside.

80.00

The cor. to sec. 29, 30, 31 and 32

The land broken and hilly

Soil, granitic gravel

No timber. scrub oak brush.

Not from the cor. to sec. 19, 20
which is a stone and more of stone
29 and 30, as described, runs

North, bet. sec. bet. sec. 19, and 20,

Var. 12° E.

Over rough hills.

25.00 Ravine ^{1 21} ^{links wide} Course & E.

30.00 Small ravine ¹⁰ ^{links wide} Course E.

40.00 Set a granite stone 14X10X4 ins. ⁹ ^{ins} ~~2 1/2~~
in the ground for 1/4 sec. cor. Marked 1/4
on N. face; raised a mound of
stone alongside.

Subdivision F. J. S. Reese

80.00 Set a granite stone 18X6X6 in's ^{high} ~~2 1/2~~
 in the ground for cor. to sec's 17, 18
 19 and 20. Marked with 5 notches
 on E. and 3 notches on S. edges
 Raised a mound of stone alongside
 found, rolling, hilly.
 Soil, rocky, 4 to 6 ft.
 Few scattering cedar trees.

East, on a random line bet. sec's
 17 and 20.

Var. 12° E.

Over rolling broken ground.

38.00 Ravine ^{3 1/2 fms wide} course N. E.

40.00 Set temporary 1/4 sec, cor.

65.70 Ravine ^{10 fms wide} course N.

79.88 Intersect N. and S. line 50 fms. N. of
 cor. to sec's 16, 17, 20 and 21.

Subdivision F. 7 S. R. 22 E.

Thence, true,

N. 89° 39' W. on a true line bet. sec. 17 and 20.

Var same.

39,974 Set a granite stone 16" x 6" x 6" ^{11 ins} in
the ground for $\frac{1}{4}$ sec. cor. Marked,
 $\frac{1}{4}$ on N. face; raised a mound
of stone alongside.

7,988 The cor. to sec. 17, 18, 19, and 20.
Land, rolling and rough.
Soil, rocky. 4 to 6 feet
No timber. Brushy.

West, on a random line bet. sec. 18 and 19,
Var. 12° E.

Over rolling mesa.

40,00 Set temporary $\frac{1}{4}$ sec. cor.

46,90 Old Camp Goodwin road, Course N.

47,56 Military telegraph line, Course N.

Subdivision F. 7 S. R 22 E

91.60 Intersect W. boundary line 50 lks. S.
of cor. to sees. 13, 15, 19, and 24, which
is a stone with pit and mound of
earth, Stone marks with 3 notches
on N. and S. Edges.

Thence, Orund.

S. $89^{\circ} 39' E.$ on a true line bet. sees. 18 & 19.

Va. the same.

57.60 Set a granite stone $12 \times 9 \times 6$ ins
^{high} in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face; raised
a mound of stone alongside.

91.60 The cor. to sees. 17, 18, 19, and 20
is a sand, rolling mass
Soil, granite gravel
Few scattering trees.

Oct 1st 1886.

Subdivision T. 7 S. R. 33 E.

North, bet. sec. 17 and 18

Va. 12° E.

Over rolling ground.

34.00 Ravine ^{22 ft. wide} ~~cont.~~ E.

40.00 Set a stone $15 \times 12 \times 7$ ins. ¹⁰ ~~7~~ ⁱⁿ in the ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ on N. face; raised a mound of stone alongside

At this point cor. is 10° E.

56.50 Top of rocky ridge 200 ft. high curve, Cor.

80.00 Set a stone $24 \times 12 \times 8$ ins. ¹⁸ ~~9~~ ⁱⁿ in the ground for cor. to sec. 7, 8, 17 and 18. Marked with 5 notches on E. and 4 notches on S. Edges.

Raised a mound of stone alongside.
 Road, broken hills.

Soil, very rocky 4th rate
 No timber.

Subdivision F. 78, R. 22 E.

East, on a random line bet. sec. 8 and 17
 Val. 10° E.

Over little broken points running N. towards
 Cottonwood Wash.

400 Top ridge, 50 ft. high course N.

36.00 Cañon 100 ft. deep course N.

40.00 Set temporary $\frac{1}{4}$ sec. corr.

78.00 Cottonwood Wash, ^{1 ch wide} course S. E.

79.98 Intersect N. and S. line bet. $\frac{1}{4}$ N.
 of cor. to sec. 8, 9, 16, and 17.

Thence run. Val. 12° E.

N. $89^{\circ} 32'$ W. on a true line bet. sec. 8 and 17.

39.99 Set a stone $16 \times 6 \times 6$ ins. ^{var. 1202 -} ^{11 ins} $\frac{2}{3}$ in the
 ground for $\frac{1}{4}$ sec. corr. Marked, $\frac{1}{4}$
 on N. face raised a mound of stone
 alongside.

79.98 The cor. to sec. 7, 8, 17 and 18
 Go and rough, hilly

Subdivision T. 7 S. R. 22 E.

Soil rocky and worthless
 No timber. Poor grass.

West on a random line bet. sec. 7, and 18.
 S. 110° E.

Over rolling broken hills.

5,30 Ravine ^{100 ft. wide} 75 ft dup. Course N. E.

27,00 Military telegraph line course N.

36,00 Old Gordon road ^{old} course N. and S.

38,20 ~~Old~~ Gordon road course N. another track

40,00 Set temporary $\frac{1}{4}$ sec. cor.

91,30 Intersect West boundary line 68 (K)

South of cor. to sec. 7, 12, 13 and 18.

which is a stone marked with 2

notches on N. and 4 notches on S.

Remnant of stone alongside

Thence I run.

S. $89^{\circ} 31'$ E. on true line bet. sec. 7, + 18.

Subdivision F. 7 S. R. 22 E.

Va. 12° E.

57.30 Set a stone $16 \times 8 \times 5$ ins. ^{11 ins} ~~7 1/2~~ in the ground for $1/4$ sec. cor. Marked $1/4$ on W. face; raised a mound of stone alongside.

From which Barney Norton's house bears N. 23° W. 12 chains dist.

91.30 The cor. to sec. 7, 8, 17 and 18.

Ground broken and hilly

Soil, rocky 4th rate

No timber excepting few Cottonwood along ravines

North, bet. sec. 7 and 8.

Va 10° E.

Crossing deep cut and over hills.

9.50 Cottonwood Cañon 100% deep Curve E.

40.00 Set a granite stone $16 \times 8 \times 6$ ins. ^{10 ins} ~~2 1/2~~

Subdivision T, 7 S, R, 22 E.

in the ground for 4 sec. cor. Marked
'4 on N. face; raised a mound of stones
alongside.

50.00 Old Indian road, course N. E. and S. W.

63.00 Military telegraph line ^{course} ~~course~~ N. E. and S. W.

79.00 Ravine, ^{34 ft wide} course N. E.

80.00 Set a stone 2 x 10 x 5 ins. ^{15 1/2 in} in the
ground for. cor. to sec. 5, 6, 7, and 8.

Marked, with 5 notches on S. and
E. edges.

Soil, rolling rough hills,

Soil, rocky, 4th rate,

No timber. Poor grass.

East on a random line bet. sec. 5 and 8,
Ta. 12° E.

Over rolling ground.

100 Ravine, ^{55 ft wide} course N. E.

Subdivision T. 7 S. R. 22 E

- 10.50 Military Telegraph line course N.E. and S.W.
- 16.00 Old Camp Gordon road course N.E. and S.W.
- 40.00 Set temporary $\frac{1}{4}$ sec. con.
- 41.90 ^{to the same} Range Course N.E.
- 80.13 Intersect N and S. line 72 lks. N. of con. to sec. 4, 5, 8, and 9. Thence I run N. $89^{\circ} 29'$ W. a true line bet. sec. 5 and 8 & the same.
- 40.06 Set a granite stone $14 \times 6 \times 6$ ins. ^{9 ins. -} in the ground for $\frac{1}{4}$ sec. con. Marked $\frac{1}{4}$ on N face raised a mound of ~~the~~ stone alongside
- 80.13 Thence to sec. 5, 6, 7, and 8. Land, rolling ridges ^{drainy} course N.E.
- ? ~~See~~ ~~land~~, rocky. 4th rate
No timber.

Subdivision T. 7 S. R. 22 E.

Nest. was standard line bet. seed 6, and 7.
Va. 12° E.

Over rolling ground, ascend, grassy slope,
40.00 Set temporary 1/4 sec. cor.

91.45 Intersect N. boundary line 79. lks.
South of Cor. to seeds 1, 6, 7, and 12.
Thence run,
S. 89° 26' E. on a true line bet. seed 6 and 7.
Same Va.

57.45 Set a granite stone 18x6x6 ins. ^{12 ins.} ~~7 3~~
in the ground for 1/4 sec. Cor. and
marked 1/4 on N. face; raised
a mound of stone alongside.

91.45 The cor. to seeds 5, 6, 7, and 8.
Band, rattling,
Soil, rocky and poor.
No timber. Poor grass.

Superiorine F. 7th R 22 S

- North, on a random line bet. seeds 5 and 6.
 Val 12° E.
 Over rolling land.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 41.00 Ravine Course N. E.
- 46.70 Ravine Course N. E.
- 80.10 Intersect N. of boundary line 24. Mark
 of Cor. to seeds 5, 6, 31, and 32.
 Thence S run,
 S. 0° 10' W. on a true line bet. seeds 5 and 6
 Val. 12° E.
- 40.10 Set a granite stone 12 x 12 x 6 ins.
 8 ins. $\frac{1}{4}$ in the ground for $\frac{1}{4}$ sec. cor.
 Marked $\frac{1}{4}$ on W. face raised
 a mound of stone alongside.
- 80.10 The Cor. to seeds 5, 6, 7, and 8.
 Ground, rolling mesa.
 Soil, very rocky.

Subdivision T. 7 S. R. 22 E.

No timber. Grass poor.
 Oct. 20th 1886

At this cor. by observation made, with the declination corrected for refraction at 12: M. set off on the declination arc. I find the latitude to be $32^{\circ} - 54' N$.


General Description

The surface of this township ranges from rolling grass covered hills in the northern and eastern portions to high precipitous mountains in the south eastern portion. None of it is adapted to cultivation. There are three places of settlement in the township. Viz: - Tripp and Woodward in section 30, Barney Norton in section 7 and

R. B. Tripp in section 24.

No valuable deposits of mineral
are known to exist in any part of this
Township.

Clarence H. Wallace,
U. S. Deputy Surveyor.



Final Oaths of Assistants.

We hereby certify that we assisted Clarence
H. Wallace U. S. Deputy Surveyor, in surveying
 Such lines as were necessary to com-
 plete the survey of the extensive and sub-
 divisions of the surveyable portion of S. 9 S.
 R. 23 E., Tps 7, 8 and 9 south R. 22 E. of
 the Gila and Salt River Base & Meridian
 of the principal base and meridian in the Territory of Arizona,
 as are represented in the foregoing field notes as having been
 surveyed by him and under his direction; and that said Survey
 has been in all respects, to the best of our knowledge and belief,
 well and faithfully surveyed, and the corner monuments es-
 tablished according to the instructions furnished by the U. S.
 Surveyor-General for Arizona.

B. F. Crawford
W. C. Eads

Subscribed and sworn to before me this

26th

day of

Oct

1886

George Perkins
 Notary Public.



Final Oath of U. S. Deputy Surveyor.

I.....
 United States Deputy Surveyor, do solemnly swear that in
 pursuance of instructions received from.....

..... U. S. Surveyor General for Ari-
 zona bearing date of the..... day of.....

188..... I have well, faithfully, and truly, in my own proper
 person and in strict conformity, with the instructions furnish-
 ed by the U. S. Surveyor General for Arizona, the surveying
 manual and the laws of the United States surveyed the.....

.....

.....

.....

of the principal base and meridian in the Territory of Ari-
 zona, as are represented in the foregoing fields notes as having
 been surveyed by me and under my direction; and I do further
 solemnly swear that all the corners of the said survey have been
 established and perpetuated in strict accordance with the survey-
 ing manual, printed instructions, the special written instruc-
 tions of the U. S. Surveyor General for Arizona, and in the

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this

day of _____ 188_____

Notary Public.

BOOK 688

BOOK

26

st

fe

at

R

t

of

as

sur

ha

we

tal

Su

da

U. S. Surveyor-General's Office,

TUCSON, A. T. June 13 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
T. 7 S. R. 22 E.

Gila and Salt River Meridian
in Arizona executed by
Clarence H. Wallace.

U. S. Deputy Surveyor, under his contract dated

April 26th 1886

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hess
U. S. Surveyor-General
for the Territory of Arizona.