

No. 690

1

Field Notes

BOOK 690

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

690

Township *7 S* Range *25 E*

Gila and Salt River Base and Meridian

ARIZONA.

No. 690

By *Theodore J. White* D. S.

under contract dated *Nov. 5.* 1874.

Survey commenced *Febry 25* 1875.

Survey completed *March 3* 1875.

17A

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez

and L. D. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez
L. D. Burton

Sworn to and subscribed before me, this 11th
day of December, 1874

J. C. Mc Caffrey
Notary Public

WE, Barnabe Palmer and
W. H. Aubury

do solemnly swear that we will well and truly per-
form the duties of Axman and
Hagman respectively
according to instructions given us, and to the best
of our skill and ability.

Barnabe Palmer
W. H. Aubury

Sworn to and subscribed before me this

11th

day of December 1874

J. C. W. Caffery
Notary Public

10

Book No. 690

BOOK 690

4-674.

Township

7 S. R. 25 E. S. 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 & 11 & 12

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	24	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

98615m9-01

Township 7 S. Range 25 East.

Gila and Salt River Meridian

February 25, 1875.

Chs. I begin at the cor. to Secs. 35 & 36 on the S. boundary of the $\frac{1}{4}$ sp. as established by myself and run thence North between Secs. 35 & 36

Var. $13^{\circ} 52' E$.

As per East boundary

40.00 Set a post, marked $\frac{1}{4} S$, 4 ft long, flattened 3 in. wide, 1 ft in the ground, driven charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for the cor. to $\frac{1}{4}$ Sec. cor. from which a Mesquite 3 in. diam. brs $S 21^{\circ} E$ 135 lbs dist. No other trees near.

80.00 Set a granite stone $16 \times 10 \times 8$ in., $\frac{2}{3}$ in ground notched E. & S. and on N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for the cor. to Secs. 25, 26, 35 & 36 No trees near.

Unimproved land. Poor Soil. Considerable grass. No timber.

Township 7 S. Range 25 East
Gila and Salt River Meridian

To

- | | |
|-------|--|
| As. | East on a random line between Secs. 25 & 36
Var. $13^{\circ}57' E$ |
| 20.00 | Commence to ascend hill, extending 24° |
| 26.00 | Top of same |
| 40.00 | Set temporary $\frac{1}{4}$ Sec. cor. |
| 50.02 | Intersect the E. boundary 8 lks. S. of
cor. to Secs. 25 & 36, from which cor. is
S. 89.56 W. on a true line between Secs. 25 & 36
Var. $13^{\circ}52' E$ |
| 40.01 | Set a post, marked 25, 4 ft long, flattened
at 3 in. wide, 1 ft in ground, drive charred
stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long and 1 ft
wide as per instructions for $\frac{1}{4}$ Sec. cor.
No trees near. |
| 50.02 | The cor. to Secs. 25, 26, 35 & 36 |

Wasa land. Soil poor
No timber

Township 4 S. Range 25 E.
 10th and Salt River Meridian

North between Secs. 25 & 26

Var. $13^{\circ}52'E$.

0,00 Set a post, marked "45", 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive charred
 stake, and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for "4 Sec. cor.

No trees near.

0,00 Set a post, marked and notched, 4 ft long
 3 in. sqd., 1 ft in ground, drive charred
 stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long
 and 1 ft wide, as per instructions for
 the cor. to Secs. 23, 24, 25 & 26

No trees near.

Mesa land. Soil poor
 No timber

Township 7 S Range 25 E.

Gila and Salt River Meridian

Chs. East on a random line between Secs. 24 & 25
 Var. $13^{\circ}57' E$.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

79.94 Intersect the E. boundary 5 fms. S. of
 the cor. to Secs. 24 & 25, from which cor. in
 S 89.58 W. on a true line between Secs. 24 & 25
 Var. $13^{\circ}57' E$

39.97 Set a post, marked '25', 4 ft long, flat
 and 3 in. wide, 1 ft in the ground, drive a
 stake and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for $\frac{1}{4}$ Sec. cor.
 See true mar.

79.94 The cor. to Secs. 23, 24, 25, & 26

Uneven surface, Soil poor
 No timber, some brush

township of S. Range 25 E.
and Salt River Meridian

North between secs. 23 & 24

Var. $13^{\circ} 57' E$.

Set a post, marked "U.S. 4 ft long, flat top
and 3 in wide, 1 ft in ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, and
1 ft wide, as per instruction for "U.S. cor. from which
a Mesquite tree 3 in diam. brs $N 53^{\circ} 21' W 226$ fms. dist.

do 10 " " " $N 29^{\circ} 2' W 285$ " "

Set a post marked and notched, 4 ft
long, 3 in. sqd., 1 ft in ground, drive
charred stake, and build mound of
earth, 2 ft high, with pits 1 ft deep, 2 ft
long and 1 ft wide, as per instructions for
the cor. to secs. 13 14 23 & 24, from which

a Mesquite tree 7 in diam. brs $N 27^{\circ} 21' W 185$ fms. dist.

do 7 " " " $N 47^{\circ} 2' W 248$ " "

3 " " " $S 87^{\circ} 4' E 234$ " "

No other tree near.

Depending on the uneven surface, soil poss. the true
of any consequence.

Township of S. Range 215 E.
Gila and Salt River Meridian

Obs.	East on a random line between Secs. 13 & 24 Var. 13° 57' E.
40.00	Set a temporary $\frac{1}{4}$ Sec. cor.
79.98	Intersect the E. boundary @ the S. of the cor. to Secs. 13 & 24, from which cor. I run S 89.57° W. on a true line between Secs 13 & 24 Var. 13° 57' E.
39.99	Set a granite rock 12 x 8 x 6 in, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the W. build around of earth 2 ft high, with pits 1 ft deep, 2 ft long, and 1 ft wide, as per instructions for $\frac{1}{4}$ Sec. cor. No trees near.
79.98	$\frac{1}{4}$ Sec. cor. to Secs. 13, 14, 23 & 24

Unimproved mesaland. Poor soil
Scattering trees and brush.

Township of S. Range 25 E.
Gila and Salt River Meridian

As North between Secs. 13 & 14

Var. 13° 52' E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide 1 ft in the ground and build mound of stone 2 ft high as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep 2 ft long and 1 ft wide, as per instructions for the cor. to Secs. 11, 12, 13 & 14, from which a Lisote tree 5 in. diam, brs N 65 E. 31 ksdist.

do 6 " " " N 40 W 25 " "

do 5 " " " S 54 W 130 " "

do 4 " " " S 57 $\frac{1}{2}$ E 135 " "

Mesa land descending to the N.
No timber of any consequence.

Township 7 S Range 25 E,
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 12 & 13
 Var. $13^{\circ}52' E$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 80.10 Intersect the E. boundary 8 lks. S. of the
 cor. to Secs. 12 & 13, from which cor. I run
 $S 89^{\circ}57' W$, on a true line between Secs. 12 & 13
 Var. $13^{\circ}53' E$
- 40.05 Set a post, marked "S. 1 ft long, flattened
 3 in wide, 1 ft in the ground, drive
 charred stakes and build mound of
 earth 2 ft high, with pits 1 ft deep 2 ft
 long and 1 ft wide, as per instructions
 for $\frac{1}{4}$ Sec. cor. No trees near.
- 80.10 The cor. to Secs. 11, 12, 13 & 14

Flat surface. Good soil
 Grass. Some brush. No timber
 of any consequence.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 11 & 12

Var. $13^{\circ} 57' E$

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ long, flattened
3 in wide, 1 ft in the ground, drive
charred stake, and build mound of
earth, 2 ft high with pits 1 ft deep
 $\frac{1}{2}$ ft long and 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ Sec. cor. from which
a Sisote tree 3 in diam. has S $64^{\circ} 21' 152$ Wks. dist.

a Mesquite " " " S $87^{\circ} E$ 99 " "

80.00 Set a post, marked and notched, $\frac{1}{4}$ ft long
3 in. dia, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, $\frac{1}{2}$ ft long and 1 ft wide as
per instructions for the cor. to Secs. 12, 11 & 12 from which

a Mesquite tree 9 in diam. has N $28^{\circ} 2' E$ 28 Wks. dist.

do " 8 " " " S $81^{\circ} 4' E$ 12 " "

" " 12 " " " " S $31^{\circ} W$ 46 " "

" " 5 " " " " S $85^{\circ} 11' W$ 79 " "

Flat, good soil. Mesquite timber & brush

Township 7 S. Range 25 E.
 Gila and Salt River Meridian

- Obs. East on a random line between Secs. 18 & 12
 Var. $13^{\circ}57' E.$
- 40.00 Suba temporary $\frac{1}{4}$ Sec. cor.
- 80.04 Intersect the E. boundary of the
 Township 18 Mks. N. of the cor. to Secs. 18 & 12
 from which cor. I run
 N. $89^{\circ}52'20''$ on a true line between Secs. 18 & 12.
 Var. $13^{\circ}57' E.$
- 40.02 Suba post, marked $\frac{1}{4}$ S. 4 of Range, flattened
 and 3 in. wide, 1 ft in the ground. Drive
 charred stake, and build mound of earth
 2 ft high, with 1 ft deep 2 ft long and 1 ft
 wide, as per instructions for $\frac{1}{4}$ Sec. cor. from which
 A Mesquite tree 8 in. diam. by $N 86^{\circ} E$ 24 Mks. dist.
 do 7 " " " $S 57^{\circ} E$ 68 " "
- 80.04 The cor. to Secs. 12, 11 & 12

Surface. Good soil
 Mesquite timber and brush

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- 0.00 North on a random line between Secs. 1 & 2
Par. $13^{\circ}52' E$.
- 34.00 Road down the valley, bearing $41^{\circ} W$.
- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
- 61.00 Old road bearing $41^{\circ} W 1^{\circ} S E$
- 64 Acquia running $41^{\circ} W$
- 79.63 Intersect the N. boundary of the township 5 lbs
W. of the cor. to 1 & 2, 35 & 36, from which cor. run
 $S. 0^{\circ} 2' W$, on a true line between Secs. 1 & 2
Par. $13^{\circ}52' E$
- 79.63 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stakes and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft deep
as per instructions for $\frac{1}{4}$ Sec. cor. from which
A Mesquite tree 6 in diam. brs $47^{\circ} 6' W$ 53 lbs. dist.
do 3 " " " $S 80^{\circ} 4' E$ 22 " "
- 79.63 The cor. to Secs. 12, 11 & 12
Nearly level. Good soil. Thick mesquite
timber & brush. February 25, 1875

Township of S Range 25 E.
Gila and Salt River Meridian

Nos.	North between Secs. 34 & 35 Cor 13° 57' E.
21.00	Dry bed of stream 40 fms wide running NE.
140.00	Set a post, marked 1/2", 4 ft long, flattened 3 in, wide 1/2 ft in the ground, drive charred stake, and build mound of earth 2 ft high with pits 1/2 ft deep, 2 ft long and 1 ft wide as per instructions for 1/4 sec. cor. of, from which A Mesquite 5 in diam, brs N 84 E 4 fms. dist. " 10 " " " S 9 W 24 " "
80.00	Set a post, marked and notched 4 ft long 3 in, sq'd. 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high with pits 1/2 ft deep, 2 ft long and 1 ft wide, as per instructions for the cor. to secs. 26, 27, 34 & 35 from which A Mesquite 6 in diam, brs. N 22 1/2 E 45 fms dist. do 9 " " " N 30 E 125 " " " 6 " " " N 86 1/4 E 7.20 " " " 12 " " " S 37 E 143 " "
	Green, some hills. Stony & poor very brushy some trees

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- 79.95. East on a random line between Secs. 26 & 35
Var. $13^{\circ}57' E$.
- 79.96 Set a temporary $\frac{1}{4}$ Sec. cor.
Intersect the N & S. line, 6 lks. $\frac{1}{4}$ of the
cor. to Secs. 26, 25, 36 & 35, from which I run
N. 89° 57' W. on a true line between Secs 26 & 35
Var. $13^{\circ}57' E$.
- 79.98 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened
3 in. wide, 1 ft in the ground. Drive a ground
stake, and build mound of earth 2 ft high, with
pits 1 ft deep 2 ft long and 1 ft wide, as per
instructions for $\frac{1}{4}$ Sec. cor.
No trees near.
- 79.96 The cor. to Sec. 26, 24, 34 & 35

Wasa land. Soil poor. No timber

Township of S. Range 25 E.
Gila and Salt River Meridian

Sec. North between Secs. 26 & 27
Par. 13° 57' E

- 10.00 Bend hill
- 22.00 Top of same & commence to descend
- 23.00 Bottom of hill on W. side
- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ P. long.
 3 in. wide, 1 ft in the ground
 drive charred stakes and build mound
 of earth 2 ft high, with pits 1 ft deep
 2 ft long and $\frac{1}{2}$ ft wide, as per instructions
 for $\frac{1}{4}$ Sec. cor. from which
 A Mesquite tree 4 in. diam. has 85° E 245 lbs. dist.
 do 3 " " " 540° N 245 " "
- 80.00 Set a post, marked and notched $\frac{1}{4}$ P. long, 3 in.
 high, 1 ft. in the ground, drive charred stakes and
 build mound of earth 2 ft high with pits 1 ft deep
 2 ft long and $\frac{1}{2}$ ft wide as per instructions for the
 cor. to Secs. 22, 23, 26 & 27 from which
 A Mesquite tree 4 in. diam. has 78° E 181 lbs. dist.
 do 6 " " " 71° N 110 " "
 do 6 " " " 531° E 124 " "
 do 7 " " " 724° N 156 " "
- Unusual, somewhat hilly land. Mostly poor
 soil. Scattering mesquite trees & brush.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

40.00 East on a random line between Secs. 23 & 26
Var. $13^{\circ}57' E.$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

40.05 Intersect the N. & S. line 4 kts. N. of the
cor. to Secs. 23, 24, 25 & 26 from which I run
N 89 58 W. on a true line between Secs. 23 & 26
Var. $13^{\circ}57' E.$

40.02 Set a post, marked 45, 4 ft long, flattened
at 3 in. wide, 1 ft in the ground, driven, charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft wide
as per instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

40.05 The cor. to Secs. 22, 23, 26 & 27

Uneven surface. Poor soil
No timber, some brush

Township 7 S Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 22 & 23
Var. $13^{\circ} 57' E.$

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide 1 ft in the ground and
drive charred stake, and build mound
of earth 2 ft high, with width feet ft
deep, 2 ft long and 1 ft wide, as per in-
structions for $\frac{1}{4}$ Sec. cor. from which
a Mesquite 4 in diam. has $N 77^{\circ} E$ 100 yds. dist. of Mesquite 3 in diam. has $S 30^{\circ} W$ 200 yds. dist.
- 80.00 Set a post, marked and notched, 4 ft long
3 in. sq. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with feet ft deep, 2 ft long and
1 ft wide, as per instructions for the
Cor. to Secs. 14, 15, 22 & 23, from which
a Mesquite 4 in diam. has $N 74^{\circ} E$ 101 yds. dist.
a Cottonwood 5 " " " $S 77^{\circ} W$ 280 " "
No other trees near.
Soil. Good soil. Considerable mesquite
timber and brush.

Township 7 S. Range 25 E.
 Gib and Salt River Meridian

Rs. East on a random line between Secs. 14 & 23
 Var. $13^{\circ}57' E.$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

50.03 Intersect the N. & S. line 5 Mts. S. of the
 cor. to Secs. 13, 14, 22 & 23, from which cor. In run
 $S 87^{\circ}38' W.$ on a true line between Secs. 14 & 23
 Var. $13^{\circ}57' E.$

40.01 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide, as
 per instructions, for $\frac{1}{4}$ Sec. cor. from which
 @ Mesquite tree 12 in. diam. b's $S 50^{\circ}2' E$ 85 Mts. dist.
 do 4 " " " $S 23^{\circ} E$ 112 " "

50.03 The cor. to Secs. 14, 15, 22 & 23.

Wet in bottom, soil rich Some
 Cottonwood timber

² Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 14 & 15

Var. 130° 57' E

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened 3 in. wide, 8 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for $\frac{1}{4}$ Sec. cor. from which
A Mesquite 4 in. diam. brs S 74° E 50 lbs. dest

do of " " " S 21 1/2° W 105 " "

80.00 Set a post, marked and notched, 4 ft long 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long and 1 ft wide as per instructions for the cor. to Secs. 10, 11, 14 & 15 from which
A Mesquite 4 in diam. brs N 31° W 49 lbs. dest

do 3 " " " S 48 3/4° W 100 " "

do 2 1/2 in. diam. brs N 35° W 97 lbs. dest. No other tree near
First half rich bottom land. Then sandy. Mesquite timber & brush

Township of S. Range 25 E.
 6th and Salt River Meridian

East on a random line between Secs 11 & 14
 Par. $13^{\circ}57' E.$

0.00 Set a temporary $\frac{1}{4}$ Sec. cor.
 195 Intersect the N & S line 1200 yds N. of the
 cor. to Secs. 11, 12, 13 & 14, from which cor. I run
 N $89^{\circ}55' W.$ on a true line between Secs 11 & 14
 Par. $13^{\circ}57' E.$

1974 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high
 with feet 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for $\frac{1}{4}$ Sec. cor. from which
 a Mesquite tree stands in. 60 yds S. of it.
 do 4 " " " 59 E 73 " "

1995 The cor. to Secs. 10, 11, 14 & 15.

Somewhat uneven surface. Brushy
 Some good soil on E. end.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. North between Secs. 10 & 11
Var. $13^{\circ}57' E.$
- 39.00 Leave the mesa and enter the valley
of the Gila, running NW
- 40.00 Set a post, marked $N.S.$ $4\frac{1}{2}$ ft long, flattened
3 in. wide, $1\frac{1}{2}$ ft in the ground, drive charred stake
and build mound of earth, 2 ft high, with
pits $1\frac{1}{2}$ ft deep, 2 ft long and $1\frac{1}{2}$ ft wide as per
instructions for $\frac{1}{4}$ Sec. cor. No trees near
- 80.00 Set a post, marked & notched, $4\frac{1}{2}$ ft long, 3 in. sq'd
 $1\frac{1}{2}$ ft in the ground, drive charred stake, and
build mound of earth 2 ft high, with pits
 $1\frac{1}{2}$ ft deep, 2 ft long and $1\frac{1}{2}$ ft wide as per instruc-
tions for the cor. to Secs. 2, 3, 10 & 11, from which
A Mesquite $\frac{1}{4}$ Indian. brs $N10^{\circ}3\frac{1}{4}'W$ 200 kcs. dist.
do 3 " " " $N18^{\circ}6\frac{1}{4}'E$ 18 " "
do 4 " " " $S3^{\circ}4'E$ 209 " "
do 6 " " " $N66^{\circ}E$ 113 " "
- Descend a little N. Good soil on N. end
Some Mesquite & brush on last end.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- 40.00 East on a random line between Secs 2 & 11
 Far. 13° 52' E.
- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
- 80.05 Intersect the N. & S. line 15 Mts. S. of the cor.
 to Secs. 1, 2, 10 & 12, from which cor. I run
 S. 89° 54' W. on a true line between Secs 2 & 11
 Far. 13° 52' E.
- 40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, driven charred
 stake, and build mound of earth 2 ft high,
 with feet 1 ft deep, 2 ft long and 1 ft wide as
 per instructions for $\frac{1}{4}$ Sec. cor. from which
 A Mesquite 8 in. diam. brs N 53° E 150 Mts. dist.
 do 7" " " S 47 $\frac{3}{4}$ W 148" "
- 80.05 The cor. to Secs. 2, 3, 10 & 11

Level, good soil, Some mesquite
 timber and brush.

Township of S. Range 25 E.

Gila and Salt River Meridian

Chs. North on a random line between Secs 2 & 3
 Bear. $13^{\circ} 37' E$

140.00 Set temporary $\frac{1}{4}$ Sec. cor.
 63.00 Round down the raffle by angling NW
 77.77 Intersect the $\frac{1}{4}$ boundary of the township
 10 $\frac{1}{2}$ Sec E. of the cor. to Secs 2 & 3, 34 & 35, from which S
 S $0^{\circ} 4' E$ on a true line between Secs 2 & 3
 Bear. $13^{\circ} 37' E$

39.77 Set a post, marked "45", 4 ft long, flattened
 3 in. wide, 1 ft in the ground drive charred
 stake and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide as
 per instructions for $\frac{1}{4}$ Sec. cor. from which
 W 1/2 to 3 in. diam. has $N 134^{\circ} 4' W$ 3 $\frac{1}{4}$ Sec dist.
 do 6" " " S $32^{\circ} 28' 4''$ "

77.77 The cor. to Secs. 2, 3, 10 & 11

Descending a little W. thick mesquite
 and brush on W. end. Good soil.

February 26, 1875

Township of S. Range 25 E.
Gila and Salt River Meridian

- Chs. North between Secs. 33 & 34
Var. $13^{\circ} 57' E.$
- 17.00 Dry bed of stream 50 fks. wide, running $78^{\circ} E.$
- 40.00 Set a post, marked $\frac{1}{2}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, driven charred
stake, and build mound of stone 2 ft
high as per instructions for $\frac{1}{2}$ Sec. corner which
A Mesquite 3 in. diam. brs $S 22^{\circ} E$ 2.7 fks. dist.
- do 4. " " $S 70^{\circ} 11' 12.3''$ " "
- 44.00 Commence to ascend hill
- 52.00 Top of same
- 77.00 Leave hill
- 80.00 Set a post, marked and notched, 4 ft long,
3 in. sq'd. 1 ft in the ground, and build mound
of stone 2 ft high as per instructions for the
corner Secs. 27, 28, 33 & 34, from which
A Mesquite 4 in. diam. brs $N 80^{\circ} \frac{1}{2} E$ 14 fks. dist.
- do 5 " " " $N 13^{\circ} \frac{1}{2} W$ 84 " "
- do 10 " " " $S 59^{\circ} \frac{1}{2} W$ 128 " "
- do 4 " " " $N 54^{\circ} \frac{1}{2} W$ 62 " "
- Rough and stony. Cross high flat top hill
Brushy, some grass.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Obs. East on a random line between Secs. 27 & 28
Var. $13^{\circ}57' E.$
- 41.00 Set a temporary $\frac{1}{4}$ Sec. cor.
79.90 Intersect the N. & S. line 57 fms. S. of
the cor. to Secs. 26 & 27, 34 & 35, from which I run
S. $89^{\circ}36' W.$ on a true line between Secs. 27 & 34
Var. $13^{\circ}57' E.$
- 39.95 Set a post, marked "S", 4 ft long, flattened
3 in. wide, 1 ft in the ground, and
build mound of stone 2 ft high, as
per instructions for $\frac{1}{4}$ Sec. cor.
No trees near.
- 79.90 The cor. to Secs. 27 & 28, 33 & 34

Unimproved Surface. Soil mostly
poor. Some grass and much
brush.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 27 & 28
Var. 13° 57' E.

40.00 Set a granite stone 16x9x6 in. $\frac{1}{3}$ in the
ground, marked "4", and on the north, build
a mound of stone 2 ft high, as per instruc-
tions for 4th Sec. cor. from which
A Mesquite 5 in. diam. bis S30W 55 lbs. dot.
do " " " " S54W 24 " "

80.00 Set a granite stone 18x14x5 in. $\frac{1}{4}$ in the
ground, notched on the E. & S. edges and on
the W. build a mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft wide
as per instructions for cor. to sec 21, 22, 27 & 28.
No trees near.

Unimproved surface. Poor Soil
Brushy No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 22 & 27
 Var. $13^{\circ} 57' E.$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 70.00 Dried bed of Stream 50 fms wide, running N.
- 79.91 Intersect the N. & S. line 43 fms. S. of
 the cor. to Secs. 22, 23, 26 & 27, from which I run
 S 89 $42' W.$ on a true line between Secs. 22 & 27.
 Var. $13^{\circ} 57' E.$
- 39.96 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground. Drive
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep 2 ft long
 and 1 ft wide, as per instructions for
 $\frac{1}{4}$ Sec. cor. from which
 A Mosquit 4 in. diam. brs S 2 $3\frac{1}{2}' E$ 26 fms. dist.
 do 10 " " " S 80 $11' 88''$ "
- 79.91 The cor. to Secs. 21, 22, 27 & 28

Surface uneven. Soil poor
 Scattered trees and brush.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs 21 & 22

Var. $13^{\circ} 57' E$

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
sid 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for $\frac{1}{4}$ sec.
cor. from which

A Mesquite tree 6 in. diam. brs South 9 lks. dist.

do " " " S 45 E 9 " "

80.00 Set a post, marked and notched, 4 ft long
3 in. sqd, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long and
1 ft wide as per instructions for
the cor. to Secs. 15, 16, 21 & 22

Unworn mesa land. No timber
of any consequence.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 15 & 22.
Var. $13^{\circ}57'E$.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 74.95 Intersect the N. & S. line 12 kcs. S of the
cor. to Secs. 14, 15, 22 & 23 from which cor. Run
S 89°35' W. a true line between Secs. 15 & 22
Var. $13^{\circ}57'E$.
- 39.98 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive
sharred stake and build mound of
earth 2 ft high, with pits 1 ft deep
2 ft long and 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ Sec. cor.
No trees near
- 79.95 The cor. to Secs 15, 16, 21 & 22.
East half is in a rich bottom
covered with sunflower
Some cottonwood timber.

Township of S. Range 25 E.
Gila and Salt River Meridian

Ch. North between Secs. 15 & 16

Var. $13^{\circ}53'E$

40.00 Set a granite stone $1\frac{1}{2} \times 8 \times 6$ in, $\frac{3}{4}$ in
the ground, marked $\frac{1}{4}$ and on the
W. build a mound of stones 2 ft high, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long
3 in. sqd. 1 ft in the ground, and build a
mound of stones 2 ft high, as per instruc-
tions for the cor. to Secs. 9, 10, 15 & 16 from
which

A Mesquite 5 in. diam. bears $71^{\circ}49'2''E$ $19\frac{1}{2}$ ft. dist.
No other trees near

Surface uneven. Soil poor & stony.
No timber.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- | | |
|--------|---|
| Chs. | East on a random line between 10 & 15
Var. $13^{\circ}57' E$. |
| 44.00 | Set a temporary $\frac{1}{4}$ Sec. cor. |
| 80.14 | Intersect the N. & S. line Cks. 41. & the
cor. to Secs. 10, 11, 14 & 15, from which cor. from
N. 8957 W. on a true line between Secs. 10 & 15
Var. $13^{\circ}57' E$. |
| 140.12 | Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, and
1 ft wide, as per instructions for $\frac{1}{4}$ Sec. cor.
from which
A Mesquite 5 in. diam. bears S 32 1/2 W 41 kts. dist.
do 4 " " " S 40 1/2 E 12 1/2 " " |
| 80.04 | The cor. to Secs. 9, 10, 15 & 16

Unweave stony mesa
No timber |

Township  Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 9 & 10
Var. $130^{\circ} 57' E.$

40.00 Set a post, marked $\frac{1}{2}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive
charred stake, and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long and 1 ft wide, as per instructions
for 4 Sec. cor. from which
A $\frac{1}{2}$ Syc. 4 in. diam. hrs $\frac{1}{2}$ 62 1/2 N 213 lbs. dist.
A $\frac{1}{2}$ Mesquite 3 " " " $\frac{1}{2}$ 78 N 98 " "

80.00 Set a post, marked and notched 4 ft
long, 3 in. sqd. 1 ft in the ground, drive
charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for the
cor. to Secs. 3, 4, 9 & 10, from which
A $\frac{1}{2}$ Mesquite tree 4 in. diam. hrs $\frac{1}{2}$ 71 E 97 lbs. dist.
do 4 " " " $\frac{1}{2}$ 34 1/2 E 95 " "
do 3 " " " $\frac{1}{2}$ 5 E 123 " "
do 5 " " " $\frac{1}{2}$ 38 1/2 N 68 " "

Unwin mesa. Soil poor. Break a few trees

Township ~~7~~ Range 25 E.

Gila and Salt River Meridian

Ch. ✓ East on a random line between Secs. 3 & 10
 Var. 13° 57' E.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

79.90 Intersect the W. & S. line 8ths. S. of the cor.
 to Secs. 2, 3, 10 & 11, from which cor. I run
 S. 89° 57' W. on a true line between Secs. 3 & 10
 Var. 13° 57' E.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 at 3 in. wide, 1 ft. in the ground, drive
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide, as per instructions, for $\frac{1}{4}$ Sec.
 cor. from which

A Mesquite 3 in diam. bns N 61° E 38 ths dist.
 do 4" " " N 74° 21' W 74" "

79.90 The cor. to Secs 3, 4, 9 & 10

Uneven surface, Soil 2nd rate
 Scattered trees.

Township 7 S. Range 25 E.
Old and Salt River Meridian

Chs. North on a random line between Secs. 3 & 4
Var. $13^{\circ} 57' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.94 Intersect the N. boundary of the 1/4
1/4 Sec. E. of the cor. to Secs. 3 & 4, 33 & 34
from which cor. down

$S 0^{\circ} 4' E$. on a true line between Secs. 3 & 4
Var. $13^{\circ} 57' E$.

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
at 3 in. wide, 1 ft in the ground, drive
charred stakes, and build mound of
earth 2 ft high, with pits 1 ft deep
2 ft long and 1 ft wide, as per in-
structions for $\frac{1}{4}$ Sec. cor. from which
a Mesquite tree 5 in. diam. bears $N 24^{\circ} E 405$ lbs. dist.
No other tree near.

Descending a little N. of the last half
Good soil. Grass. Scattering trees
February 27, 1875

343

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. North between Secs 32 & 33.
Var. 13° 55' E.
- 40.00 Seta granite stone 15x8x $\frac{1}{2}$ in. $\frac{2}{3}$ in the ground, marked "4", and on the W. build a mound of stone 2 ft high as per instructions for the "4" Sec. cor.
No trees near.
- 80.00 Seta granite stone 14x8x $\frac{1}{2}$ in. $\frac{2}{3}$ in the ground, notch on the E. & sand on the W. build a mound of stones 2 ft high, as per instructions for the cor. to Secs. 28, 29, 32 & 33.
No trees near.

Uniform surface Soil poor & rocky
Grass. No timber

Township of S. Range 25 E.
 Gila and Salt River Meridian

- Chs. East on a random line between Secs 28 & 33
 Var. $13^{\circ} 52' E.$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 46.00 Descend from mound
- 53.00 Dry bed of stream 40 lbs wide, running $71^{\circ} E.$
- 80.31 Intersect the N. & S. 8 Sec. W. of the cor
 27, 28, 33 & 34, from which cor. I run
 N. $89^{\circ} 57' W.$ on a true line between Secs 28 & 33
 Var. $13^{\circ} 52' E.$
- 40.15 Set a granite stone $13 \times 7 \times 6$ in. $\frac{2}{3}$ in the
 ground, marked $\frac{1}{4}$, and on the W. build
 a mound of stone 2 ft high as per
 instructions for $\frac{1}{4}$ Sec. cor.
- No fees near.
- 80.31 The cor. to Secs. 27, 28, 33 & 34.

Uneven surface; rock. Some grass
 No trees.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 28 & 29

Var. 13° 57' E.

40.00 Set a granite stone 15 x 13 x 7 in. $\frac{2}{3}$ in the ground, marked "4", and on the N. build a mound of stones 2 ft high as per instructions for "4 Sec. cor. No trees near.

77.00 Dry bed of stream 20 fms wide running $\frac{3}{4}$ E

80.00 Set a post, marked and notched, 4 ft long 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high as per instructions for the cor. to Secs. 20, 21, 28 & 29 from outside.

A Mesquite 5 in. diam. brs S 21 W. 55 fms. dist.

do 4 " " " S 54 $\frac{1}{2}$ W 84 " "

do 7 " " " S 69 E 56 " "

do 3 " " " S 11 W 3 $\frac{1}{2}$ 39

Surface uneven. Soil poor
Scattering trees.

Township 7 S. Range 25 E.
6th and Salt River Meridian

Chs. East on a random line between Secs. 21 & 28
Var. $13^{\circ}32' E.$

3.00 Dry bed of stream, 30 fms. wide running N.

10.00 Ascend bank running N.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

79.92 Intersect the N. & S. line 15 fms. S. of the
cor. to Secs. 21, 22, 27 & 28, from which
S. 89 54 W. on a true line between Secs. 21 & 28
Var. $13^{\circ}52' E.$

39.96 Set a granite stone $12 \times 11 \times 7$ in. $\frac{2}{3}$ in the
ground, marked $\frac{1}{4}$ S. and on the W.
build a mound of stones 2 ft high, as
per instructions for $\frac{1}{4}$ Sec. cor.

No trees near

79.92 The cor. to Secs. 20, 21, 28 & 29

Surface rough and broken, Poor and
Stony. No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Obs. North between Secs. 20 & 21

Var. $13^{\circ}57' E.$

140.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, and build a mound
of stones 2 ft high, as per instructions for
the $\frac{1}{4}$ Sec. cor. from which

A Mesquite 3 in. diam. brs $N 75^{\circ} \frac{1}{2} E 108$ kts. dist.

do 4 " " " $N 22^{\circ} E 153$ " "

80.00 Set a granite stone $16 \times 12 \times 10$ in. $\frac{2}{3}$ in the
ground, notched on the E. & S. edges, and
on the W. build a mound of stones 2 ft
high, as per instructions for the cor
to Secs. 16, 17, 20 & 21, from which

A Mesquite 7 in. diam. brs $N 78^{\circ} \frac{1}{2} E 241$ kts. dist.

do. 5 " " " $N 31^{\circ} \frac{1}{4} E 179$ " "

No other trees near.

Unseen, Stony.

Brush, no timber of any consequence.

Township 7. Range 25 E
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 16 & 21
Var. 13° 57' E.
- 3.00 Dry bed of stream 40 lbs. wide, running N.E.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 79.92 Intersect the N. & S. line 6 lbs. N. of
the cor. to Secs. 15, 16, 21 & 22, from which cor. from
N. 89° 57' W. on a true line between Secs. 16 & 21
Var. 13° 57' E.
- 39.96 Set a post, marked "S", 4 ft long, flattened
3 in. wide, 1 ft in the ground drive
charred stakes, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long and
1 ft wide, as per instructions for $\frac{1}{4}$ Sec. cor. from which
A Mesquite tree 5 in. diam. has S 71° 144 lbs. dist.
do 3 " " " S 83 E 123 " "
- 79.92 The cor. to Secs. 16, 17, 20 & 21

Uncult. mesa land, Poor & stony
Some brush. No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 16 & 17
Cor. 13° 53' E.

140.00 Set a granite stone $13 \times 8 \times 4$ in. $\frac{2}{3}$ in the ground, marked "4", and on the N. build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, and 1 ft wide as per instructions for "4" sec. cor.
No trees near.

80.00 Set a quartz rock $12 \times 7 \times 7$ in. $\frac{2}{3}$ in the ground, notched on the E. & S. edges, and on the N. build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, and 1 ft wide, as per instructions for the cor. to Secs. 8, 9, 16 & 17.
No trees near.

Unwever mesa land. Soil poor. No timber.

41

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Obs. Eastward random line between Secs. 9 & 16
 Par. $13^{\circ}52' E$.
- 39.90 Set a temporary $\frac{1}{4}$ Sec. cor.
- 39.96 Intersect the N. & S. line 10 hrs. S. of the
 cor. to Secs. 9, 10, 15 & 16, from which I run
 S. 89°56' W. on a true line between Secs. 9 & 16
 Par. $13^{\circ}52' E$.
- 39.98 Set a granite rock $12 \times 7 \times 4$ in. $\frac{2}{3}$ in
 the ground, marked $\frac{1}{4}$, and on the
 W. build a mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, and 1 ft
 wide, as per instructions for $\frac{1}{4}$ Sec. cor.
 No trees near.
- 39.96 The cor. to Secs. 8, 9, 16 & 17.

Surface broken. Soil poor & stony
 No timber.

Township 7 S. Range 23 E.
Gila and Salt River Meridian

- Chs. North between Sics. 8 & 9
Var. 13° 57' E.
- 40.00 Set a post, marked "45, 4 ft long
flattened 3 in. wide, 1 ft in the ground, drive
charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for 2^d Sec. cor. from which
a Mesquite 9 in. diam. bears S 37 1/2° E. 160 fms. dist.
do 3 " " " N 13 E 70 " "
- 74.00 Dry bed of stream 40 fms. wide running N.E.
- 80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. 1 ft in the ground, drive charred
stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft. long
and 1 ft wide, as per instructions for
the cor. to Sics. 4, 5, 8 & 9.
- No trees near.
Surface uneven. Soil 2 rate
Brush and scattering trees.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 4 & 9
Var. $13^{\circ}53' E.$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 80.05 Intersect the N. & S. line 8 lks. W. of
the cor. to Secs. 3, 4 & 9 from which I run
N. $89^{\circ}57' 41''$ on a true line between Secs. 4 & 9
Var. $13^{\circ}57' E.$
- 40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
id 3 in. wide, 1 ft in the ground, drive
charred stakes, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for
 $\frac{1}{4}$ Sec. cor. from which
a mesquite tree 4 in. diam. has. N. $19^{\circ}21' 28''$ dist.
do " " " S. $72^{\circ}11' 24''$ "
- 80.05 Run cor. to Secs. 4, 5, 8 & 9.

Unimproved. Soil poor
Scattering trees.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. North and random line between Secs. 4 & 5
Var. $13^{\circ}53' E.$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 44.00 Road from Ash Creek to Pueblo Viejo
bearing N $8^{\circ} E$ & SW
- 79.92 Intersect the N. boundary of the town-
ship 8 hrs. E. of the cor. to Secs. 4 & 5, 32 & 33
from which cor. I run
S. $0^{\circ}3' E.$ on a true line between Secs. 4 & 5
Var. $13^{\circ}57' E.$
- 39.92 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
id 3 in. wide, drive charred stake, and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, and 1 ft wide
as per instructions for $\frac{1}{4}$ Sec. cor. from which
A Mesquite Indian, hrs S $49^{\circ} W$, 135 hrs. dist
do 3 " " " S $78^{\circ} W$ 94 " "
- 79.92 The cor. to Secs. 4, 5, 8 & 9.
Somewhat uneven. Soil poor. Scattering
trees. March 1, 1875

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. North between Secs. 31 & 32
Cor. $13^{\circ} 57' E.$
- 40.00 Set a granite stone $15 \times 8 \times 8$ in. $\frac{1}{2}$ in the ground marked "H", and on the N. build a mound of stones 2 ft high with pits $\frac{1}{2}$ ft deep, 2 ft long and 1 ft wide, as per instructions for "H" Sec. corr
No trees near
- 80.00 Set a post, marked and notched, 4 ft long 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits $\frac{1}{2}$ ft deep 2 ft long and 1 ft wide as per instructions for the corr to Secs. 29, 30, 31 & 32, from which
A Mesquite 8 in diam. bro. S 25 W 129 ft dist.
do 3 " " " S 74 E 107 " " No other trees
Rough and rocky. Descend from very steep hill on S. end. Soil 3rd rate
No lumber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. East on a random line between Secs. 29 & 32
Var. $13^{\circ}57'E$.

34.00 Dry bed of stream 60 yds. wide running NW

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

79.98 Intersect the N. & S. line of $\frac{1}{4}$ Sec. S. of the
cor. to Secs. 28, 29, 32 & 33, from which cor. I run
S. 89 $^{\circ}57'10''$ on a true line between Secs. 29 & 32
Var. $13^{\circ}57'E$.

39.99 Set a granite stone $15 \times 9 \times \frac{1}{2}$ in. $\frac{2}{3}$ in the
ground, marked $\frac{1}{4}$, and on the W. build
mound of stone 2 ft high as per in-
structions for $\frac{1}{4}$ Sec. cor.

No trees near.

79.98 $\frac{1}{4}$ Sec. cor. to Secs. 29, 30, 31 & 32 -

~~Set~~
Uneven surface. Soil poor & rocky
No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. Wisconsin random line between Secs 30 & 31
Bearing $13^{\circ}57' E.$
- 5.00 Dry bed of stream 50 yds. wide running N.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 78.21 Intersect the W. boundary of the tp.
9 yds. S. of the cor. to Secs. 30 & 31, 25 & 36
from which cor. I run
 $S. 89^{\circ}56' E.$ on a true line between Secs 30 & 31
Bearing $13^{\circ}57' E.$
- 38.21 Set a granite stone $16 \times 9 \times 6$ in. $\frac{1}{3}$ in the
ground, marked $\frac{1}{4}$, and on the E. build
a mound of stones 2 ft high as per in-
structions for $\frac{1}{4}$ Sec. cor.
No trees near.
- 48.21 This cor. to Secs. 29, 30, 31 & 32

Uneven surface, rocky. Some
grass No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Sec. North between Secs. 29 & 30

Cor. 13° 57' E.

40.00 Set a granite stone 15 x 10 x 7 in. $\frac{2}{3}$ in. in the ground, marked "4", and on the N. build a mound of stones 2 ft high as per instructions for "4" Sec. cor.

No trees near.

70.00 Dry bed of stream 30 kts. wide running N.E.

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd. 1 ft in the ground, and build mound of stones 2 ft high as per instructions for the cor. to Secs. 19, 20, 29 & 30. No trees.

Surface uneven, sloping N. Soil poor and stony. No timber.

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 20 & 29
Par. 13° 52' E.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 43.00 Dry bed of stream 30 fms. wide running N.E.
- 80.10 Intersect the N. & S. line 6 fms. N. of the cor
to Secs. 20, 21, 28 & 29 from which cor. I run
N. 89° 57' W. on a true line between Secs. 20 & 29
Par. 13° 52' E.
- 40.05 Set a post marked $\frac{1}{4}$ S. 4 ft long,
flat and 3 in. wide, 1 ft in the ground,
and build mound of stone 2 ft high
as per instructions for $\frac{1}{4}$ Sec. cor. from which
a Mesquite 4 in. diam. to S 65° E. 24 fms. dist.
No other true mar.
- 80.10 The cor. to Secs. 19, 20, 29 & 30

Unimproved, stony, poor. No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. West on a random line between Secs. 19 & 30
 Var. $13^{\circ}52'E$.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 78.09 Intersect the W. boundary of the
 township 8 fms. S. of the cor. to Secs. 19 & 30
 24 & 25, from which cor. I run
 S. $89^{\circ}57'E$ on a true line between 19 & 30
 Var. $13^{\circ}52'E$.
- 38.09 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide, as per instructions for $\frac{1}{4}$ Sec.
 cor. from which
 A Mesquite 4 in diam, brs. S $68^{\circ}4'W$ 2 1/2 fms. dist.
 do 5 " " " S $43^{\circ}3'E$ 30 " "
- 78.09 The cor. to Secs 19, 20, 29 & 30.
- Unrun rocky. Some grass. No timber

Township 4 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 19 & 20

Var. 13° 52' E.

40.00 Set a post, marked 45, 4 ft long
flattened 3 in. wide, 1 ft in the ground, ~~driven~~
~~chained stake~~, and build mound stones
2 ft high as per instructions for 4th Sec. cor.
from which

A Mesquite tree in view, bns S 28 W 61/4 Sec. dist.

do. 3 " " " N 31 W 95 " "

80.00 Set a post, marked and notched, 4 ft long
3 in. sqd. 1 ft in ground, and build mound
of stones 2 ft high, as per instructions for
the cor. to Secs. 17, 18, 19 & 20

No trees near

Unseen, Stony Pools. No timber

Township 7 S. Range 25 E.
 7th and Salt River Meridian

- Chs. East on a random line between Secs. 17 & 20
 Var. $13^{\circ}52'E$.
- 39.00 Commence ascent of hill, extending N.E.
- 40.00 Subtemporary $\frac{1}{4}$ Sec. cor.
- 43.00 Top of hill.
- 80.03 Intersect the N. & S. line 10 lbs. S. of the
 cor. to Secs. 16, 17, 20 & 21, from which I ran
 S. 89 56 W. on a true line between Secs. 17 & 20
 Var. $13^{\circ}52'E$.
- 40.01 Set a granite stone 20x15x10 in. $\frac{3}{4}$ in the
 ground, marked '4, and by the W. build
 a mound of stones 2 ft high as per in-
 structions for $\frac{1}{4}$ Sec. cor.
 No trees near.
- 80.03 The cor. to Secs. 17, 18, 19 & 20

Uneven mesa land. Poor and stony
 Brush, No timber

Township 7 S. Range 25 E.
Gila and Salt River Meridian

- Chs. West on a random line between Secs. 18 & 19
 Var. $13^{\circ}52'E$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 51.00 Dry bed of stream 50 yds. wide running N.E.
- 78.40 Intersect the pt. boundary of the township
 8 yds. N. of the cor. to Secs. 18, 19, 13 & 24, from
 which cor. I run
 N $89^{\circ}57'E$ on a true line between Secs. 18 & 19
 Var. $13^{\circ}52'E$.
- 38.40 Set a post, marked $\frac{1}{4}$ S., 4 ft long, flatter
 id 3 in. wide. 1 ft in the ground and build
 mound of stones 2 ft high as per in-
 structions for $\frac{1}{4}$ Sec. cor. from which
 A Mesquite 4 in. diam. brs N $49^{\circ}4'E$ 85 yds. dist.
 do 3 " " " S $78^{\circ}W$ 73 " "
- 78.40 The cor. to Secs. 17, 18, 19 & 20

Unimproved land. Brush and
 a few scattering trees

Township 7 S. Range 25 E.
Gila and Salt River Meridian

Chs. North between Secs. 17 & 18

Var. $13^{\circ}52' E.$

40.00 Set a post, marked $\frac{1}{2}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long and 1 ft wide, as per instructions for $\frac{1}{2}$ Sec. Cor. from which

A Mesquite 4 in diam. brs $N1011$ 156 lbs. dist.

do 3 " " " $S63W$ 121 " "

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for the Sec. Cor. to Secs. 7, 8, 17 & 18, from which

A Mesquite 4 in diam. brs $S69\frac{1}{4}N$ 270 lbs. dist.

do 4 " " " $N57\frac{1}{4}N$ 159 " "

do 3 " " " $N80\frac{3}{4}E$ 223 " "

do 3 " " " $S36E$ 204 " "

Unrun Sandy Post. Scattering trees

Township 7 S. Range 25 E
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 8 & 17
Var. $13^{\circ}57' E$.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 79.98 Intersect the N. & S. line 12 Wks. S of the
cor. to Secs. 8, 9, 16 & 17, from which, I run
S. 89°55' W. on a true line between Secs. 8 & 17
Var. $13^{\circ}52' E$.
- * 39.99 Set a post, marked "S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, driven hard
stake, and build mound of earth 2 ft.
high, with feet 1 ft deep 2 ft long, and
1 ft wide, as per instructions for $\frac{1}{4}$ Sec.
cor. from which
- a Mesquite 7 in diam. bro N46 W 144 W. dist.
do 4 " " " N30 W. 129 " "
- 79.98 The cor. to Secs. 7, 8, 17 & 18.
- Unim. Soil 2 rats. Scattering trees

Township 7 S. Range 25 E.

Gila and Salt River Meridian

- Chs. Plow a random line between Secs. 7 & 18
Var. $13^{\circ}52'E$.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 60.00 Road from Ash Creek to Pueblo Vign., bearing
N. E. & SW
- 78.42 Intersect the W. boundary of the township
9ths. S. of the cor. to Secs. 7, 18, 12 & 13 from
which cor. I run
S. 89 $^{\circ}$ 56' E. on a true line between Secs. 7 & 18
Var. $13^{\circ}52'E$.
- 38.42 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
id 3 in. wide 1 ft in the ground, drive charred
stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long and
1 ft wide, as per instructions, for $\frac{1}{4}$ Sec. cor.
No trees near.
- 78.42 The cor. to Secs. 7, 8, 12 & 18

W. half in Ash Creek bottom. Soil rich
Mesquite timber.

Township 7 S. Range 25 E.
 7th and Salt River Meridian

Chs. ^{Wth} between Secs. 7 & 8

Var. 13° 52' E.

39.00 Road from Ash Creek, bearing N. E. & S. W

40.00 Set a granite stone 16 x 16 x 10 in. 3 in the
 ground, marked "4", and out the N. build
 a mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long and 1 ft wide, as per
 instructions for "4" Sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long
 3 in. sq. d. 1 ft in the ground, drive charred
 stake, and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long and 1 ft
 wide, as per instructions for Sec. cor. to
 Secs. 5, 6, 7 & 8 from which

A Mesquite 11 in. diam. bears N 54° W 144

do " " " " N 74° W 174

No other trees near

Union. Soil 2nd rate. Brush and a few
 scattering trees March 2, 1875

Township 7 S. Range 25 E.
 Tila and Salt River Meridian

40. East on a random line between Secs. 5 & 8
 Var. $13^{\circ}53'E$.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor
 80.07 Intersect the N. & S. line 7 $\frac{1}{2}$ Ms. N. of
 the cor. to Secs. 4, 5, 8 & 9, from which I run
 N. 89 $\frac{1}{2}$ W. on a true line between Secs. 5 & 8
 Var. $13^{\circ}53'E$.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake, and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long and 1 ft
 wide, as per instructions for $\frac{1}{4}$ Sec. cor.
 No trees near.

80.07 The cor. to Secs. 5, 6 & 8

Unworn. Soil 2 rate Brushy
 No timber.

Township 7 S. Range 25 E.
 7th and Salt River Meridian

Chs. Westward random line between Sec. 68 &
 69. 13° 55' E.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

43.00 Dry bed of stream 40 paces wide running N.E.

78.50 Intersect the W. boundary of the township
 12 paces S of the cor. to Sec. 67, 18 1/2 paces from
 which cor. I run.

S. 89° 55' E. on a true line between Secs. 68 &
 69. 13° 52' E.

38.50 Set a post, marked $\frac{1}{4}$ Sec. cor., 4 ft long,
 flattened 3 in. wide, 1 ft in the ground, drive
 charred stakes, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide, as per instructions for $\frac{1}{4}$ Sec. cor.
 from which

a Stake 3 in. diam. brs $\frac{1}{4}$ 45 N 16 paces dist.
 do 4 " " " $\frac{1}{4}$ 38 $\frac{3}{4}$ E 23 " "

78.50 The cor. to Secs. 5, 6, & 8
 Nearly level. Good soil. Thick mesquite timber.

Township 7 S. Range 25 E.
Pila and Salt River Meridian

- Obs. North on a random line between Secs. 5 & 6
Var. $13^{\circ}57' E.$
- 140.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 88.09 Intersect the N. boundary of the township
5 $\frac{1}{2}$ m. W. of the cor. to Secs. 5, 6, 31 & 32, from
which cor. I run
S. $1^{\circ}2' W.$ on a true line between Secs. 5 & 6
Var. $13^{\circ}57' E.$
- 140.09 Set a post, marked "45", 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for
 $\frac{1}{4}$ Sec. cor.
No trees near.
- 80.09 The cor. to Secs. 5, 6, 7 & 8
Level. Soil good. Scattering trees.

Township 2 S. Range 25 E
Gila and Salt River Meridian

Meanders of the Gila River through
the Township.

I begin at the cor. to frac. sec. 1836 on the
W. boundary of the tp. and on the W. and
right bank of the river and run thence
up stream as follows

In Sec. 1

S. 29 $\frac{1}{4}$ E.	16.24 chs.
S. 65 $\frac{1}{4}$ E	8.80 "
S. 27 $\frac{1}{4}$ E	24.00 "
S. 83 $\frac{1}{2}$ E	3.30 "
N. 87 $\frac{3}{4}$ E	5.40 "

To cor. to frac. sec. 1836
on the East. boundary of
the township.

March 3, 1845.

Township of S. Range 25 E
Gila and Salt River Meridian

General Description,

The Gila River runs through the extreme W. Eastern part of the township. Along the valley is rich bottom land. But the greater portion of the township is a mesa with more or less broken and with poor soil. A portion of the western border of the township lies in Ash Creek valley where the land is good. In the extreme south west corner rise some high hills, with steep rocky sides, flat tops covered with grass. These are the foothills of the Graham Mountains to the S. W. There is some timber - Cottonwood, willow, and mesquite - in the valley of the Gila.

Theodore F. White
U.S. Deputy Surveyor

BOOK 690

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the subdivision lines of Township 7 South of Range 25 East of the Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

- R. Atasquez* Chainman.
- L. D. Burton* Chainman.
- Barnabe Palm* Axeman.
- W. H. Aubrey* Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted _____
Theodore F. White U. S. Deputy Surveyor, in
surveying the subdivision lines of
Townships 7 South, of Range 25 East
of the Gila and Salt River Meridian

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monu-
ments planted according to the instructions fur-
nished by the Surveyor-General.

H. A. Taylor Chairman.

S. N. Burton Chairman.

Barnabe Palm Axeman.

W. H. Aubury Flagman.

Sworn to and subscribed before me, this 6th
day of March, 1875

J. C. Mc Caffry
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 5th day of November

1874 I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of

the subdivision lines, and meanders
of the Gila River where it passes through
the township, of Township 7 South.
of Range 25 East of the Gila and
Salt River Meridians

as are repre-
 sented in the foregoing Field Notes as having

66

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 6th day of March, 1875

J. C. White
Notary Public



BOOK 690

67

U. S. Surveyor General's Office,
Tucson, Arizona, June 26, 1875

The foregoing Field Notes of the survey of

The Subdivision & Meander
lines of Township 7 S.
Range 75 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White
D. S., under his contract of the Fifth day of
November, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.