

ed  
eds  
collected  
#  
low ground

x 1

No 12 No. 691

# Field Notes

BOOK 691

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township 7 S Range 7 E

*Gila and Salt River Base and Meridian*

ARIZONA.

By R. C. Powers D. S.

under contract dated July 20, 1883.

Survey commenced Dec 3, 1883.

Survey completed Dec 7, 1883.

*Corrected*

No. 691

169

*Approved, by Com<sup>r</sup> G. S. C.  
February 27, 1890*

1.A

BOOK 691

INDEX.

Township 7 S., Range 7 E.

Gila and Salt River Meridian.

|    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|
| 6  | 60 | 5  | 44 | 4  | 33 | 3  | 22 | 2  | 11 | 1  |
| 19 | 18 |    | 45 |    | 32 |    | 21 |    |    | 10 |
| 7  | 57 | 8  | 42 | 9  | 31 | 10 | 20 | 11 | 9  | 12 |
| 16 |    | 5  | 41 |    | 30 |    | 15 |    |    | 8  |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7  | 13 |
| 13 |    | 52 |    | 34 |    | 28 |    | 17 |    | 6  |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5  | 24 |
| 50 |    | 49 |    | 17 |    | 26 |    | 15 |    | 4  |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3  | 25 |
| 47 |    | 46 |    | 35 |    | 24 |    | 13 |    | 2  |
| 31 | 45 | 32 | 34 | 33 | 23 | 31 | 12 | 35 | 1  | 33 |

Referring the lines to the pages of the field notes.

For preliminary section see Book No. 1

BOOK 691

No. 691

Subdivision T 75 R 7 E.

Chelus From the Cor to Secs. 12, 35 & 36  
on South boundary of T.P. just  
recently established by the  
T.P. North let. Sec.

4161 35 & 36 to Sec. 32 Va 13° 00' 2

4000 Set a post 3 ft. long 3 ins. diam with marked  
stone 12 ins. in the ground for 1/2 Sec. Cor,  
marked 1/2 S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

8000 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs,  
25, 26, 35 & 36 marked T. 75 S. 25 on  
N. E. R. 7 E S. 26 on S. E, S, 35 on  
S, W, and S, 26 on N, W, face, with 1 notch  
on S, and 1 notch on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.  
and raised a mound of earth 2 ft. high. 4 1/2 ft.  
base. around post.

Land level Soil 2 ft. path  
Survey mark the cut the north  
and 2000.

Subdivisions 575

chain

Post on a random line  
bet. Secs. 25 & 26.

To 13° 0' 12"

4000 Set temporary 1/4 sec. cor.

79.92 Intersect E. Ry of S. 8 lks  
S. of cor. to Secs. 25, 30, 31 & 36

just recently established  
by me, Thence I run S. 89° 37' 14"  
on a true line bet. Secs. 25 & 36  
with same va.

39.96

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for 1/4 Sec, Cor,  
marked 1/4 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, around

79.97

The Cor. to Secs. 25, 26, 35 & 36.

Land level, soil 1st rate  
dense forest, the surface with  
some grass



BOOK 691

## R. &amp; E. continued

Chains

North bet. Secs. 25 & 26  
 Va  $13^{\circ} 09' E$

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  $W$  face, dug pits 18 x 18 x 12 ins.  $N$  and  $S$  of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around post.

48.36

Road to Peaches St.  $85^{\circ} 50' E$ 

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 23, 24, 25 & 26 marked T. 7 S. S. 24 on N. E. R. 72 S. 25 on S. E. S. 26 on S. W. and S. 23 on N. W. face, with 2 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. around post.

land high, soil 2d set  
 dense wood the entire north  
 side of road.

BOOK 691

## Subdivision N7 S.

- | Chains |  |
|--------|--|
|        | East on a random line<br>bet. Secs. 24 & 25.<br>To $13^{\circ} 09' E$ .  |
| 4000   | Old temporary survey cor.  |
| 79.86  | Intersect E. Pt. of Tp. 12 N<br>S. of Cor. to Secs. 16, 24, 25 & 30<br>best recently established<br>by my friend John  |
|        | $S 89^{\circ} 58' W$ , on a true line<br>bet. Secs. 24 & 25. with same on  |
| 39.93  | Set a post 3 ft. long 3 ins. diam with marked<br>stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.<br>marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12<br>ins. E and W of post 5 ft. dist. and raised<br>a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around<br>post. |
| 74.86  | The Cor. to Secs. 23, 24, 25 & 26<br>land level, Sol 29 7/8<br>dense brush the entire mile<br>some grass.  |

ECOK 691

R. 7 E. continued

chains

North bet. Secs. 23 + 24

7a 13° 10' E

70.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{2}$  Sec, Cor. marked  $\frac{1}{2}$  S. on W face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 13, 14, 23 + 24 marked T. 7 S. 13 on N. E. R. 7 S. 24 on S. E, S. 23 on S. W. and S. 14 on N. W. face, with 3 notches on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. around post.

land level Soil 29 rods  
line from the entire and  
some grass

12 m. I find latitude bet 32° 49' N.  
and just. in adjustment

## Subdivisions N 7 S.

chains

East on a random line bet  
Secs. 13 & 24.

To 15° 10' E.

4000 Set temporary space cor.

7979 Intersect E. Ry of Sec. 14

Clos. S. of Cor. to Secs. 13, 14, 23 &amp; 24

Just recently established  
by me Thos Jones S. 89 30 17on a true line bet. Secs. 13 & 24  
with same vo.3989 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around

post, from which to swing 16 bars. Chain line 7800

8000 dist. marked 425-13.5

7979 The Cor. to Secs. 13, 14, 23 &amp; 24

land level. Soil 2<sup>nd</sup> on 6

Dense brush the entire north

side of same



BOOK 691

Pl. 7 E. continued

chain

North bet. Secs. 13 & 14  
T. 12° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 marked T. 75° S. 12 on N. E. R. 7 E S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. face, with  $\frac{1}{4}$  notch on S. and  $\frac{1}{4}$  notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. around post.

and level. Post set with  
line from the entire mile  
description.

## BOOK 691

## Subdivisions N &amp; S.

chains

East on a random line  
bet. Secs. 12 & 13.

To  $13^{\circ} 09' E$

4000 Set temporary 1/4 sec. cor

79.83 Intersect E. Ry of Sp. 24

W. of cor. to Secs. 7, 12, 13 & 18  
first recently established by

these from  $N 89^{\circ} 50' W$  on  
a true line bet. Secs. 12 & 13.  
with same cor.

39.91

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around

79.83

<sup>post</sup>  
The Cor. to Secs. 11, 12, 13 & 14  
Land level. Soil 2d. rate  
Lime on soil the cut is made  
some grass.

R 7 E. continued

Lines

North bet. Secs. 11 + 12  
To 13° 29' E

70.00

Set a post 3 ft. long 3 ins. diam with marked stone. 12 ins. in the ground for 1/2 Sec. Cor. marked 1 S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone. 12 ins. in the ground for Cor. to Secs. 1, 2, 11 + 12 marked T. 7 S. 1 on N. E. R. 7 E. S. 7 E on S. E. S. 11 on S. W. and S. 2 on N. W. face, with 5 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft.

base. around post. *from about a bearing of 100° on*  
*in small 30th dist marked P. 7 S. R 7 E. S. 11 + 12 S. 1*  
*Aug. 11 1885. 32th. 44th and 11th. 1885.*  
*52 13 N.*  
Land level, Soil 2d rate.  
urse bond the entire mile  
*Survey of 1885.*

BOOK 691

## Subdivision D &amp; E.

Chains

Cast on a random line  
bet. Secs. 1 & 12.Va  $13^{\circ} 10' E$ 40.00 Set temporary  $1/4$  sec. cor.79.85 Intersect E. By. of  $9/16$  17 lbs  
N of cor. to Secs. 1, 6, 7 & 12  
just recently established  
by me, thence I run  
 $N 89^{\circ} 53' W$  on a true line  
bet. Secs. 1 & 12, with same34.92 Set a post 3 ft. long 3 ins. diam with marked  
stone 12 ins. in the ground for  $1/4$  Sec. Cor.  
marked  $1/4 S$  on  $N$  face, dug pits  $18 \times 18 \times 12$   
ins. E and W of post  $5 \frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1 \frac{1}{2}$  ft. high  $2 \frac{1}{2}$  ft. base. around  
post.79.85 The Cor. to Secs. 12, 11 & 12  
2<sup>nd</sup> and level Soil 2<sup>nd</sup> rate  
down to the surface of the  
ground.



BOOK 691

## Q 7 E. continued

Chino

North on a random line  
bet. Secs. 1 & 2.

$\gamma = 13^{\circ}10'$

40.00

Set benchmark by sec. cor.

80.10

Intersect N 84 of Sp. 16 1/2  
E' of Cor. to Secs. 1, 2, 3 & 36

but recently established by  
me, Hence I run  $S 0^{\circ} 7' 19''$   
on a true line bet. Secs. 1 & 2  
with same  $\gamma$ .

40.10

Set a post 3 ft. long 3 ins. diam with marked  
stone 12 ins. in the ground for 1/2 Sec. Cor.  
marked 1/2 S. on N face, dug pits 18 x 18 x 12  
ins. N and S' of post 3 1/2 ft. dist and raised  
a mound of earth 13 1/2 x 13 1/2 ft. base around  
post.

80.10

The cor. to Secs. 1, 2, 11 & 12  
land level. Set 2<sup>nd</sup> set  
down from the surface with  
same  $\gamma$ .

## BOOK 691

## Subdivisions 75.

|        |  |
|--------|--|
| Chains | From the cor. to Secs. 26, 3, 34 & 35<br>on S. By of Tp. just recently<br>established by me I run<br>North bet. Secs. 34 & 35<br>To 13° 10' E.   |
| 40.00  | Set a post 3 ft. long 3 ins. diam with marked<br>stone, 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor,<br>marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12<br>ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised<br>a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around<br>post.  |
| 50.00  | Set a post 4 ft. long 4 ins. square, with marked<br>stone, 12 ins. in the ground for Cor, to Secs,<br>26, 27, 34 & 35 marked T. 75 S. 24 on<br>N. E. R. 7 E. S. 31 on S. E. S. 34 on<br>S. W. and S. 27 on N. W. face, with 1 notch<br>on S, and 2 notches on E. edges, dug<br>pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.<br>and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.<br>base. around post.<br>Land level soil 2d rate<br>dense brush the entire mile<br>around |
|        | Sec. 3. 1883   |

BOOK 691

## R. 7. E. continued

Chain

East on a random line  
bet. Secs. 26 & 35.

28

S. P. R. Co.  $\frac{1}{2}$  Sec. 26  
bet temporary  $\frac{1}{2}$  sec. cor.

79.89

Intersect West line 12 lbs  
S. of cor. to Sec. ~~26~~ <sup>23-26, 34, 36</sup> 27  
Thence 9 mm S.  $89^{\circ} 55'$  W.  
on a true line bet. Secs.  
26 & 35. with curve ~~to~~

39.94

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{2}$  Sec. Cor,  
marked  $\frac{1}{2}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around  
post.

79.89

1/2 Sec. Cor. to Secs. 26, 27, 34 & 35.  
land level. Soil 2' of wet  
being toward the entire sub-  
siding ground.

BOOK 691

## Subdivisions T 7 S

Latus

North bet. Secs. 26 &amp; 27

T. 13° 10' E

~~187.00~~

S. P. R. R. Co S 53° 58' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  S. on  $\frac{W}{4}$  face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. furnished & marked glass etc. by

H. S. L. Co. the dist. on bet 26 &amp; 27.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs,

22, 23, 26 &amp; 27 marked T. 7 S S. 23 on

N. E. R. 7 E S. 26 on S. E. S. 27 on

S. W. and S, 22 on N, W, face, with 2 notches

on S, and 2 notches on E. edges, dug

pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft.

base. around post.

Land level, Soil 2d rate  
dense brush the entire mile  
some 22 acres



BOOK 69137

## R. 7 E. continued

chains

East on a random line  
bet. Secs. 23 & 26.Ra  $130^{\circ} 10'$ 

29.40 Road to Peasack to S. 50° E

4000 E. to temporary space cor.

80.00 Intersect N. & S. line 18 Ch. S.  
of Cor. to Secs. 23, 24, 25 & 26

Thence S on

S.  $89^{\circ} 52'$  W. on a true line  
bet. Secs. 23 & 26. with curve on40.02 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/2 Sec. Cor,  
marked 1/2 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around  
post.80.05 The cor. to Sec. 22, 23, 26 & 27  
land level Soil 2d set  
Survey. touch the entire mile

BOOK 691

## Subdivision N. 7 S.

chains

North lot, Secs 22 &amp; 23.

15.75  
40.00

Road to Pleasant Hill 3° 09' E

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  S. on W face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post, from which a mag. line was run.

To 100 ft. 40 lbs dist. marked by S. B. P. in mag. 20m. line. 56° 11' 2" dist marked  $\frac{1}{4}$  S. R. S.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 14, 15, 22 & 23 marked T. 7 S S. 14 on N. E. R. 72 S. 20 on S. E. S. 22 on S. W. and S. 15 on N. W. face, with 2 notches on S, and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Land level Soil 2d rate  
 Above level the entire mch  
 some grass.

R 7 E. continued

|        |   |
|--------|---|
| chains | <p>East on a random line<br/>bet. Secs. 14 &amp; 23.</p>  |
| 40.00  | <p style="text-align: right;">72° 13' 10" E</p> <p>Set temporary (see cor.)</p>   |
| 80.17  | <p>Intersect N.S. line 14th</p>   |
|        | <p>N of cor. to Secs. 19, 14, 23 &amp; 24<br/>Thence I run N 89° 54' W<br/>on a true line bet. Secs.<br/>14 &amp; 23, <del>with</del> <u>with</u> <del>the</del> <u>the</u> <del>same</del> <u>same</u> <del>line</del> <u>line</u>.</p>                          |
| 70.08  | <p>Set a post 3 ft. long 3 ins. diam with marked<br/>stone, 12 ins, in the ground for <math>\frac{1}{4}</math> Sec, Cor.</p>  |
|        | <p>marked <math>\frac{1}{4}</math> S. on N face, dug pits 18 x 18 x 12<br/>ins. E and W of post 5 <math>\frac{1}{2}</math> ft. dist. and raised<br/>a mound of earth <math>1\frac{1}{2}</math> ft. high 3 <math>\frac{1}{2}</math> ft. base. around<br/>post.</p> |
| 80.17  | <p>The Cor. to Secs. 14, 15, 22 &amp; 23.</p>   |
|        | <p>land level soil 2 <math>\frac{1}{2}</math> ft.<br/>Dense brush the entire north<br/>side of road</p>   |

BOOK 691

## Subdivision N 7 S.

chains

North bet. Secs. 14 & 15  
R 13° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor. marked  $\frac{1}{4}$  S. on E face, dug pits 18 x 18 x 12 ins. R and S of post  $5\frac{1}{2}$  ft. dist. and raise a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. from which a mag. line. to be run S 80° E. 12.5 ch. dist. marked  $\frac{1}{4}$  S. C. T.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs. 10, 11, 14 & 15 marked T. 7 S. 11 on N. E. R. 72 S. 17 on S. E, S, 15 on S, W, and S, 10 on N. W. face, with 4 notch es on S, and 2 notch es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post. from which a mag. line. to be run S 50° E. 34.1 ch. dist. marked S. 7 S. R. 72 S. 11. 11. Land level, Soil 2<sup>nd</sup> rate. Since land scattered timber the entire tract is now grass.



R<sup>7</sup> E. continued

chains

Start on a random line  
bet. Secs. 11 & 12  
Va 13° 10' E.

40.00 Set temporary 4<sup>th</sup> sec. cor.  
73.80 Intersect R & S. line 2<sup>nd</sup> ch. R  
of cor. @ Secs. 11, 12, 13 & 14.  
Thence I run N 89° 51' W.  
on a true line bet. Secs.  
11 & 14, with same va.

39.90 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins; in the ground for 1/2 Sec, Cor.  
marked 1/2 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around  
post.

74.80 The cor. to Secs. 10, 11, 14 & 15.  
said level, Post 2<sup>nd</sup> set  
above to mark the entire mound  
same 3<sup>rd</sup> cor.

BOOK 691

Caddisville T. 7 S.

Ludas

North bet. Secs. 10 & 11  
R. 13° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on *W* face, dug pits 18 x 18 x 12 ins. N and S of post 5  $\frac{1}{2}$  ft. dist. and raise a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor. to Secs, 2, 3, 10 & 11 marked T. 7 S. S. 2, on N. E. R. 72 S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. face, with 5 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4  $\frac{1}{2}$  ft. base. around post.

Land being Sold 2d of Oct  
Quince bought the entire mile  
square

BOOK 691

## R 7 E. continued

chains

East on a random line

bet. Secs. 2 &amp; 11

T<sub>12</sub> 13° 00' E

40.00 Set a temporary 4 sec. cor.

79.87 between 1<sup>st</sup> & 2<sup>nd</sup> Sec. line 14 ch.in of cor. 1<sup>st</sup> Sec. 1, 2, 11 & 12

Thence from

S 89° 54' W. on a true line

bet. Secs. 2 &amp; 11. with same

ra

39.93 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1<sup>st</sup> Sec. Cor,  
marked 1<sup>st</sup> S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

79.87 The cor. is Secs. 2, 3, 10 & 11  
said level soil 2<sup>nd</sup> rate  
Dense hard ~~the~~ ~~with~~  
some grass

BOOK 691

## Subdivisions 17.6

Chaduo

North on a random line  
bet. Secs. 2 & 3.

$\frac{1}{2}$  to  $13^{\circ} 10' E$

40.00 Set temporary 4 sec. cor.

40.05 Intersect N. E. of S. P. 30th.

20 p. cor. to Secs. 2, 3, 10 & 11.

Just recently established by us.

Thence I run  $50^{\circ} 13' E$  on a  
true line bet. Secs. 2 & 3  
with same co.

40.02 Set a post 3 ft. long 8 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base around  
post.

40.05 S. E. Cor. to Secs. 2, 3, 10 & 11  
land level. S. P. 30th 2<sup>nd</sup> rat  
thence land the entire with  
some grass.



BOOK 691

## R 7 E. continued

|       |  |
|-------|--|
| chain | From the corner to Secs. 2, 4, 33, 34<br>on S. Bay of T. 2nd sec. 27,<br>cut a line to the corner<br>North lat. 33° 34' $\frac{72}{72} 10^{\circ} 10' E$   |
| 4.000 | Set a post 3 ft. long 3 ins. diam with marked<br>stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,<br>marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12<br>ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised<br>a mound of earth $1\frac{1}{2}$ ft, high $3\frac{1}{2}$ ft. base. around<br>post.   |
| 50.00 | Set a post 4 ft. long 4 ins. square, with marked<br>stone, 12 ins, in the ground for Cor, to Secs,<br>27, 28, 33 & 34 marked T. 75 S. 27 on<br>N. E. R. 72 S. 27 on S. E, S, 33 on<br>S. W, and S, 27 on N. W, face, with $\nearrow$ notch<br>on S, and $\ominus$ notch on E. edges, dug<br>pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.<br>and raised a mound of earth 2 ft, high $4\frac{1}{2}$ ft.<br>base. around post.<br>Land level, S. of post<br>Dune land the entire mile<br>Dune zone |

BOOK 691

## Subdivision N 7 S.

chains

East on a random line

bet. Secs. 26-34

Ta 13° 10'

4000 dit temporary 1/2 sec cor

79.91 Intersect N 7 S line 17 1/2

N of cor. to Secs. 26, 27, 34-35

Thence S 70° 10'

N 89° 53' W. on a true line

bet. Secs. 27-34 with same

Ta

39.95

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/2 Sec. Cor.,  
marked 1 S. on N. face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base around

post.

79.91

The cor. to Secs. 27, 28, 33-34

Land level, Soil 2nd rate

Dense brush, the entire mile

same grass.

Dec 7. 1883

BOOK 691

## R 7 E. continued

chains

North bet. Secs. 27-28  
Ta 13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. from which a mag. line. dist. to S. B. E.  $54^{\circ} 20'$  holds dist. marked  $\frac{1}{4}$  S. B. E.

75.10

S. P. R. R. Co S  $53^{\circ} 58'$  E.

90.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 27, 22, 27 & 28 marked T. 7 S. 22 on N. E. R. 7 E S. 27 on S. E. S. 28 on S. W. and S. 27 on N. W. face, with a notch  $^{\circ}$  on S, and  $^{\circ}$  notch  $^{\circ}$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Land level, Soil 2 d. 2 d. 2 d.  
Some trees & brush the entire area  
Some grass

## BOOK 691

## Subdivision A 7 S.

Chain

East on a random line  
bet. Secs. 22 & 27.

$N 13^{\circ} 10' E$

4000 Set temporary 1/4 sec. cor.

8000 Intersect N & S line 7 chs N  
of cor. to Secs. 22, 23, 26 & 27

Thence S 70° W

$N 89^{\circ} 57' W$  on a true line  
bet. Secs. 22 & 27. with angle  
ca.

4000 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for 1/4 Sec. Cor.  
marked 1/4 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around  
post.

8000 The Cor. to Secs. 21, 22, 27 & 28  
Sand level, Soil 2nd rate  
since land there is not to be  
used for



BOOK 691

## R. 7 E. continued

chain

North bet. Secs. 21-22  
No 13. 09 '8

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base. around post. from which a bearing taken. Az. to N 80° E. 100 lbs. set. marked  $\frac{1}{4}$  S. B.S.

67.00

Road to Pucson brs 8, 9

135.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 15, 16, 21 & 22 - marked T. 7 S. 15 on N. E. R. 72 S. 20 on S. E, S, 21 on S, W, and S, 16 on N, W, face, with 3 notch on S, and 3 notch 00 on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft, high, 4  $\frac{1}{2}$  ft.base. around post. from which a bearing taken. Az. to S 70° E. 100 lbs. set. marked T. 7 S. 15  
Lead level. Soil 2 ft. at  
down to 100 lbs. set. marked

12 M. I find latitude to be 32° 49' N, and east. in adjustment -

BOOK 691

## Subdivision A 7 S.

chain

East on a random line  
bet. Secs. 15 & 22

$\gamma = 13^{\circ} 10' 19''$

40.00 Set temporary 1/4 sec. cor.  
80.00 Intersect Rd. S. line of Sec.  
E. of cor. to Secs. 14, 15, 22 & 23  
Thence I run  $S 89^{\circ} 53' W$   
on a true line bet. Secs.  
15 & 22 with same ca.

40.04

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
post.

40.09

In cor. to Secs. 15, 16, 21 & 22  
land level. Soil at cor.  
thence mark the interior with  
some grass

BOOK 691

## R 7 E. continued

ch-us

North bet. Secs. 15 & 16  
Tc 13° 10' E.

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  S. on  $\frac{1}{2}$  face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 9, 10, 15 & 16 marked T. 75 S. 10 on N. E. R. 72 S. 15 on S. E, S, 16 on S. W. and S, 9 on N. W. face, with  $\frac{1}{2}$  notch on S, and  $\frac{3}{4}$  notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Land level, ~~and set~~  
Some found the corner with  
see page 10

BOOK 691

## Subdivisions N. S.

Chains

Cast on a random line  
bet. vics.  $10 \times 15$ .

$N = 13^{\circ} 10' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.08 Intersect  $N \times S$  line 10 lbs S.  
of cor. W secs. 10, 11, 14 & 15.

Thence I run

$S 89^{\circ} 06' W$  on a true line  
bet. Secs.  $10 \times 15$ , with a  
ra.

40.04 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on N face, dug pits  $18 \times 18 \times 12$   
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

80.08 The cor. W Secs. 4, 10, 15 & 16  
land level. Soil is a  
dense but this is the  
same grass.



## R7 E. continued

Chain

North bet. Secs. 9 & 10  
T<sub>2</sub> 13° 10' E

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$  S. on N face, dug pits 18 x 18 x 12 ins. N and S of post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base. around post.

1'

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 3, 4, 9 & 10 marked T. 75 S. 3 on N. E. R. 7 E S. 10 on S. E, S, 9 on S. W, and S. 4 on N. W, face, with 5 notch on S, and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4  $\frac{1}{2}$  ft. base. around post.

Land level, Post 2d set.  
From land the entire north  
corner.

BOOK 691

## Subdivision A. 7. 5.

Chains

East on a random line  
bet. Secs. 8 & 10.

To  $10^{\circ} 10' E$

40.00 Set temporary  $1/4$  sec. cor.

80.21 Intersect N. S. line 8. lbs N.  
of cor. to Secs. 2, 3, 10 & 11.

Thence S. on

N  $89^{\circ} 57' W$ . on a true line  
bet. Secs. 3 & 10. with same

40.10 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $1/4$  Sec, Cor,  
marked 4 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around  
post. from which a mag. dem. 45.0 on  $S 55^{\circ} W$ .  
to the next marked  $1/4$  S. P. C.

80.21 The cor. W Secs. 3, 4, 9 & 10  
Land level Surf 2<sup>d</sup> of 2nd  
Secs. 3 and the entire north  
some grass

BOOK 691

## R. 7 E. continued

Chains

North on a random line  
bet. Secs. 3 & 4 $\angle = 15^{\circ} 10' E$ 40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.02 Intersect N. By a  $50\%$   $57$  lb  
E. of cor. to Secs. 3 & 4. 33 & 34Just recently established by  
thence  $1$  mi  $S 0^{\circ} 24' E$ .on a true line bet. Secs. 3 & 4  
north same as.40.02 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12  
ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post. from which a bearing of  $216^{\circ} 50' W$ .  
was the dist. measured  $\frac{1}{4}$  S. Sec. 3.80.02 The cor. to Secs. 3 & 4.  $9^{\circ} 10'$ .Land level, Soil 2d rate  
Secure brush & trees the entire mile  
Some grass

BOOK 691

## Subdivisions N.S.

class

From the corner to Secs. 29, 32 & 33,  
on S. Cor. of Sp. post recent by est-  
ablished by one, Sec.  
North bet. Secs 32 & 33.  $72.130$  10 E

4400

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

4500

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins, in the ground for Cor, to Secs,  
28, 29, 32 & 33 marked T. 7 S. 28 on  
N. E. R. 7 S. 33 on S. E. S, 32 on  
S. W. and S, 29 on N. W. face, with  $\angle$  notch  
on S, and  $\angle$  notch 20. on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft.  
base. around post.

4500

Land level soil at that  
class from the center of  
each post.



BOOK 691

No. 691

R7 E. continued

chain

East on a random line  
bet. Secs. 28 + 33.

T = 13° 10' E

40.00

Set temporary corner  
So. 21 distance 4 + 1 line 10 th S.  
of cor. to Secs. 28 + 33 + 34  
Thence S 100° 52' W on a level line

bet. Secs. 28 + 33 with same  
va

40.10

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for 1/2 Sec, Cor,  
marked 1/2 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft, high. 3 1/2 ft. base. around  
post.

So. 21

Set cor. to Secs. 28, 29, 32 + 33  
level line, Set 2nd sub  
stone, bound the corner with  
some grass

BOOK 691

## Subdivision D &amp; S.

Stations

North lot. Secs. 20 & 21  
T. 15. N. R. 2

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

5000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 20, 21, 28 & 29 marked T. 75 S. 21 on N. E. R. 7 E S. 23 on S. E. S. 29 on S. W. and S. 20 on N. W. Ave. with 2 notches on S. and 2 notch 00 on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Land level, Post 24 set  
above ground the above with

Dec. 5, 1883.

BOOK 691

## R 7 E. continued

- Chain on a random line  
East, lat. Secs 21 & 28  
70.15 1/2
- 4000 Est. temporary 1/4 sec. cor.
- 72.60 S. R. R. R. to S. 53° 58' E.
- 79.36 Intersect N & S line 22 lbs. N  
of cor. to Secs. 21, 22, 25 & 28.  
Thence S 20°  
N 80° 51' W. on a true line  
lat. Secs. 21 & 28 with sec.  
line.
- 79.93 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/4 Sec. Cor.  
marked 1 S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around  
post.
- 79.76 N. by cor. to Secs. 20, 21, 28 & 29  
and back, soil 2 ft. thick  
above post, the entire area  
some grass.

BOOK 691

## Subdivision A75

Chesapeake

North lot. Sec 20 &amp; 21

T<sub>2</sub> 13° 10 E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor, marked 1 S. on W face, dug pits 18 x 18 x 12 ins. 2 and 3 of post 5  $\frac{1}{2}$  ft. dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post.

5

55.00

S.P.R. R. Co. for 2. 53° 58 2W

55.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 16, 17, 20 & 21 marked T. 70 S. 16 on N. E. R. 72 S. 21 on S. E. S. 20 on S. W. and S. 17 on N. W. face, with 3 notch on 3 and 4 notch on N. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4  $\frac{1}{2}$  ft. base. around post.

and level, post at each

corner and the entire mound

is to be



BOOK 691

## R. 7 E. continued

chain

Post on a random line  
bet. Secs. 16 & 21

$72^{\circ}13'10''E$

40.00 Set temporary  $1/4$  sec. cor.

62.90 Road to N. W.

79.97 Intersect  $1/4$  sec. line 17 lbs  
N of cor. of Secs. 15, 16, 21 & 22

Thence I run  $N 89^{\circ}53'14''$   
on a true line bet. Secs.  
16 & 21 with same on.

84.78 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $1/4$  Sec. Cor,  
marked  $1/4$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
post, from which the  $1/4$  sec. line is  
run.  $1/4$  S. on N face, marked  $1/4$  S. (B. T.)  
from the line 17 lbs. to the cor.  
of Secs. 15 & 16.

89.97 The cor. of Secs. 16, 17, 20 & 21  
land. Post, set out at  
same time to the intersection  
of the lines.

POOK 691

Submissions N 7 S.

claim

North Lake Sec 16 & 17

72 100 100 2

5300  
5000

Bound by N. 72 100 2

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for 4 Sec. Cor. marked 4 S. on W face, dug pits 18 x 18 x 12 ins. N. and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

7600  
7600

Post at N. 72 100 2  
Corner of Sec 16 & 17

7900

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 9, 16 & 17 marked 4 S. on N. E. R. 7 E S. 76 on S. E. S. 47 on S. W. and S. 8 on N. W. face, with 4 notch on S. and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base. around post. which

~~Post at N. 72 100 2~~ 9, 16 & 17 4 round  
4 ft. post, N. E. in sec. 9  
about 15 ch. 2 ft. high  
sand level. 8 ft. at N. W.  
from back the better note  
arrangement

BOOK 691

## R. 7 E. continued

|       |   |
|-------|---|
|       | <p>East on a random line<br/>bet. Secs. 9 &amp; 16<br/>To 13° 09' S</p> |
|       | <p>Descending.</p>  |
| 5.00  | <p>Enter flat ground</p>  |
| 7.00  | <p>Ascend over S. End of Mtn</p>  |
| 13.50 | <p>Summit Ridge</p>   |
| 20.00 | <p>Enter flat ground</p>  |
| 22.00 | <p>Set corner of 4 sec. cor.</p>  |
| 23.00 | <p>Enter flat ground</p>  |
| 24.00 | <p>Set corner of 4 sec. cor.</p>  |
| 25.00 | <p>Enter flat ground</p>  |
| 26.00 | <p>Set corner of 4 sec. cor.</p>  |
| 27.00 | <p>Enter flat ground</p>  |
| 28.00 | <p>Set corner of 4 sec. cor.</p>  |
| 29.00 | <p>Enter flat ground</p>  |
| 30.00 | <p>Set a post 3 ft. long 3 ins. diam with marked</p>                    |
| 31.00 | <p>stone, 12 ins. in the ground for 1/2 Sec. Cor,</p>                   |
| 32.00 | <p>marked 1/2 S. on N. face, dug pits 18 x 18 x 12</p>                  |
| 33.00 | <p>ins. E and 1/2 W of post 5 1/2 ft. dist. and raised</p>              |
| 34.00 | <p>a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around</p>          |
| 35.00 | <p>post.</p>  |
| 36.00 | <p>Set cor. to Secs. 8, 9, 16 &amp; 17.</p>                             |
| 37.00 | <p>Land level. Soil 2 ft. oak</p>                                       |

BOOK 691

## Subdivisions N 7 S.

Chain

North bet. Secs. 8 &amp; 9

Ta 13° 09' E

150

Foot of Mountain

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. marked  $\frac{1}{2}$  S. on N face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 14 ft. high,  $3\frac{1}{2}$  ft. base, ground post.

20,000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9 marked T. 7 S. 4 on N. E. R. 7 E S. 9 on S. E. S. 8 on S. W. and S. 7 on N. W. face, with notch on S. and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base, ground post.

Land Dept. Div. 19 2000

Reserve land to be used for  
 surveying purposes



BOOK 691

N 7. E. continued

Chain

East on a random line bet.  
Secs. 4 & 9.

72 13° 10' E.

40.00 Set temporary 1/4 sec. cor.

70.00 Intersect 1st line 13 blocks  
of cor. to Secs. 3, 4, 9 & 10

Then from N 80° 54' W.

on a true line bet.

Secs. 4 &amp; 9 with same as

24.47

Set a post 3 ft. long 3 ins. diam with marked  
stone 12 lbs. in the ground for 1/4 Sec. Cor,  
marked 1 S. on 1 face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. diam around  
post.

79.45 The cor. Secs. 4, 5, 8 &amp; 9.

Can't find 2d set  
line found the other end  
sincerely yours

## Subdivisions N 7 S.

Chain

North on a random  
line bet. Secs. 4 & 5

$\frac{1}{2}$  15° 10'

4000 oil timberway, 1/4 sec. cor.  
80.15 Intersection N & S boundary  
of Sp. 41 Chs 2. of cor. bet. Secs  
4, 5, 32 & 33, but recently  
established by run, Thence  
Town 80° 18' E. on a true line  
bet. Secs 4 & 5 with course on

40.15 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/4 Sec. Cor.  
marked 1/4 S. on W face, dug pits 18 x 18 x 12  
ins. N and S of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

80.15 The cor. to Sec. 4, 5, 32 & 33.  
Laid level, 1/4 sec. cor.  
base and the entire area  
is now grown

## R. 7 E. continued

Chains

From the cor. to Sec. 5. 6. 31 & 32  
on S. 1/2 of T. 7. 8. 31  
established by run. From post to  
Sec. 31 & 32. T. 7. 8. 31 & 32

7000

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/2 Sec. Cor,  
marked 1/2 S. on 2<sup>nd</sup> face, dug pits 18 x 18 x 12  
ins. N and S of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

7000

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs.  
27, 28, 29, 30 marked T. 7. 8. S. 29 on  
N. E. R. 28 S. 29 on S. E. S. 31 on  
S. W. and S. 30 on N. W. face, with / notch  
on S, and 5 notch on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.  
and raised a mound of earth 2 ft. high. 4 1/2 ft.  
base. around post.

Land level, Soil 2d. into  
some bunch the water will  
run from

## Subdivisions 175.

Chain

East on a random line  
bet. Secs. 29 + 32

To 15° 18' E

Secs. 28, 29, 32, 33

80.05 Culvert at W. side of cor.

bet. Secs. 28, 29, 32 + 33.

These 2 corners that on a

line from bet. Secs. 29 + 32

with same cor.

70.02 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E and W of post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base. around  
post.

80.05 The cor. to Secs. 29, 30, 31 + 32

land level. Part 2<sup>d</sup> set

above from the outside with

same ground.



BOOK 691

## R. F. E. continued

chains

West on a random line  
bet. Secs. 30 & 31

to  $13^{\circ}10'E$

4.00 Set temporary corner cor.

78.75 Intersect N. By of S. P.

1200 ft. N of cor. to Sec. 29.30

31 & 36. Just recently established  
by me, Thence Run  $A 14^{\circ}58'$

in a curve line, bet. Secs.

30 & 31, with same cor.

38.75 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec, Cor,

marked  $\frac{1}{4}$  S. on  $76$  face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.

78.75 The cor. to Sec. 29.30, 31 & 36

Sand level, but it is not  
since found the entire with  
some grass

## Subdivision A. 75.

Chasms

North bet. Secs. 29 & 30  
 Tc 13° 10' E

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  S. on W face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

5000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 19, 20, 29, 30 marked T. 70 S. 20 on N. E. R. 72 S. 29 on S. E, S, 30 on S. W. and S, 19 on N. W. face, with 2 notches on E, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft, high.  $4\frac{1}{2}$  ft. base. around post.

Dec. 6. 1883.

BOOK 691

## R. 7 E. continued

Date

Set on a random line  
bet. Secs. 20 + 29,

$76^{\circ}13'10''E$

40.00 Set temporary corner

74.52 Intersect NW line 25th

S. of cor. to Sec. 20, 29, 28 + 29

Thence corner

S. 89° 50' W. on a true line

bet. Secs. 20 + 29, with same  
ca.

74.91

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. around

post,

74.82 Sec. cor. to Secs. 19, 20, 29 + 30

land level. Soil 2' wet  
above level. ~~the surface will~~  
run grass.

## Subdivisions N 7 S.

charles

West meandering line  
 bet. Dec. 19<sup>th</sup> 30

$\angle = 13^{\circ} 10'$

40.00 set temporary 1/4 sec. cor.

78.77 Intersect N. By of Sp. 12

the N. of line Dec. 19, 20

20000 feet recently established

by me Charles J. ...

$\angle 89^{\circ} 55'$  on a true line  
 bet Dec. 19<sup>th</sup> 30 with same va

78.77

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 lbs, in the ground for 1/4 Sec. Cor.  
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W of post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around  
 post.

78.77

The Cor. at Dec. 19, 20, 29, 30  
 land levelly soil 2 ft. rate  
 several times to within 100 ft.  
 some grass



BOOK 691

R 7 E. confirmed

chains

North bet. Secs. 18 & 19  
T. 13. 102

7-18-19  
Set a post 3 ft. long 3 ins. diam with marked stones, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  S. on  $\frac{27}{2}$  face, dug pits 18 x 18 x 12 ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 17, 18, 19 & 20 marked T. 13. 102 S. 17 on N. E. R. 72 S. 20 on S. E. S. 72 on S. W. and S. 18 on N. W. face, with notch  $\frac{1}{2}$  on S, and 5 notch  $\frac{1}{2}$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Land level, but 24 out  
shown from the cut in  
12 m. I find dist. to be  $32^{\circ}-49'$  N.  
and dist. in adjustment

## Subdivision 178.

claims

Post on a random line  
bet. Secs 17 & 20

39.75

$N 13^{\circ} 10' E$   
S. P. R. R. to S. 53° 58' E  
Post temporary, all cor.  
Interest in Sec. 17 & 20  
Prof. cor. Secs. 16, 17, 20 & 21  
These corners  
S 89° 55' 27" in a true line  
bet. Secs 17 & 20 with corner  
on

39.89

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base. around  
post.

17. 18. 19. 20

19.78

The cor. to Sec. 17, 18, 19 & 20  
Land level soil 2d out  
I have found the entire mile  
was grass.

BOOK 694

## R. 7 E. continued

Chapters

West on a random line  
 Sub. Sec. 18 & 9.

$N 20^{\circ} 10' E$

4000 Set temporary corner

78.00 Intersect W. R. 10th

25 lbs N of cor to be in 18 & 9  
 but recently established by me

Chase Jan 1. 80 48 E on

a true line bet. Secs. 18 & 9,  
 with same on

78.50

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
 ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post.

78.50

The cor. to Secs. 17, 18, 19 & 20  
 had level soil 29 rods

have found the corner  
 some grass.

BOOK 691

Subdivision A 75.

claims

North - between 17 &amp; 18

T. 10. N. 10 E

20.87

Set a post 3 ft. long 3 ins. diam with marked

stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  face, dug pits 18 x 18 x 12  
ins.  $\frac{1}{4}$  and  $\frac{1}{8}$  of post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. around  
post.

20.88

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs.  
7. 8. 17 & 18 marked 17 & 18 S. 8 on  
N. E. R.  $\frac{1}{4}$  S. 17 on S. E. S. 17 on  
S. W. and S. 17 on N. W. face, with  $\frac{1}{4}$  notch  
on S. and  $\frac{1}{8}$  notch on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft. high. 4  $\frac{1}{2}$  ft.  
base. around post.

Said land, part of rate  
from and the other mile





BOOK 691

## Subdivision D. V. S.

chain

That on a portion line  
bet. Secs. 7 & 18.

to  $13^{\circ}10' E$

40.00 Set timber any of sec. con

74.00<sup>N</sup>

corn V. P. D. R. to  $S^{\circ}53'58" E$

78.69 Intersect W. P. of Sp. 35th

Prof. con. to Sec. 18. 18  
but recently cut at corner by  
me. Thence S. 17 $^{\circ}$  45' E  
to a corner of Sec. 18  
with same co.

38.69 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and W. of post 5 $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. around  
post from which a survey. Then on to Sec 17. & 18. 18

78.69 The Cor. to Secs. 7, 8, 17 & 18  
Land level. Soil 2 $\frac{1}{2}$  ft. rate  
thence back the entire north  
corner grass.

## R 7 E. continued.

Chain

North bet. Secs 7 &amp; 8

7-13° 10' 2"

3.62

Road to base of Sec 7 to N 70° W.

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked 1 S. on W face, dug pits 18 x 18 x 12 ins.  $\frac{1}{2}$  and  $\frac{3}{4}$  of post  $\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

5770

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs,

6, 7 &amp; 8 marked 1, 2, 3 S. 5 on

N. E. R. 7 E. S. 8 on S. E. S. 7 on

S. W. and S. 6 on N. W. face, with 5 notch

on S. and 5 notches on E. edges, dug

pits 18 x 18 x 12 ins. in each Sec.,  $\frac{5}{8}$  ft. dist.and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft.

base around post.

and level soil of the  
 same level the entire  
 area

## Subdivision T. 7 S.

chains

East on a random line  
bet. Secs. 5 & 6

$72^{\circ} 13' 10''$  E

4000 set temporary 4 sec. cor.

79.92 intersect N & S. line 20th

N of cor. to Secs. 4, 5, 8 & 9.

Thence I run  $N 89^{\circ} 57' 41''$

on a true line bet. Secs.

5 & 6. with same or.

79.96 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{2}$  Sec, Cor.  
marked  $\frac{1}{2}$  S. on W face, dug pits 18 x 18 x 12  
ins. E and W of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

79.92 The cor. to Secs. 5, 6, 7 & 8.

land level, South  $2\frac{1}{2}$  rods

same level the entire width

same ground.



## R 7 E. continued

Chain

West on a random line  
bet. Secs. 6 & 7.

7<sup>th</sup> 13° 10' E

4000 Set temporary 1/4 sec. cor.

7860 Intersect N. by of Sp. 24  
the top cor. to Secs. 16. 7 & 12  
but recently established  
by me, & true from 280° 50' E  
on a true line bet. Secs. 6 & 7  
with same cor.

58.60 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/4 Sec, Cor,  
marked 1/4 S. on A face, dug pits 18 x 18 x 12  
ins. E and W of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

78.60 In cor bet sec 5, 6. 7 & 8  
land level. Soil of red  
loam found to within 100  
feet.

## Subdivision N 7 S.

Chains

North on a random line  
bet. Secs. 5 & 6.

$\frac{1}{2}$  Sec.  $13^{\circ} 10' E$

4000 Set boundary of sec. cor.  
1091 Intersect N. 13<sup>rd</sup> of p. 31 the  
E of cor. bet. Secs. 5, 6. 31 + 32.  
Point recently established by  
new True Run  $S. 0^{\circ} 18' E$   
on a true line bet. Secs. 5 & 6  
with same ra.

39.91

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor.  
marked  $\frac{1}{2}$  S. on W face, dug pits 18 x 18 x 12  
ins. N and S of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around  
post.

10.91

The cor. bet. Secs. 5, 6. 1 + 2  
had been established at  
this point the entire south  
corner of the

Dec. 7. 1883.

Rep. Encuentro

## General Description

This township is situated in the level valley of the Santa Cruz River, and is covered with a dense growth of brush and some scattering timber.

The soil is good and will if irrigated produce rich crops.

Water may be had by sinking 40 to 60 feet below the surface.

There is some good grazing in this township.

For final outline see Book No. 18.

BOOK 691

## U. S. Surveyor General's Office,

Tucson, Arizona, May 22 1887/5

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
 Township of Pouch  
 Range of East,

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
 ted by R. C. Powers,

Deputy Surveyor, under his contract of the 20<sup>th</sup>

day of July, 1883 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson  
 Surveyor General.