

No. 692

BOOK 692

Field Notes

BOOK 692

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 7 S Range 16 E

Gila and Salt River Base and Meridian

ARIZONA.

No. 692

By Geo. F. White D. S.

under contract dated Sept 23 1871.

Survey commenced Jan'y 28 1875.

Survey completed Feb'y 11 1875.

692

1A

BOOK 692

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez

and S. D. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez
S. D. Burton

Sworn to and subscribed before me, this

11th

day of December, 1874

J. C. Wth Caff
Notary

WE, Barnabe Palm and
W. H. Aubury

do solemnly swear that we will well and truly per-
form the duties of Seaman and
Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Barnabe Palm
W. H. Aubury.

Sworn to and subscribed before me this 11th
day of December 1871

J. C. McCaffrey
Notary Public

Public

1C

BOOK 692

4-674.

Township

7 S.

R.

26 E. S & S R B & M

6	<i>54</i>	5	<i>37</i>	4	<i>26</i>	3	<i>16</i>	2	<i>8</i>	1
<i>53</i>		<i>57</i>		<i>36</i>		<i>25</i>		<i>16</i>		<i>7</i>
7	<i>50</i>	8	<i>35</i>	9	<i>24</i>	10	<i>15</i>	11	<i>6</i>	12
<i>49</i>		<i>48</i>		<i>34</i>		<i>22</i>		<i>14</i>		<i>5</i>
18	<i>47</i>	17	<i>33</i>	16	<i>22</i>	15	<i>13</i>	14	<i>5</i>	13
<i>46</i>		<i>45</i>		<i>32</i>		<i>21</i>		<i>12</i>		<i>4</i>
19	<i>44</i>	20	<i>31</i>	21	<i>20</i>	22	<i>11</i>	23	<i>3</i>	24
<i>43</i>		<i>42</i>		<i>30</i>		<i>19</i>		<i>11</i>		<i>2</i>
30	<i>41</i>	29	<i>29</i>	28	<i>18</i>	27	<i>10</i>	26	<i>2</i>	25
<i>40</i>		<i>39</i>		<i>28</i>		<i>17</i>		<i>9</i>		<i>1</i>
31	<i>38</i>	32	<i>27</i>	33	<i>17</i>	34	<i>9</i>	35	<i>1</i>	36

Meanders of Gila River pages 56-63.

98615m9-01

Township 7 S R 26 E
Gila & Salt River Meridian

January, 28, 1875.

Its Beginning on the Boundary, at cor. to sec. 35 & 36, Draw
North between sec. 35 & 36.

var. 14° 06' East
as per East Boundary.

240.00 Set a post, marked 14 S. 4 ft long, flattened 1/2 in. wide, 1 ft in the ground,
drill charred stake & build mound of earth 2 ft high, with pile
1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
a mesquite 6 in. dia. bears N. 45° 7' E. 354 lvs. dist
do. 3 " " " N. 5 1/2° E. 341 " "

80.00 Set a post, marked & notched, 4 ft long 3 in. sq. ft in the ground, and
build mound of stone 2 ft high, as per instructions for cor. to
secs. 25, 26, 35 and 36, from which
a mesquite 3 in. dia. bears S. 68 1/4° E. 132 lvs. dist
do. 5 " " " S. 19 1/4° E. 320 " "
No other trees near.
Land mesa. Soil sandy, poor. Brush, 76 timber.

East on random line bet sec. 25 & 36.

var. 14° 06' East

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect E. boundary at cor. to sec. 25 & 36, from which cor. Draw
West on true line between sec. 25 & 36.

var. 14° 06' East

39.95 Set a volcanic rock, 10x8x7 inches, 7/8 in the ground, marked 14,
and on N. build mound of earth 2 ft high, with pile 1 ft deep, 2 ft

Township 7 S. Range 26 E.
Gila Salt River Meridian

Continued

79.90 Long 1/2 fluke, as per instructions, for 14 sec. cor. Notice near
Cor. to sec. 25, 26, 35 & 36. - Sand, across flat
on E. end, in which there is good soil. Grass & brush.

North between sec. 25 & 26.
var. 114° 06' East

40.00 Set of post marked 14 1/2 fl long, flattened 3 inches, 1/2 ft in the ground, across
chained stake & built mound of earth 2 1/2 ft high, with pile 1/2 ft deep, of clay
1/2 fl long, as per instructions, for 14 sec. cor. from which
a mesquite 6 in. dia. has N. 41 1/2° E. 139 Cu. dist.
do. 3 " " " S. 58° E. 50 " "

80.00 Set of post marked & notched, 1/2 fl long, 3 in. sq. 1/2 ft in the ground, across
chained stake & built mound of earth 2 1/2 ft high, with pile 1/2 ft deep
1/2 fl long, as per instructions, for cor. to sec. 23, 24, 25 & 26, from which
a mesquite 4 in. dia. has S. 19 1/2° E. 141 Cu. dist.
do. 3 " " " S. 5° E. 90 " "
do. 4 " " " S. 51 1/4° E. 173 " "
do. 8 " " " S. 67° E. 155 " "

Sand, last end in bottom. Soil good. Across flat on E. end. Some brush
and mesquite on N. end.

East on random line bet sec. 24 & 25.

var. 114° 06' East

20.00 Road has. N. 71° and S. E.

40.00 Set temporary 1/4 sec. cor.

79.85 Dist. set C. boundary 3/4 sec. 4. for. to sec. 24 & 25, from which cor. done

Township 7 S. R. 26 E.
 Cila Salt River Meade Co.

N. 89° 59' West line between sec. 24 & 25.
 var. 14° 06' East.

39.93 Seta post, marked 1/4 S. 2 flong, flattened 3 in wide, 1/2 fl in the ground, drove
 charred stake & built on inside of arch 2 fl high, with pit 1/2 fl deep, 2 fl long,
 1/2 fl wide, a few instructions for 1/2 sec. cor. from which
 a mesquite 5 in. dia. has N. 21 1/2° E. 109 lvs. dist.
 do. 5 " " S. 75 1/2° E. 132 " "

79.85 Cor. to sec. 23, 24, 25 and 26. — Sand, in bottom level.
 Sal. good. Some grass and mesquite.

North between sec. 23 & 24
 var. 14° 06' East

24.00 Road bet. N. W. and S. E.

40.00 Seta post, marked 1/4 S. 2 flong, flattened 3 in wide, 1/2 fl in the ground, drove
 charred stake and built on inside of arch 2 fl high, with pit 1/2 fl deep, 2 fl
 long, 1/2 fl wide, a few instructions for 1/2 sec. cor. from which
 a mesquite 3 in. dia. has N. 19° 24' 220 lvs. dist.
 do. 4 " " N. 16 1/2° E. 181 " "

65.00 Main acequia bet. N.

69.00 Road bet. E. and N.

77.00 Acequia bet. N.

89.00 Seta post, marked & notched, 1/4 flong, 3 in. 2 fl. 1/2 fl in the ground, drove

Township 7 S R 26 E
 Cyta & Salt River Meridian

Continued

Charred stave & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long
 of ends, as per instructions, for cor. to sec. 13, 14, 23 & 24 from which
 a mesquite 6 in dia. bore N. $74\frac{1}{2}^{\circ}$ W. 74 lvs. dist.
 do. 4 " " " S. $50\frac{3}{4}^{\circ}$ W. 81 " "
 do. 8 " " " S. $55\frac{1}{4}^{\circ}$ E. 142 " "
 do. 11 " " " N. $3\frac{1}{2}^{\circ}$ W. 117 " "

Sand level. Soil good. Mesquite timber on W. end.

EAS on random line between 13 & 24

var. $14^{\circ} 06'$ East

40.00 Set temporary 1/4 Sec. cor.

79.91 Intersect E. boundary 5 lvs. of cor. to sec. 13 & 24 from which cor. from
 N. $89^{\circ} 58'$ W. on true line between sec. 13 & 24

var. $14^{\circ} 06'$ East

39.96 Set a post, marked by a flag, long flattened iron rods, upon the ground, drive
 charred stave & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long

of ends, as per instructions for 1/4 sec. cor. from which
 a mesquite 3 in dia. bore S. 74° W. 254 lvs. dist.
 do. 3 " " " N. $24\frac{1}{2}^{\circ}$ W. 380 " "

79.91 Cor. to sec. 13, 14, 23 and 24

Sand level. Good soil.

Mesquite on W. end

Township 7 S. R. 26 E.
Gila & Salt River Meridian

Sec. North between sec. 13 and 14.

var. $14^{\circ}06'$ East.

- 40.00 Set a post, mark and 143.4 ft long, flattened 3 in wide, 1 ft in the ground, drive
charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long 1 ft
wide, as per instructions for 1/4 sec. cor. from which
a mesquite 4 in. dia. brs. N. 71° E. 375 less dist.
do. " " " N. $56\frac{1}{2}$ " N. 143 . . .
- 41.00 Road brs. N. N. and S. E.
- 45.00 Road brs. N. N. and S. E.
- 50.00 Set a post, mark and 143.4 ft long, 3 in wide, 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long 1 ft wide,
as per instructions for cor. to sec. 11, 12, 13 and 14, from which
a Cottonwood 5 in. dia. brs. N. $71\frac{1}{2}$ " N. 9 less dist.
do. 8 " " " N. $36\frac{1}{2}$ " N. 44 " "
do. 10 " " " N. $9\frac{1}{4}$ " N. 47 " "
a Paraise 6 " " " S. $45\frac{1}{2}$ " E. 54 . . .
- Land marked flood. Mesquite timber, Cottonwood along river.

East on random line bet sec. 12 & 13.

var. $14^{\circ}06'$ East.

40.00 Set temporary 1/4 sec. cor.

50.01 Intersect E. boundary of 1/4 sec. of sec. 12 & 13, from which cor. from
S. $89^{\circ}57'$ N. on line between sec. 12 & 13.

Township 7 S. R. 26 E.
 Gila & Salt River Meridian

- Continued
 Var. 14° 06' East
- 110.05 Seta post marked 4 ft long, flattened in ends, 1 ft in the ground, drove
 charred stake & build mound of earth 2 ft high, with 1 pit on top, 2 ft long,
 1 ft wide, as per instructions for sec. cor. from which
 Cottonwood 13 in. dia. base N. 63½° E. 19 lvs. dist
 do. 15 " " " S. 15° W. 20 " "
- 67.13 Internal right bank of Gila river, base N. W. Seta post marked, 4 ft long, 3 in. high,
 1 ft in the ground, drove charred stake, and build mound of earth 2 ft high, with
 1 pit on line E. for cor. to frac. sec. 12 & 13, from which
 Cottonwood 14 in. dia. base N. 51¾° E. 184 lvs. dist
 Willow 6 " " " S. 67½° E. 77 " "
 Drove set of flag on opposite banks of river under line, and measure off a
 base line N. 50 lvs. to a point from which flag base S. 55° 22' W. which
 gives distance across river 6.17 chs. and at
- 73.60 Left bank of Gila river. Seta post marked, 4 ft long, 3 in. high, 1 ft in the ground,
 drove charred stake & build mound of earth 2 ft high, with 1 pit on line
 N. as per instructions for cor. to frac. sec. 12 and 13, from which
 Cottonwood 20 in. dia. base S. 19° W. 72 lvs. dist
 Willow 3 " " " S. 87½° E. 31 " "
- 80.11 Cor. to secs 11, 12, 13 & 14.
 Sand in bottom, Soil good. Cottonwood timber along river.

N. Post between secs. 11 & 12.

var. 14° 06' East

- 5.30 Internal left bank of Gila river. Seta post marked, 4 ft long, 3 in. high, 1 ft in
 the ground, drove charred stake and build mound of earth 2 ft high
 later from 1 pit on line S. for cor. to frac. sec. 11 & 12, from which
 Willow 6 in. dia. base S. 58¾° W. 54 lvs. dist
 do. 10 " " " S. 62° W. 64 " "

Township 7 S. R. 26 E.
 Twp 4 Salt River Meridian

Continued

7.00 In row of flag on line on opposite bank, and measure off baseline to 50 lbs. to point from which flag on S. 15° 52' N. which gives distance across river 1.76 chs. and at
 7.06 Right bank of Salt river. Set post in place of flag, marked 4 ft long 3 in. sq. d. 4 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from pit on bank 4 feet to face. Sec. 11 and 12 from which a mesquite 5 inches dia. 4 1/2' & 12 lbs. high
 do. " " " " 8.53' N. 6 "

13.00 Leave valley and ascend mesa, Cas. N. W.

240.00 Set post, marked 4 ft long, flattened 3 in. wide, 4 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 4 ft deep, 2 ft long 4 ft wide, as per instructions for cor. to Secs. 11 & 12. Notice near

50.00 Set post, marked & notched 4 ft long in 4 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 4 ft deep, 2 ft long 4 ft wide, as per instructions for cor. to sec. 1, 2, 11 & 12. Notice near
 Land mostly on mesa. Soil stony & poor. Timber along river.

January 28, 1875.

East on random line between sec. 1 & 12.
 on. 114° 06' East.

40.00 Set temporary 4 sec. cor.

144.92 Intersect E. boundary 13 lbs. S. of cor. to sec. 1 & 12, from which cor. drawn
 S 89° 52' N. on true line bet. sec. 1 & 12.
 on. 114° 06' East.

Township 7 S. R. 26 E.
 Twp 7 Salt River Meridian

Ln. Continued

- 39.96 S. corner sec 14 x 10 x 6 inches, 7/8 in the ground, marked 14, and
 on N. build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 14 sec. cor. No trees near.
- 79.92 Cor. to sec. 1, 2, 11 and 12,
 Sand mesa. Soil poor. No timber.

North-south line between 14th D.
 or. 14° 06' East

- 40.00 S. temporary 14 sec. cor.
- 79.89 Index to N. boundary 13 lvs. E. of cor. to sec. 14th D. from which cor. down
 S. 0° 6' E. on true line between secs. 14th D.
 or. 14° 06' East

- 39.89 Stake set marked 14, 2 ft long, flattened 3/4 in wide, 1/2 in the
 ground, driven charr'd steel 3/4 built mound of earth 2
 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per in-
 structions for 14 sec. cor. No trees near.

- 79.89 Cor. to sec. 1, 2, 11 and 12
 Sand mesa. Soil poor. No timber.
-

Township 7 S. R. 26. E.
 6th & Salt River Meridian

1/4 North between sec. 34 & 35.
 cor. 114° 06' East

40.00 Set a post marked 1/4 S. 1/4 long, flattened 3 in wide,
 1/4 in the ground, drive charred stake and build mound of earth
 2 ft high, with pit 1/4 deep, 2 ft long, 1/4 wide, as per instructions
 for 1/4 sec. cor. Notices near.

80.00 Set a post marked & notched 1/4 long, 3 in. sq. 1/4 in
 the ground, drive charred stake & build mound of earth 2
 ft high with pit 1/4 deep, 2 ft long, 1/4 wide, as per instructions
 for corners 26, 27, 34 and 35. Notices near.
 Sandiness, uneven surface. No timber.

East on random line between 26 & 35.
 cor. 114° 06' East

40.00 Set temporary 1/4 sec cor.

80.19 Intersect N. 7 S. line 32 cor. S. of cor. to sec. 25, 26, 35 & 36, from which cor. from
 S. 89° 46' N. on line between sec. 26 & 35.
 cor. 114° 06' East

40.09 Set post marked 1/4 S. 1/4 long, flattened 3 in wide, 1/4 in the
 ground, drive charred stake & build mound of earth 2 ft

Township 7 S. R. 26 E.
Gda & Salt River Meridian

Continued

80.19 High, with pits 1/2 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/2 sec. cor. No trees near.

80.19 Cont. sec. 26-27, 34 and 35.

Land mostly meadow. Soil poor. Brush. No timber.

North between sec. 26 & 27
cor. 14° 06' East

17.00 Dimpled stream 40 ft wide, cor. N. W.

40.00 Shapstone and 4 1/2 ft long flattened 3 in. wide, 1/2 ft in the ground, and
build mound of stones 2 ft high, as per instructions for 1/2 sec. cor. from which
a mag. globe 3 inches dia. N. 48 1/2° W. 79 lbs. dist.
do " " " S. 46 1/2° W. 87 " "

62.00 Leave meadow enter bottom cor. N. W.

80.00 Shapstone marked & notched, 1 1/2 ft long, 3 in. sq. ft. of the ground,
ditch charred stakes & build mound of earth 2 ft high, in the pit,
1/2 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec.

22, 23, 26 and 27, from which
a mag. globe 5 inches dia. N. 58 1/2° W. 22 lbs. dist.

do 7 " " " S. 89° W. 33 1/2 " "

do 10 " " " S. 33° E. 27 1/2 " "

No other trees near.

Land mostly meadow. Soil poor. Brush

No timber.

Township ^{ny} S. R. 26 E.
 6th Salt River Meridian

To East corner line bet. sec. 23 & 26.
 var. 14° 06' East

40.00 Set temporary 1/4 sec. cor.

29.98 Intersect N. and S. line 6 Corn. of cor. to S. sec. 23 & 24
 25 and 26. from which cor. from

N. S. 95 7/8 N. corner line bet. sec. 23 & 26
 var. 14° 06' East

39.99 Set a post marked 1/4 S. 4 ft long flattened 3 in. wide 1 ft in the
 ground, drive charred stake 3/4 in. diameter 2 ft high
 with pit 1/4 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4
 sec. cor. No trees near.

29.98 Posts to sec. 22, 23, 26 and 24.
 Land level. Soil sandy. Brush. Some mesquite trees.

North between sec. 22 & 23.
 var. 14° 06' East

21.00 Ditch bet. N. & S.

40.00 Set a post marked 1/4 S. 4 ft long flattened 3 in. wide, 1 ft in the ground,
 drive charred stake 3/4 in. diameter 2 ft high, with pit 1/4 ft deep, 2 ft
 long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

56.00 Road bet. N. & S. E.

Township 7 S. R. 26 E.
 Gila's Salt River Meridian

As Continued

65.00 Road bet. N. N. and S. E.

66.00 Ditch bet. N. N.

80.00 Set of post marked & related, 4 fl long, 3 in. sq. ft. in the ground,
 done in charred stake build mound of earth & fl long, with post of fl long,
 2 fl long, 1 fl wide, as per instructions, for cor. to secs. 14, 15, 22
 and 23 from which
 a mesquite 4 in. dia. S. $32\frac{3}{4}^{\circ}$ W. 210 lbs. dist
 do. 3 " " S. $59\frac{3}{4}^{\circ}$ W. 234 " "
 do. 6 " " N. $15\frac{1}{2}^{\circ}$ E. 174 " "
 do. 7 " " N. $86\frac{1}{2}^{\circ}$ E. 200 " "
 Adobe house (N. E. cor. of it.) has from this cor.
 S. 56° W. about 25 chs. dist

Land in bottom, descending a little N. Soil good. Some mesquite

East on random line bet. secs. 14 & 23,

cor. $14^{\circ} 06'$ East

40.00 Set temporary 14 sec. cor.

57.00 Road bet. S. N. and N. E.

49.96 Intersect N. and S. line 10 lbs. S. of cor. to secs. 13,

14, 23 and 24, from which cor. done

S. $89^{\circ} 56'$ N. on true line bet. secs. 14 & 23,

cor. $14^{\circ} 06'$ East

Township 7 S. R. 26. E.
 Twp 7 Salt River Meridian

To Continued

39.98 Set a post marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground,
 drive charred stake & build mound of earth 2 ft high, with pile 1 ft
 deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
 a mesquite 12 in. dia. bears S. 75° E. 230 lvs. dist
 do 7 " " " S. 45 1/2° W. 160 " "

49.96 Cont. to sec. 14, 15, 22 and 23.

Land level, Soil rich, Mesquite timber.

North between sec. 14 & 15.

cor. 14° 06' East

40.00 Set a post marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground,
 drive charred stake & build mound of earth 2 ft high, with pile 1 ft deep, 2
 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
 a mesquite 3 in. dia. bears N. 50° E. 84 lvs. dist
 do 4 " " " S. 82 1/4° E. 118 " "

67.23 Intersect left bank of Salt river and set a post marked 14 ft long,
 3 in. sq. ft in the ground, drive charred stake & build mound of earth,
 2 ft high, taken from 1 pile on line S. for cor. to fac. sec. 14 & 15, from which
 a Cottonwood 12 in. dia. bears S. 24° 26' 70 lvs. dist
 do 9 " " " S. 60 3/4° W. 131 " "

In row set a flag on line of opposite bank and measure of above line
 76.33 1/2 lvs. to point from which flag bears N. 10° 25' E. which gives
 distance across river 1.81 ch. and at

69.04 Right bank of Salt river, set a post in place of flag marked 14 ft long,
 3 in. sq. ft in the ground, drive charred stake and build mound of earth 2 ft
 high, taken from 1 pile on line N. for cor. to fac. sec. 14 & 15, from which

Township 7 S. R. 26 E.
 Gila Co Salt River Meridian

Continued

As willow 5 in dia. bark N. $77\frac{1}{2}^{\circ}$ E. 13 lbs. dist

do 5 " " " N. $73\frac{1}{2}^{\circ}$ E. 77 " "

80.00 Stake marked & notched, 1/2 ft long, 3 in. sq. ft. from the ground,
 two charred slabs & built around & fast to 2 ft high, with pits 1/2 ft deep,
 1/2 ft long, flange, as per instructions for sec. 10, 11, 14 & 15. From which
 a cottonwood 6 in dia. bark N. $26\frac{1}{2}^{\circ}$ E. 112 lbs. dist
 do 9 " " " N. 26° E. 108 " "
 do 12 " " " N. 51° E. 79 " "
 do 15 " " " S. 69° E. 143 " "

Land bottom Salt River. Timber along river.

East corner line between sec. 11 & 14.

cor. $114^{\circ} 06'$ East

40.00 Set temporary 1/4 sec. cor.

And crossing the river - at

80.09 Intercor N. 1/2 line 11 lands, open to sec. 11, 12, 13 & 14 from which cor. Diver

S. $89^{\circ} 55'$ N. on line line between sec. 11 & 14.

cor. $114^{\circ} 06'$ East

16.56 Intercor left bank of Gila river. Stake marked & notched, 1/2 ft long, 3 in. sq. ft. from
 in the ground, two charred slabs and built around & fast to 2 ft high,
 two pits 1/2 ft on line E. 1/2 ft fast for cor. to sec. 11 & 14 from which
 a willow 4 in dia. bark S. $81\frac{1}{2}^{\circ}$ E. 70 lbs. dist
 do 10 " " " S. $1\frac{1}{2}^{\circ}$ E. 126 " "

Diver set a flag on line on opposite bank & and measure off base line
 S. 50 lbs. to a point from which flag has N. $84^{\circ} 28'$ W. which gives
 the distance across river S. 16 chs. and at

21.72 Right bank of Gila river. Set post, in place of flag, marked, 1/2 ft long

Township 7 S. R. 76 E.
 Gila & Salt River Meridian

Continued

3 in. sqd. 4 ft in the ground, driven charred stakes & built mound of earth 2 ft high, base from 1 pole in dia. to face, sec. 11 & 14, from which
 an oak tree 12 in dia. base N. 85 1/2° W. 137' base dist
 Parasite " 3 " " " N. 112° W. 35 " "

40.00 1/4 Section marked 4 poles long, flat and 3 in wide, 4 ft in the ground, driven charred
 stakes & built mound of earth 2 ft high, with pole 2 ft deep, 2 ft long, 4 ft wide, as per instructions
 for these corners
 Cottonwood 24 in dia. base N. 1° W. 33' base dist.
 do 15 " " " S. 68 1/2° E. 104 " "

50.09 Cont. sec 10, 11, 14 & 15. Land uncult. Sandy bottom
 along line. Cottonwood & willow timber & brush along river.
 January 29, 1875.

North Colmesa sec 10 & 11.
 on N. 111° 06' East.

40.00 1/4 Section granite stone 17 x 10 x 6 inches, 3 in the ground, marked the
 and on N. built mound of earth 2 ft high, with pole 2 ft deep, 2 ft
 long, 4 ft wide, as per instructions for these corners.

50.00 1/4 Section marked & marked 4 poles long, 3 in sqd. 4 ft in the ground,
 driven charred stakes and built mound of earth 2 ft high, with
 pole 2 ft deep, 2 ft long, 4 ft wide, as per instructions for corners to
 sec. 7, 3, 10 and 11, from which
 a mesquite 6 in dia. base S. 18 1/4° E. 330' base dist
 do 5 " " " S. 2 1/2° W. 370 " "
 No other trees near.
 Land flat mesa. Soil poor. No timber

Township 7 S. R. 26 E.
T4 & Salt River Meridian

No. 1000 random line bet sec. 2 & 11.
var. $14^{\circ}06'$ East

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N. 1/2 line 7/8 S. of sec. 12-11 & 12. from which cor. drawn
S. $89^{\circ}56'$ N. on true line between sec. 2 & 11.
var. $14^{\circ}06'$ East

40.05 Set arakanic rock, 16x12x6 inches, 2 in the ground, marked 44, and
on N. end of mound of stone 2 ft high as per instruction for 1/4 sec. cor.
No trees near.

80.11 Cor. to sec. 2, 3, 10 & 11. — Land flat mesa. Soil poor. No timber.

No. 1000 random line bet sec. 2 & 3.
var. $14^{\circ}06'$ East

40.00 Set temporary 1/4 sec. cor.

80.05 Intersect N. boundary 18 hrs. N. of sec. 2 & 3. from which cor. drawn
S. $0^{\circ}8'$ N. on true line bet sec. 2 & 3.
var. $14^{\circ}06'$ East

40.05 Set post marked 44. 4 ft long flattened 3 in wide, 1/2 in the ground, drive around stone
with mound of earth 2 ft high, with post of 1/2 in. 3 ft long placed for 1/4 sec. cor. 70 ft from near.

80.05 Cor. to sec. 2, 3, 10 & 11. — Land flat mesa. Soil poor. No timber.

Township 7 S. R. 16. E.

4th & Salt River Meridian

No. North between sec. 33 & 34
 or. 14° 06' East

- 8.00 Stream of water 10 lbs. wide, bas. N. W.
- 20.00 Asand mesa, bas. N. W.
- 40.00 Seta post marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide,
 1 ft in the ground, drive charred stake & build mound of earth
 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide as per
 instructions for 1 sec. cor. No trees near
- 80.00 Seta post marked and notched, 4 ft. long
 3 in sq. d. 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high with pit 1 ft
 deep, 2 ft long, 1 ft wide, as per instructions for
 cor. to sec. 27, 28, 33 and 34, from which
 a magnetic 3 in dia. bar S. 14 $\frac{1}{4}$ W. 230 lbs. dist
 do. " " " S. 5 $\frac{1}{2}$ E. 20 " "
 No other trees near
 Land mostly prairie, Salt pr. Sanctus on bend

East on random line between sec. 27 & 34
 or. 14° 06' East

- 40.00 Set temporary $\frac{1}{4}$ sec. cor
- 49.87 Intersect N. & S. line 28 lbs. S. of post tree

Township 7 S. R. 26 E.
Gila & Salt River Meridian

Continued
36.24.34 and 35. from which cor. Iron
N. 89° 48' W. on line bet. sec. 27 & 34.
c. or. 114° 06' East.

39.91 Set a post, marked 45 ft long, flattened 3 in wide
flush the ground, drive charred stakes & build mound of
each 2 ft high, with pile 1 ft deep, 2 ft long, flush, as per
instructions for 4 sec. cor. No trees near.

49.82 Cor. to sec. 27, 28, 33 and 34.
Land once in mesa soil poor. No timber.

North between sec. 27 & 28.
c. or. 14° 06' East

40.00 Set a post, marked 45 ft long, flattened 3 in wide,
flush the ground, and build mound of stakes 2 ft high,
as per instructions for 4 sec. cor. No trees near.

74.00 Leave mesa and enter bottom.

80.00 Set a post, marked & notched, 4 ft long, 3 in
sq. ft. flush the ground, drive charred stakes & build
mound of each 2 ft high, with pile 1 ft deep, 2 ft long, flush,
as per instructions for cor. to sec. 21, 22, 27 & 28. from which

Township of S. R. 26 E.
Gila & Salt River Meridian

Continued

30 A Mesquite 12 in dia base, 76' E. 36 lbs. dist.
do. 3 " " " N. 79 1/2° E. 28 " "
do. 10 " " " N. 26 3/4° E. 49 " "
do. 4 " " " N. 50° W. 23 " "
Land, east end in bottom, mostly over a point
of broken mesa soil poor. Mesquite trees
on North end.

East on random line bet. sec. 22 & 24
var. 14° 06' East.

40.00 Set temporary 1/4 sec. cor.

79.87 Intersect N. 1/4 S. line 12 lbs. N. of cor. to sec.
22, 23, 26 and 24, from which cor. from
N. 89° 55' W. entire line bet. sec. 22 & 24
var. 14° 06' East.

39.94 Set a post, marked 1/4 S. 1/4 flong, flattened 3 in wide
1 ft in the ground, drive charred stake 3 in dia around
it, each 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec. cor. from which
A Mesquite 7 in dia base, N. 18° E. 273 lbs. dist.
North, top nearly level. Soil good.
Mesquite timber on W end.

Township 7 S. R. 26 E.

Sec 4 Salt River Mendocino

to North between sec. 21 & 22.

var. 14° 06' East

110.00 Set a post marked 14 S 4 fl long flattened 3 in.
 wide 4 ft in the ground drive charred stave
 and built mound of earth 2 ft high with pile of fl deep 2
 fl long fl wide, as per instructions for sec. cor. from which
 A Merquite 2 in dia. br. N. 81 1/2° E. 18 lvs. dist
 do. 2 " " " N. 69° W. 48 " "

80.00 Set a post marked and notched, 4 fl long
 3 in. sq. d. 4 ft in the ground, drive charred
 stave and built mound of earth 2 ft
 high with pile of fl deep 2 fl long, fl wide,
 as per instructions for cor. to sec. 15, 16,
 21 and 22, from which
 A Mesquite 3 in dia. br. S. 40 1/2° W. 152 lvs. dist
 do. 3 " " " N. 25 1/4° W. 337 " "
 do. 2 " " " N. 29° E. 206 " "
 do. 2 " " " S 80° E. 127 " "

Land in bottom. Soil good. Mesquite timber.

Township 7 S. R. 76. E.
 T4th Salt River Meridian

No. 15992. *Entombed* line bet. sec. 15 & 22.
 a. or. 144° 06' East

29.00 Road bet. N. W.

40.00 Set temporary 1/4 sec. cor.

41.00 Road bet. N. W.

59.00 Acacia tree. N. W.

79.81 Intersect stand line 10 hrs. N. of cor. to sec.

14. 15. 22 and 23. from which cor. from

N. 89° 56' North line bet. sec. 15 & 22.

a. or. 144° 06' East

39.91 Set post marked 1/4 S. of pt. long flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide as per
 instructions for 1/4 sec. cor. from which
 A Mesquite 5 in dia. N. 46° W. 142 lbs. dia. 1
 do. 5 " " " S. 20 1/2° E. 218 " "

79.81 Cor. to sec. 15. 16. 21 and 22

Land in bottom. Soil rich. Mesquite timber.

Township 7 S. R. 26 E.
 Tola's Salt River Meridian

Line North between sec. 15 and 16.
 var. $14^{\circ}06'$ East

23.00 Ditch & road along side of lot, bet. N. 76.
 40.00 Set apart marked 4 ft long flat topped 3 in wide 4 ft in the
 ground drive charred stake & build mound of earth 2 ft high, with pits
 4 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. con. from which
 a mesquite 12 in dia. bet. N. $61\frac{1}{2}^{\circ}$ E. 296 lbs. dist.
 do. 8 " " " N. $18\frac{1}{2}^{\circ}$ E. 250 " "

House bet. S. 52 $\frac{1}{2}^{\circ}$ W. about 10 chs. dist.

80.00 Set apart, marked & notched, 4 ft long, 3 in sq. d. 4 ft in the
 ground drive charred stake & build mound of earth
 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, as per in-
 structions for con. to Secs. 9, 10, 15 and 16. from which
 a Paraiso 8 in dia. bet. N. $35\frac{1}{2}^{\circ}$ E. 121 lbs. dist.
 a willow 5 " " " S. 12° W. 306 " "
 do. 3 " " " N. 45° W. 206 " "
 a Paraiso 3 " " " S. $73\frac{1}{2}^{\circ}$ E. 27 " "

House of Manuel Echandia bet. S. $67\frac{1}{2}^{\circ}$ W. about 20 chs. dist.

Sand bottom. Soil good. Mesquite timber & brush.

EAST on random line bet. sec. 10 & 15.

var. $14^{\circ}06'$ East

Crossing the river - at

80.13 Entrance N. & S. line 21 lbs. N. of con. to sec. 10, 11, 14 & 15. from which con. from

Township of S. R. C. Co.
 4th Salt River Meridian

Continued

Cor. 8. 89° 51' N. on true line between sec. 10 & 15.

cor. 114° 06' East

- 22.67 Intersect right bank of Salt river. Set a post marked 4 ft long 3 in. sqd. 1 ft from the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line E. for cor. to frac. sec. 10 & 15, from which a willow 5 in. dia. has S. 16° E. 16 in. dia.
 do. 3 " " " S. 85 1/2° E. 11 " "
- 24.72 Set a flag on line on left bank and measure off base 50 lns. N. 27 1/2° W. to a point from which flag has S. 76° 18' W. which gives distance across river 2.95 chs. And at left bank of river. Set post in place of flag, marked 4 ft long 2 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line W. for cor. to frac. sec. 10 & 15, from which a willow 9 in. dia. has S. 70 1/4° W. 13 lns. dia.
 do. 8 " " " S. 40 1/2° W. 12 " "
- 38.00 Left bank of Salt river. Set a post marked 4 ft long 3 in. sqd. 1 ft from the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line E for cor. to frac. sec. 10 and 15, from which a Cottonwood 12 in. dia. has S. 15 3/4° E. 34 lns. dia.
 do. 4 " " " S. 81 1/2° E. 24 " "
- The line does not cross the channel of the river, but simply crosses a bend of it. I set post S. 5. chs. then run on course 14.70 chs. then N. 5. chs. and at
- 52.70 Left bank of river on N. side of bend. Set a post marked 4 ft long 3 in. sqd. 1 ft from the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line W. for cor. to frac. sec. 10 & 15. No trees near.
 The 14 sec. cor. fall in river and cannot be established.
- 80.13 Cor. to sec. 9. 10. 15 and 16.
 Land, river bottom. Soil rich.
 Timber along river

January 30, 1875

Township 7 S R 26 E.
 Gila Salt River Meridian

Line North between secs. 9 & 10.
 cor. 14° 06' East

- 26.57 Intersect left bank of Salween. Set a post, marked, 4 ft long, 3 in. sq. in. in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pile on line S. for cor. to sec. 9 & 10, from which
 a cottonwood 8 in dia. has N. 58° E. 67 lbs. dist.
 a cottonwood 18 " " " S. 4 1/2° E. 142 " "
- Set a flag on line of opposite bank, and measure off a base E. 50 lbs. to a point from which flag has N. 17° 39' W. which gives distance across 1.57 chs. And at
- 28.14 Right bank of river. Set post in place of flag marked, 4 ft long, 3 in. sq. in. in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pile on line N. for cor. to sec. 9 & 10, from which
 a cottonwood 14 in dia. has S. 79° W. 153 lbs. dist.
 do 3 " " " N. 51 1/2° E. 170 " "
- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pile of debris, 2 ft long, 1 ft wide, as a construction for three cor. from which
 a cottonwood 20 in dia. has N. 66 1/2° W. 290 lbs. dist.
 do 24 " " " S. 34° W. 261 " "
- 46.00 Leave valley and ascend hill.
- 51.00 Top of same.
- 80.00 Set a granite stone, 16 x 10 x 8 inches, 7/8 in the ground, marked S. 38. and on N. build mound of earth 2 ft high, with pile of debris, 2 ft long, 1 ft wide, as a construction for cor. to sec. 3, 4, 9 & 10. No trees near. Sand, last half of mesa, where soil is poor. Cottonwood timber on river.

Township 7 S. R. 26 E.
 Twp 7 Salt River Meridian.

On East meridian line bet. sec. 3 & 10.
 or. $114^{\circ} 06'$ East

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N. and S. line 12 mi. N. of sec. 2,
 3, 10 and 11, from which cor. down
 N. $89^{\circ} 53'$ W.

Continue line between sec. 3 & 10.

or. $114^{\circ} 06'$ East

39.95 Set a post, unmarked 1/4 S. 1/4 pl. long, flattened
 3 in wide, 1/4 in the ground, drive charred
 stake and build mound of earth 2 ft high,
 with pit 1/4 ft deep, 2 ft long, 1 ft wide, as
 per instructions for 1/4 sec. cor.

No trees near.

79.90 Cor. to sec. 3, 4, 9 and 10.

Land flat.

Soil poor.

No timber.

Township 7 S. R. 26 E.
Gila & Salt River Meridian

- Sec. North on random line bet. secs. 3 & 4.
 cor. 114° 06' East
- 40.00 Set temporary 1/4 sec. cor.
- 60.00 Dry bed of stream 40 lbs. wide, bet. N. & S.
- 80.32 Intersect N. boundary 21 lbs. N. of cor.
 to secs. 3 and 4, from which cor. from
 S. 0° 9' N. on true line bet. secs. 3 and 4.
 cor. 114° 06' East
- 110.32 Set a volcanic rock, 111 x 9 x 8 inches,
 2/3 in the ground, marked 1/4, and
 on S. build mounds of earth 2 ft high,
 with pits 4 ft deep, 2 ft long, 1 ft wide, as
 for instruction for 1/4 sec. cor. from which
 a 4 Mesquite 4 inches dia. S. 69° N. 196 lbs. dist.
 do. 3 " " " N. 11° N. 181 " "
- 80.37 Cor. to secs. 3, 4, 9 and 10.
 Sand, mesa. Soil poor.
 No timber.

Township "1" S. R. 26. E.
 6th & Salt River Meridian
 Sec. No. 1 between sec. 32 & 33.

or. 111° 06' East.

40.00 Set a post, marked "4" S. 4 ft. long, flat
 tined 5 in. wide, 1 ft. in the ground. Drive
 charred stake and build mound of earth
 2 ft. high, with pit 1 ft. deep, 2 ft. long, 4 ft. wide,
 as per instructions for 1st sec. cor. from which
 A. 400 is quite 2 1/2 in. diameter S. 35 3/4° W. 755 in. ditto
 do 3 " " " N. 50 3/4° E. 167 " "

80.00 Set a post, marked and notched, 4 ft.
 long, 5 in. sq. d. 1 ft. in the ground. Drive
 charred stake and build mound of
 earth 2 ft. high, with pit 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instructions for
 cor. to sec. 28, 29, 32 and 33.

No trees near.

Land flat. Soil sandy; on ground good.
 No timber.

Township 7 S. R. 26 E.
T^h 4 Salt River Meridian

Ch^o. East on random line bet. sec. 28 & 33.
var. 111° 06' East

40.00 Set temporary 1/4 sec. cor.

57.00 Dry bed of stream, 100 lbs. wide, bet. N.E.

76.00 Leave valley and mesa bet. N.

80.04 Intersect N. and S. line 5 lbs. N. of corner to
secs. 27, 28, 33 and 34, from which cor. dim.
N. 89° 58' W.

Outline line between secs. 28 & 33.
var. 111° 06' East

40.02 Set a post, marked 1/4 S. 1/4 block, flattened 3 in. wide,
set in the ground, drive charred stake 2 1/2 in. round
4 ft high, with pit 1/2 ft deep, 2 ft long, 1 ft wide, as
per instructions for 1/4 sec. cor. from which

A Mesquite 3 in. dia bet. S. 82 3/4° W. 100 lbs. dist.

do. 2 " " S. 34 1/2° E. 19 "

80.04 Cor. to secs. 28, 29, 32 and 33
Land mostly in mesquite bottom. Soil good.
Mesquite timber and brush.

Township 7 S. R. 26 E.
 Twp 4 Salt River Meridian
 The North between sec. 28 & 29.
 cor. 14° 06' East.

- 3.00 Round mesa, cor. N.E.
 40.00 Set a post, marked to S. 4 ft long flattened 3 in. wide,
 1 ft in the ground, drive charred stake & build mound of
 earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for 4 sec. cor. from which
 A Mesquite & Indian ba. S. 61° N. 79 lbs. dist.
 No other trees near.
 73.00 Dry bed of stream 30 lbs. wide, cor. N.E.
 80.00 Set a post, marked and notched, 4 ft long
 3 in. sq. 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for cor. to sec.
 20. 21. 28 & 29. No trees near.
 Land mostly mesa. Soil poor.
 Scattering trees.

Township 7 S. R. 26 E.
 4th & Salt River Meridian

No. East on random line bet. sec. 21 & 28
 var. $114^{\circ} 06'$ East.

17.00 Leave mesa and enter bottom br. N. N.

40.00 Set temporary 1/4 sec. cor.

58.00 Dry bed of stream 100 yds wide. var. N. N.

80.11 Intersect N. and S. line 8 lvs. N. of far to
 sec. 21, 22, 27 & 28. from which cor. run
 N. $89^{\circ} 05'$ W. into line bet. sec. 21 & 28.

var. $114^{\circ} 06'$ East.

40.05 Set a post, marked 1/4 S. of long. flattened 3
 in wide, 1/2 in thick, driven into ground, drive charred stake and
 build mound of earth 2 ft high, with pile of brush,
 2 ft long, 1 ft wide as per instructions for 1/4 sec
 cor. from which

a Mesquite 3 in dia br. N. $54^{\circ} 06'$ E. 50 lvs. dist.

do 3 " " " S. $15^{\circ} 07'$ W. 89 " "

80.11 Cont. sec. 20, 21, 28 and 29.

Sand mostly bottom, Soil rich Mesquite
 timber & brush

Township of S. R. N. E.
 4th Salt River Meridian

Rs. North between sec. 20 & 21
 cor. 121° 06' East.

40.00 Set a post, marked 14 S. 4 fl. long, flattened 3 in.
 wide, 1/2 in. the ground, drive charred stake and build
 mound a foot of high, with pit 1/2 ft. deep, 2 fl. long. Provide
 as per instructions for 420000. from which
 A Magnite 4 in. dia. br. S. 72° W. 11 Cas. dist.
 do. 4 " " " S. 57° W. 77 " "

45.00 Clear mesa and enter valley.

80.00 Set a post, marked & notched, 4 fl. long, 3 in. sq. 1/2
 1/2 in. the ground, drive charred stake and build mound
 a foot of high, with pit 1/2 ft. deep, 2 fl. long. Provide as
 per instructions for cor. to sec. 16. 1/4. 20 & 21. from which
 A Magnite 4 in. dia. br. S. 53 1/2° E. 268 Cas. dist.
 do. 10 " " " N. 66° E. 361 " "
 do. 4 " " " S. 84 1/2° W. 381 " "

No other trees near.

Wind in bottom, where the soil is rich.

Magnite timber and brush.

Township 7 S. R. 26 E.
 4th Salt River Meridian

No. East random line bet sec. 16 & 21.
 a. n. $14^{\circ} 06'$ East

30.00 On bed of stream $\frac{1}{2}$ hrs. wide, line N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Induced N. & S. line 6 hrs. S. of cor. to sec.

15.16.21 and 22, from which cor. down

S. 89° 05' N. on true line bet sec. 16 & 21.

a. n. $14^{\circ} 06'$ East

39.93 Set post, marked 14 S. 14 ft. long, flattened

3 in. wide, 1 ft. in the ground, drove charred

stake and build mound of earth 2 ft. high,

with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-

structions for $\frac{1}{4}$ sec. cor. from which

A Mesquite 3 in. dia. N. 7° N. 157 lbs. dist

No. 3 " " S. $50^{\circ} 34'$ E. 178 " "

79.85 Cor. to sec. 16.17.20 and 21.

Land in bottom. Soil rich

Mesquite timber.

Township 7 S. R. 26. E.

4th & Salt River Meridian

to North between sec. 16 & 17.
 a.s. $14^{\circ} 06'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ long, flattened 3 in.
 wide, $\frac{1}{4}$ in the ground, drive a charred stake
 and build mound of earth $2\frac{1}{2}$ ft high with pits
 $\frac{1}{4}$ ft deep, $\frac{1}{2}$ ft long, $\frac{1}{4}$ ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which
 a Dis. 4 in dia. bears N. $35\frac{1}{4}^{\circ}$ W. 329 lbs. dist.
 No other trees near.

57.00 Road bet. N. W. and S. E.

80.00 Set a post, marked $\frac{3}{4}$ m. chd. $\frac{1}{4}$ long, 3 in. $\frac{3}{4}$ in the
 ground, drive a charred stake & build mound of earth
 $2\frac{1}{2}$ ft high, with pits $\frac{1}{4}$ ft deep, $\frac{1}{2}$ ft long, $\frac{1}{4}$ ft wide, as per
 instructions for cor. to sec. 8, 9, 16 & 17, from which
 a Mesquite 3 in dia. bears N. $34\frac{1}{4}^{\circ}$ E. 195 lbs. dist.
 do. 3 " " " S. $41\frac{3}{4}^{\circ}$ W. 329 " "
 do. 3 " " " N. 57° W. 94 " "
 do. $2\frac{1}{2}$ " " " S. $62\frac{1}{2}^{\circ}$ E. 100 " "
 Sand, bottom Soil rich, Mesquite timber.

Township 7 S. R. 26 E.
 6th Salt River Meridian

To East corner limit sec. 9th 16.
 var. $14^{\circ}06'$ East

31.00 Dry bed of stream bet. N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

114.00 Road bet. N. N. and S. E.

79.92 Entered N. $\frac{1}{2}$ Sec. 11 bet. N. $\frac{1}{2}$ of cor. to sec. 9, 10

15 and 16, from which cor. from

N. $89^{\circ}55'$ N. into limit sec. 9th 16.

var. $14^{\circ}06'$ East

39.96 Set a post, marked $\frac{1}{4}$ S. 44° long, flattened 3
 in wide $\frac{1}{2}$ ft in the ground, drove charred stake
 and built mound of earth $2\frac{1}{2}$ ft high with pit $4\frac{1}{2}$
 deep, $2\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, as per instructions for $\frac{1}{4}$ sec.
 cor. from which

At Mesquite 3 in dia. bet. S. $86^{\circ}4'$ N. 173 lvs. dist.

do 3 " " S. 49° E. 19 " "

79.92 Cor. to sec. 8, 9, 16 and 17

Land in bottom. Soil good. Mesquite
 timber and brush.

February, 1, 1845.

Township 7 S. R. 76. E.
Gila Salt River Meridian

- 29.00 Road betweens. 8 and 9.
cor. $114^{\circ}06'$ East
- 38.00 Acquia cor. N.W.
- 40.00 Stake post, marked 4 ft long, flattened 3 in. wide, 4 ft in the ground,
drill charred stake 3 in. diameter, 4 ft high, with pile of shingles
off long, 4 ft wide, a few in. thick - for 1/2 sec. cor. from which
a mesquite 4 in. dia. has $S. 12^{\circ} E. 197$ cor. dist.
do 7 " " " $S. 12^{\circ} E. 194$ " "
- 57.12 ^{Left} Bank of Gila river. Stake post, marked 4 ft long, 3 in. wide, 4 ft in the ground,
drill charred stake and 3 in. diameter, 4 ft high, taken from 1/2 sec.
on line S. for cor. to frac. sec. 8 and 9, from which
a willow 8 in. dia. has $S. 69^{\circ} E. 59$ cor. dist.
do 8 " " " $S. 78^{\circ} E. 5$
Stake post on line on opposite bank, and measure of 50 bars,
to a point from which flag has $N. 15^{\circ} 22' N.$ which gives distance
across river 1.56 chs. and at
- 58.98 Right bank of river. Stake post in place of flag, marked, 4 ft long, 3 in. wide,
4 ft in the ground, drill charred stake and 3 in. diameter, 4 ft high,
taken from 1/2 sec. on line S. for cor. to frac. sec. 8 & 9, from which
a cottonwood 13 in. dia. has $S. 54^{\circ} 21' N. 19$ cor. dist.
a willow 6 " " " $S. 22^{\circ} E. 36$ " "
- 80.00 Stake post, marked & notched, 4 ft long, 3 in. wide, 4 ft in the ground, drill charred
stake & 3 in. diameter, 4 ft high, with pile of shingles, 2 ft long, 4 ft wide, a few
inches thick, for cor. to sec. 4, 5, 8 and 9, from which
a Paraiso 4 in. dia. has $S. 22^{\circ} 21' N. 178$ cor. dist.
do 3 " " " $S. 26^{\circ} E. 195$ " "
do 4 " " " $S. 35^{\circ} E. 297$ " "
No other tree near.
- Land bottom, Soil rich. Timber along river.

Township 7 S. R. 26 E.
 T4th Salt River Meridian

No. 4000 sandstone line bet. sec. 4th 9.
 var. 14° 06' East

4000 Salt temporary 1/4 sec. cor.

42.00 Leave bottom & ascend mesa bet. 2. 7. 6.

79.86 Intersect N. 2nd S. line 1/4 sec. S. of cor. to sec. 3. 4.

9 and 10. from which cor. 1/4 sec.

8.89 47' N. on true line bet. sec. 4th 9.
 var. 14° 06' East

39.93 Set a post, unmarked 1/4 S. 1/4 of long, flat-
 tened 3 in wide, 1 ft in the ground, and
 build around a stone 2 ft high, as per
 instruction for 1/4 sec. cor. from which
 A Mesquite 3 in dia. bet. S. 21° E. 70 lbs. dist
 do. 4. " " S. 20° W. 159 " "

79.86 Cor. to sec. 11, 5, 8 and 9.

Land, extend in hollow, then
 on mesa. Some broken. Brushy

Township 7 S. R. 26 E.
 Twp 7 Salt River Meridian

To Northward on line between sec. 4th 5.
 a. a. r. 114° 06' East.

13.00 Leave bottom br. W. and ascend hill.

38.00 To bed of stream 50 lbs. wide, Can. S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. boundary of sec. 11. a. a. r. to
 sec. 4th 5. from which cor. from
 S. 0° 3' W.

On true line between sec. 4th 5.

a. a. r. 114° 06' East.

40.12 Set a post, marked 448. 4 ft long flattened
 3 in. wide, 4 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with pit
 4 ft deep, 2 ft long 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

A Post 3 in. dia. br. S. 31 $\frac{1}{2}$ ° W. 123 lbs. dist.

A Magnite 5 " " S. 37 $\frac{3}{4}$ ° E. 149 " "

80.12 Cor. to sec. 4, 5, 8 and 9.

Land mostly on mesa. Soil poor. Timber
 on S.

Township 7 S. R. 26 E.
 Gila & Salt River Meridian

On North between sec. 31 & 32.
 cor. $12^{\circ} 06'$ East

- 7.00 Leave valley hrs. E. of N.
- 10.00 Set a post, marked $1/2$ S. $1/2$ ft. long, flattened $3/4$ in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for sec. cor. No trees near.
- 67.00 Top of hill and descend.
- 80.00 Set a post, marked & notched, $1/2$ ft. long, $3/4$ in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec. 29, 30, 31 and 32, from which
- Almognite 2 in. dia. br. S. $63\frac{1}{2}^{\circ}$ W. 74 lbs. dist.
- do. $2\frac{1}{2}$ " " " S. 60° E. 118 " "
- do. 3 " " " S. $30\frac{1}{2}^{\circ}$ W. 94 " "
- No other trees near. Land. uneven mesa.
 Soil sandy. No timber. Some brush & grass

Township 7 S. R. 76 E.
T4th Salt River Meridian

No. East on random line bet. sec. 29 & 32
var. $14^{\circ}06'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.78 Intersect N. & S. line 31st sec. N. of cor. to sec.
28, 29, 32 and 33, from which cor. Drawn
N. $89^{\circ}47'$ N.

Outline line between sec. 29 and 32
var. $14^{\circ}06'$ East

39.89 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as far as instruction for cor.
to $\frac{1}{4}$ sec.

No trees near

79.78 Cor. to sec. 29, 30, 31 and 32.

Sand flat Soil good.

No timber or brush.

Township 7 S. R. 26 E.
 Twp. Salt River Meridian

Sec. 30 & 31. West random line bet sec. 30 & 31.
 var. $141^{\circ}06'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

65.00 Dug bed a stream 50 lbs. wide, hrs. N. E.

70.00 Ascend mesa, hrs. N. E.

78.63 Intersect N. boundary 15 lbs. N. of cor. to sec.
 30 and 31. from which cor. Run
 N. $89^{\circ}54'$ E. on true line bet sec. 30 & 31,
 var. $141^{\circ}06'$ East.

38.63 Set a post, marked $\frac{1}{4}$ sec. $\frac{1}{4}$ ft. long, flattened
 3 in. wide. 1 ft. in the ground, drive charred
 stake and build mound of earth 2 ft high
 with pile 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions for $\frac{1}{4}$ sec. cor. from which
 A. M. equid. 4 in. dia. hrs. S. $79^{\circ}11'$ 134 lbs. dist
 do. 5 " " " S. $38^{\circ}47'$ 117 " "

78.63 Cor. to Sec. 29, 30, 31 and 32.

Land mostly flat. Some good soil.

Timber along wash.

Township 7 S. R. 26. E.
 Gila & Salt River Meridian

To North between secs. 29 & 30.

on a $14^{\circ}06'$ East.

40.00 Set a post, marked "41 S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive charred
 stake & build mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as per instructions
 for 74 sec. cor. from which

A Mesquite 6 in. dia. br. S. $9\frac{1}{2}^{\circ}$ E. 230 lbs. dia.
 No other trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in high,
 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instructions for cor. 6
 sec. 19, 20, 29 and 30. from which

A Mesquite 11 in. dia. br. S. $9\frac{1}{2}^{\circ}$ N. 134 lbs. dia.

do. 3 " " " S. $89\frac{1}{2}^{\circ}$ N. 233 " "

do. 3 " " " S. $68\frac{1}{2}^{\circ}$ N. 246 " "

do. 8 " " " S. $37\frac{1}{2}^{\circ}$ E. 256 " "

Descending a little. Some good soil. Mesquites
 S. end.

Township 7 S. R. 26 E.
 4th Salt River Meridian

No. 10. An random line bet sec. 20 & 29.
 or. 14° 06' East

110.00 Set temporary 1/4 sec. cor.

79.79 Intersect N. & S. line 15 lbs. S. of cor. to
 sec. 20, 21, 28 and 29. from which cor. run
 S. 89° 54' W.

Outline line between sec. 20 & 29.
 or. 14° 06' East

39.90 Set a post, marked 1/4 S. 1/4 ft. long,
 flattened 3 in. wide, 1 ft. in the ground,
 two charred stakes and build mound
 of earth 2 ft. high, with pit 1 ft. deep,
 2 ft. long, 1 ft. wide, as per instructions
 for T. S. C. C.

Notes near.

79.79 Cor. to sec. 19, 20, 29 and 30.
 Sand, mixed with mess.
 Some brush. No timber.

Township 7 S. R. 26. E.
 Gila & Salt River Meridian

As West or random line bet sec. 19 & 30.
 cor. $114^{\circ} 06'$ East

9.00 Dug bed of stream, 50 ft. wide, bet. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.70 Intersect N. boundary 18th cor. N. of cor. to sec.
 19 and 30. from which cor. down
 $N. 89^{\circ} 52'$ E.

Outline line between sec. 19 and 30.

cor. $114^{\circ} 06'$ East

38.70 Set a post, named by S. P. Long, flattened $\frac{1}{2}$ in. wide,
 1 ft. in the ground, drive charred stake and build
 mound of earth 3 ft. high, with pits 1 ft. deep,
 2 ft. long, 1 ft. wide, as per instruction for $\frac{1}{4}$
 sec. cor. from which

A Mesquite 4 in. dia. bet. N. 13° E. 81 cor. dist.

do. 3 " " " N. 17° W. 122 " "

78.70 Cor. to sec. 19. 20. 29 and 30.

Unworn surface. Soil sandy & rite.

Scattered trees.

Township 7 S. R. 26 E.
 Gila Salt River Meridian

North latitudes. 1920.

var. 14° 06' East

22.00 Second mesa.

32.00 Dry bed of stream, 40 lvs. wide, var. N. E.

40.00 Set a post, marked the 1/4 flong flattened 3 in wide,
 1 ft in the ground, drive charred stake and build
 mound of earth 2 ft high, with pits 1/4 ft deep, 2 flong 1/4
 wide, as per instructions, from which
 a Parasol 4 in diameter S. 19° E. 15 lvs. dist.

do. 3 " " S. 88° E. 16 " "

80.00 Set a post, marked & notched, 1/4 flong, 3 in sq ft,
 1 ft in the ground, drive charred stake & build mound
 of earth 2 ft high, with pits 1/4 ft deep, 2 flong, 1 ft wide, as per
 instructions, from sec. 17, 18, 19 & 20, from which
 a Mesquite 10 in diameter S. 15 1/2° N. 95 lvs. dist.

do. 7 " " S. 56° N. 175 " "

do. 6 " " N. 61 1/2° N. 207 " "

do. 8 " " N. 31 1/2° N. 114 " "

Land in bottom Soil rich, Mesquite timber
 and brush.

Township 7 S. R. 26 E.
 4th Salt River Meridian

In Eastern random line bet. sec. 17 & 20.
 bur. $114^{\circ}06'$ East.

140.00 Set temporary $\frac{1}{4}$ sec. cor.

79.81 Intersect N. & S. line 10 W. N. of cor. to sec.
 16. 17. 20 and 21. from which cor. from
 $N. 59^{\circ}56' W.$

Outline line between sec. 17 & 20
 bur. $114^{\circ}06'$ East.

3991 Set a fact. marked $\frac{1}{4}$ S. $\frac{1}{4}$ long flattened
 3 in. wide flat the ground, drive a red stake and
 build mound of earth 2 ft. high with pile of debris
 $\frac{1}{2}$ long. of stone, as per instructions for $\frac{1}{4}$ sec. cor.
 from which

At top pile 13 in. dia. bur. $N. 46^{\circ}\frac{3}{4}' E.$ 24 in. dist.
 do 3 " " " $S. 54^{\circ}\frac{3}{4}' E.$ 25 " "

79.81 Cor. to sec. 17. 18. 19 and 20.
 Land in bottom. Soil rich
 Mesquite timber. Very brushy.
 February, 2. 1875.

Township of S. R. 26 E.
Twp. Salt River Meridian

To Nelson random line bet sec. 18 & 19
var. $14^{\circ}06'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.60 Intersect N. boundary 5 lvs. N. of cor. to
sec. 18 & 19, from which cor. from
 $N. 89^{\circ}58'$ E.

On true line between sec. 18 and 19,
var. $14^{\circ}06'$ East.

38.60 Set a post, marked "H.S." 4 ft long, flattened
3 inches, 1 ft in the ground, drive
charred stake 2 1/2 in. diam. 4 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
tion for $\frac{1}{4}$ sec. cor. from which
at Mesquite 10 in. dia. ch. S. 34 $^{\circ}$ N. 51 lvs. dist.
do. 5 " " S. 33 $^{\circ}$ E. 82 " "

78.60 Cor. to sec. 17, 18, 19 and 20.
Land bottom. Soil good.
Some mesquite.

Transep 7 S. R. N. E.
 Cpl. & Salt River Meridian

Line North between sec. 17 & 18.

var. $14^{\circ} 06'$ East

40.00 Set a post, marked W. S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred stakes
 and build mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as for a station for
 W. S. C. cor. from which

A Post 12 in. dia. br. S. $56^{\circ} E$. 29 lbs. dist

do. 7 " " " S. $34^{\circ} E$. 33 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in.
 sq. d. 1 ft in the ground, drive charred stakes and
 build mound of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, as for a station for
 cor. to sec. 7, 8, 17 and 18. from which

A Mesquite 6 in. dia. br. S. $75^{\circ} E$. 240 lbs. dist

do. 3 " " " S. $0^{\circ} 1/2' N$. 248 " "

do. 5 " " " N. $39^{\circ} W$. 260 " "

do. 3 " " " N. $60^{\circ} W$. 253 " "

Sand bottom. Soil good. Mesquite timber

Township 7 S. R. 26 E.
 Gld's Salt River Meridian

Ln. East on random line bet. sec. 8 & 17.
 cor. $14^{\circ}06'$ East.

39.00 Road bet. N.W. and S.E.

140.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Road bet. N.W. and S.E.

79.94 Intersect N. and S. line at cor. to sec.

8, 9, 16, and 17, from which Deer Dam

W. & S. line line between sec. 8 & 17.

cor. $14^{\circ}06'$ East.

39.97 Set a post marked $\frac{1}{4}$ S. $4\frac{1}{2}$ long, flattened 3
 inches wide, 1 ft. in the ground, drive a round stake
 and build a mound of earth 2 ft. high, with pole
 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which

A Mesquite 7 inches. bet. N. $7\frac{1}{2}^{\circ}$ N. 101' line. dist.

do. 9 " " S. $44\frac{1}{4}^{\circ}$ E. 121 " "

79.94 Cor. to sec. 7, 8, 17 and 18.

Land in bottom Soil rich. Mesquite
 timber & brush.

Township 7 S. R. 26 E.
Gila & Salt River Meridian
On Westward line bet sec. 7 & 18.

var. $114^{\circ}06'$ East

40.00 Set temporary 7th sec. cor

78.40 Intersect N. boundary 10 ls. S. of cor. to
secs 7 and 18. from which cor. from
 $S. 89^{\circ}56'$ E.

On true line between sec. 7 & 18.

var. $114^{\circ}06'$ East

38.40 Set a post, marked 1/4 S. 2 ft. long, flattened
3 in. wide, flush the ground, drive charred
stake and build mound of earth 2 ft. high,
with pit 4 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions, for 7th sec. cor. from which
a true 4 in. dia. bar, N. $49^{\circ}11'$. 27 ls. dist
do. 7 " " " N. 66° E. 149 " "

78.40 Cor. to secs. 7, 8, 17 and 18.

Sand level. Soil rich. Scattering trees
Abundant grass

Township 7 S. R. 26 E.
 Gila & Salt River Meridian

Sec. North between sec. 7 and 8.

cont. 144° 06' East

40.00 Set a post, marked 4 S. 4 ft long, flattened 3
 in wide, 4 ft in the ground, drive charred
 stake and build mound of earth 2 ft high
 with pit 4 ft deep, 2 ft long, 4 ft wide, as per
 instructions for 1/4 sec. cor. from which
 a Mesquite 3 in dia. bears N. 19° E. 57 lbs. dist.
 do. 3 " " " S. 24 1/2° E. 107 " "

62.00 Old road bet. N. W. and S. E.

80.00 Set a post, marked 3 notched, 4 ft long, 3 in.
 sq. ft in the ground, drive charred stake, build mound
 of earth 2 ft high, with pit 4 ft deep, 2 ft long, 4 ft wide,
 as per instructions for cor. to Sec. 5, 6, 7 and 8, from which
 a Mesquite 7 in dia. bears N. 34 1/2° E. 150 lbs. dist.
 do. 8 " " " N. 87 1/2° E. 70 " "
 do. 3 " " " S. 61 3/4° N. 153 " "
 do. 9 " " " N. 17° N. 376 " "
 Land in bottom. Soil rich. Mesquite timber

Township 7 S. R. 26 E.
 Twp. Salt River Meridian

No. East on random line between 5th & 8th.
 a.s. $14^{\circ} 06'$ East

16.00 Acquiesce N. N.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

80.16 Intersect N. and S. line 18 Cor. N. of cor. to sec.

45.8 and 9. from which cor. I run
 N. $89^{\circ} 57'$ W.

On true line between sec. 5 and 8.

a.s. $14^{\circ} 06'$ East

40.08 Set a post, marked $\frac{1}{4}$ S. 11 ft long, flat-
 tened 3 in wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which

A Cottonwood 36 in dia. bears N. $9\frac{1}{2}^{\circ}$ E. 167 ft dist.

do 8 " " " S. 89° E. 144 " "

55.56 Intersect right bank of Salt river.

Set a post, marked, 4 ft long, 3 in sq d.,
 1 ft in the ground, drive charred stake,

Township 7 S. R. 26 E.
 Gd. Salt River Meridian

Continued

79 and build mound beneath 2 ft. high,
 taken from spit on line E. for cor. to fractional
 sec. 5 and 8, from which
 A Cottonwood 6 in dia. has S. 3° E. 66 lbs. dist
 do 24 " " S. 49 1/2° E. 59 " "

Now set a flag on line on opposite bank, and
 measure off abace S. 50 lbs. to a point from
 which flag has N. 74° 20' W. which
 gives distance across river, 1.78 chs. And at

57.34 Left bank of river. Set a post in place
 of flag, marked, 4 ft. long, 3 in. sq. d. 1 ft. in
 the ground, drive charred stake and
 build mound beneath 2 ft. high, with
 1 pit on line W. for cor. to frac. sec. 5 & 8, from which
 A Cottonwood 20 in dia. has N. 5° W. 96 lbs. dist
 do 24 " " S. 40 1/2° W. 118 " "

80.16 Cor. to sec. 5, 6, 7 and 8
 Sand bottom. Soil good Timber along
 river.

Township 7 S. R. 26. E.
 4th Salt River Meridian

Sec. West on random line bet. sec. 6 & 7
 var. 114° 06' East

32.00 Road bet. N.W. and S.E.

40.00 Set temporary T. sec. cor.

43.00 Acquia bar. N. of W.

65.00 Acquia bar. S. of W.

78.35 Intersect N. boundary 8 lvs. N. of cor. to sec.

6 & 7 from which cor. down

N. 89° 37' E. entire line bet. sec. 6 & 7

var. 114° 06' East

38.35 Set a post marked 48. 4 ft long, flattened 3 in.

wide. 4 ft in the ground, driven charred stakes and

built mounds of earth 2 ft high, with pit 4 ft

deep, 2 ft long, 1 ft wide, as per instructions for

4 sec. cor. from which

A Mesquite 12 in. dia. bet. N. 89° E. 176 lvs. dist.

do. 13 " " S. 43 3/4° E. 163 " "

78.35 Cor. to sec. 5, 6, 7 and 8.

Land bottom. Soil rich. Some trees

Township 7 S. R. 26 E.
 Gila's Salt River Meridian

To North on random line bet. sec. 5 & 6.

var. $14^{\circ}06'$ East

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. boundary 22 lvs N. of onto
 sec. 5 & 6. from which cor. down
 S. $0^{\circ}9'$ N. on true line bet. sec. 5 & 6.
 var. $14^{\circ}06'$ East
- 7.00 Descend hill into bottom bas. N.
- 40.10 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long,
 flattened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build mound
 of earth 2 ft. high with pits 1 ft. deep, $\frac{1}{4}$ ft. long,
 $\frac{1}{4}$ ft. wide, as per instructions for $\frac{1}{4}$ sec.
 cor. from which
 A Mesquite 5 in. dia. var. S. $87^{\circ}26'$. 244 lvs. dist.
 do. 6 " " " N. 20° W. 157 " "
- 63.11 Intersect right bank of Gila river.
 Set a post, marked, $\frac{1}{4}$ ft. long, 3 in. sq. ft.
 1 ft. in the ground, drive charred stake
 and build mound of earth 2 ft. high,

Township 7 S. R. 26 E.
 Gila & Salt River Meridian
 of Antecedent

65.00 Taken from 1 pit on line S. for cor. to frac.
 secs. 5 and 6. from which
 A Cottonwood 12 in dia. has N. 19° E. 210 lbs. dist
 do. 3 " " " N. 23 1/2° E. 158 " "

65.38 I set a flag on line on opposite bank and
 measure off abase E. 50 lbs. to point
 from which flag has S. 12° 35' N. which
 gives distance across river, 2.24 chs. And at
 Left bank of Gila river. I set a post, in place
 of flag, marked off long 3 in sq. ft. from the
 ground, drove charred stake and build
 mound of earth 2 ft high, taken from pit
 on line S. for cor. to frac. secs. 5 & 6. from which
 A Cottonwood 8 in dia. has S. 28° E. 129 lbs. dist
 do. 5 " " " S. 10 1/2° E. 137 " "

75.00 Ditch has. N. N.

80.10 Cor. to Secs. 5, 6, 7 and 8.

Land in bottom. Soil sandy good.
 Some timber.

February 3, 1875.

Township 7 S. R. 26 E.
 Gila & Salt River Meanders
 Meanders of the Gila River through the T.P.

Begin at cor. to frac. secs. 13 & 18. on E. boundary
 of the Township and on N. and right
 bank of the river, and run thence
 down stream, as follows:

In Sec. 13.

S. $76\frac{3}{4}^{\circ}$	7.60 ch.	Bleff
N. $54\frac{1}{2}^{\circ}$	9.60 "	Banks.
S. 66°	25.40 "	
S. $54\frac{1}{4}^{\circ}$	4.30 "	
N. $54\frac{3}{4}^{\circ}$	6.70 "	Bushy
N. $16\frac{1}{4}^{\circ}$	14.00 "	Some Cattawood timber.
N. $58\frac{1}{2}^{\circ}$	4.50 "	
S. 58°	8.00 "	
N. $86\frac{1}{2}^{\circ}$	2.90 "	
N. $39\frac{1}{2}^{\circ}$	3.20 "	To cor. to fractional secs. 12 and 13

Township 7 S. R. 26 E.
 4th Salt River Meridian

Continued.

Thence in Sec. 12.

N. 81 1/2° W. 3.50 chs.

N. 46 1/2° W. 9.30 "

N. 75 1/2° W. 0.30 "

To cor. to fractional
 secs. 11 and 12.

Thence in Sec. 11.

S. 76 1/2° W. 15.10 chs.

High bluff.

S. 63 1/2° W. 8.10 "

To cor. to fractional
 Secs 11 and 14.

Thence in Sec. 14.

S. 46 1/2° W. 3.30 chs.

S. 7 1/4° W. 14.50 "

S. 45° W. 3.60 "

S. 63 1/4° W. 3.80 "

S. 72 1/4° W. 2.10 "

S. 52 1/2° W. 4.60 "

S. 13 1/2° W. 10.00 "

Next 9.20 "

Very Brushy
 Cottonwood and Willow
 along river bank

Township of S. R. 26 E.
 Gd. Salt River Meridian

Continued

N. 84 1/2° W.	10.80 chs.	Cottonwood
S. 67° W.	6.00 "	and willow
S. 75 3/4° W.	3.90 "	along bank.
N. 86 1/2° W.	10.90 "	To cor. to fractional sec. 14 and 15.

Thence in Sec. 15.

S. 52 1/2° W.	1.40 chs.	Very Bushy Cottonwood timber.
S. 58° W.	1.80 "	
S. 75 3/4° W.	4.10 "	
N. 89° W.	3.20 "	
N. 68 1/2° W.	6.00 "	
N. 35 1/2° W.	9.50 "	
N. 73 3/4° W.	2.10 "	To cor. to fractional sec. 10 and 15.

Thence in Sec. 10.

N. 40° W.	7.70 chs.
S. 62° W.	3.90 "
S. 55 1/2° W.	5.30 "

Township 7 S. R. 36 E.
 Gila & Salt River Meridian
 Continued

S. 89° 21'	3.00 ch.
West	6.50 "
N. 64 1/2° W.	2.20 "
N. 65 1/2° W.	2.50 "
N. 51 1/2° W.	7.30 "
N. 40° W.	5.00 "
N. 30° W.	3.00 "
N. 25° W.	3.00 "
N. 19 1/4° W.	11.40 "
N. 71 3/4° W.	9.60 "
S. 74 1/2° W.	6.00 "

Cottonwood and Willow
 timber and brush

To cont. fractional
 sec. 9 and 10.

Thence in Sec. 9.

S. 60 1/2° W.	4.30 ch.
N. 41 3/4° W.	6.00 "
N. 36 1/4° W.	10.60 "
N. 15 1/4° W.	6.20 "
N. 52 3/4° W.	9.60 "
N. 47° W.	8.00 "

Cottonwood and
 Willow timber
 and brush.

Township 7 S. R. 76 E.
 Gd. 4 Salt River Meridian

Continued

N. 38 $\frac{1}{4}$ ° W.	6.00 ch.	
N. 24 $\frac{1}{4}$ ° W.	5.10 "	
N. 10 $\frac{3}{4}$ ° W.	6.60 "	
N. 51 $\frac{1}{4}$ ° W.	4.80 "	
S. 66 $\frac{1}{2}$ ° W.	5.30 "	
N. 83° W.	11.20 "	
S. 73 $\frac{1}{2}$ ° W.	6.40 "	
S. 22° W.	3.80 "	
S. 69 $\frac{3}{4}$ ° W.	5.90 "	
S. 36 $\frac{3}{4}$ ° W.	5.20 "	
S. 59° W.	3.70 "	
S. 69 $\frac{1}{4}$ ° W.	5.50 "	

Cottonwood & Willow
 timber and brush.

Shelving shore.

To cont. to fractional
 sec. 8 and 9.

Thence in Sec. 8.

S. 56° W.	3.40 ch.	
N. 81 $\frac{3}{4}$ ° W.	7.00 "	
N. 49 $\frac{3}{4}$ ° W.	1.70 "	
N. 27 $\frac{1}{4}$ ° W.	10.00 "	
N. 87 $\frac{1}{4}$ ° W.	9.60 "	

Cottonwood & Willow

timber and brush

timber and brush

Township 7 S. R. 16 E.
 Tola Salt River Meridian
 Continued

S. 34° 07'	11.50 chs.		
S. 50° 1/2'	1.70 "		} Bailey's house on opposite bank 600 S. 36 1/4 N. about 5 Chs. dist.
S. 70° 1/4'	5.80 "		
S. 54° 1/2'	1.20 "		
N. 84° 1/2'	3.50 "		
N. 63° 3/4'	11.00 "		
N. 43° 3/4'	2.30 "		} Bailey's dam; mouth of ditch opposite, on the S. side of river.
N. 24° 1/2'	2.80 "		
N. 12° E.	3.20 "		
N. 15° 7/8'	7.20 "		
N. 7° 7/8'	2.70 "		
N. 13° 1/2° E.	7.50 "		
		Cottonwood & Willow timber and brush.	
		To cor. to fractional sec., 5 and 8.	

Thence in Sec. 5.

N. 73° E.	1.70 chs.	
N. 62° 1/4° E.	4.40 "	
N. 3° 1/4° N.	7.40 "	
N. 35° 1/4° N.	11.70 "	
N. 55° 1/2° N.	6.10 "	
		Cottonwood and Willow timber and brush.

Township 7 S. Range 16 E.
Gila Salt River Meridian

Continued

S. 73 $\frac{3}{4}$ N.	9.60 chs.	Cattowood and
S. 80 $\frac{1}{2}$ N.	2.30 "	willow timber
S. 81 $\frac{1}{4}$ N.	2.80 "	and brush.
S. 34 N.	5.50 "	To cor. to fractional sec. 5 and 6.

Thence in sec. 6.

S. 53 $\frac{1}{4}$ N.	4.10 chs.	Very
S. 62 N.	2.00 "	brushy
S. 63 N.	1.90 "	along
S. 71 $\frac{3}{4}$ N.	3.10 "	bank.
S. 74 $\frac{1}{2}$ N.	2.40 "	Cattowood
S. 78 $\frac{1}{2}$ N.	2.50 "	and
S. 78 $\frac{1}{2}$ N.	3.40 "	Willow
S. 42 $\frac{3}{4}$ N.	4.50 "	along
S. 73 N.	3.80 "	bank.
S. 75 $\frac{1}{2}$ N.	3.90 "	
S. 57 $\frac{3}{4}$ N.	2.30 "	
S. 48 $\frac{1}{2}$ N.	12.50 "	
S. 69 $\frac{1}{4}$ N.	7.50 "	

Township 7 S. R. 26 E.
Gila Salt River Meridian

Continued

A. 56 $\frac{1}{4}$ %	8.50 Chs.	Cottonwood
A. 58 $\frac{1}{4}$ %	4.20 "	and
A. 35 $\frac{1}{2}$ %	1.00 "	Willow
A. 35 $\frac{1}{4}$ %	3.30 "	along
A. 23 $\frac{3}{4}$ %	6.30 "	bank.
A. 60 $\frac{3}{4}$ %	7.00 "	
8.56 $\frac{3}{4}$ %	7.20 "	
A. 57 $\frac{1}{4}$ %	2.60 "	To cont. frac. sec. 1 $\frac{1}{2}$ 6. on W. boundary

February 4, 1875.

General Description

This Tr. include the bottom land on both sides of the Gila, more than two miles in width in places on the south side. This land is rich & there being an abundance of water for irrigation, it can be made to produce large crops. Quite a number of settlers are already engaged in cultivating the lands. - The extreme Southern and Northern portions of the Tr. lie on a sandy mesa with poor soil.

Theodore F. White

U.S. Dep. Surveyor &c.

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

*the Subdivision
and Meander lines of
Township 7 S. Range
16 E. of the Gila and
Salt River Meridian
Arizona*

Showing the respective capacities in which they acted.

R. A. Vasquez Chainman.

A. D. Barton Chainman.

Barnabe Palm Axeman.

H. H. Aubrey Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
J. White U. S. Deputy Surveyor, in
 surveying the Subdivisions & Me-
ander lines of Township
of S. Range 26 E. of the
Gila and Salt River
Meridian, Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

R. A. Vasquez Chainman.

S. D. Burton Chainman.

Barnabe Palm Axeman.

W. H. Aubury Flagman.

Sworn to and subscribed before me, this 6th
 day of March, 1875

J. C. Mc Caffry
 Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore A. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 23^d day of September

1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision and Meander
lines of Township 7 S.
Range 26 E. of the
Gda and Salt River
Meridian, Arizona.

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this *6th*
day of *March*, 1875

J. C. Mc Caffrey
Notary Public

U. S. Surveyor General's Office,
Tucson, Arizona, *March 20.*, 1875

The foregoing Field Notes of the survey of

*The Subdivision and Me-
ander lines of Townships
7 S. Range 7 E
East*

of the Gila and Salt River Base and Meridian, Arizona,
executed by *Theodore A. White*,
D. S., under his contract of the *23rd* day of
September, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Masson

Surveyor General.