

No. 693

Field Notes

BOOK 693

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township *7 S* Range *27 E*

Gila and Salt River Base and Meridian

ARIZONA.

No. 693

By *Thos. A. White* D. S.

under contract dated *Sept 23* 1874.

Survey commenced *Jan'y 19* 1875.

Survey completed *Jan'y 26* 1875.

693

1A

BOOK 693

PRELIMINARY OATHS OF ASSISTANTS.

W^E. R. A. Vasquez

and S. D. Burton.

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez
S. D. Burton

Sworn to and subscribed before me, this

11th

day of December, 1874

J. C. McCaffry
Notary Public

WE, *Barnabe Palm and*
W. H. Aubury

do solemnly swear that we will well and truly per-
form the duties of *Aveman and*

flagman, respectively.

according to instructions given us, and to the best
of our skill and ability.

Barnabe Palm
W. H. Aubury

Sworn to and subscribed before me this *11th*
day of *December* 187*4*

J. C. W. Caffery
Notary Public

4-674.

Township 7 S., R. 27 E. S. & S. R. B. & M.

BOOK 693

6	53	5	38	4	27	3	17	2	9	1
52	52	57	26	16	8					
7	51	8	36	9	24	10	15	11	8	12
50	49	34	23	15	7					
18	47	17	32	16	23	15	14	14	6	13
46	45	32	22	13	5					
19	44	20	31	21	21	22	13	23	4	24
44	43	30	20	12	4					
30	42	29	29	28	20	27	11	26	3	25
41	40	28	19	11	2					
31	39	32	28	33	18	34	10	35	1	36

M. 98615m9-01 desc. of Sela River pages 55-60.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

January, 19, 1875.

From the Cor. to sec. 35 & 36. on the S. boundary, Town
North between sec. 35 & 36.
or a 14° 10' East

As per E. Boundary.

10.00 Set a post marked 1/4 S. 1/4 fl. long, flattened 3 in wide,
1/2 in the ground, drive charred stake
and build mound of earth 2 ft high, with
pits 1/2 ft deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor. from which
a Magnite 5 in. dia. br. N. 81° 4' E. 86 lbs. dist
do. 5 " " South 124 " "

80.00 Set a post, marked & notched, 1/4 fl. long, 3
in. sq. d. 1/2 in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1/2 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to sec.
25, 26, 35 and 36. Notes near
Land mesa. Soil sandy, poor.
Brush. No timber.

Township 7 S. Range 27 E
Gila and Salt River Meridian

Set East or random line between sec. 25 & 26.
var. $14^{\circ}10'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect E. boundary 18 hrs. N. of cor. to
secs. 25 and 26. from which cor. Run
N. $89^{\circ}52'$ W.

Outline line between sec. 25 & 26.
var. $14^{\circ}10'$ East

39.99 Set a post, marked $\frac{1}{4}$ S. 14 ft long, flattened
3 in. wide, 1 ft in the ground, drive shined
stake and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec. cor. from which
A Mesquite 5 in. dia. has N. $63^{\circ}42'$ W. 183 hrs. dist.
No other trees near.

79.98 Cor. to sec. 25, 26, 35 and 26.
Land mes. Soil poor.
Brush. No timber.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

As North between sec. 25 and 26.

var. $14^{\circ}10'$ East.

37.00 Dry bed of stream 100 lbs. wide, bas. N.W.

40.00 Set a post, marked "4 S. 4 flong, flattened 3 in. wide,
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
A Mesquite 5 in. dia. bas. N. 6° E. 138 lbs. dist.
A Mesquite 3 " " " S. 45° N. 58 " "

80.00 Set a post, marked "notched, 4 flong, 3 in. sq. 1 ft
in the ground, drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 flong, 1 ft
wide, as per instructions for cor. to sec. 23,

24, 25 and 26. from which

A Mesquite 3 in. dia. bas. S. 10° N. 267 lbs. dist.

do. 4 " " " S. 42° E. 274 " "

do. 3 " " " N. $51\frac{1}{2}^{\circ}$ N. 136 " "

do. 2 " " " N. 28° N. 132 " "

Sand flat mesa. Some washes running through
it, with trees on them.

Township 7 S. Range 77 E
Gila and Salt River Meridian

Is East meridian line bet. sec. 24 & 25.
cor. $114^{\circ}10'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

111.00 Dry bed of stream 40 lvs. wide, lvs. N. N.

80.06 Intersect E. boundary 10 lvs. N. of cor. to sec. 24 & 25.

from which cor. I run

N. $89^{\circ}56'$ W. true line bet. sec. 24 & 25.

cor. $114^{\circ}10'$ East

40.03 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ lvs. long, flattened 3 in. wide,
in the ground, drive charred stake & build mound of
earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
as a station for $\frac{1}{4}$ sec. cor. from which
E. meridian 7 in. dia. lvs. N. $88^{\circ}27'$ 141 lvs. dist.
do. 5 " " " N. $83^{\circ}4'$ E. 280 " "

80.06 Conto sec. 23, 24, 25 and 26.

Land misc. Soil stony & poor. Some grass. A few trees.

North between sec. 23 & 24.

cor. $114^{\circ}10'$ East

11.00 Dry bed of stream, 60 lvs. wide, lvs. N. N.

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ lvs. long, flattened 3 in. wide

Township 7 S. Range 7 E.
Gila and Salt River Meridian.

Continued

4 ft in the ground, drive chawed stake & build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 4 ft wide, as
per instructions, for 74 sec. cor. Notice near

77.00 Dry bed of stream, 60 lbs. wide, cor. N. W.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq ft,
4 ft in the ground, drive chawed stake & build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 4 ft wide,
as per instructions for cor. to sec. 13, 14, 23, 24, from which
a mesquite 4 in. dia. has N. 29° W. 129 lbs. dist
do. 5 " " " N. 47½° E. 224 " "
do. 4 " " " N. 50¾° E. 139 " "
No other trees near.

Land flat mesa. Soil stony & poor. Brush a few trees.

East on random line bet. sec. 13 & 24 st.
var. 14° 10' East.

40.00 Set temporary 74 sec. cor.

80.05 Intersect E. boundary 25 lbs. N. of cor. to sec. 13
and 24. from which cor. drawn
N. 89° 49' W. on true line bet. sec. 13 & 24 st.
var. 14° 10' East

40.02 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued
 80.05 In the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for the corner from which
 A Mesquite 4 in dia. bears S. 6° E. 160 lbs. dist
 do. 4 " " S. 31 1/2° E. 148 " "
 Cor. to sec. 13, 14, 13 and 14.
 Sand flat mesa. Soil poor. Bombs. No timber.

North between sec. 13 & 14.
 var. 14° 10' East.

40.00 Set a post marked W.S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
 A Mesquite 4 in dia. bears S. 20 1/4° E. 234 lbs. dist
 No other trees near.

61.00 Dry bed of stream, 30 lbs. wide, bears S. 7 1/2°

80.00 Set a post marked & notched, 4 ft long, 3 in. x 4 in. in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 11, 12, 13 & 14, from which

Township 7 S. Range 7 E.
Gila and Salt River Meridian

Continued

40.05 A Mesquite 5 in dia. br. S. 67 1/2° N. 249 lbs. dist.
do. 5 " " " S. 44° N. 198 " "
do. 2 1/2 " " " S. 23 1/2° E. 226 " "
No other trees near.
Land mesa. Soil poor. Bush. A few trees.

East corner random line bet. sec. 12 & 13.
cor. 114° 10' East

40.00 Set temporary 7/4 sec. cor.

80.11 Detect E. boundary 60 lbs. N. of cor. to sec. 12 and
13. from which cor. down
S. 89° 34' N. onto line bet. sec. 12 & 13.
cor. 114° 10' East

40.05 Set post, marked 4 ft. 4 ft. long, flattened & inserted
4 ft. in the ground, drive charred stick & build mound
of earth 2 ft. high, with pit 4 ft. deep, 2 ft. long, 4 ft. wide,
as per instructions for 7/4 sec. cor. from which
a mesquite 4 in dia. br. N. 62° E. 200 lbs. dist.
No other trees near.

80.11 Cor. to sec. 11, 12, 13 and 14.

Land flat mesa. Soil poor, gravelly. Bush.
No timber

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Go North between sec. 11 & 12.

var. $14^{\circ}10'$ East

40.00 Set a post marked $\frac{1}{4}$ sec. cor. 34 ft. long, flattened 3 in. wide
 4 in. the ground, drive charred stake $\frac{3}{4}$ in. into ground
 a fourth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for $\frac{1}{4}$ sec. cor. from which
 a meander 10 in. distance S. $67^{\circ}04'$ 247 in. dist.
 do. 5 " " S. $20\frac{1}{4}^{\circ}$ E. 265 " "

80.00 Set a post marked & notched 4 ft. long, 3 in. sq. ft.
 4 in. the ground, drive charred stake $\frac{3}{4}$ in. into ground
 earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per
 instructions for cor. to sec. 1, 2, 11 and 12. Notes near
 Land flat mesa, Soil poor. A few trees

January 19, 1875.

East on random line bet sec. 1 & 12.

var. $14^{\circ}10'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect E. boundary 51 hrs. No. of cor. to sec.
 1 and 12. from which cor. down

N. $89^{\circ}38'$ N. on true line between sec. 1 & 12.

var. $14^{\circ}10'$ East

Township 7 S. Range 27 E.
Gila and Salt River Meridian

As Continued.

- 40.04 Set a post, marked 4° S. 4° E. long, flattened 3 in. wide, 1/2 in. thick, ground, and build mound of stones 2 ft high as per instructions for 4 sec. cor. No trees near.
- 80.09 Cor. to sec. 1, 2, 11 and 12. Sand flat mesa. Some brown on E. Soil stony poor. No timber.

North on random line bet. sec. 1 & 2,
var. $14^{\circ} 10'$ East

- 8.00 Enter bottom of Gila valley, base S. W.
- 40.00 Set temporary 4 sec. cor.
- 63.00 Dry bed of stream 40 lbs. wide, base N. W.
- 79.71 Intersect N. boundary 10 lbs. N. of cor. to sec. 1 & 2, from which corner
S. $0^{\circ} 4'$ N. on true line bet. sec. 1 and 2,
var. $14^{\circ} 10'$ East
- 39.71 Set a post, marked 4° S. 4° E. long, flattened 3 in. wide, 1/2 in. thick, ground, and build mound of stones 2 ft high, as per instructions, for 4 sec. cor. No trees near.
- 79.71 Cor. to sec. 1, 2, 11 & 12. Sand mostly bottom. Soil good, but stony. Some mesquite on N. end.

Township 7 S. Range 27 E
Gila and Salt River Meridian

To North between sec. 34 & 35.

cor. $114^{\circ}10'$ East

40.00 Set a post, marked with 4 ft long, flattened 3 in wide plank
in the ground, drove charred stake & built mound of earth
a foot high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for these cor. from which
a Mesquite 4 in dia bears $S. 82\frac{1}{2}^{\circ} E. 228$ lead dist
No other trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in high, 1 ft
in the ground, drove charred stake & built mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
tions for corner sec. 26, 27, 34 & 35, from which
a Mesquite 3 in dia bears $N. 46^{\circ} E. 76$ lead dist
Do. 4 " " " $S. 51\frac{1}{2}^{\circ} E. 296$ " "
No other trees near.
Land uncoven mesa. Gravelly poor soil. Some grass
A few trees.

East toward random line bet sec. 26 & 35.

cor. $114^{\circ}10'$ East

40.00 Set temporary 1/4 sec. cor.

80.00 Put true cor. N. & S. line 15 ch. S. of point sec. 25,
26, 35 and 36, from which cor. I run
 $S. 89^{\circ} 54' N.$ on true line bet sec. 26 & 35.

Township ²⁷ S. Range ²⁷ E.
Gila and Salt River Meridian

hs Continued

Var. $114^{\circ}10'$ East

- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in. wide
 1 ft in the ground, drive charred stake & build mound
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec. cor. from which
 a meequle 4 in. dia. has S. $16^{\circ}26'$ 74 cor. dist.
 do. 3 " " " S. $44^{\circ}31'$ 45 " "
- 80.00 Cor. to sec. 26, 27, 34 and 35.
 Land mea. Soil por. Brush. No timber

North between sec. 26 & 27.

var. $114^{\circ}10'$ East

- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in. wide
 1 ft in the ground, drive charred stake & build mound,
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec. cor. from which
 a meequle 3 in. dia. has S. $44^{\circ}27'$ 34 cor. dist.
 do. 4 " " " S. $68^{\circ}10'$ 268 " "
- 79.00 Dry bed of stream 75 hrs. wide, lens. N. W.
- 80.00 Set a post, marked $\frac{3}{4}$ S. $\frac{1}{4}$ ft long, 3 in. sq. ft in the
 ground, drive charred stake & build mound 2 ft
 high with pit 1 ft deep, 2 ft long, 1 ft wide, as per

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued

Instructions for cor. to sec. 22, 23, 26 & 27, from which
are 1/4 mile S. in diameter, S. 76 1/2° E. 15' cor. dist
adverse 5 " " " S. 74° N. 64 " "
adverse 6 " " " S. 78 1/2° N. 26 " "
adverse 3 " " " S. 12° E. 62 " "

Laudanum mesa. Soil poor. Brush. A few trees

EA. A random line bet sec. 23 & 26.

cor. 114° 10' East

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N. & S. line 1/4 cor. S. of cor. to sec. 23.

24, 25 & 26. from which cor. down

S. 89° 54' N. on true line bet sec. 23 & 26.

cor. 114° 10' East

110.05 Set a post marked 1/4 S. of flong, flattened

3 in wide, 1/2 ft in the ground, drove a red stake

and built mound of earth 2 ft high, with pits of 6

deep, 2 ft long, flong, flong, as per instructions for 1/4 sec.

cor. No trees near

80.11 Cor. to sec. 22, 23, 26 and 27.

Laudanum mesa. Soil poor. Some grass. A few trees

Township 7 S. Range 27 E.
Gila and Salt River Meridian

to North between sec. 22 & 23.
var. 114° 10' East

40.00 Set post marked 1/4 sec. cor. 2/3 long, flattened 3 in wide 1/2 ft
in the ground, drive charred stake and build mound
a foot high, with pit 1/2 ft deep, 2/3 long, 1/2 wide,
as per instructions for these cor. No trees near.

80.00 Set post marked & isolated 2/3 long, 3 in wide, 1/2 ft in the
ground, drive charred stake & build mound a foot
high, with pit 1/2 ft deep, 2/3 long, 1/2 wide, as per in-
structions for cor. to sec. 14, 15, 22 & 23, from which
a Mesquite 3 in diameter N. 32° W. 69 lvs. dist.
do. 7 " " " N. 60° W. 326 " "
do. 3 " " " S. 70° W. 178 " "
No other trees near.

Land more or less soil poor. Grass. A few trees

East on random line bet sec. 14 & 23.

var. 114° 10' East

40.00 Set temporary 1/4 sec. cor.

76.00 Dry bed of stream 40 lvs. wide, var. N. W.

80.09 Intersect N. & S. line 20 lvs. S. favor to sec. 13

14, 23 and 24 from which cor. down

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued

Co. S. 89° 34' N. outline line between 14 & 23,
as. 114° 10' East

40.04 Set a post marked 14 S. 4 ft long, flattened 3 in. wide, upon
the ground, drove charred stake & built mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for 14 sec. cor. from which
a Magnete 6 in dia. has S. 66° E. 284 feet dist
do 4 " " " N. 58° W. 318 " "

80.09 Cont. sec. 14, 15, 22 and 23. - Land flatness,
somewhat uneven. Soil poor. Brush. A few trees.

North between sec. 14 and 15.

as. 111° 10' East

37.00 Dry bed of stream 20 feet wide, bas. N. W.

140.00 Set a post marked 14 S. 4 ft long, flattened 3 in. wide, upon the
ground and built mound of stones 2 ft high, as per
instructions for 14 sec. cor. from which
a Magnete 3 in dia. has S. 53 1/2° W. 59 feet dist
do 3 " " " S. 83° W. 94 " "

56.00 Dry bed of stream 20 feet wide, bas. N. W.

80.00 Set a post marked & notched, 4 ft long, 3 in. sq. 1 ft
in the ground, drove charred stake & built mound of

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

Set earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide, as per instructions, for corners 10, 11, 14 & 15. No trees near. Land mesa. Soil poor. Brush. No timber.

East corner of section line bet. sec. 11 & 14
var. 14° 10' East

40.00 Set temporary 4 sec. cor.

80.12 Set line at N. 3° S. line 39 ch. S. of far to sec. 11, 12, 13 and 14, from which cor. drawn
S. 89° 43' N. entire line bet. sec. 11 & 14
var. 14° 10' East

40.06 Set post marked 4 S. 4 ft long, flattened 3 in. wide, 4 in. from the ground, drive charred stake & build mound of earth 2 ft high, with pit 4 ft deep 2 ft long, 1 ft wide, as per instructions for 4 sec. cor. No trees near.

80.12 Cont. sec. 10, 11, 14 & 15. — Land mesa. Soil poor. Brush. No timber. January 20, 1875.
Noch between sec. 10 & 11.

var. 14° 10' East

40.00 Set post marked 4 S. 4 ft long, flattened 3 in. wide, 4 in. from the ground, drive charred stake & build mound

Township 7 S. Range 27 E
Gila and Salt River Meridian

- Continued
- 65.00 Search of high water pit 1 ft deep, 2 ft long. Standard
instructions for this sec. corner. Notes near
65.00 Enter bottom of Gila valley, sec. 7.
- 80.00 Set a post marked & marked, 4 ft long and 3
inches square, 1 ft in the ground, drive charred stake &
build mound of earth 2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per instructions for cor. to sec. 2, 3, 10 & 11
from which
- | | | | | |
|------------|-------------|---------------|-----------|-----------|
| Almesquite | 14 in. dia. | has N. 48° W. | 13 | cor. dist |
| do | 8 " | " " | 8.375° W. | 34 " |
| do | 6 " | " " | S. 75° E. | 126 " |
| Adesote | 3 " | " " | N. 42° E. | 75 " |
- Land flat mesa. Descend into bottom of what soil is
good. Mesquite on N. end.

Old corner line bet. sec. 7 & 11.

or. 114° 10' East

- 114.00 Leave bottom. & ascend mesa, sec. 8 W.
- 40.00 Set temporary 1/4 sec. cor.
- 50.31 Intersect N. 3/4 line 39 lbs. S. of cor. to sec. 12,
11, and 17, from which cor. from
S. 89° 43' N. on true line between sec. 7 & 11,
or. 114° 10' East
- 110.15 Set a post marked 1/4 sec. 4 ft long, flattened 3 in. wide, 1 ft in

Township 7 S. Range 27 E.
Gila and Salt River Meridian.

Continued

As the ground drive charred stake I built mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per in-
struction for 1/4 sec. cor. No trees near.

80.31 Cor. to Secs. 2, 3, 10 and 11.

Line on N. in bottom, then on flat mesa. Some mesquite
Goes out in bottom

North or random line bet. sec. 2 & 3.
var. 111° 10' East.

60.00 Road bet. N. E.

40.00 Set temporary 1/4 sec. cor.

79.81 Intersect N. boundary 6 lks. E. of cor. to sec.
2 & 3, from which cor. from
S. 0° 3' E. on true line bet. sec. 2 & 3.
var. 111° 10' East.

11.48 Intersect right bank of Gila river. Set a post, measure
1/4 lks. 3 in. sq ft. If in the ground drive charred stake I build
mound of earth 2 ft high, take from 1/4 lks. N. for cor. to 1/4 sec.
Hand 3. From which
a willow 12 in. dia. var. S. 46° 07' N. 75 lks. dist
do 24 " " " N. 40 1/2° N. 72 " "

13.25 Set flag on line on opposite bank, and measure
off base line 7 1/2 lks. to a point from which flag
var. S. 15° 44' E. which goes due to a across river 1.77 chs. and set
Left bank of river. Set a post in place of

Township 27 S Range 27 E.
Gila and Salt River Meridian

Continued
No flag, marked, 4 ft long, 3 in. sq. 1 ft in the ground,
driven charred stake & build mound of earth 2 ft high,
taken from 1 pit in line S of post, for cor. to frac.
secs. 2 and 3, from which
a Cottonwood 15 in. dia. br. S. 27° E. 324 lbs. dist.
do. 18 " " " S. 38° W. 55 " "

39.81 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, driven charred stake and
build mound of earth 2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
a Mesquite 12 in. dia. br. S. 44° W. 187 lbs. dist.
do. 4 " " " N. 64° W. 141 " "

79.81 Cor. to secs. 2, 3, 10 and 11. - Land in bottom
Saltgood, Mesquite, Cottonwood & willow timber.

North between secs. 33 & 34,
cor. 111° 10' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, driven charred stake & build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide
for instructions for 1/4 sec. cor. from which
a Mesquite 11 in. dia. br. S. 56° W. 172 lbs. dist.
No other trees near.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. ft. in the ground, drive chased steel & built around it with 2 ft high, with 1/2 ft deep, 2 ft long, 1/2 ft wide, as per construction for co. to sec. 27, 28, 33 and 34, from which a mesquite 4 in. dia. br. S. 68 1/2° N. 105 br. dist. No other trees near.
Land broad mesa. Soil sandy poor. Brush. No timber.

East or random line bet. sec. 27 & 34
var. 14° 10' East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. & S. line 5 br. S. of point to sec. 26, 27, 34 & 35, from which cor. Danner
S. 89° 58' N. on true line bet. sec. 27 & 34.
var. 14° 10' East.

40.05 Set a post, marked 1/2 ft. long flattened 3 in. wide, 1/2 ft in the ground, br. chased steel & built around it with 2 ft high, with 1/2 ft deep, 2 ft long, 1/2 ft wide, as per construction for 1/4 sec. cor. from which a mesquite 8 in. dia. br. S. 70° 24' 92 br. dist.
do. 3 " " " S. 37 1/2° E. 70 " "

80.10 Cor. to sec. 27, 28, 33 & 34. - Land mesa. Soil gravelly. Brush. A few trees.

Township 7 S Range 27 E.
Gila and Salt River Meridian.

To North between sec. 27 & 28.
var. 14°10' East.

- 33.00 Log bed of stream, 20 cas. wide, var. S. W.
- 40.00 Set a post marked 1/4 S. 1/4 Sec. 27, flattened 3 in. wide. This
the ground drive charred stake & built mound of earth 4 ft
high, with pit 4 ft deep, 2 ft long, 1 ft wide, as for a struc-
ture for 1/4 sec. cor. from which
a Mesquite 5 in. dia. var. S. 25° W. 155 cas. dist.
do. 4 " " " S. 39° W. 178 " "
- 80.00 Set a post marked & marked, 1/4 ft long, 3 in. x 1/4 in. with
ground drive charred stake & built mound of earth 4 ft
high, with pit 4 ft deep, 2 ft long, 1 ft wide, as for a struc-
ture for cor. to sec. 27, 22, 27 & 28, from which
a Mesquite 8 in. dia. var. S. 27 1/2° W. 42 cas. dist.
The other trees near.
Sand flat area. Soil gravelly & poor. A few trees.

Elk Courandum line bet. sec. 27 & 24.
var. 14°10' East

- 40.00 Set temporary 1/4 sec. cor.
- 80.08 Intersect N. & S. line 15 cas. S. of cor. to sec. 22
23, 26 & 27, from which cor. I run

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

As S. 89° 54' N. on line line between sec. 21 & 27.
cor. 14° 10' East.

40.04 Set a post marked 14 1/2 ft long, flattened 3 inches off in
the ground, and build mound of stones 2 ft high, as per
instructions for 1/4 sec. cor. No trees near.

80.08 Cor. to sec. 21, 22, 27 and 28.

Land moss; somewhat barren. Soil stony
and poor. No timber.

North between sec. 21 & 22,
cor. 14° 10' East

32.00 Dry bed of stream 40 lbs. wide, bas. N. N.

40.00 Set a post marked 14 1/2 ft long, flattened 3 inches,
off in the ground, and build mound of stones 2 ft high,
as per instructions for 1/4 sec. cor. from which
A Besote 2 m. dia. bas. N. 79° E. 12 1/2 lbs. dist.
A Mesquite 3 " " " S. 11° N. 148 " "

49.00 Dry bed of stream 50 lbs. wide, bas. N. N.

80.00 Set a post, marked 8 notched, 4 ft long, 3 in. x 1/2
off in the ground, drive 3 charred stakes and
build mound of earth 2 ft high, with

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued
No pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 15, 16, 21 and 22. No trees near.
Land uneven mesa. Brush. No timber.
A few trees on wash.

East on random line bet sec. 15 & 22
var. $14^{\circ}10'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect N. & S. line 17 lbs. N. of cor. to sec.
14, 15, 22 & 23, from which cor. drawn
N. $89^{\circ}53'$ W. on true line bet sec. 15 & 22.
var. $14^{\circ}10'$ East

40.07 Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide,
1 ft in the ground, drive charred stake & build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.14 Cor. to sec. 15, 16, 21 & 22.

Land flat mesa. Some brush. No timber

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Line North between sec. 15 & 16.

cor. 14° 10' East

40.00 Set a post marked $\frac{1}{2}$ in. of fl. long, flattened 3 in wide, 4 ft
with the ground, and build mound of stones 2 ft high, as per
instructions, for the sec. cor. No trees near.

63.00 Leave mesa & enter bottom

78.00 Dry bed of stream 50 ft wide, base. N. N.

80.00 Set a post, marked & isolated, 4 ft long, 3 in. sq. ft in the
ground, drive a hair red stake & build mound of earth 2 ft
high, with 1/2 ft of fl. dup. 2 ft long, 1 ft wide, as per instructions

for cor. to sec. 9, 10, 15 & 16, from which
a mesquite 6 in dia. base, N. 80° W. 747 cu. dist

do. 5 " " " N. 67° W. 155 " "

do. 3 " " " N. 62° E. 156 " "

do. 3 " " " S. 12 1/2° W. 103 " "

Land N. end in bottom, where the soil is rich and there
is thick mesquite timber. Land on Sand mesa. Soil poor
January 21, 1875.

East on random line bet sec. 10 & 15.

cor. 14° 10' East

19.00 Leave bottom & ascend mesa

40.00 Set temporary for sec. cor.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Is Continued.

80.18 Intersect N. $\frac{1}{2}$ Section 27 of Sec. 10 of cont. sec. 10.
N. 14 $\frac{1}{2}$ 15. from which cor. Run
N. $89^{\circ} 48'$ W. on true line bet. sec. 10 & 15.

var. $14^{\circ} 10'$ East.

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft
in the ground, and build mound of stones 2 ft high, as per
instructions for $\frac{1}{4}$ sec. cor. No trees near

80.18 Cor to sec. 9, 10, 15 & 16. - Land, N. end in bottom,
soil rich, mesquite timber. E. end on mesa. Soil poor.

North between sec. 9 & 10.

var. $14^{\circ} 10'$ East.

29.00 Road bet. N. W. and S. E.

38.00 Road bet. N. W. & S. E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft
in the ground, drive charred stake & build mound of earth 2 ft
high, with pts of depth, 2 ft long, 4 ft wide, for $\frac{1}{4}$ sec. cor. from which
a mesquite 2 in. dia. has S. 16° E. 27 low dist
do. 2 " " N. 52° W. 38 " "

66.00 Intersect left bank of Gila river. Set a post, marked 4 ft long,
3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high.

Township 27 S. Range 27 E.
Gda and Salt River Meander

Continued

Chs. for cor. to frac. sec. 9 and 10, from which
a willow 6 in dia. bears S. 40° W. 53 lns. dist.
do. 5 " " " N. 71½° E. 51 " "

Set a flag on line on opposite bank of river and measure
off base E. 50 lns. to a point from which flag bears N. 15°
55 W. which gives distance across to 76 chs. And at

67.76 Right bank of Gda river. Set a post in place of flag,
marked, 4 ft long, 3 in. sq. ft. in the ground, drive charred
stake 2 in. dia. around of earth 2 ft high, then from post on
line N. for cor. to frac. sec. 9 & 10, from which
a willow 5 in dia. bears N. 76¼° W. 53 lns. dist.
do. 4 " " " N. 58¼° W. 93 " "

80.00 Set a post marked & established 4 ft long, 3 in. sq. ft. in the ground,
drive charred stake 2 in. dia. around of earth 2 ft high, with pile
4 ft deep, 2 ft long, 4 ft wide, as per instructions for cor. to
secs. 3, 4, 9 & 10, from which

A Cottonwood 12 in. dia. bears S. 71½° E. 59 lns. dist.
do. 15 " " " S. 69¼° E. 46 " "
do. 12 " " " N. 71½° W. 182 " "
do. 10 " " " N. 56¼° W. 179 " "

Land in bottom. Soil rich. There is mesquite timber

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Set East meridian line bet sec 3 & 10

var. $14^{\circ}10'$ East

34.00 Set ch. bas. S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

77.00 Road bas. N. E.

80.14 Intersect N. $\frac{3}{4}$ line 7 hrs. S. after to sec. 7.

3.10 & 11. from which cor. down

S. 89° 05' N. entire line between sec. 3 & 10

var. $14^{\circ}10'$ East

40.00 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ long, flattened 3 in wide, 4 in
thick, driven into the ground, drive charred stake & build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 7 in dia. bas. N. $87^{\circ} 05'$ 111 hrs. dist
do 3 " " S. $65^{\circ} E.$ 105 " "

67.44 Intersect left bank of Gila river. Set a post, marked,
 $\frac{1}{4}$ long, 3 in. sq. driven into the ground, drive charred stake
and build mound of earth 2 ft high, then run a line
E. for cor. to sec. 3 and 10. from which
a Cottonwood 10 in. dia. bas. N. $79^{\circ} 14'$ 68 hrs. dist
do 8 " " S. $20^{\circ} 26'$ 84 " "

Now set a flag on line on opposite bank and measure
off a base S. 100 hrs. to point from which flag bas. N. $53^{\circ} 26'$

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

- 68.78 which gives distance across river 1.34 chs. And at
Right bank of Gila river. Set a post in place of flag marked
4 ft long 3 in. sq. ft. in the ground, drive a charred stake and
build mound of earth 2 ft high, taken from spot on line
N. for cor. to sec. 3 & 10. No trees near.
- 80.14 Cor. to sec. 3, 4, 9 and 10. Land rich bottom
Brush & timber along river

North on random line bet sec. 3 & 4
bear. $114^{\circ}10'$ East

- 32.00 Leave bottom & ascend high mesa bet. S. 4. & S. 3.
40.00 Set temporary 1/4 sec. cor.
61.00 Top of mesa.
80.00 Intersect N. boundary at cor. to sec. 3 and 4,
from which cor. done

South on true line between sec. 3 & 4
bear. $114^{\circ}10'$ East

- 40.00 Permanently establish temporary post 4 ft long
marked 1/4 ft flattened 3 in. wide ft in the ground, and
build mound of stones 2 ft high, as per instructions

Township 7 S. Range 27 E.
Cala and Salt River Meridian

Continued.

As for 14 sec. cor. from which
a magrite 10 miles. cor. N. $10\frac{1}{2}^{\circ}$ E. 118 rods. dist.
do 3 " " " N. 48° W. 87 " "

80.00 Cor. to Secs 3, 4, 9 and 10.

Sand, first in bottom; rich soil. Then on high stony
mesa, poor soil. Sometimes in bottom. //

North between Secs. 37 & 33.

cor. $114^{\circ} 10'$ East

40.00 Set a post, marked W.S. 4 ft long, flattened 5 in. wide,
4 ft in the ground, drive charred stone & build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 14 sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in sq ft. 4 ft in
the ground, drive charred stone & build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to Secs. 28, 29, 32 and 33.

No trees near

Sand mesa. Soil gravelly and stony.
Some grass and brush. No timber.

Township 7 S Range 27 E.
Gila and Salt River Meridians

No East on random line between 28 & 33.
a.s. 14° 10' East.

40.00 Set temporary 4 sec cor

79.85 Intersect N. and S line 6 W. N. of cor to sec.

27, 28, 33 and set up from which cor from

N. 89° 05' W. on true line between 28 & 33.

a.s. 14° 10' East.

39.93 Set a post, marked 14 S. 4 ft long, flattened 3 in wide,
4 ft in the ground, and drive charred stake and
build mound of earth 2 ft high, with pile 1 ft deep,
4 ft long, 1 ft wide, as per instructions for these cor. No true near.

79.85 Cor to sec. 28, 29, 32 & 33. Land marked.
Somewhat broken. No timber.

North between sec. 28 & 29.

a.s. 14° 10' East

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide,
4 ft in the ground, drive charred stake & build mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for these cor. No true near.

Township 7 S. Range 27 E
Gila and Salt River Meridian

Is Continued

- 62.00 Long bed of stream 30 lbs or less, Nos. 11, 12.
80.00 Set a post marked & notched, 4 ft long, 3 ins gth, 1 ft
in the ground, drive charred stake & build mound of
earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide,
as per instructions, for cor to sec. 20, 21, 28 & 29, from which
a Mesquite *Prosopis juliflora* N. 65° W. 212 lbs dist
No other trees near. - Sand flat mesa soil gravelly
poor. Grass, a few trees

East of house and on line bet sec 21 & 28,
cor. 14° 10' East

- 40.00 Set temporary 1/4 sec. cor
79.90 Intersect N. and S. line S. line of cor. to sec. 21, 22,
27 and 28, from which cor. I run
N. 89° 57' W. on true line bet. sec. 21 & 28.
cor. 14° 10' East

- 39.95 Set a post marked N. S. 4 ft long, flattened 3 ins wide,
1 ft in the ground, drive charred stake & build mound of
earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide, as

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

As per instructions, for 1/4 sec. cor. from which
 a Measuring line S. 25° W. 182 lns. dist
 do. 3 " " " N. 85 1/2° W. 129 " "
 49.90 Cor. to sec. 20, 21, 28 and 29.
 Land flat mesa. Some grass. Bush. A few trees.

North between sec. 20 & 21.

var. 114° 10' East

40.00 Set a post marked "4 S." 4 ft long, flattened 3 in.
 wide, 1 ft in the ground, drive charred stakes and
 build mound of earth 2 ft high, with pile 1 ft deep
 4 ft long, 4 ft wide, as per instructions for trees.
 No trees near.

62.00 Leave mesa and enter bottom.

80.00 Set a post marked "notched," 4 ft long, 3 in sq ft in
 the ground, drive charred stakes & build mound of earth
 2 ft high, with pile 1 ft deep, 2 ft long, 4 ft wide, as per instructions
 for cor. to sec. 16, 17, 20 & 21, from which
 a Private Measuring line N. 77 1/2° E. 223 lns. dist
 a Measuring line S. 72° W. 293 " "
 No other trees near.
 Land. N. end in bottom; good soil. S. end on sandy
 mesa, poor soil. No timber.

Township 7 S Range 27 E
Gila and Salt River Meridian

Is East or random line bet sec 16 & 21.

var. 14° 10' East

26.00 Dry bed of stream 75 ls. wide bet N. N.

33.00 Second hill

40.00 Set temporary 4th sec. cor.

79.92 Intersect N. and S. line 9th S. of cor. to sec.

15, 16, 21 and 22 from which cor. done

§ 89056 N. on true line bet sec. 16 & 21.

var. 14° 10' East

39.96 Set a post marked 1/2 S. of fl. long, flattened 3 in. wide,
4 ft in the ground, drove charred stake & built mound
of earth 2 ft high with pile 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 4th sec. cor. No trees near.

79.92 Cor. to sec. 16, 17, 20 and 21.

Land, W. end on flat mesa. E. end on low table.

Soil poor. No timber.

North between sec. 16 & 17.

var. 14° 10' East

40.00 Set a post marked 1/2 S. of fl. long, flattened 3 in. wide, 4 ft
in the ground, drove charred stake & built mound of earth.

Township 7 S. Range 7 E.
Gila and Salt River Meridian

Continued

2 ft high, with pit 1 ft deep, 2 ft long, flange as per in-
struction for Tase. cor. from which
A Mesquite 6 in. dia. has N. 79° W. 26 lvs. dist.
do 5 " " S. 3° E. 24 " "

65.00 Road cor. N. E. and S. W.

70.90 Entered left bank of Gila river. Set a post marked,
2 ft long, 3 in. dia. in the ground, drove charred stake and
built mound of earth 2 ft high, taken from 1 pit on line S.
for cor. to frac. sec. 16 and 17 from which
A Mesquite 3 in. dia. has S. 81 1/2° E. 127 lvs. dist.
do 3 " " S. 36° E. 72 " "

I now set flag on line on opposite bank, and measure
off a base 50 lvs. E. to point from which flag has
N. 70.24 W. which gives distance across river, 1.35 Chs. and at

72.25 Right bank of Gila river. Set a post, in place of flag
marked, 2 ft long, 3 in. dia. in the ground, drove
charred stake and built mound of earth 2 ft high,
taken from 1 pit on line S. for cor. to frac. sec. 16 & 17 from which
A Cottonwood 9 in. dia. has N. 2 1/2° W. 204 lvs. dist.
do 10 " " N. 36 3/4° W. 245 " "

80.00 Set a post marked & watched, 2 ft long, 3 in. dia.

Township 7 S Range 7 E
Gila and Salt River Meridian

100
7
3
4
2

Continued

Spit the ground, drive charred stake and
build mound beneath 2 ft high, with pits 4 ft deep,
2 ft long, 4 ft wide, as per instruction for cor. to sec.
8, 9, 16 and 17 from which

- at Cottonwood 10 miles in. cor. N. 31° W. 107 yds. dist
- do. 14 " " " S. 89° W. 93 " "
- do. 13 " " " S. 0° W. 107 " "
- do. 14 " " " S. 75° E. 97 " "

Land in bottom, Soil rich, Cottonwood & willow on river.
January 22, 1875.

E. A. W. on random line bet sec. 9 & 16.
acc. 114° 10' East

- 40.00 Set temporary 74 sec. cor.
- 80.14 Intersect N. & S. line 716. S. a few feet sec. 9, 11,
15 and 16, from which cor. I run
S. 89° 51' N. on true line bet sec. 9 & 16.
acc. 114° 10' East

110.07 Set a post, marked 4 S. 1/2 ft long, flattened 3/4 in. wide
Spit the ground, drive charred stake & build mound
at least 2 ft high, with pits 4 ft deep, 2 ft long, 4 ft wide

Township 7 S. Range 77 E.
Gila and Salt River Meridian
of Continued

As a per instruction for 4 sec. cor. from which
A Mesquite 5 in dia. has S. $48\frac{1}{2}^{\circ}$ N. 44 ls. Dist
do. 6 " " S. $56\frac{1}{4}^{\circ}$ E. 70 " "

57.55 Intersect left bank of Gila river. Seta post, marked,
4 ft long, 3 in. sq. d. ft. in the ground, drive charred stake
and build mound of earth 2 ft high, with 1 pit on line E.
for con. to frac. sec. 9 & 16. from which
A Mesquite 6 in dia. has S. $33\frac{1}{2}^{\circ}$ E. 72 cordist
do. 6 " " S. $17\frac{1}{2}^{\circ}$ E. 70 " "

The line does not cross to the right bank, but merely
crosses a bend in the river. From S. on object of 3
chs. then on course N. 8° 72 cho: then S. 3 chs. and on line at

61.47 Left bank of Gila river, on the east of bend. Seta post,
marked, 4 ft long, 3 in. sq. d. ft. in the ground, and build
mound of stone 2 ft high, for con. to frac. sec. 9 & 16. from which
A Cottonwood 10 in. dia. has S. 45° N. 50 ls. Dist
A Willow 8 " " S. 26° E. 72 " "

69.00 Left bank of Gila river. Seta post, marked, 4 ft
long, 3 in. sq. d. ft. in the ground, drive charred stake
and build mound of earth 2 ft high, taken from

Township 7 S. Range 27 E
Gila and Salt River Meridian

- Continued
- 71.10 1/2 pit on line E. for cor. to frac. sec. 9 & 16 from which
a cottonwood 14 in. dia. bears S. 14 1/2° E 141 lbs. dist
do. 12 " " S. 10° W. 139 " "
- Incorporate flag on line on opposite bank, and
measure off base 50 lbs. N. to a point from which
flag bears S. 76° 42' W. which give the distance
across river 2.17 chs. And at
- 71.12 Right bank of river. Set a post in place of flag
marked 4 ft long, 3 in. sq. 4 ft in the ground, drive
charred stake & build mound 4 ft high
taken from 1/2 pit on line N. for cor. to frac. sec. 9 & 16
from which
a cottonwood 14 in. dia. bears N. 87° W. 47 lbs. dist
do. 13 " " S. 64 1/2° W. 62 " "
- 80.14 Cor. to sec. 8, 9, 16 and 17.
Land in bottom. Soil good. Cottonwood
and willow timber & brush
-
- North between sec. 8 & 9.
bear 14° 10' East
- 15.00 Leave valley and ascend high mesa.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

As Continued

29.00 Top of mesa, cor. N. E. and S. W.

40.00 Set a post, marked W. S. 4 ft. long, flattened 6 in. wide
4 ft. in the ground, drive cherted shill and build
mound of earth 2 ft. high, with pit 4 ft. deep, 2 ft
long, 1 ft. wide, as per instructions for 4 sec. cor. from which
A Magnite 12 in. dia. has N. 55° E. 356 ft. dist.
A Paraiso 7 " " " N. 35 1/2° E. 463 " "

80.00 Set a volcanic rock 17 x 12 x 6 inches, 2/3
in the ground, marked S. & E. and on
N. build mound of stones 2 ft. high, as
per instructions, for cor. to sec. 4, 5, 8 and
9. No trees near.

Land, S. end in bottom, rich soil; then on
high mesa. Poor soil.

East on random line to sec. 14 1/2 G.
cor. 114° 10' East.

36.00 Descend from high mesa, cor. S. W. & N. E.
40.00 Set temporary 1/4 sec. cor.
44.00 Enter bottom cor. S. W.

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued

80.57 Intersect N. 4th line 28 ls. S. of cor. to sec.
3, 4, 9 and 10, from which cor. Dime
S. 89° 48' N. on true line to sec. 4 & 9.
var. 114° 10' East

71
40.26 Set a volcanic rock, 15 x 14 x 7 inches, $\frac{3}{4}$ in
the ground, marked 14, and on N. build
mound of stone 2 ft. high, as per instruction
for 14 sec. cor. Notices near

80.59 Cor. to sec. 4, 5, 8 and 9.
Land high mesa N. - bottom E. with rich soil
Cottonwood timber

North on random line to sec. 4 & 5.
var. 114° 10' East

40.20 Set temporary 14 sec. cor.

80.23 Intersect N. boundary 14 ls. N. of cor. to sec.
4 & 5, from which cor. Dime
S. 0° 6' N. on true line to sec. 4 & 5.
var. 114° 10' East

Township 7 S. Range 27 E.
Ida and Salt River Meridian

hs Continued

40.73 Set a post, marked 14 S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pit 4 ft
deep, 2 ft long, 4 ft wide, as per instructions for
1/4 sec. cor from which
A Magnite 10 in. dia. bar. N. 44° W. 380 lbs. dist.
No other trees near

50.73 Cor. to Secs. 4, 5, 8 and 9.
Land flat mesa. Soil gravelly, poor. Bonshi, Holmbush.

North between sec. 31 & 32

var. 114° 10' East

21.00 Road to settlement hrs. N.E.
31.00 Ascend low hill.
36.00 Road to settlement hrs. N.W.
49.00 Set a post, marked 14 S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pit 4 ft deep,
2 ft long, 4 ft wide, as per instructions for

Township 7 S. Range 77 E
Gila and Salt River Meridian

Continued
 1/4 sec. cor. from which
 A Mesquite 12 m. dia. bearing N. 77° E. 250 lbs. dist.
 do. 5 " " " S. 39° W. 145 " "
 80.00 Set apart, marked & notched, 4 ft long, 3 in 2 yds
 4 ft in the ground, drive charred stake and build
 mound beneath 2 ft high, with pit 4 ft deep, 2 ft
 long, 4 ft wide, as per instructions for cor. to see
 29, 30, 31 and 32. From which
 A Mesquite 7 m. dia. bearing S. 76° E. 213 lbs. dist.
 do. 4 " " " S. 10° W. 176 " "
 No other trees near.
 Land, partly in flat and on mesa. Soil good in
 bottom. A few trees.

E A H on random line to see, 29 & 31.
 bearing 141° 10' East.

40.00 Set temporary 1/4 sec. cor.
 80.09 Intersect 76 & S. line 7 lbs N. of cor. to see
 28, 29, 32 & 33, from which cor. from
 N. 89° 57' N. on true line to see 29 & 32.
 bearing 141° 10' East.

Township 17 S. Range 27 E.
Gda and Salt River Meridian

As Continued.

40.04 Set a post marked 1/4 S. of C. long, flattened 3 in.
wide, 4 in. the ground, and build mound of
stone 2 ft high, as per instructions for 1/4 sec.
cor. Not to be seen

50.09 Cor. to sec. 29, 30, 31 and 32.
Land in mesa a. Salt Stng. poor. Not to be seen.

W. L. H. no. and line bet sec. 30 & 31.
var. 14° 10' East.

40.00 Set temporary 1/4 sec. cor.

47.00 Road to settlement bet. N. N.

51.00 Leave flat and ascend mesa.

78.91 Interest N. boundary 18 Sec. N. of cor. to Sec.
30 & 31, from which cor. Drive
N. 89° 57' East true line bet sec. 30 & 31.
var. 14° 40' East

38.91 Set a post marked 1/4 S. of C. long, flattened 3 in.
wide, 4 in. the ground, drive charred stake and build
mound of earth 2 ft high, with 1/4 ft of ledge 2 ft

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued
 1/4 sec. long, 1/4 wide, as per instructions for 1/4 sec.
 cor. from which
 A Mesquite 6 in dia. br. N. 56 1/2° E. 25 br. dist
 do. 5 " " S. 71° E. 13 " "

78.91 Contos secs. 29, 30, 31 and 32.
 Good soil in flat. Grass Mesquite timber in center.

North between secs. 29 & 30.
 cor. 14° 10' East

- 44.00 Ascend mesa & leave flat.
- 40.00 Set a post, marked W.S. 4 ft long, flattened 3 in
 wide, 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pile of 100 lbs.
 of 1/4 long, 1/4 wide, as per instructions for 1/4 sec.
 cor. from which
 A Mesquite 2 in dia. br. N. 43 3/4° E. 18 1/2 br. dist
 No other tree near
- 80.00 Set a post, marked & notched, 4 ft long 3 in
 sqd., 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with

Township 7 S. Range 27 E.

Edo and Salt River Meander

Continued

Set of 4 piles, 2 ft long, 4 ft wide, as per instructions
for cor. to Sec. 19, 20, 29 and 30, from which
a magnetic 4 in. dial bears S. 134° E. 32' 1/2' and dist.
No other trees near.

Sand mostly on mesa. S. end in grassy flat.

Notes:

East on random line bet. sec. 20 & 29,
a cor. 14° 10' East

40.00 Set temporary 1/4 sec. cor.

79.82 Intersect N. & S. line 5 cor. No. of cor. to sec.
20, 21, 28 & 29, from which cor. from

N. 89° 58' W. to true line bet. sec. 20 & 29,
a cor. 14° 10' East

39.91 Set a post, rounded top, 4 ft long, flattened 3 in. wide, 4 ft in
the ground, driven 3 feet into stone & built mound of
earth 2 ft high, with pile of 4 ft deep, 2 ft long, 4 ft wide
as per instructions for 1/4 sec. cor. from which
a magnetic 3 in. dial bears S. 88° E. 33' and dist.
do. 3 " " " S. 55° E. 106 " "

79.82 Cor. to Sec. 19, 20, 29 and 30.

Sand flat mesa. Gramma grass. Brush
a few trees

Township 7 S. Range 97 E.
Gila and Salt River Meridian

As West on random line between 19th & 30.
var. 121°10' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

47.00 Leave mesa & descend into bottom.

78.89 Intersect N. boundary 30 hrs S. of cor. to Sec
19th & 30. from which cor. down
S. 89°47' E. on true line between 19th & 30.
var. 124°10' East

38.89 Set a post marked $\frac{1}{4}$ S. of plough, flattened
3 in. or deep in the ground, and build
mound of stones 2 ft high, as for a restriction
for $\frac{1}{4}$ sec. cor. No trees near.

78.89 Cor. to Secs 19, 20, 29 and 30.

Land mesa & bottom. Soil poor and good.
A few trees. January 23, 1875.

North between Secs 19th & 20.
var. 121°10' East.

13.00 Road hrs. E. and W.

40.00 Set a post marked $\frac{1}{4}$ S. of plough flattened 3 in. wide

Township 7 S Range 27 E.
Gila and Salt River Meridian

Continued
his 1 ft in the ground, dried charred stake & built mound of earth
2 ft high, with pit 4 ft deep, 2 ft long, for use as per in-
structions for 14 sec. cor. From which
A Mesquite 14 in. dia. S. 13° N. 44 Cor. dist.
do. 4 " " S. 57½° E. 41 " "

80.00 Set a post, marked & notched, 4 ft long, 3 in. gth,
1 ft in the ground, dried charred stake & built mound
of earth 2 ft high, with pit 4 ft deep, 2 ft long, for use
as per instructions, for cor. to sec. 17, 18, 19 & 20, from which
A Mesquite 4 in. dia. S. 37½° N. 76 Cor. dist.
do. 7 " " S. 80° E. 40 " "
do. 3 " " S. 51° N. 36 " "
do. 4 " " S. 50½° N. 50 " "

Land in bottom, Saltford. Thick mesquite on N.

East corner random line bet sec. 17 & 20,
var. 14° 10' East

12.00 Road bet. N. E. & S. W.
40.00 Set temporary 14 sec. cor.
79.86 Intersect N. and S. line 66 in. N. of cor. to sec.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued
 16.17.20 and 21, from which cor. Iron
 N. 89° 15' W. continue line bet. sec. 17 & 20,
 cor. 114° 10' East

39.93 Set a post marked "U.S." 4 ft long, flattened 3 in wide,
 1 ft in the ground, drive the rod stake & build mound
 of earth 2 ft high, with pile of debris 2 ft long, flanked
 as per instructions for the sec. cor. from which
 @ Mesquite 2 1/2 in. dia. cor. N. 61° E. 25 lbs. dist.
 do. 2 1/2 " " " S. 70° W. 9 " "

49.86 Cor. to sec. 17, 18, 19 and 20.
 Land in bottom Soil good. Thin mesquite on N.

West on random line bet. sec. 18 & 19
 cor. 114° 10' East

15.00 Road bet. N. & S.

40.00 Set temporary 1/4 sec. cor.

63.20 Acacia bet. S. W.

78.90 Intersect N. boundary of 1/4 li. S. of cor. to
 sec. 18 & 19, from which cor. Iron
 S. 89° 15' W. continue line bet. sec. 18 & 19

Township 7 S Range 27 E.
Gila and Salt River Meridian

Continued

var. $141^{\circ}10'$ East

- 38.90 Set a post, marked 4 S. 4 ft long, flattened 3 in wide
 4 ft in the ground, drive charred stake & build mound
 of earth 2 ft high, with pit 4 ft deep, 2 ft long
 4 ft wide, as per instructions for sec. cor. from which
 a Mesquite 4 in diameter N. $77\frac{1}{2}^{\circ}$ E. 18 lns dist
 do 9 " " N. $72\frac{1}{2}^{\circ}$ W. 29 " "
- 78.90 Cor. to sec. 17, 18, 19 and 20.
 Land rock bottom, thick mesquite timber.

North between sec. 17 & 18.

var. $14^{\circ}10'$ East

- 14.00 Road bet. E. and W.
- 14.50 Acquia bas. N.
- 110.00 Set a post, marked 4 S. 4 ft long, flat-
 tened 3 in wide, 4 ft in the ground, drive
 charred stake & build mound of earth 2 ft
 high, with pit 4 ft deep, 2 ft long, 4 ft wide,
 as per instructions for sec. cor. from which
 a Cottonwood 20 in diameter N. 30° W. 19 lns dist

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

- 143.65 A Cottonwood 10 in. dia. by S. $39^{\circ} \frac{3}{4}^{\circ} E$. 41 Cu. feet
Intersect left bank of Gila river. Set a post, marked,
4 ft. long, 3 in. sq. d. 1/2 in. the ground, drive charred
stave & build mound of earth 2 ft. high, taken from
1/2 in. on line S. for cor. to frac. sec. 17th & 18. from which
A Willow 10 in. dia. by S. $2^{\circ} E$. 67 Cu. feet
do. 8 " " S. $40^{\circ} \frac{1}{2}^{\circ} N$. 105 " "
I now set a flag on line on opposite bank
of river, and measure off a base line N. 12th 53rd E.
35 Cu. feet point from which flag by S. $12^{\circ} 53^{\circ} E$
which gives distance across river 3.33 Cu. feet
446.98 Set a post in place of flag, on right bank of river,
marked, 4 ft. long, 3 in. sq. d. 1/2 in. the ground,
drive charred stave & build mound of earth 2 ft.
high, taken from 1/2 in. on line N. for cor. to frac.
sec. 17th & 18. from which
A Willow 8 in. dia. by N. $31^{\circ} \frac{3}{4}^{\circ} E$ 148 Cu. feet
do. 5 " " N. $13^{\circ} \frac{1}{2}^{\circ} E$ 183 " "
80.00 In cultivated field. Set a post, marked
and notched, 4 ft. long, 3 in. sq. d. 1/2 in. the

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued
 ground, drive charred stake & build mound
 of earth 2 ft high, with pit 1 ft deep, 2 ft long
 1 ft wide as per instructions for conts sec.
 7, 8, 17 and 18 from which
 a Paraiso 4 in. dia. S. $82\frac{1}{2}^{\circ}$ N. 30 lbs. dist
 do 4 " " S. $48\frac{1}{2}^{\circ}$ N. 156 " "
 do 6 " " S. $30\frac{1}{2}^{\circ}$ N. 454 " "
 Land rich bottom. Cottonwood & willow in bottom.

Eastward from line bet sec. 8 & 17.
 cor. $14^{\circ} 10'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. & S. line 31 cor. S. of cor. to
 sec. 8, 9, 16 and 17, from which cor. from
 S. $89^{\circ} 47'$ N. to true line bet sec. 8 & 17
 cor. $14^{\circ} 10'$ East.

40.05 Set a post, marked $\frac{1}{4}$ S. 1 ft long, flat-
 tened 3 in wide, 1 ft in the ground, drive
 charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide

Township 7 S. Range 77 E
Gila and Salt River Meridian

- Continued.
- As per instruction for the sec. from which
 a Willow 6 in. dia. S. 39° W. 116 ls. dist
 do. 3 " " " S. 58 3/4° W. 134 " "
- 80.10 Cont. to sec. 7, 8, 17 and 18.
 Land bottom Soil rich, Cottonwood & willow
 along river
-
- West on random line bet. sec. 7 & 18.
 var. 111° 10' East
- 40.00 Set temporary 1/4 sec. cor.
- 78.75 Intersect N. boundary 12 ls. N. of cont.
 sec. 7 and 18. from which cor. from
 N. 89° 55' E. on true line bet. sec. 7 & 18.
 var. 111° 10' East.
- 38.75. Set a post, marked 1/4 S. 1/4 long, flattened 3
 in wide, 1/2 in the ground, drive charred
 stake 3/4 in dia. mound of earth 2 ft high,
 with pits 1/2 ft deep, 2 ft long, 1/2 ft wide as
 per instruction for 1/4 sec. cor. from which
 a Cottonwood 10 in. dia. S. 13 3/4° W. 28 ls. dist.
 a Mesquite 3 " " " S. 57° W. 106 "

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

- No. House of Trinidad Michelena bar. from
this cor. S. 47° E. about 15 chs dist.
78.75 Cor. to sec. 7, 8, 17 and 18.
Land rock bottom. Some timber & brush

North between sec. 7 & 8.

acc. 144° 10' East

- 34.00 Limestone bottom & ascend mesa bar. W.
40.00 Lata volcanic rock, 18 x 7 x 6 inches, $\frac{3}{4}$
in the ground, marked $\frac{1}{4}$, and on N. build
mound of stone 2 ft high, as per instructions
for 14 sec. cor. No tree near
80.00 Lata volcanic rock 13 x 9 x 8 inches, $\frac{2}{3}$
in the ground, notched S & E. and on N.
build mound of stone 2 ft high, as
per instructions, for cor. to sec.
5, 6, 7 and 8. No tree near
Land S. bottom. N. mesa. Soil rich
and poor.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

On East random line bet. sec. 5 & 8.
cor. 114° 10' East.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N. & S. line 8 sec. N. & sec. to sec.
4.5, 8 & 9. from which cor. from
N. & S. line bet. sec. 5 & 8.
cor. 114° 10' East.

40.05 Set post, unmarked 1/4 S. & 1/4 E. long, flattened
3 in wide, 1 ft in the ground, drive charred
stake & build mound beneath 2 ft high
with pits 1 ft deep, 2 ft long, 4 ft wide, as per
instructions for 1/4 sec. cor. Notes near.

80.11 Cont. to sec. 5, 6, 7 and 8.

Land flat mesa, some broken. Soil poor
and stony. Brush. No timber.

West on random line bet. sec. 6 & 7.
cor. 114° 10' East.

40.00 Set temporary 1/4 sec. cor.

78.75 Intersect N. boundary 18 sec. N. & sec.

Township 7 S. Range 7 E.
Cala and Salt River Meridian

Continued

As to sec. 6 and 7, from which cor. drum
N. $89^{\circ} 57'$ E. true line bet. sec. 6 & 7
var. $14^{\circ} 10'$ East.

38.75 Lava volcanic rock, $18 \times 12 \times 8$ inches,
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$ and on
E. end mound of stones $\frac{1}{4}$ high,
as per instructions, for $\frac{1}{4}$ sec. cor.
Notice near.

78.75 Cor. to sec. 5, 6, 7 and 8.
Land flat mesa. Some breaks in it.
Salt strong, poor. Brush. No timber.

North on random line bet. sec. 5 & 6.
var. $14^{\circ} 10'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.47 Intersect N. boundary 15' S. E. of cor.
to sec. 5 & 6. from which cor. drum
S. $0^{\circ} 6'$ E. true line bet. sec. 5 & 6.
var. $14^{\circ} 10'$ East.

40.47 Set a post, marked $\frac{1}{4}$ S. of plat. plat. and

Township 7 S. Range 27 E
Gila and Salt River Meridian

Continued

No 3 in wide 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high,
with pit 4 ft deep, 2 ft long, 4 ft wide,
as per instructions for T. sec. cor.
No trees near.

80.47 Cor. to sec. 5, 6, 7 and 8.
Land flat mesa. Soil stony & gravelly.
Grass, Brush No timber.

January 25. 1875.

Township 7 S. Range 77 E.

Gila and Salt River Meridian

Meanders of the Gila river through the Township.

Beginning on the E. boundary of the Township, at the cor. to fractional sec. 1. and 6, on the N. and right bank of the Gila river. Run as follows down stream.

In Sec. 1.

S. 76 $\frac{1}{2}$ %	3.40 chs.	Dense
S. 88 $\frac{3}{4}$ %	2.40 "	Willow,
N. 51°%	0.90 "	Thicket
N. 72°%	1.00 "	Along
N. 64°%	0.90 "	Bank.
N. 65 $\frac{1}{2}$ %	0.80 "	Cottonwood timber
N. 67°%	0.80 "	along river.
N. 63 $\frac{1}{2}$ %	1.00 "	Good soil
N. 64°%	0.80 "	back from river.
N. 50 $\frac{1}{2}$ %	1.00 "	
N. 29 $\frac{1}{2}$ %	1.10 "	

To cor. to fractional sec. 1 & 6.
on N. boundary

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Thence in S. 2. Starting at the most easterly
post on right bank of river on N. boundary Sec. 2.

S. 53 $\frac{1}{2}$ ° 7'	2.00 chs.	Stony Shore.
N. 68 $\frac{1}{4}$ ° 7'	3.30 "	To cor. to frac. secs. 2 & 35. being the 2 ^d post on right bank east boundary sec. 2.

Thence in Sec. 2. again. Starting from
the most westerly post on right bank of river
on N. boundary sec. 2.

S. 29° 7'	11.90 chs.	Cottonwood
S. 54 $\frac{1}{2}$ ° 7'	4.00 "	And willow
S. 65 $\frac{1}{4}$ ° 7'	9.30 "	timber along
S. 73° 7'	1.50 "	banks.
S. 63° 7'	2.30 "	To cor. to fractional secs. 2 & 3. on right bank of river.

Thence in Sec. 3.

S. 73 $\frac{1}{2}$ ° 7'	2.60 chs.	Cottonwood
N. 83 $\frac{3}{4}$ ° 7'	5.60 "	and willow along
S. 47 $\frac{1}{2}$ ° 7'	7.00 "	banks.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Continued

N. 85° W.	3.10 chs.
S. 74½° W.	2.70 "
S. 55½° W.	13.40 "
S. 3° W.	6.40 "
S. 34½° W.	11.20 "
S. 10½° E.	6.20 "
S. 34° W.	9.00 "
S. 38½° W.	16.00 "
S. 50° W.	2.90 "
N. 57½° W.	9.40 "
S. 43° W.	6.80 "
S. 15½° W.	7.00 "

Cottonwood & willow along banks and brushy.

To cor. to fractional sec.
3 ¾ 10. on right bank.

Thence in Sec. 10.

S. 59° W.	3.60 chs.
S. 30½° W.	7.40 "
S. 50° W.	5.80 "

To cor. to fractional sec.
9 ¾ 10. on right bank.

Township 7 S. Range 27 E.
Gila and Salt River Meridian

Thence in Sec. 9.

S. 44° 27'	3.80 chs.
S. 3½° 27'	6.20 "
S. 8¾° 27'	11.70 "
S. 33° 27'	6.00 "
N. 69½° 27'	22.70 "
S. 65° 27'	13.30 "
S. 15¾° 27'	9.30. ✓
S. 40¼° 27'	10.30. ✓
S. 66¼° 27'	9.40. ✓
S. 21° 27'	7.40. ✓
S. 54¼° E.	8.50. ✓
S. 39° E.	11.50. ✓
S. 11¾° 27'	5.00. ✓
S. 70¼° 27'	8.00. ✓
N. 56½° 27'	6.60. ✓
S. 57½° 27'	8.00 ✓

Brushy and some Calhoun and
Willcox

House on left hand.

Docor. to fractional
secs. 9 and 16. on
right hand a priori

Township 7 S. Range 27 E.
Cibola and Salt River Meridian

Thence in Sec. 16.

S. 6 1/4 N.	2.30 chs.	Brushy, Cottonwood and Wellbush
S. 5 1/2 N.	7.00 "	timber. Salwick back from river.
S. 6 1/2 N.	3.40 "	To cor to fractional secs. 16 & 17, on right bank

Thence in Sec. 17.

N. 8 1/4 E.	5.70 chs.	Brushy.
N. 3 1/2 E.	5.00 "	Cottonwood
S. 6 1/2 N.	7.80 "	and
S. 8 1/2 N.	2.40 "	Wellbush
S. 6 6 N.	17.30 "	Timber.
S. 7 2 N.	16.30 "	Rich
S. 6 7/4 N.	3.90 "	Soil
S. 6 5/4 N.	17.00 "	back from river
S. 10 1/4 N.	5.80 "	
S. 2 E.	6.80 "	
S. 3 1/2 N.	9.70 "	
N. 8 7/4 E.	6.00 "	
N. 7 1 N.	10.60 "	

{at 4 chs. on this course
Dam of Montezuma
Ditch Co.

Township 7 S. Range 24 E.
Gila and Salt River Meridian

Continued

N. 59 $\frac{1}{2}$ ° W. 3.30 chs.

N. 39° W. 5.110 " To cor. to fractional sec
17 $\frac{1}{2}$ 18. on right bank.

Thence in Sec. 18.

N. 39 $\frac{3}{4}$ ° W. 10.20 chs.

N. 41 $\frac{1}{2}$ ° W. 8.00 "

N. 72 $\frac{3}{4}$ ° W. 8.00 "

S. 52 $\frac{3}{4}$ ° W. 10.20 "

S. 78° W. 6.60 "

S. 70 $\frac{3}{4}$ ° W. 12.80 "

S. 70° W. 4.30 "

S. 70 $\frac{1}{2}$ ° W. 3.40 "

S. 78 $\frac{1}{2}$ ° W. 4.50 "

S. 55 $\frac{1}{4}$ ° W. 6.80 "

N. 39 $\frac{1}{4}$ ° W. 15.30 "

N. 17 $\frac{3}{4}$ ° W. 3.50 "

N. 13° W. 5.50 "

N. 26 $\frac{1}{2}$ ° W. 3.50 "

Cottonwood & willow along bank.
Good land back from river.

At 2 chs. on this course, house
on bank.

Several small houses on
left bank.

To cor. to fractional sec 13 $\frac{1}{2}$ 18. on 74.
boundary

January 26. 1875.

Township 7 S. Range 27 E.
Tila's Salt River Meridian

General Description

This Township lies along the river and on both sides of it. The bottom averages about a mile in width on either side of the river. In this the soil is very rich. There is abundance of water for irrigating purposes.

There is considerable timber, cottonwood willow and mesquite along the river and in the bottom.

The southern portion of the Township lies mostly on the mesa, where is considerable grass, but the soil is not adapted to agriculture.

Theodore F. White
U. S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision and Meander Lines of Township 7 S. Rgs 7 & 8 E. of the Gila and Salt River Meridian, Arizona

Showing the respective capacities in which they acted.

- R. A. Casquez Chainman.
- L. D. Burton Chainman.
- Barnabe Palm Axeman.
- H. H. Aubrey Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
S. White U. S. Deputy Surveyor, in
surveying the Subdivision and
Meander Lines of Township
17 S. Range 27 E. of the
Gila and Salt River
Meridian, Arizona.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monu-
ments planted according to the instructions fur-
nished by the Surveyor-General.

R. A. Torgues Chainman.

S. W. Burton Chainman.

Barnab Palmer Axeman.

W. H. Aubrey Flagman.

Sworn to and subscribed before me, this
day of March, 1875

J. C. Mc Caffrey
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore S. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 23^d day of September

1874 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision and Meander
lines of Township 7 S.
Range 24 E. of the Gila
and Salt River Meridian
Arizona.

as are repre-
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 6th
day of March, 1875

J. C. Mc Caffrey
Notary Public

66
BOOK 693

U. S. Surveyor General's Office,
Tucson, Arizona, March 20, 1875

The foregoing Field Notes of the survey of

The Subdivision and
Meander lines of Town
Ship 7 S. Range
22 East

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore S. White,

D. S., under his contract of the 23^d day of
September, 1874, having been critically ex-

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Masson

Surveyor General.