

Copied & compared

No. 694

No 7

Field Notes

BOOK 694

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township *8 S* Range *6 E*

Gila and Salt River Base and Meridian

ARIZONA.

No. 694

By *R. C. Powers* D. S.

under contract dated *July 20*, 1883.

Survey commenced *Nov 21*, 1883.

Survey completed *Nov 26*, 1883.

694

*Approved by Com^r G. L. C.
February 27, 1890.*

Township 8 South, Range 6 East,

Gila and Salt River Meridian.

| | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|----|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 23 | 2 | 12 | 1 |
| 59 | 58 | 43 | 32 | 22 | 11 | | | | | |
| 7 | 57 | 8 | 42 | 9 | 31 | 10 | 21 | 11 | 10 | 12 |
| 56 | 55 | 41 | 30 | 20 | 9 | | | | | |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 19 | 14 | 8 | 13 |
| 53 | 52 | 39 | 28 | 18 | 7 | | | | | |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 17 | 23 | 5 | 24 |
| 50 | 49 | 37 | 27 | 16 | 4 | | | | | |
| 30 | 48 | 29 | 36 | 28 | 26 | 27 | 15 | 26 | 3 | 25 |
| 47 | 46 | 35 | 25 | 14 | 2 | | | | | |
| 31 | 45 | 32 | 34 | 33 | 24 | 34 | 13 | 35 | 1 | 36 |

Referring the lines to the pages of the field notes.

Subdivisions T. 8 S. R. 6 E

From the cor to Secs 12. 35 & 36
recently established by me
I run a bet sec 35 & 36

Var. $12^{\circ} 55' E$

4000

Set a post 3 ft long 3 in dia with
marked stone 12 in in the ground
for the sec cor marked 1/4 S on
W face dug pits 18 x 18 x 12 in at
S of post 8 1/2 ft dist and raised
a mound of earth 1 1/2 ft high
3 1/2 ft base around post

8000

Set a post 4 ft long 4 in dia
with marked stone 12 in in the
ground for cor to Secs 25 & 26
35 & 36 marked T. 8 S. 25 or 26
R. 6 E S. 36 on S. E. S. 35 or SW
and S. 26 or N. W. faces with 1 notch
on S. and E. edges dug pits 18 x 12

Subdivision I.S. R. 6 E

in each sec 5 1/2 ft dist and
 raised a mound of earth 2 ft
 high 4 1/2 ft base around post
 Land level soil 2nd rate
 Dense greasewood and Mesquite
 brush. the entire mile

Cor a random line bet secs
 25 & 26

Var. 13° E

- 4000
 8001
 4000
- Set temporary 1/4 sec cor
^{8 ft from mid of 1/4 sec}
 bet sec 25 & 26 10 lks N.
 of cor to Secs 25, 30, 31, 36 just recently
 from which cor I run N. 89° 56' W
 bet Secs 25 & 26 with same var
 Set a post 3 ft long 3 in dia
 with marked stone 12 in in
 the ground for 1/4 sec cor marker

Subdivisions I S. R. 6 E

1/4 S on E face dug pit 18x18x12
 ins E & W of post 5 1/2 ft diam
 and raised a mound of earth
 1 1/2 ft high 3 1/2 ft base around
 post

8001

2 1/2 mi. to Sec. 25, 26 35 & 36

Land level soil 2nd section

Dense mesquite brush the entire
 mile

St. W. Secs. 25 & 26

Nov 1908

4000

Set a post 3 ft long 3 ins dia
 into marked stone 12 ins in the
 ground for 1/4 sec cor marked
 1/4 S on W face dug pit 18x18x12
 ins ^NE & ^SW of post 5 1/2 ft diam
 raised a mound of earth 1 1/2
 ft high 3 1/2 ft base around post

Subdivisions T8S. R6E

8000

Set a post 4 ft long 4 in
sq with marked stone 12 in
in the ground for cor to sec
23, 24, 25, & 26, marked T8S. S
24 on NE R6E S 25 on NE E
S 26 on SW & S. 23 on NW faces
with 2 nails on T and 1 nail
on E edges dug pits 18x18x12
in each sec 5 1/2 ft dia and
raised a mound of earths 2
ft high 4 1/2 ft base around
post,

Land level soil 2nd rate
Mesquite and Greasewood
bush the entire mile

E on a random line bet sec
24 & 25

Var 13° E

4000

Set temporary 1/4 sec cor

Subdivisions T.S. R.C.C.

8004

Intersect the E. ~~of~~ ~~the~~ 11 Ch. S
 of the ca. to Secs 19, 24, 23, & 30
 just recently established by me
 from which ca I run S 89° 35' W
 on a true line bet secs 24 & 25

4002

Set a post 3 ft long 3 in dia
 with marked stone for 1/4 sec
 cor marked 1/4 S on N face
 dug pits 18x18x12 in E & W of
 post 5 1/2 ft dia and raised a
 mound of earth 1 1/2 ft high 3 1/2
 ft base around post

8004

The ca to sec 23, 24, 25 & 26
 Land level soil and rate mesquite and
 Grease wood brush the entire mile

A bet Secs 23, 24, 25.

Var. 13° E

4000

Set a post 3 ft 3 in sq with
 marked stone 24 in in the ground
 for 1/4 sec ca marked 1/4 S on W

6

Subdivisions T.S. R. 6 E

face dug pits 18x

From which a mesquite 9 ins dia bears W. 35 lbs dirt marked 114 S. B.D.

a mesquite 6 ins dia bears S 25 E 36 lbs dirt marked 114 S. B.D.

8000

Set a post 4 ft long 4 ins dia with marked stone ^{12 ins in the ground} for cor. It Secs 13:14. 23 & 24 marked T.S. S. 13 on N. E. R. 6 E S. 24 on S. E. S. 23 on S. W. and S. 14 on N. W. faces with 3 notches on S and 1 notch on E edges dug pits 18x18x12 in in each sec 5 1/2 ft dia and raised a mound of earth 2 ft high 4 1/2 ft base

12 M. I find latitude at this point to be 32'-44" N. and west. in adjustment

Subdivision I S. R. 6 E

On a random line bet Secs 13 & 24
 Var. 19° 05' E

- 4000 Set temporary 1/4 Sec cor
 8002 I intersect E. B₇ of T₇ 14 lks N of
 the cor to Secs 13, 14, & 24.
~~judgmentally established by me~~
 from which cor. I run N. 89° 54' W
 on a true line bet. Secs. 13 & 24

- 4001 Set a post 3 ft long 3 ft dia with
 marked stone pins in the ground
 for 1/4 Sec. cor marked 1/4 S. on
 N. face dug pits 18 X 18 X 12 in. E & W
 of post 3 1/2 ft dist and raised a
 mound of earth 1/2 ft high 3 1/2
 ft base around post.

- 8002 The cor to Secs. 13, 14, 23 & 24
 Low level soil 2nd class
 Mosquito and Greasewood brush
 the entire mile

Subdivisions T.S. R 6 E

N. lot Secs 13 & 14

Var 13° E

2400

4000

10000

Successive lines of posts to Columbia
 Set a post 3 ft long 3 in dia
 with marked stone 12 in in
 the ground for each sec cor marker
 1/4 on W face dug pits 18x18x12
 in N & S of post 3 1/2 ft dist and
 raised a mound of earth 1 1/2 ft
 high 3 1/2 ft base around post

8000

Set a post 4 ft long 4 in sq with
 marked stone 12 in in the ground
 for cor to Secs 11, 12, 13 & 14 marker
 T.S. S. 12 on N E. R 6 E S. 13 on S E
 S 14 on S. W & S. 11 on N W faces, dug
 pits 18x18x12 in in each sec
 3 1/2 ft dist and raised a mound
 of earth 2 ft high 4 1/2 ft base
 around post. Land level soil 2 sq
 rats, mesquite & great wood bush the one mile

Subdivisions T.P.S. R6E

E on a random line bet sees
12 & 13
Var 13° E

4000
7996 Set temporary 1/4 sec cor
I intersect the Eth B^y of T^s 3 l^{ks}
of the cor to sees 7, 12, 13 & 18
~~spot recently set & filled by me~~
From which cor I run $S 89^{\circ} 59' W$
on a true line bet sees 12 & 13 with
same var

3998 Set a post 3 ft long 3 in dia
with marked stem 12 in in the
ground for 1/4 sec cor, dug pits
^{marked 1/4 on A face}
 $18 \times 18 \times 12$ in E & W of post 5/8 ft
dia and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base
around post

4996 I the cor to sees 11, 12, 13 & 14

Dense Mesquite and Yucca
wood & brush the entire mile
Land level Soil 2nd rate

Subdivisions T.S. R. 6 E

N. bet Secs 11 & 12
 Van 13° 05' E

4000

Set a post 3 ft long 3 ins dia with
 marked stone 12 in in the ground
 for 1/4 sec cor marked 1/4 on W face
 dug pits 18x18x12 in N & S of post 5 1/2
 ft dist and raised a mound of earth 1 1/2
 ft high 3 1/2 ft base around post.

From which

a mesquite 12 ins dia bears W. 22.5 lks
 dist. marked 1/4 S. B. 2.

8000

Set a post 4 ft long 4 ins sq with marked
 stone 12 in in the ground for cor to sec
 1. 2. 11. & 12 marked T.S. R. 6 E S 12
 on S E S 11 on SW & S. 2 on NW face with 5
 matches on sand 1 match on E edges dug
 pits 18x18x12 in in each sec 5 1/2 ft dist
 and raised a mound of earth 2 ft high 4 ft
 ft base around post

Land level soil 2nd rate mesquite & grass
 wood brush the entire mile

Subdivisions T.S.R. 6 E

E. on a random line bet sees 1812
Var 130 E

4000 Set temporary $1/4$ sec. cor.
8004 Intersect the E. Ry of $1/4$ sec. S of the
cor to sees 1-6-7-8 1/2. From which cor
I run S $89^{\circ} 57'$ 8° W on a true line bet across
with same var.

4002 Set a post 3 ft long 3 in dia with
marked stone 12 ins in the ground for
 $1/4$ sec cor marked $1/4$ S on a face dug
pits 18x18x12 in E. W of post 5 1/2
ft dist and raised a mound of earth
 $1 1/2$ ft high 3 1/2 ft base around post
From which a

Mesquite 6 in dia bears S. 65° E 224

Cardinal marked $1/4$ S R.S.

8004 The cor to sees 1, 2, 11, 8, 12
Land level soil 2nd rate mes-
quite and grease wood the entire
mile

Subdivision T.S. R. 6 E

From a random line set sec 142
Nov 13th 8

4000

Set temporary 1/4 sec cor

7992

Intersect ^{2nd} ~~1st~~ ^{line of T.P.} 10 lps E of the
just recently established by me
cor to Secs 1, 2, 3, 3A, 3C, from which
cor I run S. 0.04' E on a true line
set sec 142

37.92

Set a post 3 ft long 3 ins dia with
marked stone 12 in in the ground for
1/4 sec cor. marked 1/4 S on N face
dug pits 18 X 18 X 12 ins N & S of post 5 1/2
ft dist and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base around
post.

79.92

The cor to Secs 1, 2, 11, 8, 12
Land level soil 2nd rate dense
Mesquite and Greasewood brush
the entire mile

Nov 21st 1883

Sub divisions 188. R 6 E

From the cor to Secs 2, 3, 34 & 35 on
the S boundary of the recently es-
tablished by me Iron St. bet sec 34 & 35
Var $12^{\circ}55' E$

4000 Set a post 3 ft long 3 ins dia 24 ins
in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ S
Sou W face. From which a mesquite
6 ins dia bears S. $44^{\circ} W$ 218 lbs dist marked
 $\frac{1}{4}$ S. B. D.

a mesquite 10 ins dia bears $S 19^{\circ} 1/2 E$ 182
lbs dist marked $\frac{1}{4}$ S B. D.

8000 Set a post 4 ft long 4 ins sq with marker
stone 12 ins in the ground for cor to Sec
26, 27, 34 & 35 marked 188. S 26 on N. E R 6 E
S 35 on S. E. S 34 on S. W & S 27 on S. W faces
with 1 notch on S and 2 notches on E edges
dig pits 18x18x12 in for each sec 5 1/2 ft
dist and raised a mound of earth 2 ft
high 5 1/2 ft base second post.

Subdivisions T.P. R 6 E

Level soil 2nd rate scattering
Mesquite and Greasewood bush
the entire mile

Con a random line bet secs 26 & 35
Var 13° E

- 4000 Set temporary $\frac{1}{4}$ sec cor
- 8010 Intersect S. line 21 lks N of cor to
secs 25, 26, 35 & 36 from which cor runs
N. $89^{\circ} 51' W$ on a true line bet secs 26 &
35 with same var
- 4005 Set a post 3 ft long 3 ins dia with
marked stone 12 in in the ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ sec N face
dug pit 18 X 18 X 12 ins E & W of post
 $5\frac{1}{2}$ ft diam and raised a mound of
earth $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post
- 8010 The cor to secs. 26, 27, 34 & 35
Level soil 2nd rate Dense
Mesquite and Greasewood bush the
entire mile

Subdivisions T.S. R 6 E

N. bet secs 26 & 27

Mar 130 E

4000

Set a post 9 ft long 3 in dia with marked
stone 12 ins in the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ S on W face dug pits 18
 \times 18 \times 12 ins N & S of post 5 $\frac{1}{2}$ ft dia and
raised a mound of earth $\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post

8000

Set a post $\frac{1}{2}$ ft long 4 in sq with marked
stone 12 ins in the ground for cor to
Secs 22, 23, 26 & 27 marked T.S. S 23 on
N.E. R 6 E S 26 on S.E. S 27 or SW $\frac{3}{4}$ S 22 on
N.W. faces with 2 notches on S & E edges
dug pits 18 \times 18 \times 12 ins in each sec 5 $\frac{1}{2}$
ft dia and raised a mound of earth
2 ft high $1\frac{1}{2}$ ft base around post

Land level soil 2nd salt
Scattering Mesquite and Greasewood
bush. The entire mile

Subdivisions T.P.S. R 6 E

Con a random line bet sec 23 & 26
Var 13° 05' E

4000 Set temporary 1/4 sec cor.
7992 Intersect N & S lines 8 lks S of cor to
secs 23, 24, 25, & 26, thence I run
S 89° 58' W on a true line bet sec 23 & 26
with same var

3996 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec
cor. marked 1/4 S. on N. face dug pits
15x15x12 in E & W of post 5 1/2 ft dist
and raised a mound of earth 1 1/2 ft
high 3 1/2 ft base around post.

From which a
Mesquite 4 in dia bears S 55° E 16 lks
dist marked 1/4 S B.C.

7992 ^{3 lks cor to sec 22, 23, 26 & 27}
Level level soil land rate scattering
Mesquite and Grease wood brush
the entire mile

Subdivisions T.S. R 6 E

Set sec 22 & 23

Var 13° E

4000

Set a post 3 ft long 3 ins dia with marked stone 12 ins in the ground for 1/4 sec cor marked 1/4 S on NW face dug pits 18 X 18 X 12 in NW S of post 5 1/2 ft dia and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

From which a

Mesquite 8 ins dia bears S 40 W 96 lks dist marked 1/4 S B.P. No other trees in limits

8000

Set a post 4 ft long 4 ins sq with marked stone 12 ins in the ground for cor to Secs 14, 15, 22 & 23 marked T.S. S 14 on N.E. R 6 E S 23 on S.E. S 22 on S.W. & S. 15 on NW faces with 3 notches on S and 2 notches on E edges dug pits 18 X 18 X 12 in in each sec 5 1/2 ft dia and raised a mound of earth 2 ft high 4 1/2 ft base around post

Subdivisions T.S. R 6 E

From which a mesquite 5 in dia
 bears S 20 W 45 lks dist marked T.S.
 R 6 E S. 22 B. No other trees in limits
 Land level soil 2nd rate scattering
 mesquite dense greasewood brush thro
 entire mile

On a random line bet Secs 14 & 23
 Var. 13° E

- 4000 Set temporary 1/4 Sec cor
 7994 In true or T.S. line 10 lks N of cor
 to Secs 13, 14, 23 & 24. thence I run
 N. 89° 56' W. on a true line bet Secs
 14 & 23 with same var
- 3997 Set a post 3 ft long 3 in dia with marked
 stone 12 in in the ground for 1/4 Sec
 cor. marked 1/4 Sec on S face dug
 pits E & W of post 5 1/2 ft dist and
 raised a mound of earth 1 1/2 ft high
 3 ft base around post

Subdivisions T.S. R.C.E.

7994

The cor to Secs 14, 15, 22, 23

Land level soil 2nd rate scattering
Mesquite and Grease wood bush the
entire mile

N. lot Sec 14 & 15

Ven 130 E

4000

Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 1/4 sec on W face dug pit 18 x 18 x 12
in N & S of post 5 1/2 ft dist and raise
a mound of earth 1 1/2 ft high 3 1/2 ft dia
around post

From which a mesquite
8 in dia bears S 40 W 96 lbs dist marked
1/4 S B.S. No other tree in limits

8000

Set a post 4 ft long 4 in dia with
marked stone 12 in in the ground
for cor to Secs 10, 11, 14, & 15 marked
T.S. S 11 on N. E. R.C.E. S. 14 on S. E. S 15 on
S. W. & S. 10 on NW faces with 4 notches
on S and 7 notches on E edges dug pits
18 x 18 x 12 in in each sec 5 1/2 ft dist

Subdivisions T.S. R 6 E

and raised a mound of earth 2 ft high
4 1/2 ft base around post

From which a
line quite E in dia bears S 25° E 123. lks
dist marked T.S. R 6 E S 14 B. No
other trees in limits.

Land level soil 2nd water. Scattering
mesquite and grease wood bush the
entire mile

On a random line bet sees 11 & 14
Var 12° 53' E

4000 Set temporary 1/4 sec cor

7989 In transit N & S line 13 lks S of cor to
sees 11, 12, 13, & 14 from which cor run
S 89° 54' W on a true line bet sees 11 & 14
with some var.

39,94 Set a post 3 ft long 3 ins dia with
marked stone 12 in in the ground for
1/4 sec cor marked 1/4 sec on N face dug
pits 15 x 15 x 12 ins E & W of post 5 1/2 ft
dist and raised a mound of earth 1 1/2 ft

Subdivisions T.S. R 6 E

7989

high 3/4 ft base around post
 Cor to Secs 10, 11, 14, 15
 Land well set 2nd rate scattering
 mesquite and grease wood brush. the
 entire mile

At lot sec. 10 & 11

Var 13° 05' E

4000
 set a post 3 ft long 3 in dia. with marked
 stone 12 in in the ground for 1/4 sec
 cor marked 1/4 S. on W face dug pits
 18x18x12 in N of post 5/8 ft dia
 and raised a mound of earth 1/2 ft high
 3/4 ft base around post.

From which a

mesquite 7 in dia bears N 40 E 80 lb dia
 marked 1/4 S. R 2. No other trees in limits

8000
 set a post 4 ft long 4 in sq with
 marked stone 12 in in the ground for
 cor to Secs 2, 3, 10, 11 marked T.S. 2 on
 N.E. R 6 E S 11 on S.E. S 10 on S.W. 8 S 3 on a
 face with 3 notches on S, and 2 notches on
 E edges. dug pits 18x18x12 in in each

Abderius 185. R 6 E

5 1/2 ft dia and raised a mound of earth 2 ft high 4 1/2 ft base around post. From which a mesquite 10 ins dia bears S 80 E 738 lks dist marked 9 185. R 6 E S 11 B. 2 No other trees in limits Low level soil 2nd rate scattering mesquite and grease wood bush the entire mile

On a random line bet sees 2811
Var 1255' E

4000 Set temporary base ca.
7988 Intense at N & S line 15 lks N of cor 1.2.11/12
Thence from N. 89° 54' W on a true line bet sees 2.811 with same var.

3994 Set a post 3 ft long 3 ins dia with marked stone 12 ins in the ground for base ca marked 11/5 on N. face dug pits 18 x 10 x 12 ins E & W of post 5 1/2 ft dia and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post. From which a mesquite 10 ins dia bears S. 10 W 33 lks dist.

Subdivisions T.S. R 6 E

7988 The cor to Secs 2, 3, 10, 8, 11

Level level soil 2nd rate scattering
Mesquite and Greasewood bush the
entire mile

From a random line bet sec 2 & 3

Var 13° E

4000 Set temporary 1/4 sec cor

4996 Anta set N boundary of T.P. 4 1/2 sec E
of cor to Secs 2, 3, 34, & 35, ^{presently established by} then a run

S. 8° 03' E on a true line bet sec

2 & 3 with same run

3996 Set a post 3 ft long 3 in dia with
marked stone 12 in in the ground for
1/4 sec cor marked 1/4 S on W face dug
pit 18 x 18 x 12 ft of post 3 in dia
and raised a mound of earth 1 1/2 ft
high 3 1/2 ft base around post

From which

a mesquite 7 in dia bears S 18° W 180

the bet marked 1/4 S B.D. Another true in limit

4996 Cor to Secs. 2, 3, 10, 8, 11.

Subdivisions T.S. R 6 E

Land level soil and rate scattering
Mesquite and greasewood brush the
entire mile

From the cor to Secs 27, 28, 33 & 34 on S. 1/4
recently established by me
of T.P. I run N bet Secs. 33 & 34

Var 13° E

4000

Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec. cor.
marked 1/4 S. on W. face dug pits 18x18x12 in
N & S of post 5 1/2 ft dia and raised a mound
of earth 1/2 ft high 3 1/2 ft base around post

8000

Set a post 2 ft long 4 in sq with marked
stone 12 in in the ground for cor to Secs
27, 28, 33 & 34 marked T.S. S 27 on N E R 6 E
S 34 on S. E. S. 33 on S. W and S. 28 on N W
edges. with 1 marker on S and 3 markers
on E edges dug pits 18x18x12 in in each
Sec 5 1/2 ft dia and raised a mound of
earth 2 ft high 4 1/2 ft base around post

Subdivisions T.S. R 6 E

Land level soil 2nd rate scattering
 Mosquito and Greasewood brush
 Nov. 22. 1883.

Con a random line bet sees 27834
 Nov. 1883

4000
 7987 Set temporary 1/4 sec cor
 Intersect the N & S line 16 chs S of the
 cor to sees 26, 27, 34 & 35 then a 3 run
 S 89° 53' W on a true line bet sees 27834
 with same var

7993 Set a post 3 ft long 3 in dia with mark on
 stone 12 in in the ground for 1/4 sec cor
 marked 1/4 sec N face dug pit 18 x 18 x 12 in
 E of post 5 1/2 ft dist and raised a
 mound of earth 1 1/4 ft high 3 1/2 ft base
 around post -

7987 In cor to sees 27, 28, 33 & 34

Land level soil 2nd rate
 Scattering Mosquito & Greasewood
 brush the entire mile

Subdivision T.S. R. 6 E

At lot Secs 27 & 28

Var. 130 E

4000

Set a post 3 ft long 2 ins dia with marked stone 12 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ S on N face dug pits 18 X 18 X 12 ins N & S of post 5 $\frac{1}{4}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{4}$ ft base around post

8000

Set a post 4 ft long 4 ins dia with marked stone 12 ins in the ground for cor to Secs 21, 22, 27 & 28 marked 2 S. S 22 on N.E. & 6 E S 27 on S.E. S 28 on S.W. and S 21 on N.W. faces with 2 matches on S and 3 matches on E faces; dug pits 18 X 18 X 12 ins in each sec 5 $\frac{1}{4}$ ft dist and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base around post.

Land level soil 2nd rate
Mesquite, Greasewood and Sage brush
the entire mil

Subdivisions T₈S. R 6 E

Con a random line bet sees 22827
Var. 19°05' E

4000
8015
Set temporary 1/4 sec cor
Intersect. T₈S line at cor to
Secs. 22, 23, 26, 27. thence I run
W. on a true line bet sees 22827 with
same var

4007
8015
Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 145 on face dug pits 18 X 18 X 12 in
E & W of post 5 1/2 ft dist and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base around post
The cor to sees 21, 22, 27 & 28

Land level soil 2nd rate scattering
Mesquite Greasewood & Sage brush. the
entire mile

Set bet sees 21 & 22

Var 19°05' E

4000
Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor.

Subdivision T.S. P. 6 E

Marked $\frac{1}{4}$ s on W face dug pit 18x18x12 in
N of post $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post. From which a mesquite

24 in dia bears $S 89^{\circ} W 144$ lb dist

Marked $\frac{1}{4}$ s. B. 2.

8000

Set a post 4 ft long 4 in sq with marked
stone 12 in in the ground for cor to sec
15 16. 21 & 22 marked 28 s. s. 15 on st. E. P. 6 E
s. 22 on S. E. s. 21 on S. W. s. 16 on N. W. faces
with 3 notches on S & E edges dug pit 18x
18x12 in in each sec $5\frac{1}{2}$ ft dist and
raised a mound of earth 2 ft high $4\frac{1}{2}$
ft base around post

Lead line ...

12 M. I find latitude at this point
to be $32^{\circ} 44' N.$ and inst. in adjustment.

E on a random line set sec 15 on E

N or $13^{\circ} 05' E$

4000

Set temporary $\frac{1}{4}$ sec cor

Sitdension J.S. R.C.E

4998 Intersect N 2 S line 8 1/2 Sta of cor to
Secs 14 15 22 & 23 thence I run

3999 N 89° 57' W one true line bet sees 15 & 22
Set a post 3 ft long 9 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 1/4 S on N face dug pits 18x18
x 12 E & W of post ~~5 1/2~~ ft dist and
raised a mound of earth 2 1/2 ft high
3 1/2 ft base around post

From where a
Mesquite 15 in dia bears N. 40 W. 48
Chick marked 1/4 S B.S.

4998 The cor to Secs 15, 16, 21, & 22,
Low level soil moderate scattering
Mesquite Grease wood & Sage brush
the entire mile

N. bet sees 15 & 16

Var 13° E.

4000 Set a post 3 ft long 9 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 1/4 S on W face dug pits 18x18x12 in

Subdivisions N.S.R.C.E.

N.S. of post 5 1/2 ft dia and raise a mound
of earth 1 1/2 ft high 3 1/2 ft base around
post

8000

Set a post 4 ft long 4 in sq with marked
stone 12 in in the ground for corners
9. 10. 15 x 16 marked I S.S. 10 on N.E. R.C.E.
S. 15 on S.E. S. 16 on S.W. and S. 9 on N.W.
faces with 4 matches on S and 3 matches
on E. edges dug pits 18 x 18 x 12 in in each
see 5 1/2 ft dia and raise a mound
of earth 2 ft high 4 1/2 ft base around post
Land level soil 2nd rate dense
Mesquite Sage brush and Greasewood
the entire mile.

Con a random line bet sees 10 & 15

Var. 13° E

4000

Set temporary 4/4 sec, cor.

7996

In intersect N.S. line 10 lks S of cor. to
sees 10. 11. 14. & 15. then a down

S. 89° 56' W on a true line bet sees 10 & 15
with some var.

Subdivisions T8. R C E

3998 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 1/4 sec on N face dug pits 18x18x12
in. E & W of post 5 1/2 ft dia and raised a
mound of earth 1 1/2 ft high 3 1/2 ft dia
around post.

4996 The cor to Secs 9, 10, 15 & 16.

Land level soil 2nd rate scattering
Mesquite Grease wood & Sage brush
the entire mile

Sketch Secs. 9 & 10

Var. 13° E

1000 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec
cor marked 1/4 sec on face dug pits
18x18x12 in N & S of post 5 1/2 ft dia and
raised a mound of earth 1 1/2 ft high 3 1/2
ft dia around post.

0000 Set a post 4 ft long 4 in sq with
marked stone 12 in in the ground for
cor to Secs 3, 4, 10 & 11 marked 1/4 sec on

Subdivisions T.S. R 6 E

on N.E. R 6 E S. 10 on S. E. S. 9 on S.W. and S 4
 on N.W. faces with 5 notches on S and 3
 notches on E edges dug pits 18x18x12 in
 in each sec 5th ft dia and raised a
 mound of earth 2ft high 4 1/2 ft base around
 post. From which a mes-
 quite 14 in dia bears S 50 E 139 lks dist.
 Marked T.S. R 6 E S. 10 B.S. No other trees
 in limits

Land level soil 2nd rate Dense
 Mesquite and Greasewood brush the
 entire mile

E on a random line bet sees 3x10
 Var. 12° 55' E

4000

Set temporary 1/4 sec cor

4990

Intersect N.W. S. line 4 lks N of cor

sees 2, 3, 10, & 11 thence run N. 89° 55' W

on a true line bet sees 3x10 with same var

3970

Set a post 3 ft long 3 ins dia with marker
 stone for 1/4 sec cor marked 1/4 S on N.W. face
 dug pits 18x18x12 in E.W. of post 5th

Subdivisions T.S. R 6 E

ft dist and raised a mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around post-

From which a
Mesquite 12 in dia bears N. 20 E 72 lbs dist
marked 14 S B 3. No other trees in limits

Level level soil 2 nd rate
Scattering mesquite and greasewood
the entire mile

N. on a random line bet secs 3 & 4

Var. $12^{\circ} 55' E$

4000 ~~Set~~ a temporary $1\frac{1}{4}$ sec cor

7996 Intersect W. bdy. of S. 1/4. 10 lbs E of
cor to secs 3, 4, 33, & 34. ^{post recently established by me} then a true

S. 0.04' E on a true line bet. secs. 3 & 4

8996 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for $1\frac{1}{4}$ sec cor
marked 14 S on W face dug pits 18 x 18 x 12 in
N. S of post $5\frac{1}{2}$ ft dist and raised a mound
of earth $2\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post
From which a mesquite
10 in dia. bears N. 80 W. 137 lbs dist marked

Subdivisions I.S.S. R 6 E

4996

Marked 1/4 S. B. 2. Scatter trees in limits
The cor to Secs 3, 4, 9, 10
Land lease Soil 2nd rate

Scattering mesquite and Yucca wood bush
the entire mile

From the cor to Secs 4, 5, 32 & 33 on S. side of
I. p. recently established by me. Arum
N. bet Secs 32 & 33

Var. 12° 50' E

4000

Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for cor to Sec
marked 1/4 S on W face, dug pits 18x18x12
in N & S of post 5 1/2 ft dist and raised
a mound of earth 1/2 ft high 3 1/2 ft base
around post.

8000

Set a post 4 ft long 4 in dia with marked
stone 12 in in the ground for cor to Secs
28, 29, 32 & 33 marked I. S. S. 28 on N. E
R 6 E S. 33 on S. E. S. 32 on S. W & S. 29 on N. W
faces with 1 notch on S and 4 notches on
E. edges, dug pits 18x18x12 in in each
Sec 5 1/2 ft dist and raised a mound of

Subdivisions T.S. R 6 E

earth 2 ft high 4 1/2 ft base around post
 Land level soil 2nd 3rd rate
 Scattering Mesquite & greasewood brush
 the entire mile

E. on a random line bet sees 28833
 Var. 12° 55' E

4000 Set temporary 1/4 sec cor
 7985 Intersect N x S line 10 lks N of cor to sees
 27, 28, 33 & 34 thence I run N. 89° 56' W
 on a true line bet sees 28833 with
 same var

3992 Set a post 3 ft long 3 ins dia with marked
 stone 12 ins in the ground for 1/4 sec cor
 marked 1/4 on N face dug pit 18 x 18 x 12
 ins E W of post 5 1/2 ft dist around raise
 a mound of earth 1 1/2 ft high 3 1/2 ft base
 around post

7985 2 1/2 sec cor to sees 28, 29, 32 & 33
 Land level soil 2nd rate
 Scattering Greasewood and sage
 brush the entire mile

Subdivisions T⁸S. R 6 E

Set sec 28829

Var. 12° 55' E

4000

Set a post 3 ft long 3 in dia with marked
stone 12 ins in the ground for 1/4 sec ea
marked 115 on W face dug pits 15x15x12 in
N of post 5 1/2 ft dia and raised a mound
of earth 1 1/4 ft high 3 ft dia around post

8000

Deposited a marked stone 12 ins in the
ground for ea to sec 20, 21, 28, 29. dug
pits 15x15x12 in in each, sec. 5 1/2 ft dia and
raised a mound of earth 2 ft high 4 1/2 ft dia
over it. in S. E. pit drove a stake 2 ft long
2 ins sq 12 ins in the ground marked
T⁸S. 2 on N. E. R 6 E S 28 on S. E. S 29 on S. W and
S. 20 on N. W faces with 2 notches on S and 4 on E
edges.

Land level soil 2 and water, dense
Grass wood and Sage brush the
entire mill Nov 23. 1883.

Subdivision T.S. R 6 E

E. on a random line bet sees 21 & 28
Var. 13° E.

4000 Set temporary 1/4 sec. cor.

4987 Intersect T.S. line 15 lks N of cor. to
sees 21, 22, 27 & 28 then a true line N. 89° 50' W
on a true line bet sees 21 & 28 with same
var

4993 Set a post 3 ft long 3 ins dia with mark 19
Stone 12 in in the ground for 1/4 sec. cor.
marked 114 S on N face dug pit 18 x 18 x 12 in
E & W of post 5 1/2 ft dia and raised a
mound of earth 1 1/2 ft high, 3 1/2 ft dia
around post

4987 The cor. to sees 20, 21, 28 & 29,

Low level soil 2 in rate
Scattering mesquite Grease wood & mes
Sage brush. the entire mile

Subdivision 285. R 6 E

Set Secs 20 & 21

Nov 13⁰⁰6

4000

Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for $\frac{1}{4}$ sec cor. marker
 $\frac{1}{4}$ S on W. face dug pits 18x18x12 in. At S of
post 5 $\frac{1}{2}$ ft dist and raised a mound of
earth $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post

8000

Set a post 4 ft long 4 in dia with
marked stone 12 in in the ground for cor
to Secs. 16, 17, 20, & 21 marked 2.88. S 16 on
N. E. R 6 E. S. 21 on S. E. S. 20 on S. W and S. 17 on
N. W faces with 3 matches on sand 4 matches
E edges dug pits 18x18x12 in in each sec
5 $\frac{1}{2}$ ft dist and raised a mound of earth
2 ft high 4 $\frac{1}{2}$ ft base around post.

From which a cats claw

4 in dia bears S. 46° E 87 lbs dist marked
285. R 6 E. S. 21 B. J.

A cats claw 16 in dia bears N. 78° W 79
lbs dist marked 285. R 6 E S. 17 B. J.

No other trees in limits

Subdivisions T.S. R 6 E

Land level soil 2nd rate scattering cals
claw Mesquite Greasewood and Sagebrush
the entire mile

E. on a random line bet secs 16 & 21
Var. 13° 05' E

4000

Set temporary 1/4 sec cor

7995

Antisept. 1/4 sec line 20 lks of cor to sec
15. 16. 21. 22. Thence run S 89° 59' E on
a true line bet. secs. 16 & 21. with same var

3997

Set a post 3 ft long 3 in dia with marked
stone 12 ins in the ground for 1/4 sec. cor.
marked 1/4 sec. on N face dug pit 18 X 18 X 12
ins. E of post 3 1/2 ft dia and raised
a mound of earth 1 1/2 ft high, 3 ft tall
around post.

7995

The cor. to secs 16. 17. 20 & 21

Land level soil 2nd rate Dense
Mesquite and Greasewood brush
the entire mile

Subdivisions T.S. R 6 E

Set Sec 16 8 17.

Var. 13005' E

40 00

Set a post 9 ft long 3 ins sq with marked stone 12 ins in the ground for $1/4$ sec cor marked $1/4$ S on N face, dug pits $18 \times 18 \times 12$ ins N & S of post. $5 \frac{1}{2}$ ft dist and raised a mound of earth $1 \frac{1}{2}$ ft high around post.

80 00

Set a post 9 ft long 4 ins sq with marked stone 14 ins in the ground for cor to Secs 8, 9, 16 & 17. marked T.S.S. 9 on N.E. R 6 E. S. 16 on S.E. S. 17 on S.W. and S on N.W. faces with 4 notches on S and E edges, dug pits $18 \times 18 \times 12$ ins in each sec $5 \frac{1}{2}$ ft dist and raised a mound of earth 2 ft high 4 ft base around post.

Land level soil 2 not rate, Dense Mesquite and greasewood brush the entire mile

Subdivisions T.S. R 6 E

Con a random line between 9816
 Nov 1908

4000

Set temporary 1/4 sec cor.

2009

Intersect ~~898~~ line 8 lks N of cor to sees
 9. 10. 15. 21. 6. Thence S 20° W. 89° 57' W. bet
 sees 9816 with some var.

4004

Set a post 9 ft long 3 in dia with marker
 stone 12 ins in the ground for 1/4 sec cor
 marked 1/4 S, on N. face dug pit 18 X 18 X 12
 ins E & W of post, 5 1/2 ft dia and raised a
 mound of earth, 1 1/2 ft high, 3 1/2 ft base
 around post

From which a mesquite
 3 in dia, bears N. 12° W. 85 lks dist
 marked 1/4 S. B. 2.

2009

The cor to sees 8. 9. 16. 21. 7

Land level soil 2000 rate dense
 Mesquite and Greasewood over
 the entire mile

42

Subdivisions I.S. R68

N. bet sees 889

Nov. 1906

4000

Set a post 3 ft long 3 ins dia with
marked stone 12 ins in the ground fa
N face. cor marked $\frac{1}{4}$ s on W face, dug
pits 18x18x12 ins N & S of post $5\frac{1}{2}$ ft
dia and raised a mound of earth
 $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

8000

Set a post 4 ft long 4 ins sq with
marked stone 12 ins in the ground fa
cor to see S. 4. S. 8. 79, marked I.S. 400
N. E. R68 S. 9 on S. E. S. 8 on S. W and S 5 on
N. W. faces with 5 notches on S and 4 on
E. edges dug pits 18x18x12 ins in each
see $5\frac{1}{2}$ ft dia and raised a mound
of earth 2 ft high $4\frac{1}{2}$ ft base around
post.

Low level soil 2nd rate Some
Mesquite & Grease wood brush the
entire mill

Subdivisions T.S. R 6 E

On a random line bet sees 489

Var. 13° E

4900 Set temporary 114 sec cor

4990 Intersect T.S. line 10 kds of cor to
sees 3, 4, 7, & 10., thence I run S 89° 56' W
on a true line bet sees 489 with same
var.

3995 Set a post 3 ft long Sincia with marked
stone 12 ins in the ground for 114 sec cor
marked 114 S on N. face dug pits 18 x 18 x 12
ins E & W of post 5 1/4 ft dist and raised
a mound of earth 1/2 ft high 8 1/2 ft
base around post:

From which a mesquite

Sincia bears south. 45 kds dist marked

114 S. B. G. No other tree in limits

4990 cor to sees 4, 5, 8, & 9.

Land level soil 2nd rate
Dense Mesquite and Grease wood
brush the entire mile

Subdivisions I.S. R 6 E

Stupa random line bet sees 485
Var. 13° E

- 4000 Set temporary 1/4 sec cor
- 4992 Intusect N boundary at $\frac{1}{4}$ sec 25
lks E of cor to sees 4.5.32 & 33 there
I run S. 10° 11' E on a true line bet
sees. 485 with same var.
- 3992 Set a post 3 ft long 3 ins dia with marker
Stem 12 ins in the ground for 1/4 sec
cor marked. 1/4 sec on W face dug
pits 18 x 18 x 12 ins N & S of post 5 1/2 ft dist
and raised a mound of earth 1 1/2 ft
high 3 1/2 ft dia around post.
From which a mark
quite 8 ins dia bears S. 35° W 25 lks
dist marked. 1/4 S. B. 9
- 4992 Cor to sees. 4.5.8.89.
Land level soil 2nd row
Gense mesquite timber the
entire mile

Subdivisions I & R 6 E

From the cor to sees 5. 6. 31 & 32 on
S. bdy of Sp. recently established by
me. From N. bet sees 32 & 33

Var. $12^{\circ} 55' E$

4000 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor
marked 1/4 S on W face dug pits $15 \times 15 \times 12$ in
N and S of post $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post

2000 Set a post 4 ft long 3 in sq with marked
stone 12 in in the ground for cor to sees
29. 30. 31 & 32 marked 2. S. S. 29 on N. E. R 6 E. S. 31
on S. E. S. 31 on SW, S. 30 on N. W. faces with
1 notch on S and 5 notches on E edges dug
pits $15 \times 15 \times 12$ in in each see $5\frac{1}{2}$ ft dist
and raised a mound of earth 2 ft high $4\frac{1}{2}$
ft base around post

From which a mesquite 4 in
dia bears S 89 W. 310 lks dist marked 28 S
R 6 E. S. 31 B.

Subdivision T.S. R 6 E

a mesquite 6 ins dia bears N. 48° W 154
lks dist marked T.S. R 6 E. S. 30 B 2

No other trees in limits

Land level soil 3d rate and sandy
Scattering mesquite bushes
the entire mile

Cor. a random line bet sec 29 & 32
Var. 1255 E

4000

Set temporary 1/4 sec cor

7987

Intersect N 2 S line 14 lks S of the cor
to secs 28, 29, 32 & 33 thence S run
589° 54' W on a true line bet secs
29 & 32 with same var

3993

Set a post 3 ft long 3 ins dia with marked
stone 12 in in the ground for 1/4 sec
cor marked 1/4 S on N face dug pits 15 x 15
x 12 in E 8 W of post 5 1/2 ft dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft dia
around post.

7987

The cor to secs 29, 30, 31 & 32

Land level soil 3d rate sandy

Subdivisions 285 R6 E

Scattering mesquite and Grease wood
 brush the entire mile

W. on a random line bet sees 30 & 31
 Var $12^{\circ}55' E$

- 4000 Set temporary $\frac{1}{4}$ sec cor.
- 4901 Intersect W boundary of Township 20th
 N of the cor to sees 25, 30, 31, & 36 recently
 established by me then I run $S 89^{\circ}$
 $51' E$ on a true line bet sees, 30 & 31 with
 same var
- 3901 Set a post 3 ft long 3 in dia with
 marked stone 12 in in the ground
 for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ S on N face
 dug pits $18 \times 18 \times 12$ in E & W of post $5\frac{1}{2}$
 ft dist and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post
- 4901 The cor to sees 29, 30, 31 & 32
 Low level soil 3d rate
 Scattering brush the entire mile

Subdivisions T.S. R 6 E

N. ket secs 29 & 30

N^{or} 12° 55' E

4000 Set a post 8 ft long 3 ins dia with marked
stone 12 ins in the ground for the sec ea marked
1/4 on N face dug pits 18x18x12 ins N & S of
post 5 1/2 ft dist and raised a mound of earth
1 1/2 ft high 3 1/2 ft base around post

8000

Set a post 4 ft long 1 ins sq with marked
stone 12 ins in the ground for cor to secs
19, 20, 29 & 30 marked T.S. S. 20 on N.E. R 6 E
S. 29 on S.E. S. 30 on S.W and S. 19 on N.W faces
with 2 notches on S, and 3 notches on E edges
dug pits 18x18x12 ins in each sec 5 1/2 ft
dist and raised a mound of earth 2 ft
high 4 1/2 ft base around post

Land level Soil 2nd & 3rd water Gene
Mesquite Goose wood & Sage brush on the
entire mile

Nov. 24, 1883.

Subdivisions T8 S. R6 E

Cor. a random line bet. Secs 20 & 29
Var. 130° E

- 4000 Set temporary 1/4 sec cor
8015 Enter sec N & S. line 23 lks S of the cor
to Secs 20, 21, 28, & 29 thence I run S 89° 50' W
bet Secs 20 & 29 with same var.
4007 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for 1/4 sec cor.
Marked 1/4 S on N face dug pits 18 x 18 x 2 in
E & W. of post 3 1/2 ft dist and raise a
mound of earth 1 1/2 ft high 3 ft base
around post
8015 Cor to Secs 19, 20, 29, & 30

Land level soil 2nd rate. Dense
Mesquite and Greasewood brush
the entire mile

Subdivisions T8S. R6E

W on a random line bet secs 19 & 30
Var $13^{\circ} E$

- 4000 Set temporary $\frac{1}{4}$ sec cor
 7890 Intersect W. bdy. of Sp. 17 lks S
 of the cor to Secs 19, 24, 25 & 30 recently
 established by me; thence I run
 S. $89^{\circ} 53' E$ bet secs 19 & 30 with some var
 3890 Set a post 3 ft long 3 ins dia with marked
 stone 12 ins in the ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4} S$, on N. face dug pits $18 \times 18 \times 12$
 ins E & W of post $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

From which a mesquite 6
 ins dia bears N. $30^{\circ} E$ 30 lks dist marked
 $\frac{1}{4} S. B. I.$

- 7890 cor to Secs 19, 20, 29, & 30

Land level soil 2nd rate
 scattering mesquite and ~~grass~~
 brush the entire mile

Subdivisions I.S. R 6 E

N. bet Secs 19 & 20

Var 13° E

4000 Set a post 3 ft long 3 ins dia with marked
stone 12 ins in the ground for $\frac{1}{4}$ sec cor marker
14 on N. face dug pits 18X18X12 in N & S of
post 5 $\frac{1}{2}$ ft dia and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

8000 Set a post 4 ft long 4 ins sq with
marked stone 12 ins in the ground for
corner Secs. 17, 18, 19, & 20 marked I.S.S.
17 on N. E R 6 E S. 20 on S. E S. 19 on S. W and S
18 on N. W faces with 3 notches on S and
5 notches on E edges dug pits 18X18X12 ins
in each sec 5 $\frac{1}{2}$ ft dia and raised a
mound of earth 2 ft high 3 $\frac{1}{2}$ ft base around
post. From which a mesquite
4 ins dia bears N. 59 $\frac{1}{4}$ W 140 lks dia marked

12 M. I find latitude at this point
to be 32°-44' N. & west in adjustment

and grease would burn the entire mill

Subdivisions T.S. R.G. E

E. on a random line bet sees 17820
Var 13° E

4000

Set temporary $\frac{1}{4}$ Sec cor

7994

Intersect N. & S line at a point 16.4ths
S. of cor to sees 16, 17, 20 & 21 thence I
run S $89^{\circ} 53'$ W on a true line bet sees 17
& 20 with same var

3997

Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for $\frac{1}{4}$ Sec
cor. marked $\frac{1}{4}$ S. on N face dug pits
1 ft x 1 ft 12 in. E & W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post

From which a mesquite

12 in dia bears S 7° W 120 lbs dist marked
 $\frac{1}{4}$ S. B. D. No other trees in limits

7994

The cor to sees 17, 18, 19 & 20.

Land level soil 2nd rate. Dense
Mesquite and Greasewood
bush the entire mile

Subdivision T.S. R 6 E

W. on a random line bet sees 18 & 19
Var. $13^{\circ} E$

- 4000 Set temporary $\frac{1}{4}$ sec cor
- 4885 Intersect W. boundary of Township
 $\frac{1}{4}$ blk S of the cor to Secs. 18, 19, 20 & 24
recently established by me, then I run
S. $89^{\circ} 54' E$ on a true line bet sees 18 & 19
with same var.
- 3885 Set a post 3 ft long 3 in dia with marked
stone 12 in in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S. on N face dug pits 18 x 18 x 12 in
E & W of post $5\frac{1}{2}$ ft dia and raised a
mound of earth $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post
- 7885 The cor to Secs 17, 18, 19 & 20 -
Level level soil & not rate
Scattering mesquite and Grease wood
bush the entire mile

Subdivisions T.S. R 6 E

N. lot sees 17 & 18

Var 13° E

4000 Set a post 3 ft long 3 in dia with marker
 Stone 12 in in the ground for 44 see ea
 marked 44 on W face dug pits ~~18x18x12~~
 in N & S of post 5 1/2 ft dist and raised
 a mound of earth 1 1/2 ft high 3 1/2 ft base
 around post

8000 Set a post 4 ft long 4 in dia with
 marker & stem 12 in in the ground for
 cor. to sees 7, 8, 17 & 18, marked 2, 8, 8
 on N. E. R 6 E S. 17 on S. E. S. 18 on S. W and S
 7 on N. W with 4 notches on S, and 5
 notches on E, edges dug pits 18x18x12 in
 in each see 5 1/2 ft dist and raised a
 mound of earth 2 ft high 4 1/2 ft base
 around post:

Land Level Soil 2nd Rate, Some
 Mesquite and Greasewood brush
 the entire mile

Subdivisions T.S. R 6 E

E. on a random line bet secs 8 & 17
Var. 13° E

4000 Set temporary $\frac{1}{4}$ sec cor
7995 In a sect T.S. line 12 lks N of cor to
Secs 8, 9, 16, 817 thence I run N. $89^{\circ} 55' E$
on a true line bet secs 8 & 17 with same
var

3997 Set a post 9 ft long 3 ins dia with marked
stone 12 ins in the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ S. on N face dug pit 18
 \times 18 \times 12 ins E & W of post $5\frac{1}{2}$ ft dia and
raised a mound of earth $\frac{1}{2}$ ft high 3 ft
ft base around post.

7995 In the cor to Secs 7, 8, 17, 818

Limit level soil 2 sat rate. Dense
Mesquite and Grease wood brush the
entire mile

Subdivisions T¹S. R6 E

W¹ona random line bet sec 7 & 18
Var 13° E

14000 Set temporary $\frac{1}{4}$ sec cor
7898 Intersect W boundary of township 24
Spk's of the cor to sec. 7, 12, 13 & 18
^{recently established by run}
thence run S 89° 50' E on a true
line bet sec. 7 & 18. Var 13° E

3898 Set a post 3 ft long 3 in dia with
marked stone 12 in in the ground for
~~the~~ sec. cor marked $\frac{1}{4}$ sec on N face dug
pit 18 x 18 x 12 in E & W of post 5 $\frac{1}{2}$ ft
dia and raised a mound of earth $\frac{1}{2}$
ft high 3 $\frac{1}{2}$ ft tall around post.

78.98 The cor to sec 7, 8, 17, 18.

Land level Soil 2nd rate. Some
Mesquite and quass wood brush the
entire mile

Subdivision T.S. 26 E

N. lot secs 7 & 8

Cor 13⁰ E

4000 Set a post 3 ft long 3 in dia with marked stone 12 in in the ground for N. sec. ea marked 4 in on N face dug pits 18x18x12 in N. S. of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

8000 Set a post 4 ft long 4 in sq with marked stone 12 in in the ground for Cor to Secs 5, 6, 7, & 8 marked T.S. S. 5 on N. E, 6 E, S. 8 on S. E. S. 7 on SW & S. 6 on N. W faces with 5 marks on E & E edges dug pits 18x18x12 in in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post

Level level set 2 rd. cat. Dense
 Mesquite and Guastuort brush
 the entire mile

Subdivisions T.S. R 6 E

E on a random line bet secs 5 & 8
Var. 13° E

- 4000 Set temporary $\frac{1}{4}$ Sec cor
 8000 Intersect N & S line at cor to secs
 4, 5, 8, & 9 then a true W on a
 true line bet secs 5 & 8 with same var
- 4000 Set a post 3 ft long 3 ins dia with
 marked stone 12 in in the ground
 for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S on N
 face dug pit 18 x 18 x 12 ins E & W
 of post $3\frac{1}{2}$ ft dia and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.
- 8000 The cor to secs 5, 6, 7, & 8.
 Land level soil 2nd rate
 Dense Mesquite and Grease wood bush
 the entire mile

Subdivisions T.S. R.C.E.

W. on a random line bet Secs 687
Var. 13° E

4000 Set a temporary $\frac{1}{4}$ sec cor. with
7894 Intersect W. boundary of town ship
117 lks of cor. to Secs 1.6. 7812
~~Recently~~ established by me thence
Run S 89° 53' E on a true line bet
Secs 687 with same var.

3894 Set a post 9 ft long 3 in dia with marker
Stone 12 in in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ sec N face dug pits 18x18x12
ins E & W of post $5\frac{1}{2}$ ft dia and
raised a mound of earth $\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post

7874 In cor. to ... from which a Mesquite
3 in dia bears N. 42° E 110 lks dist
marked $\frac{1}{4}$ S. B.D. No other tree in limits

7894 In cor. to Secs 5.6. 788

Land level soil & not rich. Some
Mesquite and Grass wood brush
the entire end

Subdivisions T¹S. R 6 E

on a random line

bet. Secs 5 & 6

Var. 13° E

4000

Set temporary $\frac{1}{4}$ sec cor

8002

Intersect E boundary of township
at 32 chs W of the cor to Secs 5, 6
31 & 32 recently established by me
thence I run $S. 0^{\circ} 14' W$ on a true line
bet Secs 5 & 6 with same var

4002

Set a post 3 ft long 3 ins dia with
marked stone 12 ins in the ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ S, on N face
dug pits $18 \times 18 \times 12$ ins N & S of post $5\frac{1}{2}$
ft dist and raised a mound of earth
2 ft high $2\frac{1}{2}$ ft base around post

8002

The cor to Secs 5, 6, 7, & 8

Land level soil 2nd rate

Some Mesquite and Greasewood brush
the entire mile

Nov 25, 1893.

General Description

This entire Township is on a level plain, the soil of which is 2^d class and would if irrigated produce fine crops.

The Township is covered with a dense growth of Mesquite & Greasewood-bush. Water may be obtained by digging 40 to 50 feet below the surface. There is some good grazing.

For final on the see book No. 18.