

A

Contract No 41

Field Notes

Remitted

BOOK 696

OF THE SURVEY OF THE

No. 696 ^{see} 709

-OF-

Township S. S. Range S. E.

Gila and Salt River Base and Meridian

ARIZONA.

By R. C. Powers D.S.

Under contract dated July 20 1888

Survey commenced Nov 16 th 1887.

Survey completed Nov 26 th 1887

No. 696

696

BOOK 696

Township S. S. R. S. E

6	91	5	67	4	50	3	33	2	18	1
90		89		66		48		32		17
7	87	8	64	9	46	10	30	11	15	12
85		84		62		45		29		14
18	82	17	61	16	44	15	27	14	12	13
81		80		59		42		26		10
19	78	20	57	21	41	22	24	23	8	24
77		75		56		39		23 1/2		7
30	73	29	55	28	38	27	22 1/2	26	5	25
72		70		53		37		22		4
31	69	32	52	33	35	34	20	35	2	36

2 BOOK 696

No. 696

divisions T. 8 S. R. 8 E.

For preliminary notes of
assistants See Book No. 1
of Exterior Boundaries.

I commence at the Cor. to
Secs. 1, 2, 35 and 36 on the
South boundary of the Township
previously described by me

Thence Run
N. bet. Secs. 35 and 36
70. 12° 50' E.

Over level ground

40.00 Set mesquite post 3 ft long 3 ins
sq. with marked stone 12 ins in
the ground for 1/4 Sec Cor marked

T & S R. & Co.

cls

1/4 Saw N. face; dug pits 18+18
+12 ins N and S of post - 5 1/2 ft -
dia. and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base
around post.

80.00 Set mosquito post - 4 ft long
4 ins sq. with marked stone
12 ins in the ground for Cor
to Secs 25, 26, 35 and 36 marked
T & S S 25 on NE

R. & Co. S 36 on SE.

S. 35 on SW and

S. 26 on N.W. faces with 1 notch
on S and E. edges; dug pits
18+18+12 ins in each Sec
5 1/2 ft dia. and raised a
mound of earth 1 1/2 ft high

T. S. S. R & E

Chs

4½ ft base around post -
Land level

Soil loam & gravel - 2nd rate -
Dense brush entire mile.

E. on a random line bet Secs. 25 and 36

Over level ground $\text{ra } 12^{\circ} 50' \text{ E}$

40.00 Set temporary 4" Sec Cor

80.28 Intersect E. boundary of the Township

28 lks S. of the Cor to Secs 25, 30, 31

and 36 previously described by me

Thence I run

$S 89^{\circ} 48' \text{ W}$ a true line bet Secs 25 & 36

with same ra

Over level ground

40.14 Set mercury post 3 ft long 3 ins
sq. with marked stone 12 ins

T & S. R & E.

cls

in the ground for $\frac{1}{4}$ Sec for
 marked $\frac{1}{4}$ S on N face, dug pits
 18 + 18 + 12 ins E and N. of post -
 5 $\frac{1}{2}$ ft - dia. - and raised a mound
 of earth 1 $\frac{1}{2}$ ft - high & $\frac{3}{4}$ ft - base
 around post -

80.28 cor. to Secs 25, 26, 35 and 36

Land level

Soil loam & gravel - 2nd cut -
 dense brush entire mile

N. bet - Secs 25 and 26

Ta 12° 50' E.

Over level ground

40.00 Set mesquite post - 3 ft - long
 3 ins sgr. with marked stone
 12 ins in the ground for $\frac{1}{4}$

T. & S. R. & E.

cls.

Sec. cor. marked $\frac{1}{4}$ S. on N face
 dug pits 18 + 18 + 12 ins N. and S.
 of post - $5\frac{1}{2}$ ft - dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft - base
 around post.

80.00 Set mesquite post 4 ft - long
 4 ins sq with marked stone
 12 ins in the ground for cor. to Sec
 23, 24, 25 and 26 marked
 T. & S. S. 24 on N. E.
 R. & E. S. 25 on S. E.
 S. 26 on SW face
 S. 23 on N. W. faces with 2 notches
 on S. and 1 notch on E edges
 dug pits 18 + 18 + 12 ins in each Sec
 $6\frac{1}{2}$ ft - dist and raised a mound
 of earth 2 ft - high $4\frac{1}{2}$ ft - base around post.

T. 8 S. R. 8 E.

chs

Land level

Soil loam & gravel 2. rd rate =
dense brush entire mile.

E. on a random line bet Secs. 24 and 25

Over nearly level ground $\text{ra } 12^\circ 49' \text{ Ee}$ 1.96
40.00 Set temporary $\frac{1}{4}$ Sec cor79.96
80.26 Intersect E. boundary of township
14 ebs S. of the cor. to Secs. 19, 24, 25 & 30

previously described

thence I run

S. $89^\circ 54' \text{ W.}$ on a true line bet Secs 24 and 25

with same ra

Over nearly level grassed

79.96
85.30 Cross Tleson and Casa Grande
road bet $\text{A } 57^\circ \text{ W}$ & $\text{S } 55^\circ \text{ Ee}$

40.13 Set mesquite post 3 ft long

T. & S. R. & E.

Chs

3 ins sgr. with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face dug pits 18 + 18 + 12 ins E. and W. of post - $5\frac{1}{2}$ ft - dist, and raised a mound of earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft - base around post.

^{1.96}
78.30 Cross Southern Pacific rail-road
brs. N. $53^{\circ} 50'$ W. and S. $53^{\circ} 50'$ E.

80.26 Cor to Secs. 23, 24, 25 and 26,
Land decants N.W.

Soil loam and gravel
Dense brush entire mile.

N. bet - Secs 23 and 24
7a $12^{\circ} 49'$ E.

Over level ground

T. & S. R. & E.

chs.

- 1.70 Cross Southern Pacific rail road
 hrs $N 53^{\circ} 50' W$ and $S. 53^{\circ} 50' E$
- 40.00 Set mesquite post 3 ft long 3 ins
 sq. with marked stone 12 ins in
 the ground for $\frac{1}{4}$ Sec Cor marked
 $\frac{1}{4}$ S. on N. face dug pits 78+18+12
 ins N. and S. of post and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
 ft base around post.
- 80.00 Set mesquite post 4 ft long 4 ins
 sq. with marked stone 12 ins
 in the ground for Cor to Secs
 13, 14, 23 and 24 marked
 T & S. S 13 on N. E.
 R & E S 24 on S E
 S 23 on S W. and
 S 14 on N. W. faces with 3 notches

T. S. R. & Co.

cls

on S. and 1 notch on E. edge is
 dry pits 18 + 18 + 12 ins in each
 Sec. $5\frac{1}{2}$ ft - dist. and raised a mound
 of earth 2 ft high $4\frac{1}{2}$ ft - base
 around post.

Land level

Soil sedimentary 2nd rate -
 dense brush entire mile

E. on a random line bet Secs 13 & 24

to $12^{\circ} 50'$ E

30.08

Grp. fence road bet Secs 13 & 24

40.00

Set temporary 1/4 Sec cor

75.08

Grp. fence & cor @ E. boundary road bet Secs 13 & 24

80.08

Intersect E. boundary of the

township at the cor. to Secs.

13, 18, 19 and 24 previously

described

Thence I run

T. & S. R. & E.

Chas

W. on a true line bet Secs 13 & 24
with same run

Over nearly level ground

5.00 ^{0.08} cross ^{0.08} Jackson and Casa Grande
road hrs. N 64° W and S 60° E.

40.00 Set mosquito post 3 ft long 3 ins
sq. with marked stone 12 ins
in the ground for 1/4 sec, cor marked
1/4 S. on N. face, dug pits 18 + 18
+ 12 ins E and W. of post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft high ^{around post} 3 1/2 ft base.

30.08 cross Jackson road hrs. N. W. & S. E.

80.00 Corte sec. 13, 14, 23 and 24
found nearly level ground
Soil sedimentary 2d rate
Dense brush entire mile.

Nov. 16th 1887

T. & S. R. & E.

Chs.

N. bet - Secs 13 and 14
 Va $12^{\circ} 50'$ E

Over level ground

35.00 Cross road bet NE and SW

40.00 Set mesquite post 3 ft long 3 ins
 sq. with marked stone 12 ins
 in the ground for $\frac{1}{4}$ Sec. cor.
 marked $\frac{1}{4}$ S. on W. face; dug
 pits 18 + 18 + 12 ins N and S of
 post - $5\frac{1}{2}$ ft - dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high, $3\frac{1}{2}$
 ft - base around post.

66.00 Cross ^{N.M.} Tucson and ^{S.S.} Cura Grande
 road bet NE and SW

80.00 Set mesquite post 4 ft long
 4 ins sq. with marked stone
 12 ins in the ground for cor

T & S. R & E.

chs

to Secs. 11, 12, 13 and 14 marked
 T & S. S 12 on N.E.
 R. & E. S 13 on S.E.
 S 14 on SW and
 S 11 on N.W. faces with 4
 notches on S and 1 notch on E edges
 Dry pits 18 + 18 + 12 ins in
 each Sec. 5 1/2 ft - dist - and
 raised a mound of earth
 2 ft high 4 1/2 ft - base around
 each. From this Cor-
 ranch house and Carral of Manuel
 Ramirez hrs S 30° W 5 chs dist -
 And a reservoir about 3 chs
 sgr hrs S 50° E about 72 chs
 Land level
 Soil adobe clay 2 mil rate
 Scattering brush and mesquite.

T. 8 S. R. 8 E.

Chs

E. of a random line bet Secs. 12 and 13

Over nearly level ground $\text{va } 12^{\circ} 49' \text{ E}$ 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.32 Intersect E. boundary of the township 17 cks S. of the Cor to Secs. 7, 12, 13 and 18 previously described

Thence I run

S $89^{\circ} 53'$ N. on a true line bet. Secs. 12 & 13

with same va.

Over nearly level ground

40.16 Set masonry post 3 ft long 3 in dia with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec Cor marked $\frac{1}{4}$ S. on A face and pits 18 + 18 + 12 ins E. and W. of post - 5 $\frac{1}{2}$ ft - dia and raised

T. & S. R. & E.

Chas

a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

80.32 Cor. to Secs. 11, 12, 13 and 14

Land nearly level

Soil adobe clay 2nd rate
 Dense brush mesquite extensive

N. to Secs 11 and 12

to $120^{\circ} 49' E$

Over level ground.

6.00 across road to $N. 10^{\circ} E$

40.00 Set mesquite post 3 ft long 3 ins
 sq. with marked stone 12 ins
 in the ground for $\frac{1}{4}$ Sec. Cor marked
 $\frac{1}{4}$ S. on W. face. dug pits 18 x 18
 x 12 ins N and S of post - $5\frac{1}{2}$

T. S. R & E.

Chs

ft dia and raised a mound
 of earth $1\frac{1}{2}$ ft ^{high} $3\frac{1}{2}$ ft ^{base} around post
 80.00 Set mosquito post - 4 ft long
 4 ins sq. with marked stone
 12 ins in the ground for cor
 to Secs. 1, 2, 11 and 12 marked
 T. S. R & E. S. 1 on N. E.

R & E. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces with 3
 notches on S. and 1 notch on Ee
 edges; dug pits 78 + 18 + 12 ins
 in each Sec $3\frac{1}{2}$ ft dia and
 raised a mound of earth 2 ft high
 $4\frac{1}{2}$ ft base around post
 Land level

Soil adobe - 2nd rate -
 dense brush & mosquito introduced.

T. S. R. & Co.

cls

E. on a pond on line bet. Secs. 1 and 12

7 or 12° 49' E

21
40.00 ^{Over mark used for 10° 54' S. W.} Set temporary 1/4 Red Cor80.10 Intersect E. boundary of township
15 cks S. of the Cor. to Secs 1, 6, 7
and 12 previously described

Then I run

S 89° 54' W on a true line bet. Secs 1 & 12

with same ra.

Over nearly level ground

40.05- Set mesquite post 3 ft - long
3 ins sq. with marked stone
12 ins the ground for 1/4 Sec. Cor
marked 1/4 S. on N. face. Aug
pits 78 + 18 + 12 ins E and W of post
5 1/2 ft dist and raised a mound
of earth 1 1/2 ft - high 3 1/2 ft base

T & S. R & E.

chs

around post.

21.10
 59.00 Cross road hrs N 10° E r
 S 8° W.

80.10 Cor. to Secs. 1, 2, 11 and 12
 Land nearly level
 Soil Sedimentary 2nd rate
 Dense brush entire mile.

Now a random line bet Secs 1, and 2

Over land ground Va 120 49' E

40.00 Set temporary 1/4 Sec cor

79.90 Intersect N. boundary of 1/4
 at the cor to Secs 1, 2, 35 and 36
 previously described

Thence I run
 S on a true line bet Secs 1 and 2
 with same va

T. S. R. & Co.

cls

Over level ground

39.90 Set mosquito pest 3 ft - long 3 ins
sq. with marked stone 12 ins
in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N. face dig
pits 18 x 18 x 12 ins N. and S. of
pest and raised a mound of
earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft - base
around pest.

79.90 Cor. to Secs. 1, 2, 11 and 12
Land level

Soil sedimentary 2nd rate
dense brush and mosquito.

Nov 17th 1887

At 12 o'clock P. today I took latitude
and found it to be $32^{\circ} 45'$ N. also
examined my Compass & found it in
good adjustment.

T. & S. R. & Co.

Chs

From the Cor. to Secs. 2, 3, 34 and
35 on the S. boundary of the Tr
previously described by me

I run

N. bet. Secs. 34 and 35-

via $12^{\circ} 50' E$

Over level ground

7.00 Cross road from Picacho station
to mines has $N 8^{\circ} E$ & $S 10^{\circ} W$

46.00 Set mesquite post 3 ft long 3 ins
sq with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec. Cor marked
 $\frac{1}{4}$ S on W. face, dug pits 15 + 18 + 12
ins N. and S. of post $5\frac{1}{2}$ ft dist -
and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

T & S R & E

chs

80.00 Set mesquite post 4 ft long 4 in
 eye with marked stone 12 in in
 the ground for Cor to Dec 26
 27, 34 and 35 marked
 T & S S 26 on N. E.
 R & E S 35 on S. E.
 S 34 on S. W. end
 S. 27 on N. W. faces with 1
 notch on S and 2 notches on
 E edges. dug pits 18+18+12
 in in each Sec 5 1/2 ft dist
 and raised a mound of
 earth 2 1/2 ft high 7 1/2 ft base
 around post.
 Land level
 Soil sedimentary 2nd rate
 dense brush entire mile.

T & S. R. & E.

Chs.

E. on a random line bet Secs 26 & 35

16.00 ^{Over level from} ~~over level from~~ ^{station to monument} ~~station to monument~~ $7\text{ or }12^{\circ} 49' \text{ E}$
 40.00 ~~Set temporary~~ ^{Set temporary} $1/4 \text{ Sec Cor}$ $88^{\circ} 6' 10'' \text{ W}$

79.90 Intersect N and S line 10 elks

S of the Cor to Secs 25, 26, 35 & 36

Thence I run

S $89^{\circ} 56' \text{ N}$ on a true line bet Secs 26 & 35

with some run

Over level of ground

39.95 - Set iron pipe post 3 ft long 3 ins
 sq. with marked stone 12 ins in
 the ground for $1/4 \text{ Sec. Cor.}$ marked
 $1/4 \text{ S. on N. face dug pits } 18 + 18 +$
 12 ins E. and W. of post - $5\frac{1}{2} \text{ ft}$ -
 dist. and raised a mound of earth
 $1\frac{1}{2} \text{ ft}$ high $3\frac{1}{2} \text{ ft}$ base around post

16.00
 69.90 ~~Cor~~ road from Pineda Station

T. & S. R. & E.

Chs

to mines hrs N. 8° E. and S. 10° W.

79.90 Cor. to Secs. 26, 27, 34 and 35-

Land level

Soil sedimentary 2nd rate

Dense brush entire mile

N. bet Secs 26 and 27

Va 12° $49'$ E

Over level ground

40.00 Set mesquite post 3 ft long
 3 ins sq. with marked stone
 12 ins in the ground for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S on W face of dug
 pits 18 + 18 + 12 ins N. and S.
 of post $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
 ft base around post.

T. & S. R. & E.

Chs.

80.00 Set mesquite post 4 ft long
4 ins sq. with marked stone
12 ins in the ground for Cor
to Secs. 22, 23, 26 and 27 marked
T. & S. S. 23 on N. E.

R. & E. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. faces with 2 notches

on S. and E. edges, dug pits
18 + 18 + 12 ins in each Sec

5 1/2 ft. dia and raised a
mound of earth 2 ft high
4 1/2 ft base around post -
Land level

Soil sedimentary 1st rate
Dense brush & mesquite entire m'ls

T. S. R. & E.

els

E. on a random line bet Secs 23 + 26

31.86 ~~Over level ground~~ ^{Red level ground} $\text{ra } 12^{\circ} 49' \text{ E}$ 40.00 Set temporary $\frac{1}{4}$ Sec cor79.86 Intersect - A and S line 15-ths S
of the cor to Secs. 23, 24, 25 and 26

Then at S run

S. $89^{\circ} 54' \text{ N}$. on a true line bet Secs 23 + 26

with same ra

Over level ground.

39.93 Set margini post - 3 ft - long 3 ins
sq. with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec. cor, marked
 $\frac{1}{4}$ S on N. face; dug pits 18 + 18
+ 12 ins E and W of post - $5\frac{1}{2}$ ft
dia and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

T. S. P. & E.

Chs

48.00 ^{31.80} cross road from Picacho station
 to mines bearing N. 90° E and S 90° W
 79.86 Cor. to Secs. 22, 23, 26 and 27

Land level

Soil sedimentary 2nd rate
 dense brush & scrub mesquite.

N. bet - Secs. 22 and 23

7th 12° 49' E

Over nearly level ground

40.00 Set mesquite post 3 ft long
 3 ins eye with marked stone
 12 ins in the ground for 1/4 Sec
 Cor. marked 1/4 S. on N face
 dug pits 18 + 18 + 12 ins N & S
 of post - 5 1/2 ft - dist and raised a
 mound of earth 1 1/2 ft high 3 1/2 ft

T. & S. R. & E

chs.

base around post-

60.50 Across Southern Pacific rail road
 hrs N $53^{\circ} 56' W$ and S $33^{\circ} 56' E$.
 From this point - the Station house
 of Peaches hrs S $60^{\circ} 55'$ chs dist.
 And the R.R. section house hrs
 NW 1.20 chs

8000 Set mesquite post 4 ft long 4 ins
 sq with marked stone 12 ins in
 the ground for per to Secs 14, 15-
 22 and 23 marked
 T & S 14 on N.E.,
 R & E S 23 on S.E.
 S 22 on SW and
 S 15 on NW faces with 3 notches
 on S. and 2 notches on E edge is
 dug pits 78 + 18 + 12 ins in each

T & S R & E

Chs

Sec. 5 1/2 ft-dia and raised
a mound of earth 2 ft-high
4 1/2 ft-base around post -
Land level

Soil sedimentary 181 nuts
seeds brush & mesquite within mile

E. on a random line bet. Secs. 14 & 23

7a 12° 49' E

23.45
40.00 Set temporary 14 Sec Cor

80.30 Intersect T and S line 25-els S
of Cor. to Secs. 13, 14, 23 and 24

Thence S run

S. 89° 49' W, on a true line bet. Secs 14 and 23

with same run

Over level ground

40.15- Set mesquite post 3 ft long 3 ins

T. S. R. & Co

chs

sq. with marked stone 12 ins in
the ground for $\frac{1}{4}$ Red for marked $\frac{1}{4}$
S on N face, dug pits 10 + 18 + 12 ins
E and W of post 5 $\frac{1}{2}$ ft - dia - and
raised a mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around post.

56.85 - ~~cross road from Picacho Station to
Florence~~ brs N 40° E and S 40° W

80.30 Cor. to Secs. 14, 15, 22 and 23

Land level

Soil sedimentary 2nd rate -
dense brush & mesquite entire mile

Nov 18th 1887

N. br. - Secs 14 and 15 -

va 12° 49' E

Ored level ground

40.00 Set mesquite post 3 ft long 3 ins

T & S. R & E.

Chs

sq. with marked stone 12 ins in
the ground for 14 Sec for marked
1/4 S. on N. face, dug pits 18 + 18 + 12
ins N and S of post 5 1/2 ft - dist -
and raised a mound of earth
1 1/2 ft high 3 1/2 ft base around post

80.00 Set peg with post 4 ft long 4 ins
sq. with marked stone 12 ins
in the ground for cor to Secs
10, 11, 14 and 15 - marked

T & S. S. 11 on N E

R & E S. 14 on S E

S. 15 - on S W and

S 10 on N W faces with 4 notches
on S and 2 notches on 2 edges
dug pits 18 + 18 + 12 ins in each
Sec. 5 1/2 ft - dist - and raised a

BOOK 696

T & S. R & E

cls

mound of earth 2 ft high 4 1/2 ft base
crossed first -

Sand level

Soil adobe clay 2nd rate -
dense brush & scrub mesquite within mile

E. on a random line bet Secs 11 and 14

from level ground $\approx 12^{\circ} 30'$ E

33.10

crossed by NW 1/4 Sec 11

40.00

set temporary 1/4 Sec SW

72.70

crossed by NW 1/4 Sec 11

80.10

Subsect T and line 15 lbs S

of the Cor to Secs 11, 12, 13 and 14

Thence I run

S. 89° 54' W. on a true line bet Secs 11 and 14

with same run

Over level ground

72.40

5.00 cross way on road bet NW

40.05

set mesquite post 3 ft long 3 ins

T. S. R. S. E.

Ch

sq. with marked stone 12 ins in the
ground for '14 Sec. Cor marked '14 S
on N. face dug pits 78 + 18 + 12 ins E or
W of post 5 1/2 ft - dia and raised a
mound of earth around post.

33.10

47.00 Cross road hrs N.W. & S. 60° Ee

80.10 Cor to Secs 10, 11, 14 and 15.

Level level

Soil adobe clay - 2nd rate -
Scattering brush and scrub mesquite

N. bet - Secs 10 and 11

va. 12° 50' Ee

Over level ground

9.00 Cross road hrs N.W. and S.E.

40.00 Set mesquite post 3 ft - long 3 ins
sq. with marked stone 12 ins in

T 8 S R 8 E

Chs

the ground for $\frac{1}{4}$ Sec Cor marked
 $\frac{1}{4}$ S on N. face dug pits 18+18+12 ins
 N and S of post - $5\frac{1}{2}$ ft - dist - and
 raised a mound of earth $1\frac{1}{2}$ ft -
 high $3\frac{1}{2}$ ft - base around post -
 80.00 Set mesquite post 4 ft long
 4 ins sq. with marked stone 12
 ins in the ground for Cor to Secs
 2, 3, 10 and 11 marked
 T 8 S S 2 on N.E.
 R 8 E S 11 on S.E.
 S. 10 on SW and
 S 3 on N.W. faces with 5 notches
 on S. and 2 notches on E edge
 dug pits 18+18+12 ins in each
 Sec. $5\frac{1}{2}$ ft - dist. and raised a
 mound of earth $1\frac{1}{2}$ ft - high $4\frac{1}{2}$

T & S. R & E

cls

ft base around post -

Land level

Soil sedimentary 2nd rate -

Dense brush entire mile

E. on a parallel line bet Secs 2 & 11

25.70 ~~25.70~~ ~~40.00~~ ~~70.00~~ ~~100.00~~ ~~130.00~~ ~~160.00~~ ~~190.00~~ ~~220.00~~ ~~250.00~~ ~~280.00~~ ~~310.00~~ ~~340.00~~ ~~370.00~~ ~~400.00~~
 40.00 Set temporary 1/4 Sec cor

80.00 Intersect - A and S. line 37 lbs

S. of the Cor to Secs. 1, 2, 11 and 12

Thence I run

S. $89^{\circ}44'$ W on a true line bet Secs. 2 & 11

with same va.

Over level ground

40.00 Set mesquite post 3 ft long 3 in
 sqx with marked stone 12 in
 in the ground for 1/4 Sec cor