

No. 698 1

John L. Harris Deputy Surveyor.
T. 8 South R. 16 East
Gala & Salt River Meridian.

869

BOOK 698

FIELD NOTES

OF

The Subdivision Lines of
Township 8 South Range 16 East
Gala and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.
under his Contract of July 14, 1877.
Survey commenced Nov. 24, 1877.
Survey completed " 30 "

No. 698

latted,
Copied for Washington, J.R.F. a. b.
manuscript sent to Commissioner,

E C O K 698

No. 698

1A

John L. Harris

Deputy Surveyor.

T. *8 South* R. *16 East*

Gila & Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of

Township *8 South* Range *16 East*

Gila & Salt River Meridian.

BY

John L. Harris

Deputy Surveyor.

under his Contract of *July 17* 18*77*

Survey commenced *Nov 24* "

Survey completed *30* "

Platted,
Copied for Washington,
Transcript sent to Commissioner,

Township 8 South Range 16 East

698

Gila and Salt River

Meridian.

1B

BOOK 698

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Preliminary Order of Assistance

I hereby certify that the following is a true and correct copy of the original as the same appears in the files of the Department of the Interior, Bureau of Land Management, at Washington, D. C.

This copy is made for the use of the [illegible] and is not to be used for any other purpose.

Witness my hand and the seal of the Department of the Interior, at Washington, D. C., this [illegible] day of [illegible] 19[illegible].

[Illegible signature and name]



[Illegible handwritten notes or signatures in blue ink at the bottom left of the page.]

Preliminary Oaths of Assistants.

We, Lynan Wakefield
 and Chas. B. Warren
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lynan Wakefield
Chas. B. Warren

Sworn to and subscribed before me, this 29
 day of September, 1877

William J. Osborn
Notary Public



We,

Fred. C. Jones
J. P. Chenoweth

do solemnly swear that we will well and truly perform the duties of *Axman*
and flagman respectively
 according to instructions given us, and to the best of our skill and ability.

Fred. C. Jones
J. P. Chenoweth

Sworn to and subscribed before me this *29*
 day of *September*, 18*77*

William J. Gibson
Notary Public



Chains From the corner to Sections 35, 36, 1 and 2 on the South
 boundary I ran
 North, between Sections 35 and 36.

Variation $14^{\circ}40'$ East.

Upper East boundary.

- 19.00 Drive wash 20 lbs. wide runs N.E.
- 40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 45, 1 ft. in the ground. Drive charred stake and build mid of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for 4 sec. cor. No trees near.
- 88.00 Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground. Drive charred stake and build mid of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 25, 26, 35 & 36. No trees near.

Rolling hills. Good pasturage.
 No timber.

Township 8 South Range 16 East 2

Gila and Salt River

BOOK 698
Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation $14^{\circ}40'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect the N. & S. line 1400 ft. N. of the cor. to secs. 25, 30, 31 & 36. from which I run $N. 89^{\circ}54'W.$ on a true line between secs. 25 & 36. Var. $14^{\circ}40' E.$

40.05 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground; drive charred stake and build mol. of earth 2 ft. high as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.10 The cor. to secs. 25, 30, 35 & 36.

Smooth rolling grass land. No timber.

Township 8 South Range 16 East
3
BOOK 698 Gila and Salt River Meridian.

Chains North, between Sections 25 and 26.

Variation $14^{\circ}40'$ East.

40.00 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground, drive charred stake and
build md. of earth 2 ft high, with
pits 1 ft deep, 2 ft long & 1 ft wide
as per instructions for the $\frac{1}{4}$ Sec.
cor. from which
a Mesquite tree stands in Secs 24 & 25, 60 kcs. dist.
No other trees near.

80.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, 1 ft. in the
ground, drive charred stake
and build md. of earth 2 ft
high, with pits 1 ft deep, 2 ft long
& 1 ft wide as per instructions
for the cor. to secs. 23, 24, 25 & 26
No trees near.

Rolling hills. Good pasture
land. No timber of consequence.

Nov. 24, 1877

Township 8 South Range 16 East 4

Gila and Salt River

BOOK 698
Meridian.

Chains East, on a random line between Sections 24 and 25.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.16 Intersect. the E boundary of the
township $2\frac{1}{4}$ m. S. of the cor.
to secs. 24, 19, 25 & 30 from which
I run
S. $89^{\circ}48'W$. on a true line between
secs. 24 & 25, Var. $14^{\circ}40'E$.
40.08 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground. Drive charred stake
and build mud. wall earth 2 ft. high
with pits 1 ft. deep, 2 ft. long
& 8 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No true mark.
80.16 The cor. to secs. 23, 24, 25 & 26.

Smooth rolling. Good
Grass. No timber.

Township 8 South Range 16 East

Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 23 and 24.

Variation $14^{\circ} 40'$ East.

40.00 Set a post, 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive chapped slates and build mud earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide, as per instructions for 4 sec. No trees near.

80.00 Set a post, 4 ft. long, sqd 3, marked & notched 1 ft. in the ground, drive chapped slates and build mud earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the cor. to secs. 13, 14, 23 & 24. No trees near.

Rolling good pasture land,
No timber

Township 8 South Range 16 East 6
Gila and Salt River BOOK 698
 Meridian.

Chains East, on a random line between Sections 13 and 24.
 Variation 14°40' East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 40.50 Drywash 100 wide runs N.E.
- 80.16 In the sect the E^o boundary 13 & 24
 N. of the cor. to secs. 13, 18, 19 & 24
 from which I run
 N. 89° 54' W. on a true line between
 Secs 13 & 24. Cor. 14°40'
- 40.08 Set a post 4 ft. long flattened
 3 in. marked $\frac{1}{4}$ S. 1 ft. in the ground.
 drive charred stake and build
 end of capth 2 ft. high, with pits
 1 ft. deep, 2 ft. long & 1 ft. wide as
 per instructions for $\frac{1}{4}$ Sec. cor.
 No trees near. This is alongside
 of wash.
- 80.16 S. the cor. to secs 13, 14, 23 & 24

Rolling hills. Good grass
 No timber.

Township 8 South Range 16 East

Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 13 and 14.

Variation 14° 40' East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground, drive charred stakes and build grid of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 Sec. Cor. No trees

50.00 Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground, drive charred stakes and build grid of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 11, 12, 13 & 14. from which a pale wood 4 in. diam. brs S 80 E. 84 1/2 ks dist. do 4 " " " N 60 E. 54 " " No other trees near.

Good pasture land,
Scattering trees.

Township 8 South Range 16 East 10
8
Gala and Salt River BOOK 698
Meridian.

Chains East, on a random line between Sections 12 and 13.
 Variation 14°40' East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 42.60 Dry wash 60 fms. wide runs N.E.
- 43.10 Enter bottom land bro N.W.
- 49.83 Intersect the E. boundary of the township 13 fms. south of the cor. to secs. 7, 12, 13 & 18 from which I run S. $89^{\circ}54'$ W. on a true line between secs. 12 & 13. (Var. $14^{\circ}40'$ E.)
- 39.92 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stakes and build sup. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 79.83 The cor. to secs. 11, 12, 13 & 14

Good grazing.
 Brush. Scattering trees

Township 8 South Range 16 East

Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 11 and 12.

Variation 14° 40' East.

40.00 Set a granite stone 10x8x4 in.
²/₃ in the ground, marked '4'
and on the N. build mud of earth
2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide as per
instructions for '4' sec. cor. from which
a line west 4 in. chain to south 15 the dist.
No other trees near.

0.00 Set a granite stone 20x10x8 in.
³/₄ in the ground, notched S. & E.
and on the N. build mud of stones
2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide as per
instructions for the cor. to
secs. 1, 2, 11 & 12. No trees.
This on W. side of point of hill
on W. edge of the valley.

Some good soil. Grass
Scattering trees

Township 8 South Range 16 East 10

Gila and Salt River BOOK 698
Meridian.

Chains East, on a random line between Sections 1 and 12.
Variation $14^{\circ}40'$ East.

- 5.50 Enter bottom land of Santa Pedro
valley bns. NW.
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 47.00 San Pedro river corks, wide runs NW.
- 77.50 San Pedro road, bns NW.
- 79.81 Intersect the E. end of the town
ship corks, S. of the cor. to secs.
11 & 12, from which I run
S. $89^{\circ}44'10''$, on a true line between secs.
10 & 12. Var. $14^{\circ}40'$ E.
- 79.91 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charged stake
and build rd. of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long &
1 ft. wide as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near
- 79.82 The cor. to secs. 1, 2, 11 & 12

Rich bottom land. Grass.
Scattering trees

11. Township 8 South Range 16 East
Gila and Salt River Meridian.

BOOK 698

Chains North, on a random line between Sections 1 and 2.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
57.00 San Pedro River 50 fks. wide, run $7^{\circ}00'$
80.21 Intersect the N. boundary 16 fks
W. of the cor. to secs. 1, 2, 35 & 36
from which I run
 $50^{\circ}07'$ W. on a true line between secs. 1 & 2
Var. $14^{\circ}40'$ E.
40.21 Set a post 4 ft. long flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred
stake and build and of earth
2 ft. high with pits 1 ft. deep
 $\frac{1}{2}$ ft. long & 1 ft. wide as per in-
structions for a $\frac{1}{4}$ sec. cor
from which
a Mesquite 10 in. diam. brs East $2\frac{1}{4}$ fks. dist.
No other tree near
80.21 The cor. to secs 1, 2, 11 & 12
good bottom land. Scattering
trees.

Township 8 South Range 16 East 12

Gila and Salt River BOOK 698 Meridian.

Chains

North, between Sections 34 and 35.

Variation $14^{\circ}40'$ East.

40.00 Set a post 4 ft. long flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground. Drive charred stake and build mud, earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near on S. W. slope.

80.00 Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground. 1 ft. drive charred stake and build mud, of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 26, 27, 34 & 35. No trees near.

Rolling hills, good pasture land. No timber.

Township

8 South

Range

16 East

13

Gila and Salt River

Meridian.

BOOK

698

Chains

East, on a random line between Sections 26 and 35.

Variation

14° 40'

East.

40.00

Set a temporary 1/4 sec. cor.

49.90

Intersect the N. & S. line 16 lbs. S. of the cor. to secs. 25, 26, 35 & 36, from which I run

S. 89° 53' W. on a true line between secs. 26 & 35. Var. 14° 40' E.

39.95

Set a post 4 ft. long flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground, drive charred stake and build up of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No trees near.

49.90

The cor. to secs. 26, 27, 34 & 35

Smooth rolling, good pasturage No timber

Township 8 South Range 16 East 14

Gila and Salt River

BOOK 698
Meridian.

Chains North, between Sections 26 and 27.

Variation $14^{\circ}40'$ East.

- 40.00 Set a post 4 ft. long flattened
3 in. wide, marked $\frac{1}{4}$ S, 1 ft. in the
ground, drive charred stakes and
build up of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long & 1 ft.
wide as per instructions for
the $\frac{1}{4}$ Sec. cor. No trees mar.
- 80.00 Set a post 4 ft. long, sq'd. 3 in.
marked & notched, 1 ft. in the
ground, drive charred stakes
and build up of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for the cor. to secs. 22,
23, 26 & 27. No trees mar.

Rolling. Good for grass.
Brush. No timber.

Township 8 South Range 16 East

15 Gila and Salt River

Meridian.

BOOK 698

Chains East, on a random line between Sections 23 and 26.

Variation 14° 40' East.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
 46.50 Dry wash 50 lbs. wide runs N. of S.
 80.15- Intersect the N. & S. line 14 lbs.
 S. of the cor. to ^{secs. 23, 24, 25 & 26} from which I run
 S. 89° 54' W. on a true line between Secs. 23 & 26
 Var. 14° 40' E.

40.08 Set a post 4 ft. long, flattened
 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the
 ground. Drive charred stakes and
 build out of earth 2 ft. high as per
 instructions for $\frac{1}{4}$ Sec. cor. No trees
 80.15 The cor. to Secs. 22, 23, 26 & 27

Rolling hills. Good grass.
 No timber

Township 8 South Range 16 East 16

Gila and Salt River

BOOK 698

Meridian.

Chains

North, between Sections 22 and 23.

Variation 14°40' East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 4 S, 1 ft. in the ground, drive charred stake and build mud of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to 1/4 Sec. Cor. No trees near.

80.00 Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build mud of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 14, 15, 22 & 23. from which a Merquity tree 4 in. diameter S. 40 E. 18 lbs. dist. No other trees near.

Rolling grass land.
Scattering trees.

Nov. 26, 1877

Township 8 South Range 16 East

BOOK 698 Gila and Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
80.22 Intersect the N. & S. line 14 lks,
S. of the cor. to secs. 13, 14, 23 & 24
from which I run
S. $89^{\circ}54'W$, on a true line between
secs. 14 & 23. Var. $14^{\circ}40'E$
40.11 Set a post: 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred stake
and build, mid. of earth 7 ft.
high with pits 1 ft. deep 2 ft.
long & 1/2 ft. deep, as per instruc-
tions for $\frac{1}{4}$ Sec. cor. No trees
near.
80.22 The cor. to secs 14, 15, 22 & 23

Rolling, good pasturage
No timber

Township 8 South Range 16 East 18

Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 14 and 15.

Variation 14°40' East.

- 81.00 Drywash 50 lbs wide runs N.E.
25.30 do 100 " " " E.
40.00 Set a granite stone 12 X 10 X 8 in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on the
N. build and of stone 2 ft high with
pits 1 ft deep, 2 ft long & 1 ft wide
as per instructions for $\frac{1}{4}$ sec. Cor.
No trees near.
- 66.00 Drywash 25 lbs wide runs N.E.
80.00 Set a granite stone 20 X 16 X 10 in.
 $\frac{3}{4}$ in the ground, ~~mark~~ notched
S. & E. and on the N. build and
of stone 2 ft high as per instruc-
tions for the cor. to secs. 10, 11,
14 & 15. No trees near.

Smooth rolling hills, good
for grazing. Brush
No timber

No. 698

Township 8 South Range 16 East

BOOK 698 Gila and Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.
Variation 14° 40' East.

- 40.00 Set a temporary 1/4 sec. cor.
- 80.24 Subsect the N. & S. line 3/4 m. S. of the cor. to secs. 11, 12, 13 & 14, from which I run S. 89° 47' W. on a true line between secs. 11 & 14. Var. 14° 40' E.
- 40.12 Set a post 4 ft. long, flattened 3 in. wide, marked "4 S. 1 ft. in the ground, drive charred stake and build wd. of earth 2 ft. high with pits 1 ft. dep. 2 ft. long & 1/2 ft. wide as per instructions for 1/4 sec. cor. No trees
- 80.24 The cor. to secs. 10, 11, 14 & 16

Rolling Grass land,
No timber

Township 8 South Range 16 East ²⁰
Gila and Salt River Meridian. BOOK 698

Chains North, between Sections 10 and 11.

Variation 14°40' East.

40.00 Set a granite stone 16 x 14 x 6 in. ²/₃ in the ground, marked '4', and on the N. build end, of stones 2 ft. high as per instructions for '4 Sec. cor. No trees near.

70.25 Dry wash 100 yds. wide runs N.E.

80.00 Set a granite 20 x 12 x 12 in. ³/₄ in the ground. marked S. & E. and on the N. build end, of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 2, 3, 10 & 11. No trees.

Smooth rolling hills. Good grass. No timber

Township 8 South Range 16 East
Gila and Salt River Meridian.

BOOK 698

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}40'$ East.

- 26.75 Dry wash, 100 lbs. wide runs N. E.
40.00 Set a temporary $\frac{1}{4}$ sec. cor.
7984 Intersect the N. & S. line of Sec. 9,
of the cor. to Secs. 1, 2, 11 & 12 from
which I run
N. $89^{\circ}56'$ W. on a true line between Secs.
2 & 11. Var. $14^{\circ}40'$ E.
39.92 Set a post 4 ft long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground, drive charred stakes
and build up. of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No true.
7984 The cor. to Secs. 2, 3, 10 & 11

Smooth rolling hills. Good
pasture land. No timber.

Township 8 South Range 16 East ²²
Gila and Salt River BOOK 698
Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}40'$ East.

- 140.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.23 Intersect the N. boundary of
the township 18 kds. W. of the cor.
to secs. 2, 3, 34 & 35, from which
I run
 $50^{\circ}08'$ W. on a true line between Secs.
2 & 3. Var. $14^{\circ}40'$ E.
40.23 Set a post 4 ft long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred stakes
and build, and, of earth 2 ft
high with pits 1 ft. deep, 2 ft long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
80.23 The cor. to secs. 2, 3, 10 & 11

Smooth rolling. Good for
pasturage. No timber.

Township 8 South Range 16 East
Gila and Salt River Meridia

BOOK 698

Chains North, between Sections 33 and 34.

Variation 14° 40' East.

40.00 Set a post: 4 ft. long, flattened
3 in wide, marked $\frac{1}{4}$ S. 1 ft in the
ground. Drive charred stakes and
build rid. of earth 2 ft. high with
pits 1 ft. deep 2 ft long & 1 ft wide
as per instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

54.60 Drywash 50 lbs. wide runs N of E.

80.00 Set a granite stone 14 x 12 x 8 in.
 $\frac{1}{2}$ in the ground, notched S. & E.
and on the N. build rid. of stones
2 ft high as per instructions
for the cor. to secs. 27, 28, 33 & 34.
No trees near.

Rolling hills. Good grassland,
Brush No timber

Township 8 South Range 16 East 24

Gila and Salt River BOOK 698 Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation $14^{\circ}40'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect the N. & S. line 13 lbs. N. of the cor. to secs. 26, 27, 34 & 35 from which I run $S. 87^{\circ}54' W.$ on a true line between Secs. 27 & 34. Var. $14^{\circ}40' E.$
- 40.06 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive Charred stake and pile of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near. This on E. side of hill.
- 80.11 The cor. to secs. 27, 28, 33 & 34.

Rolling hills. Good grass
No timber.

Township 8 South Range 16 East

Gila and Salt River

Meridian.

BOOK 698

Chains North, between Sections 27 and 28.

Variation $14^{\circ} 40'$ East.

- 40.00 Seta granite $11 \times 9 \times 6$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$
and on the N. build up of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees
- 80.00 Seta granite stone, $18 \times 10 \times 9$ in.
 $\frac{3}{4}$ in the ground, notched S. & E.
and on the N. build up of
stones 2 ft high as per instruc-
tions for the cor. to secs. 21
22, 27 & 28. No trees.

Smooth Rolling. Grazing
land. No timber

Township 8 South Range 16 East ²⁶
Gila and Salt River BOOK 698 Meridian.

Chains East, on a random line between Sections 22 and 27.
 Variation 14°40' East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 80.18 Intersect of the N. & S. line
 28 lbs. S. of the cor. to secs.
 22, 23, 26 & 27, from which I run
 S. 89°48' W. on a true line between
 secs. 22 & 27. Var. 14°40' E.
 40.09 Set a post 4 ft long, flattened
 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
 the ground. Drive charred stakes
 and build mud of ca. 2 ft high
 with pits 1 ft. deep, 2 ft. long
 & 1 ft. wide as per instructions
 for $\frac{1}{4}$ sec. cor. No trees mar.
 80.18 The cor. to secs. 21, 22, 27 & 28

Smooth rolling hills. Good
 for grazing. Brush. No
 timber.

Township 8 South Range 16 East
Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 21 and 22.

Variation 14° 40' East.

40.00 Set a granite stone 11 x 8 x 4 in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$ earth
and on the N. build incl. of ~~stone~~ earth
2 ft high with pits 1 ft deep, 2 ft long
& 1 ft wide as per instructions for
 $\frac{1}{4}$ sec. cor. Notes

80.00 Set a granite stone 17 x 16 x 13 in.
 $\frac{2}{3}$ in the ground, notched S. & S
and on the N. build incl. of earth
2 ft high with pits 1 ft deep
2 ft long & 1 ft wide as per
instructions for the cor. to
secs. for the cor. to secs. 15, 16,
21 & 22. Notes near

Smooth rolling. good grazing
No timber.

Township 8 South Range 16 East ²⁸

Gila and Salt River Meridian. BOOK 698

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 80.17 Intersect the N.M. & S. line 12 lbs.
S. of the cor. to secs. 14, 15, 22 & 23
from which I run
S. $89^{\circ}55'W$. on a true line between
secs. 15 & 22. Var. $14^{\circ}40'E$.
- 40.09 Set a post 4 ft long, flattened
3 in. marked $\frac{1}{4}$ S. 1/4 in the
ground, drive charred stake
and build rd. of earth 2 ft high
with pits 1 ft deep, 2 ft long & 1 ft
wide as per instructions for $\frac{1}{4}$
sec. cor. from which
a poleward 4 in diameter $140 E$. 80 ft. dist.
No other tree near.
- 80.17 The cor. to secs. 15, 16, 21 & 22

Runth calling. Good grazing
No timber.

Township 8 South Range 16 East

Gda and Salt River Meridian.

BOOK 698

Chains North, between Sections 15 and 16.

Variation $14^{\circ}40'$ East.

40.00 Set a post 4 ft. long, flattened
3 in. wide, marked "4 S. 1 ft. in
the ground, drive charred slate
and build mud. of earth 2 ft.
high with pits 1 ft. deep, 2 ft. long
& 1 ft. wide as per instructions
for "4 sec. cor. No trees.

80.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, ~~in~~ 1 ft. in the
ground, drive charred slate
and build mud. of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for the cor. to secs. 9, 10,
15 & 16. No trees near.

Smooth rolling hills
Good grass land. No timber.

Township 8 South Range 16 East 30

Gila and Salt River Meridian. BOOK 698

Claims East, on a random line between Sections 10 and 15.

Variation $14^{\circ}40'$ East.

19.00 Drywash 25 lbs. wide run S. E.

40.00 Sit a temporary $\frac{1}{4}$ sec. cor.

49.87 Intersect the N. S. line 17 lbs.
S. of the cor. to secs. 10, 11, 14 & 15
from which I run
S. $89^{\circ}53'$ W. on a true line between secs. 10 & 15

39.94 Sit a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground, drive charred stake
and build mound of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No true
mag.

49.87 The cor. to secs. 9, 10, 15 & 16

Smooth rolling hills.
Good grass. No timber

Nov. 27, 1877

Township 8 South Range 16 East

Gala and Salt River Meridian.

BOOK 698

Chains North, between Sections 9 and 10.

Variation 14°40' East.

140.00 Set a post 4 ft. long flattened 3 in. wide, marked "45, 1 ft. in the ground, drive charred stake & build grad. of earth 2 ft high with pits 1 ft. deep 2 ft long & 1 ft wide as per instructions for 1/4 sec. cor.

80.00 Set a post 4 ft. long, sq'd, 3 in. marked & notched, 1 ft. in the ground, drive charred stake & build grad. of earth 2 ft high with pits 1 ft. deep 2 ft long & 1 ft. wide as per instructions for the cor. to secs. 3, 4, 9 & 9
No true mar.

Smooth rolling grass land. Brush No timber

Township 8 South Range 16 East 32

Gila and Salt River

BOOK 695
Meridian. 36
ian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.26 Subsequent to the N. & S. line 35 fms.
S. of the cor. to secs 2, 3, 10 & 11
from which I run
 $S. 89^{\circ} 45' W.$ on a true line between
secs. 3 & 10. $Var. 14^{\circ}40' E.$
- 40.13 Set a post 4 ft. long, flattened
3 in wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred stake
& build post. a ft. or 2 ft. high
with pits 1 ft. deep, 2 ft. long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
- 80.26 The cor. to secs. 3, 4, 9 & 10

Rolling hills. Good for grazing
No timber

33 Township 8 South Range 16 East
Gila and Salt River Meridian.
 BOOK 698

Chains North, on a random line between Sections 3 and 4.
 Variation 14°40' East.

- 40.08 Sub a temporary 4 sec. cor.
- 80.27 Subsect the N. boundary
 2 1/2 lks. W. of the cor. to secs. 3, 4,
 33 & 34, from which I run
 S0°09'W. on a true line between Secs.
 3 & 4. Var. 14°40' E.
- 40.27 Sub a post 4 ft. long, flattened
 3 in. wide, marked 4/5, 1 ft. in
 the ground, drive charred stakes
 and build mud of earth 2 ft.
 high with pits 1 ft. deep, 2 ft.
 long & 1 ft. wide as per in-
 structions for 4 sec. cor.
 No trees near.
- 80.27 The cor. to secs. 3, 4, 9 & 10

Rolling hills, good pasture.
 age. No timber.

Township 8 South Range 16 East ³⁴ BOOK 698 Meridian. ³⁶ Meridian.

Chains

North, between Sections 32 and 33.

Variation $14^{\circ}40'$ East.

40.00 Set a granite stone $10 \times 9 \times 6$ in., $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the N. build, mid. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions. No trees near.

30.00 Set a granite stone $16 \times 9 \times 9$ in., $\frac{2}{3}$ in the ground, notched S. & E., and on the N. build, mid. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 28, 29, 32 & 33. No trees near.

Rolling hills, Pasture land, No timber.

3 Township 8 South Range 16 East
Gila and Salt River Meridia

E
BOOK 698
Chains

East, on a random line between Sections 28 and 33.

Variation 14°40' East.

- 440.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.11 between the N & S line 8 ft.
S. of the cor. to secs. 28 & 33, 27.3
from which I run
S. 89°57' W. on a true line between secs.
28 & 33. Var. 14°40' E.
440.06 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft.
in the ground, drive chapped
stake & build of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.
No trees near. 9
80.11 the cor. to Secs. 28, 33 & 34.

Rolling grass land,
No timber

Township 8 South Range 16 East 36
Gila and Salt River **BOOK 698** Meridian.

Chains North, between Sections 28 and 29.

Variation 14°40' East.

40.00 Set a granite Stone 15 x 12 x 11 in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build ind. of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ Sec. cor. No trees

80.00 Set a granite Stone 14 x 14 x 6 in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build ind. of stones
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for the cor. to secs. 20, 21,
28 & 29. No trees

Smooth rolling hills. Good
for pasturage. No timber

Township

8 South

Range

16 East

Gila and Salt River

Meridian.

BOOK 698

Chains

East, on a random line between Sections 21 and 28.

Variation

14° 40'

East.

- 46.00 Set a temporary 1/4 Sec. cor.
- 79.92 Intersect the N. & S. line 16 Chs. S. of the cor. to secs. 21, 22, 27 & 28 from which I run S. 89° 53' W. on a true line between Secs. 21 & 28. Var. 14° 40' E.
- 39.96 Set a granite 16 x 7 x 7 in. 1/4 in the ground, marked 1/4 and on the W. build up 2 stones 2 ft. high well as per instructions for the 1/4 Sec. cor. No trees
- 79.92 The cor. to secs. 20, 21, 28 & 29.

High rolling hills: Good grazing
 Brush No timber.

Township

8 South

Range

16 East 38

BOOK 698

Silo and Salt River

Meridian.

Chains

North, between Sections 20 and 21.

Variation 14°40' East.

40.00

Set a granite stone 10 x 9 x 6 in.
2/3 in the ground, marked 1/4
and on the N. build ind. of earth
2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide as per
instructions for 1/4 sec. cor.
No trees

80.00

Set a granite stone 16 x 14 x 6 in.
2/3 in the ground, notched S. E.
and on the N. build ind. of stones
2 ft. high as per instructions
for the cor. to sees. 16, 17, 20
& 21. No trees

Rolling hills. Good pasture
land. No timber

Township 8 South Range 16 East
Gila and Salt River Meridian.

BOOK 698

Chains East, on a random line between Sections 16 and 21.

Variation $14^{\circ}40'$ East.

40.00 Set a true poppy $\frac{1}{4}$ Sec. cor.
79.86 Subsec. the N. & S. line 12 lbs.
N. of the cor. to secs. 15, 16, 21 & 22
from which I run
9.89⁵⁵ W. on a true line between
Secs. 16 & 21. Var. $14^{\circ}40'$ E.

39.93 Set a granite stone $14 \times 12 \times 4$ in $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the W. end of stones
2 ft. high as per instructions for
 $\frac{1}{4}$ Sec. cor. The true near
79.86 the cor. to secs. 16, 17, 20 & 21

Smooth rolling hills. Good grazing.
No timber.

Township 8 South Range 16 East. ⁴⁰

Gila and Salt River BOOK 698 Meridian.

Chains North, between Sections 16 and 17.

Variation 14°40' East.

40.00 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S, 1 ft. in
the ground, drive charred stakes
and build mud of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees

80.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, 1 ft. in the
ground, drive charred stakes
& build mud of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long
& 1 ft. wide as per instructions
for the cor. to sec. 8, 9, 16 & 17.
No trees.

Rolling hills, good grazing
No timber

Township 8 South Range 16 East

Book 698 Gila and Salt River Meridian

Chains East, on a random line between Sections 9 and 16.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.13 Intersect the N. & S. line 26 fcs.
S. of the cor. to secs. 9, 10, 15 & 16
from which I run
S. $89^{\circ}49'W$. on a true line between
secs. 9 & 16. Var. $14^{\circ}40'E$
- 40.07 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred stapa
and build and. of earth 2 ft. high
with spits 1 ft. deep & 2 ft. long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. From which
A pole verde 4 in. diam. by S 12 E. 60 k. dist.
No other true near
- 80.13 The cor. to secs. 8, 9, 16 & 17

Smooth rolling hills.
Good pasture land.
Scattering trees.

Township 8 South Range 16 East 42
BOOK 698
Gila and Salt River Meridian.

Chains North, between Sections 8 and 9.

Variation 14°40' East.

40.00 Set a granite stone 12 x 8 x 6 in.
2/3 in the ground, marked 4
and, on the N. build mud, of earth
2 ft high with pits 1 ft. deep
1/2 ft long & 1 ft. wide as per in-
structions for 1/4 sec. cor
No trees.

80.00 Set a post, 4 ft. long, 3/4 x 3 in.
marked & notched, 1/2 ft in the
ground, drive charred stake
and build mud, of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for 1/4 sec. cor. to sec. 4, 5, 8 & 9.
No trees near.

Rolling hills.
Good grazing
No hunter

Township 8 South Range 16 East

BOOK 698

Gila and Salt River

Meridian.

Chains East, on a random line between Sections 4 and 9.

Variation 14° 40' East.

- 40.00 Set a temporary 1/4 sec. cor.
- 49.87 Inspect the N & S. line 21 fms. S. of the cor. to secs. 3, 4, 9 & 10. From which I run S 89° 57' W. on a true line between secs. 4 & 9. Var. 14° 40' E.
- 39.94 Set a post 4 ft. long, flattened 3 in. wide, marked 4 B. 1 ft. in the ground. drive charred stake and build mud. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No trees near.
- 49.87 The cor. to secs. 4, 5, 8 & 9

Smooth rolling hills.
Good for pasturage
No timber

Nov. 28, 1877

Township 8 South Range 16 East ⁴⁴
Gla and Salt River Meridian. BOOK 698

Chains North, on a random line between Sections 4 and 5.
Variation $14^{\circ}40'$ East.

- 40.00 Suba temporary, $\frac{1}{4}$ sec. cor.
80.19 Intersect the N. boundary of
the township 30 kcs. E. of the
cor. to secs. 4, 5, 32 & 33. from
which I run
 $S 0^{\circ}13' E.$ on a true line between
secs. 4 & 5. Var. $14^{\circ}40' E.$
40.19 Set a post 4 ft long, flattened $\frac{3}{4}$
in. wide, marked 4, 5, 1 ft. in
the ground, drive charged stake
and build grad. of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.
80.19 The cor. to secs. 4, 5, 8 & 9.

Smooth rolling, Good
grazing land,
No timber

Township 8 South Range 16 East

Gila and Salt River

Meridian.

BOOK 698

Chains North, between Sections 31 and 32.

Variation 14° 40' East.

140.00 Set a granite stone 14x12x10 in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$
and set the N. build out of earth
2 ft high with pits 1 ft deep
2 ft long & 1 ft wide as per in-
structions for $\frac{1}{4}$ Sec. cor.
No trees near.

80.00 Set a granite stone 14x14x13 in.
 $\frac{2}{3}$ in the ground, notched S. & E.
& build out of earth on the N.
2 ft high with pits 1 ft deep
2 ft long & 1 ft wide as per
instructions for the cor. to
secs. 29, 30, 31 & 32.
No trees near.

Rolling high hills. Grass
No timber.

Township 8 South Range 16 East 46
Gila and Salt River Meridian. BOOK 698

Chains East, on a random line between Sections 29 and 32.
Variation 14°40' East.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
80.09 Intersect the N. & S. line 11 lbs.,
N. of the cor. to secs. 28, 29, 32 & 33
from which I run.
N. 89°55' W. on a true line between secs.
29 & 32. Var. 14°40' E.

40.05 Set a granite stone 15 x 12 x 9 in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on the W. build 4 md. of stones
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ Sec. cor. No. 100.

80.09 The cor. to secs. 29, 30, 31 & 32

High & rolling. Good pasturage
Brush & $\frac{1}{2}$ timber.

Township 8 South Range 16 East.
Gila and Salt River Meridian.

BOOK 698

Chains

West, on a random line between Sections 30 and 31.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
49.68 Intersect the 70. boundary of the township 10 hrs. N. of the cor. to secs. 25, 30, 31 & 36. from which I run.
N. $89^{\circ}56'E$. on a true line between secs. 30 & 31. Var. $14^{\circ}40'E$
39.68 Set a granite stone $14 \times 10 \times 6$ in. $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the E. build up of stones 2 ft. high with pits $\frac{1}{4}$ ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees.
49.68 The cor. to secs. 29, 30, 31 & 32

High hills Grass
No timber.

Township 8 South Range 16 East ⁴⁸
Gila and Salt River BOOK 698
Meridian.

Chains North, between Sections 29 and 30.
Variation 14040' East.

40.00 Set a granite $13 \times 8 \times 7$ in. ^{2/3}
in the ground, marked '14
and on the N. build pile of
earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide
as per instructions for the '14
sec. cor. No trees.

80.00 Set a granite $16 \times 14 \times 12$ in. ^{2/3}
in the ground, marked S. & E.
and on the N. build pile of
stones 2 ft. high as per instruc-
tions for the cor. to secs. 19, 20,
29 & 30. No trees.

High rolling hills. Good
grazing No timber

Township 8 South Range 16 East

Gila and Salt River Meridian.

BOOK 698

Chains East, on a random line between Sections 20 and 29.

Variation 14° 40' East.

40.00 Set a temporary 1/4 sec. cor.
80.21 Intersect the N. & S. line 200 ft. S. of the cor. to secs. 20, 21, 28 & 29 from which I run S. 89° 49' W. on a true line between secs. 20 & 29. Var. 14° 40' E.

40.11 Set a granite stone 16 x 14 x 9 in. 2/3 in the ground, marked 1/4 and on the W. build end of stones 2 ft high as per instructions for the 1/4 sec. cor.
No. 115.

80.21 The cor. to secs. 19, 20, 29 & 30.

High & rolling grazing land.
No timber.

Township 8 South Range 16 East ⁵⁰
Gila and Salt River BOOK 698
 Meridian.

Chains West, on a random line between Sections 19 and 30.
 Variation 14°40' East.

140.00 Set a temporary $\frac{1}{4}$ sec. cor.
 79.70 Intersect the W. boundary of the township 25 lks. S. of the cor. to secs. 19, 24, 25 & 30 from which
 Squin

S. $89^{\circ}49'$ E. on a true line between Secs. 19 & 30. Var. $14^{\circ}40'$ East.

39.70 Set a granite $14 \times 12 \times 9$ in. $\frac{2}{3}$ in. the ground, marked $\frac{1}{4}$, and on the E. build a wall of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No truey. This is on W. side of high hill.

79.70 The cor. to secs. 19, 20, 29 & 30

High hills. Good grass
 No timber.

51 Township 8 South Range 16 East
Gila and Salt River Meridian.
BOOK 698

Chains North, between Sections 19 and 20.

Variation $14^{\circ}40'$ East.

- 40.00 Set a granite stone $12 \times 8 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked W,
and on the N. build and of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ Sec. cor. No trees
- 80.00 Set a granite $15 \times 14 \times 12$ in. $\frac{2}{3}$ in
the ground, notched S. & E. and
on the N. build and of stones
2 ft. high, with as per instruc-
tions for the cor. to secs. 17, 18,
19 & 20. No trees.

High rolling good for
grazing. Brush. No timber

Township 8 South Range 16 East 52
Gila and Salt River BOOK 698
Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.22. Intersect the N. & S. line 13 chs.
S. of the cor. to secs. 16, 17, 20 & 21
from which I run
S. $89^{\circ}54'W$, on a true line between
secs. 17 & 20. Var. $14^{\circ}40'E$.
- 40.11 Set a granite stone $14 \times 12 \times 8$ in.
"3 in the ground, marked $\frac{1}{4}$
and on the W. by rd. rd. of stones
2 ft high as per instructions
for $\frac{1}{4}$ sec. cor. No true mark
- 80.22 The cor. to secs. 17, 18, 19 & 20.

High & rolling good grazing.
No timber.

53 Township 8 South Range 16 East
Gila and Salt River Meridian.

BOOK 698
Chains

West, on a random line between Sections 18 and 19.

Variation $14^{\circ}40'$ East.

- 140.00 Subtemporary $\frac{1}{4}$ Sec. Cor.
29.72 Intersect the W. boundary of
the township 28 lks. S. of the
Cor. to secs. 13, 18, 19 & 24, from
which I run
 $S. 59^{\circ}48'E.$ on a true line between
secs. 18 & 19. (Var. $14^{\circ}40'E.$)
39.72 Set a granite stone $14 \times 12 \times 9$ in.
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$
and on the E. build up of
stones 2 ft. high as per instruc-
tions for $\frac{1}{4}$ Sec. Cor. It lies
29.72 the Cor. to secs. 17, 18, 19 & 20.

High rolling hills. Good
grazing No timber.

Wnship 8 South Range 16 East 54
54
Gila and Salt River BOOK 698
Meridian.

Chains North, between Sections 17 and 18.

Variation $14^{\circ}40'$ East.

40.00 Set a granite stone $11 \times 8 \times 4$ in,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build up of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.

80.00 Set a granite stone $12 \times 10 \times 8$ in,
 $\frac{2}{3}$ in the ground, notched S. & E.,
and on the N. build up of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for the cor. to secs. 7, 8,
17 & 18. No trees.

Rolling hills Good pasturage
No hunter

Nov. 29, 1877

55 Township 8 South Range 16 East

BOOK 698 Gila and Salt River Meridian.

Chains East, on a random line between Sections 8 and 17.
Variation 14° 40' East.

40.00 Subtemporary 1/4 sec. cor.
79.85 Subsect the N. & S. line 18 lbs.
N. of the cor. to secs. 8, 9, 16 & 17
from which I run
N. 89° 52' W. on a true line between
secs. 8 & 17. Var 14° 40' E.

39.93 Suba post 4 ft. long flattened
3 in wide, marked 45.1 ft in
the ground. drive charred water
and build and. of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for 1/4 sec. cor.
No trees near.

79.85 The cor. to secs. 7, 8, 17 & 18

Rolling grassland,
No timber

Township 8 South Range 16 East 36
Gila and Salt River BOOK 698
Meridian.

Chains West, on a random line between Sections 7 and 18.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor
79.62 Intersect the W. boundary of the
township 20 lbs. S. of the cor. to
secs. 7, 12, 13 & 18, from which
I run
S. $89^{\circ}57'$ E. on a true line between secs. 7 & 18
Var. $14^{\circ}40'$ E.
39.62 Set a granite stone $12 \times 8 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked "4",
and on the E. build. ind. of stones
2 ft. high as per instructions
for the cor. $\frac{1}{4}$ sec. cor. No trees
This is on W. slope of high
hill.
79.62 The cor. to secs. 7, 8, 17 & 18.

Rolling hills. Good for
grazing. No timber.

57 Township 8 South Range 16 East

Gila and Salt River Meridian.

BOOK 698

Chains North, between Sections 7 and 8.

Variation $14^{\circ}40'$ East.

40.00 Set a granite stone $11 \times 10 \times 5$ in
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$ and on the N. build up
of earth 2 ft high with pits
1 ft. deep, 2 ft long & 1 ft. wide
as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

80.00 Set a post 4 ft. long, square,
ed 3 in wide, marked & notched
1 ft. in the ground, drive
charrid stake & build up of
earth 2 ft. high with pits,
1 ft. deep 2 ft long & 1 ft. wide
as per instructions for the
cor. to secs. 5, 6, 7 & 8
No trees.

Rolling hills good
grass land No timber

Township 8 South Range 16 East 58

Gilow and Salt River Meridian.

BOOK 698

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}40'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

50.35 Dry wash 50 lbs. wide runs S of E.

79.77 Intersect the N. & S. line 17 lbs.

N. of the cor. to secs. 4, 5, 8 & 9

from which I run

N. $89^{\circ}53'W$, on a true line between

secs. 5 & 8. Var. $14^{\circ}40'E$.

39.89 Set a granite stone $14 \times 10 \times 6$ in.

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$

and on the W. build quad. of

stones 2 ft. high as per instruc-

tions for $\frac{1}{4}$ sec. cor.

No trees

79.77 The cor. to secs. 5, 6, 7 & 8

Rolling Grass land.

No timber

59 Township 8 South Range 16 East

Gila and Salt River

Meridian.

BOOK 698

Chains West, on a random line between Sections 6 and 7.

Variation 14° 40' East.

- 40.00 Set a temporary 1/4 sec. cor.
- 79.55 Intersect the W. boundary 22 lbs. N. of the cor. to secs. 1, 6, 7 & 8, from which I run N. 89° 57' E. on a true line between Secs. 6 & 7. Lay 14° 40' E.
- 39.55 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground. Drive charged stake and build up of earth 2 ft high with pits 1 ft deep, 2 ft long & 1 ft wide as per instructions for 1/4 sec. cor. No trees
- 79.55 The cor. to sec. 5, 6, 7 & 8

Rolling hills. Good pasturage. No timber.

Township 8 South Range 16 East 60.

Gila and Salt River Meridian.

BOOK 698

Chains North on a random line between Sec's 5 and 6.

Variation $14^{\circ}40'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

79.73 Intersect the N. boundary of the township 35 hrs. E. of the cor. to Secs. 5, 6, 31 & 32 from which run $S0^{\circ}15'E.$ on a true line between Secs. 5 & 6.

Var. $14^{\circ}40'$ East.

39.73 Set a post 4 ft long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stakes and build up. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

79.73 The cor. to secs. 5, 6, 7 & 8

Rolling hills. Good pas-
ture land. No timber.

Nov. 30, 1874

General Description.

This township lies along the San Pedro Valley, mostly to the west of the river. Along the river is some rich bottom land and water to irrigate it.

The balance furnishes excellent grazing, being covered with rich natural grasses. The surface in the western portion of the township is rolling & hilly. There is but little timber, here and there scattering trees.

Nov. 30, 1874. John L. Harris
U.S. Deputy Surveyor

List of Names.

888 BOOK

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *the subdivision*
lines of township 8 South of
Range 16 East of the Gila and
Salt River Meridian

Showing the respective capacities in which they
acted.

Lyman Wakefield Chainman.

Chas. B. Warren Chainman,

Fred C. Jones Axeman.

J. P. Chenoweth Flagman.

6
63
1
Final Oath of Assistants.

BOOK 698

We hereby certify that we assisted.....

John L. Harris U. S. Deputy Surveyor, in
surveying *the subdivision lines*
of Township 8 South of Range
16 East of the G. & S. R. R. in
Meridian

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Lyman Woodfield Chairman.

Chas B. Mann Chainman,

Thos. C. Jones Axeman.

J. P. Lathrop Flagman.

Sworn to and subscribed before me, this *8th*.....

day of *January*, 187*8*

William C. Caborn
Notary Public

Final Oath of Deputy Surveyor.

BOOK 698

I, John G. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the

17th day of July

1877. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines of town
Ship South of Range 16 East
of the Gila and Salt River
Meridian.

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with ~~the~~ Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.


John L. Harris

Deputy Surveyor.

Sworn to and subscribed before me, this *8th*
day of *January*, 187*8*.

William J. Carson

Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA.

February 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 8 South,
Range 16 East,

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

John S. Harris

Deputy Surveyor, under his ^{joint} contract of the

11th.

day of

July,

1877, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Mason,
Surveyor General.