

No. 703

Field Notes

BOOK 703

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 8 S Range 27 E

Gila and Salt River Base and Meridian

ARIZONA. No. 703

By Theo. F. White D. S.

under contract dated Sept 23 1874.

Survey commenced Jan 4 1875.

Survey completed Jan 13 1875.

703

IA

BOOK 703

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez
and R. D. Burton

do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plum^t the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

R. A. Vasquez
R. D. Burton

Sworn to and subscribed before me, this 11th
day of December, 1874

J. G. W^m Caffry
Notary Public

1B

BOOK 703

WE, Barnabe Palmer and
W. H. Aubrey
do solemnly swear that we will well and truly per-
form the duties of Ateman and
Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Barnabe Palmer
W. H. Aubrey.

Sworn to and subscribed before me this 11th
day of December 1874

J. G. W^m Gaffy
Notary Public

1C

BOOK 703

4-674.

Township 8S, R.27E, S48 S.R.R.B.&M.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	47	9	31	10	20	11	9	12
58		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	57	20	36	21	27	22	16	23	5	24
30		48		37		26		15		4
30	46	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

98615m9-01

No. 703

D

Township 8 S.R. 27^E
Gila & Salt River Meridian

January 7, 1875.

No. Beginning S. boundary, at con. sec. 35 & 36. Run
 North between secs 35 & 36.

az. 14° 09' East

After E. boundary,

40.00 Set a post, marked 74 S. 1 ft long, flat
 topped 3 in. wide, 1 ft. in the ground.
 drove charred stone and build mound
 afeart 2 ft high, with full 1 ft. deep.
 2 ft long, 1 ft wide, as per instructions for
 1/4 sec. cor. No trees near.

80.00 Set a post, marked and matched, 1 ft
 long, 3 in. sqd. 1 ft in the ground, drove
 charred stone and build mound afeart
 2 ft high, with full 1 ft deep. 2 ft long, 1 ft
 wide, as per instructions for cor. to sec.
 25, 26, 35 and 36.

No trees near.

Land level. Good soil.

Grass. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian
Ls. East

On random line between sec. 25 & 36.

var. 14°09' East

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect E. boundary 8 hrs. N. of cor.
to secs. 25 & 36, from which cor. I am
N. 89°57' W.

On true line between sec. 25 & 36.

var. 14°09' East

40.05 Set a post marked 1/4 sec. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground, drove
sharpened stake and built round of
earth 2 ft. high, with pit 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor.

No trees near.

80.11 Cor. to sec. 25, 26, 35 and 36.

Land level. Good soil.

No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

N. N. W. between sec. 25 & 26.
az. 111° 09' East.

40.00 Set a post, marked 44.8. 14 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
driven charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
1 ft. long, 1 ft. wide, as per instructions
for 1 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft. long. 3 in. sqd. 1 ft. in the ground,
driven charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep. 1 ft. long, 1 ft. wide, as
per instructions for cor. to sec.

73, 74, 75 and 76.

No trees near.

Sand soil. Good soil. Grass
No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian
Sec. East.

On random line between secs. 24 & 25.

var. $114^{\circ}09'$ East

40. ac Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect E. boundary 15' lat. S. of cor.
to sec. 24 & 25 from which cor. 8 mm
 $8.89^{\circ}54' N.$

On true line between secs. 24 & 25.

var. $114^{\circ}09'$ East

39.91 Set a post, marked $\frac{1}{4}$ S. 14 $\frac{1}{2}$ long,
flattened 3 inches, set in the ground,
drove charred stake and build mound
of earth 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor.

Notices near

79.82 Cor. to secs. 23, 24, 25 & 26,
Land level. Good soil,
Grass. No timber.

Downship 8 S.R. 27 E.
Gila Salt River Mardon
S. N.W. between sec. 23 & 24.

var. 14° 09' East

40.00 Set a post, marked $\frac{1}{4}$ S. 14 ft. long
flattened 3 in. wide, 1 ft. in the ground, drove
charred stake and build mound of earth
2 ft. high with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instruction for
 $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched
4 ft. long, 3 in. sqd. 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction
for cor. to sec. 13, 14, 23 and last
from which

mesquite guidance S. 87° 36' 24" lead dist.

No other tree near.

Sand lead. Good soil.

No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

In East boundary line between 13 $\frac{3}{4}$ sec.

var. 14° 09' East

40.00 Set temporary tree cor.

80.05 Intersect E. boundary at cor. to sec.
13 $\frac{3}{4}$ 24 ft. from which cor. turn
West

On line between secs. 13 $\frac{3}{4}$ 24.

var. 14° 09' East

40.02 Set a post, marked 74.8.14 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build around
of earth 2 ft high, with posts 1 ft apart
2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. from which
Atiquet 27 in. dia. by N. 2° E. 105 feet.

No other trees near.

80.05 Cor. to sec. 13, 14, 23 and 24
Uneven, descending a little W. Soil
dry. Grass. A few trees.

✓
Township 8 S.R. 37 E.
Gila & Salt River Mounds

Ls North between sec. 13 & 14

or. 144°09' East

40.00 Seta fast, mared 74 S. 14 ft long, flat
bedded in sand, often on the ground, and build
mounds of stones & clay high as per in-
struction for Haco. cor. from which
A Mesquite 3 mi. distant A: 50½° E. 85 feet dist.
do. 3 " " A: 47½° N. 54 - -

80.00 Seta fast, mared and watched, 14 ft long
3 mi. east, often in the ground, dry or charred
stake and build mounds of earth & clay
with piles of debris, 14 ft long, of coarse
as per instruction for cor. to
sec. 11, 12, 13 and 14.

No trees near.

Ground: hilly on N. poor soil
Brush. No timber.

Township 8 S.R. 27 E.
 Gila & Salt River Meridian
 Ls. East

Boundary between sec. 12 & 13.

var. 14° 09' East.

40.00 Set temporary tree cor.

79.82 Intersect E. boundary 2¹/₂ sec. S. of cor.
 to sec. 12 & 13, from which cor. I am
 S. 89° 48' W.

Outline between sec. 12 & 13.

var. 14° 09' East

39.91 Set a post, marked the S. 1¹/₂ long, flat
 lined 3 in. wide, 1 ft. on the ground,
 drove charred stake and build mound
 of earth 2 ft. high with pit 1 ft. deep,
 2 ft. long, 1 ft. wide, as per instruc-
 tions for tree cor.

No trees near

79.82 Contos sec. 11, 12, 13 and 14.
 Land level. Some good soil.
 Grass. No timber.

Township 8 S.R. 27 E.

Gila Salt River Meridian

On North between sec. 11 & 12
Lat. $34^{\circ} 09'$ East

40.00 Set a post, marked T. S. H. long.
flattened 3 in. wide, 1 ft. in the ground,
drove charred stake and build
mound of earth 2 ft. high, with pit
1 ft. deep, 1 ft. long, 1 ft. wide, as per
instructions for sec. cor.

No trees near.

80.00 Set a post, marked and watched
4 ft. long, 8 in. egd. flat in the ground,
drove charred stake and build
mound of earth 2 ft. high, with
pit 1 ft. deep, 1 ft. long, 1 ft. wide, as
per instructions, for cor. to sec.
1, 2, 11 and 12.

No trees near.

Mostly flat Poor soil.
Some grass. No timber.

Township 8 S.R. 27 E.
 Gila Salt River Mound
 P. East

Or random line between sec. 1 & 12.

car. $14^{\circ}09'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect E. boundary & land open
 to sec. 1 and 12, from which cor. dim
 $8.89057^{\prime\prime}$ N.

Outline line between sec. 1 & 12

car. $14^{\circ}09'$ East

39.93 Set a post, marked H.H.S. 4 ft long, flat-
 lined 3 in. wide, 1 ft in the ground, drove
 charred stake & build mound of earth
 2 ft high, with pit 1 ft. deep, 2 ft long,
 1 ft wide, as per instructions for $\frac{1}{4}$
 sec. cor. from which

A Mesquite 3 in. dia does 8.40° N. 209° East.

do 6 " " A. $73\frac{1}{2}^{\circ}$ N. 372° "

79.85 Cont. to sec. 1, 2, 11 and 12

Land flat. Soil poor. Some grass.
 No timber.

Prairieville S.R. T^h E.
Gila & Salt River Meridian

On North meridian line between 1st & 2nd
var. 14° 09' East

40.00 Set temporary post

80.07 Intercept N. boundary 10 les. E. of
cor. to sec. 1st & 2nd, from which
con-dim
S. 0° 4' E.

Out true line between sec. 1st &

var. 14° 09' East

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft in the ground,
drive charred stake & build mound of
earth 3 ft high, with pit 1 ft. deep, 2 ft.
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near

80.07 Cor. to sec. 1, 2, 11 and 12,

Unseen, 1st rate.

No timber.

January 7, 1875.

Prairie 8 S.R. 27 E.
Gila & Salt River Meridian.

L. North between sec. 34 & 35
var. $114^{\circ} 09'$ East

40.00 Set a post marked H.H. 11 ft long, flat
tined 3 in wide, 1 ft in the ground,
driv charred stake & build mound of earth
2 ft high, with pit 4 ft deep, 2 ft long, 1 ft
wide, as per instruction for tree cor. provided.
At Mesquite Spring, sec. 386 N. 170 lbs. dist.
do 2 " " A. $114^{\circ} 09' 173$ "

80.00 Set a post, marked and notched, 4
ft long, 3 in. sqd. 1 ft in the ground, driv
charred stake and build mound of
earth 2 ft high, with pit 4 ft deep,
2 ft long, 1 ft wide, as per instruction
for cor. to sec. 26, 27, 34 and
35. No trees near.

Uneven and sandy.
Some grass and brush.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Sec. East or random line between 26 $\frac{1}{2}$ 35.

var. 14° 09' East

4.00 Leave road & descend into flat

13.00 Road bears N.W. and S.E.

29.00 Road bears N. and S.E. to settlements.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N. and S. line 10 hrs. S. of cor.
to sec. 25, 26, 35 & 36, from which cor. I am
S. 8 deg 56' W.

On true line between sec. 26 $\frac{1}{2}$ 35.

var. 14° 09' East

40.03 Set a post marked 448.4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drove
charred stake & built mound of earth 1/6
high, with pit 1 ft deep, 2 ft long, 1 ft wide at top
instructions for 1/4 sec. cor.

No trees near.

80.06 Cor. to sec. 26, 27, 34 and 35.

Sand land. Good soil. Grass. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian.

Sec. 26 Throth between sec. 26 & 27

Lat. 1st 09' East

140.00 Set a post marked 14 S. 1st floor, flat
 lined 3 inches, 1 ft in the ground, drove
 charred stone and build mound of earth
 3 ft high with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instruction for tree cor. from which
 a Mesquite Gnidia has S. 10° E. 36 gles. dist.
 No other trees near.

72.00 Roads to settlements Sec. N.W. & S.E.

80.00 Set a post marked & watched, 1st floor, 3 in. sqd.
 1 ft in the ground, drove charred stone & build
 mound of earth 3 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instruction for cor. to sec.

22, 23, 26 and 27, from which
 a Mesquite Gnidia has S. 55° W. 14 gles. dist.
 do. 16° " " S. 18° E. 308 " "

No other trees near.

Land level. Soil partly grnd. Grass.
 Some mesquite

Township 8 S.R. 7th E.
Gila & Salt River Meridian

to East

On random line between sec. 23 & 26.

or at 14° 09' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect. N. and S. line 8th sec. S. of sec. to
secs. 23, 24, 25 and 26, from which cor. in
S. 89° 57' N.

On true line between secs. 23 & 26.

or at 14° 09' East

40.05 Set a post marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, driven in the
ground, drove charred stake and
bail mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.10 Gr. to sec. 22, 23, 26 and 27.
Sand land. Good soil. Grass.
No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Line North between sec. 22 & 23.

var. $14^{\circ} 0' 9''$ East.

40.00 Set a post, marked 14 S. 1st. long
 flattened 3 in. wide, set in the ground, drive chisel
 stake & build mound of earth 3 ft. high, with pile of
 drifts, setting of stone as per instructions for
 sec. cor. from which

A Mesquite 3 in. dia. at 70 ft. 36 land dist
 do 3 " " S. 68 $\frac{1}{2}$ W. 58. "

80.00 Set a post, marked & punched, 14 ft. long, flat-
 tened 3 in. wide, set in the ground, drive chisel stake and
 build mound of earth 3 ft. high, with pile of
 drifts, setting of stone as per instructions for
 cor. to sec. 14, 15, 22 & 23, from which

A Mesquite 2 $\frac{1}{2}$ in. dia., S. 39 $\frac{1}{4}$ W. 154 land dist
 do. 3 " " S. 9 \circ W. 122. "

do. 2 " " S. 16 \circ E. 182. "

No other trees near.

Mostly level. Soil good. Grass.
 Some mesquite.

Township 8 S. R. 2nd E.

Gila & Salt River Meadow

Sec East

On random line between Sec. 14 & 23.

var. 14° 09' E. C.

40.00 Set temporary tree cor.

79.99 Intersect N. and S. line at cor. to Secs.

13, 14, 23 and 24, from which last dam
West.

On true line between Secs. 14 & 23.

var. 14° 09' E. C.

39.99 Set a post marked 1/4 S. 14 ft long,
flattened 3 in. wide, set in the ground
driven charred stake and build
around a feather 7 ft high with pit 1/6
deep, 1/6 long, 1/6 wide, as per instruction
for tree cor.

No trees near.

79.97 Cont. Secs. 14, 15, 22 and 23.
Descending a little W. Some good soil.
Gramma grass, a few trees.

Township 8 S.R. 27 E.
Gila & Salt River Meridian.

Br. Sporth between sec., 14 & 15.

var. 111°09' East

40.00 Set a post marked 148. 4 ft long, flat
 lined 3 in wide, stn in the ground, drives
 charred stake & build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, & 1 ft wide,
 as per instruction for tree cor. from which
 a Mesquite 14 in. dia. has A. 56% N. 19° least
 A. True 4 " " A. 71° E. 135 "

80.00 Set a post, marked and notched 148 ft long,
 3 in. sqd. stn in the ground, drives charred
 stake and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instruction for cor.
 between 10, 11, 14 and 15.

No trees near.

Mostly on mesa. Soil poor,
 brush. No timber.

Prairie 8 S.R. 27 E

Gila & Salt River Meander

to East

Our random line between secs. 11 & 14

var. $14^{\circ}09'$ East

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect E. and S. line 11 W. S. of cor
to secs. 11, 12, 13 & 14, from which condemn
S. 89° 55' N.

Our true line between secs. 11 & 14

var. $14^{\circ}09'$ East

40.00 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground.
Dried charred tree and build
mound of earth 3 ft. high, with
pits 4 ft. deep, 2 ft. long, 1 ft. wide, as per
instruction for 1/4 sec. cor.

No trees near.

80.00 Cor. to sec. 10, 11, 14 and 15.
Sand level. Good soil. Grass.
No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Line North between sec. 10 & 11.

dist. 14° 09' East

40.00 Set a post, marked "40.00 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 drove charred stake and build mound
 of earth 2 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per instruction -
 line for 14 sec. 10.000.

No trees near.

80.00 Set a post, marked "80.00 ft
 long, 3 in. sqd. 1 ft in the ground, drove
 charred stake and build mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions,
 for con to sec 7, 3, 10 and 11.

No trees near.

Uneven Soil & rocks. Grass
 Brush. No timber.

Township 8 S.R. 27 E
Gila & Salt River Meridian
Ls East

On random line between sec. 2 & 11.

or. 14° 09' East.

40.00 Set temporary post sec. cor.

80.07 Intersect S. and S. line at cor. to sec.

57. 11 and 17. from which cor. down
West

On true line between sec. 2 & 11.

or. 14° 09' East.

40.03 Set a post, marked 14 S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground, driven
charred stake and build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft.
wide as per instructions for 1/4 sec. cor.
from which

A Mesquite 3 in. wide. H. 6 7/8 ft. 189 lbs. dist.

No other trees near.

80.07 Cor. to sec. 2, 3, 10 and 11.
Flat. Brush. No timber.

Prairie 8 S.R. 27 E.

Gila & Salt River Mending

No. North or random line lot. sec. 2 1/3,

var. 14° 09' East

40.00 Set temporary 1/4 sec. cor.

79.87 Interscet N. boundary 10 lbs. E. of cor. to
sec. 2 1/3, from which condm
S. 0° 4' E.

On line line between sec. 2 1/3,

var. 14° 09' East

39.87 Set a post, marked 1/4 S. 4 1/2 long,
flattened 3 in wide, flat in the ground,
drove charred slate, and built mound
of earth 2 ft high, with pit 1 ft deep.
1 ft long. 1 ft wide, as per instructions for 1/4
sec. cor. from which

A Mesquite 3 in diameter 8.34° N. 75° land. dist.
do. 3 . . . A. 12° E. 44 . .

79.87 Cor. to sec. 2, 3, 10 and 11,

Flat, sandy, 2 rate, Brushy
Scattering trees.

January 8, 1875

Prairie 8 S.R. 27 E.
Gila & Salt River Mts.

S. North between sec. 33 & 34

var. $14^{\circ} 09'$ East

40.00 Slat post marked "48.4 ft long, flat-
tened 3 in. wide, often in the ground, drove
charred stake & build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
40 sec. on. No trees near.

54.00 Dry bed of stream 20 ft wide, var. N.E.

80.00 Slat post marked "48 notched, 4 ft long
3 in. sqd. often in the ground, drove charred
stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
con. to sec. 27, 28, 33 and 34 for each
A Mesquite 18 in. hi. var. 8.76° E. 241 le. dist.
No other tree near.

Unseen. Soil 20 in. Some grass
and brush. No timber.

Township 8 S.R. 27 E.

Gila Salt River Moundian

Ls. East

On random line between sec. 27 & 34,

var. $14^{\circ}09'$ East

140.00 Set temporary tree cor.

79.98 Intersect N. & S. line 6th, N. of cor.

to sec., 26.17, 34 & 35, from which condm
N. 89 $\frac{1}{2}$ E. N.W.

Outline line between sec., 27 & 34,

var. $14^{\circ}09'$ East

3.999 Set a post, marked N.E. S. 45° long, flat
tined 3 in. wide, 1 ft. in the ground, driven
sharpened stake & nail in monadnock
so high, with full depth, 2 ft. long, ft.
wide, as per instruction for tree cor.
No trees near.

79.98 Cor. to sec. 27, 28, 33 and 34 st,
Uneven mesa. Gravelly & poor
Grass and brush.
No timber.

Township 8 S.R. 2nd E.
Gila & Salt River M. & I. Co.

L. North between sec. 27 & 28,
or. 14° 0' 9" East.

40.00 Set a post marked 14 S. 4 ft long flat-
tened 3 in wide, set in the ground, drove
charred stake and build mound of earth
3 ft high, with pit 1 ft deep, 2 ft long
1 ft wide, as per instructions for 14 sec.
cor. from which

At Mesquite 5 miles, sec. 8. 25th 14° E. 289 ft. dist
No other trees near.

80.00 Set a post marked 14 S. notched 4 ft
long, 3 in. sqd. 1 ft. in the ground, drove charred
stake and build mound of earth 3 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for cor. to sec. 21, 22,
27 and 28

No tree near.

Uneven. Soil 2nd rate, sandy.
Goes. Brush. No timber.

Dwoship 8 S.R. 27 E.
Gila & Salt River Meridian

P. East on random line betw. sec. 22 & 27
var. $114^{\circ}09'$ East

- 34.00 Lava mesa and lava flat
40.00 Set temporary base sec. cor.
77.00 Road to settlements sec. S. W. & S.E.
79.88 Intersct. N. and S. line 14 lns. S. of cor.
to sec. 22, 23, 26 & 27, from which cor. dev.
 $8.89^{\circ}54' N.$

On same line between secs. 22 & 27
var. $140^{\circ}09'$ East

- 39.94 Set a post marked 148 ft long, flattened 3
in. wide, 1 ft in the ground, drove charred
stake & build mounds of earth 2 ft high,
with pit 1 ft dep. 2 ft long, flared at a perpen-
dicular for 1/4 sec. cor. from which
a mesquite 27 in. dia. at 8.25° N. 175 lndit.
No other tree near.

- 79.88 Cor. to secs 21, 22, 27 and 28.
Enter flat on E. on which is mesquite
timber and brush.

Township 8 S.R. 27 E.

Gila & Salt Rds. Menden

No. North between sec. 21 & 22,

var. $144^{\circ}09'$ East

40.00 Set a fast, marred by S. styling, flat-
tened 3 in wide, 1 ft in the ground, drove
charred stake and build mound of earth
2 ft high, with pit 1 ft. deep, 2 ft long, 4 ft
wide, as per instruction for 4 sec. confirmed
A Mesquite 4 in. dia. at $73\frac{1}{2}$ ° N. 135° east dist.

. Do. 3 " " N. $76\frac{3}{4}$ ° E. 60 "

80.00 Set a fast, marred & notched, 4 styling,
3 in 2 qt. 1 ft in the ground, drove charred
stake & build mound of earth 2 ft high,
with pit 1 ft. deep, 2 ft long, 4 ft wide as
per instruction for con. to sec. 15, 16, 21
and 22, from which

A Mesquite 4 in. dia. 8.87° E. 287° N. dist.
No other trees near.

Unseen, then flat. Gras.
Scattering trees.

Pawnee 8 S.R. 27 E.
Gila Salt Rds. Mendocino

Sec. East boundary line bds. sec. 15 & 22.

azn. 14° 09' East

34.00 Road to settlement bds. N.W. and S.E.

40.00 Sets temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect. N. and S. line of his. S. of cor.
to sec 14, 15, 22 & 23, from which cor. -
S. 89° 57' W.

On true line between secs. 15 & 22.

azn. 14° 09' East

40.04 Sets post marked $\frac{1}{4}$ S. of blng,
flattened 3 in. wide, 1 ft. in the ground,
dry charred stake $\frac{3}{4}$ in. in diameter
earth & st. high, with pits of dep. 2 ft.
flouride, as per instruction for 1/4 sec.,
cor. from which

a mesquite 5 in. dia. at 10° E 13 ft. ad. Ld.
do 8" " = 8.60° E. 20" "

80.08 Cor. to sec. 15, 16, 21 and 22,
Land level. Good soil. Grass
Some mesquite.

Poundship 8 S.R. 27 E.
 Gila & Salt River Mounds
 P. North between sec. 15 & 16

var. 14° 09' East

40.00 Set a post, marked 4 ft. S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drove charred stake and build mound of earth 2 ft. high, with flats 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for U.S. cor. from which
 A Mesquite 9 in. dia. loc. N. 20 1/2° E. 231 land dist
 do 10 " " A. 51° E. 257 "

44.00 Roads to settlements loc. N. 31° E. S. E.

80.00 Set a post, marked & notched, 4 ft. long, 3 in. sqd., 1 ft. in the ground, drove charred stake & build mound of earth 2 ft. high, with flats 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec.
 9, 10, 15 and 16, from which

A Mesquite 2 in. dia. loc. A. 54° E. 16 land dist

do. 2 1/2 " " A. 85° E. 71 " "

do. 8 " " A. 79 1/2° N. 161 " "

do. 5 " " A. 44° N. 163 " "

Land level. Good soil. Grass. Mesquite timber
 and brush.

Prairie 8 S. R 27 E.
Gd & Salt River Meridian

S. East.

On random line between sec. 10 & 15.

var. 14° 09' East.

40.00 Set temporary 1/4 sec. cor.

80.07 Intersect N. and S. line 10th N. of sec. to
sec. 10, 11, 14 and 15, from which extend
N. 89° 56' W.

On true line between sec. 10 & 15.

var. 14° 09' East

40.03 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, flat in the ground,
drive charred stake and build around
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.07 Cor. to secs. 9, 10, 15 and 16.

Land level. Good soil. Mesquite
timber on N. end.

Prairie 8 S.R. 37 E.
Gila & Salt River Meridian

Lat North between sec. 9 & 10.
azm. 14° 09' East

40.00 Set a post marked 7/4 S. 4 ft. long, flat-
tened 3 in. wide, split in the ground, drove
charred stake and build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
a few inches from the post so as to furnish
a mesquite 3 in. diameter, N. 15° E. 15 in. dist.

do. 4 . . . 8.50 1/4 N. 14° . . .

80.00 Set a post marked & notched, 4 ft. long, 3 in. sqd.,
split in the ground, drive charred stake & build
mound of earth 2 ft. high, with pit 1 ft.
deep, 2 ft. long, 1 ft. wide, a few in-
ches from the post so as to cover sec. 3,
4, 9 and 10.

No trees near.

Sand land. Some good soil.
Grass. Some mesquite trees.

Parmship 8 S.R. 2^y E.
Gila & Salt River Meander
E. East

Cirrandom line between sec. 3^y 10.

var. 14° 09' East

40.00 Set temporary 1/4 sec. cor.

80.09 Interscet N. & S. line at sec. to sec.

D. 3.10 and 11. from which cor. dam
West

On true line between sec. 3^y 10.

var. 14° 09' East

40.01 Set a post, marked #18. 1 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
driven diagonally stake 3 ft. down and
depth of 7 ft. high, with pit 1 ft. deep,
1 ft. long, 6 ft. wide, as per instruc-
tions for 1/4 sec. cor.

No trees near

80.09 Con. to secs. 3. 4. 9 and 10.

Brown surface. Soil gravelly, poor.
Gramma grass. Brush. No timber.

Township 8 S.R. 27 E.
Gila Salt River Mexican

No. North or random land sec. 384.
azm. $144^{\circ}09'$ East.

40.00 Set temporary 1/4 sec cor.

80.05 Intersect N. boundary at cor. to secs.
3 and 4, from which cor. I move
South

On true line between secs. 3 & 4.
azm. $144^{\circ}09'$ East.

140.05 Id of post marked 144.8. 4 ft long, flattened
3 in wide, driven in the ground, drove charred
stone and build round of earth 3 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec cor. from which
a Mesquite tree stands S. 65 $\frac{3}{4}$ W. 11.5 feet dist
do. 6 " . S. 26 \circ E. 106 "

80.05 Cor. to sec. 3. 14. 9 and 10.
Sandy mesa. Brush. Gramma grass.
Scattering tree.

January 9. 1875.

Prairie 8 S.R. 27 E.
Gila & Salt River Meridian

Loc. North between sec. 32 & 33.

Lat. 34° 09' East.

40.00 Set a post, marked 4x8, 4ft long, flat-
tened 3 in. wide, 1 ft in the ground,
driv charred stake & build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft
long, fluoride, as per instructions &
sec. 30. No trees near.

80.00 Set a post, marked & notched, 4ft
long, 3 in. sqd. 1 ft in the ground. driv
charred stake & build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, fluoride,
as per instructions for cor. to sec.
18, 29, 32 and 33. from which
a mesquite 4 in. dia. by 8.7 ft. 239 lbs. dust
No other trees near.

Afternoon. Sandy soil.
Brush, no timber.

Township 8 S.R. 27^E.

Gila & Salt River Meridian

Sec East

On random line between sec. 28 & 33.

var. 14° 09' East

40.00 Set temporary tree cor.

80.06 Intersect N. and S. line 5 hrs. S. of cor.
to secs. 27, 28, 33 & 34, from which condemn
S. 89° 58' W.

On line between secs. 28 & 33.

var. 14° 09' East

40.03 Set a post marked H.S. 4 ft long flat-
tened 3 in. wide, 1 ft in the ground, driven
charred stake and built around it earth
2 ft high, with posts 1 ft apart, 2 ft long, 4 ft
wide as per instructions for tree cor.
No trees near.

80.06 Cor. to secs. 28, 29, 32 and 33.
Uneven surface. Soil 2" rate.
Grass, Brush. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meadow

S. N. North between sec. 28 & 29
var. 111°09' East

40.00 Set a post, marked 44.8. 4 ft long,
flattened 3 in. wide 4 ft in the ground,
drive charred stake and build
mound of earth 2 ft high with
pit 1 ft deep. 2 ft long 4 ft wide, a few
instructions for tree cor.

No trees near.

80.00 Set a post, marked & notched, 44.6
long 3 in sqd. 4 ft in the ground, drive
charred stake and build mound of
earth 2 ft high with pit 1 ft. deep. 2 ft
long 4 ft wide as per instructions
for cor. to secs. 20, 21, 28 and
29. No trees near.

Uneven, thin flat.

Grass, Brush. No timber.

Township 8 S.R. 27 E.

Gila & Salt River Meridian

S. East

On random line between sec. 21 & 28.

azr. $14^{\circ} 09'$ East.

36.00 Dry bed of stream 50 ft. wide lies N.E.

40.00 Set temporary tree cor.

80.04 Interest A. and B. line at cor to sec.

21, 22, 27 and 28 from which cor due West

On line line between sec. 31 & 28.

azr. $14^{\circ} 09'$ East

40.02 Set a post marked 14 S. 4 ft. long, flattened 3 in. wide, split in the ground. Two charred staves and build mound of earth 2 ft. high with piles of fl. deep. 2 ft. long, 1 ft. apart, as per instructions for tree cor. No trees near.

80.04 Cor. to sec. 20, 21, 28 and 29. Level on N. then uneven.

Grass, Brush. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Line North between sec. 20 & 21

az. 115°09' East.

40.00 Set a post, marked 4x8, 1ft long, flat
ended 3in. wide, 1ft in the ground, drive
charred stake and build roundabout
earth 2ft high, with pit 1ft deep, 2ft long,
1ft wide, as per instructions for 100sec. cor.
No trees near.

80.00 Set a post marked and notched, 4ft
long, 3in. sqd. 1ft in the ground, drive
charred stake and build roundabout
2ft high, with pit 1ft deep, 2ft long, 1ft wide,
as per instructions for cor. to sec. 16, 17,
20 and 21, from which

A Mesquite Caudia has N. 5 7/8° E. 115 feet dist.

do. " " " N. 6 4/5° E. 161 "

do. " " " S. 46 4/5° E. 220 "

No other trees near.

Uneven surface. Soil 2¹/₂ ft. deep, brush.
A few trees.

Township 8 S.R. 27 E.
Gila & Salt River Mts.

Rs. Eastward from line 16 3/4 1.
var. 144°09' East

40.00 Set temporary 1/4 sec cor.

70.00 Leaves west and descend into flat.

80.10 Intersect N. and S. line at cor. to sec.

15, 16, 21 and 22, from which cor. form
West

Outline line between sec., 16 & 21.

var. 144°09' East

40.05 Set a post, marked 1/4 S. of long, flattened
3 in. wide. On the ground, drove charred
stone and build mound before brick ship,
with pile of debris, 2 ft. long, placed as per
instructions for 1/4 sec cor. from which
a Mesquite 4 in. dia. bar S. 23° W. 23 yds. dist.
No other trees near.

80.10 Cor. to sec. 16, 17, 20 and 21.
Land flat. Good soil on E. end.
Grass. Scattering trees.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Dir. North between sec. 16 & 17
Lat. $34^{\circ} 09'$ N. Long. $111^{\circ} 09'$ E.

40.00 Set a post, marked W4 S. 1st fl. long, flat
tend 3 in. wide, 1 ft. from the ground. Drive
charred stakes and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instruction for 14 sec. cor.
No trees near.

80.00 Set a post, marked & notched, 4 ft. long
3 in. sqd. off the ground, drive charred
stakes and build mound of earth 2
ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for cor. to sec. 8, 9,
16 and 17, from which

a Mesquite 2 1/2 in. dia. by 8 7/16" N. 35° lead it
do. 3 " " N. 89° W. 68 " "

do. 2 " " N. 30° W. 64 " "

No other tree near.

Unripened bunch grass. Scattering
trees.

Township 8 S.R. 27 E.

Gila & Salt River Meander

On Eastwardly line between 9 & 16.
az. $144^{\circ} 09'$ East.

33.00 Dry bed of stream 40 ft. wide, bar. N.E.

40.00 Set temporary 1/4 sec. cor.

57.00 Road to settlement bar. N.W. & S.E.

80.00 Intervent A. and S. line 8 lbs. A. of cor.

to secs. 9, 10, 15 and 16. from which cor. dam
 $4.89^{\circ} 57' W.$

On line Cme between secs. 9 & 16.

az. $144^{\circ} 09'$ East

40.00 Set post marked 1/4 S. 44 ft. long, flattened
3 in. wide, flat in the ground, don't charred
stake and build meadow at each 3 ft. high,
with posts 4 ft. deep, 2 ft. long, 4 ft. wide, as per
instruction for 1/4 sec. cor. from which
A meadow 4 inches, A. 12° W. 142 ft. east of

do 7 " " " A. $44^{\circ} W. 123^{\circ}$

80.00 Cor. to sec. 8, 9, 16, and 17.

Descending a little E. Good soil on E.
Mesquite timber.

Township 8 SR 27 E.
Gila & Salt River Meridian

Tr North between sec. 8 & 9.
 or. 111° 0' East.

40.00 Sod post, marked 4x8, 4 ft long, flattened 3 in. wide,
 set in the ground, dry, charred staves & build round
 of earth & high, with pit of deep, 2 ft long, flat side,
 as per instruction for cor. to sec. cor. from which
 a Mesquite 12 in. dia. lies S. 29° W. 20 rods dist.

do. 4. " . . . S. 15° E. 103 "

55.00 Road to settlement bar N.W. 1/4 S.E.

80.00 Sod post, marked 4" notched, 4 ft long, 3 in. sqd. 1 ft
 in the ground, dry, charred staves & build round of
 earth & high, with pit of deep, 2 ft long, flat side, as
 per instruction for cor. to sec. 4, 5, 8 & 9, from which
 a Mesquite 12 in. dia. lies S. 5° 4' E. 20 rods dist.

do 7. " . . . S. 25 1/2° E. 18 1/2" "

do 6. " . . . N. 79 1/4° W. 41 "

do 9. " . . . N. 21° E. 304 "

Descending a little N. & E. Soil 2° slope. Grass,
 some mesquite timber.

Township 8 S.R. 2nd E.

Gila Salt River Meridian

On East boundary line bet sec. 4 & 9.
azm. $114^{\circ}09'$ East

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. & S. line 18 lbs. S. of sec. 5
3. H. 9 and 10 from which cor. drawn
 $S.89^{\circ}54' W.$

Outline line between sec., 4 & 9.
azm. $114^{\circ}09'$ East

39.98 Set post marked N.E. 4 ft long flat-
tened 3 in. wide, ft in the ground, drove hard
stake and build mounds earth 2 ft high,
with pit 1 ft deep, 2 ft long, ft. under a form-
structure for 4 sec. cor. from which
A Mesquite 7 in diameter, st. 370 ft. 109 land dist
do. 4. - - At $15^{\circ}46' E.$ 77 - -

79.96 Cor. to sec. 4. 5. 8 and 9.

Sand level. Good soil.

Much grass. Mesquite timber.

January 11. 1875.

Township 8 S.R. 27 E.

Gila & Salt River Meridian

Run North on random line
between secs. 4 and 5.

azm. $144^{\circ}09'$ East.

40.00 Set temporary tree corner.

79.89 Intercept N. boundary 8 lbs N. of
cor. to sec. 4 & 5 from which cor. down
S. 0°3' W.

Outline line between secs. 4 & 5.

azm. $144^{\circ}09'$ East

39.89 Set first marked tree. A flat, long, flat,
land 3 m. wide, flat on the ground, drove
sharpened stake & build small fence post
2 ft. high, with pit 6 ft. deep, 1 ft.
wide, as per instructions for 1/4 sec.
Cor. No trees near.

79.89 Cor. to secs. 4, 5, 8 and 9.

Land flat. Good soil.

Much grass. Some mesquite on
N. end.

No. 703 BOOK 703 ⁴⁵

Township 8 SR 27 E

Gila & Salt River Meridian

Lat. North between sec. 31 & 32
or. $14^{\circ} 09'$ East

40.00 Stake post, marked 448.49 ft long,
flattened 3 in. wide, 1 ft in the
ground, drove charred stake and
built mound of earth 2 ft high, with
ful. ft. deep, 2 ft long, 1 ft wide, as per
instructions for Prec. co.

No trees near.

80.00 Stake post, marked & notched, 44 ft
long, 3 in. sqd. often the ground,
drove charred stake and built
mound of earth 2 ft high, with
ful. ft. deep, 2 ft long, 1 ft wide, as
per instructions for con. to sec.
29, 30, 31 and 32.

No trees near.

Land meadow. Sandy soil.
No timber.

Township 8 S.R. 27 E.
Gila & Salt River, Meridian

S.E. East

On a random line between sec. 29 & 32.

acc. 14° 09' East

40.00 Set temporary tree cor.

80.00 Intercept N. and S. line 7 1/2 sec. N. of
cont'd sec. 28, 29, 32 & 33, from which random
N. 89° 57' W.

On tree line between sec. 29 & 32.

acc. 14° 09' East

40.00 Set a post, marked 1 ft. 8. 1/2 ft long,
flattened 3 in. wide, flat in the ground,
drive charred stake & build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instruction for
tree cor.

No trees near.

80.00 Cont'd sec. 29, 30, 31 and 32.
Unseen. Sandy soil. Brush,
No timber.

Township 8 S.R. 27 E.

Gila Salt River Meridian

R. West or random line bet. sec. 30 & 31,
var. $144^{\circ}09'$ East

40.00 Set temporary tree cor.

78.90 Indicated N. boundary 31 hrs. S. of cor. to
secs. 30 and 31 from which cor. line
N. $89^{\circ}44' E.$

On line between secs. 30 & 31
var. $144^{\circ}09'$ East

38.90 Set a post marked H. S. 1 ft. long flat
tended 3 in. wide. Stab in the ground, don't
charred stake and build mound beneath
2 ft. high with poles Adap. 2 ft. long 1 ft. wide
as per instruction for tree cor. from which
a Mesquite 18 inches N. $31\frac{1}{2}^{\circ} E.$ 332 hrs. dist.
No other trees near.

78.90 Cor. to sec. 29, 30, 31 and 32.

Uneven Soil 2" wide.

Grass. Brush. No timber.

Township 8 S.R. 27 E.
Gda & Salt River Meridian

Ls. North between sec. 29 & 30
var. 14009 East.

40.00 Seta fast, marshy & marshy, flattened
3 in wide, 1 ft in the ground, dry charred
stake and build mound of earth 3 ft
high, with pile of old spalling, 1 ft wide,
as per instructions for Mexican furnished
A Mesquite 17 in diameter S. 16° E. 198 land dist.
No other trees near.

80.00 Seta fast, marshy & marshy, 1 ft long, 3
in sq'd. 1 ft in the ground, dry charred
stake and build mound of earth 3 ft
high, with pile of old spalling, 1 ft wide,
as per instructions for con. to see 19.
20.79 and 30. from which
A Mesquite stand in a 140 ft 183 land dist
No other trees near.

Pands meadow Sandy 2^o ratesoil.
Brush. No timber.

Township 8 S.R. 27 E.

Gila & Salt River Meridian

Sec. East boundary line between 20 & 29
az. 114° 0' 9" East

140.00 Set temporary 44 sec. cor.

79.97 Intersect N. and S. line Gila River east
sec. 20, 21, 28 & 29 from which cor. I am
N. 89° 15' 47" W.

Outline boundary between sec. 20 & 29
az. 114° 0' 9" East

39.96 Gila had marked the S. 4th long. flatland
3 in wide off from the ground. Dry creek bed
steep and bald man made earth of high
with pits of deep 2 ft long, 1 ft wide a
form institution for these cor. from which
A desert tree 4 in. dia. N. 70° W. 93 land lot.

do. 6. . . 4.28 7¹/₂ N. 80° -

79.92 Cut to sec. 19, 20, 29 and 30.

Uneven surface. Considerable grass
a few trees.

Prairie S.S.R. 27 E.

Gila & Salt River Mendenhall

S. West

On random line between sec. 19 & 30.

or n. $111^{\circ}09'$ East.

40.00 Set temporary tree. con.

79.00 Intersect N. boundary 11 sec. A. of sec.

trees 19 and 30, from which con. I drew
 $N.89^{\circ}55' E$

On true line between sec. 19 & 30.

or n. $114^{\circ}09'$ East

39.00 Set a post, marked the S. side long,
flattened 3 in. wide, left in the ground,
dry charred stave and bundle round
of earth 2 ft high, with p. C. of blade
2 ft long, 1 ft wide, as per instructions
for tree. con.

No trees near.

79.00 Con. b sec. 19, 20, 29 and 30.

Uneven surface. Gravelly 1st to soil.
Grass, Bush, a few trees.

Township 8 S.R. 27^E

Gila & Salt River Meridian

Dis North between sec. 19 & 20.

var. 141° 09' East.

40.00 Sola post, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft. from the ground, driven charred.
Stake and build mound about 3 ft high
with pil. of char. 2 ft long, 1 ft wide, as per
instruction for 1/4 sec. cor.

No trees near.

80.00 Sola post, marked and notched,
14 ft long, 3 in. sqd. 1 ft from the ground,
driven charred stake and build mound
of earth 3 ft high, with pil. of char. 2
ft long, 1 ft. wide, as per instruc-
tion for cor. to sec. 17, 18, 19
and 20.

No trees near.

Uneven mesa. Sandy poor soil.
Some grass. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Ls. East from random line bds. sec. 17 4920.
azn. $14^{\circ}09'$ East.

40.00 Set temporary tree cor.

79.90 Intersct hand 8 line 8 les. N. of cor.
trees. 16, 17, 18 and 21, from which on line
N. $89^{\circ}57'W.$

Outline line between sec. 17 & 20.

azn. $14^{\circ}09'$ East.

39.95 Cedar post marked 1/4 S. 1/4 E. long,
flattened 3 in wide, 1 ft. in the ground,
driv. charred stake and build around
as earths ft high, with pit of cedar,
1 ft long, 1 ft wide, as per instructions
for tree cor. from which
A Mesquite 2 1/2 in dia at 5 1/2 ft. 116 headst.
No other trees near.

79.90 Cor. to sec. 17, 18, 19 and 20.
Mesquite, mesquite, grass,
Scattering trees.

Township 8 S.R. 27 E.
Gila & Salt River Meridian

Line West

On sandstone bed-seas. 18919
 aar. 14° 09' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.05 Intersect N. boundary at cor. to seas.

18 and 19. from which cor. I run
 East

Outline line between seas. 18 $\frac{3}{4}$ 19
 aar. 14° 09' East

39.05 Set a post marked $\frac{1}{4}$ S. st. ft long,
 flattened 3 in. wide, open the ground,
 drive charcoal stake and build mound
 of earth 8 ft high, with pit 6 ft deep. 2
 ft long, ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

79.05 Cor. to seas. 17, 18, 19 and 20.
 Uncultivated partly flat. Soil sandy
 & loamy. No timber.

Township 8 S.R. 27 E.
Gila & Salt River Meridian.

Sec. 8 North between secs. 17 & 18.

azm. 144° 09' East

110.00 Set a post, marked W.C. 4 ft long, flat
toped 3 in. wide, 1 ft in the ground, drove
charred stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide
as per instructions for 14 sec. cor.

No trees near

80.00 Set a post, marked and notched,
14 ft long, 3 in. sqd., 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide as per instructions
for cor. to secs. 7, 8, 17 and
18. No trees near.

Unknown. Soil sandy & sterile.
No timber.

January 12. 1875.

Ponaship 8 S.R. 27 E.

Gda^g Salt River Meridian

Ch. East Boundary line between 8^g 1^g C
and 14° 09' East

40.00 Set temporary posts cor.

79.96 Intersect N. and S. line at cor. to
Sec. 8, 9, 16 and 17^g, from which
cor. form

West boundary line between 8^g 1^g.
and 14° 09' East

39.98 Stake fast marked $\frac{1}{4}$ S. of N. by flat
tended 3 inches from the ground, brown
charred stake and blackened earth
2 ft high, with pits 4 ft deep, 2 ft long, 1
ft wide, as per instructions for 1^g sec.
cor. from which

At Mesquite 3 miles S. 1° E. go west dist
do 6 .. . A. 22° E. 100 ..

79.96 Cut 3 sec. 7, 8, 17 and 18.
Uncult. Soil 2^g red.

A few trees.

Township 8 S. R. 27 E.

Gila & Salt River Meridian

Lin. West boundary line between sec. 7 & 18.

ear. $14^{\circ} 09'$ East.

40.00 Set temporary tree cor.

79.10 Intercept N. boundary 7 lbs. S. of cor.
trees, 7 & 18, from which cor. I am
 8.8957° E.

Outline line between sec. 7 & 18.

ear. $14^{\circ} 09'$ East

39.10 Set a post, marked 7 & 8. 4 ft. long, flat-
tined 3 in. wide, driven in the ground,
drove charcoal stake and build
mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.10 Cor. to sec. 7, 8, 17 and 18.

Above surface.

No timber.

Township 8 S.R. 27^E
Gila & Salt River Menden

To North between sec. 7 & 8.

at $14^{\circ} 09' E$

40.00 Set post, marked 7 ft. 4 ft. long, flat -
 lined 3 in. wide, 1 ft. in the ground, drove
 charred stake and build mound of earth
 2 ft. high, with pit 1 ft. deep, 1 ft. long, 1 ft. wide,
 a few inches from which
 a Mesquite 5 in. dia. at 1.875 ft. 110 lansat
 do. 7 in. N. 66° W. 125 "

80.00 Set post, marked & notched, 4 ft. long,
 3 in. sqd. 1 ft. in the ground, drove charred
 stake and build mound of earth 2 ft. high
 with pit 1 ft. deep, 2 ft. long, 1 ft. wide, a few
 inches from which cor. to sec. 5, 6, 7,
 and 8, from which

a Mesquite 2 in. dia. at 3.215 ft. 78 lansat
 do. 3 " $8.21^{\circ} E$. 107 "

No other trees near.

Descending a little N. & E. 1st 2nd rate
 Grass. Some mesquite.

Township 8 S.R. 27 E.

Spla^g Salt River Meridian

St. East boundary line sec. 5^g 8,

azn. 14° 09' East

40.00 Set temporary tree cor.

56.00 Roads settlements sec. N.W. & S.E.

80.11 Intersect N. 3d line at cor. to secos.

11.5.8^g 9, from which cor. down
West

On line between sec. 5^g 8.

azn. 14° 09' East

40.05 Set post marked 448.4 ft long, flat-
ened 3 in wide, 1 ft in thickness, drove
charred stake & build mound of earth
1 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, a few inches from top of tree cor.
from which

A Mesquite 16 in. dia. sec. 8.78^g 16.218 sec. dist
do. 5" " .8.82^g 14.6.339 "

80.11 Cor. to secos. 5, 6, 7 and 8.

Land flat. Soil 10 in. thick.

Some mesquites.

Township 8 S.R. 27 E.

Gila & Salt River Meridian

Sec. 114 on random line betw. sec. 6 & 7
Lat. 39° 55' N. Long. 114° 09' E.

40.00 Set temporary 1/4 sec. cor.

79.14 Intersect N. boundary 11 sec. N. of sec.
to sec. 6 & 7 from which cor. line
N. 89° 55' E.

Outline line between sec. 6 & 7
Lat. 39° 55' N. Long. 114° 09' E.

39.14 Set a post, marked 1/4 sec. long, flat-
tined 3 in. wide, 1 ft. in the ground, dry
charred stake and build mound of earth
3 ft. high, with pile of debris, 3 ft. long, of broken
asphaltic concrete for 1/4 sec. cor. from which
a Maguire 2 in. dia. bar N. 46 1/4° E. 52 lbs. dist.
do. 3 + " " N. 72° E. 100 "

79.14 Cor. to secs. 5, 6, 7 and 8.

Sandy mesas, brush.
Some grass. No timber.

Township 8 S.R. 27 E.
Grid Salt River Meridian.

Sec. North

Con random line bet. sec. 57 C.

aar. $114^{\circ}09'$ East.

40.00 Set temporary line sec. 57 C.

75.00 Road to Settlements bet. N.W. & S.E.

79.92 Intersect N. boundary 11 sec. N. of sec. 57 C. from which con demn

8.0' 5' W.

On line line between secs. - 57 C.

aar. $114^{\circ}09'$ East.

39.92 Set post, marked H.C. A. along flatland
3 in wide, open the ground. No channel
seen and build mound after height
with posts 4 ft apart. 2 ft long, placed as per
instructions for 7 sec. no cor.

No trees near.

79.92 Cor. to secs. 51 C. 7 and 8.

Land flat. Good soil. grass. Some
Mesquite. January 13, 1875.

Township 8 S.R. 27 E.
Gila Salt River Mexican
General Description

This Township has much good grass land in the E. and central portions of it. In these parts the soil is also good.

The balance of the township is in the mesa, and has a gravelly slate soil and is brushy, but there is much gramma grass growing between the bushes, furnishing good pasture.

There is not much timber on the Township.

Theodore F. White
U.S. Dep. Surveyor.

BOOK 703

62

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision
lines of Township 8
S. Range 2ⁿ E. of the
Gila to Salt River
Meridian Arizona.

Showing the respective capacities in which they acted,

R. A. Pasquay Chainman.

C. D. Binton Chainman.

Barnabe Palm Axeman.

H. H. Clubury Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore F. White - U. S. Deputy Surveyor, in surveying the Subdivision lines of Township 8 S. Range 27 E. of the Gila and Salt River Meridian Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

P. A. Vargoz Chairman.

S. D. Burlan Chairman.

Bornabe Palm Axeman.

W. H. Aubrey Flagman.

Sworn to and subscribed before me, this 6th day of March, 1875

J. C. Mc Gaffey
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 23rd day of September 1871 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision lines of
Township 8 S. Range 27
E. of the Gila and Salt
River Meridian Arizona

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries in public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 6th
day of March, 1875

J. C. Waffey
Notary Public

66

BOOK 703

U. S. Surveyor General's Office,
Tucson, Arizona, March 20, 1875

The foregoing Field Notes of the survey of

The Subdivision Lines

of
Township 8 South
Range 2ⁿ East

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theo. F. White,
D. S., under his contract of the 23rd day of
September, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Hasson

Surveyor General.