

No. 704

# Field Notes

BOOK 704

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township *South* Range *East*

Gila and Salt River Base and Meridian

ARIZONA.

By *Thos. G. White* D. S.

under contract dated *Oct 17*, 1881.

Survey commenced *Feb. 25*, 1882.

Survey completed *Mar 1*, 1882.

704

No. 704

INDEX DIAGRAM.

Township *8 S.*

Range *31 E.*

BOOK 704

6	5	<i>58</i>	4	<i>50</i>	3	<i>37</i>	2	<i>19</i>	1
			<i>57</i>		<i>49</i>		<i>35</i>		<i>18</i>
7	8	<i>55</i>	9	<i>48</i>	10	<i>33</i>	11	<i>16</i>	12
			<i>54</i>		<i>47</i>		<i>30</i>		<i>14</i>
18	17		16	<i>45</i>	15	<i>28</i>	14	<i>18</i>	13
					<i>44</i>		<i>27</i>		<i>8</i>
19	20		21	<i>43</i>	22	<i>26</i>	23	<i>7</i>	24
					<i>42</i>		<i>25</i>		<i>5</i>
30	29		28		27	<i>23</i>	26	<i>4</i>	25
							<i>22</i>		<i>3</i>
31	32		33		34	<i>21</i>	35	<i>1</i>	36

Gila and Salt River Meridian.

ARIZONA.

1 B

BOOK 704

# Preliminary Oaths of Assistants.



We J. H. McClure  
and J. C. Ford

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us

In surveying the subdivision lines and  
boundaries of the Globe tract in T. 8 S. R. 3 E.  
Gila & Salt River Meridian and Base  
Line

J. H. McClure  
J. C. Ford  
~~J. C. Ford~~

Sworn to and subscribed before me, this 23<sup>rd</sup> day of  
January, 1882 Paul Piecker  
Notary Public  
County, Arizona

10

We, John Blake, Geo. F. Hyatt  
and Joseph Schwarz

do solemnly swear that we will well and truly perform the  
 duties of Assessor and <sup>Flagman &</sup> Recorder  
respectively

in the establishment of corners and other duties according to  
 instructions given us, and to the best of our skill and ability.

In surveying the subdivisions and  
boundaries of the Gila River  
in T. 8 S. R. 31 E. Gila & Salt River  
Meridian Base Line

John Blake  
Geo. F. Hyatt  
for Schwarz.

Sworn to and subscribed before me this 23<sup>rd</sup> day of  
January, 1887

Paul Piccker  
Notary Public  
County Arizona



No. 704

Subdivision P. S. R. 31 E.

Gela &amp; Salt River Meridian

Survey commenced February  
25, 1882, with a Burto improved  
Solar Compass.

I commence at the Cor. to Secs.  
1.2. 35 & 36 on the S. By of the  
township which is a volcanic  
rock 13 x 9 x 5 in. firmly set in  
the ground marked with 1 notch  
on E x 5 notches on W. edges,  
with pits in each sec. 5 1/2 ft.  
dist. and mound of earth  
2 ft high, 4 1/2 ft. base alongside.

Thence I run

North bet. Secs. 35 &amp; 36

Var. 12° 30' E.

As per observation with a Burto  
improved Solar Compass.

## Subdivisions T. 8 S. R. 31 E. continued

chain

40.00

Set volcanic rock  $12 \times 8 \times 7$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N.  
face, dug pits  $18 \times 18 \times 12$  ins.  
N. & S. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

80.00

Set volcanic rock  $15 \times 11 \times 5$   
ins. 10 ins. in the ground, for  
cor. to Secs. 25, 26, 35 & 36.  
marked with a notch on S.  
and E. edges, dug pits  $18 \times 18 \times 12$   
ins. in each sec  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $2\frac{1}{2}$  ft. high,  $4\frac{1}{2}$  ft. base  
alongside.

Land ascending S. W.

Soil 2<sup>d</sup> rate

No timber.

## Subdivisions N. &amp; S. R. 31 E. continued

chains

East on random line bet.  
Secs. 25 & 36.

Var.  $12^{\circ} 30'$  E.

40.00 Set temporary  $1/4$  sec. cor.

80.11 Intersect E. Boundary of the  
township 8 lbs N. of cor. to Secs.  
25, 30, 31 & 36, which is a  
limestone  $14 \times 14 \times 3$  ins. firmly  
set in the ground for cor. to  
Secs. 25, 30, 31 & 36, marked  
with 5 notches on N & 1 notch  
on S. edges, with pits in each  
sec. and mound of earth  
2 ft. high  $4 \frac{1}{2}$  ft. base alongside  
thence I run.

N.  $89^{\circ} 57'$  W. on a true line  
bet. Secs. 25 & 36, with same on

40.05 Set volcanic rock  $14 \times 10 \times 6$  ins.  
10 ins. in the ground, for  $1/4$  sec.

Subdivisions N. & S. R. 31 E. continued

chains

Cor. marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins. E & W,  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along  
side.

80.11 The cor. to Secs. 25, 26, 35 & 36.  
Land on mesa  
Soil 2<sup>d</sup> rate  
No timber.

North bet. Secs. 25 & 26  
Var.  $12^{\circ} 30' E.$

40.00 Set volcanic rock  $11 \times 10 \times 5$   
ins. 8 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face, dug pits  $18 \times 18 \times 12$   
ins. N & S. of cor.  $5\frac{1}{2}$  ft. dist.



## Subdivisions N. &amp; S. R. 31 E. continued

chains

and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base along side.

80.00 Set volcanic rock  $12 \times 9 \times 6$  ins. 8 ins. in the ground, for cor. to Secs. 23, 24, 25 & 26 marked with 2 notches on S. and 1 notch on E. edge, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base along side.

Land on Mesa  
Soil 2<sup>d</sup> rate  
No timber.

---

East on random line bet.  
Secs. 24 & 25.

## Subdivisions N. &amp; S. R. &amp; E. continued

- chains
- 4000 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.15 Intersect E. By of township  
10 lks N. of cor. to Secs. 19,  
24, 25, & 30, which is a  
volcanic rock  $14 \times 6 \times 5$  ins.  
firmly set in the ground,  
marked with 4 notches  
on N & 2 notches on S. edges,  
and mound of stone along side.  
Thence  $\odot$  m.
- N.  $89^{\circ} 57' W.$  on a true line  
bet. Secs. 24 & 25, with same va.
- 40.07 Set a lava rock  $10 \times 9 \times 6$  ins.  
 $8$  ins. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N.  
face, dug pits  $18 \times 18 \times 12$  ins.  
E & W. of cor. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base along side.

## Subdivisions T. 8 S. R. 31 E. continued

chains  
80.15. The cor. to Secs. 23, 24, 25 & 26.  
Land on Mesa  
Soil 2<sup>d</sup> rate  
No timber.

---

- North bet. Secs. 23 & 24  
Var.  $12^{\circ} 30' E.$

40.00 Set a lava rock  $12 \times 10 \times 5$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W.  
face, dug pits  $18 \times 18 \times 12$  ins.  
N & S. of cor.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base alongside.

80.00 Set a lava rock  $12 \times 9 \times 8$  ins.  
8 ins. in the ground, for cor.  
to Secs. 19 & 14, 23 & 24.

## Subdivisions. N. &amp; S. R. 31 E. continued

chains

marked with 3 notches on  
S. and 1 notch on E. edges.  
dug pits 18 x 18 x 12 ins. in  
each sec. 5 1/2 ft dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft. base alongside  
land on mesa  
Soil 2<sup>d</sup> rate  
No timber.

East on a random line  
bet. Secs. 13 & 24.

Var. 12° 30' E.

- |       |   |
|-------|---|
| 1.00  | Foot of mesa & ascend                                     |
| 2.80  | Top of mesa 25 ft. high                                   |
| 6.30  | Descend   |
| 10.00 | Bottom of descent and enter<br>little valley extending N. |
| 16.10 | Ascend again  |

## Subdivisions N. &amp; S. R. 31 E. continued.

chaicos

18.20 Enter table land.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.97 Intersect East By of township  
9 lps S. of cor. to Secs. 13, 1819.24 which is a volcanic  
rock  $12 \times 10 \times 6$  ins. firmly  
set in the ground marked  
with 9 notches on N & S. edges,  
and mound of stone along  
side.

Phence Inn

S.  $89^{\circ} 57'$  W. on a true line  
bet. Secs. 13 & 24 with same oa.39.98 Set a quartzite rock  $13 \times 8 \times 6$   
ins. 8 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on N. face, and raised a  
mound of stone along side  
P. to impracticable.

## Subdivisions T. 8 S. R. 31 E. continued

chains

79.97 The cor. to Secs. 13, 14, 23 + 24.  
Land broken mesa  
Soil 2 + 3<sup>d</sup> rate  
no timber.

North bet. Secs. 13 + 14.

Var.  $12^{\circ} 30' E.$

5.00 Leave little flat & ascend mesa

8.40 Top of mesa

40.00 Set a quartzite rock  $15 \times 8 \times 6$  ins.  
10 ins. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N.  
face, and raised a mound  
of stone alongside, pits  
impracticable.

66.02 To left Bank of Gila River  
course N. W. I set a post for  
~~Quander cor. 4 ft. long.~~

## Subdivisions N. &amp; S. R. 31 E. continued

chains

4 ins square, with marked  
stone, 12 ins. in the ground for  
cor. to fractional Secs. 13 & 14  
marked M.C. with  
N. & S. on S.

R. 31 E. S. 13 on E. and  
S. 14 on W. faces, dug pit 3 ft.  
square, 12 ins. deep & lbs. of  
post and raised a mound  
of earth 2 ft high, 4 ft. base  
around post, set flag on opposite  
side on line, measure off base  
100 lbs W. from the end of  
which flag br. N.  $22^{\circ} 12' E.$   
distance therefore across River.  
= 2.45 chs or.

68.47 To Right Bank of River,  
which point I establish by  
setting a post 4 ft. long,

## Subdivisions T. 8 S. R. 31 E. continued

chains

~~4 ins. square, with marked  
stone, 12 ins. in the ground, for  
meander box to fractional  
secs. 13 & 14 marked N. E. and  
D. S. on N.~~

~~R. 31 E. S. 13 on E. and~~

~~S. 14 on N. face, dug pit  
4 ft. square, 12 ins. deep & lbs~~

~~N. of post and raise a mound  
of earth 4 ft. high, 4 ft. base  
around post.~~

76.00 To little branch of Gila River  
course N. W. 60 lbs. wide  
chain across.

80.00 Set a post 4 ft. long, 4 ins.  
square, 24 ins. in the ground,  
for cor. to Secs. 11, 12, 13 & 14  
marked.

D. S. S. 12 on N. E.



## Subdivisions. T. &amp; S. R. 31 E. continued

chains

- R. 31 E. S. 13 on S. E.  
 S. 14 on S. W. and  
 S. 11 on N. W. faces, with  
 4 notches on S. and 1 notch  
 on E. edges, from which
- A Cottonwood 30 ins. dia. br. N.  $72\frac{1}{2}^{\circ}$  E. 178 lbs dist.  
 marked T. & S. R. 31 E. S. 12 B. T.
- A Cottonwood 18 ins. dia. br. S.  $50\frac{3}{4}^{\circ}$  E. 127 lbs dist.  
 marked T. & S. R. 31 E. S. 13 B. T.
- A Cottonwood 10 ins. dia. br. S.  $31\frac{3}{4}^{\circ}$  W. 132 lbs dist.  
 marked T. & S. R. 31 E. S. 14 B. T.
- A Cottonwood 12 ins. dia. br. N.  $69\frac{1}{2}^{\circ}$  W. 114 lbs dist.  
 marked T. & S. R. 31 E. S. 11 B. T.

Mostly Mesa land on S. side  
 of River,

Soil good along bottom  
 Cottonwood timber along River.

## Subdivisions T. 8 S. R. 31 E. continued

chains

East on random line, bet.  
Secs. 12 & 13.Var.  $12^{\circ} 30' E$ .39.25 Road from Clifton to Silver  
City etc.40.00 Set temporary  $\frac{1}{4}$  sec. cor.45.00 leave Bottom extending  
N. W. & enter broken mesa.80.13 Intersect E. Ry of township  
13 lks S. of cor. to Secs. 7, 12,13 & 18, which is a post  
4 ft long 4 ins. square, marked  
T. 8 S. 7 on N. E.

R. 32 E. S. 18 on S. E.

S. 13 on S. W. and

S. 12 on N. W. faces, with 2  
notches on N & 4 notches on  
S. edges, <sup>with</sup> and pits in each

## Subdivisions P. &amp; S. R. 31 E. continued

chains

sec. and mound of earth  
around post.

Thence Iron.

S.  $89^{\circ}55'$  W. on a true line, lat.

Secs. 12 + 13, with same os.

40.06 Set a post 3 ft. long 3 ins. square  
with marked stone pins in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face,  
dug pits 18 + 18 + 12 ins. E + W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post.

80.13 The cor. to Secs. 11, 12, 13 + 14.

Land flat

Soil good

Cottonwood along river.

February 25, 1882.

## Subdivisions T. 8 S. R. 31 E. continued

chain

North bet. Secs. 11 &amp; 12

Var.  $12^{\circ} 30' E$ 

- 15.25 Road course S. Ex leave Bottoms  
 18.10 Top of Bluff Bank  
 37.90 Dry Wash 10 lks wide course S. W.  
 40.00 Set a lava rock  $16 \times 8 \times 5$  ins.  
 11 ins. in the ground, for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on N.  
 face, dug pits  $18 \times 18 \times 12$  ins.  
 N. & S. of cor.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
 base alongside
- 43.85 Ridge extending N.  
 48.00 Dry wash 10 lks wide course N.  
 58.75 Ridge extending N.  
 66.20 Ridge extending N.  
 72.50 Leave broken Hills & enter flat.  
 80.00 Deposited a charred stake

No. 704

BOOK 704

17.

Subdivisions S. & S. R. 31 E. continued

chains

12 ins. in the ground for Cor.  
to Secs. 1, 2, 11 & 12. Dug pits  
18 x 18 x 12 ins. in each sec.  
5 1/2 ft. dist. and raised a  
mound of earth 4 ft high, 4 1/2 ft.  
base over it.

In S. E. pit drove a stake  
4 ft. long 2 ins. square, 12 ins.  
in the ground marked  
S. & S. 1 on N. E.

R. 31 E. S. 12 on S. E.

S. 17 on S. W. and

S. 2 on N. W. faces, with  
5 notches on S. and 1 notch  
on E. edges.

Land mostly broken  
Soil good along river bottom  
Cottonwood along River.

---

## Subdivisions T. &amp; S. R. 31 C. continued

chains

East on a random line bet.  
Secs. 1 & 12.Var.  $12^{\circ} 30' E.$ 

40.00 Set temporary  $1/4$  Sec. cor.  
79.90 Intersect E. By of township  
11 lks S. of cor. to Secs. 1, 6, 7 & 12  
which is a limestone  $18 \times 10 \times 4$   
ins. firmly set in the ground  
marked with 1 notch on N.  
& 5 notches on S. edge, with  
pits in each sec. and mound  
of earth alongside

Thence Iron

S.  $89^{\circ} 56' W.$  on a true line.  
bet. Secs. 1 & 12. with same on

39.95 Set a lava rock  $13 \times 9 \times 6$  ins.  
9 ins. in the ground, for  $1/4$   
sec. cor. marked  $1/4$  on N.  
face, dug pits  $18 \times 18 \times 12$  ins.

## Subdivisions T. 8 S. R. 31 E. continued

chains

Et W. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base along  
side.

79.90 The cor. to Secs. 1, 2, 11 & 12  
Land partly flat  
Soil 2<sup>d</sup> rate  
No timber.

North on a random line  
bet. Secs. 1 & 2.

Var.  $12^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.12 Intersect N. By of township  
15 chs E. of cor. to Secs. 1, 2, 35 & 36  
which is a Post 4 ins. square  
marked

T. 7 S. S. 36 on N. E.

R. 31 E. S. 1. on S. E.

## Subdivisions N. 8 S. R. 31 E. continued

chains P.S.

S. 2 on S. W. and  
S. 35 on N. W. faces. with  
notch on E & 5 notches on  
W. edges, with mound of  
stone around post.

Thence I run

S. 0:06' E. on a true line bet.  
Sec. 1 & 2 with same va.

40.12 Set a lava rock  $12 \times 8 \times 4$  ins.  
8 ins. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W.  
face, dug pits  $18 \times 18 \times 12$  ins.  
N & S. of stone,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base alongside.

80.12 The cor. to Secs. 1. 2. 11 & 12  
land mostly flat  
Soil good & 2<sup>d</sup> rate  
No timber.



## Subdivisions T. &amp; S. R. 31 E. continued

chains

From the Cor. to Secs. 2, 3, 34 & 35, on S. By of township which is a volcanic rock 15 x 8 x 6 ins. set firmly in the ground, marked with 2 notches on E & 4 notches on W. edges, with pits in each sec. and mound of earth alongside  
Thence 2 mi

North bet. Secs. 34 & 35.

Var.  $12^{\circ} 30' E$ .

- 4000 Set volcanic rock 14 x 10 x 5 ins. 10 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins. N & S. of Cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.
- 8000 Set volcanic rock 15 x 8 x 6 ins.

## Subdivisions T. 8 S. R. 31 E. continued

chains.

10 ins. in the ground, for cor.  
to Secs. 26, 27, 34 & 35.  
marked with 1 notch on S.  
and 2 notches on E. edges.  
dug pits 18 x 18 x 12 ins. in each  
sec. 5 1/2 ft. dist. and raised  
a mound of stone 1 ft. high  
4 1/2 ft. base along side.  
Land on Mesa  
Soil 2<sup>d</sup> rate  
No timber.

East on random line, bet.  
Secs. 26 & 35.

Var. 12° 30' E.

4000 Set temporary 1/4 sec. cor.  
79.92 Intersect N & S. line 5 lbs. 10.  
of cor. to Secs. 25, 26, 35 & 36.

## Subdivisions N. &amp; S. R. 31 E. continued

chains

Thence Iron

N.  $89^{\circ} 58' W.$  on true line bet.

Secs. 26 &amp; 35. with same va.

39.96 Set volcanic rock 12+8+6 ins.

8 ins. in the ground for  $\frac{1}{4}$  sec.Cor. marked  $\frac{1}{4}$  on N face,

dug pits 18+18+12 ins. E &amp; W.

of cor.  $3\frac{1}{2}$  ft. dist. and raiseda mound of earth  $2\frac{1}{2}$  ft. high $3\frac{1}{2}$  ft. base alongside.

49.92 The cor. to Secs. 26. 27. 34 &amp; 35.

land on Mesa

Soil 2<sup>d</sup> rate

No timber.

North bet. Secs. 26 &amp; 27

Var.  $12^{\circ} 30' E.$ 

4000 Set volcanic rock 11+9+6 ins.

## Subdivisions N. &amp; S. R. 31 E. continued

chains

8 ins. in the ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on N. face, dug  
 pits  $18 \times 18 \times 12$  ins. N + S. of cor.  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high,  $9\frac{1}{2}$  ft. base  
 alongside

80.00 Set volcanic rock  $12 \times 8 \times 7$  ins.  
 8 ins. in the ground, for. cor.  
 to Secs. 22, 23, 26 & 27. marked  
 with notches on S & E. edges.  
 dug pits  $18 \times 18 \times 12$  ins. in each  
 sec.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base alongside.  
 Land on Mesa  
 Soil 2<sup>d</sup> rate  
 No timber.

---

## Subdivisions N. S. R. 31 E. continued

chains

East on a random line, bet.  
Secs. 23 + 26.

Var.  $12^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

79.90 Intersect N + S. line 13 lks  
N. of cor. to Secs. 23. 24. 25 + 26

Plunge E. on

N.  $89^{\circ} 54' W.$  on a true line bet.  
Secs. 23 + 26. with same va.

39.95 Set volcanic rock  $12 \times 8 \times 6$  ins.  
8 ins. in the ground for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 1$  ins. E + W,  
of cor.  $3 \frac{1}{2}$  ft. dist and  
raised a mound of earth  
 $1 \frac{1}{2}$  ft. high,  $3 \frac{1}{2}$  ft. base along  
side.

79.90 Pl. cor. to Secs. 22, 23, 26 + 27.  
Land descending North

## Subdivisions T. 8 S. R. 31 E. continued

chains

Soil 2<sup>d</sup> rate  
No timber.

---

North bet. Secs. 22 & 23.

Var.  $12^{\circ} 30' E$ .

40.00 Set volcanic rock  $12 \times 9 \times 6$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N face,  
dug pits  $18 \times 18 \times 12$  ins. N & S. of  
cor. 5 ft. dist. and raised  
a mound of earth 1 ft  
high, 3 ft. base along side.

80.00 Set a post 4 ft. long 4 ins.  
square, with marked stone  
12 ins. in the ground, for cor.  
to Secs. 14, 15, 22 & 23, marked  
T. 8 S. T. 14 on N. E.  
R. 31 E. S. 23 on S. E.

## Subdivisions T. 8 S. R. 31 E. continued

Chains

S. 22 on S. W. and  
 S. 15 on N. W. faces, with 3 notches  
 on S. and 2 notches on E. edges,  
 dug pits 18 x 18 x 12 ins. in each  
 sec. 5 yd. dist. and raised a  
 mound of earth 2 ft. high, 4 1/2 ft.  
 base around post.

Land descending N.

Soil 2<sup>d</sup> & 3<sup>d</sup> rate

No timber.

East on a random line bet.  
 Secs. 14 & 23.

Var. 12° 30' E.

40.00 Set temporary 1/4 sec. cor.

79.97 Intersect N. & S. line 10 lps

N. of cor. to Secs. 13, 14, 23, 24.

Thence I run.

## Subdivisions T. 8 S. R. 31 E. continued

chains

- N.  $89^{\circ}56'W.$  on a true line,  
bet. Secs. 14 & 23. with same var.
- 39.98 Set a post 8 ft. long, 3 ins. square,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face,  
dug pits 18+18+12 ins. E & W.  
of cor.  $3\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post.
- 79.97 The cor. to Secs. 14, 15, 22 & 23  
Land descending N.  
Soil 2<sup>d</sup> & 3<sup>d</sup> rate  
No timber.

---

North bet. Secs. 14 & 15.  
Var.  $12^{\circ}30' E.$



## Subdivisions N. 8 S. R. 31 E. continued

Chewis  
40.00

Set volcanic rock  $15 \times 9 \times 5$  ins. 10 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins. N + S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.

80.00

Set volcanic rock  $14 \times 12 \times 7$  ins. 10 ins. in the ground, for cor. to Secs. 10. 11.  $14 \times 15$ , marked marked with 4 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of stone  $1\frac{2}{3}$  ft. high,  $4\frac{1}{2}$  ft. base alongside. from which a Juniper 12 ins. dia. br. S.  $63^\circ$  E. 335 lbs dist. marked N. 8 S. R. 31 E. S. 14. B. P.