

No. 705

Field Notes

BOOK 705

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township *South* Range *3 East*
Gila and Salt River Base and Meridian

ARIZONA.

Theodore F. White D. S.

under contract dated *Oct 17*, 1887.

Survey commenced *Feb 21*, 1887.

Survey completed *Feb 21*, 1887.

No. 705

705

1A

INDEX DIAGRAM.

BOOK 705

Township 8 S.

Range 32 E.

6	5	4	3	2	1			
50								
7	49	8	9	10	11	12		
47		46						
18	44	17	24	16	15	14	13	
41		40		23				
19	36	20	21	21	10	22	23	24
34		32		19		8		
30	30	29	16	28	7	27	26	25
28		27		13		4		
31	25	32	11	33	1	34	35	36

Gila and Salt River Meridian.

ARIZONA.

Preliminary Oaths of Assistants.

We, J. H. McClure
and J. O. Ford

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us.

In the survey of the subdivision
lines of T. 8 S., R. 32 E., and the
~~Wander of the Gila River in said~~
~~township~~ Gila & Salt River Meridian

J. H. McClure
J. O. Ford
John Shanks

Sworn to and subscribed before me, this 23rd day of

January

, 1882

Paul Rice
Notary Public
County, Arizona

10
We, John Blake and Geo. J. Wyatt and Joseph Schwarz do solemnly swear that we will well and truly perform the duties of Axeman & ^{Flagman} ~~measurmen~~ [↑] respectively in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability.

In the survey of the subdivision lines of T. 8 S., R. 32 E. ~~and the main line of the Salt River in said township~~ Salt River Meridian

John Blake
Geo. J. Wyatt
J. Schwarz

Sworn to and subscribed before me this 23rd day of January, 1882

Paul Riccker
Notary Public Pima
County Arizona.

BOOK 705



No. 705

BOOK 705

10

Subdivision N. 8 S. R. 32 E.

Gila & Salt River Meridian

Survey commenced February
21. 1882. with a Burto improved
Solar Compass.

I commence at the cor. to Secs.
3. 4. 33. & 34 on the S. By. of
the township which is a post
4 in. square marked—

N. 8 S. S. 34. on N. E.

R. 32. E. S. 3 on S. E.

S. 4 on S. W. and

S. 33 on N. W. faces, with 3 watches
on E & W. edges, with pits in each
sec. set in mound of earth 2 ft.
high, from which a cottonwood
30 in. diam. to N. $16\frac{3}{4}^{\circ}$ E. 690 k. dist.
marked N. 8 S. R. 32 E. S. 34 B. 1.

Thence I run

North bet. Secs 33 & 34.

Subdivision T. 8 S. R. 32 E. continued

chains

Var. $12^{\circ} 30' E.$

as per Solar Compass.

36.67 West bank of Gila River corner
N. W. the line then follow along
channel of River for some dist-
ance, Set witness cor. to $\frac{1}{4}$
sec. cor. bet. Secs. 33. & 34.

a post 3 ft. long 2 ins. square, with
marked stake 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. ^{N. C.} on
W. face, dug pits 18+18+12 ins.
N. & S. of post 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base around post.
Cross river from N. on an offset
line along E. of River. at

53.14 Set back to line on the Right
Bank of the River ~~where I~~
~~set a post 4 ft. long 4 ins. square~~

Subdivisions T. 8 S. R. 32 E. continued

chains

with marked stone pins in the ground, for Meander Cor. to fractional Secs. 33 & 34, marked M. C. with D. & S. on N.

R. 32 E. S. 34 on E. and S. 33 on N. face, dug a pit 4 ft. square, 1 ft. deep & 8 lbs. N. of post, and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square with marked stone, 12 ins. in the ground, for cor. to Secs. 27, 28, 33 & 34, marked D. & S. S. 27 on N. E. R. 32 E. S. 34 on S. E. S. 33 on S. W. and S. 28 on N. W. face, with 1 notch on S. & 3 notches on

Subdivision T. 8 S. R. 32 E. continued

chains

E. edges, dug pits 18x18x12
 in. in each sec. 5 1/2 ft. dist.
 and raised a mound of
 earth 2 ft. high, 4 1/2 ft. base
 around pit. from which
 a cottonwood 30 in. diam. by N. 97 3/4° W. 239 ft. dist.
 marked T. 8 S. R. 32 E. S. 28 B. T.
 Land level
 good soil
 Cottonwood along River.

East on true line bet. Secs
 27 & 34.

Var. 12° 30' E.

- 3.55 Ditch course N. W.
- 6.35 Low Bank course N. W.
- 21.86 Road course S. E.
- 34.18 Div. road course N. W.

Subdivision T. & S. R. 32 E. continued

chains

40.00

Set a post 2 ft. long, 3 ins. square with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. E & W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth 1 ft. high, 3 ft. base around post. from which N. J. Levo's house br. S. $41\frac{1}{4}$ W. about 8 chs. dist.

Ascend Mesa.

49.00

Top of mesa extending S. E. & N. W.

79.60

Intersect the Boundary line bet. Arizona & New Mexico, 26.00 chs N. of the Astronomical point alongside of the Road from Silver City to Clayton this astronomical point is marked by a large granite

Subdivision P. & S. R. 32 E. continued

chains

stone in mound of stone,
 marked 296.59. 32° 41' 19"
 N. L. on the N. face 32° W.
 L. on South "Ariz" on W. &
 N. M. on E. face ^{W. C. A. S. 1875}
 on top. - at point of inter-
 section set a post 4 ft. long 4 ins.
 square, with marked stone
 12 ins. in the ^{for closing cor. to Secs 27 & 34} ground, marked
 P. & S. S. 27 on N. face.

N. M. on E.

R. 32 E on S 34 on S. and
 Ariz. C. C. on W. and raised
 a mound of stone around
 post 2 ft high 4 1/2 ft base.
 Good bottom land on W. end
 No timber

Subdivision N. & S. R. 32 E. continued

Chains

North bet. Secs. 27 & 28

Var. $12^{\circ} 30'$ E.

- 4.17 Ditch course N.
- 7.63 Ascend Bank course E & N.
- 15.64 Road course S. E.
- 19.00 Horse 300 lbs West
- 40.00 Set a post 3 ft. long, 3 ins. square with marked stone, 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S on N. face, dug pits, $18 \times 18 \times 12$ ins. N & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.
- 63.00 Foot of mesa & ascend
- 65.50 Top of mesa extending S. W. & N. E.
- 80.00 Set a granite stone, $18 \times 8 \times 5$ ins. 12 ins. in the ground, for cor.

Subdivision S. & S. R. 32 E. continued

chains
 to Secs. 21, 22, 27 & 28, marked
 with 2 notches on S. and 3
 notches on E. edges, dug
 pits 18x18x12 ins. in each
 sec. 5 1/2 ft. dist. and raised
 a mound of earth 2 ft high,
 4 1/2 ft. base alongside.
 Land mostly flat.
 Soil good in Bottom
 Some Cottonwood along river.

East on true line bet. Secs
 22. & 27

Var. 12° 30' E.

4000 Set volcanic rock 12x10x6
 ins. 8 ins. in the ground,
 for 1/4 sec. cor. marked 1/4
 on N. face, dug pits 18x18x12

Subdivisions T. 8 S. R. 32 E. continued

chains

ins. E & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.

79.70

Intersect the Boundary line bet. Arizona & New Mexico 1 mile and 26 lks N. of the Astronomical point described in field notes. to line bet. Secs. 27 & 34. at point of intersection I set a post 4 ft long, 4 ins. square, with marked stone 12 ins. in the ground, for closing cor. to Secs. 22 & 27. marked T. 8 S. S. 22 on N face N. W. on E.

R. 32 E. S. 27 on S. and Ariz. C. C. on W. and raised a mound of stone around

Subdivisions N. & S. R. 32 E. continued

chains

post 2ft high, 4 1/2ft. base.

Mesa land

Soil 2d rate

No timber.

February 21. 1882.

North bet. Secs. 21 & 22.

Var. $12^{\circ} 30' E$.

4000 Set volcanic rock $12 \times 11 \times 5$
 ins. 8 ins. in the ground
 for 1/4 sec. cor. marked 1/4
 on W. face, dug pits $18 \times 18 \times 12$
 ins. N & S. of post. $5 \frac{1}{2}$ ft.
 Dist. and raised a mound
 of earth 1 1/2ft. high $3 \frac{1}{2}$ ft
 base around post.

8000 Set volcanic rock $15 \times 10 \times 6$
 ins. 10 ins. in the ground

Subdivisions T. 8 S. R. 32 E. continued

chains

for cor. to Secs. 15, 16, 21 & 22,
marked with 3 notches on
S. & E. edges, dug pits 18x18
& 12 ins. in each sec. 5 1/2 ft.
dist. and raised a mound
of earth 2 ft. high, 4 1/2 ft. base
alongside

Land Mesa land

Soil 2^d & 3^d rate

No timber.

East & North of here the
land is not surveyable.

From the cor. to Secs. 4, 5,
32 & 33, on S. By of township
which is a lava rock 15x10x7
ins. 10 ins. in the ground,
marked with 4 notches on

Subdivisions T. 8 S. R. 32 E. continued

chains

E. & 2 notches on N. edges,
with pits in each sec. and
mound of earth 2 ft high,
4 1/2 ft. base alongside.

Thence S m.

North bet. Secs. 32 & 33.

Var. 12° 30' E.

as per Solar Compass.

40.00 Set a lava rock 12 x 9 x 6 ins.

8 ins. in the ground, for 1/4
sec. cor. marked 1/4 on N.

face, dug pits 18 x 18 x 12 ins.

N & S. of stone 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
alongside

47.80 Foot of mesa & ascend

58.50 Top of table land 75 ft. high.

80.00 Set a quartzite rock 12 x 9 x 7

Subdivision N. 8 S. R. 32 E. continued

chains

ins. 8 ins. in the ground for
 cor. to Secs. 28, 29, 32 & 33.
 marked with 1 notch on S.
 and 4 notches on E. edges
 dug pits 18 x 18 x 12 ins. in
 each sec. 5 1/2 ft. dist. and
 raised a mound of straw,
 2 ft. high, 4 ft. base alongside.
 Land mostly flat.
 Good soil on S. end.
 No timber.

East on random line bet.
 Secs. 28 & 33.

Var. 12° 30' E.

Crossing the Gila River

12.00 Descend from table land to Bottom
 4000 Set temporary 1/4 sec. cor.

Subdivisions N. S. R. 22 E. continued

chain
8000Intersect N & S. line at cor.
to Secs. 27, 28, 33 & 34.

Thence 3 mn

West on a true line, bet. secs.
28 & 33, with same va.

17.40

Right Bank of Gila River
course N. N.~~Set a post 4 ft long, 4 in. square
with marked stone, 12 in. in
the ground, for boundary
cor. to fractional Secs. 28 & 33,
marked M. C. with.~~~~N. S. R. 22 on N.~~~~R. 32 E. on E. and~~~~S. 33 on S. faces, dug pit
3 ft. square 1 foot deep, 8 lbs~~~~E. of post, and raised a
mound of earth 2 ft high,
4 1/2 ft base around post.~~

Subdivisions P.S. R. 22 E. continued

chains

Set flag on opposite side on
line measure off base line
100 lks N. from the end of
which flag br. S. $68^{\circ}26'W$.
Distance therefore across River
= 2.53 chs or

19.93 ~~Left Bank which point~~
~~Establish by setting a post 4 ft.~~
~~long, 4 ins. square, with marked~~
~~stone 12 ins. in the ground, for~~
~~meander cor. by fractional~~
~~acc 28. + 33. marked M.C.~~
~~with P.S. S. 28 on N.~~
~~R. 32 E. on W. and~~
~~S. 33 on S. face, dug a pit~~
~~4 ft. square 1 foot deep 8 lks~~
~~N. of post, and raised a mound~~
~~of earth 2 ft. high 4 ft. base~~
~~around post.~~

40.00 Deposited a marked stone

Subdivisions N. 8 S. R. 32 E. continues

Chains

with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. N & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth 1' ft. high, $3\frac{1}{2}$ ft. base around post.

46.00 Left Bank of Gila River. course N. W. ~~Set a post 4 ft. long, 4 in. square with marked steel, 12 ins. in the ground, for meander cor. to fractional secs. 28 & 29. marked M. C. and - N. 8 S. on S. R. 32 E. S. 28 on E. and S. 29 on W. faces, dug pit 2 ft. square 12 ins. deep 8 lbs S. of post and raised a mound of earth 2 ft. high, 4 ft. base around post.~~

Subdivision D. & S. R. 32. E. continued

Chain

Set flag on opposite side on
line, measure of base 100 lks
W. from the end of which
flag bears N. $22^{\circ} 12' E$. Distance
therefore across River 2.45 lks or
48.45 Bright bank of Gila River,
course W. then N. W. ~~which~~
~~point I established by setting~~
~~a post 4 ft long, 4 ins. square,~~
~~with marked stone, 12 ins.~~
~~in the ground, for marker~~
~~cor. of fractional sec. 28 & 29,~~
~~marked M. C. and~~
~~D. & S. on N.~~
~~R. 32 E. S. 28 on E and~~
~~S. 29 on W. faces, dug pit 4 ft~~
~~square, 12 ins. deep 8 lks N. of~~
~~post and raise a mound of~~
~~earth 4 ft high, 4 ft base~~

Subdivisions T. 8 S. R. 32 E. continued

Chains

~~around post.~~~~Three continue line.~~

68.70 Old Road course E & W.

80.00 Set a quartzite rock 18 + 9 + 5 ins.

12 ins. in the ground, for cor. to
Secs. 20, 21, 28 & 29, marked
with 2 notches on S. and 4
notches on E. edge, and raised
a mound of stone alongside
Land mostly flat
Soil good
Some Cottonwood along River.

East on random line bet.
Secs. 21 & 28.

Var. $12^{\circ} 30' E$.

22.35 Road course S. a house &
Corral 12.00 chs S.

Subdivisions N. & S. R. 32 E. continued

chains

24.30 Road from Clifton to Silver City etc.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

58.25 Foot of mesa & ascent,

64.70 Top of mesa 25 ft high extending N. W. & S. E.

80.12 Intersect N & S. line 10 lbs S. of cor. to Secs. 21. 22. 27. 28.

Thence I run

S. $89^{\circ}56'W.$ on a true line, bet. secs. 21 & 28 with same wa.40.06 Set a post 3 ft. long 3 ins. square, with marked true line in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N face, dug pits $18 \times 18 \times 12$ ins. E & W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

Subdivisions T. 8 S. R. 32 E. continued

chains

80.12 The cor. to Secs. 20, 21, 28, 29,
Land descending S. W.
Good Soil in Bottom
No timber.

*

North bet. Secs. 20 & 21

Var. $12^{\circ} 30' E$.

27.90 Road from Clifton to Silver City
4000 Set a granite stone $16 \times 8 \times 4$ ins.
11 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on W.
face, dug pits $18 \times 18 \times 12$ ins.
N & S. of stone $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft.
base alongside.

40.67 leave River Bottom
63.00 Ascend Mesa

Subdivisions N. & S. R. 32. E. continued

chains

75.00 Top of Mesa

78.90 Descend into flat.

80.00 Set a post 4 ft long, 4 ins. square,
with marked line 12 ins. in
the ground, for cor. to Secs.

16. 17. 20. & 21. marked

N. & S. S. 16 on N. E.

R. 32 E. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. faces, with

3 butches on S. & E. edges, dig
pits 18 x 18 x 12 ins. in each sec.5 ft. dist. and raised a
mound of earth 2 ft. high

4 1/2 ft. base around post.

Land sloping S.

Good Soil in Bottom

No timber.

Subdivisions T. 8 S. R. 32. E. continued

chains

East on random line bet.
Secs. 16 & 21.Var. $12^{\circ} 30' E$.40.00 Set temporary $\frac{1}{4}$ sec. cor.09.14 Intersect N+S. line, 13 lks
N. of cor. to Secs. 15, 16, 21 & 22.

Hence I run

N. $89^{\circ} 54' W$. on a true line, bet.
Secs. 16 & 21. with same ea.40.07 Set volcanic rock $14 \times 9 \times 5$
ins. 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on N. face, dug pits $18 \times 18 \times 12$
ins. E & W. of stone, $5 \frac{1}{2}$ ft.
dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high, $3 \frac{1}{2}$ ft. base
along side.80.14 ~~7th~~ 8th cor. to Secs. 16, 17, 20 & 21

Land mesa land

Soil 2^d rate

No timber.

H.

Subdivisions N. & S. R. 32 E. continued

chains

North bet. Secs. 16 & 17

Var. $12^{\circ} 30' E.$

40.00 Set a Post 2ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor.

marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. N & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

71.60 Dry wash 4000 wide, course S. W.

80.00 Deposited a marked stone, 12 ins. in the ground for. cor. to Secs. 8, 9, 16 & 17. Dug pits $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. square 2ft. long, 12 ins. in

Subdivisions N. & S. R. 32 E. continued

chain

the ground, marked -
 N. & S. S. 9 on N. E.
 R. 32 E. S. 16 on S. E.
 S. 17 on S. W. and
 S. 8 on N. W. faces, with 4
 notches on S. & E. edges,
 mesa land
 Soil 2^d rate
 No timber

February 22. 1882.

From the cor. to Secs. 5. 6. 3432
 on S. Ry of township which is
 a mound of earth 2 ft high, 4 1/2 ft
 base, with pits in each sec. 5 1/2
 ft. dist. a stake in S. E. pit
 2 in. square, marked -
 N. & S. S. 32 on N. E.

Subdivisions N. & S. R. 32 C. continued

chain

R. 32 E. S. 5. on S. E.
 S. 6 on S. W. and
 S. 31 on N. W. faces, with 5
 notches on E. and 1 notch on
 W. edges.

Thence I run
 North bet. Secs. ³⁴32:

Var. $12^{\circ} 30' E.$

40.00 Deposited a charred stake,
 12 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. dug pits, $18+18+12$ ins. N & S.
 of cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In N. pit
 drove a stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground,
 marked $\frac{1}{4}$ S. on W. face.

79.00 Ascend

80.00 Set a Lava rock $12+7+6$ ins.

Subdivisions N. & S. R. 32 E. continued

chains.

8 ins. in the ground, for cor. to
Secs. 29. 30. 31 & 32. marked
with 1 notch on S. and 5 notches
on E. edges, and raised a mound
of stone alongside, Pitts impracticable.

Land flat

Soil good & 2^d rate
No timber.

on random line

East, bet. Secs. 29 & 32

Var. $12^{\circ} 30' E.$

40.00 Set temporary $1/4$ sec. cor.

80.05 Intersect N. & S. line 8 lks S. of
cor. to Secs. 28. 29. 32 & 33.

Thence 3 mm

S. $89^{\circ} 57' W.$ on a true line bet.
Secs. 29 & 32, with same va.

40.02 Deposited a charred stake, 12 ins.

Subdivisions T. 8 S. R. 32 E. continued

chains.

in the ground for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. E & W.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base over it. In E. pit
drove a stake 2 ft. long 2 ins.
square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.

80.05 The cor. to Secs. 29, 30, 31 & 32.
Land flat
Soil good & 2^d rate.
No timber.

West on a random line bet.
Secs. 30 & 31.

Cor. $12^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.06 Intersect N. Boundary

Subdivisions T. 8 S. R. 32 E. continued

chain

of township 10 lks N. of cor. to
Secs 25, 30, 31 & 36. which
is a limestone 14 x 14 x 3 ins.
firmly set in the ground, marked
with 5 notches on N. & 1 notch
on S. edges, and pits in each
sec. 5 1/2 ft. dist. with mound
of earth 2 ft high 4 ft base
alongside.

Thence Iron

N. 89° 56' E. on a true line, bet.
Secs. 30 & 31 with same va.

40.06 Set a lava rock 10 x 8 x 6 ins.
7 ins. in the ground, for 1/4
sec. cor. marked 1/4 on N.
face, and raised a mound
of stone alongside, pits in-
practicable.

80.06 The cor. to Secs. 29, 30, 31 & 32

Subdivisions N. & S. R. 32 E. continued

chain

Land mostly flat, some
broken on W. end,
Soil 2^d rate
No timber.

North bet. Secs. 29 & 30.
Var. $12^{\circ} 30' E$.

40.00 Set Lava rock $10 \times 8 \times 8$ ins.
7 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on W.
face, dug pits $18 \times 18 \times 12$ ins.
N & S. of stone $5 \frac{1}{2}$ ft. dist.
and raised a mound of
earth $1 \frac{1}{2}$ ft. high, $3 \frac{1}{2}$ ft. base
alongside.

50.50 Descend from Mesa

63.00 Enter Bottom course N. W.

75.00 Road from Ranch course N. W.

Subdivisions T. 8 S. R. 32 E. continued

chains
8000

Set a post 4 ft. long 4 ins. square,
with marked stone 12 ins. in the
ground, for cor. to Secs. 19, 20, 29 &
30. marked -

T. 8 S. S. 2 over N. E.

R. 32 E. S. 29 on S. E.

S. 30 on S. W. and

S. 19 on N. W. faces, with 2 notches
on S. and 3 notches on E. edges,
dug pits 18+18+12 ins. in each sec.

5 ft. dist. and raised a mound
of earth 2 ft. high 4 ft. base
around post. from which
Connell & Hutchinsons house
bears S. 27 1/2° E. about 12 chs dist.

Land flat

Soil good after cutting Bottom
cotton wood & Willows along
River, Bottom.

Subdivisions N. & S. R. 32. E. continued

chains.

East on a random line,
bet. Secs. 20 & 29.

Var. $12^{\circ} 30' E.$
crossing Gile River
32.17 Sign road from Rauch corner N. E.

40.00 Set temporary $1/4$ sec. cor.

79.91 Intersect N. & S. line 9 lks N.
of cor. to Secs. 20, 21, 28 & 29.

Thence Iron

N. $89^{\circ} 57' W.$ on a true line, bet
Secs. 20 & 29. with same va.

34.49 Right bank of Gile River corner
N. W. where ~~last post for Precader~~
~~cor. 4 ft long, 4 in. square, with~~
~~marked stone pins in the~~
~~ground, for cor. to fractional~~
~~Sec. 20 & 29, marked M. C. with~~
~~D. & S. S. 20 on N.~~

R. 32 E. on E. end

S. 29 on S. faces, dug pits

Subdivisions T. 8 S. R. 32 E. continued

chains

~~8 ft. square, 1 ft. deep 8 lks E. of post, and raised a mound of earth 2 ft. high, 4 ft. long, around post. Set flag on opposite side on line, measure off base 100 lks S. from the end of which flag bears N. $69^{\circ} 17' E.$ distance therefore across River 2.64 ch or~~

37.13 ~~Left Bank of Gile River, which point I establish by setting a post 4 ft. long 4 in. square, with marked stone pins in the ground for meander cor. to fractional sec. 20 & 29 marked M.C. and T. 8 S. on N.~~

~~R. 32 E. on N. and S. 29 on S. faces, dug pit 8 ft. square 1 ft. deep. 8 lks N.~~

Subdivisions N. & S. R. 32 E. continued

chains

~~of post and raised a mound
of earth 2 ft. high, 4 ft. base
around post.~~

- 39.95 Set a post 3 ft. long 3 ins. square,
with marked stone 12 ins in the
ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, from which
a Willow 15 ins. dia. h. 39' c. 253 lbs. dist.
marked $\frac{1}{4}$ S. B. N.
a Cottonwood 30 ins. dia. S. 34 $\frac{3}{4}$ E. 273 lbs. dist.
marked $\frac{1}{4}$ S. B. N.

- 79.91 The Cor. to Secs. 19.20. 29 & 30
Land flat
Soil good
Cottonwood & willow along river.

Nest on a random line
bet. Secs. 19 & 30.

Subdivisions S. & S. R. 32. E. continued

chains

Var. $12^{\circ} 30' E.$

5.32 Road course N.W.

8.00 Leave Bottom & ascend Mesa
course N.W.

16.10 Top of Mesa 50ft. high.

30.15 Dry wash 40 lks wide course N.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.88.09 Intersect west By of township
16 lks S. of cor. to Secs. 19.24.25.30 which is a volcanic
rock $14 \times 6 \times 5$ ins. firmly set
in ground marked with
4 notches on N. & 2 notches on
S. edges, and ~~-----~~ a mound
of stone alongside.

Thence I run

S. $89^{\circ} 53' E.$ on a true line,
bet. Secs. 19 & 30. with ~~and ca.~~40.09 Set a post $8\frac{1}{2}$ ft. long 3 ins. square

Subdivisions N. S. R. 32 E. continued

chains

with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits 18 x 18 x 12 ins. E & W. of
post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high,
3 $\frac{1}{2}$ ft. base around post.

80.09 The cor. to Secs. 19, 20, 29, 30.
Land mostly on mesa
Soil 2^d rate
No timber.

North bet. Secs. 19 & 20.
Var. 12° 30' E.

24.54 To left Bank of Gila River
course N. W. ~~where I set a~~
~~post for Meander cor. 4 ft. long~~
~~4 ins. square, with marked~~

Subdivision N. & S. R. 32 E. continued

chain

stone, 12 ins. in the ground,
for cor. to fractional Secs.
19 & 20. marked M.C. with
N. & S. on S.

R. 32 E. S. 20 on E. and
S. 19 on W. faces, dug pit 3 ft
square, 12 ins. deep 8 lbs S. of
post and raised a mound
of earth 2 ft high 4 1/2 ft base
around post. Set flag on
opposite side on line, measure
off base 100 lbs W. from the
end of which flag bears N. 22°
41' E. distance therefore across
River 2.46 chs. or. —

27.00 To Right Bank corner N. which
point I establish by setting a
post 4 ft. long, 4 ins. square, with
marked stone 12 ins. in the

Subdivisions D. & S. R. 32 E. continued.

Chains

~~ground, for meander cor. to
fractional sec. 19 & 20 marked
M. C. and
D. & S. on N.~~

~~R. 32 E. S. 20 on E. and
S. 19 on N. faces, dug pit
2 ft. square, 12 ins. deep & lks
N. of post and raise a mound
of earth 2 ft high $4\frac{1}{2}$ ft. base
around post. Then continue line.~~

40.00 Set a post 2 ft. long 3 ins. square,
with marked stone 12 ins. in
the ground for $\frac{1}{4}$ sec. cor,
marked $\frac{1}{4}$ S. on N. face,
dug pits 18 x 18 x 12 ins. N & S.
of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{4}$ ft base around post.
from which

Subdivisions T. 8 S. R. 32 E. continued

chains

A Cottonwood 4 ins. dia. br. h. 21 $\frac{3}{4}$ E. 357 lbs. dist. marked $\frac{1}{4}$ S. B. T.

a Willow 4 ins. dia. br. S. 86 $\frac{1}{2}$ W. 100 lbs. dist. marked $\frac{1}{4}$ S. B. T.

8000

Set a post 4 ft. long 4 ins. square, with marked stone 12 ins. in the ground for cor. to Secs. 17, 18, 19, 20. marked

T. 8 S. S. 17 on N. E.

R. 32 E. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with 3 notches on S. and 5 notches on E. edges, dug pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base around post from which Newcomb, Purdy & Bachelders Rauch br. S. 51 W.

Subdivisions N. & S. R. 32 E. continued

chains

about 12 chs dist.
 Land flat
 Soil good
 Cottonwood & Willow along
 River.

East on a random line bet.
 Secs. 17 & 20.

Var. $12^{\circ} 30' E$.

21.35 Road from Silver City to
 Clifton course N. W.

35.00 Leave Bottom extending N. W.
 and ascend low hills.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.88 Intersect N & S. line 15 chs N.
 of cor. to Secs. 16, 17, 20 & 21.

Thence I run

N. $89^{\circ} 54' W$. on a true line,
 bet. Secs. 17 & 20. with same var.

Subdivisions. S. & S. R. 32 E. continued

chain

- 39.94 Set a porphyry rock 15x10x5.
ins. 10 ins. in the ground, for
1/4 sec. cor. marked 1/4 on N.
face, and raised a mound
of stone alongside, Pto in
practicable.
- 79.88 The Cor. to Secs. 17, 18, 19x20
Land flat
Good bottom land on West end
No timber of any consequence.

West on a random line bet
Secs. 18 + 19.

Var. 12° 30' E.

Crossing the Gila River

16.50 Road course N. W.

40.00 set temporary 1/4 sec. cor.

59.30 Leave bottom & ascend mesa

Subdivisions N. & S. R. 32 E. continued

- chains
67.00 Point of Mesa.
- 80.12 Intersect W. By of township
17 lks N. of cor. to secs. 13, 18
19, 24, which is a volcanic
rock 12 x 10 x 6 ins. firmly set
in the ground, marked
✓ with 3 notches on N. & S. edges,
and mound of stone alongside,
Thuse Iron
N. 89° 53' E. on a true line, bet
Secs. 18 & 19 with same va.
- 39.42 To left bank of Gila River
~~where I set a post 4 ft. long, 4~~
~~ins. square, with marked stone~~
~~12 ins. in the ground for~~
~~meander cor. to fractional Secs.~~
~~and with a post to 1/4 sec. cor. which falls into bed of river.~~
~~18 & 19, marked N. E. with~~
~~R. & S. 18 on N. & 1/4 S. W. C.~~
~~R. 32 E. on W. and~~

Subdivisions N. & S. R. 32 E. continued

Chains

~~S. 19 on S. faces, dug pit~~
~~2 ft. square 1 ft. deep~~ ~~200~~ ~~ft. W.~~
~~of post and raised a mound~~
~~of earth 2 ft. high 4 ft. base~~
~~around post.~~ Set flag on opposite
 side on line measure of base
 200 ft. South from the end
 of which flag br. $N. 81^{\circ} 30' E.$
 distance therefore across River.
 = 13.40 chs or.

52.82 To right bank ~~which point I~~
~~establish by setting a post 4 ft.~~
~~long 4 in. square, with marked~~
~~stone 12 in. in the ground~~
~~for meander cor. to fractional~~
~~secs. 18 & 19 marked M. C. and~~
~~N. & S. S. 18 on N.~~
~~R. 32 E. on E. and~~
~~S. 19 on S. faces, dug pit 2 ft.~~

Subdivisions N. 8 S. R. 32 E. continued

chains

~~square 1 foot deep s.l.k. E. of
post. and raised a mound
of earth 2 ft. high, 4 ft. base
around post.~~

80.12 The cor. to Secs. 17, 18, 19, & 20

Land flat.

Soil good bottom land
bottomwood & willow along
River.

February 23, 1882

North bet. Secs. 17 & 18

Var. $12^{\circ} 30'$ E.

14.27 Road from Silver City to
Clifton. course N. W.

40.00 Deposited a charred stake, 12 ins.
in the ground for $\frac{1}{4}$ sec. cor. dug
pits 18 x 18 x 12 ins. N. & S. of cor.

Subdivisions T. 8 S. R. 32 E. continued

chains

5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked 1/4 S. on N. face.

8000

Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 7, 8, 17 & 18. dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground marked
 T. 8 S. S. 8 on N. E.
 R. 32 E. S. 17 on S. E.
 S. 18 on S. W. and
 S. 7 on N. W. faces, with 4 notches

Subdivisions N. & S. R. 32 E. continued

chains

on S. and 5 notches on E. edges
 Land descending gently S. W.
 Soil good
 No timber.

East on random line bet.
 Secs. 8 & 17.

Var. $12^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N & S. line 17 lks
 S. of cor. to Secs. 8, 9, 16 & 17.

Thence 30 m

S. $89^{\circ} 53' W.$ on a true line, bet.
 Secs. 8 & 17. with same va.

39.92 Deposited a charred stake 42 ins.

in the ground for $\frac{1}{4}$ sec. cor.
 dug pits 18 x 18 x 12 ins. Et W. of
 cor. 5 $\frac{1}{2}$ ft. dist. and raised

Subdivisions P. S. R. 32 E. continued.

chains

a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. On E.
 pit drove a stake 2 ft. long
 2 ins. square, 12 ins. in the
 ground, marked $\frac{1}{4}$ S. on
 N. face.

79.85 The cor. to Secs. 7, 8, 17 & 18.
 Land plain descending
 gently S.
 Soil good
 No timber.

West on a random line
 bet. Secs. 7, 18.

Var. $12^{\circ} 30' E$.

4000 Set temporary $\frac{1}{4}$ Sec. cor.
 80.07 Intersect W. By of township
 20 lks N. of cor. to Secs. 7, 12, 13 & 18.

Subdivisions N. 8 S. R. 32 E. continued,

chains

which is a post 4 ins. square,
marked -

N. 8 S. S. 7. on N. E.

R. 32 E. S. 18 on S. E.

S. 13 on S. W. and

S. 12 on N. W. faces, with 2
notches on N. & 4 notches on
S. edges, with pits in each
sec. and mound of earth
around post.

Thence I run

N. $89^{\circ} 51' E.$ on a true line, bet.

Secs. 7 & 18 with same va.

40.07 Set a granite stone $12 \times 10 \times 4$
ins. 8 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face; dug pits $18 \times 18 \times 12$ ins.
E & W. of stone $5\frac{1}{2}$ ft. dist.
and raised a mound of

Subdivisions N. & S. R. 32 E. continued

chains

earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
alongside.

80.07 The Cor. to Secs. 7, 8, 17 & 18.
Land mostly plain
Soil good
No timber.

North bet. Secs. 7 & 8.

Var. $12^{\circ} 30' E.$

4000 Set volcanic rock $12 \times 9 \times 6$
ins. 8 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on W. face, dug pits $18 \times 18 \times 12$
ins. N & S. of stone, $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
base alongside.

8000 Set volcanic rock $13 \times 8 \times 7$

Subdivisions N. & S. R. 32 E. continued

chains

ins. 9 ins. in the ground, for
 cor. to Secs. 5, 6, 7 & 8.
 marked with 5 notches on
 S. & E. edges. dug pits 18x18x
 12 ins. in each sec. 5 1/2 ft. dist.
 and raised a mound of earth
 2 ft. high, 4 ft base, along side.
 Mesa land

Soil poor

No timber.

N. & E. of here the land
 is not surveyable.

West on a random line
 bet. Secs. 6 & 7.

Var. $12^{\circ} 30' E.$

40.00 Set temporary 1/4 sec. cor.

80.13 Interest W. By. of township

Subdivision N. 8 E. R. 32. Continued

chains

19 lbs N. of cor. to Secs. 1. 6. 7 & 12
 which is a limestone 18 x 10 x 4
 ins. firmly set in the ground,
 marked with 1 notch on N.
 & 5 notches on S. edges, and
 pits on each sec. with
 mound of earth alongside.
 Thence 9 mm.

N. 89° 51 E. on a true line,
 bet. Secs. 6 & 7. with same va.

40. 13 Set volcanic rock 15 x 9 x 7 ins.
 10 ins. in the ground, for 1/4
 sec. cor. marked 1/4 on N. face,
 dug pits 18 x 18 x 12 ins. E. & W.
 of cor. 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high,
 3 1/2 ft. base alongside.

80. 13 The cor. to Secs. 5. 6. 7 & 8.
 Mesa land

Subdivisions N. & S. R. 32 E. continued

chain

Soil poor.

No timber.

February 24. 1882.

meanders of the Right Bank of the Gila
River.
In T. 8 S. R. 32 E. G. & S. R. M.

From the Point where the Boundary
line bet. Arizona & New Mexico
intersects the right Bank of the
Gila River. where I set a post for
meander cor. and which is 5.77
chains N. of the closing corner
of the S. By. of the township.
bet. Secs. 33 & 34. Thence along
Right Bank of River down
the stream as follows. in Sec. 34.

S. 51° W.	3.70	chains.	thence
S. 69° 55' W.	9.90	"	"
N. 6° W.	4.00	"	"
N. 54° W.	3.50	"	"
S. 85° W.	5.00	"	"
N. 86° W.	8.20	"	"
N. 49½° E.	5.20	"	"
N. 32¾° E.	2.90	"	"
N. 67¼° W.	6.30	"	"

Var. 12° 30' E

Meanders of Right Bank of Gila
River continued.

11	N. $86\frac{3}{4}^{\circ}$ W.	4.90	chains	thence
11	S. $65\frac{1}{2}$ W.	6.20	"	"
12	N. $50^{\circ}10'$ W.	9.20	"	"
13	N. 84° W.	7.80	"	"
14	N. $49\frac{3}{4}$ W.	8.00	"	"
15	N. 57° W.	6.20	"	"
16	S. $55\frac{1}{2}$ W.	6.80	"	"
17	N. $62\frac{1}{2}$ W.	3.60	"	"
18	N. $17^{\circ}10'$ W.	4.58	"	"
19	N. $63\frac{3}{4}$ W.	6.70	"	"
20	N. $10^{\circ}20'$ W.	3.40	"	"
21	N. $34\frac{1}{4}$ E.	6.70	"	"
22	N. $36^{\circ}10'$ W.	6.60	"	"
23	N. $88\frac{1}{2}$ W.	1.70	"	"

To Meander Cor. to fractional Sec.
33 + 34

Thence in Sec. 33.

Var. $12^{\circ}30'$ E.

N. 69° W. 7.10 chains thence

Meanders of right Bank of Gila

River continued.

S. 8 S. R. 32 E.

- 1 N. 39° W. 2.40 chains thence
- 2 N. 15 3/4° W. 3.40 " "
- 3 N. 41° 20' E. 9.20 " "
- 4 N. 33 3/4° W. 5.10 " "
- 5 N. 66 1/2° W. 11.10 " "
- 6 N. 17 3/4° W. 3.90 to meander
- 7 Cor. to fractional Secs. 28 x 33.
- 8 Thence in Sec. 28.

Var. 12° 30' E.

- 1 N. 42 1/4° E. 9.10 chs. thence
- 2 N. 20° 10' W. 7.40 " "
- 3 N. 60 3/4° W. 6.50 " "
- 4 N. 79 1/2° W. 4.20 " "
- 5 N. 56 1/4° W. 10.30 " "
- 6 N. 81 1/2° W. 7.00 " "
- 7 N. 23 1/2° W. 4.20 " "
- 8 N. 56 1/4° W. 4.50 " "
- 9 N. 78° W. 5.40 " "
- 10 N. 41 1/4° W. 10.20 " "

Meanders N. & S. R. 32 E. continued

- 11 N. $73\frac{1}{4}^{\circ}$ W. 5.80 chs thence
 12 N. $67\frac{1}{4}^{\circ}$ W. 4.10 " "
 13 N. $39\frac{3}{4}^{\circ}$ W. 5.40 " "
 14 S. $84\frac{3}{4}^{\circ}$ W. 13.80 To Meander
 Cor. to fractional Secs. 28 & 29.
 Thence in Sec. 29.

Var. $12^{\circ} 30' E.$

- 1 N. $75^{\circ} 10'$ W. 9.70 chains. thence.
 2 N. $46\frac{1}{4}^{\circ}$ W. 7.50 " "
 3 N. $22\frac{3}{4}^{\circ}$ W. 8.90 " "
 4 S. $67\frac{1}{4}^{\circ}$ W. 15.20 " "
 5 N. $4\frac{3}{4}^{\circ}$ W. 18.20 " "
 6 N. $14\frac{1}{2}^{\circ}$ W. 3.60 " "

To Meander Cor. to fractional
Secs. 20 & 29.

Thence in Sec. 20.

Var. $12^{\circ} 30' E.$

- 1 N. $23\frac{1}{2}^{\circ}$ W. 14.80 chs. thence
 2 N. $63\frac{1}{4}^{\circ}$ W. 10.10 chs "

Meanders N. & S. R. 32 E. continued

3 S. $63\frac{3}{4}^{\circ}$ W. 9.00 chs. thence
 4 N. $25\frac{1}{4}^{\circ}$ E. 10.20 " "
 5 N. $32\frac{1}{4}^{\circ}$ W. 8.00 " "
 6 S. $88\frac{1}{2}^{\circ}$ W. 4.70 " "
 7 S. $79\frac{1}{2}^{\circ}$ W. 17.90 To meander
 cor. to fractional secs. 19 & 20.
 Thence in Sec. 19.

Var. $12^{\circ} 30' E.$

1 N. $64\frac{1}{2}^{\circ}$ W. 13.20 chains thence
 2 N. $19\frac{1}{2}^{\circ}$ E. 17.50 " "
 3 N. 60° W. 8.80 " "
 4 N. $19^{\circ} 40'$ W. 12.60 " "
 5 N. $76\frac{1}{4}^{\circ}$ W. 16.20 " "
 6 N. $22\frac{1}{4}^{\circ}$ W. 8.40 " "
 7 N. $72\frac{1}{2}^{\circ}$ E. 10.00 To meander
 cor. to fractional Secs. 18 & 19.
 Thence in Sec. 18.

Var. $12^{\circ} 30' E.$

1 N. $48\frac{1}{2}^{\circ}$ E. 4.50 chains thence.

Meanders N. & S. R. 32 E. continued

- | | | | | |
|---|-----------------------------------------------|-------|-----------|--------|
| 2 | N. $89\frac{3}{4}^{\circ}$ E. | 9.20 | chs. | thence |
| 3 | N. $42\frac{1}{2}^{\circ}$ W. | 12.00 | " | " |
| 4 | N. $49\frac{3}{4}^{\circ}$ W. | 3.80 | " | " |
| 5 | N. 82° W. | 16.20 | " | " |
| 6 | N. $12^{\circ} 20'$ W. | 11.90 | " | " |
| 7 | N. $49^{\circ} 40'$ W. | 10.10 | " | " |
| 8 | S. 83° W. | 8.90 | " | " |
| 9 | S. $49^{\circ} 20'$ W. | 14.60 | A meander | |
| | Cor. to fractional Secs. 13 & 18 | | | |
| | in N. ^{Sec. 18} By. N. & S. R. 32 E. | | | |
| | March 3, 1882. | | | |

General Description

The portion of T. & S.
R. 32 E. that is surveyed
lies along the Gila River, and
adjoins the Boundary line,
between Arizona, and New
Mexico.

There is considerable good
Bottom land along the River,
with Cottonwood & Willow
Timber, along the stream.

The N. E. part of the township
is worthless and not sur-
veyable.

Theodore J. White
U. S. Deputy Surveyor.

List of Names.

60

62

BOOK 705

BOOK 705

A list of the Names of Individuals employed by
Theodore H. White U. S. deputy
surveyor, to assist in running, measuring, or marking the lines
and corners described in the foregoing Field Notes of the survey

of the subdivision lines of
fractional township 8 S,
R. 32 E. and the meanders
of the Salt River in said town-
ship 8 S and Salt River Meridian

Showing the respective capacities in which they acted.

J. H. McClure Chainman.

J. C. Ford Chainman.

John Blake Axeman.

Geo. T. Wyatt Flagman.

Joseph Schwatz Woundedman

Final Oath of Assistants.

BOOK 705

We hereby certify that we assisted

Theodore

J. White U. S. Deputy Surveyor, in surveying

all those parts or portions of *the subdivision*

lines of T. 8 S. 1 fractional

T. 8 S. R. 32 E. and the

remains of the Gila River in
said township, Gila and Salt
River Meridian

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. McBlaine Chairman.

J. O. Ford Chairman.

John Blake Axeman.

Geo. J. Wyeth Flagman.

J. S. Schreyer *Miner*

Sworn to and subscribed before me, this

March, 188*12*

Paul Riecker
Notary Public Pima
County, Arizona.

Final Oath of Deputy Surveyor.

62

5

BOOK 705

I, Theodore J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the

day of _____ 188____, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

the subdivision lines of
fractional township 8 S. R. 1
32 E, and the meanders
of the Salt River in said
township. Gila & Salt River
Meridian as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

63

field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846


Theodore H. White


U. S. Deputy Surveyor.

Sworn to and subscribed before me this 6 day of March, 1882

Paul Riccher
Notary Public Pima
County, Arizona

BOOK 705





BOOK 705

64

U. S. Surveyor General's Office,
Tucson, Arizona, *April 19*, 1882

The foregoing Field Notes of the survey of *the*

Subdivisions of T^p. S. S. Range

37 East

of the Gila and Salt River Base and Meridian, Arizona,
executed by *Thomas F. White*,
D. S., under his contract of the *17th* day of
October, 1881, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.