

No. 723

BOOK 723

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township *11 S.* Range *23 E.*

Gila and Salt River Base and Meridian

ARIZONA. No. 723

By *Theodor F. White*, D. S.

under contract dated *June 25, 1875.*

Survey commenced *Decem. 7, 1875.*

Survey completed *Dec. 10, 1875.*

723

Preliminary Oaths of Assistants.

We, Urbain Bessard
 and R. A. Vasquez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Urbain Bessard
R. A. Vasquez

Sworn to and subscribed before me, this 18
 day of October, 1875

John H. Harris
 Asst Secretary
 Ariz.

We, B. Palmer and
Wright H. Aubrey
do solemnly swear that we will well and truly per-
form the duties of Atman and
flagman, respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palmer
Wright H. Aubrey.

Sworn to and subscribed before me this 18th
day of October, 1875.

John W. Harris
Asst Secretary
Ariz.



No. 723

4-674.

Township 17S, R. 23E, S. & R. B&M

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 11 S. R. 23 E.
Tela & Salt River No. 1000

Subdivision commenced Dec. 7. 1875.
From cor. to sec. 35 & 36, on S. boundary, run
North between sec. 35 & 36
var. $14^{\circ}12'$ East.

As per East Boundary.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sqd. 1 ft in the ground, as per instructions, for cor. to sees. 25. 26. 35 and 36. No trees near.

Land, sloping a little S. W.
Soil mostly 2^d rate. Good pasturage. No stones or timber.

Township 11 S. R. 73 E.

T. 4 Salt River Meridian

In Eastward line bet. sec. 25 & 36.
var. $14^{\circ}12'$ East.

49.00 Set temporary $\frac{1}{4}$ sec. cor.

66.00 Road runs N.

80.21 Intersect E. boundary 15 hrs. S. of
cor. to sec. 25 & 36, from which cor. run
 $S. 89^{\circ}54' W.$

On true line between sec. 25 & 36.

var. $14^{\circ}12'$ East.

40.11 Drive charred stake and build
mound of earth 2 ft. high,
with pit 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.21 Cor. to sec. 25, 26, 35 & 36.

Land slopes S. W. slightly.

Soil 2nd rate, mostly.

Good grass. No stone or timber.

Township 11 S. R. 23 E.
Tela Salt River Meridian

No. North between sec. 25 & 26
var. $14^{\circ}12'$ East.

40.00 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

50.00 Drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit S. E.
of cor. drive a stake, marked
and notched, 2 ft long, 2 in.
sqd. 4 ft in the ground, as per
instructions, for cor. to sec.

23, 24, 25 and 26. No trees near.
Land slopes a little S. W.

Good grass. Soil 2^d rate mostly
No stones or timber.

Township 11 S. R. 23 E.

Sec. 4 Salt River Meridian

On East or random line bet. sec. 24 & 25.
var. $141^{\circ}12'$ East.

140.00 Set temporary $\frac{1}{4}$ sec. cor.

68.00 Road runs N. E.

70.00 Road runs N. E.

79.87 Intersect E. boundary of sec. N. of sec.

to sec. 24 and 25 from which cor. Run
N. $89^{\circ}56'$ W.

Continue line between sec. 24 & 25.

var. $141^{\circ}12'$ East.

39.94 Drive charred stake and build mound a foot $2\frac{1}{2}$ ft high, with pit $1\frac{1}{2}$ ft deep, $2\frac{1}{2}$ ft long, $1\frac{1}{2}$ ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

79.87 Co. to sec. 23, 24, 25 & 26.

Land slopes a little S. W.

Good grass. Soil mostly 2nd rate.

No stones or timber.

Township 11 S. R. 73 E.
 Tila & Salt River Meridian

Co. North between secs. 23 & 24.
 700. 141° 12' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 24 sec. cor. No trees near.

50.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq id, 1 ft in the ground, as per instructions, for cor. to secs. 13,

14, 23 and 24. No trees near. Land sloping a little S. W.

Good pasturage. Soil mostly 2nd rate. No stones or timber.

Township 11 S. R. 73 E.
Gila & Salt River Meridian

Chs. East on random line bet sec. 13 & 7th
var. $111^{\circ}12'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

69.00 Road to Grant runs N.

79.00 Road to Grant runs N.

80.01 Intersect E. boundary 3 hrs. S. of
cor. to sec. 13 & 7th from which
cor. from

S. $89^{\circ}59'$ W.

On true line bet sec. 13 & 7th

var. $111^{\circ}12'$ East.

40.02 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep
& 1 ft long. & make as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.04 Cor. to sec. 13, 14, 73 and 7th.
Land nearly flat Soil sandy and
grate Good grass.
No stone or timber.

Township 11 S. R 23 E,
Gila & Salt River Meridian

Co. North between sec. 13 & 14
var. 111° 12' East

40.00 Drive charred stake and build
mound of earth 2 ft high, with
pit 4 ft deep, 2 ft long, 4 ft wide as
per instructions, for 14 sec. cor.
No trees near.

80.00 Drive charred stake & build
mound of earth 2 ft high, with
pit 4 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor.
drive a stake, marked and
notched, 2 ft long, 2 in. sq. d. 1 ft
in the ground, as per instructions
for cor. to sec. 11, 12, 13 and 14.
No trees near.

Land nearly flat Soil sandy
and sparse. Good grass.
No stones or timber.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Ch. East meridian line bet sec. 12 & 13.
 var. $141^{\circ}12'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

70.00 Roadway N.

79.91 Intersect E. boundary of 4th sec. N.
 of sec. to sec. 12 and 13. from
 which cor. Run
 $N. 89^{\circ} 54' 7''$

On line between sec. 12 & 13.

var. $141^{\circ}12'$ East.

39.96 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.91 Cor. to sec. 11, 12, 13 and 14.
 Land nearly flat Soil sandy,
 and 2nd rate. Good grass.
 No stones or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

Line North between sees. 11 & 12
rur. 114° 12' East

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

50.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions, for cor. to sees. 1, 2, 11 and 12. No trees near.
Land nearly flat Soil sandy and gravel. Good grass. No stone or timber.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

Sec. East corner line between 1st & 12th
var. $114^{\circ}17'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

70.00 Road line, N.

79.98 Intersect E. boundary, C. line, N.

of cor. to secs. 1 and 12, from
which cor. done
N. $89^{\circ}57'$ W.

Outline line between secs. 1st & 12th.

var. $114^{\circ}17'$ East.

39.99 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.98 Cor. to secs. 1, 2, 11 and 12.

Land mostly nearly flat.
Soil sandy & 2nd rate. Good grass.
No staves or timber.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Sec. North Contine line to Sec. 1 & 2.
 var. 14° 12' East.

40.00 Drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1st Sec. cor. No trees near.

80.06 Intersect 2^d Standard Parallel S., 2st. 39 ch. N. of standard cor to Secs. 35 and 36. of sp. 10 S. R. 23 E.

Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep 2 1/2 ft long, 1 1/2 ft wide, and in center of pit E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. in the ground, as per instructions for closing cor to Secs. 1 and 2. No trees near.

Land mostly flat Soil sandy & 2^d water Good grass. No stones or timber.

Township 11 S. R. 23 E.

Gila Salt River Meridian

Ch. North between sec. 34 & 35
var. 144° 12' East

40.00 Drive charred stake and build mound a foot high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.

Notes near:

80.00 Drive charred stake and build mound a foot high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. corner drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions, for cor. to sec. 26, 27, 34 and 35. Notes near. Land sloping a little S. W. Soil mostly granite. Good grass. No stones or timber.

Township 11 S. R. 23 E.
 Gila Co. Salt River No. 1

To East corner line between 26 & 35.
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. & S. line, 10 lbs. S. of
 cor. to secs. 25, 26, 35 and 36,
 from which cor. run
 $S. 89^{\circ}56' W.$

On true line between secs. 26 & 35.
 var. $14^{\circ}12'$ East.

40.08 Drive charred stake and build
 mound of earth 2 ft high with
 pit 4 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 Notes near.

80.17 Cor. to secs. 26, 27, 34 & 35.

Land slopes a little S. W.

Soil mostly 2nd rate.

Good grass. No stones or timber.

Township 11 S. R. 23 E.
 6th & Salt River Meridian

Sec. North between secs. 26 & 27.
 400. 14' 12" East

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake & build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of
 cor. drive a stake, marked
 and notched, 2 ft long, 2 in.
 sq. 1 ft in the ground, as per
 instructions, for cor. to secs.
 22, 23, 26, and 27. No trees
 near. Land, slopes a little
 S. W. Soil mostly 2 rate. Good
 grass, No stone or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

Co. East on random line bet sec. 23 & 26.
var. $14^{\circ} 2'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. & S. line, 11 lks. S. of
cor. to sec. 23, 24, 25 and 26,
from which cor. June
 $89^{\circ} 55' W.$

On line bet sec. 23 & 26.
var. $14^{\circ} 2'$ East.

40.00 Set Duri charred stake & build mound
of earth 2 ft. high, with pits 4 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.08 Co. to sec. 22, 23, 26 and 27.
Land slopes a little S. W.

Soil mostly 2^o rate.

Good grass, No stone or timber.

December 7, 1875.

Township 11 S. R. 23 E.
Tila & Salt River Meridian

Co. North between secs. 22 & 23.

var. $14^{\circ}12'$ East

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14° sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to Secs. 14, 15, 22 and 23. No trees near. Sand slopes a little S. W. Soil mostly 2nd rate Good grass. No stones or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

No. East on random line bet sec. 14 & 23.
var. $14^{\circ}12'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line 6 lks. S. of
cor. to sec. 13, 14, 23 and 24,
from which cor. Run
 $889.57'$ N.

Continue line between sec. 14 & 23.

var. $14^{\circ}12'$ East.

39.99 Drive charred stake and build
mound of earth 2 ft high, with
furrows 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.98 Cor. to sec. 14, 15, 22 & 23.

Sand, grassy plain, descending
a little S.W. Soil mostly 2^o
rate. No stones or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

Sec. North between sec. 14 & 15.
var. $114^{\circ}12'$ East

40.00 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for 14 sec. cor.

No trees near.

80.00 Drive charred stake & build
mound of earth 2 ft high with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. a few
drive a stake marked and
notched, 2 ft long, 2 in. sq'd,
1 ft in the ground, as per in-
structions, for cor. to secs. 10
11, 14 and 15. No trees near.
Land mostly flat. Soil sandy
and 2 rate. Grass. No stone
or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

As Eastward line bet. sec. 11 & 14
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. and S. line of Sec. 9
of cor. to sec. 11, 12, 13 and 14,
from which cor. run
 $S. 89^{\circ}56' W.$

On true line between sec. 11 & 14,
var. $14^{\circ}12'$ East.

40.06 Drive charred stake & build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.13 Cor. to sec. 10, 11, 14 & 15.

Land mostly flat Soil sandy
and 2^d rate. Good grass.
No stone or timber.

Township 11 S. R. 23 E.
 T10 Salt River Mexican

Sec. North between sec. 10 & 11
 var. $14^{\circ}12'$ East

40.00 Drive charred stake $\frac{3}{4}$ build
 mound a foot high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec cor.
 No trees near.

80.00 Drive charred stake $\frac{3}{4}$ build
 mound a foot high, with
 pit 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit S. E.
 of cor. drive a stake, marked
 and notched, 2 ft long, 2 in.
 sq'd. 1 ft in the ground, as per
 instructions, for cor. to sec.
 2, 3, 10 and 11. No trees near.
 Land mostly flat. Soil sandy
 and $\frac{1}{2}$ rate. Good grass.
 No stones or timber.

Township 11 S. R. 13 E.
T4th & Salt River Meridian

Rs. East on random line between 2nd & 11th
var. $14^{\circ}12'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.07² Intersect N. and S. line 5 hrs. S. of
cor. to secs. 1, 2, 11 & 12, from
which cor. down
 $S. 89^{\circ}58' W.$

On true line between secs. 2 & 11.

var. $14^{\circ}12'$ East.

40.03 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.07² Cor. to Sec. 2, 3, 10 & 11.

Land nearly flat

Soil mostly 2nd rate sandy.
Good grass. No stones or
timber.

Township 11 S. R. 23 E.

Sec. 4 Salt River No. 1 claim

Sec. 4 North section line between sec. 2 & 3,
 nor. 14° 12' East.

40.00 Drive charred stake $\frac{3}{4}$ build mound of earth
 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 14 sec. cor.

No trees near.

80.03 Intersect 2^d Standard Parallel S.—
 24.45 Ch. N. of standard cor. to sec.
 34 & 35. of T₁ p. 10 S. range 23 E.

Drive charred stake $\frac{3}{4}$ build mound of
 earth 2 ft high with pit 1 ft deep, 2 ft long,
 1 ft wide, and in center of pit E.
 of cor. drive a stake, marked and
 notched, 2 ft long, 2 in. sq. of ft in
 the ground, as per instructions, for closing
 cor. to sec. 2 & 3. No trees near.
 Land nearly flat Soil sandy
 2^d rate. Good grass. No stones or
 timber.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

No. North between sec. 33 & 34
 var. $114^{\circ}12'$ East

40.00 Drive charred stake & build mound
 a fourth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per in-
 structions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake and build
 mound a fourth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in. sq. d. 4 ft
 in the ground, as per instructions
 for cor. to sec. 27, 28, 33 and
 34. No trees near.

Land flat. Soil good N. - sandy
 2nd rate S. Abundant grass.
 No stone or timber.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Chs. East on random line bet. sec. 27 & 34.
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.27 Intersect N. and S. line 17 lks. S.
 of cor. to sec. 26. 27. 34.
 and 35. from which cor. run
 $S. 89^{\circ}53' N.$

On true line between sec. 27 & 34.
 var. $14^{\circ}12'$ East.

40.11 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.22 Cor. to sec. 27, 28, 33 & 34.
 Land a little undulating.
 Some good soil. Abundant
 grass. No stones or timber.

Township 11 S. R. 23 E.
Tada & Salt River Meridian

Ln. North between sec. 27 & 28.

var. $14^{\circ}12'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $1/4$ sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to sec. 21, 22, 27 and 28. No trees near.

Land descends a little S.

Good soil on S. Abundant grass.
No stones or timber.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

Co. East on random line bet sec. 22 & 27.
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. and S. line 12 lks. S.
of cor. to secs. 22, 23, 26 and
27, from which cor. run
S $89^{\circ}55'$ W.

On true line between sec. 22 & 27.
var. $14^{\circ}12'$ East.

40.07 Lari charred stake & build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.15 Cor. to secs. 21, 22, 27 & 28.
Land grassy plain, sloping a
little S. W. Some good soil
No stones or trees.

Township 11 S. R. 23 E.
 Tila & Salt River Meridian

Co. North between secs. 21 & 22,
 114° 12' East.

40.00 Drive charred stake & build mound
 of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, as per in-
 structions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake & build mound
 of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. a few drive
 a stake, marked & notched, 2 ft
 long, 2 in. sq. d. 1 ft in the ground,
 as per instructions, for cor. to
 secs. 15, 16, 21 & 22.

No trees near.
 Land flat Soil 2^o rate. Grass.
 No stones or trees.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

No. 1. East on random line bet sees. 15 & 22.
var. $14^{\circ}12'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line & line N.
of cor. to sees. 14, 15, 22 and
23, from which cor. run
N. $89^{\circ}57'$ W.

On true line between sees. 15 & 22.
var. $14^{\circ}12'$ East.

39.98 Duroi charred stake and build
mound of earth 2 ft high, with
hole 1 ft deep, 2 ft long, 1 ft wide as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.95 Cor. to sees. 15, 16, 21 & 22.
Land descends a little S. W.
Some good soil. Abundant
grass. No stones or trees

Township 11 S. R. 23 E.

Gila & Salt River Meridian

Cor. North between secs. 15 & 16.
var. $14^{\circ}12'$ East.

110.00 Drive charred stake & build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to Secs. 9, 10, 15 and 16. No trees near. Land mostly flat. Soil sandy & rate. Grass. No trees or brush or stones.

Township 11 S. R. 23 E.
 Tada & Salt River Meridian

Rs. East on random line bet sec. 10 & 15.
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 11 Sec. S.
 of cor. to sec. 10, 11, 14 & 15. from
 which cor. True
 $S. 89^{\circ}55' N.$

On true line between sec. 10 & 15.
 var. $14^{\circ}12'$ East.

39.97 Dune charred stave and build
 mound a ft. high with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.94 Cor. to sec. 9, 10, 15 and 16.
 Land mostly flat
 Soil sandy, 2nd rate. Grasses.
 No stones, brush or trees.
 December 8, 1895.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Sec. North between sec. 9 & 10,
 var. $14^{\circ}12'$ East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake & build
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft wide
 and in center of pit S. E. of
 cor. drive a stake, nailed and
 notched, 2 ft long, 2 in sq. d.,
 1 ft in the ground, as per in-
 structions, for cor. to sec. 3,
 4, 9 and 10. No trees near.
 Land mostly flat. Soil sandy,
 2nd rate; No stones or timber.

Township 11 S. R. 73 E.

Sec. 4 Salt River Meridian

Rs. East on random line bet. sec. 3 & 10.
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect N. and S. line 13 rods
afcor. to secs. 2, 3, 10 and 11,
from which cor. drive
 $S. 89^{\circ}52' N.$

On true line between secs. 3 & 10.

var. $14^{\circ}12'$ East.

39.96 Drive charred stake and build
mound of earth 2 ft high, with
pit 4 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.92 Cor. to secs. 3, 4, 9 and 10.
Land mostly flat. Soil sandy,
2nd rate. No stones or timber.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Chs. North contour line between secs. 33 & 34.
 Var. $14^{\circ}12'$ East.

40.00 Drive charred stake & build mound
 afeath $2\frac{1}{2}$ ft high, with pit $1\frac{1}{2}$ ft deep,
 $2\frac{1}{2}$ ft long, $1\frac{1}{2}$ ft wide, as per instructions
 for 14 sec. cor. No trees near.

80.09 Intersect N. boundary, - the 2^d Standard
 Parallel S. - 74.42 Chs. N. of Standard
 cor. to sec. 33 & 34, of 5th 10 S. Range
 23 E. Drive charred stake and
 build mound afeath $2\frac{1}{2}$ ft high, with pit
 $1\frac{1}{2}$ ft deep, $2\frac{1}{2}$ ft long, $1\frac{1}{2}$ ft wide, and in
 center of pit C. a cor. drive a stake
 marked & notched, $2\frac{1}{2}$ ft long, 2 in. sqd,
 $1\frac{1}{2}$ ft in the ground, as per instructions
 for closing cor. to sec. 33 & 34.
 No trees near.

Land a little undulating. Fine
 grass. No stones or trees.

Township 11 S. R. 23 E.
 Telsa & Salt River Meridian

Co. North between sec. 32 & 33.
 140. 140° 12' East

40.00 Set a volcanic rock, 14 x 8 x 6 inches,
 2/3 in the ground, marked "41",
 and on N. build mound of earth
 2 ft high with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for 40 sec. cor.
 No trees near.

80.00 Set a post, marked and notched,
 4 ft long, 3 in sq. 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for cor.
 to Secs. 28, 29, 32 and 33.
 No trees near.

Land sloping a little S.W.
 Good grass. No timber.

Township 11 S. R. 23 East
 Gila & Salt River Meridian

Chs. East, around which bet sec. 28 & 33
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. E. line 5 hrs. S. of
 cor. to sec. 27, 28, 33 & 34,
 from which cor. run
 $S. 89^{\circ}58' W.$

On true line between sec. 28 & 33.

var. $14^{\circ}12'$ East.

40.05 Set a granite stone $13 \times 9 \times 8$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
 and on N. build of earth 2 ft
 high, with pit 4 ft deep, 2 ft long,
 1 ft wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

80.11 Cor. to sec. 28, 29, 32 & 33.

Slopes a little S. W. Some good
 soil. Abundant grass.
 No trees.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

Ln. North between sec. 28 & 29
 100. 114° 12' East.

5.00 Dry bed aptean 75 lbs. m. d., m. d. E.

40.00 Set a granite stone 14 x 9 x 9 inches,
 2/3 in the ground, marked 74, and
 m. s. build mound of earth 2 ft.
 high, with pit 1 ft. deep, 2 ft. long,
 1 ft. wide, as per instructions, for 74
 sec. cor. No trees near.

50.00 Set a post, marked and colored,
 4 ft long, 3 in sqd. 1/2 in in the ground,
 drive charred stake and build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for cor. to
 secs. 20, 21, 28 and 29.

No trees near. - Land, a little
 undulating. Good soil on N. end.
 a few trees along wash.

Township 11 S. R. 23 E.
 Tola & Salt River Meridian

38. East. meridian line bet. secs. 21 & 28.
 400. 14° 12' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Indirect N. & S. line 15 lvs. S.
 of cor. to secs. 21, 22, 24 and 28.
 from which cor. from
 S. 89° 34' N.

Outline line between sec. 21 & 28.
 400. 14° 12' East

39.92 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.84 Cor. to secs. 20, 21, 28 and 29.
 Land mostly flat
 Soil 2nd rate. No stones or trees.

Township 11 S. R. 23 E.
 Gila $\frac{2}{3}$ Salt River Meridian

Line North between sec. 20 & 21
 var. $14^{\circ}12'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 41 sec. cor. No trees near.

50.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to sec. 16, 17, 20 and 21. No trees near.

Land mostly flat Soil
 3 rate. No stone or timber.

Township 11 S.R. 43 E.
 Gila Salt River Meridian

On East on random line bet. sees. 16 & 21.
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.05 Intersect A. and B. line 8 hrs. S. of
 cor. to sees. 15, 16, 21 and 22, from
 which cor. I run
 S. $89^{\circ}57'$ W.

On true line between sees. 16 & 21.
 var. $14^{\circ}12'$ East.

40.02 Drive charred stake $\frac{3}{4}$ build mound
 of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

50.05 Cor. to sees. 16, 17, 20 & 21.
 Land a little undulating.
 Some good soil.
 No stones or timber.

Township 11 S. R. 23 E.
 Gila Salt River Meridian

Co. North between secs. 16 & 17.
 var. 111° 12' East

40.00 Iron charred stake and build
 mound of earth 2 ft high with
 pit 1 ft deep, 2 ft long, 1 ft wide
 for instructions, for 1/4 sec. cor.
 No trees near.

70.00 Road to Grant, cor. N. E.

80.00 Iron charred stake and build
 mound of earth 2 ft high with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 there is a stake, marked and notched,
 2 ft long, 2 in. sq. d. 1 ft in the
 ground, as per instructions,
 for cor. to secs. 8, 9, 16, & 17.
 No trees near.

Land a little undulating.

Some good soil. No stones
 or timber.

Township 11 S. R. 23 E.
Gila Salt River Meridian

Pr. East. random line bet. secs. 9 & 16.
var. $14^{\circ}12'$ East

5.00 Road base. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect N. and S. line of secs. S. of
cor. to secs. 9, 10, 15 and 16. from
which cor. run
 $S. 89^{\circ}56' N.$

Continue line between secs. 9 & 16.
var. $14^{\circ}12'$ East.

39.97 Drive charred stake $\frac{1}{4}$ build mound
approx. 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor. Notices near

79.93 Cor. to secs. 8, 9, 16 and 17.
Land a little undulating.
Soil 2 rate. Some good.
No stones or timber.

Township 11 S. R. 73 E.
Gila & Salt River Meridian

Chs. North between secs. 8 & 9
var. 1492 East.

40.00 Drive charred stake & build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 1/4 sec. cor. No trees near.

42.00 Old road hrs. S. W.

80.00 Drive charred stake & build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
and in center a pit S. E. of cor.
drive a stake, marked & watched,
2 ft long, 2 in. sqd. 1 ft in the ground,
as per instructions, for cor. to sec.
4, 5, 8 and 9.

No trees near.

Land undulating. Good grass.
No stones or timber.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

35. East on random line bet. sees. 4 & 9
 var. $14^{\circ}12'$ East

35.00 Road to Grant Can. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.16 Intersect N. $\frac{1}{4}$ S. line 12 hrs. S. of
 cor. to sees. 3, 4, 9 and 10,
 from which cor. from
 $S. 89^{\circ}55' N.$

On true line between sees. 4 & 9
 var. $14^{\circ}12'$ East.

40.08 Two charred stakes & build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

80.16 Cor. to sees. 4, 5, 8 and 9.
 Land undulating. Good grass.
 No stones or trees.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

40.00 North on true line between secs. 4 & 5
 var. $14^{\circ}12'$ East.

Drive charred stake & build mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions, for
 1/4 sec. cor. No trees near.

80.14 Intersect N. boundary, the 2^d Stand
 and Parallel S. - 214.35 Chs. N. of
 standard cor. to secs. 32 & 33. of
 Tp. 10 S. Range 23 E. Drive
 charred stake & build mound of earth
 2 ft high with pits 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit E. a sec.
 drive a stake, marked & stretched 2 ft
 long, 2 in sq. 1 ft in the ground, as per
 instructions, for closing cor. to sec.
 4 & 5. No trees near.

Land undulating. Good grass.
 No stones or trees.

December 9, 1875.

45

Township 11 S. R. 73 E.
Gila & Salt River Meridian

Line North between secs. 31 & 32,
var. 14° 12' East.

- 40.00 Set a post, marked '4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, driven charred
stake & build mound of earth 2 ft. high
with pile 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for '4 sec. cor. No trees near.
- 59.00 Dry bed of stream, 40 ft. wide, runs S.E.
- 80.00 Set a post, marked & notched, 4 ft. long,
3 in. sqd. 1 ft. in the ground, driven charred
stake and build mound of earth
2 ft. high, with pile 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruction
for cor. to secs. 29, 30, 31 and
32. No trees near.
Land accords N.
Some good soil. A few trees
along wash.

Township 11 S. R. 23 E.
 T⁴/₄ Salt River Meridian

Co. East on random line betweens 29 & 32.
 var. 14° 12' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Dug bed of stream, 50 lbs. wide, runs N. of E.

79.83 Intersect N. $\frac{3}{4}$ S. line, 14 lbs. S. of cor. to
 secs. 28, 29, 32 and 33. from
 which cor. run
 S. 89° 54' W.

On true line between secs. 29 & 32.
 var. 14° 12' East.

39.92 Set a volcanic rock, 13 x 5 x 6 inches
 $\frac{2}{3}$ in the ground, marked 14,
 and on N. build mound of
 stones 2 ft high, as per instruc-
 tions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.83 Co. to secs. 29, 30, 31 and 32.
 Sand, ascends N. Some good soil,
 a few trees.

Township 11 S. R. 23 E.
 6th Salt River Meridian

On West boundary line bet sec. 30th & 31.
 var. 14° 12' East.

25.00 Road to Grant has. N. E.

26.00 Road to Goodwin has. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.14 Intersect N. boundary 8 hrs. S. of
 cor. to sec. 30th & 31. from which cor. run
 S. 89° 57' E.

On true line between sec. 30th & 31.
 var. 14° 12' East.

38.14 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ of long. flat-
 tened 3 in. wide, 1 ft. in the ground, drive
 charred stake and build mound of
 earth 2 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

78.14 Cor. to sec. 29, 30, 31 and 32.
 Some good soil. A few trees to
 the S.

Township 11 S. R. 73 E.

Sec. 4 Salt River Meridian

Co. North between sec. 29 & 30,
var. 14° 12' East

35.00 Road to Grant Co. N. E.

40.00 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for 74 sec. cor. No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor.
Drive a stake, marked and notched,
2 ft long, 2 in. sq. d., 1 ft in the
ground, as per instructions, for
cor. to sec. 19, 20, 29 and 30.

No trees near.

Land undulating. Fine grass.

No stones or trees.

49

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Sec. East on random line betwees. 20 & 29
 ran. $114^{\circ}12'$ East.

31.00 Rod from Riley's well to Grant, Cas. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. and S. line 11 Sec. S. of
 cor to sees. 20, 21, 28 and 29,
 from which cor. Run
 $S. 89^{\circ}55' W.$

On true line betwees sees. 20 & 29.
 ran. $114^{\circ}12'$ East.

39.93 Set agard stone, $12 \times 8 \times 7$ inches, $\frac{1}{3}$ in
 the ground, marked $\frac{1}{4}$, and on N. build
 mound of earth 2 ft high, with pile 1 ft deep,
 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$
 sec. cor. No trees near.

79.86 Cor. to sees. 19, 20, 29 and 30.
 Land undulating. Soil gravelly.
 Fine grass. No timber.

Township 11 S. R. 73 E.
Gila & Salt River Meridian

1/4 West random line bet. sec. 19 & 30.
var. $14^{\circ}12'$ East

40.00 Set temporary 1/4 sec. cor.

58.00 Road to Goodwin Cas. N. W.

78.09 Intersect N. boundary 2/4 sec. S. of cor. to
sec. 19 and 30. from a back cor.

Drum

$S. 89^{\circ}54'$ E.

Entire line between sec. 19 & 30.

var. $14^{\circ}12'$ East.

38.09 Drive charred stake and build around
a $2\frac{1}{2}$ ft high, with pits 1 ft
deep, $2\frac{1}{2}$ ft long, 1 ft wide, as per in-
structions, for 1/4 sec. cor.

No trees near.

78.09 Cor. to sec. 19, 20, 29 and 30.

Land undulating. Soil gravelly.
Fine grass. No timber.

Township 11 S. R. 23 E.

Sec. 4 Salt River Meridian

To North between sees. 19 & 20.

var. 14° 12' East.

40.00 Drive charred stake and build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 11 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sqd. 1 ft. in the ground, as per instructions, for cor. to sees. 17, 18, 19 and 20. No trees near.

Land undulating. Soil gravelly. Fine grass. No stones or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

Sec. East. on random line bet sees. 17 & 20
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

55.00 Road from Riley's well to Grant, Co. N.E.

80.06 Intersect N. and S. line 11 Sec. S. of cor. to
secs. 16, 17, 20 and 21. from
which cor. Run
S. $89^{\circ}55'$ W.

On true line between sees. 17 & 20.

var. $14^{\circ}12'$ East.

40.03 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.06 Cor. to sees. 17, 18, 19 and 20.

Sand undulating. Soil gravelly.
Fine grass. No stones or timber.

Township 11 S. R. 23 E.
Gila & Salt River Meridian

Ch. N.W. on random line bet sec. 18 & 19,
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.04 Intersect N. boundary 13 sec. N. of
cor. to sec. 18 & 19, from which cor. Run
 $N. 89^{\circ}54' E.$

On true line between sec. 18 & 19,
var. $14^{\circ}12'$ East.

38.04 Set a black volcanic rock, $14 \times 12 \times$
 7 inches, $\frac{2}{3}$ in the ground, marked
W, and on E. build mound of
earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

No trees near.

78.04 Cor. to sec. 17, 18, 19 & 20.

Land rising a little N.
Soil stony. Good grass.
No timber.

Township 11 S. R. 23 E.

Gila Salt River Meridian

Sec. North between secs. 17 & 18.

var. $14^{\circ} 12'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake, marked and notched, 2 ft long, 2 in. sqd, 1 ft in the ground, as per instructions for cont. Secs. 7, 8, 17 and 18.

No trees near.

Land a little undulating.

Good grass. Some good soil.

No stones or trees.

Township 11 S. R. 23 E.
 Sec. 4 Salt River Meridian

As East boundary line bet sees. 8 & 17
 var. $14^{\circ}12'$ East.

20.00 Stream of water runs S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect N. & S. line 10 lbs. S. of cor.
 to sees. 8, 9, 16, and 17, from
 which cor. Run
 $S. 89^{\circ}56' W.$

Outline line between sees. 8 & 17.
 var. $14^{\circ}12'$ East.

40.04 Line charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.09 Cor. to sees. 7, 8, 17 and 18.
 Land descends a little S.
 Soil good. No stones or trees.

Township 11 S. R. 23 E.

Gila & Salt River Meridian

Sec. West on random line betweens, 7 & 18.
var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.11 Intersect N. boundary 8 Sec. N.
at cor. to secs. 7 & 18. from which
cor. run
 $N. 89^{\circ}57' E.$

On true line between secs. 7 & 18.
var. $14^{\circ}12'$ East.

38.11 Set a black volcanic rock, 13 x
8 x 4 inches, $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and on E. build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 4 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

78.11 Cor. to secs 7, 8, 17 and 18.
Some good soil on E. end.
Good grass, No trees.

57

Township 11 S. R. 23 E.
Gala & Salt River Meridian

- Rs. North between sec. 7 & 8,
Var. 14° 12' East,
- 40.00 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for 14 sec. cor. No trees near.
- 70.00 Stream of running water has. S. E.
- 80.00 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor
drive a stake, marked and
notched, 2 ft long, 2 in sq'd,
1 ft in the ground, as per instruc-
tions, for cor. to sec. 5, 6, 7 and
8. No trees near.
Land descends a little S.
Good soil. No trees.

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

Cor. East on random line bet. secs 5 & 8,
 var. $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. $\frac{1}{2}$ S. line 5 lbs. N. of
 cor. to secs. 4, 5, 8, and 9, from
 which cor. run
 N. $89^{\circ}58'$ W.

On true line between secs. 5 & 8.
 var. $14^{\circ}12'$ East.

40.06 Iron charred stake and build
 mound a foot high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.13 Cor. to secs. 5, 6, 7 and 8.
 Land descends a little S. W.
 Some good soil on N. end.
 No trees or stones.

59

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

hs, West. or random line bet. secs. 6 & 7
 var. $14^{\circ}12'$ East.

2.00 Running water bas. S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

77.88 Intersect N. boundary 7 lvs. S. of
 cor. to secs. 6 & 7, from which
 cor. run
 $S. 89^{\circ}54' E.$

Outline line between secs. 6 & 7
 var. $14^{\circ}12'$ East.

37.88 Drive charred stake and build
 mounds of earth 1 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

77.88 Cor. to secs. 5, 6, 7 and 8.
 Land descends a little S. & E.
 Good soil. No stones or trees

Township 11 S. R. 23 E.
 Gila & Salt River Meridian

- Sec. North-south line between sec. 5 & 6.
 Var. $14^{\circ} 12'$ East.
- 8.00 Running water base S. W.
- 40.00 Large charred stake $\frac{3}{4}$ build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 4 sec. cor. No trees near.
- 43.00 Same running water as before, base S. E.
- 80.12 Subsect 2^d Standard S. - 24.38 ch. N. of Stand-
 ard cor. to sec. 31 & 32. of T^p. 10 S. R. 23 E.
 Set a post, marked and notched,
 4 ft long, 3 in. sq. d. set in the ground, drive
 charred stake and build mound of
 earth 2 ft high, with pits 1 ft deep,
 2 1/2 ft long, 1 1/2 ft wide, as per in-
 structions for closing cor. to sec. 5 and
 6. No tree near.
 Land descends a little S. Good soil
 Abundant grass. No trees.

December 10, 1895.

Township 11 S. R. 13 E.
Tela Salt River Meridian

Sec. 6
General Description

This Township covers fine grazing land. There is great abundance of grass over its whole extent and more particularly along its N. side.

In the N. W. cor. is some good bottom land. Water rises in sec. 6, and flows for a considerable distance S. Water is also found in sec. 31.

In the N. W. 1/4 of sec. 6, is the large stock ranch of H. C. Hooker.

There is no timber in the township, except a few trees along a wash in sec. 31.

Theodore F. White

U.S. Deputy Surveyor

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *The Subdivision*
Lines of Township 11 S.
Range 23 E. of the Gila
and Salt River Meridian
Arizona.

Showing the respective capacities in which they
acted.

Meban Pessard Chairman.

R. A. Vasquez Chairman,

P. Paluz Axeman.

Wright H. Aubrey Flagman.

Final Oath of Assistants.

We hereby certify that, we assisted Theodore
F. White U. S. Deputy Surveyor, in
surveying the Subdivision lines of
Township 11 S. Range 23
East, of the Gila and Salt
River Meridian, Arizona.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Urbain Lesquad Chainman.
R. A. Vargas Chainman,
B. Palm Axeman.
Wright Aubrey Axeman.

Sworn to and subscribed before me, this 3^d
day of January, 1876

John H. Harris
Asst Secretary
Arizona

Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the

25 day of *June*

187*2*. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision lines of Township 11 S. Range 23 E. of the Gila and Salt River Meridian, Arizona.

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 3rd
day of January, 1876

John H. Harris
Asst. Secretary
Arizona

U. S. Surveyor General's Office,
Tucson, Arizona, January 24, 1876.

The foregoing Field Notes of the survey of the

Subdivision lines of

Township 11 S.

Range 23 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25th day of
June, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.