

noted  
sheet  
completed  
in closed

No. 724

BOOK 724

# Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 11 S Range 30 E

*Gila and Salt River Base and Meridian*

ARIZONA No. 724

By J. C. Smith D. S.

under contract dated Dec 19<sup>th</sup>, 1884.

Survey commenced Feb 12<sup>th</sup>, 1885.

Survey completed Feb 14<sup>th</sup>, 1885.

724

2

BOOK 724

Township 11 S. R. 30 E.

Grand S. R. M

6	76	5	55	4	42	3	29	2	16	1
75		73		54		41		28		14
7	72	8	53	9	40	10	26	11	13	12
71		70		52		39		25		12
18	69	17	51	16	38	15	24	14	11	13
67		66		49		36		23		9
19	65	20	48	21	35	22	22	23	8	24
64		62		47		34		21		6
30	61	29	46	28	33	27	20	26	5	25
60		59		45		32		19		4
31	57	32	44	33	31	34	17	35	3	36

For preliminary oaths and description of instruments see book No. 1

T11 S. R 308

No. 724

Chain

Beginning at the cor to  
Secs 1, 2, 35 & 36 on S. bdy  
of Twp. previously described by  
me. From North bet secs  
35 & 36

Va 12° 30' E

40.00

Set a Malpais stone, 16 x 9 x 8 ins., 11 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on W  
face. dug pits 18 x 18 x 12 ins. N and S  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
1 ft. high,  $3\frac{1}{2}$  ft. base alongside.

80.00

Set a Malpais stone 14 x 9 x 6 ins., 9 ins. in  
the ground for Cor, to Secs, 25, 26, 35 & 36 marked  
with / notch on S. and / notch on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

T11 S. R 30 E

chains

S  $89^{\circ} 5' E$ . on a random  
line bet Secs 25 + 36

of a  $12^{\circ} 30' E$

40.00

Set Temporary 1/4 Sec cor

79.90

Intersect the East bdy. of  
T<sub>p.</sub> 18 links S. of cor to  
Secs. 25, 30, 31 + 36 which  
is a Volcanic rock 10x9  
ins above the ground  
marked with 1 notch  
on S. and 5 notches on N  
edges. and mound of  
stone alongside.

Thence I run

N  $89^{\circ} 13' W$ . on a true  
line bet Secs 25 + 36  
with same Va

T. H. S. R 30 E

chains

39.95 Set a Malpais stone 10x10x6  
 viz 6 ins in the ground  
 for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on  
 N. face and raised a  
 mound of stone alongside

79.90 The cor to Secs 25, 26, 35 & 36  
 Surface rolling & rough  
 Soil 3 $\frac{1}{2}$  rate  
 Dense brush

North bet Secs 25 & 26  
 Q $\frac{1}{4}$  12° 30' E

40.00

Set a Malpais stone, 12 x 10 x 6 ins., 7 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on  $\frac{1}{4}$   
 face, dug pits 18 x 18 x 12 ins. N and S  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base, alongside.

T 11 S. R 36 E

Chains  
80.00

Set a Malpais stone 12x12x  
12 ins 7 ins. in the ground  
for cor to Secs 23, 24, 25 & 26  
marked with 2 notches  
on S. and 1 notch on  
E. edges. and raised a  
mound of stone along-  
side.

Surface rolling  
Soil 3 1/4 rate  
Dense brush

S 89° 5' E. on a random  
line bet Secs 24 & 25


Sta 12030 E

40.00

Set temporary 1/4 Sec cor

7  
T11 S. R 30E

Chains

79.94 Intersect the E. bdy. of Tpc. 12  
links S. of cor to rods 19.24.25 & 30  
which is a Volcanic rock  
6x5 ins. above the ground  
marked with 2 notches on S  
and 4 notches on N edges,  
and  a mound of  
stone alongside.

Thence I run

N 89° 10' W. on a true  
line bet Secs 24 & 25 with  
same Va.

39.97 Set a Malpais stone 12x8x6  
ins 7 ins. in the ground  
for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on  
N. face and raised a mound  
of stone alongside.

8

BOOK 724

T11 S, R 30E

Chains  
79.94

The cor to Secs 23, 24, 25 & 26  
 Surface rough  
 Soil 3<sup>rd</sup> rate  
 Dense brush

---

40.00

North bet Secs 23 & 24  
 W 1/2 30'E  
 Set a Malpais stone  
 12 x 8 x 8 ins. 7 ins in the  
 ground, for 14 Sec cor  
 marked 14 on W. face  
 and raised a mound  
 of stone alongside.

80.00

Set a Lava stone 12 x 9 x 9  
 ins 7 ins in the  
 ground for Cor to Secs  
 13, 14, 23 & 24, marked



T11 S. R 30E

Chains

with 3 notches on S and 1 notch on E. edges, and raised a mound of stone alongside.

Surface rolling  
Soll 3% rate

Dense brush

---

S 89° 5' E, on a random line bet Secs 13 + 24

N 91 20 30' E

40.00 Set temporary 14 Sec cor  
79.90 Intersect the E. bdy of T11  
20 links S. of cor to Secs  
13, 18, 19 + 24 which is a  
Volcanic rock 4x4 ins above  
the ground, marked with

T11 S. R 30 E

Chains

3 notches on N + S. edges,  
and mound of stone  
alongside.

Thence I run  
N 89° 14' W. on a true  
line bet Secs 13 + 24 with  
same Va.

39.95

Set a Lava stone 12 x 10 x 8  
ins 7 ins in the ground  
for 14 Sec. cor. marked  
1/4 on N. face and  
raised a mound of stone  
alongside.

79.90

The cor. to Secs 13, 14, 23 + 24

Surface rolling  
Soil 3 1/4 rate

Dense greasewood brush

T11 S. R 30 E

chain

North bet Secs 13 &amp; 14

N 12° 30' E

- 28.00 Cross Gulch course W.
- 40.00 Set a Malpais stone 12x11x9  
ins 7 ins in the ground <sup>for</sup> 4  
Sec cor. marked 14 on W.  
face and raised a mound  
of stone alongside.
- 80.00 Set a Malpais stone 14x10  
+ 7 ins. 9 ins. in the ground  
for cor to Secs 11, 12, 13 & 14  
marked with 4 notches on  
S and 1 notch on E edges.  
and raised a mound of  
stone alongside.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

12

T11 S. R 30E

Chains

S89° 5' E. on a random  
line bet Secs 12 & 13

Va 12 030'E

40.00

79.89

Set temporary 14 Sec cor  
Intersect the E. bdy. of T11  
15 links S. of cor to place  
7, 12, 13 & 18 which is a  
Volcanic rock 5x4 ins  
above the ground marked  
with 4 notches on S and  
2 notches on N. edges  
and mound of stone  
alongside.

Thence I run

N89° 11' W. on a true  
line bet Secs. 12 & 13 with  
same Va.

T11 S. R 30E

chains

- 39.94 Set a Malpais stone  $14 \times 12 \times 8$  ins  
9 ins. in the ground for  $\frac{1}{4}$  Sec  
Cor marked  $\frac{1}{4}$  on N. face and  
raised a mound of stone  
alongside
- 79.89 The Cor to Secs 11, 12, 13 & 14  
Surface rolling  
Soil 3 $\frac{1}{4}$ % rate  
Dense brush
- 

North bet Secs 11 & 12

N  $12^{\circ} 30' E$

- 40.00 Set a Malpais stone  <sup>$16 \times 12 \times 7$  ins.</sup> 9 ins in  
the ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on W. face and  
raised a mound of stone  
alongside.

T/1 S. R 30 E

chains

80.00

Set a Malpais stone 13x12  
 x 8 ins 7 ins in the ground  
 for Cor to Secs 1, 2, 11 & 12  
 marked with 5 notches  
 on S. and 1 notch on E  
 edges. and raised a  
 mound of stone alongside.  
 Surface rolling  
 Soil 34% rate  
 Dense brush

---

S 89° 5' E. on a random  
 line bet Secs 1 & 12

049 12° 30' E

40.00

Set temporary 1/4 Sec cor  
 Intersect the E. bay. of  
 T/1. 12 links S. of cor

79.85

T. H. S. R 30E

chains

to Secs 1 & 7 + 12 which is a volcanic stone 8 x 8 ins above the ground, marked with 5 notches on S. and 1 notch on N. edges, and mound of stone alongside.

Thence I run  
 N 89° 10' W. on a true line bet Secs 1 & 12 with same  
 wa.

39.92 Set a Malpais stone 14 x 10 x 8 ins, 9 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.

79.85 The cor to Secs 1, 2, 11 & 12  
 Surface level  
 Soil 3 $\frac{1}{4}$  rate

T11 S. R 30E

Chains

Dense brush

North on a true line  
bet Secs 1 & 2N $\alpha$  120° 30' E

40.00

Set a Malpais stone 11x10x10  
ins. 7 ins. in the ground  
for 1/4 Sec cor marked 1/4  
on W. face and raised a  
mound of stone alongside

80.65

Intersect the 2<sup>nd</sup> Stand  
S. 48 links W. of stand 1/4  
Sec cor, on S. bay. of S. 35-  
T10 S. R 30E which is a  
Volcanic rock 7x5 ins  
above the ground marked  
S. C 1/4 on N. face and



T11 S. R 30 E

Chain

mound of stone alongside  
 at the point of intersection  
 I set a Malpas stone 12x10x  
 8 ins 7 ins in the ground  
 for closing cor. to Secs 1 & 2  
 marked C. C. with 1 notch  
 on E. and 5 notches on N.  
 edge. and raised a mound  
 of stone alongside.

Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Dense brush

From the cor to Secs 2, 3  
 34 & 35 T11 S. R 30 E on S. bdy. of the  
 previously described by me. I  
 run N. bet Secs 34 & 35

18

BOOK 724

T11 S. R 30 E

chain

Qa 12° 30' E

40.00

Set a Malpais stone  
13 x 7 x 7 ins 9 ins. in the  
ground for 14 Sec cor  
marked. 14 on W. face  
and raised a mound of  
stone alongside.

80.00

Set a Malpais stone 14 x 8 x 7 ins, 9 ins. in  
the ground for Cor, to Secs. 26. 27. 34 & 35 marked  
with | notch on S. and 2 notches on E. edges,  
dig pits 18 x 18 x 12 ins. in each Sec., 5½ ft.  
dist. and raised a mound of earth 2 ft. high,  
1½ ft. base. alongside.

Surface rolling  
Soll 2<sup>nd</sup> rate

Dense greasewood  
brush

T4 S. R 30'E

Chains

S 89° 5' E. on a random  
line bet Secs 26 + 35

@ 9 12° 30' E

40.00

Set temporary 1/4 Sec cor

79.94

Intersect the N + S line 5 links  
S. of cor. to Secs 25, 26, 35 + 36,

Thence run

N 89° 7' W. on a true line  
bet Secs 26 + 35 with same Va.

39.97

Set a Malpais stone 11x10x7  
ins. 6 ins. in the ground  
for 1/4 Sec cor. marked 1/4  
on N. face and raised a  
mound of stone alongside

79.94

The cor to Secs 26, 27, 34 + 35

Surface rolling  
Sold 3<sup>rd</sup> rate

T 11 S. R 30 E

chains

Dense greasewood brush

North bet Secs 26 & 27  
Va 12° 30' E

- 40.00 Set a Malpais stone 12x6x6  
ins 7 ins in the ground  
for 1/4 Sec cor. marked 1/4  
on W. face. and raised a  
mound of stone alongside.
- 80.00 Set a Malpais stone 12x10x  
8 ins. 7 ins. in the ground  
for cor to Secs. 22, 23, 26 & 27  
marked with 2 notches  
on S. and 2 notches on E.  
edges and raised a mound  
of stone alongside.  
Surface rolling

T11 S. R 30 E

Chains

Soil 3<sup>rd</sup> rate

Dense greasewood brush

S 89° 5' E. on a random  
line bet Secs 23 + 26

Or 120° 30' E

40.00 Set temporary 1/4 Sec cor

79.92 Intersect the N + S. line 7 links  
S. of cor to Secs 23, 24, 25 + 26

Thence I run

N 89° 8' W. on a true line  
bet Secs 23 + 26 with same Or.

39.96 Set a Malpais stone, 12 x 10 x 9 ins., 7 ins.

in the ground for 1/4 Sec, Cor, marked 1/4. on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 5 1/2 ft. dist. and raised a mound of earth  
1 1/2 ft. high, 3 1/2 ft. base, alongside.

T11 S. R 30E

Chains

79.92

The cor to Secs 22, 23, 26+27  
 Surface level  
 Soil 3<sup>rd</sup> rate  
 Dense brush

North bet Secs 22 & 23  
 $\text{Q} \text{ } 12^{\circ} 30' \text{E}$

40.00

Set a Malpais stone, 12 x 8 x 7 ins., 7 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on W  
 face, dug pits 18 x 18 x 12 ins. N and S  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside.

80.00

Set a Malpais stone 12 x 8 x 7  
 ins. 7 ins in the ground  
 for cor to Secs 14, 15, 22 & 23  
 marked with 3 notches  
 on S and 2 notches on E.  
 edges. and raised a mound

711 S. R 30 E.

Chains

of stone alongside.  
 Surface rolling  
 Soil 3<sup>d</sup> rate  
 Dense brush

---

S 89° 5' E. on a random  
 line bet Secs 14 + 23  
 Sta 12030' E

40.00 Set temporary 114 Sec cor  
 79.80 Intersect the N + S line 14  
 links S. of cor to Secs 13, 14  
 23 + 24.

Thence I run  
 N 89° 11' W. on a true line  
 bet Secs 14 + 23. with same  
 Sta.

24

BOOK 724

T11 S. R 30 E

Chains  
39.90

Set a Lava stone  $12 \times 8 \times 7$   
ins. 7 ins. in the ground  
for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$   
on N. face. and raised a  
mound of stone alongside.

79.80

The cor to Secs 14, 15, 22 + 23

Surface rolling

Soil 3 $\frac{1}{2}$ % rate

Dense greasewood brush

---

North bet Secs 14 + 15

$\text{N} 120^{\circ} 30' \text{E}$

40.00

Set a Malpais stone  
 $12 \times 9 \times 7$  ins 7 ins in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on W. face and  
raised a mound of stone



T11 S. R 30 E

Chains

alongside.

80.00

Set a Malpais stone  $14 \times 10 \times 8$  ins 9 ins. in the ground for cor to Secs 10, 11, 14 & 15 - marked with 4 notches on S and 2 notches on E edges. and raised a mound of stone alongside.

Surface level + rolling

Soil 3% rate

Dense greasewood brush

$S 89^{\circ} 5' E$ . on a random line bet Secs 11 & 14

 $N 42^{\circ} 30' E$ 

40.00

Set temporary "4 Sec cor.

79.90

Intersect the N &amp; S. line 30 links

T11 S. R 30 E.

Chains

N. of cor to Secs 11, 12, 13 + 14,  
Thence IronN 88° 52' W. on a true line  
bet Secs 11 + 14 with same Pa.

39.95-

Set a Lava stone 12 x 10 x 8  
ins. 7 ins. in the ground  
for 14 sec cor marked 14 on  
N. face, and raised a  
mound of stone alongside.

79.90

The cor to Secs 10, 11, 14 + 15

Surface rolling  
Soil 3<sup>rd</sup> rate

Dense brush

North bet Secs 10 + 11  
Pa 12° 30' E

T.H.S. R. 30 E

Chains

- 40.00 Set a Malpais <sup>stone</sup> 12 x 10 x 8 ins  
7 ins. in the ground for  
1/4 Sec Cor marked 1/4 on <sup>W.</sup>  
face, and raised a mound  
of stone alongside.
- 80.00 Set a Malpais stone 12 x 8  
x 7 ins 7 ins in the ground  
for cor to Secs 2, 3, 10 & 11  
marked with 5 notches on  
S. and 2 notches on E.  
edges, and raised a mound  
of stone alongside  
Surface rolling  
Soil 3 1/4 rate  
Dense greasewood brush

T11 S. R 30 E

Chains

S 89° 5' E. on a random line bet Secs 2 + 11

40.00

Set temporary 1/4 Sec cor

80.10

Intersect the T + S line 20 links S. of cor to Secs 11 + 12.

Thence from

N 89° 14' W. on a true line bet Secs 2 + 11 with same Ch.

40.05

Set a Malpais stone 10x10x8 in 6 ins in the ground for 1/4 Sec cor, marked 1/4 on N. face and raised a mound of stone alongside

80.10

The Cor to Secs 2, 3, 10 + 11

Surface rolling Soil 3/4 rate

T11 S. R 30 E

No. 724

chain

Scattering brush

North on a true line  
bet Secs 2 + 3W.  $12^{\circ}30'E$ 

40.00 Set a Lava stone  $12 \times 10 \times 9$  ins  
7 ins. in the ground for  
1/4 Sec cor marked 1/4 on N.  
face, and raised a mound  
of stone alongside.

79.50 Intersect the 2<sup>nd</sup> Stand S.  
50 links W. of Stand 1/4 Sec. cor  
on S. bay. of Sec 34 T70S  
R 30 E. which is a Post. 3 ins  
sq. marked S. C 1/4 S. on N. face  
and pits E + W. of post and  
mound of stone around post

T11 S. R 308

Chains

at the point of intersection. I set a malpais stone  $11 \times 8 \times 6$  ins  $6$  ins. in the ground for closing cor. to Secs. 2 + 3, marked C.C with 2 notches on E. and 4 notches on W. edges. and raised a mound of stone alongside.

Surface rolling  
 Soil  $3\frac{1}{4}$  rate

Dense brush

I carefully examined the adjustments of my solar transit today. particularly the latitude and reversing

T11 S. R 30 E

chains

apparatus and found  
them correctFeb. 12<sup>th</sup> 1885

From the Cor to Secs 3, 4  
33 & 34 T11 S. R 30 E. on stay of  
T<sub>p</sub>. previously described by  
me. Run N bet Secs 33 & 34  
Q19 20 30 E

40.00

Set a Malpais stone 10 x 8 x 7 ins., 6 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on W  
face, dug pits 18 x 18 x 12 ins. and  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a Malpais stone 11 x 9 x 8 ins., 6 ins. in  
the ground for Cor, to Secs 27, 28, 33 & 34 marked  
with / notch on S. and 3 notches on E. edges  
dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft  
dist. and raised a mound of earth 2 ft. high.  
4 ft. base. alongside.

T11 S, R 30 E

chains

Surface level  
Soil 2<sup>nd</sup> rate  
Dense brush

---

S 89° 5' E. on a random  
line bet Secs 27+34

Wa 12° 30' E

40.00

Set temporary 44 Sec cor

80.02

Intersect the N+S line  
15 links N. of cor to Secs  
26.27.34+35

Hence from

N 88° 59' W. on a true  
line bet Secs 27+34 with  
same Wa.



T.H.S. R 30E

Chains

40.01

Set a Malpais stone 15x10x9  
ins 9 ins in the ground  
for 44 Sec cor marked  $\frac{1}{4}$   
on N. face and raised  
a mound of stone along-  
side

80.02

The cor to Secs 27, 28, 33 & 34  
Surface level  
Soil 2<sup>nd</sup> rate  
Dense brush

---

North bet Secs 27 & 28  
of a 12° 30' E

40.00

Set a Malpais stone, 18 x 12 x 10 ins., 3 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N  
face, dug pits 18 x 18 x 12 ins. N and S  
of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base, alongside.

34

BOOK 724

T11 S, R 308

Chain  
80.00

Set a Malpais stone 13 x 8 x 6 ins. 7 ins. in  
the ground for Cor, to Secs 21, 22, 27 & 28 marked  
with 2 notch <sup>east</sup> S. and 3 notch <sup>east</sup> E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec. 5 ft. N.  
dist. and raised a mound of earth 2 ft. high,  
1 1/2 ft. base. alongside.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Dense brush

S 89° 5' E. on a random  
line bet Secs 22 & 27

N 12° 30' E

40.00

Set temporary 1/4 Sec cor

80.00

Intersect the N & S line 26 links  
N. of cor to Secs 22, 23, 26 & 27.

Thence from

N 88° 5' 4" W. on a true line

T11 S. R 30 E

harris

- bet Secs 22 + 27 with same wa.
- 10.00 Set a Malpais stone  $12 \times 9 \times 5$  ins 7 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.
- 40.00 The cor to Secs 21, 22, 27 + 28  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Dense grasswood brush

North bet Secs 21 + 22  
wa 12° 30' E

- 40.00 Set a Lava stone,  $10 \times 8 \times 6$  ins., 5 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times 12$  ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

36

PCOK 724

T11 S. R 30E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 15 16 21 22, dug pits 18 x 15 x 2 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins sq. 2 ft long 12 ins in the ground marked T. 118 S. 15 on N.E., R 30E S 22 on S.E., S. 21 on S.W. and S. 16 on N.W. faces. with 3 notch ~~es~~ on S, and 3 notch ~~es~~ on E edges.

Surface level  
Soil 2 <sup>1</sup>/<sub>2</sub> rate  
Scattering brush  
Poor grass

S 89° 5' E on. a random  
line bet Secs 15 & 22  
@ a 12° 30' E  
Set temporary 1/4 Sec cor

40.00

T11 S. R 30 E

Chain

79.90 Intersect the N + S line 31 links  
N. of cor to Secs 14, 15, 22 & 23,  
Thence from  
N  $88^{\circ} 52' W$ . on a true  
line bet Secs 15 & 22. with  
same  $\theta$ .

39.95 Set a Malpais stone 10x10x6  
ins 6 ins. in the ground for  
"4 sec cor marked "4 on N  
face. and raised a mound  
of stone alongside.

79.90 The cor to Secs 15, 16, 21 & 22  
Surface rolling  
Soil 3 $\frac{1}{4}$  rate  
Dense brush

---

38

BOOK 724

T11 S, R 30 E

chains

North bet Secs 15 & 16  
T11 S 20 30 E

40.00

Set a Malpais stone, 12 x 8 x 8 ins., 7 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on SW face, dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 118  
S. 10 on N.E., R30E S. 15 on S.E., S. 16 on S.W. and S. 9 on N.W. faces, with 4 notches on S, and 3 notches on E edges.

Surface level

Soil 3rd rate

Dense greasewood brush

T11 S. R 30 E

chain

S 89° 5' E. on a random  
line bet Secs 10 & 15

Va 12° 30' E

40.00

Set temporary 1/4 Sec cor

80.08

Intersect the N + S line. 16  
links S. of Cor. to Recs. 10, 11, 14 & 15

Thence run

N 89° 12' W. on a true line  
bet Secs 10 & 15 with same Va.

40.04

Set a Lava stone, 11 x 10 x 7 ins., 7 ins.  
in the ground for 1/4 Sec, Cor, marked 1/4. on N  
face. dug pits 18 x 18 x 12 ins. E and W  
of stone 5 1/2 ft. dist. and raised a mound of earth  
1 1/2 ft. high. 3 1/2 ft. base. alongside.

80.08

The cor. to Secs 9, 10, 15 &amp; 16

Surface rolling

Soil 3<sup>rd</sup> rate

Dense brush

40

T11 S. R 30E

chain

North bet Secs 9 & 10  
Wa  $12^{\circ} 30' E$ 

40.00 Set a Malpais stone  $13 \times 9 \times 8$  ins. 8 ins in the ground for  $1/4$  Sec cor marked  $1/4$  on W. face and raised a mound of stone along side.

80.00 Set a Malpais stone  $12 \times 10 \times 7$  ins 7 ins in the ground for cor to Secs 3, 4, 9 & 10 marked with 5 notches on S and 3 notches on E. edges and raised a mound of stone alongside.

Surface rolling  
Soil  $3\frac{1}{2}\%$  rate  
Dense greasewood brush



T11 S. R 30E

chains

S89°5'E on a random line  
bet Secs 3+10

Wa 12°30'E

40.00 Set temporary 1/4 Sec cor  
79.84 Intersect the N+S line 14 links  
S of Cor. to Secs 2, 3, 10+11.

Thence I run

N89°11'W on a true line  
bet Secs 3+10 with same Wa.

39.92 Set a Malpais stone 12x12x6  
ins. 7 ins. in the ground for  
1/4 Sec cor marked 14 on N  
face and raised a mound  
of stone alongside

79.84 The cor to Secs 3, 4, 9+10  
Surface rolling  
Soil 3 1/2 rate

T11 S. R 30 E

chains

Dense brush

North on a true  
line bet Secs 3 & 4@  $12^{\circ}30'E$ 

31.00

Cross Dry Wash course S.W.

40.00

Set a Malpais stone  $16 \times$   
 $12 \times 9$  ins. 11 ins. in the  
ground. for  $1/4$  Sec cor  
marked  $1/4$  on W. face and  
raised a mound of stone  
alongside.

51.00

Cross Dry Wash course  
S.W.

78.55

Intersect the 2<sup>nd</sup> Stand  
S. 41 links W. of Stand  $1/4$   
Sec. cor on S. side of sec 33

T11 S. R 30 E

chain

T10 S. R 30 E, which is a Post  
3 ins sq. marked S.C.  $1/4$  S  
on N. face, 6 ft E + W. of Post  
and mound of earth  
around post.

At the point of intersection  
I set a Malpais stone 14 x 9 x 6  
ins 9 ins in the ground  
for closing cor. to Secs 3 + 4  
marked C.C. with 3 notches  
on E + W. edges. and raised  
a mound of stone alongside

Surface rolling

Soil 3 $\frac{1}{2}$ % rate

Dense brush

---

T11 S. R 30E

chain

From the cor to Secs  
4, 5, 32 & 33. T11 S. R 30E  
on S. bdy. of Tr. previously  
described by me. From N  
bet Secs 32 & 33

W 12° 30' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone  $5\frac{1}{4}$  feet dist and raised  
a mound of earth  $1\frac{1}{4}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on ~~W~~  
face.

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor to Secs 28, 29, 32 & 33, dug pits  
18 x 18 x 12 ins in each Sec.  $5\frac{1}{4}$  ft. dist. and  
raised a mound of earth 2 ft. high  $4\frac{1}{4}$  ft. base  
over it in S E pit drove a stake 2 ins sq 2  
ft long 12 ins in the ground marked T. 11 S  
28 on N.E. R. 30E S 33 on S.E. S. 32  
on S. W. and S. 29 on N. W. faces. with  
1 notch on S, and 4 notches  
on E edges.

T11 S. R 30 E

chain

Surface level  
Soil 3<sup>rd</sup> rate  
Dense brush

S89° 5' E. on a random line  
bet Secs 28 + 33.

N91 2° 30' E

40.00

Set temporary 1/4 Sec cor

79.88

Intersect the N + S line 11 links  
N. of cor to Secs 27, 28, 33 + 34

Thence I run

N89° 0' W. on a true line  
bet Secs 28 + 33 with same <sup>meas.</sup>

39.94

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked 1/4 S. on N. face

46

BOOK 724

T11 S. R 30 E

Claims

79.88

The cor to Secs 28, 29, 32 + 33  
 Surface nearly level  
 Soil 3<sup>rd</sup> rate  
 Dense brush

North bet Secs 28 + 29  
 $W 91^{\circ} 30' E$

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone  $5\frac{1}{4}$  feet dist and raised  
 a mound of earth  $1\frac{1}{4}$  ft. high  $3\frac{1}{4}$  ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

68.00

cross Dry Wash course S.W

80.00

Set a Malpais stone 16 x 10 x 6  
 ins 11 ins. in the ground  
 for cor to Secs 20, 21, 28 + 29  
 marked with 2 notches

T11 S. R 30 E

Chains

on S and 4 notches on E.  
edges. and raised a mound  
of stone alongside.

Surface rolling

Soil 3<sup>rd</sup> rate

Dense brush

S 89° 5' E. on a random  
line bet Secs 21 + 28

Q/A 12° 30' E

40.00 Set temporary 44 Sec cor.  
86.12 Intersect the N & S line 4 links  
N. of cor to Secs 21, 22, 27 + 28.  
Thence I run

N 89° 3' W. on a true line  
bet Secs 21 + 28 with same  
Q/A.

48

T11 S. R 30E

Chains  
30.00  
40.06

Cross Dry Wash course SW  
Set a Malpais stone 10 x 10 x 8 ins., 6 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  SW  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. alongside.

62.03  
72.03  
80.12

Cross Dry Wash course S.W  
" " " "  
The cor to Secs 20, 21, 28 + 29  
Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense greasewood brush

North bet Secs 20 + 21  
@ 120° 30' E



T. U. S. R 30 E

Chains  
40.00

Set a Malpais stone,  $12 \times 10 \times 7$  ins., 7 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on SW face, dug pits  $18 \times 18 \times 12$  ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a Lava stone  $15 \times 9 \times 7$  ins., 6 ins. in the ground for Cor, to Secs 16, 17, 20 & 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil  $3\frac{1}{2}$  rate  
Dense brush

S 89° 5' E. on a random  
line bet Secs 16 & 21  
Wa 12° 30' E

40.00

Set temporary  $\frac{1}{4}$  Sec cor

T/1 S, R 30E

Chains

79.96 Intersect the N+S line 19  
links S. of Cor to Secs 15, 16  
21 & 22.

Thence from

N89°13' W. on a true line  
bet Secs 16 & 21 with same Va.

39.98

Set a Lava stone, 9 x 8 x 7 ins., 4 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

79.96

The cor. to Secs 16, 17, 20 & 21  
Surface nearly level  
Soil  $3\frac{1}{2}$  rate  
Dense greasewood brush

---

T11 S. R 30 E

chains

North bet Secs 16 & 17  
of a 12° 30' E

40.00

Set a Malpais stone 13 x 8 x 5 ins  
8 ins in the ground for 14  
Sec cor marked 14 on W.  
face and raised a mound  
of stone alongside.

80.00

Set a Lava stone 4 x 4 x 4 ins, 9 ins. in  
the ground for Cor, to Secs. 8, 9, 16 & 17 marked  
with 4 notches S. and 4 notches E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft.  
dist. and raised a mound of earth 2 ft, high.  
4 1/2 ft. base. alongside.

Surface rolling  
Soil 3% rate  
Dense greasewood brush

T 11 S. R 30 E

chain

S 89° 5' E. on a random line bet Secs 9 & 16

of a 12° 30' E

40.00

Set temporary 1/4 Sec cor

79.88

Intersect the N & S line at cor to secs 9, 10, 15 & 16.

Thence Iron

N 89° 5' W. on a true line bet Secs 9 & 16 with same Va.

39.94

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N face.

79.88

The cor to Secs 8, 9, 16 & 17  
Surface rolling  
Soil 2 <sup>1</sup>/<sub>2</sub> rate  
Dense brush

T11 S. R 30E

chains

North bet Secs 8 & 9  
 @ Va 12030'E

40.00

Set a Malpais stone, 10 x 8 x 7 ins., 6 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on  $\text{NW}$  face, dug pits 18 x 18 x 12 ins.  $\text{N}$  and  $\text{S}$  of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a Malpais stone 9 x 8 x 7 ins., 5 ins. in the ground for Cor, to Secs 4, 5, 8 & 9 marked with 5 notches  $\text{S}$ . and 4 notches  $\text{E}$ . edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface rolling  
 Soil  $3\frac{1}{4}$  rate  
 Dense brush

574

BOOK 724

T 11 S, R 30 E

Chain

S 89° 5' E. on a random  
line bet Secs 4 + 9

wa 12° 30' E

40.00 Set temporary  $\frac{1}{4}$  Sec cor  
80.20 Intersect the N + S line 6  
links N. of cor to Secs 3, 4  
9 + 10.

Thence I run  
N 89° 2' W. on a true  
line bet Secs 4 + 9 with  
same wa.

20.00 Cross Dry Wash course S. W.  
40.10 Set a Malpais stone 12 x 8 x 7  
ins. 7 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$  on N.  
face and raised a mound  
of stone alongside.

T11 S. R 30 E

Chains  
8420

The Cor to Secs 4, 5, 8 & 9  
Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

North on a true line  
bet Secs 4 & 5

$\text{N } 12^{\circ} 30' \text{ E}$

32.00  
39.10  
40.00

Cross Dry Wash course S. W

" " " " "

Set a Malpas stone, 15 x 8 x 8 ins., 11 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on <sup>W</sup> face, dug pits 18 x 18 x 12 ins. N and S  
of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside.

64.00  
77.00

Cross Dry Wash course S. E  
Intersect the 2<sup>nd</sup> Stand S.  
75 links W. of stand  $\frac{1}{4}$  Sec

T11 S. R 30 E

Churnis

Cor on S bdy of Sec 32  
T10 S. R 30 E. which is a  
Post 3 ins. sq. marked  
S.C 4 S. on N. face. pits  
E + W. of Post. and a mound  
of earth around post.

At the point of inter-  
section I. Deposited a marked  
stone 12 ins. in the  
ground for closing cor  
to Secs. 4 + 5. Dug pits <sup>18 x 18 in</sup>  
S. E. + W. of cor  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft.  
base. over it. In E. pit  
drove a stake 2 ft. long  
2 ins sq. 12 ins. in the  
ground. marked. bb



T11 S. R 30E

Chain

T11 S. R 30E. on S. S 4 on E  
and S 5 on W. faces with  
4 notches on E and 2 notches  
on W. edges.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

---

From the cor to Secs  
576.31 + 32 T11 S. R 30E  
on S. lay. of T11. previously  
described by me. from N  
bet Secs 31 + 32  
Qa 12° 30' E

58

BOOK 724

T11 S, R 30 E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on *W* face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 29-30-31 + 32 dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 118 S. 29 on N.E. R 30 E S 32 on S.E. S. 31 on S.W. and S. 30 on N.W. faces, with 1 notch on S, and 5 notches ~~at~~ on E edges.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

---

T H S. R 308

chains

S 89° 5' E. on a random  
line bet Secs 29 + 32.

W 12° 30' E

40.00 Set temporary 1/4 Sec cor

80.02 Intersect the N + S line 5 links  
S. of cor to Secs 28, 29, 32 + 33.

Thence run

N 89° 7' W. on a true line  
bet Secs 29 + 32, with same W.

40.01

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long, 2 ins.

sq. 12 ins. in the ground marked 1/4 S. on N

face.

80.02 The cor to Secs 29, 30, 31 + 32

Surface rolling

Soil 3<sup>rd</sup> rate

Dense brush

T11 S. R 30E

Chains

N 89° 5' W. on a random  
line bet Secs 30 & 31

or a 12° 30' E

40.00

77.00

Set temporary 44 Sec cor  
Intersect the W. bdy of the  
5 links S. of cor to Secs  
25, 30, 31 & 36 which is a  
Post 4 ins. sq. in mound  
of earth marked.

T11 S. S 30 on N.E

R 30 E. S 31 on S.E

R 29 E. S 36 on W

and S 29 on N.W. faces  
with 1 notch on S. and 5  
notches on N. edges, pits  
of required size.

T.H.S. R 308

chains

Thence I run  
 $89^{\circ} 3' E$ . on a true line  
 bet Secs 30 + 31 with same Va.

37.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

$E$  and  $W$  of stone  $\frac{1}{4}$  feet diam and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In  $E$  pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $N$

77.00

face. The cor to Secs 29.30.31 + 32

Surface rolling

Sail  $3\frac{1}{2}\%$  rate

Dense brush

North bet Secs 29 + 30  
 $Va 12^{\circ} 30' E$

T11 S. R 30E

Chains  
40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

60.00

Cross Dry Wash course S.W.

80.00

Set a Malpais stone 12 x 10 x 6 ins, 7 ins. in the ground for Cor, to Secs, 19, 20, 29 & 30 marked with 2 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

S 89° 5' E. on a random  
line bet Secs 20 & 29

BOOK 724

T H S. R 308

Chains

Va  $12^{\circ} 30' E$ 

40.00 Set temporary  $\frac{1}{4}$  Sec cor  
 80.12 Intersect the N + S line at  
 cor to Secs 20, 21, 28 + 29.

Thence I run

N  $89^{\circ} 5' W$  on a true line  
 bet Secs 20 + 29 with same va.

40.06

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth 14 ft. high 34 ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face.

80.12 The cor to Secs 19, 20, 29 + 30  
 Surface rolling  
 Soil  $3\frac{1}{4}$  rate  
 Dense brush

T11 S. R 30 E

Chains

N 89° 5' W. on a random  
line bet Secs 19 + 30.

wa 12° 30' E

40.00 Set temporary 1/4 Sec cor  
76.95 Intersect the W. ldy. of T11 S  
10 links N. of cor to Secs  
19, 20, 25 + 30, which is a  
Posterior sq. in mound  
of earth marked. T11 S  
S 19 on N. E. R 30 E. S 30  
on S. E. R 29 E. S 25 on S. W.  
and S 24 on N. W. with  
2 notches on S. and 4 notches  
on N. edges. fits of required  
size.

Thence I run  
S 89° 9' E. on a true line  
bet Secs 19 + 30 with same wa.



T11 S. R 30E

Chains  
36.95

Set a Lava stone, 12 x 9 x 7 ins., 7 ins. in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

76.95

The cor to Secs 19.20.29+30  
Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

North bet Secs 19+20  
Va 12°30'E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

68

BOOK 724

T11 S. R 30 E

Chamis

Secs 13, 18, 19 + 24 which is a  
 Post 4 ins. sq. in mound  
 of earth marked T11 S.  
 18 on N. E. R 30 E. S 19 on S E  
 R 29 E. S 24 on S. W. and  
 S 13 on N. W. faces with  
 3 notches on N + S edges  
 and pit of required size.

Thence I run

S 89° 0' E. on a true line  
 bet Secs 18 + 19 with same

36.80

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins in the ground marked  $\frac{1}{4}$  S. on N

76.80

face The Cor to Secs 17, 18, 19 + 20  
 Surface level

T 11 S. R 30 E

chains

Soil 3<sup>rd</sup> rate  
Dense brushNorth bet Secs 17 + 18  
N 12 0 30 E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor dug pits 18 x 18 x 12 ins. N and S of stone  $\frac{1}{4}$  feet dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{NW}$  face.

80.00

Set a Malpais stone 11 x 8 x 8 ins, 7 ins. in the ground for Cor, to Secs, 7, 8, 17 + 18 marked with 4 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4  $\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil 3<sup>rd</sup> rate

T11 S. R 30 E

Chains

Dense brush

S  $89^{\circ} 5' E$ . on a random  
line bet Secs 8 & 17

$\text{Va } 12030 E$

40.00 Set temporary  $1/4$  Sec cor

79.82 Intersect the N & S line 18  
links S. of cor. to Secs 8, 9, 16 & 17

Thence I run

N  $89^{\circ} 13' W$ . on a true  
line bet Secs 8 & 17 with  
same  $\text{Va}$ .

39.91 Set a Malpais stone  $15 \times 8 \times 7$   
ins.  $\cdot 9$  ins. in the ground  
for  $1/4$  Sec cor. marked  $1/4$   
on N. face. and raised.  
a mound of stone alongside

T11S R30E

chain

79.82 The cor to Secs 7, 8, 17 & 18  
 Surface Slopes W  
 Soil 3<sup>rd</sup> rate  
 Dense brush.

---

N 89° 5' W. on a random  
 line bet Secs 7 & 18

N 12° 30' E

40.00 Set temporary 1/4 Sec cor  
 76 & 78 Intersect the W. bdy. of T11S  
 3 links N. of cor to Secs 7, 12,  
 13 & 18 which is a Post 4 ins.  
 sq. in mound of earth  
 marked. T11S. S17 on N.E.  
 R30E. S18 on S.E. R29E  
 S13 on S.W. and S12 on N.W.  
 faces with 4 notches on S.

T11 S. R 30 E

chain<sup>c</sup>

and 2 notches on N. edges.

Pits of required size

Thence Iron

S 89° 6' E on a true line  
bet Secs 7 & 8 with same Va.

36.78

Deposited a marked stone 12 ins. in ~~the~~  
ground for 1/4 Sec. Cor. in pits 18 x 18 x 12 ins.E and W of one 1/4 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N  
face.

76.78

The cor to Secs 7, 8, &amp; 7 &amp; 8

Surface rolling

Soil 3 1/2 rate

Dense brush

North bet Secs 7 &amp; 8

Va 12° 30' E

T11 S. R 30E

Chain

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

Went  $\frac{1}{4}$  S of stone  $\frac{1}{4}$  ft. dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In  $\frac{1}{4}$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{NW}$  face.

80.00

Set a Malpais stone 10x10x7 ins, 7 ins. in the ground for Cor, to Secs, 5, 6, 7 & 8 marked with 5 notch on S. and 5 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil 3 $\frac{1}{2}$  rate  
Dense brush

---

S89° 5' E. on a random line  
bet Secs 5 & 8

74

BOOK 724

T11 S. R 30 E

chains

Va 12° 30' E

40.00 Set temporary 1/4 Sec cor

80.24 Intersect the N & S line 21  
links N. of cor to Secs  
4, 5, 8 & 9.

Thence I run

N 88° 56' W. on a true line  
bet Secs 5 & 8 with same Va.

40.12

Set a Malpais stone, 13 x 11 x 5 ins., 9 ins.  
in the ground for 1/4 Sec, Cor, marked 1/4 on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 5 1/2 ft. dist. and raised a mound of earth  
1 1/2 ft. high, 3 1/2 ft. base. alongside.

80.24

The cor to Secs 5, 6, 7 & 8  
Surface level  
Soil 3<sup>rd</sup> rate  
Dense brush



T11 S. R 30 E

chains

N 89° 5' W. on a random line bet Secs 6 + 7

Wa 12° 30' E

40.00

Set temporary 14 Sec cor

26.65-

Intersect the W. bdy. of Tpk 28 links S. of cor to Secs. 1, 6, 7 + 12, which is a Post 4 in 2. eq. in mound of earth marked. T11 S. S. 6 on N.E. R 30 E - S 7 on N.E. R 29 E. S 12 on S. Wand S 1 on N.W. faces with 5 notches on S. and 1 notch on N. edges. and pits of required size.

Thence From

S 88° 53' E. on a true line bet Secs 6 + 7 with same Wa.

76

BOOK 724

T 11 S. R 30 E

Chains  
36.65

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

76.65

The cor to Secs 5, 6, 7 & 8  
Surface rolling  
Soil 3<sup>rd</sup> rate  
Dense brush

North on a true line  
bet Secs 5 & 6

$\text{W} \text{ } 12^{\circ} 30' \text{ E}$

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face

T11 S. R 30 E

Cham's

75.65

Intersect the 2<sup>nd</sup> Stand S. 108  
links W. of stand 1/4 Sec cor  
on S. bay. of Sec 31, T10 S  
R 30 E. which is a Post 4  
ins. sq. marked, S. C 1/4 S  
on N. face and pits E + W.  
of post. and mound of  
earth around post.

At the point of inter-  
section I. Deposited a  
marked stone 12 ins in the  
ground for closing cor to  
Secs 576. dug pits 18 x 15  
x 12 ins S. E + W. of cor 5 1/2 ft.  
dist and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base over it. In E. pit drove  
a stake 2 ft. long. 2 ins sq.

78

BOOK 724

T11 S. R 30E

Chains

12 ins in the ground  
marked l. b. T11 S. R 30E.  
on S. S5 on E and S6 on  
W. faces with 5 notches on  
E. and 1 notch on W.  
edges.

Surface rolling  
Soil 3 $\frac{1}{4}$  rate  
Dense bush

---

I carefully examined the  
adjustments of my solar  
transit particularly the  
latitude and reversing  
apparatus and found  
them correct.

Feb 14<sup>th</sup> 1885

---

## General Description

The Surface of this Tp. slopes to the West. the eastern part is rocky. The Western part consist of sand hills and mounds covered with a dense growth of Mesquite brush. The rest of the Tp is covered with a dense growth of greaswood.

The Soil is mostly 3<sup>rd</sup> rate some 2<sup>nd</sup> rate.

There is no water in the Tp. and probably a well would have to be sunk a great depth to obtain it

For final Data see book No. 12

## U. S. Surveyor General's Office,

Tucson, Arizona, June 5<sup>th</sup> 1885

The foregoing Field Notes of the Survey of the

subdivisions of  
 Township 11 South  
 Range 30 East

Of the Gila and Salt River Base and Meridian, Arizona, executed by

Deputy Surveyor, under his contract of the

day of December, 1884, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Royal A. Johnson  
 Surveyor General.