

BOOK 728

No. 728

Field Notes

BOOK 728

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

No. 728

Township 10 S Range 23 E

Gila and Salt River Base and Meridian

ARIZONA.

By Theodor F. White, D. S.

under contract dated June 25, 1875.

Survey commenced Dec. 13, 1875.

Survey completed Dec. 17, 1875.

728

Preliminary Oaths of Assistants.

We, Urban Bessard
 and R. A. Vasquez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Urban Bessard
R. A. Vasquez

Sworn to and subscribed before me, this 18th
 day of October, 1875

John H. Harris
 Asst Secretary
 Arizona

We,

B. Palm and
Wright H. Aubury

do solemnly swear that we will well and truly per-

form the duties of Auman andFlagman respectively

according to instructions given us, and to the best

of our skill and ability.

B. Palm

Wright H. Aubury

Sworn to and subscribed before me this 18

day of October 1872

John K. Harris
Not Secty.
Arizona

1C

No. 728

BOOK 728

4-674.

Township W. R. 23E, 24E, 25E, 26E, 27E

| | | | | | | | | | | |
|---------------|---------------|----|---------------|----|---------------|----|---------------|----|---------------|----|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 22 | 2 | 11 | 1 |
| 59 | 58 | | 43 | | 32 | | 21 | | 10 | |
| 7 | 57 | 8 | 42 | 9 | 31 | 10 | 20 | 11 | 9 | 12 |
| 56 | 55 | | 41 | | 30 | | 19 | | 8 | |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7 | 13 |
| 53 | 52 | | 39 | | 28 | | 17 | | 6 | |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5 | 24 |
| 50 | 49 | | 37 | | 26 | | 15 | | 4 | |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3 | 25 |
| 47 | 46 | | 35 | | 24 | | 13 | | 2 | |
| 31 | 45 | 32 | 34 | 33 | 23 | 34 | 12 | 35 | 1 | 36 |

Township 10 S. R. 23 E.

Sec. 35 & Salt River Mexican

Subdivision commenced Dec. 13. 1875.
 Sec. 35 corner to sec. 35 & 36 on S. boundary from
 North between sec. 35 & 36

140. 14° 02' East

As per East Boundary.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 1/4 sec.
 cor. No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in. sqd. 1 ft
 in the ground, as per instructions
 for cor. to sec. 25, 26, 35 & 36. No trees near.
 Land, a little undulating. Soil sandy
 & rate. Good grass. No trees or stones.

Township 10 S. R. 23 E.

Sec. 4 Salt River Meridian

Run Eastward on line bet sec. 25 & 26.
var. $14^{\circ} 02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

43.00 Road and telegraph line to Grand, Co. N. & S.

49.90 Intersect East boundary 18 lks. N.
of cor. to sec. 25 & 26. from which
cor. from

N. $89^{\circ} 52'$ W.

On true line between sec. 25 & 26.

var. $14^{\circ} 02'$ East

49.95 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

49.90 Cor. to sec. 25, 26, 35 and 36.

Land, a little undulating.

Soil sandy 2^d rate. Good grass.

No stones or timber.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian.

Sec. North between sec. 25 & 26.
 var. $14^{\circ} 02'$ East

110.00 Drive charred stake and build
 mound of earth 2 ft high with pit
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor
 drive a stake, marked and
 notched, 2 ft long, 2 in. sq. 1 ft in
 the ground, as per instructions
 for cor. to sec. 23, 24, 25 & 26.

No trees near.

Land a little undulating.

Soil sandy, 2 rate. Good grass.

No stones or timber.

Township 10 S. R. 23 E.
Gila & Salt River Meridian

Rs. East on sandon line bet sec 24 & 25
var. $14^{\circ}02'$ East.

10.00 Set temporary $\frac{1}{4}$ sec. cor.

15.00 Road to Grant Cas. N.

19.89 Intersect E. boundary 28 lbs. N.
of cor. to sec. 24 & 25. from which
cor. from
N. $89^{\circ}48'$ N.

On true line between sec. 24 & 25.
var. $14^{\circ}02'$ East.

29.95 Drive charred stake & build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
Notices near

29.89 Cor. to sec. 23, 24, 25 & 26.

Land a little undulating.

Soil sandy, 2nd rate. Good grass.
No stones or timber.

Township 10 S. R. 23 E
 Gila & Salt River Meridian

Cor. North between sec. 23 & 24.
 var. $114^{\circ}02'$ East

40.00 Drive charred stake & build a mound of earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq' d. 4 ft in the ground, as per instructions, for cor. to sec. 13, 14, 23 and 24. No trees near.
 Land a little undulating.
 Soil sandy & rate. Good grass.
 No stones or timber.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

40.00 E. Eastward line bet sec. 13 & 14
 var. $141^{\circ}02'$ East

48.00 Set temporary $\frac{1}{4}$ sec. cor.

49.96 Road to Grant, var. N.E.

49.96 Intersect E. boundary 31 lbs. N.
 of cor. to sec. 13 & 14 from which
 cor. from
 N. $89^{\circ}47'$ W.

Outline line between sec. 13 & 14
 var. $141^{\circ}02'$ East.

49.98 Drive charred stake and build
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft wide
 as per instructions for $\frac{1}{4}$ sec.
 cor. No trees near.

49.96 Cor. to sec. 13, 14, 23 and 24.
 Land descends a little N.
 Soil sandy and $\frac{1}{2}$ rate
 Good grass. No stones or trees.

December 13, 1875.

Township 10 S. R. 23 E.
Gila & Salt River Meridian

Co. North between secs. 13 & 14
4111. 14° 02' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 11, 12, 13 and 14.

No trees near.

Land undulating. Good Grass. No timber.

Township 10 S. R. 23 E.
Gila & Salt River Meridian

h. East random line bet sec. 12 & 13
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

48.00 Road to Grant along telegraph line.

80.16 Intersect E. boundary 13 sec. N.
of cor. to sec. 12 and 13. from
which cor. Run
N. $89^{\circ}54'$ W.

On true line between sec. 12 & 13.

var. $14^{\circ}02'$ East

40.08 Set a post, marked $\frac{1}{4}$ s. $\frac{1}{4}$ p. long, flattened $\frac{3}{4}$ in. dia,
 $\frac{1}{4}$ ft. in the ground, four charred stakes $\frac{3}{4}$ in. dia around
with $\frac{1}{2}$ ft. high, with pits $\frac{1}{4}$ ft. deep, $\frac{1}{4}$ ft. long, $\frac{1}{4}$ in. dia,
for instructions for $\frac{1}{4}$ sec. cor. No trees near.

A Post on line of a proposed Military reservation
on W. side of road by telegraph line was from
this cor. N. $57\frac{1}{2}^{\circ}$ E. 8.83 chs. dist. Another post on E.
side of road has N. 63° E.

80.16 Cor. to sec. 11, 12, 13 and 14.

Land a little rolling. Good grass. No timber.

9

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

To North between sec. 11 & 12.
 1101. 114° 42' East.

40.00 Set a post, marked 14 S. 4 ft long, flat-
 topped 3 in. wide, 1 ft in the ground, drive
 charred stake & build mound of
 earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for 1/4 sec. cor. No trees near.

80.00 Set a post, marked 3 notched, 4 ft long,
 3 in. sq'd. 1 ft in the ground, drive
 charred stake and build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per in-
 structions, for cor. to secs. 1, 2, 11 and
 12, from which

An Ash tree, 20 in diameter, N. 41° E. 209 lbs dist

do. 16 " " " N. 53 1/2° W. 163 " "

No other trees near. - Land rich bottom
 on N. - a little rolling S. Some trees
 on a wash to N.

Township 10 S. R. 73 E.
 Gela & Salt River. Naudian

Sec. Eastern random line between 1st & 12th
 var. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Road to Grant, bas. N.

70.11 Intersect E. boundary 13 hrs. N.
 of cor. to sec. 1st & 12th from which
 cor. run

N. $89^{\circ}54'$ W.

Outline line between sec. 1st & 12th.

var. $14^{\circ}02'$ East.

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
 topped 3 in. wide, 4 ft in the ground,
 driven charred stake & build mound
 of earth 4 ft high, with feet 4 ft deep, 2
 ft long, 4 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. No trees near

70.11 Cor. to sec. 1, 2, 11, and 12.

Land some rolling. Good soil, etc.
 No timber.

Township 10 S. R. 23 E.
T. 10 S. Salt River Meridian

- 3.00 North corner on line bet. secs. 1 & 2.
var. $14^{\circ}02'$ East
- 40.00 Dug hole at stream, 50 ft wide, cor. S. W.
- 40.00 Set temporary 1/4 sec. cor.
- 79.86 Intersect N. boundary 12 hrs. N. of cor.
to sec. 1 & 2, from which cor. run
 $S. 0^{\circ}5' W.$

On true line between secs. 1 & 2.
var. $14^{\circ}02'$ East
- 39.86 Set a post, marked 1/4 S. 4 ft long, flat
tined 3 in wide, 1/2 in the ground,
dunn charred stake & build mound
earth 1/2 ft high, with pits 1/2 ft deep, 2
ft long, 1/2 ft wide, as per instructions
for 1/4 sec. cor. No trees near.
- 79.86 Cor. to secs. 1, 2, 11 and 12.
Some rich land on S. end.
Ascending N. Some trees along
wash.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

North between sec. 34 & 35,
 var. $14^{\circ}02'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sqd., 1 ft in the ground, as per instructions, for cor. to secs. 26, 27, 34 and 35. No trees near. Land a little undulating.

Soil sandy. Good grasses.
 No stones or timber.

Township 10 S. R. 23 E.
Tela & Salt River Meridian

Ch. East on random line bet sec. 26 & 35.
var. $14^{\circ} 02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. and S. line 5 lns. N. of
cor. to sec. 25, 26, 35 & 36, from
which cor. run
N. $89^{\circ} 58' W$

On true line between sec. 26 & 35,
var. $14^{\circ} 02'$ East.

40.05 Drive charred stake & build
mound approx. 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.11 Cor. to sec. 26, 27, 34 & 35.
Land a little undulating.
Soil sandy. Good grass.
No stones or timber.

Township 10 S R 23 E

Gila & Salt River Meridian

North between sec 26 & 27

Mer. $14^{\circ}02'$ East

10.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

80.00 Drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. corner. Drive a stake, marked and notched, 2 ft long, 2 in. sq. 1 ft. in the ground, as per instructions, for cor. to sec. 27, 28.

Hand 27. No trees near. Land a little undulating. Soil sandy. Good grass. No stones or timber.

Township 10 S. R. 23 E.
Gila & Salt River Meridian

Rs. East random line bet. sees. 23 & 26.
var. $14^{\circ} 02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. and S. line 9 hrs. S. of
cor. to sees. 23, 24, 25 and 26. from
which cor. run
 $S. 89^{\circ} 56' W.$

On true line between sees. 23 & 26.
var. $14^{\circ} 02'$ East.

40.07 Set charred stake $\frac{3}{4}$ build round
of with 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.15 Cor. to sees. 22, 23, 26 and 27.

Land a little undulating.
Soil sandy. Good grass.
No stones or timber.

Township 10 S. R. 23 E.
 T4 & Salt River Meridian

No. North between sec. 22 & 23
 var. $14^{\circ}02'$ East.

40.00 Drive charred stake & build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.00 Set a post, marked & notched, 4
 ft long, 3 in. sqd. 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for cor to sec.
 14, 15, 22 & 23.

No trees near.

Land a little undulating.
 Soil sandy. Good grass.
 No timber.

Township 10 S. R. 23 E.
Gila & Salt River Meridian

To East random line bet sec. 14 & 23
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line 5 Sec. N. of
cor. to sec. 13, 14, 23 and 24,
from which cor. I run
 $N. 89^{\circ}58' W.$

On true line between sec. 14 & 23.

var. $14^{\circ}02'$ East

39.98 Drive charred stake & build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.96 Cor. to sec. 14, 15, 22 & 23.

Ground descends a little N.

Soil sandy and 2° rate.

No timber or stones.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

S. North between sec. 14 & 15.
 var. 14° 02' East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, as per instruc-
 tions for these cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit 1
 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S.E. of cor. drive
 a stake, unmarked and notched,
 2 ft long, 2 in. sq. 1 ft in the ground,
 as per instructions, for cor to sec.
 10, 11, 14 and 15.

No trees near.

Land descends a little W.
 Soils sandy and 2nd rate.
 No timber or stones.

Township 10 S. R. 23 E.
 Gila Salt River Meridian

R. Eastward on line bet. sec. 11 & 14.
 var. $14^{\circ}02'$ East.

- 7.00 Deep wash, 20 lbs. wide, hrs. S. W.
 16.00 Deep wash, 20 lbs. wide, hrs. S. W.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. and S. line 14 lbs. S. of
 cor. to sec. 11, 12, 13 and 14. from
 which cor. run
 $S. 89^{\circ}34' W.$

On true line between sec. 11 & 14.
 var. $14^{\circ}02'$ East.

- 40.05 Iron charred stake and build
 mound of earth 2 ft. high, with hole
 1 ft. deep, 2 ft. long, 1 ft. wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.
 80.10 Cor. to sec. 10, 11, 14, and 15.
 Sand crosses rich bottom on N. end.
 Abundant grass. No timber.

Township 10 S. R. 23 E.

Sec. 1 Salt River Mexican

North between sec. 10 & 11.
 Mer. $14^{\circ}02'$ East.

00 Set a post, marked "48. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high, with pile 4 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for 14 sec. cor. No trees near.

00 Road to Grant Cor. N.E.

00 Set a post, marked and notched, 4 ft
 long, 3 in. sq'd. 1 ft in the ground, drive
 charred stake and build mound
 of earth 2 ft high, with pile 4 ft deep,
 2 ft long, 1 ft wide, as per instruc-
 tions, for cor. to sec. 2, 3, 10 and
 11. No trees near.

Sandwich batton.

No trees along line.

December 14, 1875.

Township 10 S. R. 23 E.
Tila & Salt River, Hardian

For East. or random line bet. sec. 2 & 11.
var. $114^{\circ}02'$ East.

18.00 Road bet. A. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

67.00 Road bet. A. N.

76.00 Dry bed of stream, 40 lbs. wide, bet. S. N.

79.90 Intersect N. $\frac{1}{2}$ line & bet. A. & front to sec. 12.

$113^{\circ}12'$ from which cor. from

N. $89^{\circ}57'$ N.

Old line between sec. 2 & 11.

var. $114^{\circ}02'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft. long, flattened 3 in.
wide, 1 ft. in the ground, drive charred stave and
lined around it to the ft. high, with pits $\frac{1}{2}$ ft. deep, 2
ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near. - Along low house bet. N. 12° E.

79.90 Cor. to sec. 2, 3, 10 and 11.

Land rich bottom. Some trees along wash.
Fine grass.

Township 10 S. R. 73 E.

Sec. 3 Salt River Mexican

Co. North Indian line bet sec. 2 & 3.

var. $14^{\circ}02'$ East.

0.00 Set temporary $\frac{1}{4}$ sec. cor.

2.00 Road bet. S. E.

8.00 Road bet. S. E.

9.68 Intersect N. boundary 12 hrs. N. of cor. to sec. 2

$\frac{3}{4}$ from which cor. down

$S. 0^{\circ}5' N.$ on true line between sec. 2 & 3.

var. $14^{\circ}02'$ East.

9.68 Set a post marked 4 S. 4 ft long, flattened 3 in wide

flat to the ground, driven 3 or 4 ft into the ground

at right angles, with flat 4 ft deep, 2 ft long, 4 ft wide, as

per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

A large adobe house, called the "Dance House",

bet. S. $34^{\circ} E.$ about 25 chs. dist - A second long

and low house bet. S. $65^{\circ} \frac{1}{2} E.$ more than half a mile

dist - A small house bet. E. about 3 chs. dist

9.68 Cor. to sec. 2, 3, 10 and 11.

Sand rich bottom. No timber along line

Township 10 S. R. 73 E.
 Gila & Salt River Meridian

1/4 North between secs. 33 & 34

var. $14^{\circ} 02'$ East

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. corner drive a stake, marked and notched, 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions, for cor. to secs. 27, 28, 33 and 34

No trees near.

Sand undulating. Soil sandy
 & rate. No stones or timber.

Township 10 S. R. 73 E.

6th & Salt River Meridian

East meridian line between 27th & 34th
 var. $14^{\circ}02'$ East.

9.00 Set temporary $\frac{1}{4}$ sec. cor.

9.84 Intersect A. and B. line 18 len. N. of
 cor. to secs. 26, 27, 34 and 35 from
 which cor. I run
 $N. 89^{\circ}52' W.$

True line between sec. 27th & 34th
 var. $14^{\circ}02'$ East.

9.92 Drove charred stave and build mound
 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.
 No trees near.

9.84 Cor. to secs. 27th, 28, 33, and 34.
 Land undulating.
 Soil sandy, 2nd rate.
 No stones or timber.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

Sec. North between sec. 27 & 28
 var. $14^{\circ}02'$ East

- 110 40.00 Drive charred stake and build mound a foot high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor.
 No trees near.
- 50 80.00 Drive charred stake and build mound a foot high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d. ft. in the ground, as per instructions, for cor. to sec. 21, 22, 27 and 28.
 No trees near.
 Land undulating. Soil sandy, 3rd rate. No stones or timber.

Township 10 S. R. 23 E.

Gila & Salt River Meridian

Cor. Eastward line bet sec. 22 & 27
 var. $14^{\circ}02'$ East

20.00 Set temporary $\frac{1}{4}$ sec. cor.

29.88 Intersect N. and S. line 16 hrs. N. of
 cor. to sec. 22, 23, 26 and 27.
 from which cor. true
 $N. 89^{\circ}53' W.$

On true line between sec. 22 & 27
 var. $14^{\circ}02'$ East.

29.94 Two charred staves & build mound of
 earth 2 ft high, with pile 1 ft deep,
 2 ft long, 1 ft wide, as per instru-
 tion for $\frac{1}{4}$ sec. cor.

Notes near.

29.88 Cor. to sec. 21, 22, 27 and 28.

Land undulating.

Soil sandy, 2^o rate. No stones
 or timber

Township 10 S. R. 23 E.
 Gila Salt River Meridian

North between sec. 21 & 22
 701. 14° 02' East

14.00 Road from Riley's Hill, to Grant, cor. N.E.

40.00 Drive charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec. cor. Note near

68.00 Road from Hooker's Ranch to Grant, cor. N.E.

80.00 Drive charred stake and
 build mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. Drive
 a stake, marked and notched
 2 ft long, 2 in. sq. 1 ft in the ground
 as per instructions for cor. to sec.
 15, 16, 21 and 22.

No trees near.
 Land undulating, Rich soil on N.
 end, where line crosses little valley run
 ning S.W. No stones or trees.

Township 10 S. R. 23 E.
 6th & Salt River Meridian

Rs. East on random line bet. secs. 15 & 22.
 var. 144° 02' East.

12.00 Road bet. N. E.

10.00 Set temporary 1/4 sec. cor.

16.00 Road bet. N. E.

1.54 Intersect N. 25. line 8 lvs. N. of cor.
 to secs. 14, 15, 22 and 23. from which
 cor. same
 N. 89° 50' W.

On true line between secs. 15 & 22,
 var. 144° 02' East.

10.02 Inire charred steel 2 build mound
 of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instructions,
 for 1/4 sec. cor. No trees near.

17.04 Cor. to secs. 15, 16, 21 and 22.

Rich bottom land in little valley
 running S. W. No stones or timber.

3

29

Township 10 S. R. 23 E.

Gila Salt River Meridian

Sec. North to sec. 15 & 16.

114° 02' East.

40.00 Drive charred stake and build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for 1st sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, and
in center of pit S. E. a few drive
a stake, marked and notched, 2 ft
long, 2 in sq. 1 ft in the ground,
as per instructions, for cor. to sec
9, 10, 15 and 16.

No trees near.

Land undulating. Good grass.

No stones or timber.

Township 10 S. R. 73 E.
Gila & Salt River Meridian

1/4 Sec. East a random line bet sec. 10 & 15.
var. $14^{\circ}02'$ East.

40.00 Set temporary 1/4 sec. cor.

68.00 Road to Grant, bet. N. E.

49.88 Intersect N. and S. line 10 bet. N. of
cor. to sec. 10, 11, 14 and 15, from
which cor. run
N. $89^{\circ}56'$ W.

Out true line between sec. 10 & 15.
var. $14^{\circ}02'$ East.

9.94 Set a post, marked 1/4 S. 4 flong. flattened
3 in. wide, 1 ft in the ground, driven charred stakes
and build mound a fourth of ft high with
feet 1 ft deep, 2 ft long. Provide a few in-
structions, for 1/4 sec. cor. Notes near.

80 9.88 Cor. to sec. 9, 10, 15 and 16.
Land undulating. Soil Good on E.
No timber.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

Sec. North between sec. 9 & 10
 var. 14° 02' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.

No trees near.

80.00 Drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to sec. 3.

4, 9 and 10.

No trees near.

Land undulating. Soil mostly 2nd rate. No stones or timber.

Township 10 S. R. 23 E.

Sec 4 Salt River Meridian

hs. East on random line between 3 & 10
var. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. and S. line 22 hrs. N.
of cor. to secs. 2, 3, 10, and 11, from
which cor. down
N. $89^{\circ}51' W.$

On true line between secs. 3 & 10.

var. $14^{\circ}02'$ East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tend 3 in wide, $\frac{1}{2}$ ft. in the ground,
drive charred stake and build
mound of earth 2 ft high, with pit $\frac{1}{2}$ ft.
deep, $\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor. No trees near.

9.15 Cor. to secs. 3, 4, 9 and 10.

Land descends a little S. E. Soil good.
No timber.

Township 10 S. R. 23 E.
 Gila^{Co} Salt River Meridian

North corner of lot sec. 3rd 4th
 var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.64 Intersect N. boundary 29 lbs. N. of
 cor. to sec. 3 and st. from which
 cor. run
 $S. 0^{\circ}12' N.$

On true line between sec. 3rd 4th
 var. $14^{\circ}02'$ East.

39.64 Drive charred stake and build
 mound a foot high with
 pit 4 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.64 Cor. to sec. 3, 4, 9 and 10.

Land undulating
 Soil mostly 2nd rate.
 No stones or timber.

December 15, 1875.

Township 10 S. R. 23 E.
 T14 Salt River Meridian

Sec. North between sec. 32 & 33.

var. $14^{\circ} 02'$ East

40.00 Drive charred stake and build mound
 of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instruction
 for 1/4 sec. cor. No trees near.

55.00 Road to Grand, Cas. N. E.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. drive
 a stake, marked and notched
 2 ft long, 2 in. sqd. 1 ft in the ground,
 as per instruction, for cor. to sec.
 28, 29, 32 and 33.

No trees near.

Land undulating. Soil mostly
 2nd rate. No timber or stones.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

On East meridian line bet sec. 28 & 33.

var. $14^{\circ}02'$ East.

20.00 Road to Grant, hrs. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. & S. line 12 hrs. N. of
 cor. to secs. 27, 28, 33 and 34,
 from which cor. Run
 $N. 89^{\circ}55' W.$

On true line bet sec. 28 & 33.

var. $14^{\circ}02'$ East.

40.07 Iron charred stake and build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.15 Cor. to secs. 28, 29, 32 & 33.

Land undulating.

Some good soil. No stone or timber.

Township 10 S. R. 23 E.

7th Salt River Meridian

Ln. North between secs. 28 & 29
 var. $14^{\circ} 02'$ East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $1/4$ sec. cor. *Notas near*

60.00 Road to Grant, var. N. E.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, and
 in center of pit S. E. of cor. drive
 a stake, marked and notched,
 2 ft long, 2 in. sqd. 1 ft in the ground,
 as per instructions, for cor. to
 secs. 20, 21, 28 and 29.

No trees near.

An adobe house, called the "Six Mile House",
 var. S. 13° E. from this corner.

Good soil. Grass. No stones or
 trees.

37

Township 10 S. R. 23 E.
 Gila Salt River Meridian

Ln. Eastward on line bet. secs. 21 & 28.
 var. $14^{\circ}02'$ East

17.00 Road bet. N. E. and S. W.

22.00 Road bet. N. E. and S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

65.00 Road bet. N. E.

80.06 Intersect N. $\frac{3}{4}$ S. line 5 lvs. S. of cor. to secs.

21, 22, 27 & 28, from which cor. from

S. 89° 58' W. entire line between secs. 21 & 28.

var. $14^{\circ}02'$ East

40.03 Drive charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 1 ft long, 1 ft wide, as
 per instructions, for $\frac{1}{4}$ sec. cor. No trees near.
 An Adobe house, called the "Six Mile House",
 bet. S. $30^{\circ}\frac{3}{4}'$ W.

80.06 Cor. to secs. 20, 21, 28 and 29.

Land undulating.

Soil good. No timber or stones.

No. 728

BOOK 728 38

Township 10 S. R. 23 E.

Sec. 4 Salt River Meridian

Sec. North between sec. 20 & 21
var. $14^{\circ} 02'$ East.

34.00 Road line, N.E. and S.W.

40.00 Drive charred stake and build mound
of earth 2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for 14 sec. cor.

Notices near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, and in
center of pit S. E. of cor. drive a
stake, marked and notched,
2 ft long, 2 in. sq'd, 1 ft in the ground,
as per instructions, for the cor. to Secs.
16, 17, 20 and 21. Notices near.

Good soil. Abundant grass.
No timber or stones.

39

Township 10 S. R. 23 E.
 T. 3 Salt River Meridian

Cor. East random line between 16th & 21st
 var. 114° 02' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 6th Sec. N.
 of cor. to sec. 15, 16, 21 and 22,
 from which cor. run
 N. 89° 57' W.

On true line between sec. 16th & 21st.
 var. 114° 02' East.

39.95 Drive charred stake & build mound
 of earth 2 ft high, with pile 1 ft deep,
 2 ft long, 1 ft wide, as per instru-
 tions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.90 Cor. to sec. 16, 17, 20 and 21.

Land rolling.

Fine grass, Soil good.

No stones or trees.

Township 10 S. R. 73 E.
 6th Salt River Meridian

No. North between sec. 16th & 17th
 var. 14° 02' East

40.00 Drive charred stake and build mound
 of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. drive
 a stake, marked and notched,
 2 ft long, 2 in sq. 1 ft in the ground,
 as per instructions for cor. to sec.
 8, 9, 16, and 17.

No trees near.

Land undulating. Soil good.
 Good grass. No stones or timber.

Township 10 S. R. 23 E.
 6th Salt River Meridian

Chs. East on random line between 9th & 16th
 var. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.78 Intersect N. and S. line 17th Sec. N.
 after to secs. 9, 10, 15 and 16,
 from which cor. Run
 $N. 89^{\circ}53' W.$

On true line between secs. 9th & 16th.

var. $14^{\circ}02'$ East.

39.89 Iron charred stake and nail
 mound a foot high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

49.78 Cor. to secs. 8, 9, 16, and 17.

Land undulating.

Soil good. Good grass.

No stones or timber.

Township 10 S. R. 23 E.

Gila & Salt River Meridian

Co. North between sec. 8 & 9
 var. $14^{\circ}02'$ East

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for 1st sec. cor.
 No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in. sq. d.
 1 ft in the ground, as per instruc-
 tions, for cor. to sec. 4, 5, 8
 and 9. No trees near.
 Land undulating.
 Soil good. Good grass.
 No stones or timber.

Township 10 S. R. 73 E.
 6th Salt River Meridian

Ch. East corner line bet. secs. 4 & 9.
 var. $114^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.72 Intersect N. and S. line 31 Ch. N.
 of cor. to secs. 3, 4, 9 and 10. from
 which cor. I run
 N. $89^{\circ}47'$ W.

On true line between secs. 4 & 9.
 var. $114^{\circ}02'$ East.

39.86 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.72 Cor. to secs. 4, 5, 8 and 9.
 Land undulating.
 Soil good. Good grass.
 No stones or timber.

Township 10 S. R. 23 E.

Sec 9 Salt River Meridian

Co. North Courserdon line bet sec. 4 & 5.

var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.69 Intersect N. boundary 15 hrs. N. of
cor. to sec. 4 and 5. from which

cor. from

$S. 0^{\circ}6'$ W.

Actual line between sec. 4 & 5.

var. $14^{\circ}02'$ East

39.69 Drive charred stake & build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.69 Cor. to sec. 4, 5, 8 and 9.

Land undulating.

Soil good. Good grass.

No stones or timber.

Township 10 S. R. 23 E.
Gila Salt River Meridian

Line North between sec. 31 & 32.
740. 14° 02' East

40.00 Drive charred stake and build mound of earth 4 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 74 sec. cor.
No trees near.

59.00 Road to Grand, hrs. N. E.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake, marked and notched 2 ft long, 2 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to Secs. 29, 30, 31 and 32. No trees near. Land descends a little S. W. Soil good. Good grass. No stones or timber.

Township 10 S. R. 23 E.

6th Salt River Meridian

Sec. East on random line bet sec. 29 & 32
var. $14^{\circ}02'$ East.

18.00 Road to Grant, cor. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

29.87 Intersect N. & S. line 39 sec. S. of
cor. to secs. 28, 29, 32 and 33,
from which cor. run
S. $89^{\circ}43'N$.

On true line between sec. 29 & 32.

var. $14^{\circ}02'$ East.

39.94 Iron charred stake and nail
narrowed at point 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
No trees near

29.87 Cor. to secs. 29, 30, 31 and 32.

Some good soil.

No stones or timber.

47

4
Township 10 S. R. 23 E
Gila's Salt River Meridian

Ch. Westward on line between secs. 30 & 31.
var. $14^{\circ} 02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. boundary 8 lvs. N.
of cor. to secs. 30 and 31. from
which cor. run
N. $89^{\circ} 57'$ E.

On true line between secs. 30 & 31.

var. $14^{\circ} 02'$ East.

39.94 Drive charred stake and build
mound of earth $\frac{1}{2}$ ft. high, with pits $\frac{1}{2}$ ft.
deep, $\frac{1}{2}$ ft. long, $\frac{1}{2}$ ft. wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.94 Cor. to secs. 29, 30, 31 and 32.
Some good soil
No stones or timber.

December 16, 1875.

Township 10 S. R. 23 E.
 6th Salt River Meridian

to North between secs. 29 & 30
 var. $14^{\circ}02'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

30.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a few drive a stake, marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions, for cor. to secs. 19, 20, 29 and 30. No trees near. Land undulating. Some good soil. No timber.

Township 10 S. R. 73 E.
 Gila Salt River Meridian

On East meridian line betwees. 20 & 29
 var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 11 bet. N.
 of cor. to sees. 20, 21, 28 and 29,
 from which cor. run
 N. $89^{\circ}55'$ W.

On true line between sees. 20 & 29
 var. $14^{\circ}02'$ East.

39.97 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide
 as per instructions, for cor. to $\frac{1}{4}$ sec.
 Notices near.

79.94 Cor. to sees. 19, 20, 29 and 30.

Land undulating.

Good soil on E end.

No stones or timber.

Township 10 S. R. 23 E.

Sec. 4 Salt River Meridian

No. N.W. or random line bet. sec. 19 & 30.
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.86 Intersect N. boundary 22 hrs. S.
also to sec. 19 & 30. from which
cor. Inner
 $S. 89^{\circ}51'$ E.

On true line between sec. 19 & 30.
var. $14^{\circ}02'$ East.

49.86 Saw charred stake and build
mound of earth 2 ft high, with
sub. ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No tree near.

49.86 Co. to sec. 19, 20, 29 and 30.
Land undulating.
Soil 2nd rate. No stones or
trees.

2

Township 10 S. R. 13 E.

Tila & Salt River Meridian

Ch. North between sees 19 & 20.
Var. $14^{\circ}02'$ East.

40.00 Drive charred stake and build
mound of earth 2 ft high, with
fibs 1 ft deep, 2 ft long, 4 ft wide,
as per instructions, for $1/4$ sec.
cor. No trees near.

50.00 Drive charred stake and build
mound of earth 2 ft high, with
fibs 1 ft deep, 2 ft long, 4 ft wide,
and in center a fib 1 ft S.E. of cor.
Drive a stake, marked and
notched, 2 ft long, 2 in sq'd. 1
ft in the ground, as per instructions
for cor. to sees 17, 18, 19 and 20.
No trees near.

Land undulating. Soil 2 rate.
No stones or timber.

Township 10 S. R. 23 E.

7th & Salt River Meridian

40.00 East or random line bet sec. 17 & 20.
var. $114^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. and S. line 7 lvs. S.
of cor. to secs. 16, 17, 20 and 21,
from which cor. run
 $S. 89^{\circ}54' W.$

On true line between sec. 17 & 20.

var. $111^{\circ}02'$ East

40.05 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.10 Cor. to secs. 17, 18, 19 and 20.

Land a little rolling.

Soil good. Good grass.

No stones or timbers.

Township 10 S. R. 73 E.
Gila Salt River Meridian

N. West meridian line betweens 18 $\frac{1}{2}$ & 19.
var. 14° 02' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.75 Intersect N. boundary 13 Sec. S.
at cor to sees. 18 $\frac{1}{2}$ & 19. from
which cor. I run
S. 89° 54' E.

Outline line between sees. 18 $\frac{1}{2}$ & 19.
var. 14° 02' East.

39.75 Drive charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.75 Cor. to sees. 17, 18, 19 and 20.
Land a little rolling.
Soil good. Good grass.
No stones or timber.

Township 10 S. R. 23 E.
 T. 10 S. Salt River Meridian

Ch. North between sec. 17 & 18,
 var. $14^{\circ}02'$ East.

40.00 Duri charred stake and build
 mound of earth 2 ft high, with
 pits 4 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec. cor.
 No trees near.

80.00 Duri charred stake and build
 mound of earth 2 ft high, with
 pits 4 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 duri a stake, marked and
 notched, 2 ft long, 2 in. sq. d.,
 1 ft in the ground, as per instruc-
 tions for cor. to sec. 17, 8, 17 and
 18. No trees near.

Land undulating and sandy.
 Some good soil. Good grass.
 No stones or trees.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

On East meridian line between sec. 8 & 17
 var. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. and S. line 4 hrs. N.
 open to secs. 8, 9, 16, and 17, from
 which cor. I run
 $N. 89^{\circ}58' W.$

On true line between sec. 8 & 17
 var. $14^{\circ}02'$ East.

40.04 Drive charred stake and build
 mound a fourth of high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.08 Cor to secs. 7, 8, 17 and 18.
 Land undulating & sandy.
 Some good soil.
 Good grass, No trees or
 timber.

Township 10 S. R. 23 E.

Sec. 4 Salt River Meridian

W. Meridian line bet. sec. 7 & 18.
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. boundary, 30 lbs. N. of
cor. to sec. 7 & 18, from which cor.

run

$N. 89^{\circ}47' E.$

On true line between sec. 7 & 18.

var. $14^{\circ}02'$ East.

79.85 Drive charred stake and build
mound of earth 2 ft. high with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

79.85 Cor. to sec. 7, 8, 17 and 18.

Land undulating and sandy.
Some good soil. Good grass.
No stones or trees.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

No. North between sec. 7 & 8.
 var. $14^{\circ}07'$ East

40.00 Drive charred stake and build
 mound a foot $\frac{1}{2}$ ft high, with
 pit 1 ft deep, $\frac{1}{2}$ ft long, 1 ft wide,
 as per instructions, for 74 sec. cor.
 No trees near.

80.00 Drive charred stake and
 build mound a foot $\frac{1}{2}$ ft high,
 with pit 1 ft deep, $\frac{1}{2}$ ft long, 1 ft
 wide, and in center of pit S.E.
 a cor. drive a stake, marked and
 notched, $\frac{1}{2}$ ft long, 2 in. sq d 1 ft
 in the ground, as per instruc-
 tions, for cor. to sec. 5, 6, 7 and
 8. No trees near.
 Land undulating and sandy,
 Some good soil. Good grass.
 No stones or timber.

Township 10 S. R. 23 E.

Gila Salt River Meridian

S. E. ^{1/4} East. or random line between 5 & 8.

var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. and S. line 19 lvs. N. of

cor. to sec. 4, 5, 8 and 9, from

which cor. run

N. $89^{\circ}52'$ W.

On true line between sec. 5 & 8.

var. $14^{\circ}02'$ East

40.06 Drive charred stake and build

mound a foot or high, with

feet 1 ft deep, 2 ft long, 1 ft wide,

as per instructions, for $\frac{1}{4}$ sec.

cor. No trees near.

80.13 Cor. to sec. 5, 6, 7 and 8.

Land undulating and sandy.

Some good soil. Good grass.

No stones or timber.

Township 10 S. R. 23 E.
 Tila & Salt River Meridian

Sec. West random line to sec. 6 & 7
 var. $14^{\circ}02'$ East

40.00 Set temporary $1/4$ sec. cor.

79.80 Intersect N. boundary, 28.65 S. N.
 of cor. to sec. 6 and 7, from
 which cor. run
 $N. 89^{\circ}48' E.$

On true line between sec. 6 & 7
 var. $14^{\circ}02'$ East

39.80 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $1/4$ sec. cor.
 No trees near.

79.80 Cor. to sec. 5, 6, 7 and 8.
 Sand undulating.
 Soil sandy; some good.
 Good grass.
 No stones or trees.

Township 10 S. R. 23 E.
 Gila & Salt River Meridian

On North or random line bet. sec. 5 & 6.
 var. $114^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.62 Intersect N. boundary 14 lvs. E. of cor.
 to secs. 5 and 6. from which cor.

Run

S. $0^{\circ}6'$ E.

Outline line between sec. 5 & 6.
 var. $114^{\circ}02'$ East

79.62 Drive charred stake and build
 mound a foot $\frac{1}{2}$ high with
 pile 1 ft deep, $\frac{1}{2}$ ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.62 Cor. to sec. 5, 6, 7 and 8.
 Land undulating.

Soil sandy, some a bit good.

Grass. No stones or trees.

December 17, 1875.

Township 10 S. R. 73 E.
 Gila & Salt River Meridian
 General Description

This Township lies immediately in front, - to the S. - of Camp Grant. It covers some good bottom land in the N. E. corner, and a strip of such land runs diagonally S. W. through the center.

The balance of the township is fine grazing land. Water can be obtained along the bottom at slight depth.

There is no timber, with the exception of a few trees, principally sycamore, in the N. E. corner.

Theodore F. White
 U. S. Deputy Surveyor.

