

Improvements  
Indicated

2

No. 729

BOOK 729

# Field Notes

BOOK 729

OF THE SURVEY OF THE

No. 729  
-OF-

729

Township 11 S. Range 27 E.

*Gila and Salt River Base and Meridian*

ARIZONA.

By John C. Smith D.S.

Under contract dated Dec 19<sup>th</sup> 1884

Survey commenced Jan 14<sup>th</sup> 1885

Survey completed Jan 19<sup>th</sup> 1885

BOOK 729

Township 11 S. R. 27 E.

Grand S. R. M

6	92	5	67	4	50	3	35	2	17	1
90	89		65		49		33		16	
7	88	8	64	9	48	10	32	11	14	12
86	85		62		46		31		13	
18	83	17	61	16	45	15	29	14	12	13
82	80		60		44		28		10	
19	79	20	58	21	42	22	26	23	8	24
77	76		57		41		25		7	
30	75	29	56	28	40	27	24	26	6	25
73	72		54		34		22		4	
31	70	32	53	33	37	34	21	35	3	36

and description of  
instrument see Book 121

No. 729

3

T11 SR 27E

BLK 729

Chain

Beginning at the  
Cor to Secs 1, 2, 35 and 36

previously described  
by me on Study of Tr.  
Run N bet Secs 35 + 36  
T9 12° 27' E

- 12.00 Enter valley bear ESW
- 13.00 Leave " " " "
- 20.00 Enter " " " "
- 25.00 Leave " " " "
- 40.00 Set a Malpais stone, 12 x 10 x 8 ins 7  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on W  
face, dug pits 18 x 18 x 12 ins. N and S  
of stone 55 ft. dist. and raised a mound of earth  
11 ft. high 8 ft. base alongside
- 44.00 Cross Dry Wash Course E.



4

BOOK 729

T11SR 27°

Chain

80.00

Set a <sup>stone</sup> Granite 16x12x8 in  
 11 ins. in the ground  
 for cor to Secs 25, 26  
 35 and 36. marked  
 with 1 notch on S and  
 E edges and raised  
 a mound of stone  
 alongside.

Surface rolling

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

East on a random  
 line bet Secs 25 + 36

N 91° 27' E

40.00

Set temporary 1/4 Sec cor



T11 SR 27E

Chain

79.95

Intersect the E bdy of  
T<sub>11</sub> 12 links S of cor  
to Secs 25, 30, 31, and 36

described in Book  
No. 4

Thence I run  
S 89° 55' W. on a true  
line bet Secs 25 and 36  
with same Va

39.97

Deposited a marked stone 12 ins. in  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins  
E and W of stone 54 ft. apart and raised  
a mound of earth 32 ft. high 54 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.95

The cor to Secs 25, 26, 35 and 36  
Surface level

T11 S R 27E

Chains

Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North bet Secs 25+26  
T9 12<sup>d</sup> 27<sup>e</sup>

40.00

See - malpain ~~12 8 7 7~~  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$  on NW  
face. dug pits 18 x 18 x 12 ins. N app S  
of stone 21 ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high 31 ft. base alongside.

80.00

deposited a marked stone 12 ins in the  
ground for Cor 10 Secs 23.24.25+26 dug pits  
18 x 18 x 18 ins in each Sec 51 ft. dist.

raised a mound of earth 2 ft. high 46 ft. base  
over N. W. S. E. 211 drove a stake 2 ins sq. 2  
ft. long 12 ins. wide and marked T118

24 on N.E. 27E 25 26

on S.W. and S. 23 on N.W. faces, with

2 notch 12 on S, and 1 notch on E edge

T 11 S R 27 E

Chain

Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

East on a random  
 line bet Secs 24. and 25  
 $\text{Qr } 12^{\circ} 27' \text{ E}$

40.00 Set temporary 1/4 Sec cor

79.82 Intersect the E bdy. of  
 the 20 links Sof cor  
 to Secs 19, 24, 25 and 30

Described in Book No. 4.

Thence I run

$S 89^{\circ} 51' \text{ W}$ . on a true  
 line bet secs 24 & 25 with



8

LOOK 729

T11 S R 27 E

chains

same as.

39.91

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 13 x 18 x 12 ins. E and W of stone 54 feet apart. A mound of earth 18 ft. high 24 ft. diameter. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S. on N face.

79.82

The cor to secs 23, 24, 26 + 25

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

North bet Secs 23 + 24

Qa 12° 27' E

T 11 S R 27 E

chain

40.00

Deposited a marked stone 19 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 2 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W

57.70

Cross Dry Wash course N.E

80.00

Deposited a marked stone 19 ins. in the ground for Cor to Secs 13, 14, 23 & 24 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 2 1/2 ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 11 S 13 on N.E. R 27 E 24 on S.E. S. 23 on S.W. and S. 14 on N.W. faces, with 3 notches on S. and 1 notch on E edges.

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

T 11 S R 27E

Chain

Dense brush

East on a random  
line bet Secs 13 & 24  
va  $120^{\circ} 27' E$

40.00 Set temporary 1/4 Sec cor

79.88 Intersect the E bay  
of T<sub>11</sub> 31 links S of  
cor to Secs 13, 18, 19 & 24

Described in book No. 4

Hence I run  
 $89^{\circ} 47' W$  on a true  
line bet Secs 13 & 24  
with same va



T11 SR 27E

Chair  
39.94

Deposited a marked stone 12 ins. in the ground for a Sec. Cor. dug pit 1' x 18" x 12 ins. E and W by stone. 24 for a dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base one ft. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N face.

49.13

Cross Dry Wash Course N.E

56.88

" " " " N.E

62.88

" " " " N.E

79.88

The cor to Secs 13, 14, 23 + 24

Surface rolling

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

T 11 S R 27 E

Chains

North bet Secs 13 + 14  
 Ra 12° 27' E

40.00

Deposited a marked stone 12 ins. in the  
 ground for Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 54 feet apart and raised  
 a mound of earth 2 1/4 ft. high 4 1/2 ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked 1/4 S. on W  
 face.

80.00

Deposited a marked stone in  
 ground for Cor. to Secs 11, 12, 13 + 14 dug pits  
 18 x 18 x 12 ins. in each. Raised a mound of earth 2 1/4 ft. high 4 1/2 ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T 11 S  
 S. 12 on N. E. R 27 E 13 on S. E. S. 14  
 on S. W. and S. 11 on N. W. faces, with  
 4 notches on S, and 1 notch  
 on E edges.

Surface rolling

T11 SR 27E

Chains

Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random  
 line bet Secs 12 & 13

$\text{Va } 120^{\circ} 27' \text{E}$

40.00 Set temporary 14 Sec cor

79.90 Intersect the E bdy. of  
 T11 links S of cor to  
 Secs 7, 12, 13 and 18.

described in  
 Book No. 4.

Thence I run

$89^{\circ} 55' \text{W}$  on a true  
 line bet Secs 12 and 13



T111 R 27E

chains

with same 9a

39.95

Deposited a marked stone 12 ins in  
ground for  $\frac{1}{4}$  Sec. Cor, dug pits 8 x 6 x 12 ins.  
E na W of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.90

The cor to Secs 11.12.13+14  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North bet Secs 11 and 12  
Qa 12<sup>o</sup> 27<sup>o</sup> E

T11 SR 27E

Chairs  
40.00

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. 67 dug pits 18 x 18 x 12 ins. N  $\frac{1}{2}$  S of stone  $\frac{5}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 4  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

48.20  
80.00

cross Dry wash course 1/4 E

Deposited a marked stone 12 ins in the ground for Cor to Sees 1, 2, 11 & 12, dug pits 18 x 18 x 12 ins in each Sec. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 9 ft. high 4  $\frac{1}{2}$  ft. base over it in S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T11 S 5-1 on N E R27E S 12 on S E S 11 on S W and S 2 on N W faces with 5 notch es on S and 1 notch on E edges

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor

T11SR 27°

chains

Dense brush

East on a random  
line bet Secs 1 and 12

9a 12° 27' E

40.0 d Set temporary 1/4 Sec cor  
79.85 Intersect the E boundary  
of 9p at cor to Secs  
1, 6, 7 and 12

described in Book No. 4

thence I run

ON on a true  
line bet Secs 1 and 12  
with same Va.



## T11 SR 27E

Chain

39.92

Deposited a marked stone 12 ins. in ground for  $\frac{1}{4}$  Sec. Cor. d. sq. pits 18 x 18 x 12 ins. E on W of stone 54 feet dist and raised a mound of earth 14 ft. high at base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

54.85 cross Dry Wash course NE  
79.85 The cor to Secs 1, 2, 11 and 12

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

North on a true line  
bet Secs 1 and 2

QA 12027E

18

BOOK 729

T11 S R 27 E

Chairs

40.00

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dig pits 18 x 18 x 12 ins.

N  $\frac{1}{4}$  S of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S on W face.

74.95

Intersect the 2<sup>nd</sup> std S 36.42 chs W of std cor to Secs 35 and 36

T10 S R 27 E, which is a post 4 ins. sq. in mound of earth marked.

S.E. T10 S R 27 on S 36 on E and S 35 on W with <sup>faces</sup> notch on E and 5 notches on W edges and pits of required size

T11 SR 27E

Chain

At the point of intersection  
I deposited a marked  
stone 12 ins. in the ground  
for closing cor to Recs 182  
dug pits 18x18x12x ins.

- S E & W of cor  $5\frac{1}{2}$  ft. dist.  
and raised a mound  
of earth 2 ft high  $4\frac{1}{2}$  ft  
base over it. In E pit  
drove a stake 2 ins sq.  
2 ft. long 12 ins. in the  
ground marked. C.C.

T11 SR 27E on S.

S 1 on E and S 2 on W  
faces with 1 notch on  
E and 5 notches on W  
edges



T 11 S R 27E

Chain

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

---

I carefully examined  
the adjustments of my  
solar transit to day  
particularly the latitude  
and reversing apparatus  
and found them correct  
Jan 14<sup>th</sup> 1885

T11 SR 27E

Chain

From the cor to Secs  
2, 3, 35, 34 T11

SR 27E, on S. side of  
Tr. previously described  
by me. Run N bet  
secs 34 and 35

Q12027E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor dug a pit 8 x 18 x 12 ins.  
N on S of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 lbs  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

42.00 Enter Valley bear ~~base~~ ESW

44.00 Cross Dry Wash Course SE

48.00 Leave Valley bear ESW

53.00 Cross Dry wash course SE

TUSK 27E

chains

80.00

deposited a marked stone 12 ins in dia.  
ground for cor to Sec 26, 27, 34<sup>05</sup> & 35  
18x18x18 ins in each Sec. 54 ft. dia. and  
rused around of earth 2 ft. high 4 1/2 ft. base  
over it on S E pit drove a stake 9 ins sq 2  
ft long 9 ins in the ground marked T. 118  
S 26 NE R 27E S 35 SE S 34  
on SW and S 27 on N W faces, with  
1 notch on S, and 1 notch  
E edges

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

Cast on a random  
line bet Secs 26 & 35  
Va 12° 27' E



T11 SR 27E

Chain

40.00 Set temporary 1/4 Sec cor  
 80.14 I intersect the 1st S line  
 11 links S of cor to Secs  
 25, 26, 35 and 36.

Thence I run  
 S 89° 55' W. on a true  
 line bet Secs 26 & 35  
 with same Va

40.07 Set a Malpais stone 11 x 8 x 8 ins. 7 ins.  
 in the ground for 1/4 Sec, Cor, marked 1/4 on N  
 face, dug pits 18 x 18 x 12 ins. E and W  
 5 1/2 ft. dist. and raised a mound of earth  
 1 1/2 ft. high, 3 1/2 ft. base, alongside.

80.14 The cor to Secs 26, 27, 34 and 35  
 Surface rolling  
 Grass poor  
 Soil 2<sup>nd</sup> rate  
 Dense brush

T. 11. S. R. 27E

chain

Notch bet Secs 26 + 27  
QA 12° 27'E

40.00

Set a malpais stone, 13 x 8 x 7 ins., 9 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on NW face, dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base, alongside.

80.00

Produced a marked stone 12 ins. in the ground for Cor. to Secs 21, 23, 26, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stone 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 11 S. 523 on N. E. R. 27 E. S. 26 on S. E. S. 27 on S. W. and S. 22 on N. W. faces, with 2 notches on S, and 2 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor

T11 SR 27E

Chain

Dense brush

East on a random  
line bet Secs 23 & 26

On  $120^{\circ}27'E$

40.00 Set temporary 1/4 Sec cor  
80.10 Intersect the N and  
S line 10 links N of cor  
to Secs 23, 24, 25 and 26.

Thence I run  
N  $89^{\circ}56'W$  on a true  
line bet Secs 23 & 26  
with same On.



26

BOOK 729

T11 SR 27E

chain

40.05

Deposited a marked stone 12 ins in the  
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 in.  
E and W of stone 5 1/2 feet dist  
a mound of earth 1 1/2 ft high, 3 1/2 ft base over  
it. In E pit drove a stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S ~~corner~~  
face.

80.10

The cor to Secs 22, 23  
26 and 27.

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

North bet Secs 22 &amp; 23

Qa 12° 27' E

T11 S. R 278

Chains

15.00

40.00

Cross Dry Wash course N.E.

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N.W.  $\frac{1}{4}$  of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high on S. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.W. face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 14, 15, 22 & 23, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 11 S. 14 on N.E. R. 278 S. 23 on S.E. S. 22 on S.W. and S. 15 on N.W. faces, with 3 notches on S, and 2 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor

T11. SR 22e)

Chain

Dense brush

East on a random  
line bet Secs 14 & 23

$99^{\circ} 12' 27'' E$

40.00

Set temporary 14 sec cor

79.78

Entered the N & S  
line 21 links S of cor  
to Secs 13, 14, 23 and 24.

Thence I run

$89^{\circ} 51' W$ . on a  
true line bet Secs  
14 and 23 with same  $99^{\circ}$ .



T11 S R 27E

Chains  
39.89

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $3\frac{1}{2}$  feet apart and raised a mound of earth 14 ft. high on top over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

79.78

The cor to Secs 14, 15, 22, 23

Surface rolling  
Soil 2<sup>nd</sup> rate  
grass poor  
Dense brush

North bet Secs 14 &amp; 15

W 120° 27' E

T 11 S R 27 E

chain

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

W and S of stone  $5\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{4}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 10, 11, <sup>14 & 15</sup> dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 11 S 11 on N.E. R 27 E S 14 on S.E. S. 15 on S.W. and S. 10 on N.W. faces, with 4 notch es on S. and 2 notch es

on E. faces

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

T11 S R 27E

Name

East on a random  
line bet Secs 11 and 14  
Qa  $12^{\circ} 27' E$

40.00

Set temporary  $\frac{1}{4}$  Sec cor

79.82

I intersect the N + S  
line 3 links N of cor  
to Secs 11, 12, 13 and 14.

Thence I run  
 $N 89^{\circ} 59' W$ . on a true  
line bet Secs 11 and 14  
with same Qa.

39.9.1

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 8 x 18 x 12 ins.

E and W of stone  $\frac{1}{2}$  feet dis' and raised  
a mound of earth  $1\frac{1}{2}$  ft. high 3 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.



T 11 SR 27E

Chassis

79.82

The cor to Secs 10, 11, 14, 15  
 Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

North bet Secs 10 + 11  
 Ora 12<sup>d</sup> 27<sup>E</sup>

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 5 $\frac{1}{2}$  feet distance raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

No. 729

T11SR 27E

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 2, 3, 10 & 11, dug pits 18 x 18 x 12 ins. in each Sec 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/4 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 11 S. 2 on N. E. R 27 E // on S. E. S. 10 on S. W. and S. 3 on N. W. faces, with 5 notches on S. and 2 notches on E. edges.

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

East on a random  
line bet Secs 2 & 11

T 11 S 27 E

T11 SR 279

Chain

40.00

Set temporary  $\frac{1}{4}$  Sec. cor

79.90

Entered the  $\frac{1}{4}$  S  
line 15 links N of  
Cor to Secs 1, 2, 11 and 12.Thence I run  
 $N 89^{\circ} 54'$  W. on a  
true line bet sec  
2 & 11 with same va.

39.95

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 54 feet dist and raised  
a mound of earth 14 ft. high 54 ft. base each  
ft. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.90

The cor to Secs 2, 3, 10, 11  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor



T11 SR 27E

Chains

Dense brush

North on a true line  
bet Secs 2 & 3

$\text{N } 12^{\circ} 27' \text{ E}$

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins

N and S of stone 54 feet dist and raised a mound of earth 12 ft. high 24 ft. base over it. In N pit drove a stake 2 ft. long 2 ins sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{NW}$

60.00  
75.10  
76.08

Intersect the 2 std S

36.19. chs W of std cor  
to Secs 34 & 35 T10 S  
R 27E, which is a  
Post. 4 ins. sq in  
mound of earth marked

T118R 27E

## Chains

S.C. T10 S R 27 E on N.

S 35 on E

S 34 on W. <sup>face</sup> with 2

notches on E and 4

notches on W. edges and

fits of required size.

At the point  
of intersection, IDeposited a marked  
stone 12 ins. in the  
ground for closing  
cor to Sec 2+3.Dug pits 18x18x12  
ins. S.E. + W. of cor  
5-1/2 ft. dist. and  
raised a mound of  
earth 2 ft high 4-1/2

T11 SR 27E

Chains

ft. base over it. In E pit  
drove a stake 2 in. eq.  
2 ft long 12 in.  
in the ground  
marked <sup>C</sup>T11 SR 27E  
on S S. 2 on E and  
S 3 on W faces with  
2 notches on E and 4  
notches on W. edges  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

---



T11 SR 27E

chain

From the cor to Secs  
3.4. 33 and 34.

Op 11 SR 27E  
on S bdy of T p.  
previously described  
by me. From N bet  
Secs 33 and 34.

Pa 12<sup>d</sup> 27E

40.00

Set a Malpais stone, 18 x 18 x 6 ins. 13 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on NW  
face, dug pits 18 x 18 x 12 ins. N and S  
of stone 50 ft. dist. and raised a mound of earth  
14 ft. high, 32 ft. base, alongside.

50.20

Enter Valley bears E & W.

53.00

Cross Dry wash course E

65.00

Leave valley bears E & W

T11 SR 27E

Chain

80.00

Deposited a marked stone 12 ins. in dia. ground for Cor to Secs 27, 28, 33<sup>34</sup> dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins sq. 2 ft. long 12 ins. in the ground marked T11 S. 27 on N.E. RTES 34 on S.E. S. 83 on S.W. and S. 28 on N.W. faces. with 1 notch on S. and 3 notches on E. edges

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

East on a random line  
bet Secs 27 and 34  
99 12° 27' E

T11 SR 27E

Chains

40.00 Set temporary 1/4 Sec. cor

80.02 Intersect the N & S  
line 18 links N of cor  
to Secs 26, 27, 34 & 35.

Thence I ran  
N 89° 56' W on a true  
line bet Secs 27 & 34  
with same. Pa.

40.01

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins.  
E and W of stone 5 1/2 feet a ... raised  
a mound of earth 1 1/2 ft. high 1 1/2 ft. ...  
it. In E pit drove a stake 2 ft. in a 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N  
face.

80.02

The cor. to Secs 27, 28  
33 and 34

Surface rolling  
Soll 2<sup>nd</sup> rate



T11 SR 27E

Chain

Grass prairie  
Dense brush

North W/4 Secs 27 &amp; 28

9912027E

40.00

Deposited a marked stone 12 ins. in ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. and  $\frac{1}{4}$  S of stone 54 feet away and raised a mound of earth 14 ft. high 2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Set a *malpais* stone 11 x 8 x 7 ins. 6 ms. in the ground for Cor.  $\frac{1}{4}$  Sec., 21, 22, 27~~28~~ marked with 2 notch *en* S. and 3 notch *en* E. edges. Dug pits 18 x 18 x 12 ins. in each Sec., 54 ft. away and raised a mound of earth 2 ft. high 4 ft. base on inside.

TU SR 27E

Chanis

Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random  
 line bet Secs 22 & 27  
 09 120 27E

40.00

Set temporary 1/4 sec cor

80.09

I entered the N & S  
 line 15 links S of  
 cor to Secs 22, 23, 26, 27

Thence I run

S89° 54' W on a  
 true line bet Secs  
 22 & 27. with came va

H18R 27E

Chains

5.00

cross Dry wash bears N.E

40.04

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high at the base over it. In E pit drove a stake 2 in. diam. 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on the face.

50.09

The cor to Secs 21, 22, 27 + 28

Surface level

Soil 2<sup>nd</sup> rate

Grass from

Dense brush

North bet Secs 21 + 22

Q 912° 27'E



711 SR 27E

Chains

40.00

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $N$  and  $S$  of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In  $N$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $W$  face.

80.00

Deposited a marked stone 12 ins in the ground for Cor. to Secs 16, 22, dug pits 18 x 18 x 12 ins. in each Sec. 5  $\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high 4  $\frac{1}{2}$  ft. base over it. In S E. pit drove a stake 2 ins sq 2 ft. long 12 ins. in the ground marked T. 15 S 15 on N E R 27 E S 22 on S E. S 21 on S W and S. 16 on N W. faces. with 3 noteh  $ee$  on S, and 3 noteh  $ee$  on E edges.

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

T11 S R 27E

Chains

East on a random line  
bet Secs 15 and 22

$\text{Va } 12^{\circ} 27' \text{E}$

40.00

Set temporary 14 Sec cor

80.12

I intersect the N & S line  
14 links N of cor to  
Secs 14, 15, 22 & 23.

Thence I run

$189^{\circ} 54' \text{W.}$  on a

true line bet Secs 15 & 22  
with same  $\text{Va}$

40.06

Deposited a marked stone 12 ins. in ~~the~~  
ground for 1/4 Sec. Cor. by pits 18 x 18 x 12 ins.

$\text{E}$  in  $\text{W}$  of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In  $\text{E}$  pit drove a stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on  $\text{N}$

T11 SR 27E

Chain

80.12

The cor to Secs 15 & 16  
21 and 22Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North bet Secs 15 &amp; 16

Q 12° 27' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 in.  
E and S of stone 54 feet dist and raised  
a mound of earth 14 ft. high 24 ft. base diam  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.



T11 SR 27E

Chain  
0.00

Placed a marked stone 12 ins. in the ground for Cor to Secs 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 11 S. 10 on N. E., R 27 E 15 on S. E., S. 16 on S. W. and S. 17 on N. W. faces, with 4 notches on S. and 3 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

---

East on a random  
line bet Secs 10 and 15  
N 12° 27' E

T11 SR 22E

chains  
79.98

Set temporary  $\frac{1}{4}$  Sec. cor  
Intersect the N.E. S  
line 21 links N of cor  
to Secs 10, 11, 14 and 15.

thence I run  
N  $89^{\circ} 51' 9''$  W on a  
true line bet Secs  
10 and 15. With same Va

39.99

Deposited a marked stone 12 ins. in  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $3\frac{1}{2}$  feet dist and raised  
a mound of earth 14 ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.98

The cor to Secs 9, 10, 15, 16  
Surface rolling  
Sall 2<sup>nd</sup> rate  
Grass poor  
Dense brush

T11 SR 27E

Chance

North bet Secs 9 + 10  
 Va 12° 27' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In X pit drove a stake 2 ft. long 2 ins sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 3, 4, 9 & 10, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins sq. 2 ft. long 12 ins. in the ground marked T. 118 S. 3 on N E, R 27E S. 10 on S E, S. 9 on S. W and S. 4 on N W faces, with 5 notches on S, and 3 notches on E edges.

Surface rolling



T11 SR 27E

Chains

Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random  
 line bet Secs 3 and 10  
 Va  $12^{\circ} 27' E$

40.00 Set temporary  $\frac{1}{4}$  Sec cor

80.02 Intersect the N-S  
 line 16 links N of cor  
 to Secs 2, 3, 10 and 11.

Thence I run  
 $N 89^{\circ} 53' W$  on a  
 true line bet Secs  
 3 and 10 with same va

T11 SR 27E

Chain

40.01

Set a Granite stone, 10 x 10 x 5 ins. 6 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 5 ft. dist and raised a mound of earth  
14 ft. high, 34 ft. base alongside.

80.02

The cor to Secs 3 & 4, 9 and 10  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North on a true line  
bet Secs 3 & 4

N 91° 27' E

14.00

Enter Valley bears N.E. + 80° W

T11SR 27E

chain

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone  $5\frac{1}{2}$  feet apart and raised a mound of earth 14 ft. high 34 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

45.00

Leaves Valley bears NE + SW

77.04

I intersect the 2<sup>nd</sup> Sta S 36.00 chs W of Sta Cor to Secs 33 and 34 which is a Post 4 ins. sq. in mound of earth marked.

S.C. T 10 S. R 27E on N. S 34 on E and S 33 on W. face with 3 notches on E & W. edges and pits of required size.



T11 SR 27E

Chain

At the point of intersection I deposited a marked stone 12 ins in the ground for closing cor to secs 3 and 4. Aug pit 18x18 x 1/2 ins S.E. & W of cor 5 1/2 ft dist. and raised a mound of each 2 ft high 4 1/2 ft base over it. In E pit drove a stake 2 ins sq. 2 ft long 12 ins in the ground marked <sup>EC</sup> T11 S R 27E on S. S 3 on E and S 4 on W faces with 3 notches on S.W. edges.

T11 S R 27E

Chain

Surface rolling  
 Soil 2nd rate  
 Grass poor  
 Dense brush

---

From the cor to  
 Secs 32, 33, 4 and 5  
 T11 S, R 27E  
 on Sbdy of Tr  
 previously described  
 by me I run N per  
 Secs 32 and 33  
 Q12 27E

40.00

Set a Granite stone, 12 x 7 x 7 ins., 7 ins.  
 in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$  on NW  
 corner, dug pits 18 x 18 x 12 ins. N and S  
 of stone  $\frac{1}{2}$  the dist. and raised a mound of earth  
 1 1/2 ft. high 3 ft. base, along side.

T11 S R: 27 E

Chains

80.00

Set a granite stone 12 x 7 ins. in  
 the ground for Cor. to Secs. 28 + 33  
 with 1 notch on S. and 4 notches on E. edge  
 dug pits 18 x 18 x 12 ins. in each Sec. 5 ft  
 dist. and raised a mound of earth 2 ft high  
 4 ft. base. along side.

Surface rolling  
 Soil 2 and late  
 Dense brush  
 Grass poor

East on a random  
 line bet Secs 28 + 33

T11 S R: 27 E

40.00

Set temporary 1/4 Sec cor



T11 SR 27E

Chain

79.94 Intersect the N + S  
line 14 links S of cor  
to Secs 27, 28, 33 + 34,

Thence I run  
S89° 54' W on a true  
line bet Secs 28 + 33  
with same Va.

33, 54 Enter valley bears <sup>dr</sup> SE + W

39.97 Set a metal point, 11.5 x 8 mm. 6 in.  
in the ground for 1/4 Sec. Cor. marked 1 on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 5 1/2 ft. dist. and raised a mound of earth  
14 ft high 2 1/2 ft. base alongside.

49.94 Leave valley bears <sup>dr</sup> SE + W.  
and cross Dry Wash  
course SE

79.94 The cor to Secs 28, 29  
32 and 33

T 11 S R 27 E

Channe

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North bet Secs 28 & 29

Qa 12<sup>d</sup> 27<sup>e</sup>

15.00  
22.00  
70.00

Enter valley beam <sup>corn</sup>  
cross dry wash <sup>corn</sup> SE  
Set a Granite stone, 12 x 6 x 8 ins., 7 ins.  
in the ground for 1/2 Sec, Cor, marked 1 on SW  
dig pits 18 x 18 x 12 ins. N and S  
of stone 5 1/2 ft. dist. and raised a mound of earth  
2 1/2 ft. high, 5 1/2 ft. base, along stue.

70.00

Set a Granite stone 12 x 10 x 6 ins., 7 ins. in  
the ground for Cor, to Secs, 20.21.28 & 29 marked  
2 in each Sec and 4 notch on E. edges.  
dig pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft.  
dist. and raised a mound of earth 2 1/2 ft. high  
5 1/2 ft. base, along stue.

57

BOOK 729

TTL S R. 27 E

Chains

7

Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random  
 line bet Secs 21 and 28  
 Ra.  $12^{\circ}27' E$

40.00 Set temporary 1/4 section

80.34 I intersect the N + S  
 line 40 links S of cor  
 to Secs 21, 22, 27 + 28.

Thence I run  
 8890 43' W on a true  
 line bet Secs 21 + 28  
 with same Ra.



T11SR27E

chains  
40.17

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$  feet d. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 2 $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.34

The cor to Secs 20, 21, 28 and 29.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

North bet Secs 20 + 21

Qa 12027'E

12.80

Cross Dry wash corner E

T11 SR 279

char. Charivie  
40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. Aug pits 18 x 18 x 12 N and S of stone raised a mound of earth 2 ft high over it. In S. E. pit drove a stake 2 ft long 2 sq. 12 ins. in the ground marked 1/4 S. on W face.

80.00

Deposited a marked stone in the ground for Cor. to Sees 16, 17, 20 & 21 18 x 18 x 12 ins. in each Sec. 54 ft. dist raised a mound of earth 2 ft high over it. In S. E. pit drove a stake 2 ft long 12 ins. in the ground marked T 11 S 16 on S. W and S 17 on N. W face. 3 notches on S, and 4 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush

T11 SR 27E

min

East on a random  
line bet Secs 16 & 21

$\varphi 12^{\circ} 27' E$

10.00

Set temporary 114 peccor

10.20

Intersect the N & S  
line 27 links S of cor  
to Secs 15, 16, 21 and 22.

Thence I run

$S 89^{\circ} 48' W$  on a true  
line bet Secs 16 and 21  
with same  $\varphi$ .

7.00

Cross Dry Wash course N. & E

40.10

Deposited a marked stone 12 ins. in  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins

E and W of stone  $\frac{1}{4}$  feet dist and raised

a mound of earth 14 ft high 14 ft base over

in E pit drove a stake 2 ft long 2 ins

diam. 22 ins. in the ground marked  $\frac{1}{4}$  S. on N



61

BOOK 729

711 SR 27 E

chains

80.20

The cor to Secs 16, 17, 20, 21

Surface rolling  
Silt 2<sup>nd</sup> rate

Grass poor

Dense brush

North 6<sup>th</sup> Sec 16 & 17

9/20/27 E

L 40.00

Deposited a marked stone 12 ins. in  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 3/4 feet dist and raised  
ground of earth 1 1/2 ft. high 3/4 ft. base over  
In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked + S. on W  
Sec.

T11 SR 27'E

Chain

80.00

Deposited a marked stone 12 ins. in  
 ground for Cor to Secs 8, 9, 16 & 17  
 18 x 18 x 12 ins. in each Sec 5 1/4 ft high and  
 raised a mound of earth 2 ft high on 1/2 ft base  
 over it. In S. E. pit drove a stake 2 ins. sq 2  
 ft. long 12 ins. in the ground marked T. 11 S  
 S. 9 on N. E. E. 27 S 16 on S. E. S. 17  
 on S. W. and S. 8 on N. W. faces with  
 4 notches on S. and 4 notches  
 on E edges.

Surface rolling  
 Grass poor  
 Soil 2<sup>nd</sup> rate  
 Dense brush

East on a random  
 line bet Secs 9 & 16  
 T9 120 27'E

T 11 S R 27 E

Chains

40.00

Set temporary  $\frac{1}{4}$  Sec cor

79.84

Intersect the N & S  
line 10 links N of cor  
to Secs 9, 10, 15 and 16.

Thence I run

N  $89^{\circ}56'$  W on a true  
line bet Secs 9 & 16 with  
same  $\phi$ a.

39.92

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.E  $\frac{1}{2}$  W of stone  $3\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

79.84

The cor to Secs 8, 9, 16, 17

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor



T 11 S R 27 E

Chain

Dense brush

North bet Secs 8 + 9

T 11 S R 27 E

15.00 Enter Valley bears N.E + S.W

40.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist and raised a mound of earth 14 ft. high 24 ft. base diam. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S cor. W face.

55.30 Cross Dry wash course N.E

60.00 Leave Valley bears N.E + S.W

65

BOOK 729

T11 SR 27E

chain

80.00

Set a granite stone 16 1/4 x 7 1/2 x 11 ins. in  
 the ground for Cor. to Secs. 4, 5, 8 & 9 marked  
 with 5 notch on S. and 4 notch on E. of post,  
 and pits 15 x 15 x 12 ins. in each Sec., 100 ft.  
 dist. and raised a mound of earth 2 ft. high,  
 4 1/2 ft. base, alongside.

Surface rolling  
 Soil, 1st and 2<sup>nd</sup> rate  
 Grass poor  
 Scattering brush

East on a random  
 line bet Secs 4 & 9

$291/2^{\circ} 27^{\circ} E$

40.00

Set temporary 1/4 Sec cor

T11 S. R 27E

Chains

80.14 Intersect the N to S line  
14 links N of cor to Secs  
3, 4, 9 & 10.

Thence 9, run  
N 89° 54' W, on a true  
line bet Secs 4 and 9  
with same va.

9.00 Enter Valley bears N E & S W

40.07

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins  
E and W of stone 5  $\frac{1}{2}$  feet dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins  
sq 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
1300.

+ 8.14 Leave Valley bears N E & S W

0.14 The cor to Secs 4, 5, 8 and 9  
Surface rolling



T11 SR 27E

chain

Soil 2<sup>nd</sup> rate  
 Grass fair  
 Dense brush

North on a true  
 line bet Secs 4 & 5  
 $\text{QA } 12^{\circ} 27' \text{E}$

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
 N and S of stone  $5\frac{1}{2}$  feet dist from pit  
 a mound of earth 14 ft. high 24 ft. base on  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

78.00

Intersect the 2<sup>nd</sup> Std S  
 35786 chs W of Std  
 cor to Secs 32 and 33

T11 SR 27E

Chain

T10 SR 27E which is  
a Post 4 ins. eq.  
in mound of earth  
marked, S.E. T11 SR  
27.E. on N.

S 33 on E and S 32  
on W faces with 2  
notches on W and 4  
notches on E edges and  
fits of required size.

at the point of intersection  
I deposited a marked  
stone 12 ins. in the  
ground for closing cor  
to Sec 4 and 5. dug pits  
18x18x 12 ins. S.E. + W. of  
cor 5 1/2 ft. dist. and

T11 SR 27E

Chains

raised a mound  
of earth 2 ft high  $4\frac{1}{2}$   
ft base over it In  
E pit drove a stake  
2 in. eq. 2 ft. long  
12 in. in the ground  
marked l.l. T11 S.

R27E on S. S 4 on E  
and S 5 on W faces  
with 4 notches on E  
and 2 notches on W  
edges.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brush



T 11 S R 27E

Chains

I carefully examined  
the adjustments of my  
solar transit particularly  
the latitude and rearing  
apparatus and found them  
correct

Jan 18<sup>th</sup> 1885

From the cor to Secs  
516. 31 and 32. T 11.  
S. R 27E. in Sdy of T 11  
previously described by me  
Linn N bet Secs 31 & 32  
Q 120 27E

T11 SR 27E

chains

40.00

Set a Porphyry stone, 14 x 10 x 6 ins., in the ground for  $\frac{1}{2}$  Sec. Cor. marked  $\frac{1}{2}$  on NW face. dug pits 18 x 18 x 12 ins. N and S of stone, 5 ft. dist. and raised a mound of earth 12 ft. high, 21 ft. base, alongside.

80.00

Set a Ironite stone 12 x 8 x 5 ins., 7 in the ground for Cor. to Secs. 29.30.3432 marked with 1 notch on S. and 5 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 ft. base, alongside.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass from  
Scattering brush

---

T11 SR 27E

Chains

East on a random  
line bet Secs 29 & 32

$\text{Va } 12^{\circ} 27' \text{E}$

40.00 Set temporary  $\frac{1}{4}$  sec cor  
80.12 Intersect the N + S line  
& links N of cor to Secs  
29 29, 32 & 33,

thence I run

$\text{N } 89^{\circ} 57' \text{W}$  on a true  
line bet Secs 29 & 32  
with same Va.

40.06

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dig pits  $18 \times 18 \times 12$  ins.  
E and W of stone. To 1 dist. and raised  
a mound of earth 12 ft high. A ft. base over  
it. In E pit drove a stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  Sec. N  
face.



T11 SR 27E

Chain

80.12 The cor to Secs 29.30.  
31 and 32Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
Dense brushWest on a random  
line bet Secs 30 + 31

Q912°27'E

40.00 Set temporary 14 Sec cor

77.12 Entered the <sup>W</sup> body.of the 24 links N  
of cor to Secs 25.30.31 and 36 which is a  
granite stone 18.6 ins

T11 SR 27E

Chain

above the ground, heavily  
marked, with mound  
of earth and pits of  
required size.

thence I run

$N 89^{\circ} 50' E$  on a true  
line bet Secs 30 and 31  
with same  $\odot$ .

37.12

at a granite stone  $18 \times 8 \times 6$  ins. 12 ins.  
of the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on 1/4  
Sec, dug pits  $18 \times 18 \times 12$  ins. E and W  
of stone 52 ft. apart and raised a mound of earth  
14 ft. high, 34 ft. base, alongside.

4 8.00 cross Dry Wash course S.E

77.12 The cor to Secs 29, 30, 31 & 32

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

T11 SR 27E

Chamiz

Scattering brush

North bet Secs 29 &amp; 30

N<sup>9</sup> 12° 27' E

140.00

Set a granite stone, 12 x 8 x 8 ins. 7 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on NW corner, dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 14 ft. high, 34 ft. base, alongside.

43.00

Cross Dry Wash course SE

80.00

Set a granite stone 12 x 8 ins. 7 ins. in the ground for Cor. to Secs. 19, 20 & 29<sup>30</sup> marked with 2 notches S. and 5 notches E, edges dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 14 ft. base, alongside.



T11SR 27E

Chain

Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Scattering brush

---

East on a random  
 line bet Secs 20 & 29  
 Va  $12^{\circ} 27' E$

40.00 Set temporary  $\frac{1}{4}$  Sec cor  
 80.10 - Intersect the N & S  
 line & mark it of cor  
 to Secs 20, 21, 28 and 29.

Thence Run  
 N  $89^{\circ} 57' W$ . on a true  
 line bet Secs 20 & 29 with  
 same Va.

T11 SR 27E

Chains

77.16

The cor to Secs

19.20. 29 &amp; 30

Surface rolling

Soil 2<sup>nd</sup> rate

Grass poor

Scattering brush

North bet Secs 19 &amp; 20

Ta 12<sup>o</sup> 27'E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over

it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face.

T11 SR 27E

Chains

80.00 Set a Granite <sup>stone</sup> 10x10x10 ins  
 6 ins in the ground  
 for cor to Secs 17, 18, 19 & 20  
 marked with 3 notches  
 on S and 5 notches  
 on E edges, and raised  
 a mound of stone along-  
 side.

Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

East on a random  
 line bet Secs 17 & 20  
 N 12° 27' E



T11 SR 27E

Chains

40.00 Set temporary  $\frac{1}{4}$  Sec cor79.96 Intersect the N & S  
line 12 links N of  
cor to Secs 16, 17, 20, 21Thence I run  
N 89° 55' W. on a  
true line bet Secs 17 & 20  
with some Va

39.98

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E or W of the 7 1/2 ft. dist and raised  
a mound of earth 1 1/2 ft. high 3 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

79.96

The cor to Secs 17, 18, 19, 20  
Surface rolling  
Sail 2<sup>nd</sup> rate  
grass poor

T 11 S R 27 E

chains

Dense brush

West on a random  
line bet Secs 18 & 19

$QA 120^{\circ} 27' E$

40.00 Set temporary  $1/4$  Sec cor

77.04 Intersect the W. bdy.

of Twp 82 line N of  
cor to Secs 13, 18, 19 & 24  
which is a granite

stone 8x6 ins. above the  
ground properly marked  
with mound of earth  
and pits of required size

Thence I run

$N 89^{\circ} 25' E$  on a true line

T11 SR 27E

Chann

bet Secs 18 & 19 with  
same Va

37.04

Porphyry 12 x 8 x 7 ins. 7 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N  
 face, dug pits 18 x 18 x 12 ins. E and W  
 of stone 5 ft. dist. and raised a mound of earth  
 12 ft. high, 25 ft. base, alongside.

77.04

The cor to Secs 17, 18, 19 &amp; 20

Surface rolling

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

North bet Secs 17 &amp; 18

@ Va 12° 27' E



T11 SR 27E

Cham

10.00

Set a Granite stone 13 x 9 x 6 ins. 8 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on W Sec. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base, alongside.

69.00

Enter Valley bears NE & SW

50.00

Set a Granite stone 16 x 8 x 8 ins. 11 ins. in the ground for Cor. to Secs. 7, 8, 17 & 18 marked with 4 notches S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base, alongside.

Surface rolling  
 Grass poor  
 Soil 2<sup>nd</sup> rate  
 Dense brush

85

BOOK 729

T11 SR 27E

Chains

East on a random  
line bet Secs 8 & 17

va  $12^{\circ} 27' E$

40.00

Set temporary 1/4 Sec cor

80.22

Intersect the N & S  
line 24 links N of cor  
to Secs 8, 9, 16 & 17.

Thence I run

$N 89^{\circ} 50' W$  on a

true line bet Secs 8  
& 17 with same va

40.11

Deposited a marked stone 12 ins. in dia  
ground for 1/4 Sec. Cor. dug pit 18 x 12 ins.  
E W of stone 24 feet dist and raised  
a mound of earth 2 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 in.  
sq. 12 ins. in the ground marked S. on N

## T118 R 27E

Chains

- 58.22 Enter Valley bears NE + 89W  
 80.22 The cor to Secs 7, 8, 17 and 18  
 Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush
- 

West on a random  
 line bet Secs 7 & 18

QA 12° 27'E

- 40.00 Set temporary 1/4 Sec cor  
 77.06 Intersect the W. bdy of  
 T118. 90 links N of cor  
 to Secs 7, 12, 13, and 18  
 which is a Post &  
 in eq. in mound of



T11 SR 27E

Chains

earth properly marked  
and pits of required size.

Thence I run

N89° 21'E on a true  
line bet Secs 7 & 18 with  
same va.

37.06

Set a granite stone, 14 x 18 x 6 ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone 50 ft. dist. and raised a mound of earth  
14 ft. high, 24 ft. base, alongside.

59.29

Enter valley bears NE + SW

77.06

The cor to Secs 7, 8, 17 & 18

Surface rolling

Soil 2<sup>nd</sup> rate

grass poor

Dense brush

T11 SR 27E

Chasine

North bet Secs 7 & 8

VA 120 27E

Through Valley bears NE & SW

10.20 Leave valley " " "

40.00 Erronite stone, 13 x 11 x 5 ins, 8 ins.  
in the ground for 1/4 Sec. Cor. marked 1. on SW  
face, dug pits 13 x 13 x 12 ins. N and S  
of stone 5 ft. dist. and raised a mound of earth  
2 ft. high 3 1/2 ft. base alongside.

80.00 Deposited a marked stone 12 ins in the  
ground for Cor to Secs 5-6-7-8, dug pits  
10 x 10 x 12 ins. in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth 2 ft. high 3 1/2 ft. base  
over it on S E. 1/4 from a stone 2 ins sq  
ft. long 2 ins. in the ground marked T118  
5- on N.E. R27E S 8 on S.E. S. 7  
on S.W. and S. 6 on N.W. faces with  
5 notch on S and 5 notch on  
on E edges.

T11 SR 27E

chains

Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

East on a random  
 line bet Secs 5 & 8  
 Va 12° 27 E

40.00 Set temporary 1/4 Sec cor

80.11 Intersect the N of S  
 line 12 links N of  
 cor to Secs 4, 5, 8 & 9

Thence I run

N 89° 55' W on a  
 true line bet Secs 5 & 8  
 with same Va.



BOOK 729

T11 S-R 27E

Chain

40.05

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $\frac{1}{4}$  foot deep and raised  
a mound of earth 14 ft. high  $\frac{3}{4}$  ft. base over  
it. In E pit drove a nail 2 ft. long 2 ins  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

80.11

The cor to Secs 5, 6, 7 and 8  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass floor  
Dense brush

West on a random  
line bet Secs 6 & 7  
Qa 12° 27 E

40.00

Set temporary  $\frac{1}{4}$  Sec cor

T11 SR 27E

Chains

76.92

Intersect the W. boundary of T11 SR 27E  
 of the 92 links N of  
 Cor to Secs 1, 6, 7 and 12  
 which is a granite  
 stone 8x6 ins. above  
 the ground properly  
 marked and mound  
 of earth and pits of  
 required size.

Thence I run  
 N89° 21' E on a true  
 line bet Secs 6 & 7  
 with same wa.

36.92

Set a granite stone, 11 x 10 x 6 ins. 6 ins.  
 in the ground for 1/2 Sec, Cor. marked  
 face, and pits 18 x 18 x 12 ins. E and W  
 of stone 1/2 ft. dist. and raised a mound of earth  
 18 ft. high 12 ft. long along the

T 11 S R 27 E

Chains

76.92 The cor to Secs 5, 6, 7 and 8  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

North on a true  
 line bet Secs 5 + 6

$\text{N } 12^{\circ} 27' \text{ E}$

40.00 Set a Granite <sup>stone</sup>  $12 \times 10 \times 6$  in  
 7 in. in the ground  
 for 1/4 Sec cor marked  
 1/4 m W face and raised  
 a mound of Stone  
 alongside.



T10 S R 27E

chains

79.10

I intersect the 2<sup>nd</sup> Sta  
S 35-77 Ch<sup>ain</sup> W of 1<sup>st</sup> Sta  
Cor to Secs 31 & 32.

T10 S R 27E which is  
a Post 4 in. sq.  
in mound of earth  
marked S.C. T10 S

R 27E on N. S 32 on E  
and S 31 on W. faces  
with 5 notches on E  
and 1 notch W edges  
and pits of required size.

at the point of  
intersection I deposited  
a marked stone 12  
ins. in the ground  
for <sup>chain</sup> Cor to Secs 5 and 6

T11S. R27E.

Chains dug pits 18x 18x 12 ins  
S.E. & W. of cor. 5 1/2 ft. dist.  
and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base over pit On E. pit  
drove a stake 2 ft. long  
2 ins sq. 12 ins. in  
the ground marked  
C.C. T11S. R27E. on S  
S5 on E. and 6 on  
W. faces faces with  
5 notches on E. and 1 notch  
on W. faces.

Surface level

S til 2<sup>nd</sup> rate

Grass poor

Dense brush

T11 S. R 27 E.

## General Description

In this township the soil is mostly good rate. the grass is poor. In a few small valleys the grass is good.

Dense brush throughout the township, except in the S.W. part. where the brush is scattering. No water was found at the time of survey.

For final (aths)  
see book No. 12.



U. S. Surveyor General's Office,

Tucson, Arizona, June 5 1885

The foregoing Field Notes of the Survey of the

Township 11 South  
Range 27 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by John C. Smith

Deputy Surveyor, under his contract of the 19<sup>th</sup>

day of December, 1884 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royce Johnson  
Surveyor General.