

*called
checked
Copied
Compared*

BOOK 731 |



1A

No 16

731

Field Notes

BOOK 731

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

No. 731

Township *9 S* Range *9 E*

Gila and Salt River Base and Meridian

ARIZONA.

No. 731

By *R. C. Powers* D. S.

under contract dated *July 20*, 1883.

Survey commenced *Dec 14*, 1883.

Survey completed *Dec 19*, 1883.

*Approved—by Com^r G. L. C.
February. 27. 1890.*

Wm. ...

12


1A

Book No 16

T. 9. S. R. 9 E.

1A

Township T. 9 S Range R. 9 E M.



BOOK 731 INDEX.

Township _____, Range _____

Gila and Salt River Meridian.

6	60	5	54	4	23	3	52	2	1	
59	58	43	30	10	20	11	9	12		
6	57	8	41	9	31	10	21	11	7	12
6	55	15	4	30	17	8	13			
18	54	17	40	16	29	15	18	14	13	
53	52	5	28	27	16	23	0			
19	4	20	38	21	27	22	16	23	24	
53	47	37	26	25	27	18	26	3	25	
30	40	29	26	28	25	27	18	26	3	25
47	46	35	24	3						
31	32	33	34	31	35	36				

Referring the lines to the pages of the field notes.

Preliminary on the one book page.

No. 731

BOOK 731

Subdivision T 9 S. R 9 E.

Chas.

From the corner of Sec. 26, T. 9 S. R. 9 E.
on a line of 1/2 Sec. 26, 35736
set a post 3 ft. long 3 ins. diam
North bet. Sec. 25 & 26

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. N and S of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

5000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
25, 26, 35736 marked T. 9 S. 25 on
N. E. R. 9 E S. 26 on S. E, S, 25 on
S, W, and S, 26 on N, W, faces, with / notch
on S, and / notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.
and raised a mound of earth 2 ft. high. 4 1/2 ft.
base. around post.

Land and soil of the
above tract and Reclamation
the entire tract. some years

Subdivisions of S. - R.

Claim

Cast on a random line bet
Secs. 25 & 36

To 13009/2

40.00 Set temporary 1/4 sec. cor.
80.09 intersect E. Ry. of Sp. 14 lbs

N of cor. to Secs. 25 & 36. 31 & 36

Just recently established
by rail, Thence S. on R. 89°

54 W. on a true line bet
Secs. 25 & 36. with same

40.04 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on W face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

80.09 The Cor. to Secs. 25, 26, 35 & 36
Land level, level 24 rate
Course through the entire mile
Some grass.

9 E. continued

claims

North bet. Secs. 25 & 26
T-13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

50.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 23, 24, 25 & 26 marked T. 9 S. 24 on N. E. R. 9 E S. 25 on S. E, S. 26 on S, W, and S, 23 on N, W, face, with 2 notch on S, and 1 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

Land level, Soil 2 of soil
Dense prairie + greenwoodland
the entire area.

Subdivisions of 9 S.

Claims

East on a random line
bet. Secs. 24 & 25.

1/4 13° 10' E

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect E. By of Sp.

12 lbs S of cor. to Secs. 19, 24, 20, 23

just recently established
by survey

Thence S 1/4 mi

S 89° 55' W. on a true line
bet Secs 24 & 25. with corner

40.03 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around

post

80.06 The Cor. to Secs. 23, 24, 25 & 26.

land level, S. of 2d rate

since took the entire out to

some grass.

R 9 E. continued

Chains

North bet. Secs. 23 & 24
R 13. 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked 15 on N face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{4}$ ft. dist. and raised a mound of earth $1\frac{1}{4}$ ft. high. $3\frac{1}{4}$ ft. base. around post.

60.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24 marked T. 9 S. 13 on N. E. R. 9 E S. 24 on S. E. S, 23 on S, W, and S, 14 on N, W, face, with 3 notches on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{4}$ ft. base. around post.

Land level foot 2 d. rate
down from the water table

17 m. I find latitude to be 32°-34' N.
and inst. in adjustment

Subdivisions, T 9 S.

chains

East on a random line
bet. Secs. 13 & 24.

Va 13° 10' E

37.34 S. P. R. R. Co. S. 35° 39' E.

4000 Set temporary 1/4 sec. cor.

80.11 Intersect E. Ry of Sp. 19 lbs.
S of cor. to Secs. 13, 18, 19, 24.
Just recently established
by me, thence I run S 89° 52' W.
on a true line bet. Secs. 13 & 24
with same va40.05 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around80.11 ^{post}
The cor. to Secs. 11, 12, 13 & 14
Land level, Soil is water
dune bank the entire north
2000 grass.

R. 9 E. continued

Laino

North bet. Secs. 13 & 14
To 13° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around post.

40.07

S. P. R. R. br S. 35° 39' E

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 marked T. 9 S. S. 12 on N. E. R. & E S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. face, with 4 notch on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post.

Land level, 3rd ed set
Base level to center of road
S. 12 on N. E. R. & E S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. face, with 4 notch on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post.

Subdivisions No. 5.

Chains

East on a random line
bet. Secs. 12 + 13;

Va $13^{\circ} 10' 2''$

40.00 Set temporary corner.

80.00 Intersect E. Ry of Sp 19 lbs

N of cor. to Secs. 7, 12, 13 + 18, first
recently established by me,
thence Iron N $89^{\circ} 52' W$. on
a true line bet. Secs. 12 + 13
with same va.

40.00

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft. base around
post.

80.00

The cor. to Secs. 11, 12, 13 + 14
and level soil & dirt
thence bound the entire with
some grass.

R 9 E. continued

chains

North bet. Secs. 11 & 12

N 13° 12' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{2}$ Sec, Cor. marked $\frac{1}{2}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around post.

85.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 1, 2, 11 & 12 marked T. 9 S. 1 on N. E. R. 9 E S. 12 on S. E, S. 11 on S, W, and S. 2 on N, W, face, with \curvearrowright notch on S. and \surd notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft.

base. around post.

from which
 some of ground to east of north and north E. 93.89 ft. S. 120.00 ft.
 5.45 R 9 E S. 120.00 ft.
 Land level, 1 foot 2.00 ft.
 some ground to either side
 country road.

Subdivisions of 9 S.

East on a random line
bet. Secs. 1 & 12

va 13° 12' E.

40.00 Set temporary 1/4 sec. cor.
79.97 Intersect E. By of Sp. 10 lks
S. of Cor. to Secs. 1, 6, 7 & 12 just
recently established by me
Thence I run S. 89° 53' W.
on a true line, bet. Secs.
1 & 12, with same va.

39.98 Set a post 3 ft. long 3 ins. diam with marked
stone. 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post. *from which*

79.97 The Cor to Secs 1, 2 & 11. 12
land level is on 2 1/2' out
Some brush & scattering Mesquite
timber the entire mile
Some grass.

R 9 E. continued

chains

North on a random line
bet. Secs. 1 & 2.

$\gamma = 13^{\circ} 10' E$

40.00

Set temporary $1/4$ sec. cor.

80.20

Intersect N. By of Sp. 10 lbs W of
Cor. to Secs. 1, 2, 35 & 36. just re-
cently established by wire,
thence S 80° 04' W

80° 04' W. on a true line
bet. Secs. 1 & 2, with same on

40.20

Set a post 3 ft. long 3 ins. diam with marked
stakes, 12 ins. in the ground for $1/4$ Sec. Cor.
marked $\frac{1}{2}$ & 3 on W face, dug pits 18 x 18 x 12
ins. N and S of post 5 1/2 ft. dist and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

80.20

~~77.00~~

The cor. to Secs. 1, 2, 71 & 12
said level, Soil 2^d rate
stump brush the entire mile
Some grass

Subdivisions T 9 S.

Chains From the cor. to Secs. 2, 3, 34 & 35.
on S. Bay of Tp. just recently
established by me I run North
bet. Secs. 34 & 35.

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft, high. 3 $\frac{1}{2}$ ft. base. around
post.

8000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
26, 27, 34 & 35 marked T. 9 S S. 26 on
N. E. R. 92 S. 35 on S. E, S, 34 on
S, W, and S, 27 on N, W, face, with 1 notch
on S, and 2 notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft, high. 4 $\frac{1}{2}$ ft.
base. around post.

Land level, Soil 2^d rate
dune land the entire mile
some grass.

Dec. 14. 1883.

R 9 E. continued

chains

E'est on a random line bet. Secs
26 + 35.

N. $73^{\circ} 10' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N + S. line 19 lbs. S.
of cor. to Secs. 25, 26, 35 + 36
a line 9 mm

S. $89^{\circ} 52' W.$ on a true line
bet. Secs. 26 + 35. with
same on.

39.98 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{2}$ Sec, Cor,
marked $\frac{1}{2}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

79.96 The cor. to Secs. 26, 27, 34 + 35
and level, 300 ft. dist. to
line with the entire mile
run a good

Subdivisions of S

chains

North bet. Secs. 26 & 27.

No 13° 09' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 22, 23, 26 & 27 marked T. 9 S. S. 23 on N. E. R. 92 S. 26 on S. E. S. 27 on S, W, and S, 22 on N, W, face, with 2 notches on S, and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

Land level, soil 2^d rate
 same brush the entire width
 some grass.

R. 9 E. continued

chains	East on a random line bet. Secs. 23 + 26.
	To $13^{\circ} 12' 2$
18.26	a West 20 lks wide to $S 10^{\circ} E$. end a and
40.00	Set temporary of all. cor.
50.60	Summit of low Ridge to N. W. + S. E.
80.10	Intersect N + S line 10 lks N of cor. to Secs. 23, 24, 25 + 26.
	Thence down to $89^{\circ} 56' W$. on a true line bet. Secs. 23 + 26. with same 00.
40.05	Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor, marked $\frac{1}{2}$ S. on N face, dug pits 18 x 18 x 12 ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.
80.10	The cor. to Secs. 23, 24, 25, 26 22, 22, 26, 27 Sand level. Soil 2. d. 2. a t Thence bore the entire with some grass.

Subdivisions 795

Chelus

North bet. Secs. 22 & 23

ascending. $13^{\circ} 12' E$

94.20

Commence deep ascend

4.000

Set a volcanic stone, $15 \times 12 \times 10$ ins., 10 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W face, dug pits $18 \times 18 \times 12$ ins. N and S of stone $2\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, 2 ft. base, alongside.

47.50

Commence of Ridge to $S 60^{\circ} E$ & descend

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs. 14, 15, 22 & 23 marked T. 95 S. 14 on N. E. R. 92 S. 23 on S. E, S. 22 on S, W, and S, 15 on N, W, face, with 3 notches on S, and 2 notch on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. around post.

Land examinations, set 3^d notch
 & dense brush the entire mile
 some grass.

R 9 E. continued

chains

East on a random line bet.
Secs. 14 & 23.

Descending E. Va 13° 10' E.

40.00 Set temporary 1/4 sec. cor.

80.27 Intersect N.S. line 3 1/2 Secs S.
of cor. to Secs. 13, 14, & 24

Thence down S. 89° 45' W. on
a true line bet. Secs. 14 & 23.
with same vs.

40.13 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft, high. 3 1/2 ft. base. around
post.

80.27 The cor. to Secs. 14, 15, 22 & 23.

Land Warrant in Book 2d. sat
where built the cabin and
Some grass

Subdivisions 93

Lines

North bet. Secs. 14 & 15
T₂ 13° 10' 2.

Stops

Set a Volcanic stone, 19 x 10 x 7 ins., 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth ~~2 ft. high. 3 ft. base~~ alongside.

62.50

Enter level ground.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 10, 11, 14, 15 marked T. 9 S. 11 on N. E. R. 9 E S. 14 on S. E. S. 15 on S, W, and S, 10 on N, W, face, with $\frac{1}{4}$ notch on S, and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of ^{fill} earth 2 ft. high. 4 ft.

base. around post. from which a Palmetto tree has by S 50° E 1/4 Sec. 14 B. 15
Land 62 chs. in mountain, Soil 2 B. 15
Dense forest the entire north
some grass

R. 9 E. continued

chains

East on a random line bet
Secs. 11 & 14

To $13^{\circ}10' E.$

4.00 Set temporary 1/4 sec. cor.
44.00 Cross Road to N. W. & S. E
45.45 S. P. R. R. to S. $35^{\circ}39' E.$
47.50 Arrow of 5 lbs. weight to N.
79.78 Intersect with line 19 lbs. S. of cor.

to Secs. 11, 12, 13 & 14. Thence
Down S. $89^{\circ}52' W.$ on a true
line bet. Secs. 11 & 14 with same
ca.

39.89

Set a post 3 ft. long 3 ins. diam. with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post.

79.78

Thy cor. to Secs. 10, 11, 14 & 15.
Sand level, 3rd rate
Revised to the entire north

Subdivisions of

Chains

North bet. Secs. 10 & 11.

N. $13^{\circ} 10' E$.93.00 S. P. R. R. to S. $53^{\circ} 58' E$

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post from which a W tangent to West 5 ch. distant.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 2, 3, 10 & 11 marked T. 9 S S. 2 on N. E. R. 92 S. 11 on S. E, S. 10 on S, W, and S, 3 on N, W, face, with 5 notch on S, and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base. around post. Red Rock to N. $57^{\circ} E$. Sand level, Port 2 & 2 at base brush the entire West side grass.

R. 9 E. continued

Chains

East on a random line bet.
Secs. 2 & 11

To $13^{\circ} 10' E.$

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N.S. line 16 lbs Ref
cor. to Secs. 1, 2, 11 & 12.

Thence I run N $89^{\circ} 55' W.$
on a true line bet. Secs. 2 & 11
with same or.

39.95

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{2}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raise
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post. from which a magnetic line the

to S $104^{\circ} 27'$ 40 lbs dist. marked $\frac{1}{2}$ S. N. S.

Set post on N $48^{\circ} 27'$

79.91

Then Cor to Secs 2, 3, 10 & 11

and set up a post on the
same line with the true north
same or.

Subdivisions, 1895

Chains

North on a random line
bet. Secs 2 & 3.

No. 13° 10' E

40.00 Set temporary 1/4 sec. cor.

80.21 Intersect N. Ry of No. 14 lks
N. of cor. to Secs. 2, 3, 34 & 35.Just recently established
by me, & hence I runS 0° 6' W. on a true line
bet. Secs. 2 & 3. with same
ran.40.21 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on W face, dug pits 18 x 18 x 12
ins. N and S of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

80.21 The cor. to Secs. 2 & 3, 10 & 11

Land level, soil 2 1/2 ft. rate
same but the latter with
some grass.

R 9 E. continued

Chadwick From the Cor. to Secs. 3, 4, 30 & 34
 on S. Ry. of Sp. just recently
 established by us, 1000
 North bet. Secs. 30 & 34
 7. 13. 10. 2

Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12
 ins. N and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor, to Secs,
 27, 28, 30 & 34 marked T. 95 S. 27 on
 N. E. R. 98 S. 34 on S. E. S, 33 on
 S, W. and S, 28 on N, W, face, with \vee notch
 on S, and 3 notch e_0 on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
 base. around post.

Level level, Soil 2 d. sub
 some brown the inter. sub.
 some grass.

Subdivision T9 S.

chains

East on a random line
bet. Secs. 27, 34.Ra $13^{\circ}10'2''$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.80.25 Intersect N. S. line, 14 lbs N
of cor. to Secs. 26, 27, 34 & 35

Thence S m.

N $89^{\circ}52'7''$ on a true line
bet. Secs. 27 & 34, with same
ra.40.12 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. at old
post.80.25 The cor. to Secs. 27, 28, 35 & 34
Sand level, Soil 2d rate
Same find the entire mileSurvey 71-83

Dec. 15, 1883.

R 9 E. continued

Chains

North bet. Secs. 27 & 28

N = 13° 12' E

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 21, 22, 27, & 28 marked T. 95 S. 22 on N. E. R. 92 S. 27 on S. E, S. 28 on S. W. and S. 21 on N. W. face, with 2 notch on S, and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Level Soil 2nd cut
 Same work the entire with
 some grass

Subdivisions, T9 S.

chains

East on a random line bet
Secs 22 & 27.

23.50 a Wash 20 lbs wide for S. va 157012

40.00 Set temporary 1/4 sec. cor.

59.16 a Wash 20 lbs wide for S110° E.

80.21 Intersect N & S. line 20 lbs N
of cor. to Secs. 22, 23, 26 & 27

Thence S 90°

N 89° 51' W. on a true line
bet. Secs. 22 & 27. with same va

40.10 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/4 ft. dist. and raised
a mound of earth 1 1/4 ft. high. 3 1/4 ft. base. around
post.

80.21 The cor. to Secs. 21, 22, 27, & 28.
Pierced 1/4 S. on S. W 1/4 of N 27
of Sec 22.
Land high rolling. Soil 3^d cut
and level to center of road.

R. 9 E. continued

claim

North bet. Secs. 21 & 22

To $13^{\circ} 10' E$

ascending.

40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked + S. on W face, dug pits 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post.

43.50 Ascend steep ridge.

Stone Set a volcanic stone $12 \times 10 \times 10$ ins, 8 ins. in the ground for Cor, to Secs, 15, 16, 21 & 22 marked with 3 notch^s on S. and 3 notch^s on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth $2\frac{1}{2}$ ft. high. ~~1 ft. base~~ ^{stone} alongside. this is near Summit.

Lead my mountain, To 15th sec
Dune timber the first 43 ch.

Some grass

12 m. I fixed latitude at this point to be $32^{\circ} - 39'$. and my inst. adjustment -

Subdivisions, P. 95.

chains

East on a random line
bet. Secs. 15 & 22.

Via 13' 10" E.

6.04 Summit of ridge & descend steeply

40.00 Set temporary 1/4 sec. cor.

80.64 Intersect N & S line 84 lbs N.
of cor. to Secs. 14, 15, 22 & 23.

Since then N 89° 24' W.

on a true line bet. Secs. 15 & 22

with same or

40.32
stone

Set a Volcanic stone, 15 x 12 x 7 in., 10 ins.

in the ground for 1/4 Sec, Cor, marked 1/4 S on N

face, dug pits 18 x 18 x 12 ins. E and W

of stone 5 1/2 ft. dist. and raised a mound of earth

1 1/2 ft. high, 2 ft. base alongside.

80.64 The cor. to Secs. 15, 16, 21 & 22.

Land mountainous, Soil 4 1/2 ft. deep

Some Pteris in grass.

No. 9 E. continued

Chain

North lot, Secs. 15 & 16.

N. $13^{\circ} 12' E$

40.00

Ascending.

Set a volcanic stone, 14 x 10 x 8 ins., 8 ins. in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on N. face, dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth ^{stone} 2 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

75.00

Foot of Mountain

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 9, 10, 15 & 16 marked T. 9 S. 10 on N. E. R. 9 E. S. 15 on S. E, S. 16 on S. W, and S. 9 on N. W, face, with 4 notches on S, and 3 notch ∞ on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base. around post.

Land measurements 70 chs.

3rd 3rd etc. same mark the Northern half of north

boundary

Subdivision 1598

Claims

East on a random line
bet. Secs. 10 & 15.Ascending. $N 13^{\circ} 10' E$.

4000 Set temporary 1/4 sec. cor.

79.81 Intersect N.S. line 19 lbs S.
of cor. to Secs. 10, 11, 14 & 15.Then run $S 89^{\circ} 52' W$
on a true line bet. Secs.
10 & 15, with same va.39.90 Set a post 3 ft. long 3 ins. diam with marked
stone 73 lbs in the ground for 1/4 Sec. Cor,
marked 1/4 on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base around
post.79.81 The cor. to Secs. 9, 10, 15 & 16.
Land level, Soil 2nd rate
Dune mark the entire north

Reg. 2. continued

North bit Secs. 9 & 10
 T 9 S 3

4.000 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post.

45.000 East end of Black Rock in the N.

2.000 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 3, 4 9 & 10 marked T 9 S 3 on N. E. R. 4 E S. 10 on S. E., S. 9 on S. W. and S. 4 on N. W. face, with 5 notch on S. and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base. around post.

W end of Black Rock on S 31° 44' sand level. Soil 2 d. red
 blue. brown to white

Subdivisions 975

Chain

East on a random line, bet.
Secs. 3 & 10.

14.00

To 13° 04' E,
S. P. R. R. to $58^{\circ} 58'$ E.

45.00

Set temporary 1/4 sec. cor.
Road bet. 90° N. S. E.

43.60

80.10

Intersect. N. & W. line 14 lks S.
of cor. Secs. 2, 3, 10 & 11.

Thence turn S. 84° 24' W.
on a true line bet. Secs.
3 & 10. with same or

40.05

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

80.10

Thy cor. to Secs. 3, 4, 9 & 10.
Land level. Soil 2d rate
dense brush the sub. with
some grass.

No. 731

R. 9 E. continued

claim

North on a random line
bet. Secs. 3 & 4.

N. 13° 10' E

40.00 Set temporary sec. cor.

11.70 S. P. R. R. Cor S. 58° 58' E

80.27 Intersect N. Ry of Twp. 19 N.
W. of of cor. to Sec. 3 & 34

Just recently established

by me, hence I run

S. 0° 8' W. on a true line bet
Secs. 3 & 4 with same cor.

40.27

Set a post 3 ft. long 3 ins. diam with marked
stone 12 ins. in the ground for 1/4 Sec. Cor,
marked 4 & 5 on W face, dug pits 18 x 18 x 12
ins. N and S of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base around
post.

80.27

The cor. to Secs. 3, 4, 9 & 10
Sand level. Put 2d rate
since from this corner on to

and grass

Subdivisions T9 S.

Chain

From the corner to Secs. 4, 5, 32 & 33. on S. By of the post recently established by me in the North bet. Secs. 32 & 33

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post. from which a Meas. 7 lvs. dist. East 167 lbs. dist. marked $\frac{1}{4}$ S. B. P.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 marked T. 9 S. S. 28 on N. E. R. 9 E S. 33 on S. E. S. 32 on S. W. and S. 29 on N. W. face, with 1 notch on S, and 7 notch 00 on E. edges, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post. from which

a Meas. 10 lvs. dist. to Sec. 28, 147 lbs. dist. marked T. 9 S. S. 28
" " 12 " " 229 lbs. dist. marked T. 9 S. S. 29
Land level, soil 2 ft. out
Stems about the center and to
the same Palovick boulder

R. 9 E. continued

chains

East on a random line bet.
Secs. 28 & 33.

To $13^{\circ}10'2''$

4000 Set temporary 1/4 sec. cor.

74.84 Intersect N.W. line 7 lbs Sof.
cor. to Secs. 27, 28, 33 & 34.

Run down S. $89^{\circ}54'N$.
on a true line bet. Secs.
28 & 33, with same or.

39.92 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor,
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around
post. from which

abrupt rise due to. 1150 N.W. 1/4 Dist. 1/4 S. 1/4 S.T.

74.84 The cor. when 28, 29, 32 & 33.

and back road at rate
same track the entire mile

same goes

Subdivisions of 95.

Chains

North bet. Secs. 28 & 29.
T_a 13° 10' E

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 20, 21, 28 & 29 marked T. 9 S. S. 21 on N. E. R. 9 E S. 28 on S. E, S, 29 on S, W, and S, 20 on N, W, face, with 2 notches on S, and 4 notch ∞ on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Level level, 2^d set
 level based the entire angle
 some grass

Dec. 17. 1883.

R. G. E. continued

chains

East on a random line bet.
Secs. 21 & 28.

Pa. $13^{\circ}10'E$.

25.00 a 1/4 inch white iron rod 520 ft.

45.00 Set temporary 1/4 sec. cor.

63.52 a 1/2 inch 27 lbs. iron rod 500 ft.

80.12 Intersect N & S. line of this R. of
cor. to Secs. 21, 22, 27 & 28.

Thence I run N $89^{\circ}57'27''$

on a true line bet. Secs. 21 & 28
with same va.

40.00 Set a post 3 ft. long 3 ins. diam with marked
slope. 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/2 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

80.12 In cor. to Secs. 20, 21, 28 & 29.
Land sold by Donl 3d. with
large Paloverde timber to
cut in 1880.

Subdivision N 9 S

claims

North bet. Secs. 20 & 21
N. 13° 10' E.

Ascending.

40.00

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of ^{stone} earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around
post. & ~~concrete~~ steep around

75.94
80.00

Summit of high ridge bet. Secs. 20 & 21
& descend.

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs.
16, 17, 20 & marked T. 4 S. 16 on
N. E. R. 9 2 S. 21 on S. E, S. 20 on
S, W, and S, 19 on N, W, face, with 3 notches
on S, and 4 notch 20 on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of ^{stone} earth 2 ft, high. $4\frac{1}{2}$ ft.
base. around post.

Land Division Post 3 of note
Horse Pasture located in
between roads

R. g. E. continued

claims

East on a random line
bet. Secs. 16 & 21

72° 13' 10" E

1005 Descending East
3560 a mark 21 Ch. well located South
4000 set temporary 1/4 sec. cor.7958 Intersect old line & 2 Ch. N.
of cor. to Secs. 16, 17, 20 & 21
Thence S. 70°N 89° 42' W. on a true line
bet. Secs. 16 & 21, with same
va.

Stone
5/7/79

Set a volcanic stone, 16 x 10 x 10 ins., 11 ins.
in the ground for 1/4 Sec, Cor, marked 1/4 on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 1/2 ft. dist. and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base, alongside.

The cor. to Secs. 16, 17, 20 & 21
land monument was set 3d out
since lunch first 36 ch.

R 9 E. continued

Chain

East on a random line
bet. Secs. 9 & 16.

To 13° 10' E.

6.12
39.60
40.00
79.81

at the north side of the road
Dinner on top of high ridge to N. 1/2 Sec. 9
& descend
Set temporary $\frac{1}{4}$ sec. cor.
Intersect N. 1/2 line 20 lbs N.
of cor. to Secs. 9, 10, 15 & 16
Thence down N 89° 48' W.
on a true line bet. Secs.
9 & 16. with same va.

307.60

Set a volcanic stone, 12 x 12 x 10 ins., 7 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N
face dug pits 18 x 18 x 12 ins. E and W.
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of ^{stone} earth
1 1/2 ft. high 3 1/2 ft. base. alongside.

79.81

The cor. to Secs. 8 & 16 & 17.
Land ^{irregular} $\frac{1}{4}$ sec. 3rd set
dense brush the entire mile
some grass.

Subdivisions of 9th

Chain

North bet. Secs. 8 & 9.
No 13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post. from which a Paloonch
8 ins. diam on S 41° E. 65 lbs dist
marked $\frac{1}{4}$ S. P. T.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9 marked T. 9. S. S. 4 on N. E. R. & E. S. 9 on S. E. S. 8 on S, W, and S. 5 on N, W, face, with 5 notches on S, and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Land level 2 ft. 2 in.

R & E. continued

chains

East on a random line
bet. Secs. 4 & 9.

$N 13^{\circ} 12' E$

40.00 Set temporary 1/4 sec. cor.

80.14 Intersect red line 19 lbs

Ref. cor. to Secs. 3, 4, 9 & 10.

thence same $N 84^{\circ} 52' W$.

on a true line bet. Secs.

4 & 9, with same sa.

40.07 Set a post 3 ft. long 3 ins. diam with marked

stone 19 lbs. in the ground for 1/4 Sec. Cor.

marked 1-S. on N face, dug pits 18 x 18 x 12

ins. E and W of post 5 1/2 ft. dist. and raised

a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around

post. from wh. N. end of Blackrock to $S 31^{\circ} E$.

80.14 The cor. to Secs. 4, 5, 8 & 9.

Land levels, Soil 2 coats

stone bank the entire mile

same ground

Subdivisions of 95.

chains

North on a random
line bet. Secs. 4 & 5.

Ca $13^{\circ}10'E$

40.50

Set temporary true cor.
S. P. R. R. to S. $58^{\circ}58'E$

73.50

80.23 Intersect N B of Sp. 13 lks N.
of cor. W Secs. 4, 5, 32 & 33.

Just recently established
by me, I have run $80^{\circ}6'N$.
on a true line bet. Secs.
4 & 5, with same ca.

40.23

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
ins. A and B of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around
post.

80.23

The cor. to Secs. 4, 5, 8 & 9.
Land level 20 ft. 2 ft. 10 in.
above level of the water in the
ditch.

OK 731

R. 9 E. continued

claim
 From the Cor. to Secs. 5, 6, 31 & 32
 on S. 1/2 of 5th 1/2nd recently
 established by me, & corner
 North bet. Secs. 31 & 32.

4000
 N. 13° 10' E.
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for 1/4 Sec. Cor.
 marked 1/4 S on W face, dug pits 18 x 18 x 12
 ins. N and S of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high 3 1/2 ft. base around
 post.

8000
 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor. to Secs,
 29, 30, 31 & 32 marked T. 9 S S. 27 on
 N. E. R. 9 E S. 32 on S. E, S, 31 on
 S, W, and S, 30 on N, W, face, with 1 notch
 on S, and 5 notch on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.
 and raised a mound of earth 2 ft. high 4 1/2 ft.
 base. around post.
 Land level. Soil red etc
 some brush the entire mch.
 some grass.

Subdivisions of S.

chains

Establish a sandstone line
bet. Secs. 29 & 32.

Va 13° 10' E

40.00 Set temporary 1/4 sec. cor.

79.97 Intersect N.E. line at cor.
Bacca. 2.8.29, 32 & 33

Place iron stake
on a true line bet. Secs.
29 & 32 with same va.

79.98 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor,
marked 1/4 S. on W face, dig pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

79.97 The corner to Secs. 29, 30, 31 & 32
Land level. Soil 2 ft. into
line mark the center with
some grass

R. 9 E. continued

chains

West on a random line
bet. Secs. 30 + 31

N = 130° 10' E

3.00 By Wash 20 lbs weights 1/4 m. N.

4.00 Set temporary 1/4 sec. cor.

79.01 Intersect W. By of 1/4 Sec.

19 lbs S. of cor. W Secs. 25, 30.

31 + 36. just recently
established by me

Thence 1000 S 89° 52' E. on
a true line bet. Secs. 30 + 31
with same ra

39.01 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

79.01 To Cor. W Secs. 29, 30, 31 + 32
Land level Soil 2 ft. sat
dense timber + Paloversh trees
the entire mile.
single grass

Subdivisions, 295.

Chains

North bet. Secs. 29 & 30

72° 13' 12" E

34.00
3.00
40.00

Array of 30 lbs. made by W. G. S. 1882
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
 marked + S. on W. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around
 post, from which a Magnet 500
 lbs. by S. of the dist. marked $\frac{1}{4}$
 S. S. E.

20.00

Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor. to Secs.
 19, 20, 29 & 30 marked T. 7^W S. 20 on
 N. E. R. 9 E S. 29 on S. E. E. 30 on
 S. W. and S. 19 on N. W. face, with 2 notch
 on S. and 5 notch on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high, $4\frac{1}{2}$
 base, around post, from which a Magnet
 500 lbs. by W. of the dist. marked
 S. 9 S. R. 9 E. S. 19 O. S.

Land had. S. 12^W into. Several trees
 the entire north side trees
 and grass.

Sec. 18. 1883.

R. G. E. continued

Claims

East on a random line
bet. Secs. 20 + 29,

Va $13^{\circ}10'E$.

45.00 Set temporary 1/4 sec. cor.
80.06 Intersect N. S. line 12 1/2 ft N
of cor. W Secs. 20, 21, 28 + 29
Thence S on N: $89^{\circ}55'W$
on a true line bet. Secs.
20 + 29, with same va.

45.03

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec, Cor,
marked 1/4 on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 ft. base, around

post,

80.06 The cor. W Secs. 19, 20, 29 + 30
land levels 1/4 Sec. 20
Sewer line & the entire work
sown grass.

BOOK 731

Subdivisions 1905

- chain
- West on a random line
bet. Secs. 19 & 30.
- 19.05 ^{3 1/2 ft. post} Santa Cruz Mark bet. N. W.
4000 Set temporary 1/4 sec. cor.
- 78.90 Intersect W. By of Sp. 27 lbs
S. of cor. to Secs. 19, 20, 29 & 30.
Just recently established
by me, Thence I run S 89 1/2° E
on a true line, bet. Secs.
19 & 30. with same va.
- 38.90 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor,
marked 1/4 S. on N. face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around
post.
- 78.90 The cor. to Secs. 19, 20, 29 & 30
Land level 1/2 ft. 2d rat
since found the entire mark
same place.

BOOK 731

R. g. E. continued

chain

North bet. Secs. 19^a 20
T. 13^e 12^l 8.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 17. 18. 19. 20 marked T. 9^s S. 17 on N. E. R. 92 S. 20 on S. E. S. 19 on S. W. and S. 18 on N. W. face, with 3 notch ^{es} on S, and 5 notch ^{es} on H. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.
Land level. Soil 2^d rate
dense wood the entire north
Some grass.

BOOK 731

Subdivisions R.S.

- Chains
- East in a random line
bet. Secs. 17 & 20.
- To 130° 12' E.
- 34.21 a Wash 20 lbs made for N. W.
- 40.00 Set temporary 1/4 sec. cor.
- 62.10 a Wash 15 lbs made for N. W.
- 64.00 Commence strip record
- 80.36 Intersect Prod. line 26 lbs
N of cor. to Secs. 16, 17, 20 & 21
Then run N 89° 49' W.
in a true line bet. Secs. 17 & 20
with same as
- 40.18 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around
post.
- 80.36 The cor. to Secs. ^{17, 18, 19, 20} ~~17, 18, 19, 20~~
Sand level, ^{to the center of sections} ~~Set 2 posts~~
Same land the entire mile
same grass.

BOOK 731

R 9 E. continued

Chadron

West on a random line
bet. Secs. 18 & 19.

Ta 13° 12' E

4000 Set temporary 1/4 sec. cor.

78.92 Intersect W. Ry of Sp. 24 lbs
No of cor. W Secs. 18, 19 & 24
just recently established by us,
Thence Down N 89° 50' E.
on a true line bet. Secs.
18 & 19, with same on.

38.92 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec. Cor,
marked 1/2 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/4 ft. dist. and raised
a mound of earth 1 1/4 ft. high. 3 1/4 ft. base. around
post. ^{from which a Pile rock is on N. W. cor.}
S 35° E. 29 lbs dist marked 1/4 S. B. S.

77.92 The Cor. to Secs. 17, 18, 19 & 20
Laid level. Soil 2' set
dense brush the entire mile
Come grass.

Subdivisions of S.

Chains

North bet. Secs. 17 & 18

R_a 13° 10' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for S. Cor. marked S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 3 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 7, 8, 17 & 18 marked R. 9 S. S. 8 on N. E. R. 9 E. S. 17 on S. E. S. 18 on S. W. and S. 7 on N. W. face, with notches on S. and 4 1/2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post.

Land level, Soil 2 ft. into
dune bank the entire mile
some grass.

12 M. I find latitude at this point to be
32° 40' N. and inst. in adjustment

BOOK 731

R. G. E. continued

Chalco

Set out a random line
bet. Secs. 8 & 17. $\gamma = 13^{\circ} 12' E$.

Ascending,

- 32.53 a Wash 30 lbs. made for N. W.
39.50 " " 25 " " " " N. W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
50.50 a Wash 20 lbs. made for N. W.
57.20 " " 20 " " " " N. W.
70.00 " " 60 " " " " " "
78.10 " " 40 " " " " " "

80.20 Intersect red. line 27 lbs N.
of cor. to Secs. 8, 9, 16 & 17.
Thence down N 89° 48' W. on
a true line bet. Secs. 8 & 17.
with same γ .

40.10 Set a Volcanic stone, 15 x 10 x 8 ins., 10 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N
face, dug pits 18 x 18 x 12 ins. E and W.
of stone $\frac{1}{2}$ ft. dist. and raised a mound of ^{stone} earth
14 ft. high & 21 ft. base. alongside.

80.20 The Cor. to Secs. 7, 8, 17 & 18.
Sand ^{mountain} soil 3d. rate
Survey from the center of

Subdivisions of 95

chains

Went on a random line
bet. Secs. 7 & 18.

$N. 13^{\circ} 12' E$

40.00 Set temporary 1/4 sec. cor.

78.87

Intersect N. By of Sp. 25
lbs N of cor. to Secs. 7, 12, 13 & 18.
Just recently established by the
Ishuel Iron $N 89^{\circ} 49' E$
on a true line bet Secs.
7 & 18 with same on.

38.87

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around

78.87

post. from a road a very considerable on
N. 52. 83 lbs dist. marked 1/4 S. 13. 18.
The cor. to Secs. 7, 8, 17 & 18.
Sand level. Soil 2^d set
have took the entire mole
some grass.

R & E. continued

Chalm

North bet. Secs. 7 & 8.

Ra 13° 12' 2

40.00 Set a post 3 ft. long 3 ins. diam. with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long 4 ins. square; with marked stone, 12 ins. in the ground for Cor. to Secs. 5, 6, 7 & 8 marked T. 9^S S. 5 on N. E. R. 9^E S. 8 on S. E. S. 7 on S. W. and S. 6 on N. W. face, with 5 notch ^{on S} and 5 notch ^{on E} edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post.

Land level soil 2 d. rate
 since found the entire work
 same grass.

Subdivisions 198

chains

East on a random line
bet. Secs. 5 & 8.

$N 13^{\circ} 10' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect $N 13^{\circ} 10' E.$ line 19 lb.
S of cor. to Secs. 4, 5, 8 & 9.

Thence I run

$S 89^{\circ} 52' W.$ on a true line
bet. Secs. 5 & 8. with same
ra.

39.93 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face, diameter 18 x 18 x 12
ins. E and W. of post $2\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around
post.

79.87 The cor. to Secs. 5, 6, 7 & 8.
Land level. Soil 2^d set
Diameter of the cut line will
same goes.

Ry E. continued

C. also

West on a random line
bet. Secs. 6 & 7.

N^a 13° 12' E.

40.00 Set temporary 1/4 sec. cor.

78.91 Intersect. W. Ry of Sp. 13th

N of cor. W Secs. 6, 7 & 12

first recently established

by one, Thence from N 89°

S. E. on a true line bet.

Secs. 6 & 7. with same va.

38.91 Set a post 3 ft. long 3 ins. diam with marked

stone, 12 ins. in the ground for 1/4 Sec, Cor,

marked 1/4 S. on N face, dip pile 18 x 18 x 12

ins. E and W of post 5 1/2 ft. dist. and raised

a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around

post.

78.91 See Cor. W Secs. 5, 6, 7 & 8.

had level. Soil 2^d rate

same and the entire

mile same grass.

Subdivisions, T. 9 S.

chains

North on a random line
bet. Secs. 5 & 6.

$N = 13^{\circ} 10' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. Ry of Sp. 26 lbs

Wafer. to Secs 5. 6. 31 & 32

Just recently established
by me, Thome Iron

$S = 50^{\circ} 11' W.$ on a true line
bet. Secs. 5 & 6. with same wa

40.17 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. around
post.

80.17 The cor. to Secs. 5. 6. 7 & 8.
Land level Soil 2^d sat
Dense brush the entire mile
Some grass.

Dec. 19. 1883.

R. 9 E. continued

General Description

This township lies in the valley of the Santa Cruz River it mostly on a level surface, near the center of the township is a small high mountain range running N. W. S. E. called Picacho Mts, near there to some mineral, the land is 2^d rate & 3^d rate.

Water may be obtained by sinking 40 to 60 feet below the surface.

There is some grass.

It is mostly covered with dense growth of brush.

referred to in the book No. 18

U. S. Surveyor General's Office,

Tucson, Arizona, *May 22 - 1883* 5

The foregoing Field Notes of the Survey of the

*Subdivision Lines of
Township 9 South
Range 9 East*

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

R. C. Powers

Deputy Surveyor, under his contract of the

30th

day of

July

, 1883, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson
Surveyor General.