

BOOK 732

No. 732

20 17

Platted  
revised

Copied  
and  
comprised

732

# Field Notes

BOOK 732  
OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 9 S Range 10 E

Gila and Salt River Base and Meridian

ARIZONA

No. 732

By R. C. Power D. S.

under contract dated July 20, 1883.

Survey commenced Dec 20, 1883.

Survey completed Dec 26, 1883.

Approved by Com<sup>r</sup> G. L. O.  
February 27. 1890.

INDEX.

Township 9 S., Range 10 E,

Gila and Salt River Meridian.

6	60	5	44	4	33	3	21	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	31	12	35	1	36

Referring the lines to the pages of the field notes.

## Sub divisions T. 9. S. R. 10 E.

From the cor to Secs 1, 2, 35 & 36 on  
S boundary of township recently es-  
tablished by one Saml St. bet sec  
35 & 36

Var. 13° E

- 3700 Dry wash 15 lks W. course N. W
- 4000 Set a post 3 ft long 3 in dia with marker  
stone 12 in in the ground for  $\frac{1}{4}$  sec cor  
marked 14 S. on W. face dug pits 18 x 18 x 12  
ins N & S of post 5  $\frac{1}{2}$  ft dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post
- 6000 Dry wash 10 lks W. course W.
- 8000 Set a post 4 ft long 4 in sq with marker  
stone 12 in in the ground for cor to  
Secs 25, 26, 35, & 36 marked T. 9. S. 25 on  
N. E. R. 10 E. S. 36 on S. E. S. 35 on S. W. and  
S. 26 on S. W. faces with patches on S. and  
E. edges dug pits 18 x 18 x 12 in in each sec  
5  $\frac{1}{2}$  ft dist and raised a mound of earth  
1  $\frac{1}{2}$  ft high 4  $\frac{1}{2}$  ft base around post.

## Subdivisions T.T.S. R 10 E

Land rolling Soil 4th rate  
 Mesquite Palo Verde and Greasewood

On a random line lot sees 25836  
 Var. 13° E

4000 Set temporary 1/4 sec. cor.

64.00 Road <sup>line</sup> N & S.

7997 Intersect E boundary of Township  
 1/4 lks N of cor to sees. 25, 30, 31, 336.  
 recently established by me then a  
 Iron St. 89054 W on a true line bet  
 sees 25836. with same var.

3998 A Palo Verde *Sida*, which I  
 mark 1/4 S on N. face for 1/4 sec cor  
 dug pits, 18x18x12 in. E & W of tree 5 1/2  
 ft dist and raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base around tree

7997 The cor to sees 25, 26, 35, & 36

Land rolling Soil 4th rate  
 Mesquite Palo Verde and Greasewood  
 brush the entire mile

Subdivision 398 p. 10 E

No. 732

N. bet sec 25 &amp; 26

Var. 130 E

- 28 00 Dry wash 20 lks wide course W
- 36 00 " " " " " " " "
- 40 00 Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for 4 sec  
cor. marked 14 S. or W. face. dug pits  
18x18x12 ins N & S of post 5 1/2 ft diam and  
raised a mound of earth 2 ft high 4 1/2  
ft base around post.
- 80 00 Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor. to sec  
23, 24, 25 & 26 marked 39 S. S. 24 on N. E.  
N. 10 E. S. 25 on S. E. S. 26 on S. W and S. 23 on  
N. W. faces with 2 matches on S. and 1  
match on E. edges dug pits 18x18x12 in  
in each sec 5 1/2 ft diam and raised a  
mound of earth 2 ft high 4 1/2 ft base  
around post.

Land rolling soil 4 thr rate Genee  
Mesquite Palo verde & Grease wood brush  
the entire mile

Subdivision T9S. R10 E

Con a random line bet secs 24 & 25  
Var. 130 E

4000 Set temporary 1/4 S. cor

52.00 Road <sup>line</sup> N & S.

8015 Intersect E boundary of township  
1/4 lks S of the cor to secs. 19, 24, 25,  
230 recently established by me there  
From S 89° 53' W. on a true line bet  
secs 24 & 25 with same var

4007 Set a post 9 ft long 3 in dia with  
marked stone 12 ins in the ground for  
1/4 sec. cor, marked 1/4 S, on N face dug  
pits 18 x 18 x 12 in E & W of post 5 1/2 ft  
dit and raised a mound of earth 1 1/2  
ft high 3 1/2 ft base around post

8015. The cor to secs 23, 24, 25, & 26

Land calling soil 3d & 4th rate  
Mesquite Palo verde & Grease wood  
bush. the entire mile

## Submissions J.P.R. 10 E

St. bet sees 23 &amp; 24

Var. 13° E

- 15.00 Dry wash 12 lks wide course W.
- 34.20 " " 17 " " " " "
- 36.00 " " 15 " " " " "
- 40.00 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground for the  
cor. marked 14 on W face dug pits 18x18  
x12 ins N & S of post 5 1/2 ft dist and raised  
a mound of earth 1 1/2 ft high 3 1/2 ft base  
around post.
- 57.10 Dry wash 20 lks wide course W.
- 72.50 " " 18 " " " " "
- 80.00 Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor. to sees  
13, 14, 23 & 24 marked J.P.S. S. 13 on N E  
R. 10 E. S. 24 on S. E. S. 23 of S. W. and S. 14 on  
with 3 notches on S and 1 notch on E. Edges  
N & W faces, dug pits 18x18x12 ins in each  
see. 5 1/2 ft dist and raised a mound of  
earth 2 ft high 3 1/2 ft base around  
post.

# Subdivisions T.P.S. & 10 E

17 M. of find latitude to be  $32^{\circ} 39' N.$   
and my inst in adjustment -

Var.  $13^{\circ} E.$

- 4000 Set temporary 1/4 sec cor
- 65.00 Road <sup>line</sup> "N. & S.
- 8027 Intersect E boundary of Town ship 91. lbs  
just recently ~~established~~ by me  
N of the cor to sees 1318, 19 & 24. Thence E  
run S.  $89^{\circ} 47'$  W on a true line bet sees  
13 & 24
- 46.14 Set a post 3 ft long 3 ins dia with marker  
stone 12 ins in the ground for 1/4 sec cor  
marked 1/4 Sec N. face dug pits  $18 \times 18 \times 12$  in  
E & W of post  $5 \frac{1}{2}$  ft dia and raised a  
mound of earth  $1 \frac{1}{2}$  ft high  $5 \frac{1}{2}$  ft dia  
around post.
- 8027 The cor to sees 13, 14, 23 & 24  
Soil level soil 2d rate  
Mosquito and Paloverde brush



## Subdivisions T.P. R. 10 E

N. ket uses 13814

Var. 130 E

4000

Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S. on W. face dug pits 18x18x12  
in S. & S. of post 5 $\frac{1}{2}$  ft dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
around post

8000

Set a post 4 ft long 4 in dia with marked  
stone 12 in in the ground for cor to sec  
11, 12, 13, & 14. marked T.P. S. 12 on Dr. & R  
10 E. S. 13 on S. E. S. 14 on S. W. and S. 11 on Dr. & R  
faces with 4 matches on S. & 1 match on E. edge  
dug pits 18x18x12 in in each sec 5 $\frac{1}{2}$  ft dist and  
raised a mound of earth 2 ft high 4 $\frac{1}{2}$  ft base  
around post

From which a Palorude 6 in  
dia. bears S. 1° E. 10 lbs dist marked T.P. S.  
10 E. S. 13 B.C.

A palorude 12 in dia bears S 80 W  
105 lbs dist. marked T.P. R. 10 E. S. 14 B.C.

Subdivisions T9S. R. 10 E

A Palovide 8 in dia bears N 89 W. 60 lbs  
dismarked. T9S. R. 10 E S. 11. B. 2.

No other tree in limits

Land level soil 2nd & 3rd rate mesquite  
Palovide and Greasewood brush the  
entire mile

For a random line hit sees 12 & 13

Var. 130 E

4000 dit temporary 1/4 S. cor

5773 Road. N & S.

80.19 Intersect E. boundary of Township 21  
1/4 S of the cor to Secs. 7, 12, 13, 18, recently  
reestablished by me, thence I run S 89° 51' W  
one true line hit sees 12 & 13 with same  
var

4008 dit post 3 ft long 3 in dia with marked  
stone 12 in in the ground for 1/4 sec cor  
marked 1/4 S on N. face dug pits 15 x 15 x 12  
in E & W of post 5 1/2 ft dist and caused a  
mound of earth 1 1/2 ft high 3 1/2 ft dia  
around post

Subdivisions T9s. R10 E

80.19 In Cor to Secs 11-12-13-14

From which a mesquite 8 ins dia bears  
S 80 E. 34 lks dist marked U.S. B.S.

Land level soil 3d rate Dense  
Mesquite paloverde and Grease wood brush  
the entire mile

N. bet sec. 11 & 12

Nov. 1906

15.00

Grass dry wash 14 lks wide course W.

31.20

" " " 17 " " " "

40.00

Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for 1/4 sec cor marked  
1/4 on W face dug pits 18x18x12 ins at S of post  
3 1/2 ft dist and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post.

52.50

Dry wash 19 lks wide course W.

66.19

" " 15 " " " "

80.00

Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor to Secs  
1, 2, 11, & 12 marked T9s. S1 on N. E. R10 E  
S12 on S.E. S11 on S.W. and S. 2 on W. face  
with 5 notches on S, and 1 notch on E. edge

## Subdivisions 191. R 10 E

dug pits 18x18x12 ins in each sec. 5 1/2 ft  
diam. and raised a mound of earth 2 ft  
high 4 1/2 ft base around post

Land selling soil 30x40 rate

Some mesquite and Greasewood bush  
the entire mile

Con a random line bet sees 1 & 12

Var. 130 E

4000 Set line foray 1/4 sec. c.c.

63.15 Road <sup>to</sup> N. & S.

80.14 Antise et E. boundary of Township 13 lbs.

S. of cart. sees 1, 6, 7, 8, 12 recently established  
by me. Then a run S. 89° 54' W on a true  
line bet sees 1 & 12 with some var.

2007

Set a post 3 ft long 9 ins dia with marked  
stone 12 ins in the ground for 1/4 sec c.c.  
marked 1/4 S. on N face dug pits 18x18x12  
ins. E & W of post 5 1/2 ft diam and raised  
a mound of earth 1 1/2 ft high 3 1/2 ft base  
around post.

8014

Then a to sees 1, 2, 11 & 12.

Subdivisions T9S. R 10 E

Land slightly rolling soil 3<sup>rd</sup> & 4<sup>th</sup> rate Grass  
Mesquite Paloverde & Greasewood brush  
~~the~~ entire mile

Now a random line bet sees 1 & 2

Var. 13° E

3950

dry wash 12 lks wide course W

4000

Set temporary 1/4 sec cor

8010

Intersect N. boundary of Township 17 lks W  
of the cor to sees 1, 2, 35, & 36. recently es-  
tablished by me thence I run S. 0° W. on  
a true line bet sees. 1 & 2 with same var.

4010

Set a post 3 ft long 3 in dia 24 ins in the  
ground for 1/4 sec cor marked 1/4 S on W  
face From which a Paloverde 6 in  
dia bears S. 30° E 41 lks dist marked  
1/4 S. B. 2.

A Paloverde 8 in dia bears S. 61° W. 52 lks  
dist marked 1/4 S B. 1.

8010

the cor to sees 1, 2, 11, & 12

Land quality level soil 3<sup>rd</sup> rate Grass  
Mesquite Paloverde and Greasewood  
the entire mile

12

## Subdivisions J. S. R. 10 E

From the ea to sees 2, 3, 94 & 35 on S  
 on S town day of township, security  
 established by me June 1st let sees 34 & 35  
 Nov. 1908

4000

Set a post 9 ft long 3 in dia with marked  
 stone 12 in in the ground for 1/4 sec. cor  
 marked 1/4 S on W. face dug pits 18x18x12 in.  
 Set a post 5 1/2 ft dia and raised a  
 mound of earth 1 1/2 ft high, 3 1/2 ft base around  
 post

8000

Set a post 4 ft long 4 in sq with marked  
 stone 12 in in the ground for cor to sees  
 26, 27, 34 & 35 marked J. S. S. 26 on N E  
 R 10 E. S 35 on S E. S. 24 on S W. & S. 27 on N W  
 faces with 1 notch on S and 2 on E edges  
 dug pits 18x18x12 in in each see 5 1/2 ft  
 dia and raised a mound of earth 2 ft high  
 4 1/2 ft base around post

Land level soil 2nd water dense  
 mesquite greasewood and Palo Verde the  
 entire mile

## Subdivision T.P. R 10 E

Con a random line bet secs 26 & 35  
Var. 13° E

4000

Set temporary 1/4 sec cor

8010

Intersect T & S line 19' E of cor to  
secs 25, 26, 35, & 36, thence I run N 89° 52' W  
on a true line bet secs 26 & 35 with  
same var

4005

Set a post 3 ft long 3 in dia with  
marked stone 12 in in the ground for  
1/4 sec. cor. marked 1/4 S on N face dug  
pits 18 x 18 x 12 in E & W of post 5 in from  
and raised a mound of earth 1 1/2 ft high  
3 1/2 ft base around post

8010

The cor to secs 26, 27, 34, & 35.

Land level soil 2nd rate Dense  
Mesquite Goose wood & Palmetto the  
entire mile

Dec. 20. 1883

## Subdivisions T9S-R10E

N. bet secs. 26 &amp; 27

N. on. 13<sup>o</sup> E

1350

Dry wash 200ks wide course W

41000

Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for cor to sec  
cor marked 1/4 S. on W. face dug pits  
18x18x12 ins at 8 S of post 5 1/2 ft apart  
and raised a mound of earth 1 1/2 ft high  
4 1/2 ft base around post.

8000

Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor to sec  
22, 23, 26 & 27 marked T9S 23 on N. E R10E  
S 26 on S. E, S. 27 on S. W and S. 22 on N. W  
faces with 2 notches on S & E edges dug  
pits 18x18x12 in in each sec 5 1/4 ft apart  
and raised a mound of earth 2 ft high 4 1/2 ft  
base around post.

From which a meo quite

6 ins dia bears N. 5° W. 65 lbs dia marked  
T. 9 S. R. 10 E. S. 22. B. 2.



## Subdivision 191. E 10 E

Land level soil 2nd rate Dense  
Mesquite Palomede & Grease wood the  
entire mile

Conc random line bet sees 23 & 26  
Var. 13° E

4000  
4984  
Set a temporary 1/4 sec cor  
intersect N & S line 1/4 sec cor to see  
23-24, 25, & 26. thence I run S. 89° 54' W on  
a true line bet sees. 23 & 26 with same  
var.

39.92  
Set a post 9 ft long 3 ins dia with marked  
stone 12 ins in the ground for 1/4 sec cor  
marked 1/4. on N face dug pits 18 x 18 x 12  
ins E & W of post 5 1/4 ft dia and raise in  
a mound of earth 1 1/2 ft high 3 1/2 ft dia  
around post.

79.84  
The Cor to Secs 22-23-26-27  
Land level soil 2nd rate Dense  
Mesquite Grease wood & Palomede brush  
the entire mile

## Subdivisions 99 S. R 10 E

N. lot sees 22 &amp; 23

Var. 13° E

25.60

Dry wash 17 lks wide course W

40 00

Set a post 3 ft long 3 ins dia with marked stone 12 in in the ground for N. sec. ea. mark on  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 in  $\frac{1}{8}$  S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.

80 00

Set a post 4 ft long 4 ins sq with marked stone 12 in in the ground for cor. to sec 14, 15, 22 & 23 marked 29 S. S. 14 on N. E. & 10 E S. 23 on S. E. S. 22 on S. W. and S. 15 on S. W. faces with 3 notches on S and 2 notches on E edges dug pits 18 x 18 x 12 in in each sec 5  $\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high 4  $\frac{1}{2}$  ft base around post.

Level level soil 2nd rate Dense  
Mesquite & Grease wood much the  
entire mile

## Subdivisions T.T.S. R 10 E

Con a random line bet sees 14823  
Var. 130 E

- 4000 Set temporary  $1/4$  sec cor.  
 4981 Intersect E. & S. line 14 kts. of cor  
 to sees. 13, 14, 22 & 24 then a drum 18890  
 54 W. on a true line bet sees 14823 with  
 same var
- 3990 Set a post 3 ft long 3 ins dia with marker  
 stone 12 ins in the ground for  $1/4$  sec  
 cor marked 145 on N. face. dug pit  
 18x18x12 ins E x W of post 5  $1/2$  ft dia  
 and raised a mound of earth  $1 1/4$  ft high  
 3  $1/2$  ft base around post.
- 4981 The cor to sees 14, 15, 22 & 23

Land level soil & all rate Some  
 Mesquite Grease wood and Palomd.  
 brush the entire mile

18

## Subdivisions T9S. R10 E

N. lot sees 14 &amp; 15.

N. 190 E

4000

Set a post 3 ft long 3 in dia with marked stone 12 in in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S. on W. face dug pits 18 x 15 x 12 ins N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

8000

Set a post 4 ft long 4 in dia with marked stone 12 in in the ground for

4 ... cor t sees 10, 11, 14 & 15 marks 9, 99 S. S. 11 on N. E. R 10 E S. 14 on S. E. S. 15 on S. W. & S. 10 on N. W. faces with 4 notches on S. and 2 on E. edges dug pits 18 x 15 x 12 ins in each sec.  $5\frac{1}{2}$  ft dist. and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base around post

Land level soil 2nd rate Some  
 Mesquite and grease wood brush the  
 entire mile

## Subdivisions 99.8. R 10 E

E. on a random line bet. secs. 11 & 14  
 Non 13° E

- 4000 Set temporary 1/4 sec cor
- 7994 Intersect N & S line 14 lbs S of the  
 cor to secs 11, 12, 13 & 14 thence I run  
 S. 89° 54' W, on a true line bet. secs 11 & 14  
 with same var
- 99.92 Set a post 3 ft long 3 in dia with marked  
 stone 12 in in the ground for 1/4 sec cor  
 marked 11, S on N face dug pits 18 x 15 x 12 in  
 E & W of post 5 1/4 ft dist one on each side  
 a mound of earth 1 1/4 ft high 3 1/2 ft tall  
 around post
- 79.87 The cor from which a Palovade 6  
 in dia bears S. 31° E. 64 lbs dia marked  
 1/4 S. B. 2.
- 79.84 The cor to secs 10, 11, 14 & 15.  
 Level level soil 2nd rate Sure  
 Mosquito Palovade and Quase wood  
 brush the entire mile

## Subdivisions T9S-R10E

N. bet secs 10 &amp; 11

Var. 130° E

4000

Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for 1/4 sec. cor.  
marked 1/4 S on W. face dug pits 18x18x12  
ins N & S of post 5 1/2 ft dist and raised  
a mound of earth 1/2 ft high 3 1/2 ft base  
around post.

45.17

Dug wash 1 1/2 k wide course W

5032

" " " " " " "

8000

Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor to  
secs 2, 3, 10 & 11 marked T9S. S. 20 N E  
R 10 E S. 11 on S. E. S. 10 on SW and S. 3 on  
NW faces, ~~with~~ 5 notches on S. end  
2 notches on E. edges dug pits 18x18x12  
ins in each sec 5 1/2 ft dist and raised  
a mound of earth 2 ft high 4 1/2 ft base  
around post

✓

From which a mesquite

## Subdivisions T.P.S. R 10 E

10 ins dia bears S. 27° E 83 lks dist  
marked T.P.S. R 10 E. S. 11. B. 3.

Land level soil 2nd rate  
Mesquite Grease wood and Palorade  
the entire mile

E. on a random line bet sees 2 & 11  
Var. 13° E

4000 Set temporary 1/4 sec cor

So, 10 Intersect N & S. line 14 lks W of cor to  
sees 1, 2, 11, & 12 thence I run N. 89° 54' W  
on a true line bet sees 2 & 11 with  
same var.

4005 Set a post 3 ft long 3 in dia with marker  
stone 12 in in the ground for 1/4 sec. cor.  
marked 1/4 S. on N face dug pits 18 x 18 x 12  
ins E & W of post 5 1/2 ft dist and raised  
a mound of earth 1 1/2 ft high 3 1/2 ft dia  
around post.

Land level soil 3rd rate Hence  
Mesquite Grease wood and Palorade the  
entire mile

## Subdivisions T.T. R 10 E

From a random line bet sees 283  
Var. 130 E

35.00

Dry wash 14 lks wide course W

4000

Set temporary 1/4 sec. cor.

8005

Intersect N. boundary of Township  
17 lks W face on to sees 2. 3. 34 & 35  
recently established by me. Thence  
run S. 0° 07' W on a true line  
bet sees 283 with some var

4005.

Set a post 3 ft long 3 ins dia with  
marked stem 12 ins in the ground  
for 1/4 sec. cor. marked 1/4 S. on W face  
dug pits 18 x 18 x 12 ins N. and S. of post  
5 1/2 ft dist and raised a mound of  
earth 1 1/2 ft high 3 1/2 ft base around  
post.

8005

The cor to sees 2. 3. 10. &amp; 11

Land level soil 2nd rate Dense  
Mesquite Paloverde & Sage brush the  
entire mile



## Subdivisions T9S. R10 E

From the cor to sees 341, 33 & 34 on  
S. boundary of Township recently  
established by me from N. to sees  
33 & 34                      Var. 19° E

4000 Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for 1/4 sec  
cor. marked 45 on W face dug pits 15 x 15  
x 12 in N & S of post 5 1/2 ft dia and raised  
a mound of earth 4 1/2 ft high 3 1/2 ft base  
around post

8000 Set a post 3 ft long 4 in sq with  
marked stone 12 in in the ground for  
cor to sees 27, 28, 33 & 34 marked 29 S  
S. 27 on N.E. R 10 E S. 34 on S.E. S. 33 on N.W.  
and S. 28 on N.W. faces with 1 meter  
on S and 3 on E faces dug pits 15 x 15 x 12  
in in each see 5 1/2 ft dia and raised  
a mound of earth 2 ft high 4 1/2 ft base  
around post.

✓ Land level soil 2nd rate. Over-bush  
the entire mile

24

## Suldrissicus T.S. R. 10 E

Cor on a random line bet sees 27 & 34  
Var. 19° E

- 4000 Set temporary  $\frac{1}{4}$  sec cor.
- 8030 Intersect N & S. line 21 lks S of cor. at  
sees 26, 27, 34 & 35 thence run S 89° 57' E  
on a true line bet sees 27 & 28 with  
same var.
- 4015 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground for  
 $\frac{1}{4}$  sec. cor. mark 10 lks S on N face dug  
pits 11 x 11 x 12 ins E & W of post 3 1/2 ft  
dia and raise a mound of earth 1 1/2  
ft high 3 1/2 ft base around post
- 8030 The cor to sees 27, 28, 33 & 34

Low level soil 2nd rate  
Dense greasewood and mesquite  
bush. the entire mile  
Dec. 21, 1883

## Subdivisions J. G. R. L. E.

Whet sees 27828

Par. 13<sup>e</sup> E

0.61  
4000  
Dry wash 14 lks wide course W.  
Set a post 3 ft long 3 in dia with  
marked stone 12 in in the ground  
for 14 sec ea marked 145 on W face  
dug pits 18 x 18 x 12 in <sup>N & S</sup> ~~E & W~~ of post 5 1/2  
ft dist and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post

8000  
Set a post 4 ft long 4 in sq with marked  
stone 12 in in the ground for ea trees  
21, 22, 27, 28 marked J. G. S. D. 22 on N E  
R 10 E S. 27 on S. E. S. 28 on S. W. and S. 21 on N W  
faces with 2 matches on S. and 2 matches on  
E. edges. Dug pits 18 x 18 x 12 in in each  
sec. 5 1/2 ft dist and raised a mound of  
earth 2 ft high 4 1/2 ft base around post  
Low level soil 2nd rate Fence  
Mesquite Greasewood and Palo verde  
the entire mile

## Subdivisions T9S. R10 E

Con a random line bet sees 22827  
Var. 13° E

- 4000 Set temporary 1/4 sec. cor.
- 61.15 Dry wash 15 lks wide comes SW
- 80.10 Intersect AdS. line 20 lks S of cor to  
secs. 22, 23, 26, & 27 thence I am 1890  
51' W on a true line bet. sees 22827  
with same var
- 4005 Set a post 3 ft long 3 ins dia with marked  
stem 12 ins in the ground for 1/4 sec  
cor marked 1/4 S on N face dug pit  
18x18x12 ins E & W. of post 5 1/2 ft dist  
and raised a mound of earth 1 1/2 ft  
high 3 1/2 ft base around post
- 80.10 The cor to sees 21, 22, 27 & 28  
Sand level soil 2nd water  
Mesquite Palo verde and greasewood  
bush the entire mile

## Submissions I.G.S. R 10 E

Sheet 2005 21822

Var. 130 E

4000 Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for 1/4 sec  
cor. marked 1/4 S on W face dug pits 18 x  
18 x 12 in <sup>N & S</sup> E & W of post 5 1/2 ft dist and  
raised a mound of earth 1 1/2 ft high 3 1/2  
ft base around post.

8000 Set a post 4 ft long 4 in dia with  
marked stone 12 in in the ground for  
cor. to Secs 15. 16. 21 & 22 marked 29 S  
B. 15 on N. E. R 10 E S. 22 on S. E. S. 21 on  
S. W. and S. 16 on N. W. faces with 3 notches  
on S. and E. edges dug pits 18 x 18 x 12 in in  
each sec. 5 1/2 ft dist and raised a  
mound of earth 2 ft high 4 1/2 ft

2/12 M. I find latitude at this point  
to be 32° 39' N. and west as adjust-  
ment

28

## Subdivisions T9S. R 10 E

Co on a random line bet sees 15822  
Var. 130° E

4000 Set temporary 14 sec cor

8009 In future at N & S line 19 lks of the  
cor to sees 14, 15, 22 & 23 then a run  
S 89° 54' W. on a true line bet sees  
15822 with same var.

4004 Set a post 3 ft long 3 ins dia with  
marked stem 12 ins in the ground  
for 14 sec. cor. marked 145 on N face  
dug pits 18x18x12 in. E & W of post 5 1/2  
ft dist and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post

8009 The cor to sees. 15. 16. 21. & 22

Land level soil 2nd rate Dense  
Mesquite & greasewood brush  
the entire mile

## Subdivisions 99. R 10 E

N. lot sees 15816

Var. 13° E

4000 Set a post 3 ft long 3 in dia with marker  
stone 12 in in the ground for 1/4 sec ea  
marked 1145 on W. face dug pits 18x18x12  
in N & S of post 3 1/2 ft dist and raised  
a mound of earth 1/2 ft high 3 1/2 ft base  
around post

8000 Set a post 4 ft long 1 in sq with marker  
stone 12 in in the ground for ea to  
sees 9, 10, 15 & 16. marked 3, 9, 5, 10 on  
N. E. R. 10 E. S. 15 on S. E. S. 16 on S. W. & 9 on  
N. W. faces with 4 markers on sand 3 on E  
edges dug pits 18x18x12 in in each  
sec. 3 1/2 ft dist and raised a mound of  
earth 2 ft high 4 1/2 ft base around  
post

Land level soil. Tim. water

✓ Scattering mosquitos and Gecase wood under  
the entire area

## Subdivisions T.T.S. P 10 E

E on a random line bet sees 10 & 15  
Var.  $13^{\circ}$  E

- 4100 Set temporary 1/4 sec. cor.  
 7997 Intersect T.T.S. line 10 lks S of cor. to  
 10. 11. 14. & 15 thence I run S.  $89^{\circ} 56'$  W  
 on a true line bet sees 10 & 15 with  
 same var.
- 3998 Set a post 3 ft long 3 in dia with  
 marked stone 2 in in the ground for  
 1/4 sec. cor marked 1/4 sec. N face  
 dug pits 18 X 18 X 12 in E & W of post 5/8  
 ft dist and raised a mound of earth  
 1 1/2 ft high 3/4 ft base around post
- 7997 The cor. to sees 9. 10 15 & 16  
 Unsurveyed  
 Land level, Soil 2nd rate Dense  
 Mesquite & Grease wood brush  
 thru entire mile



## Subdivisions I. J. S. R 10 E

St. bet. Secs. 9 &amp; 10

Mar. 13<sup>o</sup> E

4000 Set a post 3 ft long 9 ins dia with marked stone 12 ins in the ground for 1/4 sec ea marked 445 on W. face dug pits 18x18x12 ins N & S of post 5 1/2 ft dist and raised a mound of earth 2 1/2 ft high 3 1/2 ft base around post

59.11 Dry Arroyo 17 lks mid course W

8000 Set a post 3 ft long 4 ins sq with marked stone 12 ins in the ground for ea to Secs. 3, 4, 9, & 10 marked I. J. S. 30 on N & R 10 E S. 10 on S. E S. 9 on SW and S. 4 on NW. faces about 5 notches on S. and 3 notches on E edges dug pits 18x18x12 in in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 2 1/2 ft base around post  
From which a mesquite 10 ins dia bears N. 76 W 110 lks dist marked I. J. S. R 10 E S. 4 B. 2. No other trees in limits

32

## Subdivisions T. 9 S. R. 10 E

Land level soil 2nd rate scattering  
Mesquite & Quail wood brush

E. on a random line bet sees 3810  
Var. 170 E

4000 Set temporary  $\frac{1}{4}$  sec cor.

7987 Intersect E. line 10 lks N of cor to  
sees, 2, 3, 10, & 11 thence I run N. 89° 56' W  
over true line bet sees 3810 with same  
var

3993 Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S. on N. face dug pits 15 x 15 x  
12 ins E & W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post

From which a mesquite  
4 ins dia. bears N. 45° W. 34 lks dist marked

$\frac{1}{4}$  S. B.P. No other tree in limits

The cor. to sees 3, 4, 9 & 10  
Land level soil 2nd rate, mesquite and

7987

Subdivisions 99S. R10 E

No. 732

Grease wood Bush the entire mile

Non a random line bet sees 384

Var. 18° E

4000 Set temporary 1/4 sec cor

8027 Intersect N. by, of Sp. 19th E of the  
cor to sees 3, 4, 33, 8, 34 recently es-  
tablished by me, then I run 5008' E  
on a true line bet sees 384 with same  
var.4027 Set a post 3 ft long 3 ins dia with  
marked stone 1 1/2 ins in the ground  
for 1/4 sec cor marked 1/4 sec W face dug  
pit 15 x 15 x 12 in ~~at~~ S of post 5 1/2 ft dia  
and raised a mound of earth 1 1/2 ft high  
3/4 ft base around post

8027 The cor to sees 3, 4, 9, 8, 10

Land level soil and rati

Scattering me quite and Grease wood  
bush the entire mile

34

## Subdivisions T.T.S. P. 10 E

From the cor to sees 4, 5, 32 & 33 on S  
boundary of township, recently established  
by me from N. set sees 32 & 33.

Nov. 1908

4000

Set a post 3 ft long 3 in dia with marks  
Stone 12 in in the ground for 1/4 sec cor  
marked 1/4 S on W. face dug pits 18x18x12 in  
N & S of post 5 1/2 ft dia and raised a  
mound of earth 1 1/2 ft high 3 1/2 ft base  
around post.

8000

Set a post 4 ft long 4 in dia with marks  
Stone 12 in in the ground for cor to sees  
28, 29, 32 & 33 marked T.T.S. S. 28 on N. E  
S. 10 E S. 33 on S. E S. 32 on S. W and S 29  
on N. W faces with 1 notch on S and 4  
notches on E. edges. Dug pits 18x18x12 in  
in each see. 5 1/2 ft dia and raised a  
mound of earth 2 ft high 4 1/2 ft base  
around post. Some level soil had

ratey Mesquite and Grease wood buds  
the entire mile

## Subdivision T9. R 10 E

E on a random line bet sees 28833  
 Nar. 13° E

- 4000 Set temporary 1/4 sec cor
- 79.93 Intersect ~~28833~~ line 10 lks S of cor to  
 sees 27, 28, 33, 34 Thence run S89°36' W  
 on a true line bet sees 28833 with  
 same var
- 39.97 Set a post 3 ft long 3 ins dia with  
 marked stone 12 ins in the ground for  
 1/4 sec cor marked 1/4 S. on N face dug  
 pits 18x18x12 ins E & W of post 5 1/2 ft  
 dist and raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base around post  
 From which a mesquite  
 79° 4 ins dia bears N. 44° 15' W 15 lks dist  
 marked 1/4 S. B. I. No other trees in  
 79.93 The cor to sees 28, 29, 32 & 33 limits
- Land level soil 2 and rats Dense  
 Mesquite and Grease wood brush the  
 entire mile

## Submissions J. J. R. 10 E

N. bet sees 28829

Var 130 E

4000 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground for  
1/4 sec co marked 1/4 on W face dug pits  
18x18x12 ins N & S of post 5 1/2 ft dia and  
raised a mound of earth 1 1/4 ft high 3 1/2 ft  
base around post

8000 Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor to  
sees 20 21 28 29 marked 2.9 S. S. 21 on N E  
R 10 E S. 28 on S. E S. 29 on S W and S E on  
N. W. faces with 2 marks on S and 4 on E  
edges dug pits 18x18x12 ins in each sec.  
5 1/2 ft dia and raised a mound of earth  
2 ft high 4 1/2 ft base around post.

Land level soil 2nd rate. Dense  
Mesquite and Grease wood brush the  
entire mile Dec. 22. 1883.

## Subdivisions T.T. R. 10 E

Cor a random line bet sees 21828  
Var.  $13^{\circ} E$

4000 Set temporary  $\frac{1}{4}$  sec cor  
4978 Intersect T.T. S. line 19 lks S of cor to  
Sees 21, 22, 27, 28 hence from S  $89^{\circ} 52' E$  W  
on a true line bet sees 21828 with same  
Var.

3989 Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  sec on N face. dug pits 18x18x12 in E & W  
of post  $5\frac{1}{2}$  ft dist and raised a mound  
of earth  $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post  
from which a mesquite 6  
in dia bears N.  $9\frac{1}{2}^{\circ} E$  193 lks dist marked  
U.S. B.S. No other tree in limits

79.78 The cor to Sees 20, 21, 28 & 29  
Land level soil 2nd rate  
Scattering mesquite and greasewood  
bush, the entire mile

38

## Subdivisions I. J. R. 10 E

N. lot Secs 20 &amp; 21

Nov 13<sup>th</sup> 1886

4000

Set a post 3 ft long 3 in dia with marker  
Stone 12 in in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S on W. face dug pits 18x18x12 in  
N & S of post 5  $\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

8000

Set a post 4 ft long 4 in sq with marker  
Stone 12 in in the ground for cor to Seco  
16, 17, 20 & 21 marked I. J. R. S. 16. on ~~N. E.~~ <sup>N.</sup> R. 10 E. S  
21 on S. E. S. 20 on S. W. & S. 17 on ~~N. W.~~ <sup>N.</sup> faces with  
3 markers on S. one 4 markers on E. edge dug  
pits 18x18x12 in in each sec 5  $\frac{1}{2}$  ft dist and  
raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft  
base around post.

Soil level soil 2<sup>nd</sup> rate Dense  
Mazquite & Greasewood brush the en-  
tire mil



## Additions I G. S. R 10 E

6 on a random line bet sees 16 & 21  
Var. 13° E

- 4000 Set temporary  $\frac{1}{4}$  sec cor
- 4999 Intersect I & S line 7 lks S of cor to sees  
15, 16, 21 & 22 then a Saxon S 89° 57' W on  
a true line bet sees 16 & 21 with same  
Var
- 3997 Set a post 3 ft long 3 ins dia with marked  
stone 12 ins in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S on N face dug pit 9 18 x 18 in  
E & W of post 5  $\frac{1}{2}$  ft dia and raised a mound  
of earth  $1\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft dia around  
post
- 4993 The cor. to sees. 16, 17, 20 & 21

Land level set & not rate Dense  
Mesquite and Greasewood bushes  
the entire mile

40

## Subdivisions I. 9. S. 10. E.

St. set sees 16 &amp; 17

Mar 1908

4000 Set a post 3 ft long 3 in dia 24 in in the ground for 1/4 sec, ea. marked 1/4 sec on W. face. From which a mesquite 4 in dia bears W. 30 lks dist marked 1/4 S B. I. A mesquite 5 in dia bears S 31 E 42 lks dist marked 1/4 S B. I.

8000 Set a post 4 ft long 4 in sq with marked stone 12 in in the ground for ea. to sees S. 9. 16. & 17 marked S. 9. S. 9 on N. E. R 10 E. S 16 on S. E. S. 17 on S. W. and S. 8 on N. W. faces with 4 matches on E & S. edges dug pits 18 x 18 x 12 in in each see 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post.

Low level soil & 2 mol water dense mesquite and sage brush & gravel wood the entire mile

Subdivision 99 S. R. 10 E

Con a random line bet sees 9816  
Var.  $13^{\circ} E$

- 4000 Set temporary  $\frac{1}{4}$  sec cor
- 7987 Intersect N & S. line 27 lks of cor to  
Secs. 9, 10, 15 & 16 Thence S run  $d. 89^{\circ} 48' W$   
on a true line bet sees 9816 with some  
Var
- 7993 Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  sec end face dug pits  $18 \times 18 \times 12$   
in E & W of post 5  $\frac{1}{2}$  ft diam and raised  
a mound of earth  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base  
around post.
- 7987 The cor to Secs 8, 9, 16 & 17

Sand level soil 2nd rate Dense  
Mesquite and Greasewood trees the  
entire mile

Subdivisions T 9 S. R 10 E

Sketch see 889

Nov. 1908

4000

Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for base corner marked  
N on W face. dug pits 18x18x12 ins N. & S. of post  
5 1/2 ft dia and raised a mound of earth 1 1/4 ft  
high 3 1/2 ft base around post.

From which a mesquite  
6 in dia. bears S. 93 lbs dia marked N. & S.  
to other tree in limits

8000

Set a post 4 ft long 4 in sq with marked  
stone 12 in in the ground for corner to see 4. 5. 8.  
89 marked T 9 S. S. 4 on N. E. R. 10 E S. 9 on S. E. S. 8 on  
S. W. and S. 5 on N. W. faces with 3 notches on S  
and 4 notches on E edges dug pits 18x18x12 ins  
in each see 5 1/2 ft dia and raised a mound  
of earth 2 ft high 4 1/2 ft base around post

From which a mesquite 7 in  
dia bears N. 83° E 63 lbs dia marked T. 9 S. R. 10 E  
S. 4. S. 9.

A mesquite 4 in dia  
bears N. 79° W. 71 lbs dia marked T 9 S. R 10 E

# Subdivision T. 9 S. R. 10 E

S. E. B. I. No other trees in limits  
 Land level soil 2nd rate Fence  
 Mesquite and Grease wood brush the  
 entire mile

E on a random line bet sees 489  
 Var. 13° E

4000 Set temporary 1/4 sec cor

8005 Intersect N. S. line 33 lks S of cor to sees  
 3. 4. 9. & 10 Thence I run S. 89° 46' W on a  
 true line bet sees 489 with same var.

4002 Set a post 3 ft long 3 ins dia with marked  
 H Stone 12 ins in the ground for 1/4 sec cor  
 marked 1/4 S. on N. face dug pits 18 x 18 x 12 in  
 E & W of post 5 1/2 feet apart and raised a mound  
 of earth 1 1/2 ft high 3 1/2 ft base around  
 post

8005 The cor to sees 4. 5. 8. & 9

Land level soil 2nd rate Fence  
 Mesquite and Grease wood brush the  
 entire mile

## Subdivisions T.P.S. R 10 E

Run on a random line bet sees 485  
Mar 1908

- 4000 Set temporary  $\frac{1}{4}$  sec cor
- 8021 Intersect N. boundary of township ~~08~~  
1/2 E. of cor to sees 4, 5, 32 & 33 recently  
established by me; then I run S. 0° 06' E  
on a true line bet sees 485
- 4021 Set a post 3 ft. long 3 ins dia with marker  
stone 12 ins in the ground for  $\frac{1}{4}$  sec cor  
marked 46 S on W. face dug pit 18 x 18 x 12 ins  
N. & S. of post 5th ft dist and raised a mound  
of earth  $\frac{1}{2}$  high 3  $\frac{1}{2}$  ft base around post
- 802B The cor to sees 4, 5, 8, & 9.

Low level soil 2nd rate Dense  
Mesquite and greasewood brush the  
entire mile



46

## Subdivisions I.P. R 108

- 29-32
- E. on a random line bet sees. 14822
- Var. 13° E
- 4000 Set temporary 1/4 sec cor
- 8027 Intersect N 2 S line 10 kts. of cor to  
sees 28, 29, 32 & 33 thence I run S 89° 56' W  
on a true line bet sees 14822 with some  
var.
- 4013 Set a post 3 ft long 3 in dia with marked  
stone 12 in in the ground for 1/4 sec cor  
marked 1/4 S on N face dug pits 18 x 18 x 12 in  
E & W of post 5 1/2 ft dia and raised a  
mound of earth 1/2 ft high, 3 1/2 ft base  
around post
- 8027 Cor to sees 29, 30, 31, & 32

Land level soil 2nd rate Dense  
Mesquite and Grease wood bush  
the entire mile



## Subdivision I.G.S. R 10 E

Won a random line bet sees 30 & 31  
Var. 13° E

- 5.21 W. W. Sel. line <sup>ten</sup> N. W & S E  
5.89 S. P. R. R line N. W & S E  
4000 Set temporary 1/4 sec cor  
7950 Intersect Wholly of Sp. 12 lks S of  
cor to sees 28, 30, 31, & 36 recently established  
by me thru a run S 89° 55' E on a true  
line bet sees 30 & 31 with same var.

- 3950 Set a post 3 ft long 3 in dia with marked  
stone 12 ins in the ground for 1/4 sec cor  
marked 1/4 S on N. face dug pits 18 x 18 x 12  
ins E & W. of post 5 1/2 ft dia and  
raised a mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

- 7950 The cor to sees 29, 30, 31 & 32  
Sand level soil and with dense  
Mesquite and Grease wood brush the  
entire mile

48

## Subdivisions T.P. R 10 E

N. bet Secs 29 &amp; 30

Mar 130 E

- 2075 Road <sup>Level</sup> S. E
- 4000 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground for 1/4  
sec cor marked 1/4 S on W face dug pit  
18x18x12 ins N of post 5 1/2 ft dia  
and raised a mound of earth 1/2 ft  
high 3 1/2 ft base around post
- 8000 Set a post 4 ft long 4 ins sq with marked  
stone 12 ins in the ground for cor to Secs  
19, 20, 29, & 30 marked T.P. S. 29 on N.W.  
R 10 E S. 29 on S.E. S. 30 on S.W. and S. 29 on N.W.  
faces with 2 notches on S. and 5 notches  
on W. wedges dug pits 18x18x12 in each sec  
5 1/2 ft dia and raised a mound of  
earth 2 ft high 2 1/2 ft base around  
post.

Land Level Acil 2nd rate Fence

✓ Mosquito and Galase wood brush the  
entire mile Dec. 24. 1883

## Subdivisions T.T.S. R 10 E

E on a random line bet sees 20829  
 Var. 1908

4000 Set temporary 1/4 sec cor.  
 8033 Intersect T.T.S. line 12 krs S of cor to  
 sees 20, 21, 28, 29 thence run S 89° 55' W  
 on a true line bet sees 20829 with same  
 var

4016 Set a post 3 ft long 3 ins dia with marker  
 stone 12 in in the ground for 1/4 sec  
 cor marked 145 on N face dug pits  
 18 x 18 x 12 in E & W of post 5 1/2 ft dist and  
 raised a mound of earth 1 1/2 ft high  
 3 1/2 ft base around post

8033 The cor to sees 19, 20, 29, 30

Land level soil 2nd rate. Dense  
 Mosquito and Grass wood brush  
 the entire mile

## Subdivisions I.P.R. 106

Won a random line bet sees 19430  
 Nor. 13° E

- 4000 Set temporary 1/4 sec ea  
 59.43 W. W. Set line NW & SE  
 6000 S.P.R.R. N.W. & S.E.  
 79.45 Intersect W boundary of township &  
 lks S of ea to sees 19, 24, 25 & 30 recently  
 established by one thence I run S 89° 57' E  
 on a true line bet sees 19 & 30 with  
 same cor.
- 39.45 Set a post 3 ft long 3 ins dia with marker  
 stone 12 ins in the ground for 1/4 sec ea  
 marked 1/4 on N face dug pits 18 x 18 x 12  
 ins E & W of post 5 1/2 ft dist and raised  
 a mound of earth 1 1/2 ft high 3 1/2 ft base  
 around post
- 79.45 The cor to sees. 19, 20, 29, & 30

Land level soil 2nd rate Dense  
 Mesquite and Greasewood brush  
 the entire mile

## Subdivision T.G.S. R-10 E

N. ket sees 19820

Var. 130 E

4000 Set a post 3 ft long 3 in dia with  
marked stone 12 in in the ground for  
14 Sec. cor. marked 14 S. on N face dug  
pits 18x18x12 in at 88 of Post 5 1/2 ft dist  
and raised a mound of earth 2 ft high  
3 1/2 ft base around post

8000 Set a post 3 ft long 4 in sq with marked  
stone 12 in in the ground for cor to  
Secs. 17, 18, 19, & 20 marked T.G.S. S. 17 on  
N.E. R-10 E S. 20 on S.W. S. 19 on S.W. and  
S. 18 on N.W. face with 3 notches on S. side  
5 on E edge dug pits 18x18x12 in in each  
Sec 5 1/2 ft dist and raised a mound

12 M. I find latitude to be  $32^{\circ}40'N$ .  
and the inst. in adjustment—

52

## Subdivisions T.T.S. R. 10 E

E. on a random line bet sees 17920  
Var. 130 E

- 4000 Set temporary 4 sec. cor.
- 8020 Intersect T.T.S. line 9 lks S of cor. to  
Sees 16, 17, 20 & 21 thence I run S 89°  
56' W. on a true line bet sees 17920  
with same var
- 4010 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground  
for 1/4 sec. cor. marked 1/4 S. on N face  
dig pits 18 X 18 X 12 ins E & W of post 5 1/2  
ft dist and raise a mound of  
earth 9 1/2 ft high 3 1/2 ft base around  
post ~~and~~
- From which a mesquite 3 ins  
dia bears N. 43 W 70 lks dist marked  
1/4 S. B. 2. No other trees in limits
- 8020 The cor. to sees 17, 18, 19 & 20.

Low level soil 2nd rate dense  
Mesquite and Greasewood brush the  
entire mile

## Subdivisions T.P. Sec. 10 E

Won a random line bet Sec 18 & 19  
Var. 130 E

- 4000 Set temporary  $\frac{1}{4}$  Sec cor
- 7939 Intersect W boundary of township  
10 lks N. of the cor to Secs. 18, 19 & 24  
recently established by me then  
I run N. 89° 56' E on a true line bet  
Secs 18 & 19 with same var.
- 3999 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground  
for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on N pole  
dug pits 18x18x12 ins E and W of post  
3  $\frac{1}{2}$  ft dia and raised a mound of  
earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around  
post.
- 7939 The cor to Secs 17, 18, 19 & 20

Land level soil 2nd rate

Very quiet and Greasewood brush the  
entire mile

## Subdivision T. 9 S. R. 10 E

Set sec 17 &amp; 18

Var 13° E

4000

Set a post 3 ft long 3 in dia with  
marked stone 12 in in the ground  
for 1/4 sec cor marked 1/4 S on W. face  
dug pits 18 X 18 X 12 in N & S of post  
5 1/2 ft dist and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post

From which a mesquite

3 in dia bears N. 23 1/2° E 63 lks dist  
marked 1/4 S. B. 2. Another tree in corner

8000

Set a post 4 ft long 4 in dia with  
marked stone 12 in in the ground for  
cor to Secs. 7, 8, 17, & 18 marked 398.08  
on N E R. 10 E S. 17 on S to S 18 on S West  
S on N. W. face with 2 notches on S  
and 5 on E. edges dug pits 18 X 18 X 12 in in  
each sec 5 1/2 ft dist and raised a  
mound of earth 2 ft high 4 1/2 ft base  
around post.



## Subdivision 99. S. R. 10 E

From which a mesquite 4 in dia  
 bears N. 85° W. 37 lks dist marked  
 99. S. R. 10 E S. 7. B. 2 No other trees  
 in timber

Land level soil 2nd rate  
 Mesquite and Grease wood brush  
 The entire mile

E on a random line bet secs 8 & 17  
 Var 13° E

- 4000 Set temporary 1/4 sec cor  
 7997 Intersect T&S line 1/4 lks S of cor to  
 Secs 8, 9, 16, & 17 thence I run S. 89° 54' W  
 on a true line bet secs. 8 & 17 with same  
 var.
- 3998 Set a post 3 ft long 3 in dia with marked  
 stone 12 in in the ground for 1/4 sec  
 cor marked 1/4 S. on N. face dug pits 18x18  
 x 12 in. E & W of post 5 1/2 ft dist and  
 raised a mound of earth 1 1/2 ft high  
 3 1/2 ft base around post

## Subdivision 191. R 10 E

7997 From which a mesquite 5 in dia bears  
 S. 84° W. 76 fks dist. marked 1/4 S. B. S.  
 No other trees in limits  
 The cor to Secs 7, 8, 17 & 18  
 Land level soil 2nd rate. Hence  
 Mesquite and Greasewood brush the  
 entire mile

Won a random line bet Secs 7 & 18  
 Var. 13° E

4000 Set temporary 1/4 sec cor.

7910 Intersect W boundary of Town ship  
 17 fks N. of cor to Secs. 7, 12, 13 & 18  
 recently established by me. Hence  
 Run A. 89° 53' W on a true line  
 bet Secs 7 & 18 with same var.

3910 Set a post 3 ft long 3 in dia with marked  
 Stone 12 in in the ground for 1/4 sec cor  
 marked 1/4 S. on N. face dug pit 15 x 18 x 12 in  
 E. & W of post 5 1/2 ft dist and raised a  
 mound of earth 1/2 ft high. 3 1/2 ft base around  
 post.

## Subdivisions 99. R. 10 E

7910 The cor to Secs 7, 8, 17, & 18  
 Land level soil and native fence  
 Mesquite and greasewood brush, the  
 entire mile

N. lot Secs 7 & 8.

Var.  $13^{\circ}$  E

4000 Set a post 3 ft long 3 ins dia 24 ins in  
 the ground for the sec cor marked  $\frac{1}{4}$  S on  
 W face from which a mesquite 5 ins dia  
 bears N.  $46^{\circ}$  W. 47 lks dia marked  $\frac{1}{4}$  S  
 B. S. A mesquite 6 ins dia  
 bears S.  $31^{\circ}$  E 55 lks dist marked  
 $\frac{1}{4}$  S. B. S.

8000 Set a post 4 ft long 4 ins square  
 marked stone 12 ins in the ground  
 for cor to Secs 5, 6, 7, 8 & marked 99 S  
 S. E. on N. E. R. 10 E S. 8 on S. E. S. 7 on S. W and  
 S. 6 on N. W faces with scratches on S & E  
 edges. Dug pits  $18 \times 18 \times 12$  ins in each  
 sec. 5 ft dist and raised a mound of

58

## Subdivisions T9 S. R. 10 E

with 2 ft high,  $\frac{3}{4}$  ft base around post  
 Land level soil 2nd rate  
 Mosquito and Grease wood bush

On a random line bet sees 508  
 Nor.  $13^{\circ}$  E

- 4000 Set temporary 1/4 sec. ca
- 8010 Intersect N 8 S line 19 lks S of ca to  
 sees 4-5-8-89. Hence I run S.  $89^{\circ} 52' W$   
 on a true line bet sees 588 with some  
 var
- 4005 Set a post 3 ft long 3 in dia with  
 marked stone 1/2 in in the ground  
 for 1/4 sec. ca. marked 1/4 sec on N face  
 dug pits 18x18x12 in E & W of post 5 1/2  
 ft dist and raised a mound of earth  
 $\frac{1}{2}$  ft high,  $\frac{3}{4}$  ft base around post
- 8010 In ca to sees 5-6-7-8  
 Land level soil 2nd rate Dense  
 Mosquito and Grease wood bush the  
 entire area

Subdivisions T9 S. R. 10 E

W. on a random line bet sees 6 & 7  
Var.  $13^{\circ} E$

4000 Set temporary  $\frac{1}{4}$  sec cor  
4931 Intersect W boundary of township  
19 lks. S of cor to sees 1, 6, 7, 8, 12 re-  
cently established by me I hence I  
run S  $89^{\circ} 52' E$  on a true line bet  
sees 6 & 7 with same var.

3931 Set a post 3 ft long 3 in dia with  
marked stone <sup>12 in in the ground</sup> for  $\frac{1}{4}$  sec cor - marked  
1145 on N face dug pit 18 X 18 X 12 in  
E & W of post.  $5\frac{1}{2}$  ft dist and raised  
a mound of earth 12 ft high  $3\frac{1}{2}$  ft  
base around post

4931 The cor to sees 5, 6, 7, 8  
Land level soil 2nd rate  
Mesquite and Greasewood brush  
the entire mile

Subdivision 99 S. R. 10 E

On a random line bet sees 586  
Var. 13° E

- 4000 Set temporary 1/4 S. cor
- 8027 Intersect N. boundary of Townshp  
1/4th W of cor to sees. 5. 6. 31932  
recently established by me thence  
S. 100° 06' W on a true line bet  
sees 586.
- 4027 Set a post 3 ft long 3 ins dia with  
marked stone 12 ins in the ground  
for 1/4 S. cor. marked 1/4 S on W face  
dug pit 15 X 15 X 12 in N. S. of post 5 1/2  
ft dia and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around post
- 8027 The cor to sees 5. 6. 7. 8

Sand level soil and water dense  
Mosquito and Grass wood brush the  
entire mile

Dec. 26. 1883.

### General Description

This Township is in the valley of the Santa Cruz on a level surface, the soil is 2<sup>d</sup> rate & would of irrigated produce fine crops, the entire township is covered with a dense growth of Mesquite & Mesquite brush and some trees, Water may be obtained by digging 40 to 60 feet below the surface,

There is some good grazing

for final water see Book No 18

62

BOOK 732

U. S. Surveyor General's Office,

Tucson, Arizona, *May 22* 188~~8~~<sup>5</sup>

The foregoing Field Notes of the Survey of the

*Subdivision lines of  
Township 9 South  
Range 10 East*

Of the Gila and Salt River Base and Meridian, Arizona, executed by *R. C. Powers*

Deputy Surveyor, under his contract of the *20<sup>th</sup>* day of *July*, 188~~8~~<sup>5</sup>, having

critically examined and the necessary corrections and additions made, the said Field Notes and the surveys they are hereby approved.

*Royal L. Johnson*  
Surveyor General.