

No. 733

BOOK 733

Field Notes

BOOK 733
OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township *9 South* Range *17 East*.

Gila and Salt River Base and Meridian

ARIZONA.

By *John L. Harris*, D. S.

under contract dated *July 17, 1877.*

Survey commenced *Nov. 9, 1877.*

Survey completed *Nov. 14, 1877.*

733

No. 733

BOOK 733

Township 9 South Range 17 East.

Gila and Salt River Meridian.

6	60.	5	44	4	33.	3	22.	2	11.	1
59		58.		43.		32.		21.		10.
7	59	8	42.	9	31.	10	20.	11	9.	12
56		55		41.		30.		19.		8.
18	54	17	40.	16	29.	15	18.	14	7.	13
53.		52.		39		28.		17.		6.
19	51.	20	38.	21	27.	22	16.	23	5.	24
50.		49.		37.		26		15.		4
30	48.	29	36	28	25.	27	14.	26	3.	25
47.		46		35.		24.		13		2.
31	45.	32	34.	33	23	34	12.	35	1.	36


Preliminary Oaths of Assistants.

We, Lyman Wakefield
 and Chas. B. Warren,
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lyman Wakefield
Chas B Warren

Sworn to and subscribed before me, this 29
 day of September, 1877

William J Osborn
Notary Public



We, *Fred. C. Jones*

J. P. Chenoweth

do solemnly swear that we will well and truly perform the duties of *Axman* and *flagman* respectively according to instructions given us, and to the best of our skill and ability.

Fred. Jones

J. P. Chenoweth

Sworn to and subscribed before me this *29*

day of *September*, 18*77*

William Babson
Notary Public



Township 9th Range 17th East
Gila and Salt River Meridian

From the cor. to secs. 35, 36, 192
out the S. boundary of the township
I run
North between secs. 35 & 36.
Var. 14° 30' E.

As per E. boundary.

- 40.00 Set a post 4 ft. long, flattened
3 in wide, marked 45. 1 ft. in the ground,
drive charred stake, and build wall of
earth 2 ft. high with pits 1 ft. deep,
2 ft. long, and 1 ft. wide as per in-
structions for 1/4 sec. cor. No trees
- 80.00 Set a post a post 4 ft. long, sq'd 3 in
marked & notched, 1 ft. in the ground,
drive charred stake and build wall
of earth 2 ft. high with pits 1 ft.
deep, 2 ft. long and 1 ft. wide as per
instructions for the cor. to secs
25, 26, 35 & 36. No trees near.
Rolling good grassland No timber

Township 9 S. Range 17th East,
Gila and Salt River Meridian

- | | |
|-------|---|
| Chs. | East on a random line between
secs. 25 & 36.
Var. $14^{\circ}30' E$. |
| 40.00 | Set a temporary $\frac{1}{4}$ sec. cor. |
| 42.60 | Dry wash 20 ft. wide, runs N. |
| 46.00 | Enter bottom land, brs N. W. |
| 80.10 | Intersect the E. boundary 15 lbs
S. of the cor. to secs. 25, 30, 31 & 36,
from which I run
S. $89^{\circ}54' W$, on a true line between
secs. 25 & 36. Var. $14^{\circ}30' E$. |
| 40.05 | The cor. falls on a precipitous hill,
side, so I set it 50 lbs. N. set a
Granite Stone 18 x 10 x 8 in. $\frac{3}{4}$ in. The ground
marked $\frac{1}{4}$, and on the W. build wd. of
earth 2 ft. high with pits 1 ft. deep, 2 ft.
long & $\frac{1}{4}$ wide as per instructions for
$\frac{1}{4}$ sec. cor. No trees near. |
| 80.10 | The cor. to secs. 25, 26, 35 & 36,
Rolling. Good pasturage. Brush |

Township 9 S. Range 17 East,
Gila and Salt River Meridian

North between secs. 25 & 26
Var. $14^{\circ}30'$

Obs.

40.00

Set a post 4 ft. long, flattened
3 in. wide, marked "48" 1 ft. in the
ground; drive charred stake and
build ind. of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, and
1 ft. wide as per instructions for
"4 Sec. cor." from which
a pale verde 4 in. diam. was south 32 lbs. dist.
No other tree near

80.00

Set a post 4 ft. long, sq'd 3 in.
marked and notched, 1 ft. in the ground;
drive charred stake, and build ind. of
earth 2 ft. high with pits 1 ft. deep,
2 ft. long and 1 ft. wide as per in-
structions for the cor. to secs. 23, 24
25 & 26. From which
A mesquite tree 6 in. diam. was S 48 W, 105 lbs. dist.
do " " " " " " 48 W, 228 " "

Good bottom land on W. end. Scattering trees.

Township 9 S. Range 17th East
Gila and Salt River Meridian

East on a random line between Secs. 24 & 25

Obs.

Var. $14^{\circ}30' E.$

6.00 Saw Pedro River 50 fms. wide runs $N. W.$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

59.00 Set Pedro Road $N. W.$

80.14 Intersect the E. boundary of the town-
ship 18 $\frac{1}{2}$ m. S. of the cor. to Secs. 19, 24, 25
& 30, from which I run

$N. 89^{\circ}57' W.$ on a true line between
Secs. 24 & 25, Var. $14^{\circ}30' E.$

146.07 Set a post 4 ft. long, flattened 3 in.
wide, 1 ft. in the ground, drive
charred stake and build wd. of
earth 2 ft. high with pits 1 ft. deep,
2 ft. long and 1 ft. wide as per
instructions for $\frac{1}{4}$ Sec. cor. No trees near

80.14 the cor. to Secs. 23, 24, 25 & 26

Good bottom land. Grass No timber.

Township 9 S. R. 17 East

Gila and Salt River Meridian

North between secs. 23 & 24

Lat. $14^{\circ} 30' E.$

As.

7.00 Say Pedro River 50 krs. wide runs N.W.

40.00 Set a post 4 ft long, flattened 3 in. wide marked $\frac{1}{4}$ S. 1 ft. in the ground;

drive charred stake and build pad. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

John Sullivan's house bro S 40 E 12.50 chs. dist.

55.00 San Pedro road bro N. W.

80.00 Set a post 4 ft. long, sqid 3 in. marked and notched 1 ft in the ground; drive charred stake and build pad. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the cor. to secs. 13, 14, 23 & 24 from which

A Mesquite tree *Bumelia* bro N. 25 $\frac{1}{2}$ E. 62 krs. dist.

do " " " " S 71 $\frac{1}{2}$ W. 204 " "

do " " " " N 66 $\frac{1}{2}$ W. 215 " "

No other trees near; this is near foot of high bluff. E. edge of valley. Good soil. Scattered trees

Township, 9 S. Range 17 E.
Gila and Salt River Meridian.

East on a random line between Secs. 13 & 24
Chs. Lar. $14^{\circ} 30' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect the E. boundary of the town-
ship, 22 lbs. S. of the cor. to Secs. 13, 14, 23 & 24
from which I run

$S 89^{\circ} 51' W.$ on a true line between Secs. 13 & 24
Lar. $14^{\circ} 30' E.$

40.09 Set a post 4 ft. long, flattened 3 in
wide, marked "4B", 1 ft. in the ground,
brass chipped stake, and build a ridge
of earth 2 ft high with pits 1 ft deep,
2 ft long & 1 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.17 The cor. to Secs. 13, 14, 23 & 24.

Rolling & somewhat broken.
Grass. No timber.

Township 9 S. Range 17 E.

Gila and Salt River Meridian

North between Secs. 13 & 14

Dis.

Var. $14^{\circ} 30' E.$

40.00

Set a granite Stone $11 \times 8 \times 7$ in. $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$, and on the N. build end. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, and 1 ft. wide, as per instructions for $\frac{1}{4}$ Sec. cor. No trees

80.00

Set a granite Stone $27 \times 18 \times 13$ in. $\frac{3}{4}$ in the ground, setched S. & E. and on the N. build end. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the Cor. to Secs. 11, 12, 13 & 14. No trees near.

Heily broken. Some grass
No timber.

Township 9 S. Range 17th East.
 Gila and Salt River Meridian

East on a random line between Secs.

Chs. 12, & 13 Var. 14³⁰ E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

68.60 Dry bed of stream 50 fms. wide runs S.

80.20 Intersect the E. boundary of the township
 26 fms. N. of the cor. to Secs. 7, 12, 13 & 18
 from which I run.

N. 89⁴⁹ W. on a true line between Secs. 12 & 13

40.10 Set a granite stone 18 X 10 X 8 in, $\frac{3}{4}$ in
 the ground, marked $\frac{1}{4}$, and on the
 W. build up of stones 2 ft. high
 as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.20 The cor. to Secs. 11, 12, 13 & 14.

Rough & bare hill. Some grass
 No timber.

Township 9 S. Range 17 East.

Sida and Salt River Meridian

North between Secs. 11 & 12

Las. $14^{\circ}30' E$

Chs.

140 Set a granite stone $13 \times 10 \times 6$ in. $\frac{3}{4}$
in the ground, marked $\frac{1}{4}$, and
set the N. build m.d. of a earth
2 ft high with pits 1 ft deep, 2 ft
long & 1 ft wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees near.

80.00

Set a granite stone $16 \times 10 \times 10$ in. $\frac{3}{4}$
in the ground, marked S & E,
and on the N. build m.d. of stones
2 ft high as per instructions for
the cor. to Secs. 1, 2, 11 & 12

No trees near. This is on the
side of a deep gulch.

Somewhat broken Soil 2nd
OB^m rate. Good grass. No timber

Township 9 S. Range 17 East.
 Gila and Salt River Meridian

Establish a random line between Secs.

Chs. 18 & 12 Var. $14^{\circ}30' E.$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

80.12 Intersect the E. boundary of the tfr.
 20 pks. S. of the cor. to Secs. 16, 11 & 12
 from which I run.

S. $89^{\circ}57' W.$ on a true line between Secs. 18 & 12

Var. $14^{\circ}30' E.$

40.00 Set a post 4 ft. long, flattened 3 in
 wide, marked $\frac{1}{4}$ S. 1 ft. in the
 ground; drive charred stakes
 and build end of earth 4 ft. high
 with pits 1 ft deep 2 ft long & 1 ft
 wide as per instructions for the
 $\frac{1}{4}$ Sec. cor. No trees near

80.12 The cor. to Secs. 1, 2, 11 & 12

Somewhat broken good pasture
 land No timber.

Township 9 S. Range 17 East.

Gib and Salt River Meridian

North on a random line

40.00 1/4 Sec. between Secs. 1 & 2

Var. $14^{\circ}30' E.$

40.00 Set a temporary 1/4 sec. cor.

80.21 Intersect the N. boundary of the town-
ship 15 fms. W. of the cor. to Secs.

1, 2, 35 & 36. from which run

$50^{\circ}06' W.$ on a true line between Secs. 1 & 2

Var. $14^{\circ}30' E.$

40.21 Set a post 4 ft long, flattened 3 in.

wide, marked 1/4, 1 ft. in the ground

drive charred stakes and build

end of cor. 2 ft high with posts

1 ft. deep, 2 ft long & 1 ft. wide.

as per instructions for 1/4 sec. cor.

No trees near.

80.21 Corr. to Secs. 1, 2, 11 and 12.

Rolling & broken hills consid-
erably grass. No timber.

Nov. 9, 1877

Township 9 S. Range 17 East.
Gila and Salt River Meridian

North between Secs. 34 & 35

Obs.

Var. $14^{\circ}30' E$

140.00 Set a post 4 ft long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft in the ground. Drive charred stake and build neck of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for the Cor. to 4 sec. Cor. from which

A Mesquite tree 4 in diam. brs. West $7\frac{1}{2}$ lbs. dist.

80.00

Set a post 4 ft long, sq'd 3 in. marked & notched, 1 ft in the ground. Drive charred stake and build neck of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for the Cor. to Secs. 26, 27, 34 & 35 from which

A Mesquite tree 6 in diam. brs $N 20^{\circ} E$. 60 lbs. dist.

do 8 " " $S 87^{\circ} W$. 72 " "

No other trees near.

Rolling good pasture, scattered trees

Township 9 S. Range 17 East.
Gila and Salt River Meridian

East on a random line between Secs. 26 & 35

Chs. Var. $14^{\circ}30' E$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

79.00 Dry wash 50 fms. wide runs N. E.

79.89 Intersect the N. S. line $\frac{1}{4}$ fms. S.
of the cor. to secs. 25, 26, 35 & 36, from
which I run

S. $89^{\circ}54' W$, on a true line between
secs. 26 & 35, Var. $14^{\circ}30' E$.

39.95 Set a post 4 ft. long, flattened 3 in.
marked $\frac{1}{4}$ S. 1 ft. in the ground,
drive charred stake, and build wd.
op earth 2 ft. high, with pits 1 ft.
deep, 2 ft. long and 1 ft. wide
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite tree 4 in. diam. brs. $S 19^{\circ}28' E$. 35 fms. dist.
No other tree near

79.89 The cor. to secs. 26, 27, 34 & 35.

Rolling. Good grass, scattering trees.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 26 & 27
T. 14° 30' E.
Chs. 40.00 Set a post 4 ft. long, flattened 3 in.
wide, marked 45, 1 ft. in the ground,
drive charred stake and build
mud of earth 2 ft. high with pits
1 ft. deep, 2 ft. long and 1 ft. wide
as per instructions for "4 Sec. Cor.

No trees near.

80.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, 1 ft. in the
ground, drive charred stake
and build mud of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long
and 1 ft. wide as per instructions
for the cor. to Secs. 22, 23, 26 & 27,
from which

A Mesquite tree 8 in. diameter 45 ft. 102 ft. dist.
do " 9 " " 11 1/2 to 116 " "
No other trees near.
Rolling hills considerable grass. Brush
scattering trees.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 23 & 26.
Var. $14^{\circ}30'$ E.
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 65.50 Enter bottom land by NW.
- 81.22 Intersect the N & S. line 30 fms.
Top of the cor. to Secs. 23, 24, 25 & 26, from
which I run
S. $87^{\circ}47'$ W. on a true line between
Secs. 23 & 26. Var. $14^{\circ}30'$ E.
- 146.11 Set a post $\frac{1}{4}$ ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ ft. 1 ft in the ground;
drive charred stake and build end
of north, of high, with pits $\frac{1}{4}$ ft. deep,
 $\frac{1}{2}$ ft. long and $\frac{1}{4}$ ft. wide as per in-
structions for the cor. & Sec. $\frac{1}{4}$ sec.
from which
A Mesquite tree $\frac{1}{2}$ in diam. has S 10 W, 230 fms. dist.
" " " " S 15 W, 140 " "
- 80.2 The cor. to Secs. 22, 23, 26 & 27
Rolling hills and mile bottom land.
no timber.

Township 9 S. R. 17 E.
 Gila and Salt River Meridian

North between Secs. 22 & 23

Chs. Day, 14° 30' E.

40.00 Set a post 4 ft. long, flattened 3 in.
 wide, marked $\frac{1}{4}$ S. 1 ft. in the ground,
 drive charred stake, and build out of
 earth 2 ft. high with feet 1 ft. deep
 2 ft. long and 1 ft. wide as per instruc-
 tions for $\frac{1}{4}$ sec. cor. No trees near

80.00 This corner in a wash, so
 I set over 4.60 chs. E. to get on per-
 manent ground, and set witness
 cor. a post 4 ft. long, 3 in.
 marked and notched, 1 ft. in the ground,
 drive charred stake and build out
 of earth 2 ft. high with feet 1 ft. deep
 2 ft. long and 1 ft. wide as per instruc-
 tions for a witness cor. to the corners,
 14, 15, 22 & 23, from which
 a Willow tree 15 in. diam. by East 17 ft. dist.
 the top " 5 " " " N 40 W; 47 " "
 No other trees near.
 Good valley land. Scattered trees.

Township 9 S. R. 17 East.

Gold and Salt River Meridian

Establish a random line between Secs. 14 & 23
 Var. $14^{\circ}30' E.$

Chs.

10.00 San Pedro River 50 fms. wide runs N.W.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

47.50 San Pedro Road runs N.W.

79.80 Intersect the N. & S. line 17 fms. S.
 of the cor. to Secs. 13, 14, 22 & 23 from
 which I run

S. $89^{\circ}53' W.$ on a true line between Secs. 14 & 23
 Var. $14^{\circ}30' E.$

39.90 Set a post 4 ft long, flattened 3 in. wide,
 marked $\frac{1}{4}$ S. 1 ft. in the ground;
 drive charred stakes and build rid.
 of earth 2 ft. high with pits 1 ft. deep
 2 ft. long and 1 ft. wide as per in-
 structions for the $\frac{1}{4}$ Sec. cor. No trees
 near.

79.80 The cor. to Secs. 14, 15, 22 & 23

Good valley land. Scattering trees

Township 9 S. Range 17 East,
Gila and Salt River Meridian

North between Secs. 14 & 15

Chrs.

Var. $114^{\circ}30'E$.

From the witness cor. to Secs. 14, 15, 22 & 23
which is 4.60 chs. E. of true place of cor.

Set over 4.60 W. & run N. as above

11.00

San Pedro River 50 fms. wide runs N.W.

30.00

At Sullivan's house corner field bro. E. 6.00 chs.
instant.

40.00

Set a post 4 ft long, flattened 3 in.
wide, 1 ft. in the ground, drive
charred stake and build grad. of
with 2 ft. high with pits 1 ft.
deep, 2 ft. long and 1 ft. wide
as per instructions for 1/4 Sec. cor.
No trees near.

47.00

San Pedro Road bro. NW

50.50

Peter Sullivan's house bro W. 12 chs. dist.

59.50

Leave bottom bro SW.

80.00

Set a post 4 ft long 3 in. marked and
notched, 1 ft. in the ground, drive charred
stake and build grad. of with 2 ft. high with pits
1 ft. deep, 2 ft. long & 1 ft. wide as per instructions
for this cor. to Secs. 10, 11, 14 & 15. No trees

Good valley land. No timber.

Township 9 S. Range 17 East.
Gila and Salt River Meridian

East on a random line between Secs. 11 & 14

Obs. Var. $14^{\circ}30' E$.

146.00 Set a temporary $\frac{1}{4}$ sec. cor.

49.57 Intersect the N. & S. line 29 lbs.

S. of the cor. to Secs. 11, 12, 13 & 14

from which I run:

S. $89^{\circ}47' W$, on a true line between

Secs. 11 & 14 Var. $14^{\circ}30' E$.

49.77 Set a post 4 ft long, flattened 3 in

wide, marked $\frac{1}{4}$ S. 1 ft in the

ground; Anvil charged stake and

build rid. of earth 2 ft high with

feet 1 ft. deep, 2 ft long and 1 ft.

wide as per instructions for $\frac{1}{4}$

sec. cor. No trees near.

49.57 The cor. to Secs. 10, 11, 14 & 15

Mosely fully. Some grass
No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 10 & 11

Obs.

Var. $14^{\circ}30' E.$

- 40.00 Set a granite $11 \times 9 \times 6$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on the
N. build. mid. of earth 2 ft high
with pits 1 ft deep, 2 ft long, 8 in
wide as per instructions for
4 sec. cor. No trees near.
- 80.00 Set a granite stone $18 \times 12 \times 10$ in.
 $\frac{3}{4}$ in the ground, notched S. & E.
and on the N. build mid. of stones
2 ft high, as per instructions for the
cor. to secs. 2, 3, 10 & 11. From which
a saw hole 5 in diam. has $56000/174$ lbs. dist.
No other trees near. This alongside sup. patch.

Rolling & somewhat broken
Excellent pasture lands
No timber of any consequence

Township 9 S. Range 17 East
 Gila and Salt River Meridian

- East on a random line between Secs. 2 & 11
 C.P.S. Var. $14^{\circ}30' E.$
 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 80.21 Intersect the N. & S. line 15 lks.
 S. of the cor. & secs. 1, 2, 11 & 12
 from which I run
 S. $89^{\circ}54' W.$ on a true line between Secs. 2 & 11
 Var. $14^{\circ}30' E.$
 40.11 Set a granite $14 \times 12 \times 10$ in.
 $\frac{1}{4}$ in the ground, marked $\frac{1}{4}$, and
 on the W. build end. of stones
 2 ft high as per instructions for
 $\frac{1}{4}$ Sec. cor. No trees near
 80.21 the cor. to secs. 2, 3, 10 & 11

Rolling & broken. Grass
 No timber

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Chs. Run on a random line between Secs. 2 & 3.
Var. $14^{\circ} 30' E.$
- 14,25 Dry wash 25 fks. with runs W.
- 40,00 Set temporary $\frac{1}{4}$ sec. cor.
- 75,25 Dry wash 50 fks. with runs W.
- 80,16 Intersect the N. boundary of the tp.
20 fks. W. of the cor. to Secs. 2, 3, 34 & 35
from which I run
S. $00^{\circ} 9' W.$ on a true line between Secs 2 & 3
Var. $14^{\circ} 30' E.$
- 40,16 Set a granite stone 15 X 12 X 8 in.
 $\frac{1}{2}$ in. the ground, marked $\frac{1}{4}$, and
on the S. build end of stones 2 ft high
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80,16 The cor. to Secs. 2, 3, 10 & 11.

Rolling & somewhat broken
Good grass land. No timber

township 9 S. Range 17 E.
 6th and Salt River Meridian

North between Secs. 33 & 34

Cor. Var. $14^{\circ}30'$ E.

- 40.00 Set a post 4 ft. long, flattened
 3 in. wide, marked $\frac{1}{4}$ S. 1 ft in the
 ground; drive charred stakes and
 build end. of earth 2 ft high with
 pits 1 ft deep, 2 ft long & 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec. cor. No trees
- 30.00 Set a post 4 ft. long, 3 in. marked
 & notched, 1 ft in the ground, drive
 charred stakes and build end. of earth
 2 ft high, with pits 1 ft deep 2 ft long
 & 1 ft wide as per instructions for
 the cor. to secs. 24, 28, 33 & 34.
 No trees near.

Rolling. good pasture,
 Brush. No hunter.

Nov. 10, 1877

24

Township 9th S. Range 1st E.
Gila and Salt River Meridian

East on a random line between Secs. 27 & 34

Obs. Var. $14^{\circ}30' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect the N. & S. line 12 lbs.

S. of the cor. to secs. 26, 27, 34 & 35
from which I run

S. $89^{\circ}55' W.$ on a true line between
secs. 27 & 34. Var. $14^{\circ}36' E.$

140.09 Set a post 4 ft. long, flattened
3 in wide, marked $\frac{1}{4}$ S. 1 ft in
the ground, drive charred stake
and build up of earth 2 ft high
with pits 1 ft deep, 2 ft long and
1 ft wide as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

80.18 The cor. to secs. 27, 28, 33 & 34.

Rolling hills good grass land
brush & scattering trees.

Township 9 S, Range 17 East
Gda and Salt River Meridian

N. between Secs. 27 & 28

Chs.

Var. $14^{\circ}30' E$.

40.00

Set a post $4\frac{1}{2}$ ft long, flattened 3 in,
wide, marked 4.5, 1 ft in the ground,
drive charred stake, and build med.
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, & 1 ft wide as per
instructions for $\frac{1}{4}$ sec. cor. No trees

80.00

Set a post $4\frac{1}{2}$ ft long, sq'd 3 in,
marked 80.00, 1 ft in the ground,
drive charred stake and build
med. of earth 2 ft high with
pits 1 ft deep, 2 ft long and
1 ft wide as per instructions for
the cor. to secs. 21, 22, 24 & 25
from which

A Pale verde 4 in. diam. brs $\approx 68\frac{1}{2}$ W. 84 lbs. dist.

No other trees near.

Rolling, good pasturage
Brushy; scattering trees.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- East on a random line between secs. 22 & 27
 40.00 Set temporary $\frac{1}{4}$ sec. ^{Cor.} Var. $14^{\circ}30' E.$
 41.50 Dry wash 80 lbs. wide runs E.
 80.21 Intersect the H. & S. line 12 lbs.
 S. of the Cor. to secs 22, 23, 26 & 27
 from which I run
 S. $89^{\circ}33' W.$ on a true line between secs.
 22 & 27 Var. $4^{\circ}30' E.$
 40.11 Set a post 4 ft. long, flattened 3 in.
 wide, marked $\frac{1}{4}$ S. 1 ft. in the ground.
 Iron chipped stake, and build
 mound of earth 2 ft high, with pits
 1 ft. deep, 2 ft. long and 1 ft. wide
 as per instructions for $\frac{1}{4}$ sec. Cor.
 from which
 A Mesquite tree 8 in diam. bears N 45 W, 102 lbs. dist.
 No other trees occur.
 80.21 The cor. to secs. 21, 22, 27 & 28.
 Rolling good pasturage. Brush
 Scattering trees.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 21 & 22

Chs.

Var. 14° 30' E.

40.00

Set a post 4 ft. long, flattened 3 in. wide, marked "4 S. 1 ft. in the ground; drive charred stake and build mound of earth 2 ft. high with pits 1 ft deep, 2 ft long, and 1 ft wide as per instructions for 1/4 sec. cor. from which

A Mesquite tree in diam. brs \$80 E. 66 ft. cor. dist.
A Palmyra 4 " " \$20 E 100 " "

80.00

Set a post 4 ft. long, sq'd 3 in, marked & notched, 1 ft in the ground; drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long & 1 ft wide as per instructions for the cor. to Secs. 15, 16, 21 & 22. No trees

Rolling grass & brush
No timber of consequence.

Township 9 S. Range 17 E,
Gila and Salt River Meridian

Chs. East on a random line between Secs. 15 & 22
Var. $14^{\circ}30' E$,

140.00 Set a temporary $\frac{1}{4}$ sec. cor.

77.70 Intersect the N. & S. line 35 lbs.
N. of the cor. to Secs. 14, 15, 22 & 23, from
which I run

N. $89^{\circ}56' W$, on a true line between
Secs. 15 & 22. Var. $14^{\circ}30' E$,

39.85 Set a post 4 ft. long, flattened 3 in.
wide, 1 ft. in the ground; drive
charred stake and build mound of
earth 2 ft. high, with feet 1 ft.
deep 2 ft. long and 1 ft. wide as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

77.70 The cor. to Secs. 15, 16, 21 & 22.

Rolling, good pasture
No timber

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 15 & 16.

Chs.

Var. $14^{\circ}30' E.$

40.00

Set a post 4 ft. long, flattened 3 in. wide, marked "40". 1 ft. in the ground, drive charred charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, and 1 ft. wide as per instructions for "4 Sec. Cor." No trap near.

86.00

Set a post 4 ft. long, sq'd 3 in. marked and notched, 1 ft. in the ground, drive charred stake, and build mound of earth two ft. high with pits 1 ft. deep, 2 ft. long, and 1 ft. wide. as per instructions for the cor. to Secs. 9, 10, 15 & 16. From which an ash tree 8 in. diam. bns $N 5^{\circ} W.$ 32 ft. dist.

do. 8. " " " $S 30^{\circ} E.$ 52 " "

No other trees near.

Some good bottom land. Grass, scattering trees, & dense brush.

Township 9 S. Range 17 E. East
Gila and Salt River Meridian

East on a random line between Secs 10 & 15

Ch. 1.00 San Pedro River at the wide runs N. W. Bear 14° 30' E.

39.50 San Pedro Valley Road brs. N. W.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

49.75 Intersect the N. & S. line 18 W. N.

of the cor. to Secs. 10, 11, 14 & 15,

from which I run

N. 89° 52' W. on a true line between Secs 10 & 15

Bear 14° 30' E.

39.88 Set a post 4 ft. long, flattened
3 in wide, 1 ft in the ground; drive
charred, stakes and build mud of
earth 2 ft. high with pits 1 ft.
deep 2 ft. long and 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite tree 8 in. diam. brs S 36° W. 30' per. dist.

49.75 The cor. to Secs. 9, 10, 15 & 16

Along the San Pedro Valley. Good soil
scattering trees.

Township 9 S. Range 17 East,
Gla and Salt River Meridian

North between Secs. 9 & 10

Chd.
5.00
40.00

Saw Pierre River 50 lbs wide. ^{Tap} $14^{\circ} 30' E.$
Set a post 4 ft. long flattened 3 in.

wide, 1 ft. in the ground, drive
charred stakes and build rd. of
earth 2 ft high with pits 1 ft. deep
2 ft long and 1 ft wide as per

79.00
81.00

instructions for 4 sec. cor. ^{from which a Cotton.}
Road down the valley ^{wood 20 in diam. brs 29 E}
Set a post 4 ft long, 5/8 in. ^{dist. 1/2 to other trees}

marked and notched, 1 ft in the
ground; drive charred stakes
and build rd. of earth 2 ft
high with pits 1 ft. deep, 2 ft.
long and 1 ft wide as per
instructions for the cor. to secs.
3, 4, 9 & 10 from which

a Mesquite tree 10 in. diam. brs 329 E,
160 lbs. dist. No other trees near.
This cor. is alongside a road.
Good valley land. No lumber

of Township 9 S. Range 17 E.
Gita and Salt River Meridian

East on a random line between Secs. 3 & 10.

Chs.

Var. $14^{\circ}30' E.$

23.00 Leave the bottom & ascend.
40.00 Set a temporary $\frac{1}{4}$ sec. cor.
44.00 Dry wash 50 lbs. wide runs S.W.
79.90 Turn to the N. S. line 18 lbs. S.
of the cor. to Secs. 2, 3, 10 & 11, from which
I run
S. $89^{\circ}52' W.$ on a true line between Secs. 3 & 10.

Var. $14^{\circ}30' E.$

39.95 Set a post 4 ft long, flattened 3 in
wide, marked $\frac{1}{4}$ ft. 1 ft. in the ground.
Drive charred stakes and build out
of earth 2 ft high with pits 1 ft deep
2 ft long & 1 ft wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. Ground which
I Mesquite tree, 36 in diam. brs S $35^{\circ} W.$ 146 lbs. dist.
No other trees near.

79.90 The cor. to Secs 3, 4, 9 & 10.
Rolling. Good grazing. Scattering trees

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- North on a random line between Secs. 3 & 4
 Var. $14^{\circ}30' E.$
- 140.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 80.13 Intersect the N. boundary 21 fms. W. of the cor. to secs. 3, 4, 33 & 34, from which
 Run
 $S 0^{\circ} 09' W.$ on a true line between Secs. 3 & 4.
 Var. $14^{\circ}30' E.$
- 140.13 Set a post 4 ft. long flattened 3 in. wide marked $\frac{1}{4}$ S. 1 ft. in the ground; drive charred stakes and build med. of earth 2 ft. high with pits 1 ft. deep 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees
 This cor. stands on the E. side of the valley.
- 80.13 The cor. to secs. 3, 4, 9 & 10.
- Mostly good valley land. Grass
 No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 32 & 33

- Obs. Var. $14^{\circ}30'E$
- 40.00 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4} S.$ ft. in the ground; drive charred stakes and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees
- 51.20 Dry wash 25 lbs. wide runs $\frac{1}{4}$ of E.
- 50.00 Set a post 4 ft. long sq'd 3 in. marked and notated. Drive charred stakes and build mound of earth two ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 28, 29 32 & 33. No trees near.

Rolling. Good pasturage
No timber

Township 9 S. Range 17 E.
G.W. and Salt River Meridian

East on a random line between secs. 28 & 33

Obs. Var. $14^{\circ}30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect the N. & S. line 1600 ft. S. of the
cor. to secs. 27, 28, 33 & 34, from which run
S. $89^{\circ}53' W.$ on a true line between secs. 28 & 33

Var. $14^{\circ}30' E.$

40.06 Set a post a post 4 ft long, flattened
3 in. wide, marked $\frac{1}{4}$ sec. cor. in the ground.
Draw charred stakes and build out of
earth 2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.11 The cor. to secs. 28, 29, 32 & 33.

Rolling hills. Good land for
pasturage. Brush Notitubis

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- North between Secs. 28 & 29
Cor. $14^{\circ}30'E.$
- 40.00 Set a post 4 ft. long, flattened 3 in. wide, marked '40', 1 ft. in the ground. Drive charred stake, and build end of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 4 sec. cor. No trees near.
- 80.00 Set a post 4 ft. long, s.d. 3 in. marked & notched, 1 ft. in the ground. Drive charred stake, and build end of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 20, 21, 28 & 29 from which \odot pale verde 4 in. diam. brs $S18^{\circ}46'E$ 77 ft. per dist. No other trees near.
- Rolling. Good grazing. No timber
Nov. 12, 1879

Township 9 S. Range 17 E.
Gla and Salt River Meridian

East on a random line between Secs. 21 & 28

Obs. Var. $14^{\circ}30' E.$

40.00 Subtemporary $\frac{1}{4}$ Sec. cor.

79.90 Intersect the N. & S. line 21 Sec. S. of
the cor. to secs. 21, 22, 27 & 28, from
which down

S. $89^{\circ}51' W.$ on a true line between Secs. 21 & 28

Var. $14^{\circ}30' E.$

89.95 Subapost. $\frac{1}{4}$ ft long, flattened 3 in, wide
marked $\frac{1}{4}$ S. 1 ft in the ground, driven
charr'd stave and build into earth
2 ft high with pits 1 ft. deep, 2 ft. long
& 1 ft wide as per instructions for $\frac{1}{4}$ Sec.
cor. No trees near.

79.90 The cor. to Secs. 20, 21, 28 & 29.

Rolling hills. Good for grazing
Brush, No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 20 & 21

Chs.

Var. $14^{\circ}30'E$.

40.00

Set a post 4 ft long, flattened
3 in. wide, marked $\frac{1}{2}$ S. 1 ft in the ground &
drive charred stake and build mid. of
earth 2 ft high with pits 1 ft deep
2 ft long and 1 ft wide as per in-
structions for $\frac{1}{2}$ Sec. cor. From which
a pale white S. Indian, br $S 20^{\circ} E$ $\frac{1}{2}$ Sec. dist.
No other trees near.

80.00

Set a post 4 ft long, sq'd 3 in.
marked & notched, 1 ft in the ground
drive charred stake and build
mid. of earth 2 ft high with pits
1 ft deep 2 ft long & 1 ft wide as
per instructions for the cor. to
Secs. 16, 17, 20 & 21. No trees near

Rolling hills. Grass
& brush & scattering trees.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 16 & 21
Var. $14^{\circ} 30' E$
- 33.00 Dry wash 20 fms. wide, runs N. E.
- 80.16 Intersect the 4th & 2^d line 21 fms. S. of
the cor. to secs. 15, 16, 21 & 22, from which
I run
S. $89^{\circ} 51' W$, on a true line between
secs. 16 & 21, Var. $14^{\circ} 30' E$.
- 40.08 Set a post 4 ft high, flattened 3 in.
wide, marked 40. 1 ft. in the ground
drive a spoked stake and build mid. of
north 2 ft high with pits 1 ft. deep
2 ft. long and 1 ft wide as per in-
structions for 1/4 Sec. cor. from which
of a hole 5 in. diam. brs. S 62 E 67 fms. dist.
do 4 " " " S 18 1/2 E 50 " "
- 80.16 The cor. to secs. 16, 17, 20 & 21

Rolling. Good grassland
Brush & scattering trees.

Township 9 S. Range 17 E,
Gila and Salt River Meridian

North between Secs. 16 & 17

Apr.

Var. $14^{\circ}30' E$,

140.00

Set a post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4} S$, 1 ft. in the ground, drive charred stake, and build mound of earth 2 ft. high, with feet 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees

80.00

Set a post 4 ft. long sq'd 3 in. marked & notched, 1 ft. in the ground drive charred stake, and build mound of earth 2 ft. high, with feet 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 8, 9, 16 & 17, from which a pale verde 5 in. diam. brs $97^{\circ}0' E$. 36 lks. dist. No other trees near.

Rolling grass lands
No timber of consequence

Township 9 S. Range 17 E.
 Gila and Salt River Meridian

East on a random line between Secs. 9 & 16.

Chs. Var. $14^{\circ}30' E.$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

80.25 Intersect the N. & S. line at 17th Mo.
 S. of the cor. to Secs. 9, 10, 15 & 16
 from which I run

$89^{\circ}53' W.$, on a true line between Secs.
 9 & 16. Var. $14^{\circ}30' E.$

40.13 Set a post 4 ft long, flattened 3 in. wide
 marked "4 S." 1 ft in the ground, drive
 charred stake and build mt. of earth
 2 ft high with pits 1 ft. deep, 2 ft.
 long & 1 ft. wide as per instruc-
 tions for $\frac{1}{4}$ Sec. cor. No true

80.25 The cor. to Secs. 8, 9, 16 & 17

Rolling hills. Good pasture lands
 No timber

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 8 & 9

Cor. Var. $14^{\circ} 30' E.$

40.00 Set a post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4} D$, 1 ft. in the ground drive charred stakes and build mud wall of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ Sec. cor.

No trees near

80.00 Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground; drive charred stakes and build mud wall of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to the Secs. 4, 5, 8 & 9. No trees near.

Rolling. Good pasturage land. No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 4 & 9
Var. $14^{\circ}30' E.$
- 33.50 Enter bottom land
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 54.50 San Pedro River 50 fms. wide
runs NW
- 80.17 Intersect the N. & S. line 24 fms.
S. of the cor. to sec. 3, 4, 9 & 10 from
which I run
S. $89^{\circ}50' W.$ on ~~the~~ a true line between sec. 4 & 9
Var. $14^{\circ}30' E.$
- 46.10 Set a post 4 ft. long, flattened 3 in.
wide marked $\frac{1}{4}$ S. 1 ft. in the ground,
brass spanned stakes, and build up
of earth 2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor., from which
a Mesquite tree in diam. $S 85^{\circ}40' W.$ 46 $\frac{1}{2}$ fms. dist.
 $\frac{1}{2}$ other trees near.
- 80.19 Cor. to Secs. 4, 5, 8 and 9.
Rolling. Good grass land.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- North on a random line between Secs. 4 & 5
Cor. $14^{\circ}30'E$
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 41.79 Swingle's house brs East about 36^{th} chs. dist.
- 46.10 Enter little valley
- 58.40 Cañon del Oro, road to Tucson, brs. of W.
- 80.27 Intersect the N. boundary of the township
16 chs. W. of the cor. to Secs. 4, 5, 32 & 33
from which I run
 $50^{\circ}07'W$ on a true line between Secs. 4 & 5
Cor. $14^{\circ}30'E$.
- 40.27 Set a post, 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground; drive charred stakes
and build out of earth with
pits 1 ft. deep, 2 ft. long & 1 ft. wide
as per instructions to $\frac{1}{4}$ sec. cor.
from which
a paloverde $\frac{1}{4}$ in. diam. 860 W. 77 chs. dist. 1
do. " " " 40 E. 152 " "
- 80.27 The cor. to Secs. 4, 5, 8 & 9.
Rolling grass land. No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 31 & 32

Chs. Var. $14^{\circ}30' E.$

40.00 Set a post 4 ft. long, flattened.
3 in. wide, marked $\frac{1}{4}$ ft. in the ground.
Drive charred stake and build mud
of earth 2 ft. high with pits $\frac{1}{4}$ ft. deep
2 ft. long & $\frac{1}{4}$ ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees.

80.00 Set a post 4 ft. long, sq'd 3 in. mark.
ed & notched, $\frac{1}{4}$ ft. in the ground.
Drive charred stake and build mud
of earth 2 ft. high with pits $\frac{1}{4}$ ft.
deep, 2 ft. long & $\frac{1}{4}$ ft. wide as per
instructions for the cor. to Secs. 29,
30, 31 & 32. No trees near

Rolling hills. Good grazing
land. Brush. No timber

Township 9th Range 17th E.
Gila and Salt River Meridian

East on a random line between Secs. 29 & 32
Cor. 14° 30' E.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.13

Intersect the N. & S. line 10th Sec. S.
of the cor. to Secs. 28, 29, 32 & 33
from which I run

S. 89° 56' W. on a true line between Secs. 29 & 32
Cor. 14° 30' E.

140.07

Set a post 4 ft. long, flattened 3 in
wide, marked $\frac{1}{4}$ Sec. 1 ft. in the ground.
Drive chipped stakes, and build pd.
of earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide as per
instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

80.13

The cor. to Secs. 29, 30, 31 & 32

Rolling hills, good pasture land
No timber

Township 9 S. Range 17 E.
Gda and Salt River Meridian

Chs.
40.00
49.85
West on a random line between Secs. 30 & 31
Var. $14^{\circ} 30' E.$
Set a temporary $\frac{1}{4}$ Sec. Cor.
Intersect the W. boundary of the town-
ship 12 Ws. S. of the cor. to Secs.
25, 30, 31 & 36, from which I run
 $S 89^{\circ} 55' E.$ on a true line between Secs. 30 & 31
Var. $14^{\circ} 30' E.$

39.85
79.85
Set a post 4 ft. long, flattened $\frac{3}{8}$ in.
wide, marked $\frac{1}{4}$ S. 1 ft in the ground,
drive charred stake & build out. of
earth 2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ Sec. Cor. No true
the cor. to Secs. 29, 30, 31 & 32

Rolling hills. Good grazing
No timber

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 29 & 30

Chs. Var. $14^{\circ} 30' E.$

35.00 Dug wash 20 lbs. wide runs E.

140.00 Set a post 4 ft. long, flattened 3
in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground;
drive charred stake and build wall
of earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide, as
per instructions for $\frac{1}{4}$ Sec. cor. No trees.

86.00 Set a post 4 ft. long, $\frac{1}{2}$ in. marked
and notched, 1 ft. in the ground.
drive charred stake and build
wall of earth 2 ft. high with pits
1 ft. deep, 2 ft. long and 1 ft. wide
as per instructions for the cor. to
Secs. 19, 20, 29 & 30. No trees near

Rolling grass & brush
No timber.

Nov. 13, 1877

Township 9 S. R. 17 East,
Gila and Salt River Meridian

- East on a random line between Secs. 20 & 29.
 Chs. Var. $14^{\circ}30' E.$
- 140.00 Set temporary $\frac{1}{4}$ sec. cor.
 54.20 Dogwash 40 lbs. wide runs N.E.
 80.22 Intersect the N. & S. line 34 lbs.
 S. of the cor. to secs. 20, 21, 28 & 29
 from which I run
 S. $89^{\circ}45' W.$ on a true line between
 secs. 20 & 29. Var. $14^{\circ}30' E.$
- 140.11 Set a post 4 ft. long, flattened 3 in
 wide, marked "4 S." 1 ft. in the ground,
 drive charred slates and build mud
 of earth 2 ft high with pits 1 ft. deep
 2 ft long and 1 ft. wide, as per
 instructions for $\frac{1}{4}$ sec. cor. from which
 a Mesquite tree 3 in. diam. brs $N 36^{\circ} W.$ 107 ft. dist.
 No other tree near
- 80.22 The cor. to secs. 19, 20, 29 & 30.
 Rolling hills. Good grass.
 Scattered trees

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Cor. Without a random line between Secs. 19 & 30
 Var. $14^{\circ}30'E$,
 40.00 Depaten for any $\frac{1}{4}$ Sec. Cor.
 79.92 Intersect the W. boundary of the town-
 ship 18 hrs. S. of the Cor. to sec.
 19, 24, 25 & 30, from which I run
 $S. 87^{\circ}52'E$. ad a true line between
 sec. 19 & 30. Var. $14^{\circ}30'E$.
 39.92 Set a post 4 ft. long, flattened 3 in
 wide, marked $\frac{1}{4}$ Sec. in the ground.
 Drive sharpened stakes and build mound
 of earth 2 ft. high with pits
 1 ft. deep 2 ft. long & 1 ft. wide
 as per instructions for $\frac{1}{4}$ Sec.
 Cor. No trees near.
 79.92 The cor. to sec. 19, 20, 29 & 30

Rolling hills, good pasture land
Brush No timber

Township 9 S. Range 17 E.
Gila and Salt River Meridian

North between Secs. 19 & 20
Cor. $14^{\circ} 30' E$.

Chs.

- 23.00 Dry wash 20 lbs, wide runs NE
- 40.00 Set a post 4 ft long, flattened 3 in, wide, marked $\frac{1}{4}$ S. 1 ft. in the ground. Drive charred stake, and build mud of earth 2 ft. high with pits 1 ft deep, 2 ft. long & 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor. from which a Mesquite tree 6 in. diam. brs. N 75 W. 158 lbs. dist.
- 80.00 Set a post 4 ft long, sq'd 3 in, marked & notched, drive charred stake and build mud of earth 2 ft. high with pits 1 ft deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 17, 18, 19 & 20 from which a Mesquite tree 10 in. diam. brs. S 85 W. 231 lbs. dist.
- do 12 " " " N 75 W. 279 " "
- No other trees near.
- Rolling. Good for grazing.

Township 9 S. Range 17 E.
 6th and Salt River Meridian

- East on a random line between Secs.
 17 & 20. Var. $14^{\circ}30' E$.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.22 Intersect the M. & S. line 14 pps.
 S. of the cor to secs. 16, 17, 20 & 21
 from which I run
 $S 89^{\circ}54' W$, a true line between Secs. 17 & 20
 Var. $14^{\circ}30' E$.
- 40.11 Set a post 4 ft. long, flattened 3 in.
 wide, marked "40.11" ft. in the ground.
 Drive charred stakes & build end. of
 earth 2 ft. high with pits 1 ft. deep,
 2 ft. long & 1 ft. wide as per instruc-
 tions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.22 The cor. to secs. 17, 18, 19 & 20

Rolling grass land.
 Brush November

Township 9 S. Range 17 E.
Gla and Salt River Meridian

W show a random line between Secs. 18 & 19
Var. $14^{\circ}30'E$.

Chs.

40.50

79.86

Set a temporary $\frac{1}{4}$ Sec. cor.
Intersect the W. boundary, of the town-
ship, 17 lks. S. of the cor. to Secs.
13, 18, 19 & 24, from which I run
 $S. 89^{\circ}53'E$, as a true line between
Secs. 18 & 19. Var. $14^{\circ}30'E$.

39.86

Set a post 4 ft long, flattened 3 ins.
with marked $\frac{1}{4}$ in. 1 ft. in the ground.
Drive charred stakes, & build up
of earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide as per
instructions for $\frac{1}{4}$ Sec. cor.

No trees near.

79.86

The cor. to Secs. 17, 18, 19 & 20

Rolling hills. Good grazing
land No timber.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

Obs.	North between Secs 17 & 18 Var. $14^{\circ}30' E$
15.50	Dug wasp 100 lbs wide runs N.E.
40.00	Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground. Drive charred stake and build out of earth 2 ft high with pits 1 ft. deep, 2 ft long and 1 ft wide as per instructions for $\frac{1}{4}$ Sec Cor. No trees near.
50.00	Set a post 4 ft. long, sq'd 3 in., marked & notched, 1 ft. in the ground, drive charred stake and build out of earth 2 ft high with pits 1 ft. deep 2 ft. long and 1 ft. wide as per instructions for the Cor. to Secs. 17, 8, 17 & 18, from which a paloverde 6 in. diam. by $N 36^{\circ} E$ 208 lbs. dist. " 5 " " " $N 37^{\circ} W$. 203 " " No other trees near. Rolling. Good grazing land. Scattered trees.

Township 9 S. Range 17 E.

Gila and Salt River Meridian

East on a random line between Secs. 8 & 17

Chs.

Var. $14^{\circ}30' E.$

40.00

Set a temporary $\frac{1}{4}$ sec. cor.

80.19

Intersect the M.S. line $11\frac{1}{2}$ kts. N. of the cor. to Secs. 8, 9, 16 & 17, from which I ran

$N. 89^{\circ}53' W.$ on a true line between Secs. 8 & 17

Var. $14^{\circ}30' E.$

40.10

Set a post 4 ft long, flattened 3 in wide, marked $\frac{1}{4}$ S. 1 ft. in the ground. Drive charred stake and build up of earth 2 ft high with pits 1 ft. deep, 2 ft long and 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor. No trees

80.19

The cor. to Secs. 7, 8, 17 & 18.

Rolling hills. Good grazing
Brush. No timber

Township 9 S. Range 17 E.

Gila and Salt River Meridian

North between Secs. 7 & 8

48.50 Par. $14^{\circ}30'E$.

40.00 Enter little valley, bns NE.

Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{2}S$, 1 ft. in the ground.

Drive charred stakes and build ind. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which a Mesquite tree 5 in. diam. bns $S75^{\circ}E$. 88 lbs. dist. No other tree near.

53.00 Leave little valley

79.50 Enter Cañon del Oro. bns NE

80.00 Set a granite stone $17 \times 10 \times 8$ in. $\frac{2}{3}$ in the ground, notched S. & E. and on the N. build ind. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to sec. 5. to 7 & 8

No trees near. Rolling hills good pasture lands. No timber of consequence.

Township 9 S. Range 17 E.
Gila and Salt River Meridian

- Chs. East on a random line between Secs. 5 & 8
Var. $14^{\circ}30' E.$
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.18 Subsect the $\frac{1}{4}$ & $\frac{1}{8}$ lines 24 Secs
S. of the cor. to Secs. 4, 5, 8 & 9
from which I run
 $89^{\circ}50' W.$ on a true line between
Secs. 5 & 8. Var. $14^{\circ}30' E.$
- 110.09 Set a granite stone $11 \times 9 \times 6$ in.
 $\frac{2}{3}$ in. the ground, marked $\frac{1}{4}$, and
in the W. end of the earth
2 ft high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees
- 80.18 The cor. to Secs. 5, 6, 7 & 8

Rolling. Good grazing
Brush. No timber

Township 9 S. Range 17 E.
Old and Salt River Meridian

- Chs. Weston a random line between Secs. 6 & 7
Var. $14^{\circ}30' E$.
- 1000 Road from Old Camp Grant to Tucson
line S.W.
- 40.00 Suba temporary $\frac{1}{4}$ sec. cor.
- 79.81 Intersect the boundary of the town-
ship 20 blocks S. of the cor. to sec
S. of the cor. to secs. 1, 6, 7 & 12
from which I run
 $89^{\circ}51' E$ on a true line between
secs. 6 & 7. Var. $14^{\circ}30' E$.
- 89.81 Sub granite stone $25 \times 10 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$.
end on the E. build out of earth
2 ft high, with pits 1 ft deep
2 ft long & 1 ft wide as per
instructions for $\frac{1}{4}$ sec. cor.
wherever.
- 79.81 Cert. to secs. 5, 6, 7 and 8.
Rolling. Good pasture land.
Not timber.

Township 9 S. Range 17 E.

Gila and Salt River Meridian

- | | |
|--------|--|
| Chs. | North on a random line between Secs. 5 & 6.
Var. $14^{\circ}30'E$. |
| 5.57 | Dry wash 80 yds. wide runs E. |
| 9.30 | Road to Tucson bro S. of W. |
| 40.00 | Set a temporary $\frac{1}{4}$ Sec. Cor. |
| 80.23 | Subtract the N. boundary of the tp.
19 yds E. of the cor. to Sec. 5, 6, 31832
ground which I run
S. $0^{\circ}08'E$. on a true line between Secs. 5 & 6.
Var. $14^{\circ}30'E$. |
| 140.23 | Set a granite stone $15 \times 12 \times 8$ in, $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$, and
on the S. build and. of earth
2 ft high with pits 1 ft deep, 2 ft
long & 1 ft wide as per instruc-
tions for $\frac{1}{4}$ Sec. Cor. No trees near. |
| 80.23 | The cor. to secs 5, 6, 7 & 8
Rolling hills. Good grazing land.
Brush. No timber of consequence.
Nov. 14, 1877 |

General Description:

This township lies along the San Pedro valley, the San Pedro River passing diagonally through it. Along the river is rich bottom land and water for irrigating purposes. On either side of the bottom of the valley the land is better adapted to grazing purposes producing an abundance of nutritious natural grass. There is some timber along the river and some scattering trees elsewhere.

Nov. 14, 1877. John L. Harris.
U. S. Deputy Surveyor

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of

the subdivi-
sion lines of township
9 S. Range 17 E. 6th and
Salt River Meridian.

Showing the respective capacities in which they
acted.

Lyman Wakefield Chainman.

Chas. B. Warren Chainman.

Fred. C. Jones Axeman.

J. P. Kenowith Flagman.

63

Final Oath of Assistants.

We hereby certify that we assisted.....

John L. Harris U. S. Deputy Surveyor, in
surveying *the subdivision lines of*
township 9 South of Range
17 E. of the Gila and Salt River
Meridian

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

- *Lyman Wargield* Chainman.
- *Chas B Warren* Chainman,
- *Fred Jones* Axeman.
- *J P Chenoweth* Flagman.

Sworn to and subscribed before me, this *8th*
day of *January*, 187*8*

..... *William Adams*
Notary Public

Final Oath of Deputy Surveyor.

I, *John L. Harris*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the day of

187... I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*the subdivision lines of
Township 9S, of Range 10E,
E. of the Gila and Salt River
Meridian*

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65
BOOK 733

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harris

Deputy Surveyor.

Sworn to and subscribed before me, this ^{5th} day of January, 1878

William J. Osborn
Notary Public

BOOK 733

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 9 South
Range 17 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by

John L. Harris,
^{joint}

Deputy Surveyor, under his contract of the 17th

day of July, 1877, having been
critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Masson,
Surveyor General.