

10  
No. 736

# Field Notes

BOOK 736

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township 9 S Range 27 E.

*Gila and Salt River Base and Meridian*

**ARIZONA.**

No. 736

By J. C. Smith D. S.

under contract dated Dec 19<sup>th</sup> 1884.

Survey commenced Feb. 19<sup>th</sup> 1885.

Survey completed Feb. 21<sup>st</sup> 1885

736

ed  
combined  
Shelley ed

BOOK 736

10  
No. 736

# Field Notes

BOOK 736

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township 9 S Range 27 E.

*Gila and Salt River Base and Meridian*

**ARIZONA.**

No. 736

By J. C. Smith D. S.

under contract dated Dec 19<sup>th</sup> 1884.

Survey commenced Feb. 19<sup>th</sup> 1885.

Survey completed Feb. 21<sup>st</sup> 1885.

736

ed  
compart  
shelved

Township 9 S, Range 27 E.

Gila and Salt River Meridian.

6	106	5	10	4	60	3	42	2	23	1
105	103		77		58		40		21	
7	101	8	75	9	57	10	38	11	19	12
99	98		73		55		37		17	
18	96	17	71	16	54	15	35	14	16	13
94	92		70		52		33		14	
19	91	20	68	21	50	22	31	23	10	24
89	87		66		49		30		8	
30	85	29	65	28	47	27	28	26	7	25
84	82		63		45		27		5	
31	80	32	61	33	43	34	25	35	3	36

For preliminary oaths  
and description of instruments  
see book No. 1

T9 S. R 27 E.

No. 736

Chains

Beginning at the cor. to  
 Secs. 1, 2, 35 & 36. on South  
 bdy. of T9 S. R 27 E.  
 previously described by me.  
 I run North 19' E. bet. Secs.  
 35 & 36.

At 12° 30' E.

40.00

Deposited a marked stone  
 12 ins. in the ground for  
 1/4 Sec. cor. dug pits 18x18x12  
 ins. N & S. of stone 5 1/2 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft. high, 3 1/2 ft. base  
 over it. In N. pit drove  
 a stake 2 ft. long 2 ins. sq. 12  
 ins. in the ground marked.  
 1/4 S. on N. face.

T9 S. R 27E.

chain

. 00

Deposited a marked stone  
 2 ins. in the ground for  
 Cor. to Secs. 25, 26, 35 & 36  
 dug pits 18x18x12 ins.  
 in each. Sec. 5 1/2 ft. dia.  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft. base  
 over it. In S.E. pit drove  
 a stake 2 ins. sq. 2 ft. long  
 12 ins. in the ground  
 marked T9 S. S25 on N.E.  
 R27E. S36 on S.E.

S35 on S.W. and S26 on  
 W.W. faces with 1 notch  
 on S. and 1 notch on E. edge.

Surface rolling  
 Soil 1% rate  
 Grass fair

T9 S. R 27E.

Chains

Scattering brush

N  $89^{\circ} 30' E$ . on a random  
line bet. Secs. 25 & 36.

Va  $12^{\circ} 30' E$

40.00

80.04

Set temporary  $\frac{1}{4}$  Sec. cor  
Intersect the E. bdy. of T<sub>9</sub> 20  
line E. of cor. to Secs. 25, 30, 31 & 36  
which is a Post 4 ins. eq.  
in mound of earth marked.

T9 S. S30 on N.E.

R 28E. S31 on S.E.

R 27E. S36 on S.W. and  
S25 on N.W. faces with 5  
notches on N. and 1 notch  
on S. edges, and pits of  
required size.

T9 S. R 276.

chains

Thence from

S89° 39' W. on a true  
line bet. Secs. 25 & 36 with  
Same Va.

40.02

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18 x 18 x 12  
ins. E & W. of stone 5 1/2 ft.  
dist. and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
over it. In E. pit drove a  
stake 2 ft. long & ins. sq.  
12 ins. in the ground marked  
1/4 S. on St. face.

44.04

50.04

Cross road bears N & S  
The cor. to Secs. 25, 26, 35 & 36  
Surface rolling  
Soil  $\frac{25}{100}$  rate

T.S. R 27E,

Chamie

Grass fair  
no brush

N 19° E. bet. Secs. 25 + 26.

Va 12° 30' E.

40.00

Set a Malpais stone  $12 \times 8 \times 8$  ins  
8 ins. in the ground for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  on N. face  
dug pits  $18 \times 18 \times 12$  ins N & S.  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along  
side.

80.00

Set a Malpais stone  $10 \times 8 \times 8$  ins  
<sup>ins</sup> in the ground for cor. to  
Secs. 23, 24, 25 + 26 marked  
with 2 notches on S. and 1



T9 S. R 276.

hams

notch on E. edges dug  
 pits 18x18x12 ins. in each  
 Sec. 5 1/2 ft. dist. and raised  
 a mound of earth 2 ft. high  
 4 1/2 ft. base along sides

Surface level  
 Soil 1 1/4 rate  
 Grass fair  
 Scattering brush

---

S 89° 30' E. on a random  
 line bet. Secs. 24 + 25

Va 12° 30' E

Set temporary 1/4 Sec. cor.

Intersect the E. bay of T9  
 10 links N. of cor. to Secs.  
 19, 24, 25 + 30 which is a Post.

40.00  
 19.96

T9 S. R 27E.

chains

4 ins. sq. in mound of earth  
marked. T9 S. S19 on N.E.  
R 28E. S30 on S.E.  
R 27E. S25 on S.W. and  
S 24 on N.W. faces with  
4 notches on N and 2 notches  
on S. edges. fits of required  
size.

Thence from  
S  $89^{\circ} 34' W$ . on a true line  
bet. Secs. 24 & 25 with same va.  
39.71 cross road bears N + S.  
39.98 Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. Cor. dug pits  $18 \times 18 \times 12$   
ins. E + W. of stone  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1 \frac{1}{2}$  ft. high  
 $3 \frac{1}{2}$  ft. base over it In E. pit

T9S. R 27E.

hairs

drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked 1/4 S. or N. face

9.96

The cor. to Secs. 23 & 24, 25 & 26.

Surface rolling

Soil 1% rate

Grass fair

No. bush

North bet. Secs. 23 & 24

VA 12030E

40.00

Set a Malpais stone 14 x 8 x 8  
ins. 7 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
W. face dug pits 18 x 18 x 12  
ins. N & S. of stone 5 1/2 ft. dist.  
and raised a mound of

T 9 S. R 27 E.

Chamie

80.00

earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside  
 Set a Malpais stone  $14 \times 8 \times 6$  ins.  
 9 ins. in the ground for  
 cor. to Secs. 13, 14, 23 & 24, marked  
 with 3 notches on S. and 1  
 notch on E edges. dug pits  
 $15 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 alongside.

Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass fair  
 Scattering brush

---

T9 S. R 27 E.

hairs

$N 89^{\circ} 30' E.$  on a random  
line bet. Secs. 13 + 24.

$N 12^{\circ} 30' E.$

0.00

0.02

Set temporary 14 Sec. cor.

Intersect the E. ldy. of T9.  
12 links N. of cor. to Secs. 13, 18

19 + 24 which is a Post. 4  
ins sq. in mound of  
earth marked. T9 S. S 18 on the  
R 28 E. S 19 on S. E.

R 27 E. S 24 on S. W. and  
S 13 on N. W. faces with  
3 notches on E. and S  
edges and fits of required  
size.

Thence from  
 $S 89^{\circ} 35' W.$  on a true line  
bet. Secs. 13 + 24 with same 99.

## T9 S. R 2 E,

Chain

40.01

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times 12$  ins. E & W. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base on it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

47.02

Cross Dry Wash course N. W.

57.02

" road bears N &amp; S.

80.02

The cor. to Secs, 13, 14, 23 &amp; 24.

Surface rolling

Soil 2<sup>nd</sup> rate

Grass fair

Scattering brush

T9 S. R 27E.

Chains

N. 19° E. bet. Secs. 13 & 14.  
 W. 12° 30' E.

40.00

Deposited a marked stone  
 12 ins. in the ground for 1/4  
 Sec. Cor. dug pit 18 x 18 x 12 ins.  
 N. & S. of stone 5 1/2 ft. dist. and  
 raised a mound of earth  
 3 1/2 ft. base over it. Dug a pit  
 drove a stake 2 ft. long 2  
 ins. sq. 12 ins. in the  
 ground marked 1/4 S. on W. face.

7.50

Cross Dry Wash course N. & W.

1.00

" road bears N. W. & S. E.

2.22

E. Martine's house bears W. 14 <sup>dist</sup> <sub>1/2</sub> mi.

0.00

Set a Malpais stone 10 x 10 x 9 ins.  
 6 ins. in the ground for cor.  
 to Secs. 11, 12, 13 & 14. marked  
 with 4 notches on S. and 1

T.S. R 27E.

Chain

notch on E. edges. dug pits 18x18  
x12 ins. in each sec. 5 1/2 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
alongside.

Surface rolling  
Soil 1 1/4 rate  
Grass fair  
Scattering brush

At 89° 30' E. on a random  
line bet. Secs. 12 + 13,

On 12° 30' E

40.00

Set temporary 1/4 Sec. cor.

80.00

Intersect the E. bay. of T<sub>1</sub>  
at Cor. to Secs. 7, 12, 13 & 18 which  
is a Post 4 ins. sq in mound



T9 S. R 27 E,

chains

of earth marked,

T9 S. S7 on N.E.

R 28 E. S18 on S.E.

R 27 E. S13 on S.W.

and S12 on N.W. faces  
with 2 notches on N. & 4 notches  
on S. edges. and pits of  
required size.Thence I run S  $89^{\circ}30'$ W. on a true line bet. Secs.  
12 & 13 with same  $\overline{V.A.}$ .

40.00

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. Cor. dug pits 10 x 10 x 12  
ins. E & W. of stone 5 1/2 ft. dia.  
and raised a mound  
of earth 1/2 ft. high 3 1/2 base  
over N. & E. pit drove a stake

T9 S. R 27 E.

No. 736

Chains

2 ft. long 2 ins. sq. 12 ins. in  
the ground marked  $\frac{1}{4}$  S. on  
N. face

50.00

The cor. to Secs. 11, 12, 13 & 14  
Surface rolling  
Soil 8  $\frac{1}{2}$ % rate  
Grass fair  
Scattering brush

19° E

North bet. Secs. 11 & 12

$\Delta$  12° 30' E

40.00

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec.  
cor. dug pits 18x18x12 ins.  
N & S. of stone 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base

T9 S. R 27 E.

Chains

80.00

over it. In St. pit bore  
 a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground  
 marked 1/4 S. on W. face  
 Set a Volcanic stone 14x8x8  
 ins. 9 ins. in the ground  
 for cor. to Secs. 1, 2, 11 & 12 marked  
 with 5 notches on S. and 1  
 notch on E. edges. dug pits  
 18x18x12 ins. in each Sec. 5 1/2  
 ft. dist. and raised a  
 mound of earth 2 ft. high  
 4 1/2 ft. base, alongside.  
 Surface rolling  
 Soil 3 1/4 rate  
 Grass fair  
 Scattering brush

T9 S. R 27 E.

Chains

$N 89^{\circ} 30' E$ . on a random  
line bet. Secs. 1 & 12

$Ca 12^{\circ} 30' E$ .

40.00

79.96

Set temporary 1/4 Sec. cor.

Intersect the E. bdy. of T<sub>9</sub>. 12 link  
St. of cor. to Secs 1, 6, 7 & 12 which  
is a Post 4 in. sq. in  
mound of earth marked.

T9 S. S. 6 on St. E.

R28 E. S7 on S. E.

R27 E. S12 on S. W. and  
S1 on St. W. faces with 5 notches  
S. and 1 notch on St. edges  
and pits of required size.

Thence Run

$S 89^{\circ} 35' W$ . on a true line  
bet. Secs. 1 & 12 with same  $Ca$ .

T9 S. R 276,

Chain  
9.98

Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. cor. dug pit 18x18x12  
ins. E + W. of stone  $5\frac{1}{2}$  ft.  
dist and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it. In E. pit drove  
a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on W. face

9.96

The cor. to Sec. 1, 2, 11 + 12  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass fair  
Scattering brush

---

T9 S. R 27 E.

Chains

N 19° E. on a random line  
bet. Secs. 1 + 2.

Va 12° 30' E.

40.00

75.30

Set temporary  $\frac{1}{4}$  Sec. cor.  
Intersect the E. ldy. of T<sub>9</sub>, 14  
links E. of Cor. to Secs. 1, 2, 3, 4 + 36,  
which is a Post. 4 ins. sq,  
in mound of earth  
properly marked, and pits  
of required size.

Then a Drum

S 0° 13' W. on a true line  
bet. Secs. 1 + 2, with same Va.  
Deposited a marked stone  
12 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12  
ins. N + S. of stone  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth

357.30

T.S. R 27E.

hains

1 1/2 ft. high 3 1/2 ft. base over it.  
In N. pit drove a stake 2 ft.  
long 2 ins. eq. 12 ins. in the  
ground marked. 1/4 S. on  
W. face.

75,30

The cor. to Secs. 1, 2, 11 & 12.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass fair  
Scattering brush

I carefully examined the  
adjustments of my solar  
transit to day particularly  
the latitude and reversing  
apparatus and found  
them correct.

T9 S. R 27 E.

basis

Feb. 19<sup>th</sup> 1885

From the cor. to Secs. 2, 3,  
34 & 35, on South boundary of  
T9 S. R 27 E. previously  
described by me.

From N. 19° E. bet. Secs.  
34 & 35

at 12° 30' E.

40.00

Set a Malpais stone 16x10x5 ins.  
9 ins. in the ground for 1/4 Sec.  
cor. marked 1/4 on W. face  
dug pit 18x18x12 ins. S & N.  
of stone 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base alongside.



T.S. R 27C,

Chains  
80.00

Deposited a marked stone 12 ins. in the ground for cor. to Secs. 26, 27, 33 & 34, dug pits 18x18x12 ins. in each Sec. 5th ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base on it. H. S. E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked.

T.S. S. 26 on W.C.

R 27C. S 35 on S.E.

S 34 on S.W. and S. 27 on N.W. faces. with 1 notch on S. and 2 notches on E edges.

Surface rolling  
Soll 2 <sup>one</sup>/<sub>10</sub> rate

T9 S. R 27 E.

Chains

• Grass fair  
 scattering brush

$N 89^{\circ} 30' E$ . on a random line  
 bet. Secs. 26 + 35

$Va 12^{\circ} 30' E$ .

40.00

Set temporary 1/4 Sec. cor.

80.00

Intersect the N + S. line 20  
 links N of cor. to Secs. 25, 26, 35 + 36

Thence Run

$S 89^{\circ} 39' W$ . on a true line bet  
 Secs. 26 + 35 with same Va.

40.00

Deposited a marked stone  
 12 ins. in the ground for 1/4  
 Sec. cor. dug pits 18 x 18 x 12 in  
 E + W. of stone 5 1/2 ft. dist.  
 and raised a mound of earth

T9 S. R 27E.

Chain

1 1/2 ft. high 3 1/2 ft. base over  
it. In E. pit drove a stake  
2 ft long 2 ins. sq. 12 ins.  
in the ground marked  
1/4 S. on Ch. face.

80.00

The cor. to Secs. 26, 27, 34, 35.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Grass fair  
Scattering brush

North 19° E. bet. Secs. 26+27

Va 120° 30' E.

18.20

cross Dry Wash course  
Ch. E.

40.00

Deposited a marked  
stone 12 ins. in the

T9 S. R 27E,

Chains

ground for  $\frac{1}{4}$  Sec. cor. dug  
pits  $8 \times 18 \times 12$  ins. N + S. of  
stone  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base over it. In N. pit. drove a  
stake 2 ft. long 2 ins. sq. 12 ins. in  
the ground marked  $\frac{1}{4}$  S. or W. face  
80.00 Deposited a marked stone 12 ins.  
in the ground for cor. to Secs. 22, 23,  
26 + 27. dug pits  $18 \times 18 \times 12$  ins. in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 2 ft. high 4 ft.  
ft. base over it. In S. E. pit  
drove a stake 2 ft. long 2 ins. sq.  
12 ins. in the ground marked  
T9 S. S 23 on N. E.  
R 27 E. S 26 on S. E.  
S 27 on S. W. and S. 22 on N. W.

T9 S. R 27E.

chains

faces with 2 notches on S.  
and 2 notches on E. edges.  
Surface rolling  
Soil 3% rate  
Grass fair  
Scattering brush

---

$\text{N } 89^{\circ} 30' \text{ E. on a random}$   
line bet. Secs. 23 + 26  
Va  $12^{\circ} 30' \text{ E}$

40.00

80.06

Set temporary 1/4 Sec. cor.  
Intersect the N S. line  
24 links N. of cor. to Secs.  
23, 24, 25 + 26.

Thence Iron

$89^{\circ} 40' \text{ W. on a true line bet}$   
Secs 23 + 26. with same Va.

T9 S. R 27 E,

Chains

40.03

Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. cor. dug pits 18 x 18 x 2 ins.  
6 + 0% of stone  $\frac{1}{2}$  ft. dia. and  
raised a mound of earth  $\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base over it. In  
 $\frac{1}{2}$  E. fut. drove a stake 2 ft. long  
2 ins. sq. 12 ins. in the  
ground marked  $\frac{1}{4}$  S. or  $\frac{1}{4}$  face

80.06

The cor. to Secs. 22, 23, 26 + 27,

Surface rolling

Soil 2<sup>nd</sup> rate

Grass fair

Scattering brush

N 19' E. bet. Secs. 22 + 23.

Or 12° 30' E.

T9 S. R 27 E.

Chains  
40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times 12$  ins. N + S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over the N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face.

45.20  
80.00

Cross Dry Wash course N.E. Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 14, 15, 22 + 23. dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft

T9S, R27E,

chain

high 4 1/2 ft. base over N. E. S. E.  
 pit drove a stake 2 ft. long  
 2 ins. sq. 12 ins. in the  
 ground marked.

T9S, S14 on N.E.

R27E S23 on S.E.

S22 on S. W. and S. 15  
 on N. W. faces with 3 notches  
 on S. and 2 notches on E. edges.

Surface rolling

Soil 3/4 rate

Grass fair

Scattering brush

N89°30'E. on a random  
 line bet. Secs. 14 + 23  
 @ 12°30'E



T9 S, R 27 E,

chains  
0.00

Deposited a marked stone 12 ins. in the ground for cor. to Secs. 10, 11, 14, & 15, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 9 ft. high 4 1/2 ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked.

T9 S. 11 on N.E.

R 27 E. 14 on S.E.

S 15 on S.W. and S. 10 on N.

W. face with 4 notches on S. and 2 notches on E. edges.

Surface level

Soil 3 1/4 rate

T9 S. R 27 E.

Hamis

Grass fair  
 Scattering brush

---

N 89° 30' E. on a random line  
 bet. Secs. 11 & 14.

Va 12° 30' E.

40.00

Set temporary  $\frac{1}{4}$  Sec. cor.

79.90

Intersect the N + S. line 14 links  
 N. of cor. to Secs. 11, 12, 13 & 14.

Thence I run

S 89° 36' W. on a true line bet.  
 Secs. 11 & 14 with same Va.

41.25

cross road bears N + S.

76.0

cross Dry Wash course N. W.

39.95

Deposited a marked stone 12  
 ins. in the ground for  $\frac{1}{4}$  Sec.  
 cor. dug pits 18 x 18 x 12 ins.

T9 S. R 27 E.

Chains

E of W. of stone  $5\frac{1}{2}$  ft. dist.  
and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it. In E. pit drove  
a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked "4 S. on N. face.

79.90

The cor. to Secs. 10, 11, 14 & 15.  
Surface level  
Soil  $3\frac{1}{4}$  rate  
Grass fair  
Scattering brush

N 19 E. bet. Secs. 10 & 11  
W 120 30 E.

140.00

Deposited a marked stone  
12 ins. in the ground

59 S. R 276,

Chains

for 1/4 Sec. cor. dug pits 18x18x12 ins. N.W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W. face.

52.10

Cross Dry Wash course N.E.

80.00

Deposited a marked stone 12 ins. in the ground for cor. to Secs. 2, 3, 10 + 11. dug pits 18x18x12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked.

T9 S. R 27 E.

chains

T9 S. S2 on N.E.  
 R 27 E S11 on S.E.  
 S10 on S.W. and S.3 on  
 N.W. faces with 5 notches  
 on S. and 2 notches on E.  
 edges.

Surface rolling  
 Soil 3% rate  
 Grass fair  
 Scattering brush

N 89° 30' E. on a random  
 line bet. Secs. 2 & 11,  
 W 12° 30' E.

40.00

79.92

Set temporary 1/4 Sec. cor.  
 Intersect the N+S. line 12  
 links N. of cor. to Secs.

T9 S. R 27 E.

hamis

12.11+12.

Thence from

S89°35' W. on a true line bet.  
Secs. 2+11 with same W.

13.92

Cross road bears N+S.

15.42

Cross Dry Wash course North

19.96

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec.  
Cor. dug pits 18x18x12 ins. E+W  
of stone  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth,  $\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

79.92

The cor. to Secs. 2, 3, 10, +11

Surface rolling  
Soil 3<sup>rd</sup> rate

T9 S. R 27E

Chamie

Grass fair  
 Scattering brush

---

N 19° E. on a random  
 line bet. Secs. 2 + 3

Va 12° 30' E.

40.00

76.10

Set temporary 1/4 Sec. cor  
 Intersect the N. ldy. of  
 Tpk. 16 links E. of cor. to Secs.  
 2, 3, 34 + 35 which is a  
 Post 4 ins. sq. properly  
 marked and puts of  
 required size.

Thence from  
 S 60° 12' W. on a true line  
 bet. Secs. 2 + 3 with same Va.

T9 S, R 27 E.

Chains  
36.10

Set a Malpais stone  $13 \times 8 \times 7$  ins.  
9 ins. in the ground for  $\frac{1}{4}$  Sec  
cor. marked  $\frac{1}{4}$  on N.W. face  
and raised a mound of  
stone alongside

76.10

The cor. to Secs. 2, 3, 10 & 11,  
Surface level.  
Soil  $3\frac{1}{4}\%$  rate  
Grass fair  
Scattering brush

From the cor. to Secs. 3, 4, 33 & 34  
on S. bdy. of T9 S, R 27 E.  
previously described by me.  
From N 19° E. bet. Secs.  
33 & 34.

N 12° 30' E.



T 9 S. R 27 E.

chains

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times 12$  ins. N + S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit. drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face.

60.20

80.00

Cross Dry Wash course N.E. Deposited a marked stone 12 ins. in the ground for cor. to Secs. 27, 28, 33 + 34 dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth

T9 S. R 27 E.

chain

2 ft high  $4\frac{1}{2}$  ft. base over it.  
In S.E. pit drove a stake 2  
ft. long 2 ins. sq. 12 ins. in  
the ground marked.

T9 S. S27 on N.E.

R 27 E S34 on S.E.

S33 on S.W. and S28 on  
N.W. faces with 1 notch on  
S. and 3 notches on E. edges.

Surface rolling

Soil 3% rate

Grass fair

Scattering brush

---

N  $89^{\circ}30'$  E. on a random  
line bet. Secs. 27 + 34.

Vd  $12^{\circ}30'$  E.

T9 S. R 27E.

Charris

40.00

79.96

Set temporary  $\frac{1}{4}$  Sec. cor.  
Intersect the N+S. line  
12 links N. of cor. to Sec.  
26. 27. 34 + 35.

Thence I run

S  $89^{\circ} 35'$  W. on a true line  
bet. Secs. 27 + 34. with camera.

31.86

39.98

Gross Dry Wash courses N & E  
Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
 $8 \times 18 \times 12$  ins E & W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base over it.  
In E. pit drove a stake  
2 ft. long 2 ins. sq. 12 ins.  
in the ground marked

T9S. R 27E.

Chain

 $\frac{1}{4}$  s. on N. face.

79.96

The cor. to Secs 27, 28, 33 + 34,

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

At 19<sup>th</sup> E, bet. Secs 27 + 28,On 12<sup>th</sup> 30' E.

40.00

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec  
Cor. dug pit 18 x 18 x 12 ins.At E. of stone 5 $\frac{1}{2}$  ft. distance  
raised a mound of earth  $\frac{1}{2}$   
ft. high 3 $\frac{1}{2}$  ft. base over it.  
In N. pit drove a stake 2 ft  
long 2 ins. sq. 12 ins. in the

T9 S. R 27 E.

Chains

80.00

ground marked.  
 114 ft. on W. face.  
 Deposited a marked  
 stone 12 ins. in the ground  
 for cor. to Secs. 21, 22, 27 & 28.  
 dug pits 18x18x12 ins. in  
 each Sec. 5 1/2 ft. dist. and  
 raised a mound of earth  
 2 ft. high 4 1/2 ft. base over it.  
 In S.E. pit drove a stake  
 2 ft. long 2 ins. sq. 12 ins.  
 in the ground marked  
 T9 S. S 22 on N.E.  
 R 27 E. S 27 on S.E.  
 S 28 on S.W. and S 21 on  
 N.W. faces with 2 notches  
 on S. and 3 notches on  
 E. edges.

T9 S. R 27 E.

Chamie

Surface rolling  
 Soil  $3\frac{1}{2}\%$  rate  
 Grass fair  
Scattering brush

$S 89^{\circ} 30' E$ . on a random line  
 bet. Secs. 22 + 27.

Va  $12^{\circ} 30' E$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80.02 Intersect the N + S line 16 links  
 S of cor. to Secs. 22, 23, 26 + 27.

Thence I run

$S 89^{\circ} 23' W$ . on a true line bet.  
 Secs. 22 + 27 with same Va.

34.02 Cross Dry Wash course N. E

40.01 Deposited a marked stone 12  
 in. in the ground for  $\frac{1}{4}$  Sec

T9 S. R27 E.

Chamis

Cor. dug pits  $18 \times 18 \times 12$  ins.  
 E + W. of stone  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base over pit. In E. pit  
 drove a stake 2 ft. long  
 $2$  ins. sq.  $12$  ins. in the  
 ground marked.  $1\frac{1}{4}$  S. on  
 N. face.

20.02

The cor. to Secs. 21, 22, 27 & 28,  
 Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass fair  
 Scattering brush

N 19° E. bet. Secs. 21 & 22.  
 N 12° 30' E

T9S, R27E

Chamiz

21.15

40.00

cross Dry Wash course N.E

Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. Cor. dug pits  $18 \times 18 \times 12$  ins  
N + S. of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base over it. In  
N.W. pit drove a stake 2 ft. long 2 ins  
sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on W. face

80.00

Deposited a marked stone  
12 ins. in the ground for Cor. to  
Secs. 15, 16, 21 & 22. dug pits  $18 \times 18 \times$   
ins. in each Sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base over it. In  
S.E. pit drove a stake 2 ft. long 2  
ins. sq. 12 ins. in the ground,



52  
T9 S. R 27 E.

Chains

marked T9 S. S 15 on N.E.  
R 27 E. S 22 on S.E.  
S 21 on S.W. and S 21 on  
N.W. faces with 3 notches  
on S and E. edges.

Surface level

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N 89° 30' E. on a random  
line bet. Secs. 15 + 22

N 12° 30' E.

40.00

80.00

Set temporary 1/4 Sec. cor.  
Intersect the N + S. line 20  
links N. of cor. to Secs. 14, 15, 22 + 23  
Thence I run

T9S. R27E,

Chamie

S89° 39' W. on a true line bet  
Secs. 15 & 22 with same Va.

40.00

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec  
cor. dug pits 18x18x12 ins. E & W.  
of stone  $5\frac{1}{2}$  ft. dist, and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
dove a stake 2 ft. long 2  
ins. sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face.

80.00

The cor. to Secs. 15, 16, 21 & 22,

Surface rolling  
Soil  $3\frac{1}{4}$  rate  
Grass fair  
Scattering brush

---

T9 S. R 2 E,

Chamis

N 19° E. bet. Secs. 15 & 16  
T9 R 2 E

40.00

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18x18x12  
ins. N & S. of stone 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
over it. In N. pit drove a  
stake 2 ft. long 2 ins. Sq.  
12 ins. in the ground  
marked 1/4 S. on W. face.

80.00

Deposited a marked stone  
12 ins. in the ground for  
Cor. to Secs. 9, 10, 15 & 16, dug  
pits 18x18x12 ins. in each  
Sec. 5 1/2 ft. dist. and raised  
a mound of earth 2 ft.

T 9 S. R 2 E,

Chains

high 4 1/2 ft. base over it. Ind. E. put  
 drove a stake 2 ft. long 2 ins. sq  
 12 ins. in the ground marked  
 T 9 S. S 10 on N. E.

R 27 E. S 15 on S. E.

S 16 on on S. W. and S. 9 on N. E.  
 faces with 4 notches on S. and 3  
 notches on E. edges.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

at 89° 30' E. on a random line  
 bet. Secs. 10 & 15

at 120° 30' E.

240.00

Set temporary 114 Sec cor

T9S. R 27E.

basis

2 in sq. 2 ft. long 12 in. in  
the ground marked.

T9S. S3 on N.E.

R 27E. S. 10 S.E.

S9 on S.W. and S. 4 on N.W.  
faces with 5 notches on S.  
and 3 notches on E. edges.

Surface level

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N 89° 30' E. on a random  
line bet. Secs. 3 & 10

Q 12° 30' E.

40.00

79.94

Set temporary 1/4 Sec. cor  
intersect the N & S line 12 links

T9 S. R 27 E.

Chamis

At of cor. to Secs. 2, 3, 10 + 11.  
Thence I run.

S 89° 35' W. on a true line bet. Secs  
3 + 10 with same Va.

39.97

Deposited a marked stone 12 in  
in the ground for  $\frac{1}{4}$  Sec. corner  
posts 18 x 18 x 12 ins. E & W. of stone 5 ft  
ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. post drove a stake 2 ft.  
long 2 ins. sq. 12 ins. in the  
ground marked  $\frac{1}{4}$  S. or W. face.

79.94

The cor. to Secs. 3, 4, 9 + 10

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

T9 S. R 27 E.

Charris

At 19<sup>0</sup> E. on a random line  
bet. Secs. 3 + 4.Va 12<sup>0</sup> 30' E.40.00  
77.00

Set temporary 1/4 Sec. cor.  
Intersect the N. bay of T9.  
29 links E. of cor. to Secs. 3, 4, 33  
+ 34, which is a Post 4 ins. eq.  
properly marked and put of  
required size.

Thence I run

80<sup>0</sup> 7' W. on a true line bet.  
Secs 3 + 4 with same Va.

37.00

Deposited a marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. dug pit 2 ft 10  
x 12 ins. N + S. of stone 5 1/2 ft  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. base.

T9 S. R 27 E.

chains

over it in N. put down a stake 2  
long 2 ins. sq. 2 ins. in the ground  
marked  $114^{\circ}$  S. on W. face.

77.00

The cor. to Secs. 3, 4, 9 & 10.

Surface rolling

Soil 3rd rate

Grass fair

Scattering brush

From the cor. to Secs 4, 5, 32 &  
on S. side of T9 S. R 27 E.  
previously described by me. at  
 $N 19^{\circ} E$ . bet. Secs. 32 & 33.

$\theta 12^{\circ} 30'$  East

40.00

Deposited a marked stone 12  
ins. in the ground for  $114^{\circ}$  Sec. 4  
dug pits  $18 \times 18 \times 12$  ins. N & S. of



T.S.R. 27E.

chain

stone  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base over it. In  
N.E. pit drove a stake 2 ft. long  
sq. 12 ins. in the ground  
marked 14 S. on W. face.

43.40  
80.00

Cross Dry Wash course  
Deposited a marked stone  
12 ins. in the ground for corner  
to Sec. 28, 29, 32 & 33, dug pits  
 $18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base over it.  
In S.E. pit drove a stake 2 ft.  
long 2 ins. sq. 12 ins. in the  
ground marked T.S. S28 on W. face  
R 27E. S 33 on S.E.  
S 32 on S.W. and S 29 on N.W.

T.T.S.R 27E,

Chamie

faces with notch on S. and  
4 notches on E. edges.

Surface rolling

Soil 3% rate

Grass fair

Scattering brush

N 89° 30' E. on a random line  
bet. Secs. 28 + 33.

Va 12° 30' E

40.00

Set temporary 1/4 Sec cor.

79.88

Entered the N + S. line 12 km  
S. of cor. to Secs. 27, 28, 33 + 34.

Thence from

S 89° 25' W. on a true line bet  
Secs. 28 + 33 with same Va.

T9 S. R 27 E.

Chains  
39.94

Deposited a marked stone  
12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
 $9\frac{1}{2} \times 18 \times 12$  ins. E & W. of stone  
ft. dist. and raised a  
mound of earth 12 ft. high  
3 $\frac{1}{2}$  ft. base over it. In E.

pit. drove a stake 9 ft. long  
ins. sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

79.98

The cor. to Secs. 28, 29, 32 & 33.

Surface rolling  
Soil 3 $\frac{1}{2}$  rate

Grass fair  
Scattering brush

---

D.S.R 276,

chains

N 19° E. bet. Secs. 28 & 29  
 W 12° 30' E.

Deposited a marked stone 12  
 in the ground for  $\frac{1}{4}$  Sec. Co  
 dug pits 18x18x12 ins. At S  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised  
 mound of earth  $\frac{1}{2}$  ft. high  
 ft. base over it. In N. pit drove  
 a stake 2 ft. long 2 ins. sq. 12  
 ins. in the ground marked  
 $\frac{1}{4}$  S. on W. face.

47.30  
 80.00

cross Dry Wash course N.E.  
 Deposited a marked stone  
 12 ins. in the ground for  
 to Secs. 20, 21, 28 & 29. dug pits  
 18x18x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 2 ft. high 4 $\frac{1}{2}$  ft. base over it.

T9 S. R 27 E.

chains

In S.E. pit drove a stake  
 2 in. sq. 2 ft. long 12 in  
 in the ground marked  
 T9 S. S 21 on N.E.  
 R 27 E. S 28 on S.E.  
 S 29 on S.W. and S. 20  
 on W.W. faces, with 2  
 notches on S. and 4 notches  
 on E. edges.

Surface level  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

at 89° 30' E. on a random  
 line bet. Secs 21 & 28.  
 Off a 12° 30' E.

T 9 S. R 27 E

Chains

40.00

79.98

Set temporary 1/4 Sec. cor.  
Intersect the W. S. line 12  
links S. of cor. to Secs. 21, 22, 23

Thence From

S 89° 25' W. on a true line  
Secs. 21 & 28. with same W. 1/4

24.53

39.99

cross Dry Wash course N. E.

Deposited a marked stone  
12 ins. in the ground for

1/4 Sec. cor. dug pit 18 x 18 x 18  
ins. E & W. of stone 5 1/2 ft. dist.

and raised a mound of ea  
1 1/2 ft. high 3 1/2 ft. base for it

In E. pit drove a stake 2 ft. l  
2 ins. sq. 2 ins. in the gro

marked. 1/4 S on N. face.

45.18

cross Dry Wash course N. E.

T9 S. R 27 E.

chains  
19.98

The cor. to Secs. 20, 21, 28 & 29,  
 Surface rolling  
 Soil 3<sup>5</sup>/<sub>9</sub> rate  
 Grass fair  
 Scattering brush

---

40.00

N 19° E. bet. Secs. 20 & 21  
 & a 12° 30' E.

Deposited a marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. Cor. dug pit 18 x 18  
 x 12 ins. N & S. of stone 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base over it. In N. pit  
 drove a stake 2 ft. long 2  
 ins. sq. 12 ins. in the

T9 S. R 27 E.

chains

80.00

ground marked  $\frac{1}{4}$  S on W. face  
Deposited a marked stone 12  
ins. in the ground for cor. to  
Secs. 16, 17, 20 & 21. dug pits 18x18x  
12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft. base over  
it. In S.E. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins.  
in the ground marked.

T9 S. S16 on N.E.

R 27 E. S21 on S.E.

S20 on S.W. and S17 on N.W.  
faces with 3 notches on S. and  
4 notches on E. edges.

Surface rolling  
Soil 3% rate  
Grass fair



T9 S. R 27 E.

Chains

Scattering brushN  $89^{\circ} 30' E$ . on a random  
line bet. Secs. 16 & 21.Va  $12^{\circ} 30' E$ 

40.00

80.08

Set temporary 1/4 Sec. cor.  
Intersect the N + S. line 10  
links S. of cor. to Secs. 15, 16, 21 +  
22.

Thence I run

S  $89^{\circ} 26' W$ . on a true line  
bet. Secs. 16 & 21 with same Va.

31.96

48.04

Cross Dry Wash course N.E.  
Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18 x 18 x 12  
ins E & W. of stone  $5\frac{1}{2}$  ft. dist.

T9 S. R27E.

Chains

and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base for it.  
In E. pit drove a stake 2 ft. long  
2 ins. sq. 12 ins. in the ground  
marked "4 S. on N. face.

80.08

The cor. to Secs. 16, 17, 20 + 21.

Surface rolling  
Soil 3<sup>rd</sup> rate  
Grass fair  
Scattering brush

N 19° E. bet. Secs. 16 + 17

N 12° 30' E.

16.70

cross Dry Wash course N.E.

40.00

Deposited a marked stone  
12 ins. in the ground for "4  
Sec. cor. dug pits 18 x 12 ins.

T9 S. R 27 E.

Chains

Nts. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked "4" on N. face

70.40

80.00

cross Dry Wash course N.E. Deposited a marked stone 12 ins. in the ground for cor. to Secs. 8, 9, 16 & 17 dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground

T9 S. R 27 E,

Chains

marked T9 S. S 9 on N.E.  
R 27 E. S 16 on S.E.  
S 17 on S.W. and S 8 on E. of  
faces with 4 notches on S  
edges.

Surface level  
Soil 3<sup>rd</sup> rate  
Grass fair  
Scattering brush

---

A 89° 30' E on a random  
line bet. Secs. 9 + 16

Wa 12° 30' E.

40.00

Set temporary 1/4 Sec. cor.

80.06

Intersect the E + S. line 16  
S. of cor. to Secs. 9, 10, 15 + 16.

Thence Run

T.S. R27E.

Chains

S89° 23' W. on a true  
line bet. Secs. 9 & 16 with  
same Va.

40.03

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pit 18x18x  
12 ins. E + W of stone 5 1/2  
ft. dist. and raised a  
mound of earth 1/2 ft.  
high 3 1/2 ft. base over it. In  
E pit drove a stake 2 ft  
long 2 ins sq. 12 ins. in  
the ground marked  
1/4 S. on W. face.

80.06

The cor. to Secs. 8 & 9, 16 & 17  
Surface rolling  
Soil 3 1/2 rate  
Grass fair

T9 S. R 27 E.

chains

Scattering brush

N 19' E. bet. Secs. 8 & 9,  
1/4 12° 30' E.

20.10

Cross Dry Wash course N.E.

40.00

Deposited a marked stone 12 in. in the ground for 1/4 Sec. cor. dug pits 18x18x12 in. At S. of stone 5 1/2 ft. dist. and raised a mound of earth, 1 1/2 ft. high 3 1/2 ft. base over it. Dr. N. put down a stake 2 ft. long 2 in. sq. 12 in. in the ground marked 1/4 S. on W. face.

80.00

Deposited a marked stone 12 in. in the ground for cor. to Secs. 4, 5, 8 & 9. dug pits 18x18x12 in.

T9.S. R27E<sub>1</sub>

chains

in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S.E. put drove a  
 stake 2 ins. sq. 2 ft. long  
 2 ins. in the ground  
 marked T9.S. S4 on W.E.  
 R27E. S9 on S.E. S8 on S.W.  
 and S5 on N.W. faces  
 with 5 notches on S. and 4  
 notches on E. edges.

Surface level  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

---

## T9 S. R 27 E.

chains

$N 89^{\circ} 30' E$ . on a random line  
bet. Sec. 4 & 9.

$Va 12^{\circ} 30' E$ .

40.00

Set temporary 44 Sec. cor.

79.96

Intersect the N. & S. line 12 in.  
S. of cor. to Secs. 3, 4, 9 & 10.

Hence true.

$S 89^{\circ} 25' W$ . on a true line bet  
Sec. 4 & 9 with same  $Va$

39.98

Deposited a marked stone  
12 ins. in the ground for  
Sec. Cor. dug pits  $8 \times 18 \times 12$  ins.  
E & W. of stone  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth  $\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base over it. In E.  
pit drove a stake 2 ft. long 2  
sq. 12 ins. in the ground  
marked "4 S. on N. face.



T9 S. R27 E.

Chains  
79.96

The cor. to Secs. 4, 5, 8 & 9.  
 Surface rolling  
 Soil 3 $\frac{1}{2}$ % rate  
 Grass fair  
 Scattering brush

On 19 $^{\circ}$  E. on a random  
 line bet. Secs. 4 & 5.

On a 12 $^{\circ}$  30' E.

40.00  
77.94

Set temporary 1/4 sec. cor.  
 Intersect the N. by. of Tpu  
 28 links E. of Cor. to Secs.  
 4, 5, 32 & 33. which is a post  
 4 in. sq. in mound of  
 earth properly marked  
 and posts of required size.

T9 S. R 27 E.

Chains

Fence Run

S  $10^{\circ}$  7' W. on a true line to  
Secs. 4 & 5 with same  $\frac{1}{4}$ .

37.94

Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. cor. dug pits 18 x 10 x 2 ins.N & S. of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 11  
ft high  $3\frac{1}{2}$  ft. base over it.In N. pit drove a stake 2  
ft. long 2 in sq. 12 in in  
the ground marked  $\frac{1}{4}$  S. of N. pit.

43.69

Cross Dry Wash course N.E.

77.94

The cor. to Secs. 4, 5, 8 &amp; 9

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

1000  
T9 S. R 27 E

Chambers

I carefully examined the adjustments of my solar transit to-day particularly the latitude and reversing apparatus and found them correct.

Feb. 20<sup>th</sup> 1885

From the C. or. to Secs. 5, 6, 31 + 32, on S. bay of T9 S. R 27 E. previously described by me. I run N 19' E. bet Secs. 31 + 32  
W 12° 30' E

40.00

Deposited a marked stone 12 ins. in the ground for

T9 S. R 27 E.

Chains

"4 Sec. cor. dug pits  $18 \times 18 \times 12$  ins.  
 N + S. of stone  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 high  $3\frac{1}{2}$  ft. base over it. In  
 N. pit drove a stake 2 ft. long  
 2 ins. sq. 12 ins. in the ground  
 marked "4 S. on W. face

76.00

Cross Dry Wash course N.E.

80.00

Deposited a marked stone  
 12 ins. in the ground. for  
 to Secs. 29. 30. 31 + 32. dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth 2 ft. high  $3\frac{1}{2}$  ft. base  
 over it. In S.E. pit drove  
 a stake 2 ins. sq. 2 ft. long  
 12 ins. in the ground marked  
 T9 S. 829 on N.E.

82

T9 S. R 27 E.

Chain

R 27 E. S 32 on S. E.

S 31 on S. W. and S 30 on  
N. W. face with 1 notch  
on S. and 5 notches on  
E. edges.

Surface level

Soil 3<sup>rd</sup> rate

Grass fair

Scattered brush

N 89° 30' E. on a random  
line bet. Secs. 29 + 32.

W 12° 30' E.

40.00

79.96

Set temporary 1/4 Sec. cor.

Intersect the N + S. line  
12 links S. of cor. to Secs.  
28, 29, 32 + 33.

Hence Drum

T9 S. R 27 E.

Chains

S89°25' W. on a true line  
bet. Sec. 29.32. with same Va.

39.98

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18x18x12  
ins. E + W. of stone 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
over it. In E. pit drove a  
stake 2 ft. long 2 ins. sq. 12  
ins. in the ground  
marked 1/4 S. on N. face.

74.96

Cross Dry Wash Course N.E.

79.96

The corner to Sec. 29.30, 31 + 32,

Surface rolling

Soil 3% rate

Grass fair

Scattering brush

T9 S. R 27 E.

Chains

S 89° 30' W. on a random  
line bet. Secs. 30 + 31,  
V<sub>a</sub> 12° 30' E.

40.00  
77.18

Set temporary 1/4 Sec. cor.  
Intersect the W. ldy. of T<sub>9</sub>  
42 links N. of cor. to Secs.  
25, 30, 31 + 36 which is a Post.  
4 ins. sq. in mound of  
earth properly marked  
and pits of required size.

Hence Run

N 89° 12' E. on a true  
line bet. Secs. 30 + 31 with  
same V<sub>a</sub>.

37.18

Deposited a marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor.

T9 S. R 27 E.

Chains

dug pits 18 x 18 x 12 ins. E + W. of  
stone 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
5 1/2 ft. base over it. In E. pit  
drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked "4 S. on N. face.

77.18

The cor. to Secs. 29, 30, 31 & 32

Surface rolling

Soil 3 1/2 rate

Grass laid

Scattering brush

N 19° E. bet. Secs. 29 + 30

N 120° 30' E.

40.00

Deposited a marked stone  
2 ins. in the ground for "4



T9 S. R27 E.

chains

Sec. cor. dug pits  $18 \times 18 \times 12$  ins.  
 N + S. of stone  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over it.  
 In N. pit drove a stake 2  
 ft. long 2 ins. eq. 12 ins. in  
 the ground marked.

$\frac{1}{4}$  S. in W. face.

44.40

Cross Dry Wash course  
 N.E.

80.00

Deposited a marked  
 stone 12 ins. in the ground  
 for cor. to Secs. 19.20.29 + 30.  
 dug pits  $18 \times 18 \times 12$  ins. in  
 each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base  
 over it. In S.E. pit drove a

T9 S. R 27 E.

chain

stake 2 ins. sq. 2 ft. long 12 ins.  
in the ground marked.

T9 S. S 20 on N.E.

R 27 E. S 29 on S.E.

S 30 on S.W. and S. 19 on  
N.W. faces with 2 notches  
on S. and 5 notches on E. edge

Surface rolling

Oil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N 89° 30' E. on a random  
line bet. Secs. 20 + 29.

N 91 20 30 E.

40.00

Set. temporary 1/4 Sec. cor.

T9S, R27E,

Chains  
80.08

Entered the N + S. line 16  
links N. of cor. to Secs 20.21  
.28 + 29.

Hence I run

$S 89^{\circ} 37' W.$  on a true line  
bet. Secs. 20 + 29 with same Va.

170.04

Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
 $18 \times 18 \times 12$  ins. E + W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E.  
pit drove a stake 2 ft. long  
 $2$  in. sq. 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on W. face

80.08

The cor. to Secs. 19.20.29 + 30

Surface rolling

T9 S. R 27 E.

Chain

Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

S 89° 30' W. on a random  
 line bet. Secs. 19 + 30.

Q 12° 30' E.

40.00 Set temporary 1/4 Sec. cor.

77.68 Intersect the N. bdy. of T<sub>9</sub>.  
 38 links N. of cor. to Secs. 19 +  
 25 + 30. which is a Post 4 in  
 sq. in mound of earth  
 properly marked, and of  
 of required size.

Thence from

N 89° 14' E. on a true line bet  
 Secs. 19 + 30. with same Qa.

T9 S. R 27 E.

chain

19.98

37.68

Cross Dry Wash course N.E.  
 Deposited a marked stone  
 12 ins. in the ground  
 for 1/4 Sec. cor. dug pits 18x18  
 x12 ins. E + W. of stone 5 1/2  
 ft. dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base on it. In E. pit drove  
 a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground  
 marked 1/4 S. on N. face

77.68

The cor. to Secs. 19, 20, 29 + 30

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

---

T9 S. R 27 E.

Chains

N 19° E. bet. Secs. 19 + 20.  
@ 12° 30' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec cor. dug pits 18x18x12 ins N + S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth, 11 ft. high  $3\frac{1}{2}$  ft. base on it. In N. pit drove a stake 2 ft long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

41.60

Cross Dry Wash course N. E.

80.00

Deposited a marked stone 12 ins. in the ground for cor. to Secs. 17, 18, 19 + 20. dug pits 8x18x12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of

T9 S. R 27E.

Chain

earth 2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S.E. pit drove  
a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground  
marked. T9 S. S17 on N.E.

R 27E. S20 on S.E.

S19 on S.W. and S. 18 on  
N.W. faces with 3 notches  
on S. and 5 notches on E. edge

Surface rolling

Soil 3% rate

Grass fair

Scattering brush

At  $99^{\circ} 30'E$ . on a random  
line bet. Sec. 17 + 20

On  $12^{\circ} 30'E$

## T9 S. R 27 E.

Chambers

40.00

Set temporary  $\frac{1}{4}$  Sec. cor.

79.96

Intersect the N. & S. line 12 links  
N. of cor. to Secs. 16, 17, 20 & 21.

Thence I run

S89° 35' W. on a true line to  
Secs. 17 & 20 with same Sa.

38.36

Cross Dry Wash course N.E.

39.98

Deposited a marked stone  
12 ins. in the ground for $\frac{1}{4}$  Sec. cor. dug pits 18 x 18 x 12 in.E & W. of stone  $5\frac{1}{2}$  ft. dist. andraised a mound of earth  $1\frac{1}{2}$ ft. high  $3\frac{1}{2}$  ft. base over it.

In E. pit drove a stake 2 ft.

long 2 ins. sq. 12 ins. in

the ground marked  $\frac{1}{4}$  S.

on N. face.

79.96

The cor. to Secs. 17, 18, 19 &amp; 20



T.S. R 27E.

Chains

Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

---

$89^{\circ} 36' W.$  on a random  
 line bet. Secs. 18 + 19.  
 $12^{\circ} 30' E.$

40.00

78.00

Set temporary  $\frac{1}{4}$  Sec. cor.  
 Intersect the W. bdy. of Trp  
 10 links N. of cor. to Sec.  
 13, 18, 19 + 24. which is a Post  
 4 in sq. in mound of  
 earth properly marked  
 and pits of required size  
 Hence from  
 $89^{\circ} 26' E.$  on a true

T9 S. R 27 E.

Chains

15.78

35.50

38.00

78.00

bet Secs. 18 & 19 with same Va.  
 cross Dry Wash course North  
 " " " " N.E.

Deposited a marked stone 12 ins.  
 in the ground for  $\frac{1}{4}$  Sec. cor.  
 dug pits 18x18x12 ins. E & W. of  
 of stone  $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
 drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on N. face

The cor. to Secs 17, 18, 19 & 20  
 Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

T9 S. R 27 E.

Chains

N 19° E. bet. Secs. 17 + 18.  
Va 12° 30' E.

22.30

Cross Dry Wash course  
N.E.

33.20

Cross Dry Wash course N.E.

40.00

Deposited a marked stone  
2 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
18 x 18 x 12 ins N + S. of stone  
5  $\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base one ft.  
In N. pit drove a stake  
2 ft. long 2 ins sq. 12  
ins. in the ground  
marked  $\frac{1}{4}$  S. on W. face.

T9 S. R 27 E.

Chains  
80.00

Deposited a marked stone  
12 ins. in the ground for  
to Secs. 7, 8, 17 & 18. dug pits 8 x 10  
x 12 ins. in each Sec. 5 1/2 ft.  
dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base over it. In S.E. pit drove  
a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked  
T9 S. S 8 on N.E.

R 27 E. S 17 on S.E.

S 18 on S.W. and S. 7 on N.W.  
face with 4 notches on S.  
and 5 notches on E. edges.

Surface rolling  
Soil 3% rate  
Grass fair  
Scattering brush

T9 S. R 27 E.

chains

N 89° 30' E. on a random line bet. Secs. 8 + 17

Va 12° 30' E.

40.00  
80.04

Set temporary 1/4 Sec. cor. Entered the N S. line 14 links N. of cor. to Secs. 8, 9, 16 + 17.

Thence from

S 89° 36' W. on a true line bet. Secs. 8 + 17 with same Va.

35.84  
40.02

cross Dry Wash course N. E. Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18 x 18 x 12 ins E + W. of stone 5 1/2 ft. dish and raised a mound of

T9 S. R 27 E.

chain

earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base on  
it. In E. pit drove a stake 2 ft.  
long 2 in. sq. 12 in. in the  
ground marked  $\frac{1}{4}$  Sec. N. of

80.04

The cor. to Sec. 7, 8, 17 + 18,

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

S 89° 30' W. on a random  
line bet. Sec. 7 + 18.

N 12° 30' E

40.00

Set temporary  $\frac{1}{4}$  Sec. cor.

78.34

Intersect the W. bdy. of Tfr.  
28 links N. of cor. to Sec. 7,  
12, 13 + 18. which is a Post 4 in

T9 S. R. 27 E.

Chain

sq. in mound of earth properly marked and pits of required size.

Thence I run N89° 18'E. on a true line bet. Secs. 7 & 18 with same Va.

25.52  
38.34

Cross Dry Wash course N. & deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec  $\frac{1}{4}$  cor. dug pits 18x18x12 ins. E & W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over its N.E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground

T.S.R 27E.

Chains

78.34 marked  $\frac{1}{4}$  S. on N. face.  
 The cor. to Secs, 7, 8, 17 & 18.  
 Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

---

N 79° E. bet. Secs. 7 & 8  
 Va 12° 30' E

10.90 Cross Dry Wash course N.E  
 40.00 Deposited a marked stone 12  
 ins. in the ground for  $\frac{1}{4}$  Sec.  
 cor. dug pits 18x18x12 ins. N & S  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high  
 3 $\frac{1}{2}$  ft. base over it. In N. pit  
 drove a stake 2 ft. long 2 ins.



T9 S. R 27 E.

Chain

52.25

29. 12 ins. in the ground  
marked 4 S. on W. face  
cross Dry Wash course  
N.E.

80.00

Deposited a marked stone  
12 ins. in the ground for  
cor. to Sec. 5, 6, 7 & 8. dug pit  
18x18x12 ins. in each Sec. 5 1/2  
ft. dist. and raised a  
mound of earth 2 ft. high  
4 1/2 ft. base over it. In S.E.  
pit drove a stake 2 ins. eq.  
2 ft. long 12 ins. in the  
ground marked.

T9 S. S 5 on N.E.

R 27 E. S 8 on S.E.

S 7 on S.W. and S. 6 on N.W.  
face with 5 notches on S

T9 S. R 27 E.

Chains

and E. edges.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

---

N 89° 30' E. on a random  
line bet. Secs. 5 + 8

N 12° 30' E.

40.00

Set temporarily 1/4 Sec. cor.

80.00

Intersect the N & E line 10  
links S. of cor. to Secs. 4, 5, 8 + 9

Thence I run

N 89° 26' W. on a true line bet  
Secs. 5 + 8 with same Va.

10.00

Cross Dry Wash course N. E.

1688

" " " " " "

T9 S. R 27E.

chains

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18 x 18 x 12 ins. E + W. If stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked, 1/4 S. on N. face.

50.70

Cross Dry Wash course at E.

80.00

The cor. to Secs. 5, 6, 7 + 8

Surface rolling  
Soil 3 1/4 rate

Grass fair

Scattering brush

T9 S. R 27 E.

chains

S 89° 30' W. on a random  
line bet. Secs. 6 & 7

Wa 12° 30' E.

40.00

78.79

Set temporary  $\frac{1}{4}$  Sec. cor  
Intersect the W. bay. of Sp  
14 links N of cor. to Secs  
1, 6, 7 & 12, which is a post 4  
ins. sq. in mound of earth  
properly marked with pits  
of required size.

1

Thence I run

N 89° 24' E. on a true line  
bet. Secs. 6 & 7 with same Wa.

38.79

Deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. cor. dug pits 18 x 18 x  $\frac{1}{2}$  in.  
E & W. of stone  $5\frac{1}{2}$  ft. dist.

5

T 9 S. R 27 E.

Chains

and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base over it. In E.  
Yit drove a stake 2 ft.  
long 2 in. sq. 12 in. in  
the ground marked  
 $\frac{1}{4}$  Sec. cor. of ~~the~~.

78.79

The cor. to Sec. 5, 6, 7 & 8.  
Surface rolling  
Soll 3% rate  
Grass fair  
Scattering brush

N 19° E. on a random  
line bet. Secs. 5 & 6.

N 12° 30' E

40.00

Set. temporary  $\frac{1}{4}$  Sec. cor.

T9 S. R 27E.

chains

79.02

Intersect the W. bdy. of T<sub>9</sub>  
36 links E. of Cor. to Secs. 5, 6, 31 & 32  
which is a Post. 4 ins. sq.  
in mound of earth properly  
marked and pits of require  
size.

Thence I run  
S<sup>0</sup> 4' W. on a true line bet  
Secs 5 & 6. with same Va.

39.02

Deposited a marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. dug pits 8x8  
x 12 ins. N & S. of stone 5 1/2 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base over it. In N. pit drove  
a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground

T9 S. R 27 E.

chains

79.02

marked 14 S. on W. face.  
 The cor. to Sec. 5, 6, 7th.  
 Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush  
 Feb. 29<sup>th</sup> 18.85

---

General Description  
T<sub>p</sub> 9 S. 7 R. 27 E.

The surface in this T<sub>p</sub> is mostly rolling, in some places it is level.

The lines bordering Secs 24, 25 + 36 have 1<sup>st</sup> rate soil, the rest of the T<sub>p</sub> has poor soil.

San Simon creek is not apparent in Secs. 24, 25 + 36. E Martini's house is in Sec. 14

For final data see book No. 12



BOOK 736

U. S. Surveyor General's Office,

Tucson, Arizona, June 5 1885-

The foregoing Field Notes of the Survey of the

subdivision of  
Township 9 South  
Range 27 East

Of the Gila and Salt River Basins and Meridian, Arizona, execu-

ted by John B. Smith

Deputy Surveyor, under his contract of the 19<sup>th</sup>

day of December, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royals Johnson  
Surveyor General.