

Contract No 56.

BOOK 737

No. 737

(copy)

# Field Notes

BOOK 737

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

*Township 9 South Range 27 East*

*Gila and Salt River Base and Meridian*

*ARIZONA.*

No. 737

By *J. C. Smith* D. S.

under contract dated *Dec 19-1884.*

Survey commenced *FEB. 19-1885.*

Survey completed .. *21-1885*

737

## BOOK 737

Township 9 South R. 27 E.

6	91	5	67	4	51	3	35	2	18	1
90		88		66		49		33		17
7	87	8	64	9	48	10	32	11	15	12
86		85		63		47		30		14
18	83	17	61	16	45	15	29	14	12	13
81		80		60		44		28		10
19	78	20	58	21	42	22	26	23	9	24
77		76		57		41		25		7
30	74	29	55	28	39	27	23	26	6	25
73		71		54		38		22		4
31.	69	32	52	33	36	34	20	35	3	36

For preliminary oaths and  
description of instrument see  
book No. 1

T. 9 S. R. 27 E.

No. 737

Beginning at the Cor. to Secs  
1-2-35-36 on S. bdy. of T. 9 S.  
R. 27 E. previously described by  
me

I run N. 19° E. bet Secs 35-36

Va. 12° 30' E.

4000 Deposited a marked stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pit, 18x18x12 ins. At S. of stone  
5 $\frac{1}{2}$  ft dist. and raised a mound  
of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base  
over it. In S. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on W. face

8000 Deposited a marked stone 12 ins.  
in the ground for Cor. to Secs 25-26-  
35-36 dug pit, 18x18x12 ins. in  
each Sec. 5 $\frac{1}{2}$  ft. dist and raised

T. 9 S. R. 27 E.

chains

a mound of earth 2 ft. high  
4 1/2 ft. base over it. In S. E.  
bit drive a stake 2 ins. sq  
2 ft. long 12 ins. in the ground  
marked

T. 9 S. S. 25 on N. E.

R. 27 E. S. 36 on S. E.

S. 35 on S. W. and

S. 26 on N. W. faces with 1 notch  
on S. & E. edges

Surface Rolling

Soil 1st rate

Grass fair

Scatteringly brush

N. 89° 30' E on a random line  
bet Secs. 25 - 36

Va. 12° 30' E.

T. 9, S. R. 27 E.

Chains

4000

Set temporary  $\frac{1}{4}$  Sec. Cor.

80.04

Intersect E. bdy. of Tp. 20 lrs. N.  
of cor. to Secs. 25-30-31-36 which  
is a post 4 ins. sq. in mound  
of earth marked  
T. 9 S. S. 30 on N.E.  
R. 28 E. S. 31 on S.E.  
R. 27 E. S. 36 on S.W. and  
S. 25 on N.W. faces with 5 notches  
on N + 1 notch on S. edges and  
pits of required size  
thence I run  
S.  $89^{\circ} 39' W.$  on a true line bet Secs  
25-36 with some Va.

40.02

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
dug pits 18 x 18 x 12 ins. E & W. of  
stone  $5\frac{1}{2}$  ft. dia and raised a

T. 9 S. R. 27 E.

Chert

Mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
 drove a stake 2 ins. sq. 2 ft  
 long 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on N. face

44.04

Cross road bet. T. 8 S.

80.04

The Cor. to Secs. 25-26-35-36

Surface Rolling

Soil 1<sup>st</sup> rate

Grass fair

No brush

N. 19' E. bet Secs. 25-26

Va. 12<sup>o</sup> 30' E.

40.00

Set a malpais stone  $12 \times 8 \times 8$  ins  
 8 ins. in the ground for  $\frac{1}{4}$  sec.

Cor. marked  $\frac{1}{4}$  on W. facedug pits  $18 \times 18 \times 12$  ins N x S

T. 9 S. R. 27 E.

Chains

of stone  $5\frac{1}{2}$  ft. dia. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base along side

8000 Set a Malpais stone  $10 \times 8 \times 8$  ins. 6  
ins. in the ground for cor. to recs  
23-24-25-26 marked with 2 notches  
on S. and 1 notch on E. edges and  
raised a mound of earth 2 ft.  
high  $4\frac{1}{2}$  ft. base along side

Surface Rolling

Soil 1st rate

Grass fair

Scattering Brush

N.  $89^{\circ}30'$  E. on a random line  
bet recs 24-25

Va.  $12^{\circ}30'$  E.

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.

T. 9 S. R. 27 E.

Cham  
79.96

Intersect E. bdy. of Tp. 10 CK  
N. of cor. to Secs 19-24-25-30  
which is a post 4 in. <sup>in end. of east</sup> <sub>marked</sub>

T. 9 S. S. 19 on N.E.

R. 28 E. S. 30 on S.E.

R. 27 E. S. 25 on S.W. and

S. 24 on N.W. faces with 4  
notches on N. & 2 notches on S.  
edges, and pits of required size  
thence I run

S. 89° 34' W. on a true line bet  
Secs 24-25 with some Va.

39.71 Cross road bet N & S.

39.98 Deposited a marked stone  
12 ins. in the ground for 1/4  
Sec. Cor. dug pits 18x18x12 ins  
E & W. of stone 5 1/2 ft. dist and  
raised a mound of earth 1 1/2



T. 9 S. R. 27 E.

Choin

ft high  $3\frac{1}{2}$  ft. base over it. In E.  
pit drove a stake 2 ins. sq. 2 ft.  
long 12 ins. in the ground marked  
 $\frac{1}{4}$  S. on N. face

7996 The Cor. to Secs. 23-24-25-26

Surface Rolling

Soil 1st rat

Grass fair

No brush

North 19' E. bet Secs 23-24

Pa.  $12^{\circ}30'$  E.

4000 Set a Malpais stone  $14 \times 8 \times 8$  ins 9 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$   
on W. face, dug pits  $18 \times 18 \times 12$  ins  
N & S. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base along side

T. 9 S. R. 24 E.

Chains

80.00

Set a Malpais stone  $14 \times 8 \times 6$  ins  
 9 ins. in the ground for Cor. to  
 Secs. 13-14-23-24 marked with  
 3 notches on S. and 1 notch on E  
 edges. clay pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dia. and  
 raised a mound of earth 2  
 ft. high  $4\frac{1}{2}$  ft. base alongside

Surface level

Soil 2a sats

Grass fair

Scattering brush

N.  $89^{\circ}30'$  E. on a random line  
 bet. Secs 13-24

Va.  $12^{\circ}30'$  E.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

80.02

Intersect E. bdy. of Tp. 12 Ns

J. 9 S. R. 27 E.

chain

N. of Cor. to Secs. 13-18-19-24  
which is a post 4 ins. sq. in ground  
of earth marked

T. 9 S. S. 18 on N. E.

R. 28 E. S. 19 on S. E.

R. 27 E. S. 24 on S. W. and

S. 13 on N. W. faces with 3 notches  
on N & S. edges and pts. of  
required line

Thence I run

S.  $89^{\circ} 35' W$ , on a true line bet

Secs 13-24 with same Va.

- 40.01 Deposited a marked pt on 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits  
18 x 18 x 12 ins. E. & W. of pt on  $5\frac{1}{2}$  ft.  
dist and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. broad over it.  
In E. pit drove a stake 2 ins sq.

T. 9. S. R. 27 E.

Cheris

2 ft. long 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

47.02 Corns dug work Cross N. W.

57.02 " Road bet N. &amp; S.

80.02 The Cor. to Secs. 13-14-23-24

Surface Rolling  
Soil 2<sup>d</sup> rate

Green fair

Scattering brush

N. 19' E. bet. Secs. 13-14

Va. 120 30' E.

4000 Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec Cor.  
dug pits 18x18x12 ins N & S. of  
stone  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In N. pit

T. 9 S. R. 27 E.

Chowen

drove a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked 1/4 S.  
on W. face

67.50 Cross any west Course N. W.

71.00 " Road to N. W. + S. E.

72.22 E. Martins house to W. 14 E. Ks

8000 Set a malpais stone 10x10x9 ins. 6  
ins. in the ground for Cor. to Pico  
11-12-13-14 marked with 4 notches  
on S. and 1 notch on E. edges  
dug pits 18x18x12 ins. in each 20  
5 1/2 ft. dist. and raised a mound  
of Earth 2 ft. high 4 1/2 ft. base  
along side

Surface Rallies

Soil 1st rate

Grass fair

Scattering brush

T. 9 S. R. 27 E

Chains

N.  $89^{\circ}30' E$  on a random line  
bet. Secs 12-13Ta.  $120^{\circ}30' E$ .40 00 Set temporary  $1/4$  Sec. Cor  
80.00 Fulcrum E. bay of Sp. at corto Secs. 7-12-13-18 which is a  
post 4 ins. sq in ground of  
earth marked

T. 9 S. S. 7 on N. E.

R. 28 E. S. 18 on S. E.

R. 27 E. S. 13 on S. W. and

S. 12 on N. W. faces with 4  
notches on S. and 2 notches  
on N. Edges and pits of

required size

Thence I run S.  $89^{\circ}30' W$ . on  
a true line bet. Secs. 12-13  
with same Ta.

T. 9 S. R. 29 E.

Chow

4000

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor, dug pits 18x18x12 ins E+W. of stone  $5\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. across over it. In E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins in the ground marked  $\frac{1}{4}$  S. on N face

80.00

The Cor. to Secs. 11-12-13-14

Surface Rolling

Soil 3<sup>rd</sup> rat

Grass fair

Scattering brush

North 19' E. bet Secs 11-12

Va.  $12^{\circ} 30' E.$ 

4000

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. dug pits

T. 9 S. R. 27 E

Chairs

18x18x12 ins. N+S. of stone 5 1/2 ft. dia and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base over it. In N. pit done on stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked 1/4 S. on W face

80.00

Set a Volcanic stone 14x8x8 ins 9 ins. in the ground for Cor to Ric 1-2-11-12 marked with 5 notches on S. and 1 notch on E. edges, dug pits 18x18x12 ins in each Ric. 5 1/2 ft. dia and raised a mound of earth 2 ft high 4 1/2 ft. base along side

Surface Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush



T. 9 S. R. 24 E.

chain

N.  $89^{\circ}30' E.$  on a random line  
bet. Secs. 1-12

Va  $12^{\circ}30' E.$

4000 Set temporary  $\frac{1}{4}$  Sec Cor.

79.96 Intersect E. bdy. of Sp. 12 lks N.  
of Cor. to Secs. 1-6-7-12 which is  
a post 4 ins. sq. in ground of  
earth marked

T. 9 S. S. 6 on N. E.

R. 28 E. S. 7 on S. E.

R. 27 E. S. 12 on S. W. and

S. 1 on N. W. faces with 5 notches  
on S, and 1 notch on N. Edges  
and pits of required size

Thence I ran

S.  $89^{\circ}35' W.$  on a true line bet  
Secs. 1-12 with some Va.

39.98 Deposited a marked stone 12 ins

T. 9 S. R. 27 E.

Chowis

in the ground for  $\frac{1}{4}$  sec. Cor. dug  
 pits 18x18x12 ins. E. + W. of stem  
 5 $\frac{1}{2}$  ft. dist and raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft.  
 base over it. In E. pit drove  
 a stake 2 ins sq, 2 ft. long 12  
 ins. in the ground marked  $\frac{1}{4}$   
 S. on N. face

79.96 The Cor. to secs 1-2-11-12

Surface Rolling  
 Soil 2<sup>d</sup> rat  
 Grass fair  
 Scattering brush

---

N. 19' E. on a random line  
 beth secs 1-2

Va. 12030' E.

4000

Set temporary  $\frac{1}{4}$  sec. Cor.

T. 9 S. R. 27 E.

Chairs

75.30

Intersect N. edge of Sp. 14 N. E. of  
Cor. to Recs. 1-2-35-36 which is a  
post 4 ins. sq. in mound of earth  
properly marked and pits of azimuth  
Rise

Thence I run

S.  $0^{\circ} 13' W.$  on a true line bet Recs  
1-2 with some Va.

35.30

Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Rec. Cor. dug  
pit. 18 x 18 x 12 ins. N + S. of stone  $5\frac{1}{2}$   
ft. dist and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In N. pit drove a stake 2 ins  
sq. 2 ft. long 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

75.30

The Cor to Recs 1-2-11-12

Surface Rolling

T. 10 S. R. 27 E

Chambers

Soil 2<sup>d</sup> rate

Grass fair

Scattering brush

I carefully examined the adjustments  
of my Solar transit today  
particularly the latitude and  
reversing apparatus and found  
them correct

February 19<sup>th</sup> 1885

From the cor. to Secs. 2-3-34-35  
on S. bdy. of Tp. 9 S. R. 27 E.  
previously described by me  
I run

N. 19° E. bet Secs. 34-35

D. 12° 30' E.

## L. G. S. R. 27 E.

Chain

4000

Set a malpais stone  $16 \times 10 \times 5$  ins  
 9 ins. in the ground for  $\frac{1}{4}$  Sec. Cor  
 marked  $\frac{1}{4}$  on N. face dug pits  
 $18 \times 18 \times 12$  ins. N & S. of stone  $5\frac{1}{2}$   
 ft. dist & raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side

8000

Deposited a marked stone 12 ins.  
 in the ground for cor. to Recs.

26-27-33-34 dug pits  $18 \times 18 \times 12$  ins  
 in each Rec.  $5\frac{1}{2}$  ft. dist and  
 raised a mound of earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base over it. In S. E.  
 pit drove a stake 2 ins. sq. 2 ft. long

12<sup>in</sup> in the ground marked

T. 9 S. S. 26 on N. E.

R. 27 E. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. face with 1 notch on

T. 9 S. R. 27 E.

chain

S. and 2 notches on E. edges

Surface Rolling

Soil 2a rate

Grass fair

Scattering brush

N. 89° 30' E. on a random line  
bet Recs 26-35

Va 12° 30' E.

40.00 Set temporary 1/4 Sec. Cor.

80.00 Intersect N. & S. line 20 lks N. of  
Cor. to Recs. 25-26-35-36

Thence I run

S. 89° 39' W. on a true line bet Recs  
26 + 35 with form Va.40.00 Deposited a marked stone 12 ins  
in the ground for 1/4 Sec. Cor. dug  
pits 18x18x12 ins. E. + W. of stone

T. 9 S. R. 27 E.

Chasin

5 1/2 ft. dist and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. over it.  
In E. pit drove a stake 2 ins sq. 2 ft.  
long 12 ins. in the ground marked  
1/4 S. on N. face.

80.00 The Cor. to Recs. 26-27-34-35

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

North 19'E, bet Recs 26-27

Va. 12030'E.

18.20 Cross dug wash Corner N. E.

4000 Deposited a marked stone 12 ins.  
in the ground for 1/4 Rec. Cor. dug pit  
18x18x12 ins N+S. of stone 5 1/2 ft. dist  
and raised a mound of earth 1 1/2 ft.

J. G. S. R. 27 E.

Chains

high  $3\frac{1}{2}$  ft. base over it. In N.  
pit drove a stake 2 in sq. 2 ft long  
12 ins. in the ground marked  $\frac{1}{4}$   
S. on W. face

80.00

Deposited a marked stone 12 ins.  
in the ground for Cor to Recs. 22-23-  
26-27 dug pits  $18 \times 18 \times 12$  ins. in  
each Rec.  $5\frac{1}{2}$  ft. dirt + raised  
a mound of earth 2 ft high  $4\frac{1}{2}$   
ft. base over it. In S. E. pit drove  
a stake 2 in. sq. 2 ft long 12  
ins. in the ground marked  
J. G. S. S. 23 on N. E.

R. 27 E. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. face with 2 stakes  
on S. & E. edges

Surface Rolling



J. 9. S. R. 27 E.

Chairs

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

---

N.  $89^{\circ}30'$  E. on a random line  
bet Recs. 23-26

Va.  $12^{\circ}30'$  E.

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.06 Intersect N + S. line 24 lks. N. of  
Cor. to Recs. 23-24-25-26

Thence I run

S.  $89^{\circ}40'$  W. on a true line bet Recs  
23-26 with some Va.

4003 Deposited a marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec. Cor. due pts.  
 $18 \times 18 \times 12$  ins E. + W. of stone  $5\frac{1}{2}$  ft.  
dist + raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base over it

T. 9 S. R. 27 E.

Cheris

In E. pit drove a stake 2 ins sq.  
2 ft. long 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

80.06

The Cor. to Pies 22-23-26-27

Surface Rolling

Soil 2d rate

Grass fair

Scattering brack

N. 19' E. bet. Pies. 22-23

D.A. 12° 30' E.

4008

Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Pies. Cor. dug  
pit 18 x 18 x 12 ins. N. & S. of stone  
5  $\frac{1}{2}$  ft. dia. & raised a mound  
of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
over it. In N. pit drove a stake 2  
ins. sq. 2 ft. long 12 ins. in the

T. 9. S. R. 27 E.

Chains

- ground marked  $\frac{1}{4}$  S. on N. face
- 45.20 Cross dry wash corner N. E.
- 88.00 Departed a marked stone 12 ins. in  
the ground for Cor. to Recs. 14-15-22-23  
dry pits 18x18x12 ins in each Rec.  
5 $\frac{1}{2}$  ft. dish + raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft. base over it.  
In S. E. pit drove a stake 2 ins. sq.  
2 ft. long 12 ins. in the ground marked  
T. 9 S. S. 14 on N. E.  
R. 27 E. S. 23 on S. E.  
S. 22 on S. W. and  
S. 15 on N. W. faces with 3 notches  
on S. and 2 notches on E. edges

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

T. 9. S. R. 27 E

Chain

N.  $89^{\circ}30' E$ . on a random line  
bet. Recs. 14-23Va.  $12^{\circ}30' E$ .40.00 Set temporary  $\frac{1}{4}$  Sec. Cor79.97 Intersect N + S. line 10 lks N. of  
Cor. to Recs. 13-14-23-24

Thence I run

S.  $89^{\circ}34' W$ . on a true line bet  
Recs. 14-13 with some Va.39.98 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pits 18x18x12 ins E + W. of stone  
 $5\frac{1}{2}$  ft. dist + raised a mound  
of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. over  
over it In E. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins. in  
the ground marked  $\frac{1}{4}$  S. on  
N. face

T. 9 S. R. 27 E.

Chems

79.97 The Cor. to Recs. 14-15-22-23

Surface Railing

Soil 3<sup>d</sup> rate

Gross fair

Scattering brush

North 19' E. bet. Recs. 14-15

Va. 12.30. E.

- 40.00 Deposited a marked ston 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18x18x12 ins. N & S. of ston 5 $\frac{1}{2}$  ft. dia. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face
- 80.00 Deposited a marked ston 12 ins in the ground for Cor. to Recs

T. 9. S. R. 27 E.

Chern

10-11-14-15 dug pits 18x18x12 ins  
in each Rec. 5 1/2 ft. dist and  
raised a mound of earth 2 ft.  
high 4 1/2 ft. base over it. In S. E.  
pit drove a stake 2 ins. by 2 ft  
long 12 ins. in the ground marked  
T. 9 S. S. 11 on N. E.

R. 27 E. S. 14 on S. E.

S. 15 on S. W. and

S. 18 on N. W. faces with 4 notches  
on S. and 2 notches on N. Edges

Surface level

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N. 89° 30' E. on a rounded  
line bet Recs. 11-14

V. 9. 12° 30' E.

## T. 9 S. R. 27 E.

chain

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.79.90 Intersect N & S. line 14 lks. N. of  
Cor. to Secs. 11-12-13-14

thence I run

S.  $89^{\circ}36'W.$  on a true line bet Secs  
11-14 with some va.

4.25 Cross Road bet. N. &amp; S.

7.60 " Day work Corner N. W.

39.95 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pit.  $18 \times 18 \times \frac{1}{2}$  in E. & W. of stone  
 $5\frac{1}{2}$  ft. dirt & raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit drove a stake  
2 ins sq. 2 ft. long 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on N. base

79.90 The cor. to Secs 10-11-14-15

Surface Rolling

T. 9 S. R. 27 E

Chain

Soil 3<sup>rd</sup> rate

Gross fair

Scatteriny brush

North 19' E. bet Recs 10-11

Va. 12° 30' E.

- 40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18x18x12 ins. N & S. of stone 5 $\frac{1}{2}$  ft. dist & raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. broad over it. In N. pit drove a stake 2 ins. sq. 2 ft. long. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face
- 52.10 Cross dug work corner N. E.
- 80.00 Deposited a marked stone 12 ins in the ground for Cor. to Recs 2-3-10-11 dug pits 18x18x12 ins



T. 9 S. R. 27 E.

No. 737

Chasin

in each sec.  $5\frac{1}{2}$  ft. dist and raised  
 a mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base over it. In S. E. pit drove a  
 stake 2 ins. sq. 2 ft. long 12 ins. in  
 the ground marked

T. 9 S. S. 2 on N. E.

R. 27 E. S. 11 on S. E.

S. 10 on S. W. and.

S. 3 on N. W. faces with 5 notches  
 on S. and 2 notches on E. edges

Surface Rolling

Soil 2<sup>nd</sup> rate

Gross fair

Scattering brush

N.  $89^{\circ}30'$  E. on a random line

bet. Dec 2-11

N.  $12^{\circ}30'$  E.

T. G. S. R. 27 E.

Chains

- 4000 Sub temporary  $\frac{1}{4}$  Sec. Cor.
- 79.92 Intersect N. + S. line 12 ch. N. of Cor. to Recs 1-2-11-12  
thence I run  
S.  $89^{\circ}35'W.$  on a true line bet  
Recs. 2-11 with some Va
- 13.92 Cross road bet N. + S.
- 15.42 " dry wash corner N.
- 39.96 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18x18x12 ins. E. + W. of stone 5 $\frac{1}{2}$  ft. dia. + raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face
- 79.92 the Cor. to Recs. 2-3-10-11
- Surgeon Rolling

T. 9 S. R. 27 E.

Chrom

Soil 3<sup>d</sup> rate

Gross fair

Scattering brush

North 19' E. on a random line  
bet secs. 2-3

Va. 12° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor

76.10 Intersect N. bdy of Sp. 16 lks. E.  
of cor. to secs. 2-3-34-35 which  
is a part 4 ins. sq. in mound  
of earth properly marked and  
pts. of required size

Then I run

S. 0° 12' W. on a true line bet secs  
2-3 with same Va.

36.10 Set a Malpais stone 13 x 8 x 7 ins  
9 ins. in the ground for  $\frac{1}{4}$  sec. cor

T. 9 S. R. 27 E

Chains

marked  $\frac{1}{4}$  on N. face and  
raised a mound of stone  
along side

76.10 The Cor. to Secs. 2-3-10-11

Surface level

Soil 3<sup>d</sup> rate

Gross fair

Scattering brush

From the Cor. to Secs 3-4-33-34  
on S. bdy of T. 9 S. R. 27 E.

previously described by me  
I run

North 19° E. bet. Secs. 33-34

Va. 12° 30' E.

40.00 Deposited a marked stone 12 ins

J. 19 S. R. 27 E.

Chairs

in the ground for  $\frac{1}{4}$  Sec. Cor. dry pits 18x18x12 ins. N. & S. of stone  $5\frac{1}{2}$  ft. dia. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face

0020 Cross dry wash Corner N. E.

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 27-28-33-34. dry pits 18x18x12 ins in each Sec.  $5\frac{1}{2}$  ft. dia. and raised a mound of earth 2 ft. high  $3\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  
T. 9 S. S. 27 on N. E.  
R. 27 E. S. 34 on S. E.

J. 9 S. R. 27 E.

Chains

S. 33 on S. W. and  
 S. 28 on N. W. faces with 1 notch  
 on S. and 3 notches on E. edges  
 Surface Rolling  
 Soil 3<sup>d</sup> rate  
 Grass fair  
 Scattering brush

---

Bath  $89^{\circ}30' E.$  on a random  
 line bet Secs. 27-34

Va.  $12^{\circ}30' E.$

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.96 Intersect N + S. line 12 lks N. of  
 Cor. to Secs. 26-27-34-35

Thence I run

S.  $89^{\circ}35' W.$  on a true line bet  
 Secs 27-34 with same Va.

31.86 Cross dry wash Corner N. E.

T. 9. N. R. 27 E.

Cheris

39.98

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18x18x12 ins. E. + W. of stone  $5\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face

79.96

The cor. to sec. 27-28-33-34

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

North 19' E. bet Secs 27-28

Va. 12° 30' E.

4000

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug

T. 9 S. R. 24 E.

Chairs

pits 18x18x12 in N. + S. of ston  
 5 1/2 ft. dist & raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft. base  
 over it. In N. pit drove a stake  
 2 in. sq. 2 ft. long 12 in. in the  
 ground marked 1/4 S. on W. face  
 Deposited a marked ston 12 in  
 in the ground for Cor. to Recs 21-  
 22-27-28 dug pit 18x18x12 in  
 in each rec. 5 1/2 ft. dist and  
 raised a mound of earth 2 ft.  
 high 4 1/2 ft. base over it. In S. E.  
 pit drove a stake 2 in sq. 2 ft.  
 long 12 in. in the ground marked  
 T. 9 S. S. 22 on N. E.  
 N. 27 E. S. 27 on S. E.  
 S. 28 on S. W. and  
 S. 21 on N. W. faces with 2 notches

80.00



T. 9 S. R. 27 E.

Chemin

on S. and 3 notches on E. edges

Surface Rilling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

$\approx$   
 of  $89^{\circ}30' E.$  on a random line  
 bet Secs. 22-27

Va.  $12^{\circ}38' E.$ 4000 Sub temporary  $\frac{1}{4}$  Sec. Cor80.02 Intersect N + S. line 16 M. S. of  
Cor. to Secs 22-23-26-27

thence I run

S.  $89^{\circ}23' W.$  on a true line bet  
Secs 22-27 with some Va.

3402 Cross dry wash Course N. E.

4001 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. duey

T. 9 S. R. 27 E.

chain

pits 18x18x12 ins. E + W. of stone  
 5 1/2 ft. dish, and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft. over  
 over it. In E. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins. in the  
 ground marked 1/4 S. on N. face

80.02 The cor. to Recs 21-22-27-28

Surface Rolling

Soil 2d rate

Gross fair

Scattering brush

North 19' E. bet Recs. 21-22

Va. 12° 30' E.

21.15 Less day work Corner N. E.

40.00 Deposited a marked stone 12  
 ins. in the ground for 1/4 Rec. Cor.  
 dug pits 18x18x12 ins N + S. of stone

T. 9 S. R. 27 E.

Chain

5 1/2 ft. ditch & raised a mound of earth 1/2 ft. high 3 1/2 ft. base over it. In N. pit drove a stake 2 ins sq. 2 ft. long 12 ins in the ground marked 1/4 S. on W. face

80.00 Deposited a marked stone 12 ins in the ground for Cor. to Secs 15-16-21-22 dug pits 18x18x12 ins. in each Sec. 5 1/2 ft. ditch & raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins in the ground marked

T. 9 S. S. 15 on N. E.

R. 27 E. S 22 on S. E.

S. 21 on S. W. and

S. 16 on N. W. faces with 3 notches on S. and E. edges

T. 9 S. R. 27 E

chain

Burgess Rolling  
Soil 3<sup>rd</sup> rate  
Grass fair  
Scattering brush

---

N. 89° 30' E. on a random line  
bet Recs 15-22

Va. 12° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Rec. Cor

80.00 Intersect N. & S. line 20 ch. N.  
of Cor. to Recs 14-15-22-23  
thence I run

S. 89° 39' W. on a true line bet  
Recs. 15-22 with some Va.

40.00 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Rec. Cor. dug  
pits 18x18x12 ins, E. & W. of stone  
5  $\frac{1}{2}$  ft. dist + raised a mound

T. 9 S. R. 27 E.

chains

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit drove a stake  
2 ins sq. 2 ft. long 12 ins in the  
ground marked  $\frac{1}{4}$  Sec. on N. face

80.00 The Cor. to Recs 15-16-21-22

Surface Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

North 19'E bet. Recs. 15-16

Va.  $12^{\circ}30'E$ .

4000 Deposited a marked stone 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. dug pits  
 $18 \times 18 \times 12$  ins N & S of stone  $5\frac{1}{2}$  ft. dia  
and raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit  
drove a stake 2 ins. sq. 2 ft. long

T. 9 S. R. 27 E.

Chair

12 ins. in the ground marked  $\frac{1}{4}$  S.  
on W. face

80.00

Deposited a marked stone 12 ins  
in the ground for Cor. to Reel 9  
10-15-16 dug pits, 18 x 18 x 12 ins  
in each rec. 5  $\frac{1}{2}$  ft. dirt and  
raised a mound of earth 2 ft.  
high 4  $\frac{1}{2}$  ft. base over it. In S. E.  
pit drove a stake 2 ins sq. 2 ft.  
long 12 ins. in the ground marked  
T. 9 S. S. 10 on N. E.

R. 27 E. S. 15 on S. E

S. 16 on S. W. and

S. 9 on N. W. face with 4 notches  
on S. and 3 notches on E. edges

Surface rolling

Soil 3<sup>rd</sup> rate

Gross fair  
scattering brush

T. 9 S. R. 27 E.

chains

N.  $89^{\circ}30'$  E. on a random line bet  
Secs 10-15

Va  $120^{\circ}30'$  E.

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.

8004 Intersect N. & S. line 15 lks. N. of  
Cor. to Sec. 10-11-14-15

Thence S run

S.  $89^{\circ}36'$  W. on a true line bet  
Secs 10-15 with same Va.

4002 Deposited a marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec. Cor. dug pit  
 $18 \times 18 \times 12$  ins E. & W. of stone  $5\frac{1}{2}$   
ft. dia and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on N. face

80.04 The Cor. to Secs. 9-10-15-16

T. 9 S. R. 27 E

Cham's

Tarpon Rilling  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering brush

---

N. 19' E. bet. Decs. 9-10

No. 12° 30' E.

- 40.00 Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit, 18x18x12 ins N. & S. of stone  $5\frac{1}{2}$  ft. dist + raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. over it. In N. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face
- 80.00 Deposited a marked stone 12 ins in the ground for Cor. to Secs 3-4-9-10 dug pit 18x18x12 ins



T. 9 S. R. 27 E.

Chairs

in each rec.  $5\frac{1}{2}$  ft. dist & raised  
a mound of earth 2 ft. high  $4\frac{1}{2}$   
ft. base over it. In S. E. pit drove  
a stake 2 ins. sq. 2 ft. long 12 in  
in the ground marked

T. 9 S. S. 3 on N. E.

R. 27 E. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces with 5 notches  
on S. and 3 notches on E. edges

Surface level

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N.  $89^{\circ}30'$  E. on a random line  
bet recs. 3-10

N.  $12^{\circ}30'$  E.

T. 9 S. R. 27 E.

Chains

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor

79.94

Intersect N. + S. line 12 Chs. N.  
of cor. to Res. 2-3-10-11

Thence I run

S.  $89^{\circ} 35' W.$  on a true line bet  
Res. 3-10 with Town VA

39.97

Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor dug  
pits 18x18x12 ins E. + W. of stone  
 $5\frac{1}{2}$  ft. dia & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. over it  
In E. pit drove a stake 2 ins. sq  
3 ft. long 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

79.94

thence to Res. 3-4-9-10

Surface Rolling

Soil 3<sup>d</sup> rate

Gross fair  
settling bank

T. 9, S. R. 27 E.

Chains

North 19' E. on a random line  
bet Secs 3-4

Va. 120° 30' E.

4000 Set temporary  $\frac{1}{4}$  Sec. Cor7700 Intersect N. bdy. of Tp. 29 Lks. E. of  
Cor. to Secs. 3-4-33-34 which is  
a post & ins. sq. in mound of earth  
properly marked with pits of  
required size

Thence I run

S. 0° 7' W. on a true line bet Secs  
3-4 with some Va.37.00 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pits 18x18x12 ins N. & S. of stone  
5  $\frac{1}{2}$  ft. dist and raised a mound  
of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
over it. In N. pit drove a stake

T. 9 S. R. 27 E.

chain

2 ins. sq. 2 ft. long 12 ins. in  
the ground marked  $1/4$  S. on W face

77.00

The Cor. to secs. 3-4-9-10

Surface Rolling

Soil 3<sup>d</sup> rate

Gross fair

Scattering brush

---

From the Cor. to secs 4-5-32-33  
on S. bdy. of T. 9 S. R. 27 E.

previously described by me  
I own

N. 19' E. bet secs 32-33

Qa. 120 30' E.

4000

Deposited a marked stone 12  
ins. in the ground for  $1/4$  Sec Cor

T. 9 S. R. 27 E.

chains

due pits  $18 \times 18 \times 12$  ins. N. & S. of  
 ston  $5\frac{1}{2}$  ft. dia & raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 over it. In N. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins. in the  
 ground marked  $\frac{1}{4}$  S. on W. face

43.40 Cross day wash corner N. E.

80.00 Deposited a marked ston 12 ins  
 in the ground for Cor. to Secs. 28-  
 29-32-33 due pits  $18 \times 18 \times 12$  ins in  
 each sec.  $5\frac{1}{2}$  ft. dia & raised a  
 mound of earth 2 ft. high  $4\frac{1}{2}$   
 ft. base over it. In S. E. pit drove  
 a stake 2 ins. sq. 2 ft. long 12 ins  
 in the ground marked  
 T. 9 S. S 28 on N. E.  
 R. 27 E. S. 33 on S. E.  
 S. 32 on S. W. and

T. 9 S. R. 27 E.

Chem

S. 29 on N. W. faces with 1 notch  
on S, and 4 notches on E. edges

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

N. 89° 30' E. on a random line  
bet Secs. 28-33

Pa. 12° 30' E.

40 00

Set temporary 1/4 Sec. Cor.

79.88

Intersect N. & S. line 12 W. S.  
of Cor. E. Secs. 27-28-33-34

Thence I run

S. 89° 25' W. on a true line bet  
Secs 28-33 with some Pa.

39.94

Deposited a marked stone 12  
ins. in the ground for 1/4 Sec. Cor

T. 9 S. R. 27 E.

Chain

dug pits  $18 \times 18 \times 12$  ins E. & W. of  
 ston  $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base over it. In E. pit drove a  
 stake 2 ins. sq. 2 ft. long 12 ins.  
 in the ground marked  $\frac{1}{4}$  S. on N. face

79,88 The Cor. to recs 28-29-32-33

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattered bunch

North  $19^{\circ}$  E. bet Recs. 28-29Va.  $12^{\circ} 30'$  E.

4000 Deposited a marked ston 12 ins  
 in the ground for  $\frac{1}{4}$  sec. Cor. dug  
 pits  $18 \times 18 \times 12$  ins N. & S. of ston  
 $5\frac{1}{2}$  ft. dist & raised a mound

T. G. J. R. 278

Chow

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  $\frac{1}{4}$  S on W. face

47.30

Cross dry wash course N. E.

80.00

Repointed a marked stone 12 ins. in the ground for Cro. Sta.  
Dec. 20-21-28-29 dug pits  $18 \times 18 \times 12$  ins. in each rec.  $5\frac{1}{2}$  ft. dia. & raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it  
In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  
T. G. J. S. 21 on N. E.  
R. 27 E. S 28 on S. E.  
S. 29 on S. W. and



T. 9 S. R. 27 E.

chawl

S. 20 on N. W. faces with 2 notches  
on S, and 4 notches on E. edges

Surfacer level

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

---

N. 89° 30' E. on a random line bet  
Sees. 21-28

Va. 12° 30' E.

4000 Set temporary 1/4 Sec Cor

179.98 Intersect N. & S. line 12 lks. S. of  
Cor. to Secs. 21-22-27-28

Thence I run

S. 89° 25' W. on a true line bet  
Secs. 21-28 with some Va.

2453 Cross dry wash Corner N. E.

39.99 Deposited @ marked Pt on 12<sup>th</sup> line

T. 9 S. R. 27 E.

Chairs

in the ground for  $\frac{1}{4}$  sec. Cor. dug  
 pits 18x18x12 ins. E. + W. of ston  
 5 $\frac{1}{2}$  ft. dist + raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base  
 over it. In E. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins in the  
 ground marked  $\frac{1}{4}$  S. on N. face

45.18

Cross dug work corner to E.

79.98

The Cor. to secs. 20-21-28-29

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

North 19'E. bet secs 20-21

Va. 12° 30' E.

4000

Deposited a marked ston 12 ins  
 in the ground for ~~1/4~~ sec. Cor. dug

J. G. D. R. 27 E.

hoins

pts 18x18x12 ins N. + S. of stone 5 1/2 ft. dist + raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked 1/4 O. on W. face

8000

Deposited a marker stone 12 ins in the ground for Cor. to Recs. 16-17-20-21 dug pts 18x18x12 ins in each Rec. 5 1/2 ft. dist and raised a mound of earth 2 ft. high 4 1/2 ft base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked  
 Z 9. S. S. 16 on N. E.  
 R 27 E. S. 21 on S. E.  
 S. 20 on S. W. and  
 S. 17 on N. W. faces with 3 notches on

T. 9 S. R. 27 E.

chains

S. and 4 notches on E edges  
 Surface colling  
 Soil 3<sup>d</sup> rate  
 Grass fair  
 Scattering brush

---

N. 89° 30' E. on a random line  
 bet. Secs. 16-21

Va 12° 30' E.

4000 1st temporary 1/4 Sec. Cor.

80.08 Intersect N. + S. line 10 lks. S.  
 of Cor. to Secs. 15-16-21-22  
 Thence I run

S. 89° 26' W. on a true line bet Secs  
 16-21 with some Va.

31.96 cross dry wash course N. E.

4004 Deposited a marked stone 12  
 ins. in the ground for 1/4 Sec. Cor

S. 9 S. R. 27 E.

Rem

dug pits  $18 \times 18 \times 12$  ins E & W. of stone  
 $5\frac{1}{2}$  ft. dia & raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  
 E. pit drove a stake 2 ins. sq. 2 ft  
 long 12 ins. in the ground marked  
 $\frac{1}{4}$  S. on N. face

8008 The Cor. to pces 16-17-20-21

Surface Railing

Soil 3<sup>rd</sup> rate

Gross fair

Scattering brush

Forth 19' E. bet. pces. 16-17

Var.  $12^{\circ} 30'$  E.

16.70. Cross dry wash corner N. E.

40 W Deposited a marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  sec. Cor. dug  
 pits  $18 \times 18 \times 12$  ins N. & S. of stone  $5\frac{1}{2}$

62

BOOK 737

T. 9 S. R. 27 E

Chewis

ft. dia + raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
base over it. In N. pit drove a  
stake 2 ins sq, 2 ft. long 12 ins  
in the ground marked  $\frac{1}{4}$  S  
on W. face

70.40 across dry wash corner N. E.

80.00 Deposited a marked stone  
12 ins. in the ground for Cor to  
Rcs. 8-9-16-17 dug pits  $18 \times 18 \times$   
12 ins. in each Ric.  $5\frac{1}{2}$  ft. dia  
and raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base over it.  
In S. E. pit drove a stake  
2 ins. dia 2 ft. long 12 ins in  
the ground marked  
T. 9 S. S. 9 on N. E.  
R. 27 E. S. 16 on S. E.

T. 9 S. R. 27 E.

hois

S. 17 on S, W and

S. 8 on N. W. faces with 4 notches  
on S + E. edges

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

---

N.  $89^{\circ}30'$  E. on a random line bet  
Secs. 9-16

On  $12^{\circ}30'$  E.

4000 Set temporary  $\frac{1}{4}$  sec. Cor

80.06 Intersect N. + S. line 16 lks S.  
of Cor. to Secs. 9-10-15-16

Thence I run

S.  $89^{\circ}23'$  W. on a true line bet  
Secs 9-16 with some Va.

4003 Deposited a marked stone 12 ins

T. 9 S. R. 27 E.

Cherni

in the ground for  $\frac{1}{4}$  sec. Cor  
dry pits  $18 \times 18 \times 12$  ins. E + W.  
of stone  $5\frac{1}{2}$  ft. dia & raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. Pit  
dove a stick 2 ins. sq. 2 ft long  
12 ins. in the ground marked  
 $\frac{1}{4}$  S. on N. face

80.06 The cor. to Recs. 8-9-16-17

Surface Rolling

Soil 3<sup>rd</sup> rate

Gross fair

Scattering brush

North  $19^{\circ}$  E. to Recs 8-9Va.  $12^{\circ} 30'$  E.

20.10 Cross dry wash Course N. E.

40.00 Deposited a marked stone 12



T. 9 S. R. 27 E

Chains

ins. in the ground for  $\frac{1}{4}$  sec Cor  
 dug pits  $18 \times 18 \times 12$  ins. N. & S. of ston  
 $5\frac{1}{2}$  ft. dist & raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In N. pit drove a stake 2 ins  
 sq. 2 ft. long 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on W. face

8000

Deposited a marked ston 12 ins  
 in the ground for Cor. to Secs 4-5-8-9  
 dug pits  $18 \times 18 \times 12$  ins. in each Sec  
 $5\frac{1}{2}$  ft. dist & raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S. E. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins. in the  
 ground marked

T. 9 S. S. 4 on N. E.

R. 27 E. S. 9 on S. E.

S. 8 on S. W. and

T. 9 S. R. 27 E.

Chow

and D. 5 on N.W. face with  
5 notches on N. and 4 notches  
on E. edges

Surface level

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

T. 89° 30' E. on a random line  
bet. Secs. 4-9

Va. 12° 30' E.

40.00 Set temporary 1/4 Sec. Cor

79.96 Intersect N.P. line 12 Ws. S.  
of Cor. to Secs. 3-4-9-10

Thence I run

S. 89° 25' W. on a true line bet  
Secs 4-9 with from Va

39.98 Deposited a marked stone 12

T. 9 S. R. 27 E.

chairs

ins. in the ground for  $\frac{1}{4}$  Sec. Cor  
 dug pits 18x18x12 ins E. + W. of  
 stone 5 $\frac{1}{2}$  ft. dist & raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base  
 over it. In E. pit drove a stake 2 ins  
 sq. 2 ft. long 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on N. face

79.96 The Cor. to Recs. 4-5-8-9

Surface rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

N. 19' E. on a random line bet  
 Recs. 4-5

Va 12° 30' E.

4800 Set temporary  $\frac{1}{4}$  Sec. Cor.

77.94 Intersect N. bdy. of Tp. 28 R. 27 E.

T. 9 S. R. 27 E

Chains

of Cor. to Recs 4-5-32-33  
which is a post 4 ins sq. in  
mound of earth properly  
marked and pits of required  
size.

Then I ran

S.  $0^{\circ} 7' W.$  on a true line bet  
Recs. 4-5 with some Va

37.94

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec Cor  
dug pits 18x18x12 ins N. & S. of  
stone  $5\frac{1}{2}$  ft. dia. & raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In N. pit  
drove a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked  $\frac{1}{4}$  S.  
on N. face

43.69

Cross dug work corner N. E.

T. 9 S. R. 27 E.

Chemin

77.94 The cor. to Secs. 4-5-8-9

Surf on Rollins

Soil 3<sup>d</sup> out

Grass fair

Scattering brush

---

I carefully examined the adjustment  
of my Solar Transit today particularly  
the latitude and zenithing apparatus  
and found them correct

February 21 1885

From the Cor. to Secs 5-6-31-32 on S.  
side of T. 9 S. R. 27 E. previously  
described by me

I am

J. G. S. R. 27 E.

Chain

N. 19° E. bet Rec. 31-32

Va. 12° 30' E

40.00

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{2}$  Rec. Co.  
dug pits 18x18x12 ins. N + S.  
of stone 5  $\frac{1}{2}$  ft. dia. & raised  
a mound of earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base over it. In N. pit  
drove a stake 2 ins. dia. 2 ft. long  
12 ins. in the ground marked  $\frac{1}{2}$   
S. on W. face

76.00

Clears dug wash Course N. E.

80.00

Deposited a marked stone 12  
ins. in the ground for Co. to Rec  
29-30-31-32 dug pits 18x18x12  
ins. in each Rec. 5  $\frac{1}{2}$  ft. dia.  
and raised a mound of earth  
2 ft. high 4  $\frac{1}{2}$  ft. base over it

T. 9 S. R. 27 E

Chain

In S. E. pit drove a stake 2 ins sq.  
2 ft. long 12 ins in the post marked  
T. 9 S. R. 29 on N. E.  
R. 27 E. N. 32 on S. E.

S. 31 on N. W. and

S. 30 on N. W. faces with 1 notch on  
S. and 5 notches on E. edges

Surface Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

N. 89° 30' E. on a random line bet  
Rcs 29-32

Var. 12° 30' E.

4000 Set temporary 1/4 sec. cor.

79.96 Intersect N + S. line 12 W. S. of cor  
to locs. 28-29-32-33

72

BOOK 737

T. 9 S. R. 27 E

chain

thence I run

S. 89° 25' W. on a true line bet

Recs. 29-32 with some Va

39.98

Deposited a marked stone

12 ins. in the ground for  $\frac{1}{4}$  Sec

Cor. dug pits 18x18x12 ins. E &amp; W.

of stone  $5\frac{1}{2}$  ft. dist & raiseda mound of earth  $\frac{1}{2}$  ft. high $3\frac{1}{2}$  ft. base over it. In E. pit

drove a stake 2 ins sq. 2 ft long

12 ins. in the ground marked

 $\frac{1}{4}$  S. on N. face

74.96

cross dug wash corner N. E.

79.96

the cor. to Recs. 29-30-31-32

Surfacer Rolling

Soil 3<sup>rd</sup> sub

Grass fair

Scattering brush



T. G. S. R. 27 E.

Chains

S.  $89^{\circ}30'$  W. on a random line  
bet Recs. 30-31Va.  $12^{\circ}30'$  E.4000 Set temporary  $\frac{1}{4}$  sec. Cor.77.18 Intersect W. bdy. of Sp. 42 lks N.  
of Cor. to Recs. 25-30-31-36 which  
is a post 4 ins. sq. properly  
marked, in mound of earth, and  
pits of required size  
thence I ranN.  $89^{\circ}12'$  E. on a true line bet Recs  
30-31 with some Va.37.18 I pointed a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  sec. Cor. dug  
pits  $18 \times 18 \times 12$  ins. E & W. of stone  
 $5\frac{1}{2}$  ft dist & raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit drove a stake

74

BOOK 737

T. G. O. R. 29 E.

Chains

2 ins. sq. 2 ft. long 12 ins in the  
ground marked  $\frac{1}{4}$  on N. face

77.18

The Cor. to Recs. 29-30-31-32

Surf over Rolling

Soil 3<sup>d</sup> path

Cross fair

Scattering brush

---

North 19' E. bet Recs. 29-30

$\text{Va. } 12^{\circ} 30' \text{ E.}$

4000

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  sec. Cor  
dry pits 18x18x12 ins N. & S. of  
post 5 $\frac{1}{2}$  ft. dia & raised a  
mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$   
ft. high over it. In N. pit drove  
a stake 2 ins. sq. 2 ft. long 12 in  
in the ground marked  $\frac{1}{4}$  S. on W. face

T. 9 N. R. 27 E.

Chain

44.40 Cross dug work Corner N. E.

80.00 Deposited a marked stone 12 ins in  
the ground for Cor. to Secs. 19-20-29-30  
dug pits 18 x 18 x 12 ins. in each Sec.  
5 1/2 ft. dist & raised a mound of  
earth 2 ft. high 4 1/2 ft. base over it.  
In S. E. pit drove a stake 2 ft long  
2 ins. sq. 12 ins. in the ground marked  
T. 9 N. R. 20 on N. E.

R. 27 E. S. 29 on S. E.

S. 30 on S. W. and

S. 19 on N. W. faces with 2 notches  
on N and 4 notches on E. edges

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

J. G. S. R. 27 E.

Chain

T.  $89^{\circ} 30'$  E. on a random line  
bet Recs. 20-29

Va.  $12^{\circ} 30'$  E.

40.00

Set temporary  $\frac{1}{4}$  Rec. Cor.

80.08

Intersect N. & S. line 16 lks N.  
of Cor. to Recs. 20-21-28-29  
then I ran

S.  $89^{\circ} 37'$  W. on a true line bet  
Recs 20-29 with some Va.

40.04

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Rec. Cor  
dug pits  $18 \times 18 \times 12$  ins E. & W. of  
stone  $5\frac{1}{2}$  ft. dist and passed  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
dug a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked  
 $\frac{1}{4}$  S. on N. face

T. 9 S. R. 27 E.

Chains

8008

The cor. to Recs 19-20-29-30

Super Rolling

Soil 3<sup>a</sup> val.

Gross fair

Scattering brush

S.  $89^{\circ}30'$  W. on a random line  
bet. Recs. 19-30Va.  $12^{\circ}30'$  E.

4000

Sub temporary  $\frac{1}{4}$  Sec. Cor.

77.68

Intersect W. bdy. of Sp. 38 lks N.  
of cor. to Recs 19-24-25-30which is a past 4 ins. sq. in mound  
of earth properly marked and  
bits of required size

Thence I run

S.  $89^{\circ}14'$  E. on a true line bet Recs  
19. 30 with same Va.

J. G. S. R. 27 E

Chains

19.98

Cross dug with Corner N. E.

37.68

Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Rec. Cor  
dug pit 18 x 18 x 12 ins. E. W.  
of stone 5  $\frac{1}{2}$  ft. dirt & raised a  
mound of earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base over it. In E. pit  
drove a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked  $\frac{1}{4}$  S.  
on N. face

77.68

The Cor. to Recs. 19-20-29-30

Mugae rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

---

North 19' E. to Recs. 19-20

No. 12° 30' E.

## T. 9. S. R. 27 E.

- choin  
 40.00 Deposited a marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
 pits 18x18x12 ins N + S. of stone  
 5 $\frac{1}{2}$  ft. dia. & raised a mound of  
 earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In N. pit drove a stake 2 ins  
 sq. 2 ft long 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on W. face
- 41.00 Cross dug wash Corner N. E.
- 80.00 Deposited a marked stone 12 ins  
 in the ground for Cor. to Secs. 17-18  
 19-20 dug pits 18x18x12 ins in  
 each sec. 5 $\frac{1}{2}$  ft. dia. & raised  
 a mound of earth 2 ft. high 4 $\frac{1}{2}$   
 ft. base over it. In S. E. pit  
 drove a stake 2 ins sq. 2 ft. long  
 12 ins. in the ground marked  
 T. 9 S. S. 17 on N. E.

L. 9 D. R. 27 E.

Cham

R. 27 E, S. 20 on S. E.

S. 19 on S. N. and

S. 18 on N. W. faces with 3 notches  
on S. and 5 notches on E. edges

Surface Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

A. 89° 30' E, on a random line  
bet. Res. 17-20

Va. 12° 30' E.

40.00 Set temporary 1/4 Sec. Cor

79.96 Intersect N + S. line 12 lks. N.  
of Cor. to Res. 16-19-20-21

Yuna I run

S. 89° 35' W. on a true line bet  
Res 17-20 with same Va.



T. 9 S. R. 27 E.

Chains

- 38.36 across dug wash corner N. E.
- 39.98 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pits 18x18x12 ins E. & W. of stone  
5  $\frac{1}{2}$  ft. dirt & raised a mound  
of earth  $1\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft base  
over it. In E. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on N. face
- 79.96 the cor. to Secs 17-18-19-20

Sungae Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

S. 89° 30' W. on a random  
line bet Secs. 18-19

Va. 120° 30' E.

T. 9 S. R. 27 E.

Churn	
40.00	Set temporary $\frac{1}{4}$ Sec. Cor.
78.00	Intersect W. bdy. of Tp. 10 Tks N. of Cor. to Recs. 13-18-19-24 which is a post 4 ins. sq. in. around of earth properly marked and pits of required size then a I run N. $89^{\circ}26'$ E. on a true line bet Recs. 18-19 with some Va.
15.78	Cross dug wash corner N.
35.50	" " " " N.E.
38.00	Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18x18x12 ins E. & W. of stone $5\frac{1}{2}$ ft. dia & raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E. pit drew a stake 2 ins. sq. 2 ft. long

T. 9 S. R. 27 E.

Chairs

12 ins. in the ground marked  $\frac{1}{4}$  S.  
on N. face

78.00 The Cor. to Recs. 17-18-19-20

Surface Rolling

Soil 3<sup>rd</sup> rate

Grass fair

Scattering brush

A. 19' E. bet Recs. 17-18

Va. 12° 30' E.

22.30 Cross dry wash Corner N. E.

33.20 " " " " "

40.00 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pits 18x18x12 ins N + S. of stone  
5½ ft. dist and raised a mound  
of earth 1½ ft. high 3½ ft. over  
over it. In N. pit drove a stake

T. 9 S. R. 27 E.

chain

2 ins. sq 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face

80.00

Deposited a marked stone 12  
ins. in the ground for Cor to  
Recs. 7-8-17-18 dug pits 18x18x12  
ins. in each etc. 5  $\frac{1}{2}$  ft. dist  
& raised a mound of earth 2  
ft. high 4  $\frac{1}{2}$  ft. low over it  
In S. E. pit drove a stake 2 ins  
sq. 2 ft. long 12 ins. in the  
ground marked

T. 9 S. S. 8 on N. E.

R. 27 E. S. 17 on S. E

S. 18 on S. W. and

S. 7 on N. W. faces with 4 notches  
on S. and 5 notches on E. & depress

Surface Rolling

Dial 3d rate

Y. 9 S. R. 27 E.

Chain

Gross fair

Scattering bunch

f.  $89^{\circ}30'$  E. on a random line  
bet Recs. 8-17

Va.  $12^{\circ}30'$  E.

4000 Set temporary  $\frac{1}{4}$  Rec. Cor.

80.04 Intersect N. + S. line 14 Chs. N.  
of Cor. to Recs 8-9-16-17  
thence I run

S.  $89^{\circ}30'$  E. on a true line bet  
Recs 8-17 with some Va.

3584 Cross dry wash Corner N. E.

4002 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Rec. Cor. day  
posts  $18 \times 18 \times 12$  ins E. + W. of stone  
 $5\frac{1}{2}$  ft. dist + raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base

T. 9 S. R. 27 E.

Chms

over it. In E. pit down a stake  
2 ins sq. 2 ft. long 12 ins. in  
the ground marked  $\frac{1}{4}$  S. on N. face

8004 The Cor. to Secs 7-8-17-18

Surface Rolling

Soil 3<sup>d</sup> rate

Grass fair

Scattering brush

S.  $89^{\circ}30'W.$  on a random line  
bet Secs. 7-18

Pa.  $12^{\circ}30'E.$

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor

78.34 Intersect W. bdy. of Tp. 28 lbs  
N. of Cor. to Secs. 7-12-13-18  
which is a post 4 ins. sq. in  
mound of earth properly  
marked and pits of required

T. 9 S. R. 27 E.

Chairs

Size

When I saw

f. 89° 18' E. on a true line bet

Pics. 7-18 with some Va.

2552 Cross dry wash Course N. E.

3834 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  sec. Cor. dug  
pit, 18x18x12 ins E. & W. of stone  
5 $\frac{1}{2}$  ft. dirt & raised a mound of  
earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ins sq  
2 ft. long 12 ins in the ground  
marked  $\frac{1}{4}$  S. on N. face

4834 The cor. to pics 7-8-17-18

Surface Rollins

Soil 3<sup>d</sup> rate

Grows fair

Scattering brush

T. 9 S. R. 27 E.

Chairs

North 19' E. bet. piers 7-8

Va. 12° 30' E.

10.20 Cross dry wash Corner N. E.

40.00 Deposited a marked stone 12  
 ins. in the ground for  $\frac{1}{4}$  Sec. Cor  
 dry pits 18x18x12 ins N. & S. of  
 stone  $5\frac{1}{2}$  ft. dist + raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base over it. In N. pit drove a  
 stake 2 ins sq. 2 ft. long 12 ins  
 in the ground marked  $\frac{1}{2}$  S. on W  
 base

52.25 Corner dry wash Corner N. E.

80.00 Deposited a marked stone 12  
 ins. in the ground for Cor. to piers  
 5-6-7-8 dry pits 18x18x12 ins  
 in each pie.  $5\frac{1}{2}$  ft. dist + raised  
 a mound of earth  $2\frac{1}{2}$  ft. high



T. 9 S. R. 27 E.

Chains

4½ ft. base over it. In S. E. pit  
 above a stake 2 ins sq. 2 ft. long  
 12 ins. in the ground marked  
 T. 9 S. S. 5 on N. E.

R. 27 E. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces with 6 notches  
 on S. & E. edges

Surface Rolling

Soil 3<sup>d</sup> sub

Grass fair

Scattering brush

---

N. 89° 30' E. on a sandown  
 line bet. Secs 5-8

Va. 12° 30' E.

4000 Set temporary ¼ sec. Cor.

8000 Inters. set N. & S. line 10 Chs. S.

T. 9 S. R. 27 E.

chains	of Cor. to Recs 4-5-8-9 thence I run N. 89° 26' W. on a true line bet Recs. 5-8 with some va.
10.00	Cross dry wash Course N. E.
16.88	" " " " " "
40.00	Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ sec. Cor. dry pits 18x18x12 ins E. + W. of stone 5 $\frac{1}{2}$ ft. dist + raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. broad over it. In E. pit drove a stake 2 ins sq. 2 ft. long 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face
50.70	Cross dry wash Course N. E.
80.00	The Cor. to Recs 5-6-7-8 Jugan Rollins Juli 3 <sup>d</sup> rat

T. 9 S. R. 27 E.

chains

Gross fair

Scattering bench

S.  $89^{\circ}30'W.$  on a random line  
bet pces. 6-7

Va.  $12^{\circ}30'E.$ 4000 Oct temporary  $\frac{1}{4}$  Sec. Cor.

78.79 Intersect W. bdy. of Sp. 14 CR  
N. of cor. to pces. 1-6-7-12 which  
is a post 4 ins. sq. in mound of  
earth properly marked and  
bits of required size

Thence I run

N.  $89^{\circ}24'E.$  on a true line bet pces  
6-7 with dam Va.

38.79 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
pits  $18 \times 18 \times 12$  ins E. & W. of stone

91

T. 9 S. R. 27 E.

chains

5 1/2 ft. dist & raised a mound  
of earth 1 1/2 ft high 3 1/2 ft base  
over it. In E. pit drove a stake  
2 ins. sq. 2 ft long 12 ins. in the  
ground marked 1/4 S. on N. face

78.79 The cor. to Secs. 5-6-7-8

Surfaa Rollins

Coil 39 sat

Gross fair

Scattering brush

---

N. 19' E. on a random line bet  
Secs. 5-6

Va. 120 30' E.

4000 Det temporary 1/4 Sec. Cor

79.02 Interest N. bdy. of Tp. 36 Ns  
E. of cor. to Secs 5-6-31-32  
which is a post 4 ins. sq in

T. 9 S. R. 27 E.

chem

mound of earth properly marked  
and pit of required size

Thence I run

S.  $0^{\circ} 4' W.$  on a true line bet.  
Rcs 5-6 with Dam No.

39.02 Deposited a marked stone 12  
ins in the ground for  $\frac{1}{4}$  sec. Cor  
dug pits 18x18x12 ins N. + S. of  
stone  $5\frac{1}{2}$  ft. dist & raised a  
mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base over it. In N. pit drove  
a plate 2 ins. sq. 2 ft. long 12  
ins in the ground marked  $\frac{1}{4}$  S.  
on W. face

79.02 The Cor to Rcs 5-6-7-8  
Surface Rolling  
Soil 3<sup>d</sup> pat  
Grass fair

93

BOOK 737

T. 9 S. R. 27 E.

Chain

Grass fair  
 Scattering brush

---

February 21<sup>st</sup> 1885

General Description  
 of T. 9 S. R. 27 E.

The surface in this Tp. is mostly rolling, in some places level. The lines bordering 24-25 & 36 have 1<sup>st</sup> rat soil and scattering brush, the rest of the Tp. has denser brush with but few exceptions.

San Simon Cr. is not apparent in Secs 24-25 & 36. E. Martin's house in Sec. 14

BOOK 737

94

J. 9 A. R. 27 6.

For final costs see book  
No. 12