

upward
n.b. (or)

12.

BOOK 738

No. 738

Field Notes

BOOK 738

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 9 S Range 25 E

Gila and Salt River Base and Meridian

ARIZONA. No. 738

By John C. Smith D. S.

under contract dated Dec 19th, 1884.

Survey commenced Feb 26th, 1885.

Survey completed Feb 28th, 1885.

738

BOOK 738

Township 9 S. R. 28 E.

Grand S.R. M

6	97	5	73	4	57	3	39	2	21	1
96	94		72		55		37		19	
7	93	8	71	9	54	10	35	11	18	12
91	90		69		52		33		15	
18	89	17	68	16	51	15	32	14	14	13
87	86		67		49		31		12	
19	85	20	65	21	48	22	29	23	10	24
83	82		64		47		28		8	
30	80	29	62	28	45	27	26	26	7	25
79	77		61		44		25		5	
31	76	32	59	33	42	34	23	35	3	36

For preliminary notes
and description of instruments
see Book No. 1

59 S. R 28 E

No. 738

Chains

Beginning at the cor
to Secs 1, 2, 35 & 36
on Sldy. of T. P. 98,
R. 28 E; previously described
by me. I run N. bet
Secs 35 and 36

Va. $12^{\circ} 30' E$

Over Broken Mesa.

23.00

Cross Gulch course S.W.
16 links W. side

40.00

Set a Malpais stone ~~10x10x10~~
ins. 6 ins in the
ground for 44 Sec cor
marked 44 on W face
and raised a mound
of stone alongside.

4

BOOK 738

T9 SR 28E

Chains

64.00 Cross Gulch course SW
20 links W side.79.60 Cross Gulch course SW
20 links W side.80.00 Set a Malpais ^{stone} 10x10x
5 in. 6 in in the
ground for cor to
Secs 25, 26, 35 + 36
marked with 1 notch
on S and 1 notch
on E edges, and
raised a mound of
stone alongside.Surface rough + rocky
Soil 4th rate
Scattering brush

T9 SR 28E

chain

S89°41'E on a random
line bet Secs 25 + 36

W 12°30'E

40.00

Set temporary 1/4 Sec cor

80.14

I intersect the E edge of
the 17 links N of cor
to Secs 25, 30, 31 and 36
which is a malpais
rock 8x7 ins above the
ground marked with 1
notch on S and 5
notches on N edges. and
mound of stone alongside.

thence I run

N89°34'W. on a true
line bet Secs 25 + 36
with same $\frac{1}{4}$.

T9 S R 28E

Chains

40.07 Set a malpair ^{stone} 18x
 12x5 ins 11 ins in
 the ground for 1/4
 Sec cor marked 1/4 on
 N face and raised
 a mound of stone alongside

79.64 Cross Gulch course S.W
 16 links wide

80.14 The cor to Secs 25, 26
 35 and 36

Surface rolling
 Soil 4th rate
 Scattering brush

T9 SR 28E

chains

North let Secs 25+26
W 12030E

23.00 Cross Gulch 20 links

Wide Course W

40.00 Set a Malpais ^{stone} 16 x 12 x 8
ins. 11 ins. in the ground
for 1/4 Sec cor marked.
1/4 on W face and
raised a mound of
stone alongside.72.50 Cross Gulch 50 links Wide
Course W.80.00 Set a Malpais ^{stone} 14 x 12 x 8 ins
9 ins in the ground
for cor to Secs 23, 24, 25+26
marked with 2 notches
on S and 1 notch on E

T9 S R 28E

Chains

edges and raised a mound of stone alongside.

Surface rough & rolling

Soil 4th rate

Scattering brush

889° 41' E on a random line bet secs 24 & 25

QA 12° 31' E

40.00

Set temporary 44 Sec cor

79.96

Intersect the E bdy. of Tp. 12 bet Secs 19, 24, 25 & 30

which is a malpais rock 2x2 ft above the

T9 SR 28E

Main

ground marked with
2 notches on S and 4
notches on N edges. and
mound of stone alongside

Thence I run

N89° 36' W on a true
line bet Secs 24 + 25
with same Sta.

9.98 Set a Malpais ^{stone} 12 x 8 x 7 in
7 in in the ground
for 1/4 Sec cor marked
44 on N face and
raised a mound of
stone alongside.

47.96 Cross Gulch 10 links W
course S. W

79.96 The cor to Secs 23, 24, 25 & 26

T9 S R 286

Chain

Surface broken
Soil 4th/_u rate
Scattering brush

North bet Secs 23 & 24
Va 12°30'E

30.00 Over Brushy mesa
Cross Gulch 20 links
Wide Course S.W.

40.00 Set a Malpais ^{stone} 22x6
x6 ins. 16 ins in the
ground for 44 Sec cor
marked 14 on W. face
and raised a mound
of stone alongside

T9SR 28E

chains

and ascend mountain
at an angle of 20° bears W

61.00 Top of Mountain bears E or
and descend at an angle
of 13°

80.00 After making the correct
allowances. I set a
malpais stone $12 \times 9 \times 8$
in 7 in in the
ground for cor to
Secs 13, 14, 23 + 24.

marked with 3 notches
on the S and 1 notch
on E. and raised a
mound of stone along
side.

99 8 Re 286

Chain

Surface rough
and mountainous
Soil 4th rate
Scattering brush

889' 41' E on a random
line bet Secs 13 and 24
Q/A 12° 38' E

40.0 0 Set temporary 1/4 Sec cor
80.12 Entered the E Coy.
of the 20 links S of
cor to Secs 13, 18, 19 & 24.
which is a malpais
Rock 4" x 14" in above
the ground, marked
with three notches on

T9 SR 28E

chains

N 7 S edges and raised
a mound of stone alongside
Thence I run

N 89° 50' W. on a
true line bet Secs 13+24
with same. Va.

40.06 Over rough malpais mts
Set a malpais ^{stone} 15x10x7 ins
9 ins in the ground
for 1/4 Sec cor marked
1/4 on N face and
raised a mound of
stone alongside.

80.12 The cor to Secs 13, 14, 23+24
Land mountainous
Soil 4th rate
Some brush

T 9 S R 28 E

Chains

North bet Sec 13 & 14

Pa 12° 30' E

12.00 Cross Gulch Course N.W.
20 links Wide

22.00 Cross Gulch course E.W.
16 links Wide

40.00 Set a Malpais ^{stone} 12 x 12
x 7 ins 7 ins in the
ground for 1/4 Sec cor
marked 1/4 on W. face
and raised a mound
of stone alongside.

46.00 Cross Gulch course W
8 links Wide.

60.00 Cross Gulch course W
10 links Wide

T9SR.28E

Chains

65,50

Cross Gulch house S. W
5 links W ide

80.00

Set a Malpais ^{stone} 16 x 8 x 5 ins
11 ins in the ground
for cor to Secs 11, 12, 13 + 14
marked with 4 notches
on S and 1 notch on E
edges and raised a
mound of stone alongside
Surface rough
Soil 4th rate
Scattering brush

S89°41'E on a random
line bet Secs 12 + 13

Or 12°30'E

T9SR 286

Chain

40.00

80.30

Set temporary $\frac{1}{4}$ Sec cor
 I intersect the E bdy.
 of T^p 19 links N of cor
 to Secs 7, 12, 13 & 18.
 which is a Malpais
 rock 2x2 ft above
 the ground marked
 with 4 notches on S
 and 2 notches on N
 edges and a
 mound of stone alongside
 thence I run
 $N 89^{\circ} 49' W.$ on a
 true line bet Secs 12
 & 13. with same cor.

99 SR 28E

Chamiz

40.15

Set a Malpais ^{stone} 16x10x8 ins
11 ins in the ground
for 1/4 Sec cor marked 1/4
on N face and raised
a mound of stone alongside
and descend slope at
an angle of 12°

5-6.30

Enter Broken Malpais slide
Descend mountain at
at an angle of 4°

80.30

The cor to Secs 11, 12, 13 + 14
Surface Monlamius
Soil 4th rate
Some Grass

T9 LR 28E

Chain

North bet Secs 11 & 12
Ha $12^{\circ} 30' E$

- 3.00 Cross Gulch 10 links W
Course S. W and ascend at an ^{angle of} 55°
- 40.00 ^{after making the correct allowance} Set Malpais ^{stone} $12 \times 10 \times 8$ ins
7 ins in the ground
for 1/4 Sec cor marked
1/4 on W face and raised
a mound of stone along side.
- 62.00 Top of Spur 300 ft high
projects S. W. Thence
along W slope of
Malpais Mountain
- 80.00 ^{after making the correct allowance} Set a Malpais ^{stone} $12 \times 12 \times 9$
ins. 7 ins in the
ground for cor to
Secs 1, 2, 11 and 12

T9 SR 28E

chains

marked with 5 notches
on S and 1 notch on E
edges. ^{marked x} and mound of
stone along guide.

Surface Mountainous

Soil 4th rate

No Grass

889° 41' E on a random
line bet Sec 1 and 12

O/a 12° 30' E

40.00

Set temporary 7/4 Sec cor

80.40

Entered the E bdy of
Twp 31 links N of cor
to Sec 1, 6, 7 and 12.

Which is a

T9 SR 28E

Chamis

malpais ^{stone} 10x9 ins above
the ground. marked
with 5 notches on S
and 1 notch on N edges
and raised a mound
of stone along side.

Thence I run
N 89° 28' W. on
a true line bet Secs
1 and 12 with camera

40 . 20 Set a Malpais
stone 12x8x8 ins 7
ins in the ground
for 1/4 Sec cor
marked 1/4 on N face
and raised a mound
of stone alongside
and ascent

T9 SR 28E

hairs

64.40 Top of ridge bears N + S.
and descend at an
angle of 20°

0.40 the cor to Secs 1, 2, 11 + 12
Surface mountainous
Soil $4\frac{1}{2}\%$ rate.
Scattered vegetation.

North on a random
line bet Secs 1 and 2

On $12^\circ 30' E$

40.00 Set temporary 1/4 Sec cor
09.15 Intersect the N bdy.
of T₉ 12 links E of
Cor to Secs 1, 2, 35 and 36
which is a.

99 SR 28E

chain

Malpais^{etm} 10 x 8 ins
 above the ground
 marked with 1 notch
 on E and 5 notches
 on W. edges, and
 mound of stone
 alongside.

Thence I run

80° 5'E on a true
 line bet Sec 1 and
 2 with same Va

39. 15

Set a Malpais stone
 16 x 12 x 11 ins. 11 ins in
 the ground for 1/4
 Sec cor. marked 1/4
 on W. face, and
 raised a mound

T9 S R 28 E

Chain

79, 15- of stone: alongside.
 The cor to Secs 1, 2, 11 + 12
 Surface Mountainous
 Soil 4th rate
 Some Brush

From the cor to
 Secs 2, 3, 34 + 35, on
 Stay of T9 S R 28 E
 previously described
 by me. From N let
 Secs 34 + 35:

Qa 12° 30 E

99 SR 286

chains

40.00

Set a Malpais stone
 14x10x6 in 9 in in
 the ground for 1/4
 Sec cor marked 1/4
 on W. face and
 raised a mound of
 stone alongside.

45.00

cross Dry Wash course
 W. 80 links wide

80.00

Set a Malpais ^{stone} 15x
 10x4 in 9 in in the
 ground for cor to
 Secs 26, 27, 34 + 35
 marked with 1 notch
 on S and 2 notches
 on E edges. and raised
 a mound of stone

T9 SR 28E

chains

alongside.

Surface broken mesa

Soil 2nd rate + rocky

Scattered brush

random
 S89°41'E bet Secs 26 + 35
 @ a 12°30'E

10.00 Set temporary $\frac{1}{4}$ Sec cor
 80.12 Entered the N + S line
 21 links N of cor to Secs
 25, 26, 35 + 36.

Then I run
 N89°32'W. on a
 true line bet Secs 26 + 35
 with same @a.

99 SR 28E

Chain

40.06

Set a Malpais stone
 12 x 10 x 7 in 7 in in the
 ground for 1/4 Sec
 cor marked 1/4 on N
 face and raised a
 mound of stone alongside

45.12

Cross Gulch Course SW

80.12

The cor to Secs 26, 27, 34 & 35

Surface rough mesa

Soil 3rd and 4th rate

Scattering brush

North bet Secs 26 & 27

CWA 12° 30' E

10.00

Cross Gulch Course S. 75° W

30.10

" " " S. W

59 SR 28E

chains

0.00

Set a Malpais ^{stone} 12 x 10 x 8
 ins 7 ins in the ground
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$
 on W. face and raised
 a mound of stone along
 side.

0.00

Set a Malpais ^{stone} 12 x 10 x 6
 ins 7 ins in the ground
 for cor to Secs 22, 23, 26 + 27
 marked with 2 notches
 on S and 2 notches
 on E edges and raised
 a mound of stone
 alongside.

Surface rough
 Soil 3rd rate
 Scattered brush

T9 SR 28E

chains

S89°41'E on a random
line bet Secs 23 + 26

Wa 12°30'E

40.00 Set temporary 1/4 Sec cor
80.68 Intersect the R + S line
9 links N of cor to Secs
23, 24, 25 + 26.

Thence I run
N89°37'W. on a
true line bet Secs 23 + 26
with same Wa.

40.04 Set a Malpais stone
12 x 10 x 9 ins. 7 ins in
the ground for 1/4 Sec
cor marked 1/4 on N
face and raised a

F9 SR 28E

Corn

mound of earth along
side

0.08 The cor to Secs 22, 23, 26 & 27

Surface rough

Soil 4th rate

Scattering brush

North bet Secs 22 & 23

Q 12030'E

0.00 Cross Gulch course W.

0.00 Set a Malpais ^{stone} 10x10x8 ins

6 ins in the ground

for 1/4 Sec cor marked

1/4 on W face and

raised a mound of

stone alongside

59 S, R 286

Chains

54.00 Cross Gulch course W

65.00 " " " "

80.00

Set a ^{stone} Malpais, 12 x 8 x 8
 ins 7 ins in the
 ground for cor to
 Secs 14, 15, 22 and 23,
 marked with 3 notches
 on S and 2 notches
 on E edges and
 raised a mound of
 stone alongside.

Surface rough

Soil 4 $\frac{1}{4}$ rate

Scattering brush

T98R28E

Chains

S89°41'E on a random
line bet Secs 14 and 23

QA 12°30'E

40.00 Set Temporary 114 Sec cor
80.14 I intersect the N & S line
7 links S of cor to Secs
13, 14, 23 and 24.

Thence I run
N89°44'W. on a true
line bet Secs 14 & 23
with same QA.

40.07 Set a walpole ^{stone} 14x12x7 ins
9 ins. in the ground for
114 Sec cor marked 114 on
N face and raised a
mound of stone along
side.

T9 SR 286

Chain

80.14

The cor to Secs 14, 15, 22 & 23

Surface rough

Soil 4¹/₂ in rate

Scattering brush

North bet Secs 14 & 15

N 91° 30' E

34.00

Cross Gulch course N.W.

40.00

Set a malpais stone

12 x 10 x 6 ins 7 ins in

the ground for 14 Sec

cor marked 14 on W.

face and raised a

mound of stone alongside

79.00

Cross Gulch course W.

79 SR 288

chains

00.00

Set a Malpais Stone
 12 x 9 x 7 in 7 in in the
 for cor to Secs 10, 11, 14 & 15.
 marked with 4 notches
 on S and 2 notches
 on E edges and raised
 a mound of stone alongside
 Surface rough
 Soil 4th rate
 Scattered brush

S89°41'E on a random
 line bet Secs 11 and 14.

@ 12°30'E

40.00

Set temporary 1/4 Sec cor

T9 SR 286

Chain

80.12 Intersect the N + S
line 11 links N of cor
to Secs 11, 12, 13 + 14.

Thence I run
N 89° 36' W on a true
line bet Secs 11 and 14
with same va.

and descend

2.5 2 Foot of Mountain and
Cross Gulch course S.W

20.12 ascend slope at an
angle of 14°

23.12 Top of Mountain ridge
bears N.W + S.E.

40.06 ^{after making the correct allowance}
Set a ~~in~~ alphas stone
16x10x8 ins. 11 ins. in
the ground. for 14

T9 SR 28E

chains

Sec cor marked 14 on N
face and raised a mound
of stone alongside.

72.12 Descend Mountain at
an angle of 12°

20.12 The cor to Secs 10, 11, 14 & 15
Surface rough
Soil 4th rate
Scattered Brush

North bet Secs 10 & 11

Pa $12^{\circ} 30' E$

Ascend Mountain at
an angle of 12°

25.10 Summit of Butte and descend
slope at an angle of 12°

59 SR 28E

chains

40.00 Set a Malpais ^{stone} 16x8x5
 ins 11 ins in the
 ground for 1/4 Sec cor
 marked 1/4 on W. face
 and raised a mound
 of stone alongside.

50.50 Canon. 150 links wide
 50 ft deep. course S.W
 and ascend slope at
 an angle of 13°

73.00 Top of Butte and
 descend slope at an
 angle of 16°

80.00 Set a Malpais ^{stone} 12x10x6
 ins 7 ins in the
 ground for cor to
 Secs 2, 3, 10 + 11.

T9 SR 28E:

Chain

marked with 5 notches
on S and 2 notches on
E edges, and raised a
mound of stone alongside
Surface Mountainous
Soil 4th rate
Vegetation Scattering

S89°41'E on a random
line bet Secs 2 + 11

Na12°30'E

40.00 Set temporary 1/4 Sec cor

80.70 I intersect the N+S line

11 links N of cor to

Secs 1, 2, 11 and 12

Thence I run

T9 SA 28E

chains

At $89^{\circ} 36'$ W. on
a true line bet Secs
2 & 11 with same. Ia
and descend slope at an
angle of 20°

25.20

Cross match course N

40.10

after making the
correct allowances

I set a Malpais ^{stone} $12 \times 10 \times 8$
ins 7 ins in the
ground for 14 Sec
cor marked 14 on W
face and raised a
mound of stone along
side. and ascend slope at an
angle of 10°

46.20

Top of NW base N/S

T9 S R. 28 E

hairs

and descend slope at an angle of 80°

7.50

cross

Gulch Course N

10.20

The cor to Secs 2, 3, 10 & 11

Surface Mountainous

Soil 4 $\frac{1}{2}$ in rate

Vegetation Scattering

North on a random
line bet Secs 2 & 3On $120^\circ 30' E$

10.00

Set temporary 1/4 Sec cor

18.00

Intersect the N bay of

T $\frac{1}{4}$ 17 links E of cor
to Secs 2, 3, 34 and 35

79 SR 28E

Chains

which is a Malpais
Rock 3 x 3 ft above the
ground, marked with
a cross (+)

with
4 notches on W. and
2 notches on E. edges
and mound of
stone alongside.

Thence I run
S $0^{\circ}7'E$ on a true
line bet Secs 2+3
with same Pa.

ascend over broken Country
33.00 Top of
ridge bears E.W.
37.00 descend slope at an

T9 SR 28E

chain

P. 00 angle of 4°
 after making the correct allowance
 set a ^{stone} mark 10x10x8 ins
 6 ins in the ground
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$
 on W. face and raised
 a mound of stone along-
 side.

P. 50 cross gulch course N.E.
 and ascend slope at
 an angle of 6°

P. 00 The cor to Secs 2, 3, 10 & 11
 Surface mountainous
 Soil 4^{th} rate
 Scattered brush

T9 SR 28E

Chain

I carefully examined
the adjustments of
my Instrument
to day particularly
the latitude and rearing
apparatus and found
them correct.

Feb. 26th 1885

From the cor
to Secs 3, 4, 33 and 34
on S 1/4 of T9 S. R
28E. previously described
by me. I run N bet
Secs 33 + 34

Qa 12' 30" E

T9SR28E

chain

40.00 Set a Malpais ^{stone} 12x10x8
 ins 7 ins in the ground
 for 14 Sec corner marked
 114 on W. face and
 raised a mound of
 stone alongside.

80.00 Set a Malpais stone 12
 x 10 x 8 ins 7 ins in the
 ground for cor to Secs
 27, 28, 33 and 34 marked
 with 1 notch on S and
 3 on E edges, and mound
 of stone alongside.

Surface rough
 Soil 3 $\frac{1}{4}$ rate
 Scattering brush

T9SR 28E

Chains

S89°41'E on a
random line bet sec
27 and 34

va 12° 30'E

40.00 Set temporary 14 Sec cor
80.20 Intersect the N+S line
2 links N of cor to
Sec 26.27. 34 and 35.

Thence I run

N89°40'W. on a
true line bet Sec 27
& 34 with same. va

15.20 Cross Gulch Course W

34.20 " " " " "

40.10 Set a Malpais stone
10x10 x 8 in 6 in in
the ground for 14

T9 SR 28E

Lains

Sec cor marked $\frac{1}{4}$ on N
face and raised a
mound of stone alongside.

10.20 The cor to Secs 27.28.33 + 34

Surface rough
Soil 3rd rate
Scattered brush

North bet Secs 27+28

Qa 12° 30' E

10.00 Set a Malpais stone
12 x 9 x 6 ins 7 ins in
the ground for $\frac{1}{4}$ Sec
cor marked $\frac{1}{4}$ on
W. face and raised
a mound of stone

59 SR 28E

Chain

80.00 alongside.
 Set a Malpais stone
 13x8x8 ins 9 ins in
 the ground for cor to
 Secs 21, 22, 27, 28, marked
 with 2 notches on S
 and 3 notches on E
 edges and raised a
 mound of stone along
 side.

Surface rough
 Soil 3 $\frac{1}{2}$ rate
 Scattering Brush

T9 SR 28E

chains

S $89^{\circ}41'E$ on a random
line bet Secs 22 & 27

Pa $12^{\circ}31'E$

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.82 I intersect the N + S
line 22 links S of cor
to Secs 22, 23, 26 & 27.

thence I run

N $89^{\circ}58'W$ on a true
line bet Secs 22 & 27 with
same Pa.

39.91 Set a Malpais stone $14 \times 10 \times 8$
ins 9 ins in the ground
for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ on N face and raised
a mound of stone
alongside.

T 9 S R 28 E

Claims

79.82

The cor to Secs 21, 22
27 and 28Surface rough
Soil 4th rateScattering brush

North let Secs 21 & 22

4.50
40.00

Va 12° 30' E
 less dry wash course SW
 Set a Malpais stone
 16x10x6 ins 11 ins in
 the ground for 1/4
 Sec cor marked 1/4
 on W. face and raised
 a mound of stone
 alongside

T9SR 28E

chain

80.00 Set a Malpais ^{stone} 16x10x6 in.
 11 in in the ground for
 cor to Secs 15, 16, 21 & 22
 marked with 3 notches
 on S and 3 notches
 on E edges and raised
 a mound of stone
 alongside.

Surface rough

Soil 3rd rate

Scattering brush

89°41'E on a random
 line bet Secs 15 and 22

Va 12° 30'E

59 SR 286

Chains

40.00 Set temporary $\frac{1}{4}$ Sec corFO.24 Intersect the T + S
line 15 links N of cor
to Secs 14, 15, 22 + 23.

thence I run
 $N 89^{\circ} 35' W$. on a
 true line bet Secs
 15-22 with same ga.

40.12 Set a Malpais stone
 $18 \times 12 \times 6$ ins 13 ins in
 the ground for $\frac{1}{4}$
 Sec cor marked "4" on
 N face and raised
 a mound of stone
 alongside.

80.24 The cor to Secs 15/16, 21/22

T9 SR 28E

hairs

Surface rough
 Soil 4th rate
 Scattering bush

North bet Secs 16 & 15
 T9 12030E

- 2.60 Cross Dry Wash Co S.W
- 10.00 Set a Malpais ^{stone} 14x9x8 ins
 9 ins in the ground
 for 1/4 Sec cor marked
 1/4 on W. face and
 raised a mound of stone
 alongside.
- 7.00 Cross Dry Wash course SW
- 0.00 Set a Malpais stone
 18x10 x 8 ⁱⁿ 13 ins. in the

T9 S R 28E

Chain

ground for cor to
 Secs 9, 10, 15 and 16
 marked with 4 notches
 on S and 3 notches
 on E edges and
 raised a mound of
 stone alongside

Surface rough

Soil 3rd rate

Scattered brush

S89°41' E on a random
 line bet Secs 10 & 15

T9 12°30' E

40.00

Set temporary 14 Sec cor

T9 SR 2.8E

Chain

20.14 Intersect the N + S line
9 links S of cor to Secs
10, 11, 14 + 15.

Hence I run
N 89° 45' W. on a
true line bet Secs 10 + 15
with same Q.A.

3 8.14 Cross Gulch course S. W

40.07 Set a Malpais stone
12 x 10 x 10 ins 7 ins in
the ground for 14 Sec
Cor marked 14 on N
face and raised a
mound of stone alongside

80.14 The cor to Secs 9, 10, 15 + 16
Surface rough
Soil 4th rate

59 SR 289

chains

Scattering bush

North bet Secs 9+10

VA 12° 30' E

40.00

Set a Malpais ^{stone} 16 x 9 x 8
 ins 11 ins. in the
 ground for 1/4 Sec cor
 marked 1/4 on W. face
 and raised a mound
 of stone alongside.

74.00

Cross Dry wash corner

80.00

Set a Malpais Stone
 12 x 9 x 7 ins. 7 ins in
 the ground for cor
 to Secs 3, 4, 9+10 marked
 with 5 notches on S

T9 SR 28E

chains

and 3 notches on edges
and raised a mound
of stone alongside.

Surface rough

Soil 4th rate

Scattering brush

S89°41'E on a random
line bet Secs 3 + 10

Va 12°30'E

40.00 Set temporary ^{1/4} Sec cor
80.22 Intersect the N + S line
5 links S of cor to Secs
2, 3, 10, + 11.

Thence from

N89°39'W. on a true

T9 RR 20E

chains

line bet Secs 3+10
with same. Va.Ascend slope at an
angle of 15°

15.22 Top of Butte

40.11 Set a Malpais stone
 $12 \times 10 \times 8$ ins 7 ins in
the ground for 14 sec
cor marked 14 on
N face and raised
a mound of stone
alongside. and Descend

50.22 Cross Gulch course SW

80.22 The cor to Secs 3.4.9+10
Surface rough
and mountainous
Soil 4th rate

TARR 28E

Chain

Scattering brush

Work on a random
line bet Secs 3 + 4

On $12^{\circ} 30' E$

40.00 Set temporary $1/4$ Sec cor

77.00 I intersect the N body
of Tpr 35 - links W. of
Cor to Secs 3, 4, 33 + 34,

which is a malpais
rock 3×3 ft above the
ground marked with
a cross (+)

with 3 notches
on E and W. edges.
and mound of stone

T9 SR 286

Chains

alongside.

Thence I run
 S⁰⁰ 15' W. in a
 true line bet Secs 3+4
 with same. Va.

Ascend over rough
 mountains

35.00 Top of Mt. 500 ft high
 bears E.W.

37.00 ^{after making the correct allowance}
 Rock in Place 5x5x4ft
 above the ground
 which I marked
 with a cross (+) at
 exact cor point for
 14 Sec cor marked
 14 on W. face and
 raised a mound of

No. 738

BOOK 738

59

T9 SR 28E

Chains

stone alongside
and descend

50.50

Foot of Mt. bear ^{+ ascend} E & W

66.00

Top of hill 200 ft high
bear E & W and descend

77.00

The cor to Secs 3, 4, 9 & 10

Surface mountain

Soil 4th rate

Grass poor

From the cor to
Secs 4, 5, 32 & 33, T9
SR 28E on S side
of the previously described
by me I run N bet
Secs 32 & 33

(Va 12° 30' E

T9 SR 28E

Chamiz

40.00

Set a Malpais stone
 12 x 9 x 7 ins. 7 ins
 in the ground. for
 1/4 Sec cor marked
 1/4 on W. face and
 raised a mound of
 stone alongside.

80.00

Set a Malpais
 stone 12 x 12 x 8 ins
 7 ins in the ground
 for cor to Sec 28, 29
 32 and 33 marked
 with 1 notch on S
 and 4 notches on
 E edges and raised
 a mound of stone
 alongside.

T9 SR 28E

Chains

Surface Slopes W
 Soil 3rd rate
 Scattering brush

S 89° 41' E on a random
 line bet. Secs 28 & 33

40.00 ^{through dense brush} Set temporary 1/4 Sec cor

79.90 Intersect the N + S
 line 15 links S of cor
 to Secs 27, 28, 33 and 34

Thence I run
 N 89° 47' W in a
 true line bet Secs 28 & 33
 with same @.

60 62

79 SR 28E

Chains
39.9.5
40

Set a Malpais stone, 13 x 9 x 9 ins. in the ground for 1/4 Sec, Cor, marked 1/4 on face, dug pits 18 x 18 x 12 ins. 2 and 3 of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. alongside.

59.90 Leave Dense brush.

79.90 The cor to Secs 28, 29
32 + 33.

Surface Slopes W
Soil 3rd rate
Dense brush 59.90 ch
Scattering " 20.00 "

North bet Secs 28 + 29
Wa 12° 30'

20.00 Enter Dense brush
bear NW + SE

TQ SR 28E

Claims

40.00

Set a Malpais stone
12 x 9 x 6 ins 7 ins in
in the ground for $\frac{1}{4}$
Sec cor marked $\frac{1}{4}$ m
W. face and raised
a mound of stone
alongside.

80.00

Set a Malpais stone 12 x 9 x 7 ins, 9 ins
the ground for Cor. to Secs. 20, 21, 28, 29 marked
with 2 notch on S. and 4 notches on E. edges.
aug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft.
dist. and raise a mound of earth 2 ft. high
4 $\frac{1}{2}$ ft. base, alongside.

The cor set on E. side
of Dry Wash course. $\frac{1}{4}$ m
Surface rough + rolling
Soil 3rd rate
Dense brush 60 chs
Scatterings .. 20 "

79 SR 28E

chains

$S89^{\circ}41'E$ on a random
line bet Secs 21 + 28

$Wa 12^{\circ}30'E$

40.00 Set temporary $1/4$ Sec cor

79.82 I intersect the N. S
line 20 links S of
cor to Secs 21, 22, 27 + 28

Thence I run

$N89^{\circ}50'W$ on a
true line bet Secs 21 + 28

7.22 Cross Dry Wash corner N.

39.91 Set a Malpais ^{L stone} $3 \times 1 \times 8$

in 8 ins in the
ground for $1/4$ Sec
cor marked $1/4$ on
N face and raised
a mound of stone

T9 LR 28E.

drains

along side.

and leave Dry wash
course S.W. cor is in
the Dry wash.79.82 The cor to Secs 20.21
28 & 29.Surface rough
Soll 3rd. rate

Scattering brush

North bet Secs 20 & 21

N 91^o 30' E

10.00 Cross Dry wash course SW

40.00 Set a Malpais stone
14x8x8 ins 9 ins. in the
ground for S.W. cor.

59 SR 28E

Chairs

marked 1/4 on W
face and raised
a mound of stone
alongside.

80.00

Set a Malpais ^{stone} 15 x 9
x 6 ins 9 ins in the
ground for cor to
Secs 16, 17, 20 & 21
marked with 3 notches
on S and 4 notches
on E edges and
raised a mound
of stone alongside.
Surface rough
Soil 3rd rate
Scattering catsclaw brush

T9 SR 28E

chains

S89°41'E on a random
line bet Secs 16 + 21

O/A 12°30'E

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N & S line

23 links N of cor to
Secs 15, 16, 21 + 22,

Thence run

N89°31'W. on a
true line bet Secs 16 + 21
with same O/A.8.00
39.95

Cross dry wash to S.W. Stone
Set a Malpais 13x10x8 ins
9 ins in the ground
for 1/4 Sec cor. marked
1/4 on N face, and raised
a mound of stone
alongside.

68

BOOK 738

T9SR 28E

Chains

79.90

The cor to Sec 16

17.20. and 21

Surface rolling & rough

Soil 2nd rate

Scattering brush

North bet Sec 16 & 17

N 12° 30' E

30.00

Cross Dry wash course SW

40.00

Set a malpais stone, 13 x 9 x 8 ins. 8 ins.

in the ground for 1/4 Sec, Cor, marked 1 on W

face. dug pile 18 x 18 x 12 ins N and S

of stone 5 1/2 ft. dist. and raised a mound of earth

1 1/2 ft. high 9 1/2 ft. base. alongside.

T9 SR 28E.

Main

42.50

Cross Dry Wash Course SW

80.00

Set a Malpais stone

8x9x6 ins 11 ins in the
ground for corrs Secs
8, 9, 16 and 17 marked
with 4 notches on S and
E edges. and raised
a mound of stone
alongside.

Surface rough

Soil 3rd rate

Scattering brush

S 89° 41' E on a random
line bet Secs 9 & 16.

Qa 12° 31' E

T9 SR 28E

Chains

- 40.00 Set temporary 14 Sec. cor
- 80.10 Intersect the N & S
line 10 links S of cor
to Secs. 9, 10, 15 & 16,
Thence run
N 89° 45' W. on a
true line bet Secs 9
& 16 with same. Pa.
- 40.05 Set a Malpais stone
13x9x8 in 8 in in
the ground for 14
Sec. cor marked 14 on
N. face and raised
a mound of stone
alongside.
- 80.10 The cor to Secs 9, 10, 15
& 16

99 SR 28E

Claims

Surface rough
 Soil 3rd rate
 Scattering brush

North lot Secs 8 + 9

N912°30'E

40.00 Set a Malpais ^{stone} 14" x 6" x 6"
 in 9 ins in the
 ground for 1/4 Sec cor
 marked 1/4 on W. face
 and raised a mound
 of stone alongside.

41.00 Cross Gulch Course S.W

80.00 Set a Volcanic rock
 16 x 12 x 10 ins 8 ins in the
 ground for cor to Secs

72

BOOK 738

T9SR 28E

Chains

45.8 and 9 marked
 with 5 notches on
 S and 4 notches on
 E. edges ^{and raised} mound of stone
 Surface ^{alongside} rough
 Soil 4th rate
 Scattering brush

S89.041 E on a random
 line bet Secs 4 and 9

Wa 12' 30" E

40.00 Set temporary 1/4 Sec cor

80.18 Intersect the N+S
 line 31 links S of cor
 to Secs 3, 4, 9 and 10

Thence I run

T9 SR 28E:

Chains

N 89° 54' W. on a
true line bet Secs 4 + 9
with same. Va.

40.09 Set a Malpais stone
14x9x7 ins 9 ins in the
ground for ¹⁴ Sec cor
marked ¹⁴ on N face
and raised a mound
of stone alongside.

80.18 The cor to Secs 4, 5, 8, 9
Surface rough
Soil 4th rate
Scattering brush

North on a random
line bet Secs 4 + 5.

74

BOOK 738

99 SR 28E

chain

N 91² 30' E

40.00

Set temporary $\frac{1}{4}$ Sec cor

76.10

Intersect the N^W rdy
of Tp. 22 links E
of cor to Secs 4, 5
3 $\frac{1}{2}$ and 33 which is
a Linn. stone marked
with a cross (+)

and with
4 notches on E and
2 notches on W. edges
and mound of stone
alongside.

Thence I run
S 0° 9' E. on a true
line bet Secs 4 & 5
with same Va.

79 SR 28E

Chain

3 36.10

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. or W face.

76.10

The cor to Secs 4, 5, 8 and 9

Surface rough

Soil 4th rate

Scattering brush

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found

T9 SR 28E

Chain

then correct

Feb. 27th 1885

From the cor
to Secs 5, 6, 31 and 32
on S lay of T. 9 S
R 28 E. previously described
by me. I run N 4th
Secs 31 and 32.

N 91° 30' E

40.00 Set a Malpais stone
11x10x6 ins 6 ins in
the ground for 1/4
Sec cor marked 1/4 on
W. face and raised
a mound of stone

T9 SR 28E

chain

alongside.

80.00

Set a Malpais stone $11 \times 10 \times 6$ ins, 7 ins. in
 the ground for Cor. to Secs. 29, 30, 31, 32 marked
 with / notch on S. and 5 notches on E. edge,
 and pits $18 \times 18 \times 12$ ins. in each Sec., 5 ft.
 high, and raised a mound of earth 2 ft. high,
 4 ft. base, alongside

Surface rolling

Soil 3rd rate

Scattering brush

S89°41'E. on a random
 line bet Secs. 29 + 32

O912°30'E

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.78 Intersect the N + S line
 24 links N of cor to Secs

78

BOOK 738

T9 SR 286

chains

28. 29. 32 + 33.

Thence I run
N89° 31' W. on a
true line bet Secs
29 + 32 with same
Wa.

39. 89

Set a Malpais stone
13x8x8 ins 8 ins in
the ground for $\frac{1}{4}$
Sec cor marked $\frac{1}{4}$ on
N. face and raised a
mound of stone alongside
and rather dense brush

79. 78

The cor to Secs 29. 30
31 and 32.

Surface rolling
Soil 3rd rate

79 SR 28E

chains

Dense brush	39.89
W "	39.89

N 89° 41' W. on a random line bet Secs 30 + 31

Wa 12.30'E

40.00
79.07

Set temporary 1/4 Sec cor
Intersect the W. ldy of
The 10 links N of cor
to Secs, 25, 30, 31 + 36
previously described by
me.

Thence I run
S 89° 45' E. on a true
line bet Secs 30 + 31 with
same Wa.

T9 SR 28E

Chains

39.07

Set a Malpais
stone $10 \times 10 \times 9$ ins
6 ins in the ground
for 1/4 Sec cor marked
1/4 on N face and
raised a mound of
stone alongside.

79.07

The cor to Secs. 29
30. 31 and 32

Surface slopes W
Soil 3rd rate
Scattering brush

North bet Secs

29 & 30

Ta $12^{\circ} 31' E$

79 SR 286

Claims

40.00 Set a Malpais stone 17x9x8 ins. 12 ins in the ground for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on W. face and raised a mound of stone alongside. and Leave dense brush bears E. & W.

80.00

Set a malpais stone 12x8x6 ins, 7 ins. in the ground for Cor. to Secs. 19, 20, 29, 30 marked with 2 notches on S. and 5 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 ft. base. alongside.

Surface rough + rolling

Soil 3 $\frac{1}{2}$ rd rate

Dense Brush 40 chs.

Scattering " " "

T9 SR 28E

Chain

S $89^{\circ} 41' E$ on a random
line bet Secs 20 + 29
Va $12^{\circ} 30' E$

40.00 Set temporary $1/4$ Sec cor

80.12 I intersect the N + S line
23 links S of cor to Secs
20, 21, 28 + 29.

thence I run
N $89^{\circ} 51' W$ on a
true line bet Secs 20 + 29
with same Va.

4.12 Cross Dugwash Co SW

40.06 Set a Malpais stone
 $15 \times 10 \times 9$ ins. 9 ins in
the ground for $1/4$ Sec
marked $1/4$ on N face
and raised a mound.

99 SR 25E

chains

of stone alongside.

50.12 Lean rough hill + dense
bush80.12 The cor to Secs 19, 20, 29 + 30
Surface rough rolling
Soil 3rd rate
Dense bush 50.12 chs
ms. " 30.00W 89° 41' W. on a
random line bet Secs 19 + 30

. N 12° 30' E

40.00 Set temporary 1/4 Sec cor

78.63 Intersect the W. ldy of
the 18 links N of cor
to Secs 19, 24, 25 + 30
previously described by me.

T9 S R 28E

Chains

Thence Iron
 S89° 49'E on a
 true line bet Secs 19+30
 with same Va.

38.63

Set a Malpais Stone
 11x8x8 ins 6 ins in
 the ground for 44
 Sec cor marked 44 on
 N face and raised a
 mound of stone alongside.

39.91

Cross Dry wash course SW

78.63

The cor to Secs 19, 20, 29+30
 Surface slopes W.
 Soil 2nd rate
 Scattering brush

99 SR 28E

Chains

North bet Secs 19 + 20
Pa 12° 30' E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $\frac{1}{2}$ ft. dist. and raised a mound of earth 14 ft. high. 4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set a Malpais stone. 14 x 9 x 6 ins 9 ins in the ground for cor to Secs 17, 18, 19 and 20. marked with 3 notches on S and 5 notches on E edges. and raised a mound of stone along side

T9 S R 28E

Chain

Surface rolling
and levelSoil 2nd rate

Scattering brush

S89°44'E. on a random
line bet Secs 17 + 20

Va 12°30'E

40.00 Set temporary 1/4 Sec cor

80.18 Intersect the N and S
line 5 links S of cor
to Secs 16, 17, 20, 21.

Thence I run

N89°43'W. on a
true line bet Secs 17 + 20
with same Va.

99 SR 28E

chains

- 40.09 Set a Malpais stone
14x 10x 9 ins & ins in
the ground for $\frac{1}{4}$ Sec
Cor marked $\frac{1}{4}$ on N.
face and raised a
mound of stone alongside
- 80.18 The cor to Secs 17, 18, 19 and 20
Surface rough
Soil 2nd rate
Grass fair
Scattering brush

N 89° 41' W. on a random
line bet Secs 18 & 19.

N 120° 30' E

- 40.00 Set temporary $\frac{1}{4}$ Sec cor

T9 SR 28E

Chains

78.04

Intersect the W. ldy
of Tr 10. Links N
of cor to Secs 13, 18, 19 & 24,
previously described by me
Thence I run

S89° 45' E. on a true
line bet Secs 18 & 19
with same Pa.

38.04

Set a Malpais stone 25 x 6 x 5 ins. 15 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

39.04

Leav Valley Land

78.04.

The cor to Secs 17, 18, 19
& 20

Surface rough & level
Soil 2 $\frac{1}{2}$ and 4 $\frac{1}{2}$ rate

T9 SR 28E

chains

Scattering brush

North bet Secs 17 & 18

W 1/2 31 E

40.00

Set a Malpais stone, 12 x 9 x 8 ins., 7 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

50.00

Set a Malpais stone 18 x 10 x 8 ins. 13 ins. in the ground for cor to Secs 7, 8, 17 & 18 marked with 4 notches on S and 5 notches on E edges and raised a mound of stone alongside.

79 SR 28E

chain

Surface rolling
 Soil 3rd rate
 Grass fair

S89° 41' E on a random
 line bet Secs 8+17

at 12° 30' E

40.00 Set temporary 1/4 sec cor

79.90 Intersect the N+S
 10 links S of cor to
 Secs 8, 9, 16 and 17.

Thence I run
 N89° 45' W on a
 true line bet Secs
 8+17 with same Pa.

59 SR 286.

Stations

- 9.90 Enter Dry wash course W
 38.90 Leave " " " "
 39.95 Set a Malpais stone, 17x10x4
 ins 12 ins in the ground
 for 1/4 Sec cor marked
 1/4 on N face and
 raised a mound of
 stone alongside.
 40.90 Cross Dry Wash Course S.W.
 79.90 The cor to Secs 7, 8, 17 & 18
 Surface descends to W
 Soil 3rd rate
 Dense brush 50.90 chs
 W. " 29 "

N 89° 41' W. on a random
 line bet Secs 7 & 18

T9 SR 28E

chains

Va 12° 35' E

45.00

Set temporary 1/4 Sec. cor

77.66

Intersect the W. boundary of T9 14 links S of cor to Secs 7, 12, 13 and 18. previously described by me.

Thence run S89° 35' E. on a true line bet Secs 7 & 18. with same Va.

37.66

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 in. S and W of stone 54 feet apart and raised a mound of earth 12 ft. high 36 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N

T9 SR 28E

Chains	
77.66	The cor to Secs 7, 8, 17+18 Surface rolling Soil 3 rd rate Scattering brush
	North bet Secs 7+8 VA 2030E
8.50	Cross Dry Wash course W
20.00	Ascend mesa
21.00	Top of mesa 30 ft. high bear E. W.
	Hence over same.
40.00	Set a Malpais stone 15x10 x7 ins 9 ins in the ground for 1/4 sec cor

T9 SR 28E

Chains

marked 1/4 on W. face
and raised a mound
of stone alongside.

43.00

Foot of mesa bears E 80°

80.00

Set malpais stone 17. 12 11. 12
the ground for Cor. in Secs. 5, 6, 7, 8 marked
with 5 notches on S. and 5 notches on E. of 1-3,
dug pits 18 x 18 x 12 ins. in each Sec., 80 ft.
dist. and raised a mound of earth 2 ft. high,
4 1/2 ft. base. alongside.

Surface rough & rolling
Soil 2nd and 4th rate
Scattering brush

S 89° 41' E on a random
line bet Secs 5 & 8

Pa 12° 30' E

T9 SR 28E

Name

40.00 Set temporary $\frac{1}{4}$ Sec cor
 80.28 Intersect the T + S line
 20 links S of cor to
 Secs 4, 5, 8 and 9.

Thence I run
 N89° 50' W. on a
 true line bet Secs 5 & 8
 with same Pa.

40.14 Set a malpais stone 13 x 9 x 5 ins. 8 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
 face. dug pits 18 x 18 x 12 ins. E and W
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $4\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

80.28 The cor to Secs 5, 6, 7 & 8
 surface rough + rolling
 Soil 2nd and 4th rate
 Scattering brush

T9 S R 28E

chains

N 89° 41' W. on a
random line bet. secs 6+7
Va 12° 30' E

40.00 Set temporary $\frac{1}{4}$ Sec cor
77.15 Intersect the W. bdy.
of: The 22 links S
of cor to Secs 1, 6, 7+12
previously described by me.
thence I run
S 89° 32' E. on a true
line bet Secs 6+7
with same Va

37.15 Deposited a marked stone 12 ins in dia
ground for $\frac{1}{4}$ Sec. Cor. dug pits 12 x 12 sq. ft.
E and W of stone 2 feet deep and raised
a mound of earth 14 ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T9 S R 28 E

Chains

77.15

The cor to Secs 5, 6, 7 & 8
 surface rolling
 Soil 2nd rate
 Scattering brush

North on a random
 line bet Secs 5 & 6

Qa 12° 30' E

40.00

Set temporary 1/4 Sec cor

75.48

Intersect the N bay of
 T₉ 19 miles W of cor
 to Secs 5, 6, 31 and 32
 which is a Post 4
 in sq. in mound
 of earth marked.
 T8 S. S32 on N-E

T9 S R 28E

chain

R 28E S 5 on S.E.
 T 9 S. S 6 on S.W.
 and S 31 on N.W.
 faces with 5 notches
 on E and 1 notch on
 W. edges and pits
 of required size.

Hence I run
 S 0° 8' W. on a true
 line bet. Secs 5 + 6
 with same Sta.

35,48

Deposited a marked stone 12 ins. in
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft. base each
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 see.

75.48 The cor to Secs 5, 6, 7 & 8
Surface rolling
Soil 2nd ^{3rd}/₄ rate
Scattering brush

Feb. 28, 1885

General Description

cha

The Surface of this Tr. is unusually rough and broken especially in the Eastern part where there are some Malpais mountains.

There is some good grazing land in the Western part.


a scattering growth of greasewood brush and Mesquite trees are found in nearly all parts of the Tr

35.

Final Oath of U. S. Deputy Surveyor.

I John C. SmithUnited States Deputy Surveyor, do solemnly swear that in
pursuance of instructions received from Royal A.Johnson U. S. Surveyor General for Ari-
zona bearing date of the 19th day of December1884 I have well, faithfully, and truly, in my own proper
person and in strict conformity, with the instructions furnish-
ed by the U. S. Surveyor General for Arizona, the surveying
manual and the laws of the United States surveyed theSubdivisions of Tps. 9, 10, 11 & 12 S.
R. 27 & 28 E. Tps. 11 & 12 S. R. 29 and
30 E.of the principal base and meridian in the Territory of Ari-
zona, as are represented in the foregoing field notes as having
been surveyed by me and under my direction; and I do further
solemnly swear that all the corners of the said survey have been
established and perpetuated in strict accordance with the survey-
ing manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Arizona, and in the

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.


John C. Smith
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 28th
day of February 1885

J. J. Patterson
Notary Public.

Final Oaths for Surveys.

LIST OF NAMES.

A List of the Names of Individuals employed by

John C. Smith U. S. Deputy Surveyor to assist in running, measuring and marking the lines and corners described in the foregoing Field Notes of the survey of

the Subdivisions of Tps. 9, 10, 11 & 12 S.

R. 27 & 28 E. Tps. 11 & 12 S. R. 29 and 30 E.

of the principal base and meridian in the Territory of Arizona, showing the respective capacities in which they acted.

- John F. Barnes } Chainmen
- Arthur A. Jacques } Chainmen
- Joseph F. Davis } Arsen
- Charles M. Walz } Arsen
- Nicholas F. Powers - Flagman
- John A. Curtis - Carpenter

Final Oaths of Assistants.

We hereby certify that we assisted John C. Smith U. S. Deputy Surveyor, in surveying the Subdivisions of Tps. 9, 10, 11 and 12 S. Rs. 27 + 28 E. Tps. 11 + 12 S. Rs. 29 and 30 E.

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General for Arizona.

John F. Barnes,
Arthur Abagay,
Joseph F. Cronis,
Charles W. Waly,
Nicholas H. Powers,
John A. Curtis

Subscribed and sworn to before me this 28th day of February 1885

R. T. Patterson
 Notary Public.

Final Oath of U. S. Deputy Surveyor.

I John C. Smith

United States Deputy Surveyor, do solemnly swear that in
pursuance of instructions received from Royal A.

Johnson U. S. Surveyor General for Ari-
zona bearing date of the 19th day of Dec.

1884 I have well, faithfully, and truly, in my own proper
person and in strict conformity, with the instructions furnish-
ed by the U. S. Surveyor General for Arizona, the surveying
manual and the laws of the United States surveyed the

Subdivisions of Trs. 9, 10, 11 & 12 S.
Rs. 27 and 28 E. Trs. 11 & 12 S. Rs.
29 and 30 E.

of the principal base and meridian in the Territory of Ari-
zona, as are represented in the foregoing field notes as having
been surveyed by me and under my direction; and I do further
solemnly swear that all the corners of the said survey have been
established and perpetuated in strict accordance with the survey-
ing manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Arizona, and in the

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

John C. Smith

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this *28th*
day of *February* 188*5*

B. J. Patterson

Notary Public.

Final Oaths for Surveys.

LIST OF NAMES.

A List of the Names of Individuals employed by
John C. Smith U. S. Deputy Surveyor to
 assist in running, measuring and marking the lines and
 corners described in the foregoing Field Notes of the survey of
 the *Subdivision lines of*
Twp. 9. 10. 11 and 12 S. R. 27 and 28 E.
and Twp. 11 and 12 S. R. 29 and
30 E.

of the principal base and meridian in the Territory of Arizona,
 showing the respective capacities in which they acted.

Samuel A. Van Pelt, Chairman
J. W. Lundy
Chas. D. Lundy Assessor
W. H. Walker
Sidney Thomas Flyman

Final Oaths of Assistants.

We hereby certify that we assisted John C. Smith U. S. Deputy Surveyor, in surveying the subdivision lines of Tps. 9, 10, 11 and 12 S. Rs. 27 and 28 E. and Tps. 11 and 12 S. Rs. 29 and 30 E.

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General for Arizona.

James H. Anderson
J. H. Lundy

Chas. S. Lundy

W. W. Walker

Sidney Thomas

Subscribed and sworn to before me this 25th

day of February 1885

R. S. Patterson
Notary Public.

U. S. Surveyor General's Office,

Tucson, Arizona, June 5 1885

The foregoing Field Notes of the Survey of the

Township 9 South
Range 28 E

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

John C. Smith

Deputy Surveyor, under his contract of the

19th

day of

December

, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson
Surveyor General.