

Contract No. 57 BOOK 739

12

No. 739

Copy

# Field Notes

BOOK 739

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township 9 S Range 2 & E

Gila and Salt River Base and Meridian

ARIZONA.

No. 739

By J. B. Smith D. S.

under contract dated Dec 19 1885

Survey commenced Feb 26 1885

Survey completed Feb 28 1885

739

BOOK 739

INDEX.

Township 9 South, Range 28 East,

Gila and Salt River Meridian.

6	67	5	49	4	38	3	27	2	15	1
66	65		48		37		26			14
7	64	8	48	9	36	10	24	11	13	12
63	61		47		35		23			11
18	61	17	46	16	34	15	22	14	10	13
59	58		45		33		21			9
19	57	20	44	21	32	22	20	23	7	24
56	55		43		31		19			6
30	54	29	42	28	31	27	18	25	5	25
53	52		41		30		17			4
31	51	32	40	33	29	31	16	35	3	35

For preliminary notes read  
 description of instrument in  
 book No. 1

T. 9 S. R. 28 E.

No. 739

Chain

Beginning at the Cor to Secs 1-2-35-36 on South bdy. of T. 9 S. R 28 E. previously described by me

I run both

but Secs. 35-36

Va. 12° 30' E.

On broken Mesa

- 23.00 Cross gulch Course S.W. - 16' wide
- 40.00 Set a Malpais stone 10x10x8 ins 6 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a mound of stone along side
- 64.00 Cross gulch Course S.W. 20' wide
- 79.60 " " 20' wide Course S.W.
- 80.00 Set a Malpais stone 10x10x8 ins 6 ins. in the ground for Cor to Secs 25-26-35-36 marked with 1 notch on N. and E. edges and raised

T. 9 S. R. 28 E

Chain

a mound of stone along side  
 Surface rough & rocky  
 Soil 4<sup>th</sup> rate  
 Scattering brush

---

S. 89° 41'

E. on a random line bet Recs 25-36

Va. 12° 30' E.

40.00

Set temporary  $\frac{1}{4}$  Rec. Cor

80.14

Intersect E. bdy. of Sp. 17 lks

N. of Cor. to Recs 25-30-31-36

which is a malpais rock 8x9  
 ins. above the ground marked  
 with 1 notch on S. & 5 notches  
 on N. edges and mound of  
 stone along side

Thence I run

N. 89° 34' N. on a true line bet

Recs. 25-36 with same Va.



T. 9 S. R. 28 E.

Chowin

4007

Set a Malpais rock 18x12x5 ins  
11 ins. in the ground for  $\frac{1}{4}$  Rec Cor.  
marked  $\frac{1}{4}$  on N. face and raised  
a mound of stone along side

7964

Cross gulch 16 lks wide Corner S.W.

8014

The Cor. to Recs 25-26-35-36

Surface Rillings

Soil 4<sup>th</sup> rat

Peattering bench

North bet Recs. 25-26

Pa. 12030' E.

23.00

Cross gulch 20 lks wide Corner W.

4008

Set a Malpais stone 16x12x8 ins  
11 ins. in the ground for  $\frac{1}{4}$  Rec Cor.  
marked  $\frac{1}{4}$  on W. face & raised a  
mound of stone along side

72.50

Cross Wash 50 lks wide Corner W.

J. 9 S. R. 28 E.

Cheris

80.00

Set a Malpais stem  $14 \times 12 \times 8$   
 ins. 9 ins. in the ground for  
 Cor. to Recs 23-24-25-26  
 Marked with 2 notches on S.  
 and 1 notch on E. edged and  
 raised a mound of stem along side  
 Surface rough & rocky  
 Soil 4<sup>th</sup> rate  
 Scattering brush

---

S. 89° 41' E. on a random line  
 bet Recs 24-25

Na 12° 30' E.

40.00

Set temporary  $\frac{1}{4}$  Sec Cor

79.96

Intersect E. bdy. of Tp. 12 N  
 S. of Cor. to Recs. 19-24-25-30  
 which is a Malpais rock  $2 \times 2$   
 ft. above the ground marked

T. 9 S. R. 28 E.

chains

with 2 notches on S. and 4 notches  
on N. edges and around of stone  
alongside

Hence I run

N. 89° 36' W. on a true line. bet Secs  
24-25 with Town Va.

39.98 Set a malpais rock 12 x 8 x 7 in  
7 in. in the ground for 1/4 Sec. Cor  
marked 1/4 on W. face and raised  
around of stone alongside

47.96 Cross gulch 10 lks wide across S.W.

79.96 The Cor. to Secs. 23-24-25-26

Surface broken

Soil 4<sup>th</sup> rate

Scattering brush

North bet Secs. 23-24

Va. 12° 30' E.



8

BOOK 739

T. G. S. R. 28 E

Chains

Over bushy Mesa

30.00 Cross gulch 20 ft. wide, Com. S. W.

40.00 Set a Malpais Stone  $22 \times 6 \times 6$  ins  
16 ins. in the ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  on W. face &  
raised a mound of stone  
alongside andAscend Mountain at an angle  
of  $20^\circ$  to S. W.61.00 Top of Mountain to E & W.  
and descend at an angle of  $13^\circ$ 80.00 After making correct allowance  
I set a Malpais Stone  $12 \times 9 \times 8$   
ins  $\times$  ins. in the ground for Cor  
to sec 13-14-23-24 marked  
with 3 notches on S. & 1 notch  
on E. edges & raised a mound  
of stone alongside



T. G. S. R. 28 E.

chain

Surface rough & Mountainous  
Soil 4<sup>th</sup> rate  
Scattering Brush

---

S. 89° 41' E. on a random  
line bet Secs. 13-24

Va. 12° 30' E.

4000 Set temporary 1/4 Sec. Cor

80.12 Intersect E. bdy. of Sp. 20 W. S.  
of Cor. to Secs. 13-18-19-24 which  
is a Malpais rock 14 x 4 ins above  
the ground marked with 3 notches  
on S & N. edges and mound of  
stone along side

Thence I run

N. 89° 50' W. on a true line bet Secs  
13-24 with some Va.

40.06 Set a Malpais stone 15 x 10 x 7 ins

T. 9 S. R. 28 E.

Chairs

in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  on N. face & raised  
a mound of stone along side

80.12

The Cor. to Secs 13-14-23-24

Sand Mountainous

Soil 4<sup>th</sup> rate

Some brush

---

North bet Secs. 13-14

Pa.  $12^{\circ} 30' E.$ 

12.00

Cross gulch 20 lks wide Corner N.W.

22.00

" " 16 " " " W.

40.00

Set a malpais stone  $12 \times 12 \times 7$   
ins. 7 ins. in the ground for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  on W. face &  
raised a mound of stone along side

46.00

Cross gulch 8 lks wide Corner W.

60.00

" " 10 " " " "

65.00

" " 5 " " " S.W.

Y. 9 S. R. 28 E.

Chains

80,00

Set a Malpais stone  $16 \times 8 \times 5$  ins 11  
ins. in the ground for Cor to Pies  
11-12-13-14 marked with 4 notches  
on S. and 1 notch on E. edges  
and raised a mound of stone  
along side

Surface Rough

Sai 4<sup>th</sup> rate

Scattered Bricks

S.  $89^{\circ} 41'$  E. on a random line  
bet Pies 12-13

Na.  $12^{\circ} 30'$  E.

4000

Set temporary  $\frac{1}{4}$  sec. Cor.

8038

Intersect E. bdy. of Sp. 19 lks  
N. of Cor. to Pies. 7-12-13-18 which  
is a Malpais rock  $2 \times 2$  ft. above  
the ground marked with 4 notches



T. 9 S. R. 28 E.

Chains

No grass

S. 89° 41' E. on a random  
line bet secs 1-12

Va. 12° 30' E.

40.00

Set temporary 1/4 Sec. Cor

80.40

Intersect E. bdy of Tp. 30 lks  
N. of Cor. to Secs. 1-6-7-12

which is a Malpais stone  
10x9 ins above the ground  
marked with 5 notches on S.  
and 1 notch on N. Edges and  
mound of stone along side  
Thence I run

N. 89° 28' W. on a true line bet  
secs 1-12 with some Va.

40.20

Set a Malpais rock 12x8x8  
ins. 7 ins. in the ground for

T. 9 S. R. 28 E

chains

$\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of stone along side  
Ascend

64.40 Top of ridge bet. N. & S. and  
descend at an angle of  $20^\circ$

80.40 The Cor. to Secs. 1-2-11-12

Surface Mountainous

Soil 4<sup>th</sup> rate

Scattering Vegetation

---

North on a random line bet Secs 1-2

Pa.  $12^\circ 30'$  E.

4000 Det temporary  $\frac{1}{4}$  Sec. Cor.

79.15 Intersect N. bdy. of Tp. 12 E.  
E. of Cor. to Secs 1-2-35-36 which  
is a Malpais stone  $10 \times 8$  ins above  
the ground marked with 1 notch  
on E. & 5 notches on W. edges

T. 9 S. R. 28 E

Chains

and mound of stone along side  
thence I run

S. 0° 5' E on a true line bet  
secs. 1-2 with corner Va.

39.15 Set a Malpais stone 16x12x11  
ins. 11 ins. in the ground for  
1/4 sec. Cor. marked 1/4 on W.  
face & raised a mound of  
stone along side

Surface Mountainous

Soil 4<sup>th</sup> rate

Some brush

---

From the Cor. to Secs 2-3-34-35  
on S bdy. of T. 9 S. R. 28 E.

previously described by me

I run

North bet Secs 34-35



T. 9 S. R. 28 E.

Chavis

Va. 12° 30' E.

- 4400 Set a Malpais rock 14 x 10 x 6 ins  
9 ins. in the ground for  $\frac{1}{4}$  sec. Cor  
marked  $\frac{1}{4}$  on W. face & raised  
a mound of ston along side
- 4500 Cross dry wash 80 yds wide Course W.
- 80.00 Set a malpais ston 15 x 10 x 4 ins.  
9 ins. in the ground for Cor. to sec  
26-27-34-35 marked with 1 notch  
on S. & 2 notches on E. edges and  
raised a mound of ston along side
- Surface broken mesa  
Soil 2° rate and rocky  
Scattering brush

S. 89° 41' E. on a random line  
bet sec. 26-35

Va. 12° 30' E.

## T. 9 S. R. 28 E.

Chains

4000

Set temporary  $\frac{1}{4}$  Sec. Cor

80.12

Intersect the N. &amp; D. line 21 lks

N. of Cor. to Secs. 25-26-35-36

thence I run

N.  $89^{\circ} 32' W.$  on a true line bet

Secs. 26-35 with Town Va.

~~4000~~ 0.06

Set a 2x2 pair stone  $12 \times 10 \times 7$   
 in 8 in. in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on N. face  
 and raised a mound of stone  
 along side

4512

Cross gulch Cross S. W.

80.12

The Cor. to Secs. 26-27-34-35

Surface rough mesa

Soil 3 or 4' pale

Scattered brush

---

 Fourth bet Secs 26-27
Va.  $12^{\circ} 30' E.$

T. 9 S. R. 28 E.

Chain

1000 Cross gulch corner S. 75° W.

3010 " " " S. W.

4000 Set a Malpais rock 12x10x8 in  
8 in. in the ground for 1/4 Sec. Cor.  
marked 1/4 on W. face + raised  
a mound of stone along side

80.00 Set a Malpais stone 12x10x6 in 8 in  
in the ground for Cor. to Recs 22-23-26  
27 marked with 2 notches on N.E.  
edges + raised a mound of stone  
along side

Super rough

Soil 30 rate

Scattering brush

S 89° 41' E. on a random line bet  
Recs. 23-26

N. 12° 30' E.

4000 Set temporary 1/4 Rec. Cor



L. 9 S. R. 28 E.

Chains

When I run

N. 89° 44' W. on a true line bet  
Secs. 14-23 with some Va.

40.07

Set a Malpais stone 14 x 12 x 9 in  
9 in. in the ground for  $\frac{1}{4}$  Sec Co  
marked  $\frac{1}{4}$  on N. face & raised  
a mound of stone along side

80.14

The Cor. to Secs 14-15-22-23

Surface rough

Soil 4<sup>th</sup> rate

Scattering brush

---

North bet Secs. 14-15

Va. 12030 E.

34.00

Cross gulch course N. W.

48.00

Set a Malpais stone 12 x 10 x 6 in  
8 in. in the ground for  $\frac{1}{4}$  Sec  
Co marked  $\frac{1}{4}$  on W. face & raised  
a mound of stone along side

T. 9 S. R. 28 E.

Chain

49.00

Cross gulch corner W.

80.00

Set a well-pair stone  $12 \times 9 \times 7$  in  
 8 in. in the ground for Cor. to Rec 10-11-  
 14-15 marked with 4 notches on S,  
 and 2 notches on E. edges & raised  
 a mound of stone along side

Surface rough

Died 4<sup>th</sup> rat

Scattering brush

S.  $89^{\circ} 41' E$  on a pencil line bet  
 Recs. 11-14

Va.  $12^{\circ} 30' E$ .

40.00

Set temporary  $\frac{1}{4}$  Rec. Cor.

80.12

Intersect N. & S. line 11 Mk. N. of Cor  
 to Recs. 11-12-13-14

Then I run

N.  $89^{\circ} 36' W$ . on a true line bet Recs  
 11-14 with Run Va. & descend

## T. of S. R. 28 E.

Chain

- 2.52 Foot of mountain and  
Cross gulch Course S.W.
- 20.12 Ascend Slope at an angle of  $14^{\circ}$
- 23.12 Top of mountain ridge bet N.W. & S.E.  
After making correct allowance at
- 40.06 Set a Malpais stone  $16 \times 10 \times 8$  in  
11 in. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face & raised  
a mound of stone along side
- 72.12 Descend Mountain at an angle of  $12^{\circ}$
- 80.12 The Cor. to Recs 10-11-14-15
- Superior soil  
Soil 4<sup>th</sup> rate  
Scattering brush
- 

Forth bet Recs. 10-11

Va.  $12^{\circ} 30' E.$ Ascend Mountain at an angle of  $12^{\circ}$



T. 9 S. R. 28 E.

Chow

25.10

Summit of Butte and descend slope at an angle of  $12^{\circ}$

40.00

Set a Malpais Stone  $16 \times 8 \times 5$  ins 11 ins. in the ground for  $\frac{1}{4}$  Sec. Cor marked  $\frac{1}{4}$  on W. face & raised a mound of stone along side

50.50

Canyon 150 lks. wide 50 ft. deep  
Course S. W.

73.00

Top of Butte and descend slope at an angle of  $16^{\circ}$

80.00

Set a Malpais Stone  $12 \times 10 \times 6$  ins 8 ins. in the ground for Cor. to Secs 2-3-10-11 marked with 5 notches on D. & 2 notches on E. edges & raised a mound of stone along side

Surface Mountainous

Soil 4<sup>th</sup> rate

Vegetation Scattering

T. G. S. R. 25 E.

Chain

S.  $89^{\circ}41'E$  on a random line  
bet. Res. 2-11Va.  $120^{\circ}30'E$ .

40.00

Set temporary  $\frac{1}{4}$  Dec. Cor

80.20

Intersect N. & S. line 11 lks. N. of  
Cor. to Res. 1-2-11-12

then a S. run

T.  $89^{\circ}36'W$  on a true line bet  
Res 2-11 with some Va. and  
descend slope at an angle of  $20^{\circ}$ 

40.10

After making correct allowance  
Set a Malpais Elm  $12 \times 10 \times 8$  in  
8 in. in the ground for  $\frac{1}{4}$  Dec. Cor  
marked  $\frac{1}{4}$  on N. face & raised a  
mound of Elm along side, and  
ascend slope at an angle of  $10^{\circ}$ 

46.20

Top of mountain bet. N. & S. and  
descend slope at an angle of  $8^{\circ}$ 

67.50

Cross gulch corner N.

## T. 9 N. R. 28 E.

Chain  
8020

The con. to Res 2-3-10-11

Surf. Mountainous

Soil 4<sup>th</sup> rate

Vegetation scattering

North on a random line bet Res. 2-3

Va 12° 30' E.

4000

Set temporary to Res. Cor.

7800

Intersect N. bdy. of Sp. 17 N. E. of

Cor to Res. 2-3-34-35 which is a

Malpais rock 3x3 ft. above the

ground, <sup>marked</sup> with 4 notches on W. & 2

notches on E. edge and + (cross)

and mound of stone along side

thence I run

S. 0° 7' E. on a true line bet Res 2-3

with down Va,

Ascend over broken country

3300

Top of ridge bet. E. &amp; W.



J. G. S. R. 28 E.

Chains

37.00

Descend slope at an angle of  $4^{\circ}$

38.00

After making correct allowance  
Set a Malpas stone  $10 \times 10 \times 8$  in  
basis in the ground  $\frac{1}{4}$  in. Cor  
marked  $\frac{1}{4}$  on W. face + raised a  
mound of stone along side.

38.50

Cross gutch Corner N. E. and ascent  
slope at an angle of  $6^{\circ}$

78.00

The cor. to Secs. 2-3-10-11

Surface mountainous

Soil 4<sup>th</sup> rot

Scattering brush

---

I carefully examined the adjustment  
of my instrument today particularly  
the latitude + reversing apparatus  
and found them correct

T. 9 S. R. 28 E.

Chert

From the Cor. to Secs. 3-4-33-34  
on S. bdy of T. 9 S. R. 28 E. previously  
described by me

Iron

North bet secs. 33-34

va. 120 30' E.

- 40.00 Set a Malpais stone 12x10x8 ins. 8  
ins. in the ground for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  on W. face. & raised a  
mound of stone along side
- 80.00 Set a Malpais stone 12x10x8 ins. 8 ins.  
in the ground for Cor. to Secs 27-28-33-  
34 marked with 1 notch on S. and  
3 notches on E. edges & raised a  
mound of stone along side
- Surface rough  
Soil 3<sup>d</sup> rate  
Scattering brush
-

T. 9 S. R. 28 E.

Chains

S.  $89^{\circ}41'E$ . on a random line  
bet. Recs. 27-34  
Va.  $12^{\circ}30'E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Rec. Cor
- 80.20 Intersect N. & S. line 24k N. of  
Cor. to Recs 26-27-34-35  
thence I run  
N.  $89^{\circ}40'W$ . on a true line bet Rec  
27-34 with found Va.
- 15.20 Cross gulch Corner S.W.
- 34.20 " " " " "
- 40.10 Set a malpais stone  $10 \times 10 \times 8$  in  
to vis. in the ground for  $\frac{1}{4}$  Rec. Cor.  
marked  $\frac{1}{4}$  on N. face & raised a  
mound of stone along side
- 80.20 the Cor. to Recs. 27-28-33-34  
Surface rough  
Soil 3<sup>rd</sup> rate  
Scattering brush



J. G. S. R. 28 E.

Chains

North bet Recs. 27-28

Va. 120 30' E.

4000

Set a Malpais stone  $12 \times 9 \times 6$  ins. 8  
ins. in the ground for  $\frac{1}{4}$  sec. Cor. and  
marked  $\frac{1}{4}$  on W. face + raised a  
mound of stone alongside

80.00

Set a malpais stone  $13 \times 8 \times 8$  ins 9  
ins. in the ground for Cor to Recs. 21-22  
27-28 marked with 2 notches on S.  
+ 3 notches on E. edges + raised a  
mound of stone along side

Surfaces rough

Soil 3<sup>rd</sup> rate

Scattered brush

S. 89° 41' E. on a random line bet  
Recs. 22-27

Va. 120 30' E.

4000

Set temporary  $\frac{1}{4}$  Recs Cor

T. G. S. R. 28 E.

shows

- 79.82 Distance N & S. line 22 W. S. of  
Cor. to Res 22-23-26-27  
There I saw  
N. 89° 50' W. on a true line bet  
res. 22-27 with some Va.
- 39.91 Set a Malpais stone 14 x 10 x 8 ins  
9 ins in the ground for 1/4 Sec. Cor.  
marked 1/4 on N. face & raised a  
mound of stone along side
- 79.82 The cor. to Res. 21-22-27-28  
Surface rough  
Dirt 4<sup>th</sup> rat  
Scattering brush
- 
- North bet. Res 21-22  
Va. 12° 30' E.
- 41.50 Cross dry wash Corner S.W.
- 40.00 Set a Malpais stone 16 x 10 x 6 ins  
11 ins. in the ground for 1/4 Sec. Cor

J. G. S. R. 28 E.

chairs

marked  $\frac{1}{4}$  on W. face + raised a mound of stone alongside

8000 Set a malpais stone  $16 \times 10 \times 6$  ins. 11 ins. in the ground for Cor. to Recs. 15-16 21-22 marked with 3 notches on S. + E. edges + raised a mound of stone alongside

Surfacer rough

Soil 3<sup>a</sup> salt

Scattering brush

S.  $89^{\circ} 41' E$ , on a random line bet Recs. 15-22

Va.  $12^{\circ} 30' E$ .

4000 Set temporary  $\frac{1}{4}$  Rec. Cor

80, 24 Intersect N. + S. line 15 lks. N. of Cor. to Recs. 14-15-22-23

thence I run

T.  $89^{\circ} 35' W$ , on a true line bet Recs



J. G. S. R., 28 E.

Chairs

15-22 with room Va.

40.12

Set a malpais stone 18x12x6 ins  
13 ins. in the ground for  $\frac{1}{4}$  Rec. Cor  
marked  $\frac{1}{4}$  on N. face & raised  
a mound of stone along side

80.24

The Cor. to Recs 15-16-21-22

Surface rough

• Soil 4<sup>th</sup> pate

Scattering brush

North bet. recs. 15-16

Va. 12° 30' E.

12.60

Cross dig work Corner S.W.

40.00

Set a malpais stone 14x9x8 ins  
9 ins. in the ground for  $\frac{1}{4}$  Rec. Cor.  
marked  $\frac{1}{4}$  on W. face & raised  
a mound of stone along side

69.00

Cross dig work Corner S.W.

80.00

Set a malpais stone 18x10x8 ins

T. 9 S. R. 28 E.

Chorin

13 ins. in the ground for Cor. to Recs  
9-10-15-16 marked with 4 notches  
on S. and 3 notches on E. edges &  
raised a mound of stone alongside

Surface rough

Soil 3a rate

Scattering brush

S.  $89^{\circ}41'$  E on a random line  
bet Recs. 10-15

Va.  $120^{\circ}30'$  E.4000 Set temporary  $\frac{1}{4}$  Sec. Cor80.14 Intersect N & S. line of  $\frac{1}{4}$  Sec. S. of Cor.  
to Recs. 10-11-14-15

Thence I run

T.  $89^{\circ}45'$  W. on a true line bet Recs  
10-15 with some Va.

38.14 Cross dry wash Corner S. W.

4007 Set a malpais stone  $12 \times 10 \times 10$  ins

J. 9 A. R. 28E.

Chowin

8 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face & raised

a mound of stone along side

80.14 The Cor. to Recs. 9-10-15-16

Surface rough

Soil 4<sup>th</sup> pat.

Scattering brush

---

North bit Recs 9-10

Var  $12^{\circ} 30' E.$

40.00 Set a malpais stone  $16 \times 9 \times 8$  ins

for  $\frac{1}{4}$  sec. Cor  
11 ins. in the ground <sup>5</sup> marked  $\frac{1}{4}$  on

W. face & raised a mound of stone  
along side

74.00 Even day work Course W.

80.00 Set a Malpais stone  $12 \times 9 \times 7$  ins

8 ins. in the ground for Cor. to Recs.

3-4-9-10. marked with 5 notches

on S. & 3 notches on E. edges and



J. G. A. R. 28 E.

Chain

raised a mound of stone along side  
 Surface rough  
 Soil 4<sup>th</sup> rate  
 Scattering brush

~~S. 89° 41' E. on a c~~

S. 89° 41' E. on a random line bet  
 Recs. 3-10  
 Va 120 30' E.

4000 Set temporary 1/4 Rec. Cov

80.22 Intersect N. & S. line 5 Ws. S. of Cov  
 to Recs 2-3-10-11

Then I run

N. 89° 39' W. on a true line bet  
 Recs. 3-10 with some Va.

Ascend slope at an angle of 15°

15.22 Top of Butte

40.11 Set a malpais stone 12x10x8 ins  
 8 ins. in the ground for 1/4 Rec. Cov

T. 9 N. R. 28 E.

Chavis

Marked  $\frac{1}{4}$  on N. face + raised  
a mound of stone along side

50.22 Cross gulch Corner S. W.

80.22 The Cor. to Recs. 3-4-9-10

Surface rough and  
mountainous

Soil 4<sup>th</sup> rate

Scattering brush

---

North on a random line bet Recs 3-4

Va.  $12^{\circ}30'$  E.40.00 Set temporary  $\frac{1}{4}$  Rec. Cor.

77.00 Inters. set N. bdy. of Sp. 35 W.

W. of Cor. to Recs. 3-4-33-34

which is a Malpais rock  $3 \times 3$  ft  
above the ground marked with  
a cross (+) with 3 notches on  
E. + W. edges + mound of stone  
along side

T. 9 S. R. 28 E.

Chains

Thence I run

S.  $0^{\circ} 15' W.$  on a true line bet 2 ccs  
3-4 with some Va.

Ascend over rough mountains

35.00 Top of mountain 500 ft high bet. E. & W.

37.00 After making correct allowance  
Rock in place  $5 \times 5 \times 4$  ft above the  
ground which I marked with a  
Cross (+) at exact corner point  
for  $\frac{1}{4}$  cc. Cor. marked  $\frac{1}{4}$  on W face  
and raised a mound of dirt along side

50.50 Fork of mountain bet. E. & W. and  
ascend

66.00 Top of hill 200 ft high bet. E. & W. and  
descend

77.00 Thence to ccs. 3-4-9-10

Surface mountainous

Soil 4 ft rate

Grass poor



## T. 9 S. R. 28 E

Chain

From the Cor. to Res 4-5-32-33  
on S. bdy of T. 9 S. R. 28 E  
previously described by me  
Iron

North bet Res 32-33

Va. 120 30' E

40.00

Set a malpais rock 12 x 9 x 7 in  
8 in. in the ground for  $\frac{1}{4}$  sec. Cor.  
marked 1/4 on W. face & raised  
a mound of stone along side

80.00

Set a malpais stone 12 x 12 x 8 in  
8 in. in the ground for Cor. to Res  
28-29-32-33 marked with 1 notch  
on S + 4 notches on E. edges &  
raised a mound of stone along side

Surfau Slope W.

Soil 3<sup>rd</sup> rate

Scattering brush

## T. 9 S. R. 28 E.

Chain

S.  $89^{\circ}41'$  E. on a rounded line  
bet Recs. 28-33

Na.  $12^{\circ}30'$  E.

Through dense brush

4000 Set temporary  $\frac{1}{4}$  Sec. Cor.79.90 Intersect N + S. line 15 Ch. S. of  
Cor. to Recs. 27-28-33-34

Then I saw

N.  $89^{\circ}47'$  W. on a true line bet Rec  
28-33 with down Na.

39.95 Set a Malpais Stone  $13 \times 9 \times 9$  in  
8 in in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{2}$  on N. face, dug pits  
 $18 \times 18 \times 2$  in E & W. of Stone  $5\frac{1}{2}$  ft  
dibs & raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base along side

5990 Leave dense brush

7990 The Cor. to Recs. 28-29-32-33

Surpass above N.

T. G. S. R. 28E.

Chairs

Soil 3<sup>rd</sup> row

Dense bush 5990 Chs

Scattering " 20 "

North lat. Recs. 28-29

20.00 Entire dense bush bis N, W, + S. E.

40.00 Set a Malpais Stone 12x9x6 ins  
7 ins in the ground for  $\frac{1}{4}$  Recs Cor  
marked  $\frac{1}{4}$  on W. face & raised a  
mound of stone along side80.00 Set a Malpais Stone 14x9x7 ins  
9 ins. in the ground for Cor to recs  
20-21-28-29 marked with 2  
notches on S. & 4 notches on E. edge  
dig pits 18x18x12 ins. in each rec  
5 $\frac{1}{2}$  ft. dirt & raised a mound of  
earth 2 ft. high 4 $\frac{1}{2}$  ft. base along side  
The Cor. is set on E. side. dig work  
Cross W.



J. 9 S. R. 28 E.

Chain

Surface rough & rolling

Soil 3<sup>a</sup> rate

Down bank 60 ch

Scattering " 20 "

S. 89° 41' E. on a random line  
bet Recs. 21-28

Va. 12° 30' E.

4000 Pit temporary 1/4 Rec. Cor.

7982 Intersect N. & S. line 20 W. S. of Cor  
to Recs. 21-22-27-28

Then I saw

N. 89° 50' W. on a true line bet Recs  
21-28 with some Va.

7.22 Cross dry wash Crown S. W.

39.91 Set a malpais rock 13x10x8 in  
8 in. in the ground for 1/4 Rec. Cor.  
marked 1/4 on N. face & raised a  
mound of stone along side.

T. 9 S. R. 28 E.

Cheris

and leave dry wash Course S. W.  
Cor. is in the dry wash

7982

The Cor. to Recs, 20-21-28-29

Surface rough

Soil 3<sup>rd</sup> rate

Scattering brush

North bet Recs 20-21

Va. 12° 30' E.

10.00

Cross dry wash Course S. W.

40.00

Set a Malpais rock 14 x 8 x 8 in  
9 ins. in the ground for 1/4 Sec. Cor.  
marked 1/4 on W, face & raised a  
mound of stone along side

80.00

Set a Malpais stone 15 x 9 x 6 ins  
9 ins. in the ground for Cor. to Recs  
16-17-20-21 marked with 3 notches  
on P. & 4 notches on E, edged & raised  
a mound of stone along side

J. 9 S. R. 28 E.

Chairs

Surface rough

Soil 3a red

Scattering Cats claw brush

---

S. 89° 41' E. on a random line  
bet Recs 16-21

Va. 12° 30' E.

79.90 Entered N. + S. line 23 lks. N. of Cr.  
to Recs. 15-16-21-22

There I saw

N. 89° 38' W. on a true line bet. Recs  
16-21 with some Va.

8.00 Cross dry wash corner S. W.

39.95 Set a malpais rock 13x10x8 ins. 9  
ins. in the ground for 1/4 Rec. Cr.  
marked 1/4 on W. face + raised a  
mound of dirt along side

79.90 The Cr. to Recs 16-17-20-21

Surface rolling + rough



J. 9 S. R. 28 E

Chairs

Soil 2<sup>nd</sup> rate  
Scattering bench

North lat. Dec. 16-17

Va. 12° 30' E.

- 30.00 Cross dry wash across S.W.
- 40.00 Set a Malpais stone 13x9x8 ins  
8 ins. in the ground for 1/4 ex. Cor.  
marked 1/4 on W. face dry pits  
18x18x12 ins. N. & S. of stone 5 1/2 ft  
dist & raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base along side
- 42.50 Cross dry wash across S.W.
- 80.00 Set a Malpais rock 18x9x6 ins  
12 ins. in the ground for Cor. to run  
8-9-16-17 marked with 4 notches  
on N. & E. edges & raised a mound  
of stone along side

Surface rough

J. G. R. 28 E.

chain

Soil 3<sup>d</sup> rate

Scattering brush

---

S. 89° 41' E. on a random line bet

Rees 9-16

Na. 12° 30' E.

40.00 Set temporary 1/4 Sec. Cor.

80.10 Intersect N + S. line 10 E. S. of Cor

to Rees. 9-10-15-16

thence I run

N. 89° 45' W. on a true line bet Rees

9-16 with same Na.

40.05 Set a malpais stone 13x9x8 in S. line

in the ground for 1/4 Sec. Cor. marked 1/4

on N. face & raised a mound of stone

along side

8010 The cor. to Rees. 9-10-15-16

Surface rough

Soil 3<sup>d</sup> rate

Scattering brush

---

T. 9 S. R. 28 E.

Chains

North lat Recs. 8-9

Va.  $120^{\circ}30' E.$ 

40.00

Set a Malpais rock  $14 \times 6 \times 6$  in  
9 ins. in the ground for  $\frac{1}{4}$  Rec. Cor  
marked  $\frac{1}{4}$  on W. face & raised  
a mound of stone along side

41.00

Cross gulch corner S. W.

80.00

Set a Volcanic rock  $16 \times 12 \times 10$   
ins. 11 ins. in the ground for Cor. 5  
Recs. 4-5-8-9 marked with 5  
notches on S. & 4 notches on E edges  
& raised a mound of stone along side

Surface rough

Soil 4 at rate

Scattering brush

S.  $89^{\circ}41' E.$  on a random line  
bet. Recs. 4-9

Va.  $120^{\circ}30' E.$



Y. G. S. R. 28 E.

Chain

- 4000 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.18 Intersect N. S. line 31 lks. S. of C.  
to Recs. 3-4-9-10  
Thence I run  
 $N. 89^{\circ} 54' W.$  on a true line bet. Recs.  
4-9 with some Va
- 40.09 Set a malpais rock  $14 \times 9 \times 7$  ins 9 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N. face + run a mound of  
stone alongside
- 80.18 The Cor. to Recs 4-5-8-9  
Surface rough  
Soil 4 or 5 rats  
Scattering brush
- 
- North on a random line bet Recs 4-5  
Va.  $12^{\circ} 30' E.$
- 4000 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 76.10 Intersect N. bdy. of Sp. 22 lks

T. 9 N. R. 28 E.

Chains

E. of Cor. to Reas. 4-5-32-33  
 which is a limestone marked  
 with a cross (+) with 4 notches  
 on E. and 2 notches on W. edges  
 and mound of stone along side  
 there I run

S.  $0^{\circ} 9' E.$  on a true line bet  
 Reas 4-5 with some Pa

36.10

Reputed a marked stone 12  
 ins. in the ground for  $\frac{1}{4}$  Rec. Cor.  
 dug pit,  $18 \times 18 \times 12$  ins. N. + S. of  
 stone  $5\frac{1}{2}$  ft. dist. + raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. broad  
 over it. In N. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins. in the  
 ground marked  $\frac{1}{4}$  S. on W. face

76.10

The Cor. to Reas. 4-5-8-9

Survey rough  
 Soil 4 rods  
Scattering brush

T. 9 S. R. 28 E.

Chain

I carefully examined the adjustments of my Solar Transit today particularly the latitude & reversing apparatus and found them correct.

February 27 1885

From the Cor. to Recs 5-6-31-32 on S. bdy of T. 9 S. R. 28 E. previously described by me

I run

North to Recs. 31-32

Va.  $120^{\circ} 30'$  E.

40.00 Set a malpais stone  $11 \times 16 \times 6$  ins. 6 ins. in the ground for  $\frac{1}{4}$  Rec. Cor. marked  $\frac{1}{4}$  on W. face & carried a mound of stone alongside

80.00 Set a malpais stone  $11 \times 10 \times 6$  ins. 7 ins. in the ground for Cor. to Recs



G. 9 S. R. 28 E.

Chorus

29-30-31-32 marked with 1  
notch on S. + 5 notches on E. edges  
dug pits 18x18x12 ins in each row  
5 1/2 ft. dirt & raised a mound  
of earth 2 ft. high 4 1/2 ft. bare  
along side

Surface rolling

Soil 3<sup>rd</sup> rate

Scattering brush

---

S 89° 41' E. on a rounder line  
bet Res. 29-32

Va 12° 30' E.

40.00

Set temporary 1/4 Sec. Cor

79.78

Intersect W & S line 24 W. N.  
of Cor. to res 28-29-32-33  
Thence S run

A. 89° 31' W. on a true line bet  
res. 29-32 with some Va

## T. 9 S. R. 28 E.

Chain

- 39.89 Set a Malpais stone  $13 \times 8 \times 8$  ins. 8  
ins. in the ground for  $\frac{1}{4}$  Rec. Cor.  
marked  $\frac{1}{4}$  on N. face & raised a  
mound of stone along side
- 79.78 The Cor. to Recs. 29-30-31-32  
Surface rolling  
Soil 3<sup>rd</sup> rat  
Dense brush 39.89 ch.  
No " 39.89 "
- 

North  $89^{\circ} 41' W.$  on a random  
line bet Recs. 30-31

Va.  $12^{\circ} 30' E.$

4000 Set temporary  $\frac{1}{4}$  Rec. Cor.

- 79.07 Intersect W. bdy of Sp. 10 E. N.  
of Cor. to Recs. 25-30-31-36  
previously described by MD  
thence I run  
S.  $89^{\circ} 45' E.$  on a true line bet Rec

T. 9 S. R. 28 E.

Chains

- 4.12 Cross day work Corner S.W.  
 40.06 Set a malpais stone 15x10x9 in  
 9 in. in the ground for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  on N. face + run a  
 around of stone along side
- 50.12 Leave rough hills + dense brush  
 80.12 The Cor. to Secs 19-20-29-30  
 Surface rough + rolling  
 Over 3d rate  
 Dense brush 50.12 ch  
 No " 30.00 "
- 

N.  $89^{\circ}41'W.$  on a random line  
 bet Secs. 19-30

On 12030'E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. Cor.  
 7863 Intersect W. bdy. of Tp. 18 E. S.  
 of Cor. to Secs. 19-24-25-30  
 previously described by me



Y. G. S. R. 28 E.

Chairs

Thence I run

S. 89° 49' E. on a true line bet lines  
19-30 with form Va.

3863 Set a malpais stone 11 x 8 x 8 ins; 6 ins.  
in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$   
on n. face & raised a mound of  
stone along side

39.91 Cross day work Corner S.W.

Sugar slopes W.

Soil 2<sup>d</sup> rate

Scattering brush

North bet lines 19-20

Va. 12° 30' E.

4000 Deposited a marked stone 12 ins  
in the ground for  $\frac{1}{4}$  sec. Cor. dug pits  
18 x 18 x 12 ins N. & S. of stone 5  $\frac{1}{2}$  ft  
dirt & raised a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it

T. 9 S. R. 28 E

Chorus

80.00

In N. pit down a stake 2 ins  
 sq. 2 ft. long 1/2 ins. in the  
 ground marked 1/4 S. on W. face  
 Set a nail in stone 14 x 9 x 6 ins  
 9 ins. in the ground for Cor. to Res  
 17-18-19-20 marked with 3  
 notches on S. + 5 notches on E.  
 edges + raised a mound of  
 stone along side

Surface rolling + level

Soil 25 rats

Scattering brush

N. 89° 41' E. on a rounder line  
 bet Res. 17-20

Va. 12° 30' E.

40 vs

Set temporary 1/4 Rec. Cor

80.18

Intersect N. + S. line 5 CR. S. of  
 Cor. to Res 16-17-20-21

T. 9 S. R. 28 E

Chamie

Thine I run

N. 89° 43' W. on a true line bet. Secs  
17-20 with same Va.

4009 Set a Malpais stone 14 x 10 x 9 ins 9  
ins. in the ground for 1/4 sec. Cor  
marked 1/4 on N. face & varied a  
mound of stone along side

80.18 The Cor. to Secs. 17-18-19-20

Surface rough

Soil 2' rate

Grass fair

Scattering brush

---

Bath 89° 41' W. on a random  
line bet. Secs 18-19

Va. 12° 30' E.

4000 Set temporary 1/4 sec. Cor.

78.04 Intersect W. bdy of Tp 10 N. N.  
of Cor. to Secs 13-18-19-20



T. 9 S. R. 28 E.

Chow

Previously described by one  
thence I sawS. 89° 45' E. on a line line bet  
Secs. 18-19 with corner on

38.04

Set a Malpais stone 20x6x5 in.  
15 in. in the ground for  $\frac{1}{4}$  sec. Cor.  
Marked  $\frac{1}{4}$  on N. face, dug pits  
18x18x12 in. E. + W. of stone  $5\frac{1}{2}$   
ft. dist & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base along side

39.04

Leave Valley land

78.04

The Cor. to Secs. 17-18-19-20

Surface rough &amp; hard

Soil  $2\frac{1}{2}$  to  $4\frac{1}{2}$  ft. rats

Scattering brush

T. 9 S. R. 28 E.

Chairs

North bet. Secs 17-18

Va.  $12^{\circ} 30' E.$ 

4000

Set a Malpais stone  $12 \times 9 \times 8$  ins  
 7 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N. & S. of stone  $5\frac{1}{2}$  ft  
 dist & raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side

8000

Set a Malpais stone  $18 \times 10 \times 8$  ins  
 13 ins. in the ground for Cor. to sec  
 7-8-17-18 marked with 4 notches  
 on S. & 5 notches on E. edges &  
 raised a mound of stone along side

Injunc. railing

Soil  $3^{\circ}$  rat

Grass fair

S.  $89^{\circ} 41' E.$  on a random line  
 bet Secs. 8-17

Va.  $12^{\circ} 30' E.$

## J. G. S. R. 28 E.

Chain

- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 79.90 Intersect N. + P. line 10 chs. S  
of cor. to recs. 8-9-16-17  
thence I run  
N. 89° 45' W. on a true line bet  
Secs. 8-17 with some Va
- 9.90 Enter day work Corner W.
- 38.90 Leave " " " "
- 39.95 Set a Malpais stone 17x10x4 ins  
12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor  
marked  $\frac{1}{4}$  on N. face & raised  
a mound of stone alongside
- 40.90 Cross day work Corner S.W.
- 79.90 The Cor. to Recs. 7-8-17-18  
Surface descends to W.  
Soil 3<sup>d</sup> rate  
Thence back 50.90 chs  
No " 29 "



G. 9 S. R. 28 E.

- Chowin  
 N. 89° 41' W. on a random line  
 bet Recs. 7-18  
 Va. 12030' E.
- 4000 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 77.66 Intersect W. bdy. of tps. 14 N. & S.  
 of Cor. to Recs. 7-12-13-18  
 previously described by me  
 thence I run  
 S. 89° 35' E. on a true line bet  
 Recs. 7-18 with corner Va.
- 37.66 Reported a marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  Sec. Cor. dug  
 pits 18 x 18 x 12 ins. E & W. of stone  
 5 $\frac{1}{2}$  ft. deep & raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. broad  
 over it. In E. pit drove a stake  
 2 ins. sq. 2 ft. long 12 ins. in the  
 ground marked  $\frac{1}{4}$  S. on N. face

Y. 9 S. R. 28 E.

Chowin

77.66

The Cor. to Secs. 78-17-18.

Surface Railing

Soil 3<sup>rd</sup> rate

Scattering brush

North bet Secs. 7-8

Va. 120 30' E.

8.50

Cross day work "Corner W.

20.00

Ascend Mesa

21.00

Top of Mesa 30 ft high bet. E &amp; W.

Then over sound

40.00

Set a malpais stone 15x10x7  
 ins. 9 ins. in the ground for  $\frac{1}{4}$   
 Sec. Cor. marked  $\frac{1}{4}$  on W. face  
 and placed a mound of stone  
 along side

43.00

Foot of Mesa bet E. &amp; W.

80.00

Set a Malpais stone 17x12x11 ins  
 12 ins. in the ground for Cor. to

T. 9 S. R. 28 E

No. 739

Cham

Secs. 5-6-7-8 marked with 5  
 notches on S. + E. edges, dug pits  
 18x18x12 ins. in each sec. 5 1/2 ft.  
 dist + raised a mound of earth  
 2 ft. high 4 1/2 ft. base along side  
 Surface rough + rolling  
 Soil 2<sup>d</sup> + 4<sup>a</sup> rate

Scattering brush

---

S. 89° 41' E. on a random line  
 bet Secs 5-8

Va. 120° 30' E.

4000 Set temporary 1/4 sec. Cor

8028 Intersect N. + S. line 20 cks. S of  
 Cor. to Secs. 4-5-8-9

thence I run

T. 89° 50' W. on a true line bet. Secs  
 5-8 with some Va.

40.14 Set a Malpais stone 13x9x5 ins



T. 9 S. R. 28 E

## Chains

8 ins. in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on N. face, dug  
 pits 18x18x12 ins E. + W. of stn  
 5 $\frac{1}{2}$  ft. dist + raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft.  
 base along side

80.28

The Cor. to Recs. 5-6-7-8

Surface rough + rolling

Soil 2<sup>d</sup> + 4<sup>th</sup> rate

Scattering brush

T. 89° 41' W. on a random line  
 bet Recs. 6-7

Va. 12° 30' E.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor

77.15

Intersect W. bdy. of Sp. 22 lks

J. of Cor. to Recs. 1-6-7-12

previously described by me

thru a run

G. 9 S. R. 28 E.

Chem

S.  $89^{\circ}32'E$ , on a true line bet.  
Secs. 6-7 with some Va.

37.15 Deposited a marked stone 12  
ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
dry pits  $18 \times 18 \times 12$  ins. E. & W. of  
stone.  $5\frac{1}{2}$  ft. dirt & raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
drove a stake 2 ins. sq. 2 ft. long  
12 ins. in the ground marked  
 $\frac{1}{4}$  D. on N. face

77.15 The Cor. to Secs. 5-6-7-8  
Surface rolling  
Soil 2<sup>d</sup> rate  
Scattering brush

---

North on a random line bet Secs  
5-6 Va.  $120^{\circ}30'E$ .

T. 9 S. R. 28 E.

Chain

40 00

Set temporary  $\frac{1}{4}$  Sec. Cor

75.48

Intersect N. bdy. of Tp. 19 E. S. West of Cor. to Secs. 5-6-31-32 which is a post 4 ins. Sq. in mound of earth marked T. 8 S. S. 32 on N. E. R. 28 E. S. 5 on S. E.

T. 9 S. S. 6 on S.W. and S. 31 on N.W. faces with 5 notches on E and 1 notch on W. edges and pits of required size

thence I run

S.  $0^{\circ} 8' W.$  on a true line to Secs. 5-6 with some Va.

35.48

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins N. & S. of stone  $5\frac{1}{2}$  ft. dist



H. 9 S. R. 28 E.

Chains

and raised a mound of earth  
1 1/2 ft. 3 1/2 ft. base over it.

In N. pit drove a stake 2 ins  
sq. 2 ft. long 12 ins. in the ground  
marked 1/4 S. on W. face

75.48

The Cor. to Res. 5-6-7-8

Surface Rellings

Stk 2<sup>d</sup> & 3<sup>d</sup> rate

Scattering brush

---

February 28 1885

General Description

The surface of this H is unusually  
rough and broken, especially in  
the Eastern part where there are  
some Malpais Mountains.

There is some good grazing

~~60~~  
70  
T. 9 S. R. 28 E.

land in the Western part.

A scattering growth  
of green wood brush and  
Mesquite trees is found in  
nearly all parts of the Tp.