

751

BOOK 751

751

F I E L D   N O T E S  
O F   T H E   S U R V E Y   O F   T H E  
S U B D I V I S I O N S   O F

Township 10 South, Range 14 East.

Gila and Salt River Base and  
Meridian,

ARIZONA.

By Gen. J. Roskrige, D.D., under  
Contract dated May 9, 1884.  
Survey commenced June 6, 1884.  
Survey completed June 14, 1884.

1A

**BOOK 751 INDEX.**

Township *10 South*, Range *14 East*,

Gila and Salt River Meridian.

6	80	5	59	4	44	3	29	2	15	1
78		77		58		43		28		13
7	76	8	56	9	42	10	27	11	12	12
74		73		55		40		25		10
18	72	17	54	16	39	15	24	14	10	13
71		69		53		38		23		8
19	68	20	51	21	36	22	22	23	7	24
67		66		50		35		21		5
30	65	29	49	28	34	27	20	26	4	25
64		62		47		33		18		2
31	61	32	45	33	31	34	16	35	1	35

Referring the lines to the pages of the field notes.

No. 751

BOOK 751

For description of  
instrument and  
preliminary notes see  
Book No 1

Survey commenced June 6th 1884  
Survey completed June 13th 1884

T. 10 S. R. 14 E.

Grand S. R. M.

Chains

From the Standard Cor.  
to Secs. 35 and 36 on the  
E. Coy. of the T<sup>p</sup>. which  
is a post 4 ins. sq.  
marked S. E. T. 10 S. R. 14 E.  
on N. S. 36 on E. and S.  
35 on N. face with 1  
notch on E. and 5  
notches on N. face with  
pits crosswise for line N. E.  
& N. of post 5 ft. dist. and  
a mound of earth  
around post. Down  
North lat. Secs. 35 & 36  
Va.  $12^{\circ} 52' 2''$ .

Descending

7.96 Cross dam across creek  
which forms a pond  
4.00 Set a granite stone  
12x8x6 ins. 8 ins. in  
the ground for 14 sec.

T. 10 S. R. 14 E,

Chains J. and J. R. M.

78.00

45.00

Cor. marked "4" on N. face  
and raised a mound  
of stone alongside  
Pike unpracticed the  
Cañada del Oro 50 links  
wide Co. S. N.

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs,  
25, 26, 35 & 36 marked T. P. S. S. 25 on  
N. E. R. 14 E. S. 36 on S. E., S. 35 on  
S. W. and S. 26 on N. W. faces with 1 notch  
on S. and 1 notch on E. edges. dug  
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.  
and raised a mound of earth 2 ft. high 4 1/2 ft.  
base. around post.

Surface mountainous  
Soil 1st and 4th rate  
Some grass

East on a random line  
bet. Secs. 25 and 36  
Va. 12062' E.

T. 10 S. R. 14 E.

Rains

- 10,000 Canade del Oro 50 stakes  
wide Cor. S. & N. around
- 4000 Set temporary 1/4 Sec.  
Cor.
- 7990 Intersect E. Coy. of  
the T. 14 links N. of  
the Cor. to Sec. 25. 30  
31 and 36 which was  
recently established  
by me. Thence I run  
N.  $89^{\circ}54'$  W. on a true  
line bet. Sec. 25 & 36  
with same ca.
- 3995 Set a granite stone  
 $14 \times 12 \times 8$  ins. 9 ins.  
in the ground  
for 1/4 Sec. Cor.  
Marked 1/4 on N.  
face and raised  
a mound of  
stone alongside.

J. and S. A. M.  
Chains

- 79.98 Pip impracticable  
The Cor to Sec, 25-26. 35006  
Surface mountainous  
Soil 4th rate  
Some grass
- 
- North Pt. Sec, 25 & 26  
Var, 12° 52' E,
- 15.00 Road frs. N.E. and S.W.
- 27.00 Ascend ridge frs. N.E. & S.W.  
4.00 Set a granite stone 8 x 8 x 6 ins. 12 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N.  
face, dug pits 18 x 18 x 12 ins. N. and S.  
of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1 $\frac{1}{2}$  ft. high. 3 $\frac{1}{2}$  ft. base. alongside.
- 45.00 Top of ridge frs. N.E. & S.W.  
8 There over same
- 70.00 Descend from ridge  
frs. N.E. and S.W.
- 80.00 Set a granite stone  
20 x 12 x 9 ins. 10 ins. in  
the ground for Cor.

T. 10 S. R. 14 E.

Chain

to Sta. 23, 24, 25 & 26  
marked with 2 notches  
on S. and 1 notch  
on E. edge. and  
raised a mound  
of stone alongside.

Pit, impracticable  
Surf full mountainous  
Soil 4th rate  
Some grass

East on a railroad  
line bet. Sta. 24<sup>and 25</sup>  
Va. 12° 52' E.

ascend

8.20 Top of ridge fr. N.E. & S.W.  
safe descend

23.00 Foot of ridge fr. N.E. & S.W.

30.00 Road fr. N.E. & S.W.

47.00 Set temporary <sup>1/4</sup> Sec. Cor

Canada del 500 50 lbs.



J. and S. R. M.  
 Chain

8020 wide Co. S, around  
 Entered E. By of the  
 the 35 links of the  
 Cor. to Sec. 19, 24, 25  
 and 30 which was  
 recently established  
 by run. Thence I  
 run N.  $89^{\circ}45'$  W. on  
 a true line bet.  
 Sec. 24 and 25  
 with same ca.

4010 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post.

8020 The Cor. to Secs. 20, 24, 25 & 26  
 Surface mountainous  
 Soil of the same  
 Some grass

T. 10 S. R. 14 E.

Chains

North 4th Secs. 23 and 24  
Va. 12° 52' E.

Descend

750

Foot of ridge frs. N.E. & N.W.

40,000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for 1/4 Sec. Cor, marked 1/4 S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

48,000

Road frs. N.E. and N.W.

80,000

Set a granite stone 14 x 10 x 10 ins. 9 ins. in the ground for Cor. to Secs. 13, 14, 23 and 24 marked with 3 notches on S. and 1 notch on E. edge, and raised a mound of stone alongside.  
Pits unfracturable

J. and S. R. M.  
 Davis

Surface mountainous  
 Soil 4th rate stony  
 Some grass

---

East on a random  
 line bet. Sec. 13 and 24

Va.  $12^{\circ} 52' E$

- 31.40 Road frs. near by N. & S.,  
 around mt. ridge frs. N. & S.
- 40.00 Set temporary "4 Sec. Cor.
- 48.00 Top of mt. ridge frs. N. & S.  
 around
- 60.00 Foot of ridge frs. N. & S.
- 64.00 Road bet Grand S.
- 69.00 Canada del. Cro. ~~Co.~~  
 S. 50 lbs. width.  
 around
- 80.34 Intersect E. Co. of the  
 Tr. 18 links. V. of the  
 Cor. to Secs. 13, 18, 19,  
 and 24 which was.

9

751

T. 10 S. R. 14 E.

Chain

recently established  
by V. M. Thum I  
Run N.  $89^{\circ} 52'$  W.  
on a true line bet.  
Sec. 13 and 24 with  
same ~~run~~

40.17

Set a granite stone  
 $12 \times 8 \times 6$  ins. 8 ins. in  
the ground for  
"4 Sec. line marked  
"4 on N. face, and  
raised a mound  
of stone alongside.  
Pile impracticable

80.34 The loc. to Sec. 13, 14, 23 or 24  
Surface mountainous  
Soil 4th rate  
Some grass

June 6th 1884

J. and S. A. M.  
Chavis

North bet. Secs 10 and 14  
Va. 12° 52' E.

4.000 Set a granite stone, 10 x 8 x 7 ins., 7 ins. in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12 ins. N. and S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

8.000 Set a granite stone 9 x 8 x 7 ins., 6 ins. in the ground for Cor, to Secs, 11, 12, 13 & 14 marked with 4 notch on S. and / notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface rough  
Soil 4th rate rocky  
Some grass

East on a random  
line bet. Secs 12 & 13  
Va. 12° 52' E.

34.50 Lime kiln frs. S. of line  
about 150 limbs on N.  
point of mt. ridge

T. 10 S. R. 14 E.

Chairs

- 40.00 Set temporary 1/4 Sec. Cor.  
 44.00 Road to N. 1/2 and S. 1/2  
 around S. point of ridge  
 58.00 Top of ridge and around  
 to N. 1/2, extends N.  
 73.00 Foot of ridge to N. 1/2.  
 75.00 Cross Stream to ~~N. 1/2~~ S. 1/2  
 & around  
 80.28 Intersect E. Ry. of  
 the Tp. 16 lines S.  
 of the Cor. to Secs.  
 7, 12, 13 & 18 which  
 was recently established  
 by me. Thence I run  
 S. 89° 53' W. on a  
 true line bet. Secs.  
 12 and 13 with same a.  
 40.14 Set a granite stone, 12 x 10 x 5 ins., 8 ins.  
 in the ground for 1/4 Sec, Cor, marked 1/4 on N.  
 face, dug pits 18 x 18 x 12 ins. E. and W.  
 of stone 5 1/2 ft. dist. and raised a mound of earth  
 1 1/2 ft. high, 3 1/2 ft. base on one side.

J. acid. A. R. M.  
 rains

80.28 The Cor. to Secs. 11, 12, 13 & 14  
 Surface mountainous  
 Soil 4th rate  
 Some grass

North lat. Secs. 11 and 12

25.00 ~~marked~~ Var.  $12^{\circ} 52' E$

40.00 Road frs. C. and N.  
 Set a granite stone,  $12 \times 8 \times 6$  ins., 8 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N.  
 face, dug pits  $18 \times 18 \times 12$  ins. N. and S.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $2\frac{1}{2}$  ft. base, alongside

85.00  
 80.00 Road frs. N. E. and 2nd. and  
 Set a granite stone  $16 \times 8$   
 $\times 8$  ins.  $11$  ins. in the  
 ground for Cor. to  
 Secs. 1, 2, 11 and 12  
 marked with 5 notches  
 on S. and 1 notch  
 on E. edge, and  
 raised a mound of  
 stone alongside,

~~T. 10 S. R. 14 E.~~

Chains

Pits impracticable  
 from which a mesquite  
 tree 16 ins. in diam. frs,  
 N. 80° W, 90 lbs. dist  
 marked T. 10 S. R. 14 E.  
 S. 2 B. T. No other  
 trees within limits  
 Surface rough  
 Soil 4th rate  
 Some grass

Cast on a random  
 line bet. Secs 1 and 2  
 Va. 12° 52' E,

Descend

- 2000 Foot of mt. spur frs.  
 N. E. and S. W.  
 4000 Set temporary "4 Sec. Test.  
 5000 Road frs, N. E. and S. W.  
 6000 Ascend mt. spur frs.  
 N. E. and S. W.



J. and S. A. M.  
 Harris

80.26 Intersect E. By. of the  
 T. 21 limbs N. of the  
 Cor. to Secs. 1, 6, 7 and  
 12 which was recently  
 established by me.  
 Thence I run N. 89°  
 51' W. on a true line  
 for Sec. 1 and 2  
 with 2 acre W.

40.13 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec, Cor.  
 marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post.

80.26 The terr. to Sec. 1, 2, 11, 12  
 Surface mountainous  
 Soil 4th rate  
 Grass fair

~~S. R. 14 E.~~

Chains

North on a random  
line bet. Sec. 1 & 2  
Ta. 12 52' E.

Descend

- 22.00 Foot of mt. spur. frs. N.E. and S.W.
- 34.00 Road frs. N.E. and S.W.
- 40.00 Set temporary 1/4 Sec. Cor.
- 80,20 Intersect N. Coy. of the T. 15 line E. of the Cor. to Sec 1, 2, 35 and 36 which is was recently established by me. Thence I run S 0° 6' E. on a true line bet. Sec. 1 and 2 with same ca.

40.20 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for 1/4 Sec, Cor, marked 1/4 S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around post.

J. and S. A. M.  
 Davis

80.20 The Cor. to Secs. 1, 2, 11 & 12  
 Surface mountainous  
 Soil 4th rate  
 Grass fair

I carefully examined the  
 adjustments of my  
 Solar transit (to-day  
 particularly the  
 latitude and reversing  
 apparatus and found  
 them correct  
 June 7th 1884

From the <sup>third</sup> Cor. to  
 Secs 34 and 35 on  
 the S. Ry. of the T.  
 which is a half point  
 of Sec. sq. marked  
 S. C. T. 10 S. R. 146. on N.

17

BOOK 751

~~Box~~ 0 S. A. 14 E.

Chairs

S. 25 on E. and S. 24  
on W. face with pits  
N. E. and W. of post.  
5 1/2 ft. dist. and a  
mound of earth  
around post. I run  
North 1/4 Sec.  
34 and 35

Va. 12° 52' E.

22.00 Road frs. E. and W.

4 0.00

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for 1/4 Sec. Cor,  
marked 1/4 S. on W. face, dug pits 18 x 18 x 12  
ins. N. and S. of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around  
post.

80.00

Set a granite stone  
16 x 14 x 8 ins. 11 ins.  
in the ground  
for Cor. to Secs.  
26. 27. 34 and 35  
marked with

J. and S. A. M.

Chains

1 notch on S. and  
2 notches on E. edge  
and raised a  
mound of stone  
along side. Pitts impracticable  
Surface rough & mountainous  
Soil 4th rate  
Some grass

East on a random line  
bet. Secs. 26 and 35  
Var.  $12^{\circ} 52' E$

18.00	Ascend mt. ridge frs. N. and S. thence over same
40.00	Set temporary 1/4 Sec. Cor.
43.50	Descend
57.50	Foot of mt. ridge frs. N. & S.
66.00	Road frs. N. and S.
73.00	Road frs. N.E. and S.W.
80.10	Intersect N & S. line.

T. 10 S. R. 14 E.

Chains

10 links N. of the cor.  
to Secs. 25-26 35  
and 36 Thence I run  
N. 89° 56' W. on a true  
line bet. Secs. 26  
and 35 with same cor.

40.00

Set a post 2 ft. long  
Pine sq. with marked  
stone 12 ins. in the  
ground for 114 Sec.  
Cor. marked 114 S.  
on N. face and  
raised a mound  
of stone around post.

Pile unfractured

80.10

The Cor. to Secs. 26.27. 34 & 35  
Surface mountainous  
Soil 4th rate  
Some grass

J. and S. R. M.  
Hans

North 4th Sec. 26 and 27  
Tn. 12° 52' E.

4,000 Set a granite stone  
14x11x7 ins. 9 ins. in  
the ground for  
1/4 Sec. cor. marked  
1/4 on N. face, and  
raised a mound  
of stone along side  
of *Pike* impracticable  
70,000 Road fr. N.E. and S.W.

80,000 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs,  
22.23.26 & 27 marked T. 10 S, S. 23 on  
N. E. R. 14 E. S. 26 on S. E, S, 27 on  
S, W, and S, 22 on N, W, faces with 2 notch  
on S, and 2 notch on E: edges, dug  
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.  
and raised a mound of earth 2 ft, high. 4 1/2 ft.  
base. around post.

Surface mountainous and rough  
Soil 4th rate some grass

P. 10 A. R. 14 E.

Chains

Cast on a rainbow line  
bet. Sec. 23 and 26  
Va.  $120^{\circ} 2' E$

- 10.00 Road fr. N.E. and S.W.
- 38.00 Round <sup>mt</sup> ridge fr. N.E. & S.W.
- 40.00 Set temporary "4 Sec. Cor.
- 50.00 Top fr. N.E. & S.W. descend
- 55.00 Foot fr. N.E. & S.W.
- 65.00 Road fr. N.E. & S.W.
- 80.18 Intersect N. & S. line

12 links N. of the  
Cor. to Sec. 23, 24, 25  
and 26 Thence I run  
N.  $89^{\circ} 55' W$ . on a  
true line bet. Sec.  
23 and 26 with  
same va.

40.09 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.



J. and S. R. M.  
 Chain

80.15 Sta. Cor. to Sec. 22, 23, 26 & 27  
 Surface mountainous  
 Soil 4th rate rocky  
 Grass fair ✓

North lat. Sec. 22 & 23  
 Va. 12° 52'

4000

Set a granite stone, 9 x 8 x 7 ins., 6 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N.  
 face, dug pits 18 x 18 x 12 ins. N. and S.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

8000

Set a post 4 ft. long 4 ins. square, with marked  
 stone, 12 ins, in the ground for Cor, to Secs,  
 14, 15, 22 & 23 marked T. 10 S. 14 on  
 N. E. R. 14 E S. 23 on S. E, S, 22 on  
 S, W. and S, 15 on N, W, faces with 3 notch  
 on S, and 2 notch on E. edges, dug  
 pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft.  
 base. around post.

Surface mountainous & broken

T. 10 S. R. 14 E.

Chains

Soil 4th rate  
Grass fairEast on a random  
line bet. Secs. 14 & 23  
Ta.  $12^{\circ} 52' E.$ 

- 16.00 Ascend mt. ridge bet.  
N.W. and S.E.
- 30.00 Top bet. N.W. & S.E. - cross  
road bet. N.W. & S.E. descend
- 40.00 Set temporary "4 Sec. Cor.  
Foot of ridge bet. N.E. & S.W.  
ascend S. point of ridge
- 67.00 Top and descend bet. N. & S.
- 76.00 Bottom bet. N. & S.
- 80.16 Intersect N. & S. line 15  
links S. of the cor.  
to Secs. 13, 14, 23 and  
24 Thence I run S.  $89^{\circ}$   
 $54' N.$  on a true line  
bet. Secs. 14 and 23

J. and S. A. M.  
 Davis

- with same as,
- 40.07 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pit 18 x 18 x 12 ins. E. and W. of post 6 ft. deep and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around post.
- 80.16 The Cor. to Secs. 14, 15, 22 and 23  
 Surface mountainous  
 Soil 4th rate  
 Grass fair
- North bet. Secs. 14 and 15  
 Var. 12° 52' E.  
 Ascend mt. ridge bet.  
 N.W. and S.E.
- 26.50 Top bet. N.W. & S.E. - cross  
 road bet. N.W. & S.E.  
 descend
- 36.00 Foot of ridge bet. N.W. & S.E.
- 40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.

T. 10 S. R. 14 E.

Chairs

marked  $\frac{1}{2}$  S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around post.

71.00 ascend ridge to N. E.  
and S. W.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 10, 11, 14 & 15 marked T. 10 S., S. 11 on N. E. R. 14 E. S. 14 on S. E. S. 10 on S. W. and S. 10 on N. W. face, with 4 notch  $\omega$  on S. and 2 notch  $\omega$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. around post.

Surface mountainous  
Soil 4th rate  
Grass fair

East on a random  
line bet. Secs.  
11 and 14

Na. 12° 52' E.

J. and S. R. M.  
Chavis

- 890 Descend S.E. slope mt. ridge  
Foot frs. N.E. & S.W. ✓
- 4000 Set temporary 14 Sec. Cor.
- 449.00 Ascend N. end of mt.  
ridge frs. N. & S. extends S.
- 6000 Top frs. N. & S. descend
- 73.00 Foot frs. N. & S.
- 80.12 Intersect N. & S. line  
3 limbs N. of the Cor.  
to Sec. 11, 12, 13 & 14  
Thence I run N. 89° 59' W.  
on a true line  
bet. Secs. 11 and 14  
with same ca.
- 40.06 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dig pits 18 x 18 x 12  
ins. E. and W. of post 5 ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. around  
post.
- 80.12 The Cor. to Secs. 10, 11, 14 & 15 -  
Surface mountains

T. 10 S. R. 14 E.

Chain

Soil 4th rate  
Grass fair

North 1/2 Sec. 10 + 11

Pa. 12° 52' E

10.00 Ascend N.E. slope mt. ridge  
Top of ridge frs. N.E. and  
S.W. cross wagon road  
frs. N.E. and S.W. descend

19.80 Foot of mt. ridge frs.  
N.E. and S.W.

40.00 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for 1/2 Sec, Cor,  
marked 1/2 S. on N. face, dig pits 18 x 18 x 12  
ins. N. and S. of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around  
post.

70.00 Road frs. E. and W.

80.00 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor, to Secs,  
2, 3, 10 and 11 marked T. 10 S. 2 on  
N. E. R. 14 E. S. 11 on S. E. S. 10 on

J. and S. A. M.  
Chains

S. W. and S. E. on N. & S. faces with 5 notch  
in on S, and 2 notch ~~in~~ on E. edges, dug  
pits 18 x 18 x 12 ins in each Sec. 5 ft. dist.  
and raised a mound of earth 2 ft. high. 4 1/2 ft.  
base. around post.

from which  
a magnetic 4 ins in  
chain. frs. N. 300 N. 25  
lbs. dist. marked. T. 10 S.  
R. 14 E. S. 3 B. T. N.  
other trees within limits  
of surface mountainous  
19. 80 chs level 60. 20 chs.  
Soil 2nd. and 4th rate  
Grass fair

East on a rounded  
line bet. Secs. 20 11  
Va. 12° 52' E.

30.00 Road frs. N. E. & S. W.  
40.00 Set traps on any 1/4 Sec. cor  
60.00 Ascend N. W. slope of mt. ridge.

29

BOOK 751

T. 10 S. R. 14 E.

Lines,

79.88 Intersect N and S line  
28 links N. of the Cor.  
to Sec. 1, 2, 11 and 12  
Thence I run N.  $89^{\circ}48' W.$   
on a true line bet.  
Sec. 2 and 11 with same or,

39.94 Set a granite stone 16 x 10 x 8 ins. 11 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N.  
face, dug pits 18 x 18 x 12 ins. E. and W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

79.88 The Cor. to Sec. 2, 3, 10 and 11  
Surface mountainous 16, <sup>88</sup> 12 Chs.  
Level 63 Chs.  
Soil 2nd. and 4th rate  
Grass good

North on a random  
line bet. Sec. 2 and 3

40.00 Va.  $12^{\circ}52' E.$   
Set temporary 1/4 Sec. Cor.



G. and S. A. M.

Chairs

7990 Intersect N. Coy. of the  
T<sub>1</sub> 25 links E. of the  
Cor. to Sec. 2. 3. 34535  
which was recently established  
by me. Thence I run  
S<sub>0</sub> 11' E. on a true  
line bet Sec. 2 and 3  
with same ca.

3790 Set a post 3 ft. long 2 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor.  
marked  $\frac{1}{2}$  S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post  $3\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
post.

7990 The Cor. to Sec. 2. 3. 10 and 11  
Surface level and rolling  
Soil 2nd. rate  
Good grass

I carefully examined  
the adjustments of  
my Solar Transit.

S. 10 S. R. 14 E.

Chairs

To-day particularly by  
the latitude and  
reversing apparatus  
and found  
them correct.

June 9th 1884

From the Standard Cor.  
to Secs. 33 and 34 on  
the S. Ry. of the  
Tf. which is a  
post 4 ins. sq. marked  
S. E. S. 10 S. R. 14 E.  
on N. S. 34 on E. and  
S. 33 on W. face with  
3 notches on E. and  
W. face with pins  
on line N. E. and W. of  
post  $5\frac{1}{2}$  ft. dist  
and a mound  
of earth around post

J. and S. A. M.

Chavis

A run North bet. Sec  
33 and 34

Pa.  $12^{\circ} 52' E$ .

Over mountains and  
rough country

4000

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, and pile 18 x 18 x 12  
ins. N. and S. of post 5  $\frac{1}{2}$  ft. dial and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around  
post.

4000

Set a granite stone  
16 x 18 x 10 ins. 11 ins. in  
the ground for Cor. to  
Sec. 27, 28, 33 and 34  
marked with 1 notch  
on S. and 3 notches  
on E. edge. and  
raised a mound of  
stone along side.  
Pile unpracticable  
Surface mountains and rough

83

BOOK 751

T. 10 S. R. 14 E.

Chairs

Soil 3rd. rate  
 Grass fair

---

East on a random line  
 bet. Sec. 27 and 34  
 $N. 12^{\circ} 5' 2'' E.$

40.00

44.00

79.88

Set temporary 4 Sec. corner  
 Road bet.  $N. 10^{\circ} E. 5 S 10^{\circ} W.$

Intersect. N. and S. lines  
 4 links N. of the corner.

To Sec. 26, 27, 34 and 35

thence I run  $N. 89^{\circ} 58' W.$

on a true line bet.

Sec. 27 and 34 with

same id.

29.94

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
 post.

J. and S. A. M.

Chains

79.88 The Cor. to Sec. 27, 28, 33 & 34  
 Surface mountainous and rough  
 Soil Fert. rate  
 Some grass

---

North bet Sec. 27 and 28  
 Va. 12° 02' E

40.00

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. N. and S. of post 5  $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base. around  
 post.

57.00

Ascend ridge to N.E. and S.W.

62.00

Top to N.E. and S.W. descend

78.00

Foot to N.E. and S.W.

80.00

Set a granite stone  
 18 x 10 x 4 ins. 12 ins. in  
 the ground for Cor. to  
 Sec. 21, 22, 27 and 28  
 marked with 2 notches  
 on S. and 3 notches

T. 10 S. R. 14 E.

Chains

on E. edge. and raised  
a mound of stone  
alongside. This impracticable  
Surface mountainous  
Soil 2<sup>nd</sup>. and 4<sup>th</sup> rate  
Some grass

East on a random  
line bet. Secs. 22 & 27  
Var.  $120^{\circ}52' E$ .

- 7.00 Ascend ridge bet. N.E. and  
S.W.
- 10.00 Top and descend bet. N.E. & S.W.
- 19.00 Foot bet. N.E. and S.W.
- 40.00 Set temporary 1/4 Sec. Cor.
- 79.92 Intersect N. and S.  
line. 12 links N. of the  
Cor. to Secs. 22, 23,  
26 and 27 thence I  
run N.  $89^{\circ}58' W$ . on  
a true line

Jan. 1. A. R. M.  
 Chain

bet. Sec. 22 and 27 with  
 same va.

39.96

Set a post 2 ft. long 8  
 ins. sq. with marked  
 stone 12 ins. in the  
 ground for "4 Sec. Cor.  
 marked "45 on N. face  
 and raised a mound  
 of stone <sup>around post</sup> along side  
 of it <sup>infractible</sup>

79.92

The Gov. to Sec. 21, 22, 27 & 28  
 Surface mountains  
 Soil Erd. rate  
 Some grass

North bet. Sec. 21 and 22  
 Va. 12° 52' E.

9.80

Ascend ridge to N.E. and S.W.

30.00

Top of mt. bridge to N.E.  
 and S.W. descend

40.00

Set a granite stone 14 x 8 x 7 ins. 9 ins.  
 in the ground for 1/2 Sec. Cor. marked 1/2 on N.

27

BOOK 751

T. 10 S. R. 14 E.

Chairs

face, dug pits 18 x 18 x 12 ins. N. and S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside. From

which a Palo Verde grows  
in diam. fr. N.  $30^{\circ}$  E.

30 lbs. dist. marked  
14 S. B. T. no other trees  
within limits

46.30 Foot of mt. ridge fr. NE, & SW.

71.00 Ascend mt. ridge fr. NE, & SW.

80.00

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs,  
10, 16, 21 and 22 marked T. 10 S. S. 10 on  
N. E. R. 14 E. S. 22 on S. E, S, 21 on  
S, W, and S, 16 on N, W, face; with 7 notch  
on S, and 8 notch on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft.  
base. around post.

Surface mountainous  
Soil 3rd rate  
Some grass



J. and S. R. M.  
Chains

East <sup>on a random line</sup> bet. Secs. 15 and 22  
Va.  $12^{\circ}52'E$ .

Descend

12.50 Foot of ridge bet. N.E. and S.W.  
27.00 Ascend ridge bet. N.E. and S.W.  
40.00 Set temporary "4 Sec. 15  
45.00 Top of ridge bet. N.E. & S.W.  
Descend

60.50 Foot bet. N.E. and S.W.

80.22 Intersect N. & S. line  
26 links N. of the top,  
to Secs. 14, 15, 22 and 23  
Thence I ran  $N. 89^{\circ}49' W.$   
on a true line bet.  
Secs. 15 and 22 with  
same Va.

40.11 Set a granite stone  
12 x 10 x 8 ins. 8 ins. 8 ins.  
in the ground for "4  
Sec. 15 marked  
"4 on N. face, and

T. 10 S. R. 14 E.

Chains

and raised a mound  
of stone along side.

Rd impracticable

80.22 The Cor. to Sec. 10 T. 21 S. 22

Surface mountainous

Soil Erd. rate

Some grass.

North pt. Sec. 15 and 16

Va. 12° 52' E.

Ascend

4.00 Top of mt. ridge fr. N.E.

and S.W. descend.

16.70 Foot of ridge fr. N.E. and S.W.

enter level country

40.00 Set a post 3 ft. long 3 ins. diam with marked

slope, 12 ins. in the ground for 1/4 Sec. Cor,

marked 1/4 S. on N. face, dug pits 18 x 18 x 12

ins. N. and S. of post 5 1/2 ft. dist. and raised

a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around

post.

60.00 Road fr. N.E. and S.W.

J. and S. A. M.  
 Davis

80.00 Set a granite stone  
 16x10x6 ins. 11" high  
 in the ground for  
 Cor. to Sta. 9, 10, 15 and  
 16 marked with 4  
 notches on S. and  
 3 notches on E. edges,  
 and raised a mound  
 of stone along side.  
 Pitts. *imperatica* the  
 Surfer mountains  
 16.78 Chs. Level 63.30 Chs.  
 Grass good  
 Soil 2nd. rate

East on a random  
 line bet. Sta. 10 and 15  
 Va.  $12^{\circ} 52' E$ .

40.00 Set temporary 14" Sec. Cor.  
 58.00 around mt. ridge  
 bet. N. E. and S. W.

S. 10 S. Q. 14 E.

Chains

- 70.00 Top of mt. ridge trs,  
N.E. and S.W. Cross road  
fr. N.E. and S.W. Discont
- 80.26 Distinct N. and S. line  
6 links N. of the  
Cor. to Secs. 10, 11,  
14 and 15 Thence I  
ran N.  $89^{\circ} 57'$  W. on  
a true line bet.  
Secs. 10 and 15 with  
same cov.
- 40.13 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.
- 80.26 The Cor. to Secs. 9, 10, 15-16  
Surface level 5800 Chs.  
mountainous 22.26 Chs.  
Soil 2nd. rate  
Good grass

J. and S. R. M.  
 Chain

North pt, Sec. 9 and 10  
 Va. 12° 52' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

65.00  
 80.00

Road bss. N.E. and S.W.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 3, 4, 9 and 10 marked T. 10 S. S. 3 on N. E. R. 14 E. S. 10 on S. E, S. 9 on S, W. and S, 4 on N, W. faces with 5 notch on S, and 3 notch on E. edge. dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 14 ft. base. around post.

from which a mezzure 14 ins. in diam. bss. N. 20 lbs. dist. marked, T. 10 S, R. 14 E. B. T.

Surface level  
 Soil 2nd. rate  
 Good grass

T. 10 S. R. 14 E.

## Chains

East on a random  
line bet. Secs. 3 and 10  
Va.  $12^{\circ} 52' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
79.60 Intersect N. and S. line  
30 links N. of the Cor.  
to Secs. 2, 3, 10 and 11  
Thence I run N.  $89^{\circ} 47' W$ .  
on a true line bet.  
Secs. 3 and 10 with  
same ca.
- 39.80 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.
- 79.60 The Cor. to Secs. 3, 4, 9 & 10  
Surface level  
Soil 2nd. rate  
Good grass

J. and A. R. W.  
Chairs

North on a random line  
bet. Sec. 3 and 4

Va.  $12^{\circ} 52' E.$

40.00 Set temporary  $1/4$  Sec. Cor.

79.85 Intersect N. Ry. of the  
Tr. 25 miles E. of the  
Cor. to Sec. 3. 4. 33 and  
34 which was recently  
established by one.

Thence I run  $S 0^{\circ} 10' E.$   
on a true line bet.  
Sec. 3 and 4 with  
same va.

39.85 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $1/4$  Sec. Cor.  
marked  $1/4$  S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

79.85 The Cor. to Sec. 3. 4. 9510  
Surface level, Soil 2nd rate  
Good grass.

T. 10 S. R. 14 E.

Chains

I carefully examined  
 the adjustments of  
 my Solar Compass  
 to-day particularly by  
 the latitude and  
 reversing apparatus  
 and found them correct.  
 June 10th 1884

From the Standard  
 Cor. to Sec. ~~4~~ 32 and  
 33 on the S. Q. of  
 the Tp. which is  
 post 4 vis. sq. marked  
 S.E. T. 10 S. R. 14 E. on N. S. 33  
 on E. and S. 32 on N. face  
 with 4 notches on E. and  
 2 notches on N. edge  
 and pits N. E. and W.  
 of post. 5 $\frac{1}{2}$  ft. dist.  
 and a mound of



J and S. O. M.  
 Chains

earth around post,  
 I run North Net,  
 Secs. 32 and 33

Var. 12° 52' E.

40.00

Set a granite stone  
 14 x 7 x 6 ins. 9 ins. in  
 the ground for "4  
 Sec. Cor. marked  
 "4 on N. face and  
 raised a mound  
 of stone alongside.  
 Pit impracticable

42.00

Ascend mt. ridge fr.  
 N.E. and S.W.

61.00

Top fr. N.E. and S.W. decided

75.00

Foot fr. N.E. and S.W.

80.00

Set a granite stone  
 16 x 14 x 8 ins. 11 ins. in  
 the ground for Cor.  
 to Secs. 28, 29, 32 and  
 33 marked with 1

47

T. 10 S. R. 14 E.

Darius

notch on S. and 4  
 notches on E. edge  
 and raised a mound  
 of stone along ridge.  
 Pits impracticable  
 Surface mountainous  
 Soil 3rd. and 4th rate  
 Grass fair

East on a random  
 line bet. Sec. 28 and 33  
 Ta.  $12^{\circ}52'E$

- 9.50 ascend ridge fr. N.E. to S.W.  
 26.00 Top of mt. ridge fr. N.E. to S.W.  
 descend  
 27.00 Foot fr. N.E. and S.W. ascend  
 38.00 Top of mt. ridge fr. N.E.  
 and S.W. and descend  
 40.00 Set temporary "4<sup>th</sup> Sec. Cor.  
 44.00 Foot. N.E. to S.W.  
 80.12 Intersect N. and S.  
 line. 22 links S.

J. and S. R. M.  
Chains

of the Cor. to Secs,  
27, 28, 33 and 34  
Thence I run S. 89°  
51' N. on a true  
line bet. Secs  
28 and 33 with  
same va.

4056 Set a granite stone  
14 x 8 x 8 ins. 9 ins.  
in the ground for  
14 Sec. Cor. marked  
114 on N. face. and  
raised a mound  
of stone along side.  
Ditto impracticable

8012 The Cor. to Secs, 28, 29,  
32 and 33  
Surface mountainous  
Soil 4th rate  
Grass fair

P. 10 S. R. 14 E.

Chairs

North lot Sec. 28 and 29  
Va.  $12^{\circ}52'E$

- 9.00 Ascend ridge frs. N.E.,  
and S.W.
- 18.00 Top frs. N.E. and S.W. descend
- 29.00 Foot frs. N.E. and S.W.
- 40.00 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12  
ins. N, and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft, high.  $3\frac{1}{2}$  ft. base. around  
post.
- 80.00 Set a granite stone  
15 x 8 x 5 ins. 10 ins. in  
the ground for Cor.  
to Secs. 20. 21. 28  
and 29 marked  
with 2 notches on  
S. and 4 notches  
on E. edge. and  
raised a mound  
of stone along side.

J. and S. R. M.  
Hawaii

Path impracticable  
from which a magni-  
ficent view in view.  
to S. 700 ft. 75 lbs.  
ditch marked S. 10 S.  
R. 14 E. S. 29. B. 5  
No other trees within limits.  
Surface mountainous  
Soil 3rd. rate  
from fair

East on a random  
line bet. Secs. 21 and 28  
Va.  $12^{\circ} 52' E$ .

- 24.00 Ascend mt. ridge to  
N.E. and S.W.  
40.00 Set temporary 1/4 Sec. Cor.  
45.00 Top to N.E. and S.W. descend  
70.20 Foot to N.E. and S.W.  
75.24 Intersect Rand. S. line  
10 links S. of the Cor.

51

BOOK 751

T. 10 S. R. 14 E.

Chains

to Sec. 21, 22, 27 and 28  
Thence I run S.  $89^{\circ} 56' N$   
on a true line bet.  
Sec. 21 and 28 with  
same va.

40.12 Set a granite stone  
12x10x7 ins. 8 ins. in  
the ground for "4"  
Sec. Cor. marked  
"4" on N. face. and  
raised a mound  
of stone along side.

Pits in prospect.

80.24 The Cor. to Sec. 20, 21, 28 & 29  
Surface mountainous  
Soil 3rd. rate  
Good grass

North bet. Sec. 20 and 21

Va.  $12^{\circ} 52' E$ .

80.0 Ascend S.W. point of ridge.

J. and J. A. M.

No. 751

10.40

Top and descend to N.E.  
Foot to N.E.

21.00

1.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post.

43.50

Around ridge to N.E. and S.W.

7.10

Top to N.E. and S.W. and descend

71.00

Foot to N.E. and S.W.

1.00

Set a granite stone 12 x 10 x 8 ins, 8 ins. in the ground for Cor. to Secs, 16, 17, 20 & 24 marked with  $\partial$  notch on S. and  $\phi$  notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft, high, 4  $\frac{1}{2}$  ft. base. alongside.

Surface mountainous and rough  
Soil 3rd and 2nd. rate  
Grass good

T. 10 S. R. 14 E.

Chain

East on a random line  
 bet. Sec. 16 and 21  
 Va.  $12^{\circ} 52'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 and ascent along N.W.  
 slope of ridge

69.00 Top cor. N.E. and S.W.  
 and descend.

80.08 Intersect N. and S.  
 line 5 links N. of the  
 Cor. to Sec. 15, 16, 21 and  
 22 Thence I run  
 N.  $89^{\circ} 05'$  W. on a true  
 line bet. Sec. 16 & 21  
 with same ca.

40.04 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around  
 post.

80.08 The Cor. to Sec. 16, 17, 20 and 21



Jan 1. A.M.  
Chavis

Surface rough and  
mountainous  
Soil Ind. rate  
Good grass

North Sec. Secs. 16 & 17  
Va.  $12^{\circ} 52' E.$

15.00 Road thro. E. and N.

40.00 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

80.00 Set a granite stone 15 x 12 x 7 ins. 10 ins. in  
the ground for Cor. to Secs. 8, 9, 16 & 17 marked  
with 4 notches on S. and 4 notches on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

T. 10 S. R. 14 E.

Chairs

Surface level  
Soil 3rd. rate  
Good grass

East on a random  
line bet. Secs. 9 and 16  
Va.  $12^{\circ} 52' E$ .

40.00 Set temporary 1/4 Sec. Cor.  
79.84 Dubuque N. and S. line  
12 cho. N. of the Cor.  
to Secs. 9, 10, 15 and 16

Then I ran N.  $89^{\circ} 55' W$   
on a true line bet.  
Sec. 9 and 16 with  
same ca.

39.72

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for 1/4 Sec. Cor,  
marked 1/4 S. on the face, dug pits 18 x 18 x 12  
ins. E. and W. of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, around  
post.

79.84

The Cor. to Secs. 8, 9, 16 & 17

J. and S. R. M.  
 Claims

Surface level  
 Soil 2nd. rate  
 Grass good

North pt. Sec. 8 and 9  
 T<sub>4</sub>. 12° 52' E.

25.00  
 40.00

Road to N.E. and S.W.  
 Set a post 2 ft. long  
 2 in. sq. with  
 marked stone 2 1/2 ins.  
 in the ground  
 for 1/4 Sec. Cor, marked  
 1/4 S. or N. face. from  
 which a mesquite  
 tree 8 ins. in diam.  
 frs. N. 10° E. 90 links  
 dist. marked 1/4 S. & W.  
 a mesquite tree 10 ins.  
 in diam. frs. N. 45° E.  
 1 Ch. dist. marked 1/4 S. & W.



T. 10 S. R. 14 E.

Chains

70.00

Road from N.E. and S.W.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 4, 5, 8 and 9 marked T. 10 S. S. 4 on N. E. R. 14 E. S. 7 on S. E. S. 8 on S. W. and S. 5 on N. W. faces with 5 notch on S, and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post. from which a mosquito tree 4 ins. in diam. from N. 150 E., 1 Ch. dist. marked T. 10 S. R. 14 E. S. 4 Q. T. A mosquito tree 5 ins. in diam. from S. 450 E., 20 links dist. marked T. 10 S. R. 14 E. S. 9 Q. T.

No other trees within limits  
 Surface level  
 Soil good. water  
 Good grass

Jan 1. 9. M.  
 Chain

Cast on a random line  
 bet. Sec. 4 and 9  
 Va.  $12^{\circ} 52' E.$

5.10 Road bet. N. 1008 and S. 1008  
 4.000 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.90 Dist. bet N. and S.  
 line at the Cor. to  
 Secs. 3, 4, 9 and 10. Then  
 I ran N. on a true  
 line bet. Sec. 4 and  
 9 with same va.

39.95 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
 post.

79.90 The Cor. to Sec. 4, 5, 8 & 9  
 Surface level  
 Soil 2nd rate  
 Good grass

T. 10 S. R. 14 E.

Lains

North on a sadown  
line set. Sec. 4 and 5  
Va.  $12^{\circ} 52' E$ .

4000 Set temporary <sup>14</sup> Sec. Cor.  
79.94 Intersect W. By. of  
the Tp. 14 miles E. of  
the Cor. to Sec. 4, 5,  
22. and 23 which was  
recently established  
by me. Then I  
run  $80^{\circ} 6' E$ . on a  
true line set. Sec.  
4 and 5 with same  
ca.

39.94 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

79.94 The Cor. to Sec.  
4, 5, 8 and 9

J. and S. R. M.  
Harris

Surface level  
Soil aud. rate  
Good grass

I carefully examined  
the adjustments of  
my Solar Transit  
to-day particularly by  
the latitude and  
reversing apparatus  
and found them  
correct.

June 11th 1884

T. 10 S. R. 14 E.

Chairs

From the Standard Meridian  
 Secs. 31 and 32 on  
 the S. Coy. of the  
 Twp. which is a  
 post 4 ins. sq. with  
 marked S. E. T. 10 S.  
 R. 14 E. on N. S. 32  
 on E. and S. 31 on  
 N. face, with 1  
 notch on E. and  
 5 notches on N. face  
 and pits N. E. and N.  
 of post  $5\frac{1}{2}$  ft. dist.  
 and a mound of  
 earth around post.  
 A pure North set  
 Sec. 31 and 32

Va.  $12^{\circ}52'E$ .

4000

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins. in the ground for A Sec. Cor.  
 marked A S. on N. face, dug pits 18 x 18 x 12  
 ins. N. and S. of post,  $5\frac{1}{2}$  ft. dist, and raised



J. and S. A. W.  
 Davis

a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around  
~~post.~~

60.00  
 80.00

Road to N.E. and S.W.  
 Set a post 4 ft. long 4 ins. square, with marked  
 stone, 12 ins. in the ground for Cor. to Secs,  
 29, 30, 31 and 32 marked T. 10 S. 29 on  
 N. E. R. 14 E. S. 32 on S. E. S. 31 on  
 S. W. and S. 30 on N. W. faces with 1 notch  
 on S, and 5 on E edges, dug  
 pits 18 x 18 x 12 in. in each Sec. dist.  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft.  
 base, around post.

Surface rough and rolling  
 Soil 2nd. rate  
 grass good

East on a narrow  
 line bet. Secs. 29 & 32  
 Va. 12° 52' E.

33.00 Mark 10 links wide to S.E.  
 4.00 Road to N. and S.  
 12.20 Road to N.W. and S.W.

T. 10 S. R. 14 E.

## Chains

- and ascend mesa. to N. E. S.
- 15.00 Top of mesa then over same
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 52.00 Ascend S. W. point of ridge
- 63.00 Top to N. E. descend
- 72.00 Foot to N. E. and S. W.
- 80.16 Intersect N. and S. 23  
links N. of the cor.  
to Sec. 28, 29, 32  
and 33. Then I run  
N.  $89^{\circ} 50'$  W. on a  
true line bet. Secs.  
29 and 32 with same ca.
- 40.08 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around  
post.
- 80.16 The cor. To Sec. 29, 30, 31 & 32  
Surface rough. Dense brush.  
Soil 2nd rate. Good grass

G. and J. R. M.  
Davis

Went on a random line  
bet. Secs. 30. and 31  
Va.  $12^{\circ}52'E$ .

22.50  
26.00  
40.00

Accord made bet. H. S.  
Set temporary  $14$  Sec. Cor.

80.04 District N. Co. of  
the Tp. 7 south W. of  
the Cor. to Secs. 25-30,  
31 and 36 which was  
recently established by me.  
Thence I ran  $N. 89^{\circ}07'E$   
on a true line bet.  
Secs. 30 and 31  
with same cu.

40.04 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N face; dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

80.04 The Cor. to Sec. 29, 30,  
31 and 32

65

BOOK 751

T. 10 S. R. 14 E.

Chains surface showing soil 1st second rate  
good grass, Dense brush

North 1st Sec. 29 and 30  
 Va. 12° 02' E.

7.60 Wash 15' wide <sup>S.E.</sup> ~~W.~~

40.00

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor;  
 marked  $\frac{1}{4}$  S. on W. face; dug pits 18 x 18 x 12  
 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
 post. thence along N. slope of  
 mesa.

42.00

Adine Kila br. E. of line  
 about 3 Chs.

8 0.00

Set a post 4 ft. long 4 ins. square, with marked  
 stone, 12 ins. in the ground for Cor, to Secs,  
 19.20.29 & 30 marked T. 10 S. S. 20 on  
 N. E. R. 14 E. S. 29 on S. E. S. 30 on  
 S. W. and S. 19 on N. W. faces with 2 notch  
 on S. and 5 notch on N. side; dug  
 pits 18 x 18 x 12 ins. in each Sec.  $4\frac{1}{2}$  ft. dist.  
 and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base. around post.

Surface level and rough  
 Soil 2nd. rate, good grass

J. and S. R. M.  
 Chavis

East on a random line  
 bet. Secs. 20 and 29  
 Var.  $12^{\circ}52'E$ .

2.00 Road bet. N. W. and N. E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.88 Subtract N. & S. line 16  
 miles S of the Cor. to  
 Secs. 20, 21, 28 and 29

Thence @ run  $S. 89^{\circ}$   
 $53' N.$  on a true line  
 bet. Secs. 20 and 29  
 with same var.

87.94 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post. from which a mesquite  
 tree 8 ins. in diam. br.  
 E. 1 ch. dist marked  
 114 @. A. S. No other trees  
 within land.

T. 10 S. R. 14 E.

Chains

- 79.85 The Cor. to Sec. 19. 20.  
29 and 30  
Surface level  
Soil 2nd. rate  
Good grass  
Met on a random line  
bet. Sec. 19 and 30  
Ta. 12° 52' E.
- 19.40 Wash 20 links wide  
Co. S.
- 40.00 Set temporary 14 sec. Cor.
- 79.80 Intersect W. Coy. of  
the Tp. 21 links S. of  
the Cor. to Sec. 19. 24.  
25 and 30 which was  
recently established by  
me. Thence I run  
S. 89° 51' E. on a true  
line bet. Sec. 19 and 30  
with same or,

J and S. R. M.

Chavis

39.80

Set a post 3 ft. long 3 ins. diam. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. E. and N. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

79.80

The Co. to Sec. 19, 20, 29, & 30  
 Sugar rolling and level  
 Soil 1st. rate  
 Grass good.

North bet. Sec. 19 and 20  
 Va.  $12^{\circ} 52' E$ .

Along gradual N. slope

3.10

Road fr. N.W. and S.E.

30.75

Road fr. N.E. and S.W.

40.00

Set a post 3 ft. long 3 ins. diam. with marked stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. from which a mesquite tree 12 ins. in diam.

T. 10 S. R. 14 E.

## Chains

frs. N. 45° E. 100 links dist.  
marked "4 S. B. T."

No other trees within limits

67.55  
8000

Road frs. N. W. and N. E.

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs,  
17, 18, 19 & 20 marked T. 10 S. S. 17 on  
N. E. R. 14 E. S. 20 on S. E, S, 19 on  
S, W, and S, 18 on N. W, faces with  $\ominus$  notch  
on S. and  $\surd$  notch on E. edges. Aug  
pile 18 x 18 x 12 ins. high. 1 ft. high  
and raised a mound of earth 2 ft. high.  $\frac{1}{2}$  ft.  
base. around post.

Surface rolling  
Soil 2nd. rate  
Good grass  
Dense mesquite and  
cats claw brush

East on a random  
line bet. Sec. 17 and 20  
Va. 12° 52' E.



J. and S. R. M.  
Chairs

- 4000 Set temporary "4 Sec. Cor.  
79.78 Intersect N. and S.  
line 8 links N. of the  
Cor. to Sec. 16, 17, 20  
and 21 Thence I  
ran N. 89° 57' W. on  
a true line bet Sec.  
17 and 20 with same  
39.89 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around  
post.  
79.78 The cor. to Sec. 17, 18, 19, & 20  
Surface level  
Soil 2nd. rate  
Good grass  
Scattering brush  
June 12th 1884

T. 10 S. R. 14 E.

## Chains

- Went on a random line  
 bet. Sec. 18 and 19  
 Va.  $12^{\circ} 52' E$ .
- 3960 Road bet. N. and S. enters  
 dense mesquite brush
- 26.80 Walk 20 lbs. with Co. S.
- 4000 Set temporary  $1/4$  Sec. Cor.
- 42.00 Leave dense brush
- 7976 Entered N. Co. of the  
 Tpk. 15 miles S. of the  
 Cor. to Secs. 13, 18, 19  
 and 24 which was  
 recently established  
 by me. Thence I ran  
 S.  $89^{\circ} 54' E$ . on a  
 true line bet. Secs.  
 18 and 19 with same va.
- 3976 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins. in the ground for  $1/4$  Sec. Cor.,  
 marked  $1/4$  S. or N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5 1/2$  ft. dist. and raised a  
 mound of earth  $1 1/2$  ft. high  $3 1/2$  ft. base around post.

J. and S. A. M.  
 Davis.

79.76

The Cor. to Sec. 17, 18, 19 & 20  
 Surface level  
 Soil 1st. rate  
 Good grass  
 Dew brush 38,40 lbs.  
 scattering brush 41,36 lbs.

North. set. Sec. 17 and 18  
 Va. 12° 52' E.

4.60

Road to N.E. and S.W.

40.00

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. on  $\frac{1}{2}$  face, dug pit 18 x 18 x 12  
 ins. N. and S. of post  $\frac{1}{4}$  ft. dist. and raised  
 a mound of earth  $\frac{1}{2}$  ft. high 3 ft. base around  
 post. better dew brush

80.00

Set a post 4 ft. long 4 ins. sqare, with marked  
 stone, 12 ins, in the ground for Cor, to Secs,  
 7, 8, 17 and 18 marked T. 10 S. S. 8 on  
 N. E. R. 14 E. S. 17 on S. E, S, 18 on  
 S, W, and S, 7 on N, W, face with 4 notch  
 on S. and 5 notch on E. edges, dug  
 pits 18 x 18 x 12 ins. in each Sec.  $\frac{1}{4}$  ft. dist.

T. 10 S. R. 14 E.

Chains

and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft.  
base. around post.

Surface level and sodding  
Soil 1st. rate

Good grass  
Dense brush 40 chs.

East on a random  
line bet. Sec. 8 and 17  
Ta.  $12^{\circ} 52' E.$

14.00 Leave dense brush  
36.00 Road to N.E. and S.W.  
40.00 Set temporary "4" sec. cor.  
79.90 Intersect N. and S.  
line 16 links N. of  
the cor. to Sec.  
8. 9. 16 and 17 Thence  
Course N.  $89^{\circ} 53' W.$   
on a <sup>fair</sup> random line

## Pile and S. R. M.

Chairs

Set Sec. 7 and 17 with  
same va.

3990 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and N. of post  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $\frac{1}{4}$  ft. high  $\frac{1}{2}$  ft. base. around  
post.

7990 The cor. to Sec. 7, 8,  
17 and 18  
Surface level and rolling  
Soil 1st. rate  
good grass  
Dune brush 14.00 Cho.

Went on a random line  
Set. Sec. 7 and 18  
Va.  $12^{\circ} 52' E$

11.00 Wash 10 cuts wide W. S.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

56.00 Wash 10 cuts wide W. N. E.

76.00 Clear dune Brush.

T. 10 S. R. 14 E.

Chavis

79.58 Intersect N. Coy. of  
the T<sub>10</sub>, 17 miles S.  
of the Cor. to Secs.  
7, 12, 13 and 18 which  
was recently established  
by me. Found I run  
S. 89° 53' E. on a true  
line bet. Secs. 7 and 18  
with same ca.

39.58 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and N. of post 3 ft. dist and raised  
a mound of earth 12 ft. high 34 ft. base around  
post. from which a mesquite - 8 ins. in diam. bet.  
S. 10° E. 90 yds. dist, marked  $\frac{1}{4}$  S. B. T.

79.58 The Cor. to Secs. 7, 12, 13 & 18  
Surface gently rolling  
Soil 1st. rate  
Good grass  
Dense mesquite - brush 76 Ch.

J. & S. A. M.  
Davis

North lat. Sec. 7 and 8  
No. 12° 52' E.

20.75 Wash 15 lbs. wide cor. set,  
40.00 Set a post 2 ft. long 3 ins.  
sq. with marked stone  
2 1/2 ins. in the ground for  
1/4 sec. cor. marked 1/4 S.  
on N. face. from which  
a mesquite 4 ins. in  
diam. frs. N. 75° W. 100 links  
marked 1/4 S. O. O.

A mesquite - 8 ins. in diam.  
frs. N. 17° W. 25 lbs.  
set, marked 1/4 S. O. J.

45.00 Wash 12 links wide Co. S. E.

80.00 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs.

5, 6, 7 and 8 marked 10 S. 5 on  
N. E. R. 14 E. S. 8 on S. E. S. 7 on  
S. W. and S. 6 on N. W. Face with 5 notch  
on S. and 5 notch on N. E. side. dug  
pits 10 x 10 x 12 in. in each Sec. 1 ft. dist.

77

BOOK 751

T. 10 S. R. 14 E.

Chairo

and raised a mound of earth 2 ft. high. 4 ft.  
base. around post.

Surface level and rolling  
Soil 1st rate  
Good grass  
Dense mesquite brush

East on a random  
line bet. Secs. 5 and 8  
No.  $12^{\circ} 52' E.$

- 24.60 Dry wash 15 miles wide  
Co. A.
- 40.00 Set temporary 1/4 Sec. Cor.
- 66.00 Leave dense brush
- 79.82 Intersect N. and S. line  
10 miles S. of the  
Cor. to Secs. 4, 5, 8,  
and 9 Then S. on  
S.  $89^{\circ} 56' N.$  on a



J. and S. R. M.  
Chains

39.94

true line bet. Sec.  
5 and 8 with same ca.  
Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor,  
marked  $\frac{1}{4}$  S. on  $\pi$ , face, dug pits 18 x 18 x 12  
ins. E. and  $\pi$ . of post 3 ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft. base around  
post.

79.82

The Cor. to Sec. 5, 6, 7 and 8  
Surface level  
Soil 1st. rate  
Good grass.  
Dunn Creek 66 Chains

Went on a random line.  
bet. Sec. 6 and 7  
Va.  $12^{\circ}52'E$ .

30.50

Wash. 18 lbs. wide to  $\pi$ .

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

79.54

Intersect  $\pi$ .  $\frac{1}{4}$  Sec. of  
the  $\pi$ . 12 links S.  
of the Cor. to Sec.

T 10 S. R. 14 E.

Chains

1. 6. 7 and 12 which was  
recently established  
by me. Thence @  
run S. 89° 55' E. on  
a true line to  
Sec. 6 and 7 with  
same or.

39.54 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S on N. face, two piles 1° x 18 x 12  
ins. E. and W. of post 5 ft. dia. and raised  
a mound of earth 2 ft. high. 3  $\frac{1}{2}$  ft. base around  
post.

79.54 The cor. to Secs 5, 6, 7 & 8  
Surface level  
Soil 1st. rate  
Good grass  
Dense Brush 66 Chains

---

J. and S. P. M.

Chains

North on a random  
line bet. Sec. 5 and 6  
Var.  $12^{\circ} 58'$

- 36.80 Dry wash 20 links wide  
Co. H.
- 40.00 Set temporary 14 Sec. Cor.
- 45.00 Leave same bench
- 79.86 Returned N. by of the  
Tp. 3 links N. of the  
Cor. to Sec. 5, 6, 31 and  
32 which was recently  
established by me.  
Thence I ran  $S 0^{\circ}$   
 $1' N.$  on a true line  
bet. Sec. 5 and 6  
with same var.
- 39.86 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. N. and S. of post 5 ft. dist. and raised  
a mound of earth 1 ft. high, 3 ft. base. around  
post.

T. 10 S. R. 14 E.

Chains

79.86 The Cor. to Sec.  
 5, 6, 7 and 8  
 Surface level  
 Soil 1st. rate  
 Good grass  
 Dense brush 45 Cbs.

---

I carefully examined  
 the adjustments of  
 my Solar Transit  
 the day particularly  
 the latitude and  
 reversing apparatus  
 and found them  
 correct.

June 18th 1884

George Rossberg  
 U. S. Deputy Surveyor.

J. and S. P. M.  
General Description

The Southern and Eastern portion of this Township is mountainous and rough the Northern and Western portion is more level.

Charoulean's Ranch is in Section 35 the improvements consist of three good adobe houses Corrals &c

Charoulean has also built two good Stone dams across a Cañon on the Section line between Sections 35 and 36. to form reservoirs for water

There is a Mexican Ranch in the S.E.  $\frac{1}{4}$  Sec. of Section 24 improvements consist of one adobe house

Samaniego's Ranch  
is in the N.E.  $\frac{1}{4}$  Section of  
Section 13.

There is an abundance  
of good grass generally  
over the Township more  
particularly in the Western  
and N.W. portion

George J. Roskrutz  
U.S. Deputy

Final Oaths for Surveys.

LIST OF NAMES.

A List of the Names of Individuals employed by  
George J. Raskopf U. S. Deputy Surveyor to  
assist in running, measuring and marking the lines and  
corners described in the foregoing Field Notes of the survey of  
the Exterior and Subdivisions  
lines of Twp 10 South  
Range 14 East of 2d S R  
Meridian

of the principal base and meridian in the Territory of Arizona,  
showing the respective capacities in which they acted.

- Saml. A. Van Pelt } Charmer
- Joseph O. Ford } Charmer
- Gilbert H. Rhodes } Charmer
- Thos. W. Swearing } Charmer
- Elijah W. Smith } Charmer

## Final Oaths of Assistants.

We hereby certify that we assisted George  
J. Parkruger U. S. Deputy Surveyor, in surveying  
 The Exterior and Subdivision  
 lines of Twp 10 South Range  
 14 East G. and S. R. Meridian

of the principal base and meridian in the Territory of Arizona,  
 as are represented in the foregoing field notes as having been  
 surveyed by him and under his direction; and that said Survey  
 has been in all respects, to the best of our knowledge and belief,  
 well and faithfully surveyed, and the corner monuments es-  
 tablished according to the instructions furnished by the U. S.  
 Surveyor-General for Arizona.

Saml W. Daniels  
Joseph A. Ford  
G. H. - - - - -  
Thos. M. Sweeney  
Elijah W. Smith

Subscribed and sworn to before me this 14th  
 day of June 1884

John Gardiner  
 Notary Public.



Final Oath of U. S. Deputy Surveyor.

I George J. Rasker

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Royal A.

Johnson U. S. Surveyor General for Arizona bearing date of the 20<sup>th</sup> day of May

1884. I have well, faithfully, and truly, in my own proper person and in strict conformity, with the instructions furnished by the U. S. Surveyor General for Arizona, the surveying manual and the laws of the United States surveyed the

exterior and subdivisions  
lines of Twp 10 South  
Range 14 East G. & S. R. W.

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing fields notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of the said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the U. S. Surveyor General for Arizona, and in the

87

BOOK 751

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

*George Roskruse*  
U.S. Deputy Surveyor.

Subscribed and sworn to before me, this 14<sup>th</sup>

day of June 1884



*John Gardiner*  
Notary Public.

BOOK 751

U. S. Surveyor General's Office,

Tucson, Arizona, July 19, 1884

The foregoing Field Notes of the Survey of the

Subdivisions of  
Township 10 South  
Range 14 East

Of the Gila and Salt River Base and Meridian, Arizona, executed by

George J. Rockrose

Deputy Surveyor, under his contract of the

9<sup>th</sup>

day of

May

, 1884, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson  
Surveyor General.