

No. 753

BOOK 753

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

Township *10 S.* Range *22 E.* No. 753

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *June 25, 1875.*

Survey commenced *Dec. 20, 1875.*

Survey completed *Dec. 23, 1875.*

753

Preliminary Oaths of Assistants.

We, Urbain Bessard
 and R. A. Vasquez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Urbain Bessard
R. A. Vasquez

Sworn to and subscribed before me, this 18th
 day of October, 1875

John H. Harris
 Asst. Secretary
 Arizona

We, B. Palm and
Wright H. Aubrey
do solemnly swear that we will well and truly per-
form the duties of Seaman and
Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palm
Wright H. Aubrey

Sworn to and subscribed before me this 18th
day of October, 1875.

John W. Harris
Asst Secretary
Arizona



No. 753

4-674.

Township 10 S. R. 22 E., 23 E., 24 E., 25 E., 26 E., 27 E., 28 E., 29 E., 30 E.

BOOK 753

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	30	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

1D

BOOK 753

Township 10 S. R. 22 E.

Tla Salt River Meridian

Subdivision commenced Dec. 20. 1875.

From the cor. to sec. 35 & 36 on S. boundary line
North between sec. 35 & 36

405. 13° 42' East.

As per East Boundary

4.00 Road hrs. S. E.

30.00 Dry bed of stream, 100 lbs. wide, runs S. E.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3
in. wide, 1 ft in the ground, drive charred stakes
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
14 sec. cor. No trees near.80.00 Set a post, marked Enatched, 4 ft long, 3 in. sq. d.
1 ft in the ground, drive charred stakes and
build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per instructions
for cor. to secs. 25, 26, 35 and 36.
No trees near.Land flat. Soil good. Grass.
No timber.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

As East or random line bet sec. 25 & 36.
var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect E. boundary 5 lvs. S. a cor. to
secs. 25 and 36. from which cor. run
S. $89^{\circ}58'$ W.

On true line between secs. 25 & 36.
var. $13^{\circ}42'$ East.

40.03 Drive charred stake and build
mound of earth 2 ft high with
futs 4 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.06 Cor to secs. 25, 26, 35 and 36.
Land descends a little S.E.
Good grass land.
No stones or timber.

3
 Township 10 S. R. 22 E.
 Gila & Salt River Meridian

Ch. North between sec. 25 & 26.
 var. 13° 42' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.
 No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to sec. 23, 24, 25, 26.
 No trees near.

Descends a little S. E.
 Good grass land.
 No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Cor. East on random line bet sec. 24 & 25.
var. 13° 42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

45.00 Running water, cor. S. E.

80.09 Intersect E. boundary 11 hrs. S. of cor.
to sec. 24 & 25. from which cor. True
S. 89° 55' W.

Outline line between sec. 24 & 25.
var. 13° 42' East.

40.04 Two charred stakes and build mound
of earth 2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.09 Cor. to sec. 23, 24, 25 and 26.
Descends a little S. E.
Some good soil on E. end.
No trees or brush.

Township 10 S. R. 22 E.
 Gila Salt River Meridian

Ln. North between secs. 23 & 24
 var. 13° 11' East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.
 No trees near.

50.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, and
 in center of pit S. E. a cor. drive a
 stake, marked and notched, 2 ft
 long, 2 in. sq. 1 ft in the ground,
 as per instructions, for cor. to secs.
 13, 14, 23 and 24.

No trees near.
 Descends a little S. E.
 Some good soil.
 No trees or stones.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

To East. corner of line bet. secs. 13 & 24.
var. 13° 42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect E. boundary 3 $\frac{1}{2}$ miles S. of
cor. to secs. 13 and 24, from which
cor. from
S. 89° 44' W.

Outline line between secs. 13 & 24.
var. 13° 42' East.

40.02 Drive charred stake and build
mound of earth 2 ft high, with
pile 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.05 Cor. to secs. 13, 14, 23, and 24.
Land flat
Good soil on N. end.
No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Ch^s North between secs. 13 & 14
var. 13⁴⁵' East.

40.00 Drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for 14 sec. cor.
No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, and in
center of pit S. E. of cor. drive
a stake, marked and notched,
2 ft. long, 2 in. sq. d. 1 ft. in the
ground, as per instructions, for cor.
to secs. 11, 12, 13 and 14.

No trees near.

Land flat Good soil on N. end.
No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. East, on random line bet. sec. 12 & 13.
var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.89 Intersect E. boundary, 30 lbs. S. of
cor. to sec. 12 and 13. from which
cor. True
 $S 89^{\circ}47' W.$

On true line between sec. 12 & 13.

var. $13^{\circ}42'$ East.

39.95 Iron charred stake and build mound
a foot $2\frac{1}{2}$ ft high, with pit $\frac{1}{2}$ ft deep,
 $2\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, as per instru-
ments for $\frac{1}{4}$ sec. cor.

No trees near.

79.89 Cor. to sec. 11, 17, 13 and 14

Land mostly flat.

Good grass land.

No stones or trees.

Township 10 S. R. 22 E.
Tda & Salt River Meridian

Ln North between secs 11 & 12.
412. 13°47' East.

40.00 Drive charred stake and build mound a foot high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 11 sec. cor. No trees near.

50.00 Drive charred stake and build mound a foot high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. a few. drive a stake, marked and notched, 2 ft. long, 7 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to secs. 1, 7, 11, and 12.

Land flat

Good grass land.

No stones or trees.

Township 10 S. R. 22 E.
Tila & Salt River Meridian

1/2 East meridian line bet. sec. 1 & 12
var. 13° 42' East.

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect E. boundary, 42 ch. S. of
cor. to sec. 1 and 12, from which
cor. I run
S. 89° 42' W.

Old true line between sec. 1 & 12.

var. 13° 42' East.

39.94 Drive charred stake and build
mound a part of the height, with
feet 1/2 deep, 2 ft. long, 1/2 ft. wide, as
per instructions, for cor. to 1/4 sec.
No trees near.

79.88 Cor. to sec. 1, 2, 11 and 12.

Land flat

Good grass land.

No trees or stones.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Ch. North-southern line between secs. 1 & 2.
var. $13^{\circ}45'$ East.

12.00 Road bet. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. boundary of sec. 11.
at cor. to secs. 1 & 2. from which
cor. from
S. $0^{\circ}24'$ W.

Outline line between secs. 1 & 2.
var. $13^{\circ}45'$ East.

40.11 Drive charred stake and build
monument about 5 ft high, with
spike 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for cor. to $\frac{1}{4}$
secs.

No trees near.

80.11 Cor. to secs. 1, 2, 11, and 12.

Land flat.

Good grass land. No stones or trees.

Township 10 S. R. 22 E.

Gila & Salt River Meridian

Sec. North between sec. 34 & 35,
 var. 13° 42' East.

34.00 Dug bed of stream, 50 lbs. wide, runs S. E.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide,
 1 ft in the ground, drive charred stake and build
 mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions for 4 sec. cor. from which
 Walnut, 13 in. dia. bar. S. 36 3/4° W. 365 lbs. dist.

do. 12 " " " S. 85 1/2° W. 211 " "

71.00 Road bar. N. W.

80.00 Set a post, marked 3, notched, 4 ft long
 3 in. sq. d. 1 ft in the ground, drive charred
 stake and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions, for
 cor. to sec. 26, 27, 34 and 35.

No trees near.

Land descends E. Some good
 soil, a few trees along wash.

13

Township 10 S. R. 22 E.
 Sec. 4 Salt River Meander

As East, around the line bet. sec. 26 & 35.
 var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect N. and S. lines, 8 lvs. S. of
 cor. to sec. 25, 26, 35 and 36,
 from which cor. I run
 $S. 89^{\circ}37' W.$

Outline line between sec. 26 & 35.
 var. $13^{\circ}42'$ East.

39.94 Saw charred stake and mound
 mound a foot high, with
 hole 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.87 Cor. to sec. 26, 27, 34 & 35.
 Land descend a little S. E.
 Good grass land,
 No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Sec. North between sec. 26 & 27
40. 13° 42' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
driv charred stake and build mound
of earth 2 ft. high, with pile 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq. d. 1 ft. in the ground,
driv charred stake and build
mound of earth 2 ft. high, with
pile 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to sec.
22, 23, 26, and 27.

No trees near.

Land descends a little E.

Soil mostly 2^d rate

No timber December, 20, 1875.

Township 10 S. R. 22 E.
Tela 4 Salt River Meridian

R. East, on random line bet. sec. 23 & 26.
var. 13° 42' East.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 7/8 sec. N.
of cor. to secs. 23, 24, 25 & 26. from
which cor. from
N. 89° 57' W.

On true line between secs. 23 & 26.
var. 13° 42' East.

40.06 Drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 1/4 sec. cor.
No trees near.

80.13 Cor. to secs. 22, 23, 26, and

27.
Land descends a little E.
Soil mostly 2 rate.
No stones or trees.

Township 10 S. R. 22 E.
 6th Salt River Meridian

Ch. North between sees 22¹/₂, 23,
 var. 13°42' East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 14 sec. cor.
 No trees near.

50.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and
 in center of pit S. E. of cor. drive
 a stake, marked and notched,
 2 ft long, 2 in sqd. 1 ft in the ground,
 as per instructions, for cor. to sees
 14, 15, 22 and 23,
 No trees near.

Land descends a little E.
 Soil mostly 2^o rate. Good grass.
 No trees or brush or stones.

Township 10 S. R. 22 E.
 Gila Salt River Meridian

No. East. meridian line bet. sec. 14 & 23.
 var. 13° 42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

61.00 Swampy place, runs S. E.

79.94 Intersect N. $\frac{1}{2}$ line, 5 hrs. N. of cor.
 to sec. 13, 14, 23 and 24, from which
 cor. drawn
 N. 89° 58' W.

On true line between sec. 14 & 23.

var. 13° 42' East.

39.97 Drive charred stake and build mound
 of earth 1 ft high, with pile 1 ft deep
 2 ft long, 1 ft wide, as per instruc-
 tions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.94 Cor. to sec. 14, 15, 22 and 23.

Land flat Good soil on E. end.

No stakes or trees.

Township 10 S. R. 22 E.
 Gila & Salt River Meridian

Rs. North between sec. 14 & 15.

Var. 13° 42' East.

40.00 Drive charred stake and build mound
 of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for sec. cor. No trees near.

55.00 Swampy place, runs S. E.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in sq. d. 4 ft
 in the ground, as per instructions,
 for cor. to secs. 10, 11, 14 and
 15. No trees near.

Descends a little S.

Good grass land.

No stones or trees.

Township 10 S. R. 22 E.
Tela⁹ Salt River Meridian

No. East on sandon line bet. secs 11⁹/14
4117. 13° 42' East

40.00 Set temporary ⁷⁴ sec. cor.

79.90 Intersect N. and S. line, 8 lvs. S. of cor.
to secs. 11, 12, 13 and 14, from which
cor. run
S. 89° 54' W.

On true line between secs. 11⁹/14
4117. 13° 42' East.

39.95 Saw a charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for ⁷⁴ sec. cor.
No trees near.

79.90 Cor. to secs. 10, 11, 14 and 15.

Descends a little S.
Good grass land
No stones or trees,

Township 10 S. R. 22 E.
 Tels Salt River Meridian

Ln. North between secs. 10 $\frac{1}{2}$ 11
 401. 13 $^{\circ}$ 42' East.

40.00 Set a post, marked "4 S. 4 ft long, flat
 tined 3 in wide, 1 ft in the ground, drive
 charr'd stake, and build mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 4 ft wide, as per instructions, for 1st
 sec. cor. No trees near.

60.00 Road bet. N. E.

80.00 Set a post, marked and notched, 4 ft
 long, 3 in sq. d. 1 ft in the ground, drive charr'd
 stake and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 4 ft
 wide, as per instructions, for cor.
 to secs. 2, 3, 10 and 11.

No trees near.

Land flat Some good soil.
 Good grass. No timber.

Township 10 S. R. 22 E.
 Gil⁴ Salt River Meridian

Pr. East. random line lat. sec. 2¹/₄ 11.
 var. 13°42' East.

40.00 Set temporary ¹/₄ sec. cor.

50.00 Road bet. N. E.

79.91 Intersect N. and S. line 5 hrs. S. of cor.
 to sees. 1, 2, 11 and 12. from which
 cor. drawn
 S. 89° 58' W.

Outline line between sec. 2¹/₄ 11.
 var. 13°42' East.

39.96 Drive charred stake and build
 mound a feet or 2 of height, with
 top 1 ft. deep, 2 ft long, 1 ft wide,
 as per instructions, for cor. to ¹/₄ sec.
 No trees near.

79.91 Cor. to sees. 2, 3, 10 and 11.
 Land flat. Some good soil.
 Good grass. No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. North boundary line bet. secs. 2 & 3.
Var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect N. boundary 10 hrs. N. of
cor. to secs. 2 & 3. from which cor.

Run

S. $0^{\circ}4'$ W.

On true line between secs. 2 & 3.

Var. $13^{\circ}42'$ East.

40.04 Drive charred stake and build
mound a foot or 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.04 Cor. to secs. 2, 3, 10 and 11.

Land flat.

Good grassland.

No stones or timber.

Township 10 S. R. 22 E.
Tela & Sal. River Meridian

Sec. North between sec. 33 & 34.
T4 S. 13° 42' East.

- 28.00 Dripped a stream, 60 km wide, flow N. of E.
- 40.00 Set a post marked 14 S 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound a foot high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for T4 sec. cor. No trees near.
- 80.00 Drive charred stake and build mound a foot high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq d, 1 ft in the ground, as per instructions for cor. to sec. 27, 28, 33 and 34. No trees near.
- Land descends a little E.
Some good soil. No timber.

Township 10 S. R. 22 E.

Sec. 4 Salt River Meridian

Sec. East on random line bet. secs. 27 & 34
var. 13° 42' East.

40.00 Set temporary 1/4 sec. cor.

70.00 Road cor. S. E.

79.92 Intersect N. and S. line 15 hrs. S. of
cor to secs. 26, 27, 34, and 35,
from which cor. run
S. 89° 54' W.

On true line between secs. 27 & 34
var. 13° 42' East.

39.96 Set a post, marked 1/4 S. of long flattened
3 in. wide. 1 ft. in the ground, drive charred
stake and build mound a fourth of height
with fill 1 ft. deep. of long, of wide, as per
instructions for 1/4 sec. cor. No trees near.

79.92 Cor. to secs. 27, 28, 33 and 34.
Land descends a little E.
Some good soil. No timber.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. North between secs. 27 & 28.
var. $13^{\circ}42'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

50.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and scratched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to secs. 21, 22, 27 and 28.

No trees near.

Land descends a little E.

Soil gravelly, 2nd rate.

No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. East, on random line bet sec. 22 & 27
var. 13° 42' East.

30.00 Road runs S. E.

40.00 Set temporary 1/4 sec. cor.

80.05 Intersect N. and S. line 12 hrs. S. of
cor to sec. 22, 23, 26 and 27, from
which cor. Run
S. 89° 55' W.

On true line between sec. 22 & 27.
var. 13° 42' East.

40.02 Two charred stave and build
mounds of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor to 1/4 sec.
No trees near.

80.05 Cor to sec. 21, 22, 27 and 28.
Land descends a little E.
Soil gravelly & rate. No stone
or trees.

Township 10 S. R. 22 E.
 6th & Salt River Meridian

Sec. North between sec. 21 & 22
 var. 13°45' East

40.00 Drive charred stake and build
 mound of earth 4 ft high, with pit
 4 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 11 sec. cor.

No trees near.

43.00 Road base S. E.

50.00 Drive charred stake and build mound
 of earth 4 ft high, with pit 4 ft deep, 2
 ft long, 4 ft wide, and in center of pit
 S. E. of cor. drive a stake, marked
 and notched, 2 ft long, 2 in. sqd,
 1 ft in the ground, as per instruc-
 tions, for cor. to sec. 15, 16, 21

and 22. No trees near.

Land descends a little E.
 Some good soil. No stone or
 trees.

Township 10 S R 22 E
Gila & Salt River Meridian

Chs. East. on random line bet. sec. 15 & 22.
var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.07 Subsect N. and S. line 21 hrs. S.
of cor. to sec. 14, 15, 22 and 23,
from which cor. drawn
 $S. 89^{\circ}51' W.$

On true line between sec. 15 & 22.
var. $13^{\circ}42'$ East.

40.03 Drive charred stake and build mound
of earth 2 ft high, with pit 1 ft deep
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.07 Cor. to sec. 15, 16, 21, and 22.
Land ascends a little N.
Good soil.

No stones or trees.

Township 10 S.R. 22 E.
Gila & Salt River Meridian

Sec. North Uteuccu sec. 15 & 16,
var. 13⁰⁴/₂' East.

30.00 Swampy place, runs S.E.

40.00 Drive charred stake and build
mound of earth 2 ft high with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1st sec.
cor. No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center a pit S. E. a few
driv a stake, marked and
notched, 2 ft long, 2 in sq' d. 1 ft
in the ground, as per instructions
for cor. to Secs. 9, 10, 15 and 16.
Land flat. Soil good.
No stones or trees.

Township 10 S. R. 22 E.
Gila Salt River Meridian

Co. East on random line bet. sec. 10 & 15.
var. 13°42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. and S. line 7/8 mi. S. of cor.
to secs. 10, 11, 14 and 15, from
which cor. Run
S. 89°57' W.

On true line between secs. 10 & 15.
var. 13°42' East.

40.05 Iron charred stake and build
mound a feet or 2 high, with hole
1 ft deep, 2 ft long, 1 ft wide, as per
instruction, for $\frac{1}{4}$ sec. cor.
No trees near.

80.11 Cor. to secs. 9, 10, 15 and 16.
Sand flat.

Soil good.

No stones or trees.

December 21, 1895.

Township 10 S. R. 22 E.
 Gila & Salt River Meridian

Rs North between secs. 9th & 10
 var. $13^{\circ}42'$ East

27.00 Road runs N. of E.

40.00 Drive charred stake and build
 mound of earth 2 ft high with pit
 1 ft deep, 2 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, and in cer-
 ta of pit S. E. of cor. drive a stake,
 marked and notched 2 ft long, 2
 in. sq. d. 1 ft in the ground, as per in-
 structions, for cor. to secs 3, 4, 9 and
 10. No trees near.

Land flat. Soil good.
 No stones or trees.

Township 10 S. R. 22 E.
 6th Salt River Meridian

1/4 Sec. East. meridian line bet. secs. 3 & 10.
 var. 13°42' East.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N. and S. line 10 Sec. N. of cor.
 to secs. 2, 3, 10 and 11, from
 which cor. Run
 N. 89°56' W.

Put true line between secs. 3 & 10.

var. 13°42' East.

40.03 Drive charred stake and build
 mound of earth 2 ft high, with pile
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.
 No trees near.

80.06 Cor. to secs. 3, 4, 9 and 10.

Land flat

Good grass land.

No stones or trees.

Township 10 S. R. 22 E.
 Gila & Salt River Meridian

No. North-southern line bet. secs. 3 & 4.
 Var. $13^{\circ}42'$ East.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. boundary 11 lvs. N.
 of cor. to secs. 3 and 4. from
 which cor. drawn
 $S. 0^{\circ}5' N.$

On true line between secs. 3 & 4.
 var. $13^{\circ}42'$ East.

40.13 Saw charred stake and build
 mound of earth 2 ft high, with
 pits 4 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 1/4 sec. cor.
 No trees near.

80.13 Cor. to secs. 3 & 4, 9 and 10.

Land flat.
 Good grass land.
 No stones or trees.

Township 10 S. R. 22 E.
Gila Salt River Meridian

Co. North between secs. 32 & 33
var. 13° 42' East.

25.00 Dry bed of stream, 50 lbs. wide, runs E.

40.00 Set an igneous rock, 12 x 12 x 7 inches,
2/3 in the ground, marked 14,
and on N. build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for
1/4 sec. cor. No trees near.

80.00 Set an igneous rock, 15 x 12 x 6
inches, 2/3 in the ground, notched
S. and E. and on N. build
mound of earth 2 ft high with
pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to secs.
28, 29, 32 and 33. No trees near.

Descending E.

Good grassland.
No timber.

35

Township 10 S. R. 22 E.
Gila & Salt River Meridian

40.00 Set an iron line between secs. 28 & 33.
var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. and S. line 12 hrs. N.
of cor. to secs. 27, 28, 33 and 34
from which cor. True
N. $89^{\circ}55'$ W.

On true line between secs. 28 & 33.
var. $13^{\circ}42'$ East.

40.08 Set an igneous rock $14 \times 7 \times 6$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on N. build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, a
few instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.17 Cor. to secs. 28, 29, 32 and 33.
Land descends a little E.
Soil 2nd rate. No timber.

Township 10 S. R. 22 E.
Tola & Salt River Meridian

Rs North between secs 28 & 29,
var. 13° 42' East

40.00 Set an igneous rock, 15 x 8 x 5 inches, $\frac{2}{3}$ in the ground, marked "4", and on N. build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to secs, 20, 21, 28 and 29.

No trees near.

Land descends E. Soil stony on S. end; poor. No timber.

Township 10 S. R. 22 E.
Tila & Salt River Meridian

40.00 S. East, on random line bet sees. 21 & 28.
var. 13°42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect A. and B. line 9 lks. S.
of cor. to sees. 21, 22, 27 and 28.
from which cor. run
S. 89°56' W.

On true line bet sees. 21 & 28.

var. 13°42' East.

40.07 Run charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to $\frac{1}{4}$ sec.
No trees near.

80.14 Cor. to sees. 20, 21, 28 and 29.
Land descends a little E.
Soil 2^d rate. Good grass.
No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Rs. North between sees. 20 & 21

var. 1342' East.

40.00 Set an igneous rock, 15 x 10 x 6 inches,
2/3 in the ground, marked 44,
and on N. build mound of earth
2 ft high, with pit, 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
44 sec. cor. No trees near.

50.00 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S.E. of cor.
drive a stake, marked and notched,
2 ft long, 2 in. sq. id. 1 ft in the
ground, as per instruction
for cor. to sees. 16, 17, 20 and
21. No trees near.
Land descends a little E.
Soil 2nd rate. Good grass.
No timber.

Township 10 S. R. 22 E.
 6th & Salt River Meridian

Ch. East on random line bet sec. 16 & 21.
 var. 13' 4 1/2" East.

40.00 Set temporary 1/4 sec. cor.

55.00 Road runs S. E.

79.95 Intersect N. and S. line 7/8 S. of
 cor. to sec. 15, 16, 21 and 22.
 from which cor. June
 S. 89° 30' W.

On true line between sec. 16 & 21.
 var. 13' 4 1/2" East.

39.98 Drive charred stake and build
 mound of earth 2 ft high with pit
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.

No trees near.

79.95 Cor. to sec. 16, 17, 20 & 21.

Land descends a little E.

Soil 2nd rate. No stones or trees.

Township 10 S. R. 22 E.
 Gila Salt River Meridian

Cor. North between sec. 16 & 17
 var. 13' 42" East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec.
 cor. No trees near.

77.00 Road runs N. E.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. corner
 drive a stake, marked and notched,
 2 ft long, 2 in. sq. 1 ft in the ground,
 as per instructions, for cor. to sec.
 8, 9, 16, and 17. No trees near.
 Land flat. Good soil on
 N. end. No stones or trees.

Township 10 S R. 22 E.
Tide & Salt River Meridian

Run East on random line bet secs. 9 & 16.
var. $13^{\circ}42'$ East.

5.00 Wood road bet. N. E.

30.00 Road to Eureka Springs bet. N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. and S. line, 6 kcs. S.
of cor. to secs. 9, 10, 15 and 16,
from which cor. Run
 $S. 89^{\circ}57' W.$

Original line between secs. 9 & 16.

var. $13^{\circ}42'$ East.

40.05 Drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep &
1 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.10 Cor. to secs. 8, 9, 16, and 17.
Land flat. Some good soil.
No stones or trees.

Township 10 S. R. 22 E.
 Gila⁴ Salt River Meridian

Sec. North between sec. 8 & 9.
 Var. 13' 45" East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide as
 per instructions, for 14 sec. cor.
 Notes near. Cor. close to E.
 side of road; road runs N. W. to Gordon's.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. drive a
 stake, marked and notched,
 2 ft long, 2 in. sq. d. 1 ft in the ground
 as per instructions, for cor. to
 sec. 4, 5, 8 and 9. Notes near.
 Land flat. Some good soil.
 No stone or trees.

Township 10 S. R. 22 E.
 6th & Salt River Meridian

Co. East. in random line bet sees. 4th & 9
 var. 13° 42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect A. and B. line, 10 hrs. S.
 of corner sees. 3, 4, 9 and 10,
 from which cor. run
 S. 89° 56' W.

On true line between sees. 4th & 9.
 var. 13° 42' East.

40.06 Drive charred stake and build
 mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
 per instruction, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.13 Cor. to sees. 4, 5, 8 and 9.

Land flat.

Some good soil.

No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

hs. NW corner line between 4 & 5.
Var. 13° 42' East.

40.00 Set temporary 1/4 sec. cor.

44.00 Road to Eureka Springs Cas. N.E.

80.12 Intersect N. boundary 22 lvs. N.

4 sec to sec. 4 and 5, from
which cor. Run
S 0° 9' N.

On true line between sec. 4 & 5.
var. 13° 42' East.

40.12 Iron charred stake and build
mound of earth 2 ft high, with
pits 4 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec.
cor. No trees near.

80.12 Cor. to sec. 4, 5, 8 and 9.
Land flat Good grass land.
No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. North between sees, 31 & 32
var. 13' 45" East.

8.00 Dry bed of stream, 50 lbs. more, runs N. & E.
40.00 Set an igneous rock, 20 x 8 x 5 inches,
 $\frac{3}{4}$ in the ground, marked "4", and on
N. build mound of stones 2 ft high,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set an igneous rock, 25 x 14 x 6
inches, $\frac{3}{4}$ in the ground, notched
S. and E. and on N. build mound
of stones 2 ft high, as per instruc-
tions, for cor. to sees 29, 30, 31
and 32.
No trees near.

ascends N. between hills
Goes. No timber.

December 22, 1875.

Township 10 S. R. 22 E.
 Gila Salt River Meridian

Ch. East or random line between 29th & 32nd,
 var. 13°42' East.

36.00 Foot of hill and ascend.

40.00 Set temporary 1/4 sec. cor.

47.00 Top of above hill and descend.

57.00 Leave hills and enter valley

50.16 Intersect N. and S. line 5 hrs. N.
 of cor to secs. 28, 29, 32 and 33,
 from which cor. Run
 N. 89° 58' W.

Old true line between secs. 29 & 32.
 var. 13°42' East.

40.08 Set an igneous rock, 16 x 15 x 9 inches,
 2/3 in the ground, marked 1st, and on N.

could mound of stones of the high, a few
 instructions, for 1/4 sec. cor. N. trees, near

On west slope of stony hill.

50.16 Cor. to secs. 29, 30, 31 and 32.

Land hilly. Soil stony & poor.

Some grass. No timber.

Township 10 S. R. 22 E.
Gila Salt River Meridian

Ch. West on random line between secs. 30 & 31.
var. $13^{\circ}42'$ East.

20.00 Along top of stony ridge, bcs. N. E. & S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. boundary 16 lines N. of cor.
to secs. 30 and 31, from which cor.

Run
N. $89^{\circ}53'$ E.

On true line between secs. 30 & 31.

var. $13^{\circ}42'$ East.

40.08 Set a black rock, $14 \times 8 \times 7$ inches,
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$, and on
E. build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.08 Cor. to secs. 29, 30, 31 and 32.
Land hilly. Soil stony.
Some grass. No timber.

Township 10 S. R. 22 E
 Gila & Salt River Meridian

Rs. North between sees. 29 & 30,
 var. 13' 42" East.

20.00 Stony ridge, br. N.E. & S.W.

40.00 Set a black rock, 15 x 8 x 7 inches,
 marked 11, $\frac{2}{3}$ in the ground,
 and on N. build mound of
 stones 2 ft high, as per in-
 structions, for 1/2 sec. cor.

No trees near.

80.00 Set a black volcanic rock, 23 x
 14 x 12 inches, $\frac{3}{4}$ in the ground,
 notched S. & E. and on N. build
 mound of stones 2 ft high, as
 per instructions, for cor. to sees.
 19, 20, 29 and 30.

No trees near.

Land uneven, Soil stony.
 Considerable grass.

No timber.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Ln. East. on random line bet sees. 20 & 29
var. 13°42' East.

13.00 Top of hill and descend.

39.00 Leave hill and enter plain.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. and S. line 10 lvs. S. of
cor to sees. 20, 21, 28 and 29. from
which cor. Inm
S. 89°56' W.

Outline line between sees. 20 & 29.

var. 13°42' East.

40.07 Set a black volcanic rock, 15 x 8 x 7 in-
ches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ sec.
and on N. build mound of stones
2 ft high as per instructions, for cor.
to $\frac{1}{4}$ sec. No trees near

80.15 Cor. to sees. 19, 20, 29 and 30.

Line passes over hill on N.
Descends E. Good grass, No trees.

Township 10 S. R. 22 E.

Gda⁴ Salt River Meridian

No. Westward on line between sec. 19 & 30,
var. 13°42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. boundary 12 ls. N.
of cor. to sec. 19 and 30. from which
cor. from
N. 89°55' E.

On true line between sec. 19 & 30,
var. 13°42' East.

39.86 Set a black volcanic rock, 20 x 6 x 6
inches, $\frac{3}{4}$ in the ground, marked
 $\frac{1}{4}$, and on E. build mound of earth
2 ft high, with feet 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for $\frac{1}{4}$
sec. cor. No trees near.

79.86 Cor. to Sec. 19, 20, 29 and 30.
Land descends E. Stony on E.
No timber.

Township 10 S. R. 22 E.
 Gila & Salt River Meridian

Cor. West on random line bet sees. 18 & 19
 var. 13° 42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect W. boundary 8 lvs. S. of
 cor. to sees. 18 & 19. from which
 cor. run
 S. 89° 57' E.

On true line between sees. 18 & 19.
 var. 13° 42' East.

39.85 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
 topped 3 in. wide, 1 ft in the ground,
 driven charred stake and built mound
 4 ft high, with pile 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

79.85 Cor to sees. 17, 18, 19 and 20.

Land descends a little E.

Salt rate. Goes. No timber.

Township 10 S. R. 22 E.
 Gila $\frac{3}{4}$ Salt River Meridian

Co. North between sec. 17 & 18.

var. $13^{\circ}42'$ East.

40.00 Drive charred stake and build mound of earth of height, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor.

No trees near.

43.00 Road bar. N. E.

80.00 Drive charred stake and build mound of earth of height, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d., 1 ft. in the ground, as per instructions, for cor. to sec. 7, 8, 17 and 18.

No trees near.

Land descends a little E.

Soil 2nd rate Grass. No timber.

Township 10 S. R. 22 E.
Tada & Salt River Meridian

Ch. East, on random line between $8^{\circ} 17'$
var. $13^{\circ} 42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. and S. line of Sec. 8 of
cont. Secs. 8, 9, 16, and 17, from
which cor. runs
 $S. 89.3^{\circ} 27' W.$

On true line between Secs $8^{\circ} 17'$
var. $13^{\circ} 42'$ East.

40.05 Drive charred stake and build
mound a foot or 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
Notes near.

80.11 Cor. to Secs 7, 8, 17 and 18.
Land descends a little E.
Soil 2^o rate.

Grass. No stones or trees.

Township 10 S. R. 22 E.
Gila & Salt River Meridian

Co. West. on random line bet. sec. 7 & 18.
var. 13°42' East.

40.00 Set temporary 1/4 sec. cor.

79.84 Intersect N. boundary 11 hrs. S.
of cor. to sec. 7 and 18. from which
cor. I run
S. 89°55' E.

On true line between sec. 7 & 18.
var. 13°42' East.

39.84 Set anagynous rock, 15 x 8 x 2 inches,
marked 1/4, 2/3 in the ground,
and on E. build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for 1/4
sec. cor. Notice near.

79.84 Cor. to sec. 7, 8, 17 and 18.
Land flat. Good grass.
No timber.

Township 10 S. R. 22 E.
 Sec. 4 Salt River Meridian

Rs. North between sees. 7 & 8,
 var. 13°42' East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and notched,
 2 ft long, 2 in sq. d. 1 ft in the ground,
 as per instructions, for cor. to sees.

5, 6, 7 and 8. No trees near.
 Land flat

Good grass.

No stones or trees.

Township 10 S. R. 22 E.
 Gila & Salt River Meridian

Chs. East or random line bet sec. 5 & 8.
 var. $13^{\circ}42'$ East.

37.00 Road bet. N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.11 Intersect N. and S. line 13 lvs. S.
 of cor. to sec. 4, 5, 8 and 9. from
 which cor. run
 S. $89^{\circ}54'$ W.

On true line between sec. 5 & 8.

var. $13^{\circ}42'$ East.

40.05 Drive charred stake and build
 mound a foot $\frac{1}{2}$ ft high, with pit
 $\frac{1}{2}$ ft deep, $\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide as per
 instructions for $\frac{1}{4}$ sec. cor.

No trees near.

50.11 Cont. to sec. 5, 6, 7 and 8.

Land flat

Good grass.

No stones or trees.

Township 10 S. R. 22 E.
Gila Co. Salt River Meridian

Co. West random line bet sees 6⁷/₈ &
var. 13°42' East.

40.00 Set temporary 1/4 sec. cor.

79.82 Intersect N. boundary 10 lvs. S. of
cor. to sees. 6⁷/₈ from which cor.

Run

S. 89°56' E.

On true line between sees. 6⁷/₈ &

var. 13°42' East.

39.82 Set an igneous rock, 15 x 8 x 6 inches,
1/2 in the ground, marked 1/4, and
on E. build mound of earth 2 ft high,
with pits 1/2 ft deep, 2 ft long, 1/2 ft wide,
as per instructions, for 1/4 sec. cor.
No trees near.

79.82 Cor. to sees. 5, 6, 7 and 8.

Land flat. Good grass land
No timber.

Township 10 S. R. 22 E.
 Gila Salt River Meridian

Ch. North boundary line bet. sec. 5 & 6.
 Var. $13^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect. N. boundary $47\frac{1}{2}$ Cos. N.
 of cor. to sec. 5 and 6. from which
 cor. down
 S. $0^{\circ}20'$ N.

On true line between sec. 5 & 6
 Var. $13^{\circ}42'$ East.

40.18 Saw charred stake and build mound
 of earth 2 ft high, with pit 6 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.18 Cor. to sec. 5, 6, 7 & 8.

Kelly on N., flat on S.
 Good grassland.

No stumps or trees.

December 23, 1875

Township 10 S. R. 22 E.
Gila & Salt River Meridian
General Description


This Township covers fine grazing land.
There is abundance of grass over
its whole extent.

In the S. W. cor. it is hilly; otherwise
the surface is flat or descending
a little S. and E.

Running water is found in Secs.
14, and 15, 23 and 24.

There is no timber in the township
except a few trees along a wash
near the southern border.

Theodore F. White
U.S. Deputy Surveyor.



List of Names.

BOOK 753
BOOK 753

62

*A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision
line of Township 10 S.
Range 22 E. of the Gila
and Salt River Meridian
Arizona.*

Showing the respective capacities in which they
acted.

Urbani Bissard Chainman.

R. A. Vasquez Chainman.

B. Palmer Axeman.

Wright H. Aubrey Flagman.

Final Oath of Assistants.

We hereby certify that, we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying the Subdivision Lines
of Township 10 S. Range
22 E. of the Gila and
Salt River Meridian
Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Urban Bessard Chainman.

R. A. Varquez Chainman,

B. Palm Axeman.

Wright H. Aubrey Flagman.

Sworn to and subscribed before me, this 3^o
 day of January, 1876

John H. Harris
 Asst. Secretary, Ariz.

Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 25th day of June

1875. I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of

the Subdivision lines of
Township 10 S. Range
22 E. of the Gila and
Salt River Meridian, Arizona.

..... as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

65

BOOK 753

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor.

Sworn to and subscribed before me, this 3rd
day of January, 1876

John L. Harris
Asst. Secretary
Arizona

U. S. Surveyor General's Office,
Tucson, Arizona, January 24, 1876

The foregoing Field Notes of the survey of the
Subdivision lines of
Township 10 S.
Range 22 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodor F. White,
D. S., under his contract of the 25th day of
June, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason