

No. 755

BOOK 755

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

755

-OF-

No. 755

Township *11 S.* Range *24 E.*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *Theodor F. White*, D. S.

under contract dated *June 25, 1875.*

Survey commenced *Nov. 29, 1875.*

Survey completed *Dec. 3, 1875.*

## Preliminary Oaths of Assistants.

We, Urban Bessard  
and R. A. Vasquez  
do solemnly swear that we will faithfully execute  
the duties of Chain Carriers; that we will level the  
chain upon uneven ground, and plumb the tally  
pins, whether by sticking or dropping the same;  
that we will report the true distance to all notable  
objects, and the true length of all lines that we as-  
sist in measuring, to the best of our skill and  
ability.

Urban Bessard  
R. A. Vasquez

Sworn to and subscribed before me, this 18<sup>th</sup>  
day of October, 1875

John Harris  
Asst. Secretary  
Ariz.

We, *B. Palm and*  
*Wright H. Aubrey*

do solemnly swear that we will well and truly per-  
form the duties of *Deputy and*  
*Flagman, respectively*  
according to instructions given us, and to the best  
of our skill and ability.

*B. Palm*  
*Wright H. Aubrey*

Sworn to and subscribed before me this *18<sup>th</sup>*  
day of *October*, 187*5*

*John H. Harris*  
*Asst Secretary*  
*Arizona*



No. 755

4-674.

Township 11 S. R. 24 E. S. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12.

BOOK 755

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	5	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36



Township 11 S. Range 24 E.

Pala &amp; Salt River Meridian

Subdivision lines commenced Nov. 29, 1875.

From the cor. to sec. 35 & 36, on S. boundary, run  
North between sec. 35 & 36.var.  $14^{\circ}05'$  East.

As per east boundary.

40.00

Set a porphyry rock,  $12 \times 8 \times 6$   
inches,  $\frac{2}{3}$  in the ground, marked  
 $\frac{1}{4}$ , and on N. build mound of  
earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No trees near.

80.00

Drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, and in center of  
pit S. E. of cor. drive a stake marked  
and notched, 2 ft long, 2 in. sqd.  
1 ft in the ground, as per instructions  
for cor. to sec. 25, 26, 35 and 36.  
Remote from stones and timber.  
Land ascends N. Soil gravelly, 2<sup>d</sup> rate.  
Grass. No trees.

Township 11 S. Range 24<sup>th</sup> E.  
Gila and Salt River Meridian

No East. or random line bet. secs. 25 & 36  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.70 Intersect E. boundary 22 hrs. S. of  
cor. to secs. 25 & 36. from which  
cor. run  
 $S. 89^{\circ}51' N.$

On true line between secs. 25 & 36.  
var.  $14^{\circ}05'$  East.

39.85 Set a porphyry rock,  $14 \times 10 \times 7$   
inches,  $\frac{2}{3}$  in the ground, marked  
44, and on N. build mound  
of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.70 Cor. to secs. 25, 26, 35 and 36.  
Land ascends a little N.E. Soil 2<sup>nd</sup>  
rate. Good grass. No trees

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

Rs North between secs. 25 & 26  
var.  $14^{\circ} 05'$  East

40.00 Set a porphyry rock,  $14 \times 10 \times 7$  inches  
 $\frac{2}{3}$  in the ground, marked "4",  
and on N. build mound of stones  
2 ft high, as per instructions  
for "4" sec. cor. No trees near.

80.00 Drive charred stakes and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sq'd. 1 ft  
in the ground, as per instruc-  
tions, for cor. to secs 23, 24,  
25 and 26. No stones or  
timber.

Pass over slope of low hill, N. of "4"  
sec. cor. - balance ascending a little  
N. E. Soil gravelly, 2<sup>nd</sup> rate. No trees.



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

hr. East on random line bet sec. 24 & 25.  
var. 14° 05' East

30.00 Road from Duni to Grant cor. N. 74.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect E. boundary 10 hrs. S. of  
cor. to sec. 74 & 25. from which  
cor. from  
S. 89° 56' N.

On true line between sec. 74 & 25.  
var. 14° 05' East.

39.93 Duni charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
No trees near

79.85 Cor. to sec. 23, 74, 25 and 26.  
Land ascending E. Soil 2<sup>nd</sup> rate.  
Grass. No stones or timber  
November 29, 1875.



Township 11 S Range 24 E  
Gila and Salt River Meridian

No North between secs. 23 & 24.  
var.  $14^{\circ}05'$  East

40.00 Drive charred stake and build  
of earth 2 ft high, with pit 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and notched  
2 ft long, 2 in. sqd. 1 ft in the  
ground, as per instructions, for  
cor. to secs. 13, 14, 23 and 24.  
No trees near.

Land ascends a little N. E.  
No stones or timber. Soil 2 mts.

Township 11 S. Range 7th E.  
Gila and Salt River Meridian

True East on random line between 13<sup>rd</sup> & 7th  
var. 14° 05' East

1.00 Road from Puni to Grant bas. N. of St.

40.00 Set temporary 1/4 sec. cor.

49.72 Intersect E. boundary 8 lvs. N. of  
cor. to sec. 13<sup>rd</sup> & 7th. from which  
cor. from  
N. 89.57° E.

Outline line between sec. 13<sup>rd</sup> & 7th  
var. 14° 05' East.

39.86 Drive charred stake & build mound  
of earth 2 ft high, with pits 4 ft deep,  
2 ft long, 4 ft wide, as per instruction  
for 1/4 sec. cor. No tree near

49.72 Cor. to sec. 13, 14, 23 and 7th.  
Land accends a little E.  
Soil generally 2<sup>nd</sup> rate  
a little brush. No stones or trees

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Go North between sec. 13 & 14  
400. 14° 05' East

30.00 Road from Parie to Grant Cas. N. W.

40.00 Set a post, marked 14 S. 4 ft long, flattened  
3 in wide, 1 ft in the ground, and build mound  
of stones 2 ft high, as per instructions, for  
1/4 sec. cor. from which

A Hackberry tree, 14 in dia. br. S. 11° W. 259 lbs. dia.

do. 2 " " S. 17 1/2° E. 221 " "

80.00 Set a post, marked and notched, 4 ft  
long, 3 in. sqd. 1 ft in the ground, drive  
charred stake and build mound of earth  
2 ft high, with pit 1 ft deep, 2 ft long,  
1 ft wide, as per instructions for  
cor. to sec. 11, 12, 13 and 14.

No trees near.

Land a little undulating & rising E.  
Soil gravelly. Good grass. A few trees  
in a wash.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

Ln. East on random line bet. secs. 12 & 13.  
var.  $14^{\circ}05'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.78 Intersect E. boundary  $\frac{2}{3}$  lvs. S. of cor.  
to secs. 12 and 13, from which cor. same  
S. 89.5° W.

On true line between secs. 12 & 13.  
var.  $14^{\circ}05'$  East.

39.89 Set granite stone  $14 \times 9 \times 8$  inches,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
and on N. build mound of  
earth 2 ft high, with pit 1 ft deep,  
 $\frac{2}{3}$  ft long, 1 ft wide, as per in-  
structions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.78 Cor. to secs. 11, 12, 13 & 14.

Land ascends a little N. E.

Soil 2<sup>nd</sup> rate. No trees



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

As North between secs. 11 & 12.

var.  $14^{\circ} 15'$  East

40.00 Set a granite stone  $16 \times 10 \times 5$  inches,  
 $\frac{2}{3}$  in the ground, marked 14, and  
m.s. build mound of stones 2 ft high,  
as per instructions, for 14 sec. cor.

No trees near.

80.00 Set a granite stone,  $13 \times 8 \times 7$  inches,  
 $\frac{2}{3}$  in the ground, marked S. and E.,  
and m.s. build mound of  
earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions for cor. to secs. 1,  
2, 11 and 12.

No trees near.

Land accords a little N. E.  
Soil 2 rate.

No trees.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

1/2<sup>ca</sup> East on random line bet. sees. 1 & 12.  
var.  $14^{\circ}05'$  East.

34.00 Nail bet. N. N.

40.00 Set temporary  $1/4$  sec. cor.

79.66 Intersect E. boundary 8 lvs. N.  
of cor to sees. 1 and 12. from  
which cor. Run  
N.  $89^{\circ}57'$  W.

True line between sees. 1 & 12.  
var.  $14^{\circ}05'$  East.

39.83 Set a granite stone  $12 \times 10 \times 9$  inches,  $2/3$   
in the ground, marked  $1/4$ , and  
on N. build mound of stones 2 ft high,  
as per instructions for  $1/4$  sec. cor. from which  
A cedar quindia bet. S.  $78\frac{1}{2}'$  W. 338 lvs. dist.  
No other trees near.

79.66 Cor to sees. 1, 2, 11 and 12.

Land accords N. E. Sal gravelly & rate  
Goes. No trees

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

This North on true line between sec. 1 & 2  
var.  $14^{\circ}05'$  East

40.00 Set a granite stone  $12 \times 12 \times 12$  inches,  $\frac{2}{3}$   
in the ground, marked "4", and on N.  
build mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide, as per in-  
struction, for 4 sec cor. No trees near.

45.00 Trail cor. N. W.

80.12 Intersect N. boundary, the 2<sup>d</sup> Standard S-  
26.22 ch. N. of cor. to sec. 35 & 36, of T. 10  
S. R. 24 E. and at point of intersection set  
a post, marked and notched L, 4 ft long, 3 in. diam.  
1 ft in the ground, and build mound of stones  
2 ft high, as per instruction for closing  
cor. to sec. 1 and 2.

No trees near.

Land rising N. E. Soil gravelly and  
poor. Considerable grass.

No timber.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

To North between sec. 34 & 35.  
var.  $14^{\circ}05'$  East

40.00 Drive charred stake & build mound  
of earth 2 ft high, with pit 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, and in  
center of pit S. E. a few. Drive  
a stake, marked and notched,  
2 ft long, 2 in. sq. d. 1 ft. in the ground,  
as per instructions, for cor. to sec.  
26, 27, 34 and 35.

No trees near.

Land ascending a little N. E.  
Abundant grass. No trees.



Township 11 S. Range 24 E.  
 Elk and Salt River Meridian

To East, in random line bet. sec. 26 & 35.  
 var.  $14^{\circ}05'$  East

40.00 Set temporary 1/4 sec. cor.

80.08 Intersect N. and S. line 5 lns. N.  
 of cor. to sec. 25, 26, 35 and 36.  
 from which cor. Run  
 $N. 89^{\circ}58' W.$

On true line between sec. 26 & 35.  
 var.  $14^{\circ}05'$  East.

40.04 Drive charred stake and build  
 mound a foot high, with  
 pit 1 ft. deep, 2 ft. long, 1 ft. wide, as  
 per instructions, for 1/4 sec. cor.  
 No trees near.

80.08 Cor. to sec. 26, 27, 34 & 35.  
 Land ascends a little E.  
 Soil good.  
 Grass. No trees

Township 11 S. Range 24 E  
Gila and Salt River Meridian

Line North between secs. 26 & 27  
var. 14° 05' East

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for 1/4 sec cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
Drive a stake, marked and notched,  
2 ft long, 2 in. sqd. 1 ft in the ground,  
as per instructions, for cor. to secs.  
22, 23, 26 and 27. No trees near.  
Land ascends a little E.  
Soil good.  
Grass. No trees.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

To East on random line bet sec. 23 & 26.  
var.  $14^{\circ}05'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. & S. line 11 Sec. S. of  
cor. to secs. 23, 24, 25 and 26, from  
which cor. run  
 $S. 89^{\circ}55' N.$

On true line between sec. 23 & 26.  
var.  $14^{\circ}05'$  East.

40.03 Set a porphyry rock,  $14 \times 10 \times 6$   
inches,  $\frac{2}{3}$  in the ground, marked  
 $\frac{1}{4}$ , and on N. build mound of  
stones 2 ft high, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

Cor. on low rocky hill.

80.07 Cor. to secs. 22, 23, 26 and 27.  
Sand, passes over low hill on center  
of line. Soil gravelly and poor.  
Grass. No trees.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

Go North between secs. 22 & 23.  
var. 14° 05' East.

40.00 Set a granite stone 14 x 11 x 8 inches,  
2/3 in the ground, marked 74 and  
on N. build mound of earth 2 ft.  
high, with pit 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for 74 sec. cor.  
No trees near.

80.00 Drive charred stake & build mound of earth  
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. of cor. drive a  
stake, marked and notched, 2 ft. long,  
2 in. sq. 1 ft. in the ground, as per in-  
structions, for cor. to secs. 14, 15, 22  
and 23. No trees near.  
Land rising a little N. E.  
Soil 2 rate.  
No trees.



Township 11 S. Range 24, E.  
Gila and Salt River Meridian

To East. meridian line between 14<sup>th</sup> & 23<sup>rd</sup>,  
var. 14° 05' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. & S. line of Sec. S. of cor. to  
secs. 13, 14, 23 and pt. from which  
cor. run  
S. 89° 57' W.

On true line between sec. 14<sup>th</sup> & 23<sup>rd</sup>,  
var. 14° 05' East.

40.02 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.04 Cor. to secs. 14, 15, 22 and 23.  
Land about a little E.  
Soil gravelly 2<sup>nd</sup> rate.  
No timber.

November 30, 1875.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Line North between sec. 14 & 15.  
var.  $14^{\circ} 05'$  East.

40.00 Drive charred stake and build mound of  
earth 2 ft high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions for  
14 sec. cor. No trees near.

80.00 Drive charred stake and build mound  
of earth 2 ft high, with pit 1 ft  
deep, 2 ft long, 1 ft wide, and  
in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sq. d.,  
1 ft in the ground, as per in-  
structions for cor. to sec. 10,  
11, 14 and 15.

No trees near.

Land a little undulating. Soil gravelly,  
some of it good. Abundant grass.  
No trees or brush.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Trs East. on random line bet sees. 11 & 14  
var.  $14^{\circ}05'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
42.00 Road from Bowie to Grant, bet. N. of N.  
79.93 Intersect N.  $\frac{1}{2}$  Sec. 11 bet. N. of cor.  
to sees. 11, 12, 13 and 14, from  
which cor. runs  
N.  $89^{\circ}55'$  W.

On true line between sees. - 11 & 14,  
var.  $14^{\circ}05'$  East.

- 39.97 Set a granite stone  $12 \times 8 \times 6$  inches,  $\frac{2}{3}$   
in the ground, marked  $\frac{1}{4}$ , and on N.  
build mound of earth 2 ft high, with pile  
ft deep, 2 ft long, 1 ft wide, as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees near.  
79.93 Cor. to sees. 10, 11, 14 and 15.

Land a little undulating and rising to  
S. Soil gravelly. Good grass. No timber.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

To North between secs. 10 & 11  
var.  $14^{\circ}05'$  East.

40.00 Set a granite stone  $19 \times 9 \times 5$  inches  
 $\frac{3}{4}$  in the ground, marked 74, and  
on N. build mound of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as per instructions  
for 74 sec. cor. No trees near

48.00 Road from Parie to Grant Cas. N. W.

80.00 Set a post, marked and nailed, 4 ft long  
3 in. sq. 1 ft in the ground, drive  
charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per in-  
structions, for cor to secs. 2, 3, 10  
and 11. No trees near.  
Land rising N. E.  
Some good soil  
No trees.



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

to East. on random line between T<sup>4</sup>/<sub>4</sub> 11  
var. 14°05' East.

31.00 Dug hole a stream 20 lbs. wide, less S. W.

40.00 Set temporary 7<sup>th</sup> sec. cor.

79.84 Intersect N. and S. line 8 lbs. S. of cor.  
to sec. 1, 2, 11 and 12, from which  
cor. done  
S. 89°05' W.

Continue line between sec. T<sup>4</sup>/<sub>4</sub> 11.  
var. 14°05' East.

39.92 Set a granite stone 14 x 9 x 8 inches,  
2/3 in the ground, marked 7<sup>th</sup>, and  
on W. build mound of stone 2 ft  
high, as per instructions, for 7<sup>th</sup>  
sec. cor. No trees near.

79.84 Cor. to sec. 2, 3, 10 and 11.  
Land rising N. E. Soil good.  
Some brush. No trees.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

To North on true line between sec. 24 & 35.  
var.  $14^{\circ}05'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. of fl. long.  
flattened  $\frac{3}{4}$  in wide,  $\frac{1}{2}$  in the ground,  
duri charred stake and build mound  
of earth  $\frac{2}{3}$  ft high, with pits  $\frac{1}{4}$  ft deep,  
 $\frac{2}{3}$  ft long,  $\frac{1}{2}$  ft wide, as per instruction  
for 4 sec. cor. No trees near.

80.05 Intersect N. boundary, 2<sup>d</sup> Standard 25, -  
26.16 chs. N. of cor. to sec. 34 & 35. of Sp.  
10 S. R. 24 E. Set a granite stone,  $13 \times 12$   
 $\times 5$  inches,  $\frac{2}{3}$  in the ground, notched  
S. E. and N. and on S. build mound  
of stones  $\frac{2}{3}$  ft high, as per in-  
structions for closing cor. to sec.  
24 & 35. No trees near.  
Land rising a little N. E. Some  
good soil. Brushy on S. end.  
No timber.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

No. North between sees 33 & 34  
var.  $14^{\circ}05'$  East.

40.00 Drive charred stake and build  
mound a foot  $2\frac{1}{2}$  ft high, with  
pits  $1\frac{1}{2}$  ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$  ft wide, as  
per instructions, for 1st sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound a foot  $2\frac{1}{2}$  ft high, with pits  
 $1\frac{1}{2}$  ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$  ft wide, and in center  
of pit S. E. a cor. drive a stake  
marked and notched,  $2\frac{1}{2}$  ft long,  $2$   
in. eq'd.  $1\frac{1}{2}$  ft in the ground, as per  
instructions, for cor. to sees 27,  
28, 33 and 34. No trees near.  
Land ascends a little N. E.  
Some good soil. No stones  
or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

To East on random line bet. sec. 27 & 34  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.75 Intersect N. and S. line 18 hrs. S. of  
cor. to sec. 26, 27, 34 and 35,  
from which cor. run  
S.  $89^{\circ}52'$  W.

On true line between sec. 27 & 34  
var.  $14^{\circ}05'$  East.

39.88 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.75 Cor. to sec. 27, 28, 33 & 34.  
Land around a little N. E.  
Some good soil.  
No stones or trees.



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

Ch North between secs. 27 & 28  
40 r. 14° 05' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions, for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, and  
in center of pit S. E. of cor. drive  
a stake, marked and notched, 2 ft  
long, 2 in. sq. d. in the ground,  
as per instructions, for cor. to Secs.  
21, 22, 27 and 28.

No trees near.

Land ascends a little N. E.

Soil partly good.

No stones or trees.

Township 11 S. Range 74 E  
Gila and Salt River Meridian

Go East on random line bet. sec. 22 & 27  
var.  $14^{\circ}05'$  East.

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect N. and S. line 5 lvs. S. of  
cor. to sec. 22, 23, 26, and 27,  
from which cor. run  
 $S. 89^{\circ}58' W.$

On true line between sec. 22 & 27  
var.  $14^{\circ}05'$  East.

39.94 Run charred stake and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
No trees near.

79.88 Cor. to sec. 21, 22, 27 & 28.  
Land ascends a little N. E.  
Soil partly good.  
No stones or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Is North between sec. 21 & 22.  
var.  $14^{\circ}05'$  East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. No trees near.

57.00 Old road box N. E.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to sec. 15, 16, 21 & 22. No trees near. Land ascends a little N. E. Soil partly good. No stone or timber



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

No East. or random line bet sec. 15 & 22.  
var.  $14^{\circ}05'$  East.

14.00 Old road bet. N. E.

40.00 Set temporary  $1/4$  sec. cor.

79.98 Intersect N. and S. line 6 hrs. N. of  
cor. to sec. 14, 15, 22 and 23.

from which cor. I run  
N.  $89^{\circ}57'$  W.

On true line between sec. 15 & 22.  
var.  $14^{\circ}05'$  East.

39.99 Iron charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $1/4$  sec. cor.

No trees near

79.98 Cor. to sec. <sup>15</sup> 16, 21 and 22.

Land ascends a little N. E.

Soil good and 2<sup>nd</sup> rate.

No stones or timber



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

in North between sec. 15 & 16.

var.  $14^{\circ}05'$  East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.  
No trees near.

80.00 Drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. s. 1 ft in the ground as per instructions for cor. to Secs. 9, 10, 15 and 16.

No trees near.

Land a little undulating.

Soil 2<sup>nd</sup> rate. Good grass. No stones or timber.

Township 11 S. Range 74 E  
Ida and Salt River Meridian

No East. on random line bet sees. 10 & 15.  
var.  $14^{\circ} 05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. and S. line glass & g  
cor. to sees. 10, 11, 14 and 15, from  
which cor. I run  
 $S. 89^{\circ} 56' W.$

On true line between sees. 10 & 15.

var.  $14^{\circ} 05'$  East.

40.03 Saw charred stake and build  
mound a foot  $\frac{1}{2}$  high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees near.

80.07 Cor. to sees. 9, 10, 15 & 16.  
Land a little undulating.  
Soil  $2^{\circ}$  rate. Good grass.  
No stone or timber

Township 11 S. Range 24 E.  
Gila and Salt River Mendocino

Co. North between sec. 9 & 10,  
var. 14° 05' East.

4000 Sawi charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 14 sec. cor.  
No trees near.

8000 Sawi charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
duri a stake, marked and notched,  
2 ft long, 2 in. sq. d. 1 ft in the ground,  
as per instructions, for cor. to sec.  
3, 4, 9 and 10. No trees near.  
Land a little undulating  
Soil 2<sup>nd</sup> rate. Good grass.  
No stone or timber.

December 1, 1845.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

As East. or random line betw. sec. 3 & 10  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

60.00 Road from Bowie to Grant hrs. N.W.

79.82 Intersect N. and S. line 15 hrs. N.  
of cor. to sec. 2, 3, 10 and 11. from  
which cor. I run  
N.  $89^{\circ}54'$  W.

On true line between sec. 3 & 10.  
var.  $14^{\circ}05'$  East.

3991 Set a post, marked  $\frac{1}{4}$  S. off long, flattened  
3 in wide, 4 ft. in the ground, drive charred  
stake and build mound of earth 2 ft  
high with pit 4 ft. deep. 2 ft long of wood,  
as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

49.82 Cor. to sec. 3, 4, 9 and 10.

Land a little undulating. Soil 2<sup>nd</sup> rate.  
Good grass. No trees.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

hs North outline line between sec. 34 & 35.  
var.  $14^{\circ}05'$  East.

40.00 Drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for this sec. cor. No trees near.

49.95 Intersect N. boundary, - 2<sup>nd</sup> Standard  
26.20 Chs. N. of cor to sec. 33 & 34 of  
Tp. 10 S. R. 24 E. - Drive charred  
stake and build mound of earth  
2 ft high, with pits 1 ft deep, 2 1/2 ft  
long, 1 ft wide, and in center of pit  
E. of cor. drive a stake marked and  
notched, 2 ft long, 2 in. sq. d. 1 ft  
in the ground, for closing cor.  
to sec. 34. No trees near.  
Land rising a little N.E. Soil gravelly.  
No trees or stones.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Sec. North between sec. 32 & 33

var.  $114^{\circ}05'$  East.

40.00 Duri charred stake and build mound  
a fourth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruction  
for 14 sec. cor. No trees near.

80.00 Duri charred stake and build  
mound a fourth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
duri a stake marked and  
nolated 2 ft long, 2 in. sq'd.  
set in the ground, as per instruc-  
tions, for cor. to sec. 28, 29, 32  
and 33. No trees near.

Land smooth grassy plain.  
Soil partly good. Good  
Grass. No trees or stone.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

No East. on random line bet sec. 28 & 33.  
var.  $141^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

50.09 Intersect N. and S. line 6 lks.

S. a p. cor. to sec. 27, 28, 33 and  
34, from which cor. Drive  
 $S. 89^{\circ}57' N.$

On true line between sec. 28 & 33  
var.  $141^{\circ}05'$  East.

40.05 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. Notes near.

50.09 Cor. to sec. 28, 29, 32 and 33.  
Sand smooth grassy plain  
Soil partly good. Good  
gras. No stones or timber.



Township 11 S. Range 74 E.  
Gila and Salt River Meridian

No North to courses. 28 & 29  
400. 111° 05' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions, for 74 sec. cor.  
No trees near.

50.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, and  
in center of pit S. E. a cor. drive  
a stake, marked and notched,  
2 ft long, 2 in. sq. d. 1 ft in the  
ground, as per instructions for  
cont. to secs. 20, 21, 25 and 29.  
No trees near.

Land smooth grassy plain.  
Soil partly good. Good grass.  
No stones or timber.



Township 11 S. Range 7th E.  
Gila and Salt River Meridian

1/4 East. on random line bet sec. 21 & 28.  
var. 14° 05' East.

40.00 Set temporary 1/4 sec. cor.

50.10 Intersect N. and S. line 5 hrs S.  
of cor. to sec. 21, 22, 27 and 28.  
from which cor. True  
S. 89° 58' W.

On true line between sec. 21 & 28.

var. 14° 05' East.

40.05 True charred stake and build  
mounds of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
Notice near.

50.10 Cor. to sec. 20, 21, 28 and 29.  
Land smooth grassy plain.  
Soil Good. Good grass.  
No stones or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

As North between sec. 20 & 21.  
var.  $111^{\circ}05'$  East

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 4 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for 1st sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 4 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. a post  
drive a stake, marked and  
natched, 2 ft long, 2 in. sq. d. 1 ft  
in the ground, as per instructions  
for cor. to Secs. 16, 17, 20 and 21.  
No trees near.

Land, smooth grassy plain.  
Soil good. Good grass.  
No stones or timber.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

To East. on random line bet. sees. 16 & 21  
var.  $141^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.01 Intersect N. and S. line S. Sec. S.  
after cor. to sees. 15, 16, 21 and 22,  
from which cor. June  
S.  $89^{\circ}54'21''$

On true line between sees. 16 & 21.

var.  $141^{\circ}05'$  East.

40.02 Drive charred stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.04 Cor. to sees. 16, 17, 20 and 21.

Land a little undulating.

Soil good. No stones or trees.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

S. North between secs. 16 & 17  
441. 111° 05' East.

40.00 Set a charred stake and build  
mound of earth 2 ft. high, with pits  
1 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions, for 14 sec. cor.

No trees near.

80.00 Set a granite stone 13 x 9 x 17  
inches,  $\frac{2}{3}$  in the ground, notched  
S. and E. and on N. build  
mound of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long,  
1 ft. wide as per instructions for  
cor. to secs. 8, 9, 16, and 17.

No trees near.

Land a little undulating.  
Soil good. No trees.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Co East, on random line bet sec. 9 & 16.  
var.  $141^{\circ}05'$  East.

140.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.86 Intersect N. and S. line 12 lbs.  
S. a f cor to sec. 9, 10, 15 and 16.  
from which cor. Drive  
S.  $89^{\circ}55'$  N.

On true line between sec. 9 & 16.  
var.  $141^{\circ}05'$  East.

39.93 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.86 Cor to sec. 8, 9, 16 and 17.  
Land a little undulating.  
Soil good.  
No stones or timber.

Township 11 S. Range 74 E.  
Gila and Salt River Meridian

In North between sec. 8 & 9  
var. 14° 05' East.

40.00 Drive charred stake and build  
mound a fourth of ft. long, 1 ft. wide,  
<sup>with pits 1 ft. deep, 2 ft.</sup>  
as per instructions, for 14 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound a fourth of ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft. long, 2 in. sq. d. 1 ft.  
in the ground, as per instruc-  
tions, for cor. to sec. 4, 5, 8,  
and 9. No trees near.  
Land a little undulating.  
Soil good.  
No stones or timber.

Township 11 S. Range 24 E  
Gila and Salt River Meridian

No East. meridian line bet sees. 4 & 9  
var. 124° 05' East.

40.00 Set temporary 7/4 sec. cor.

79.80 Intersect N. and S. line 18 lbs. S.  
of cor. to sees. 3, 4, 9 and 10.  
from which cor. True  
S. 89° 52' W.

On true line between sees. 4 & 9.  
var. 144° 05' East.

39.90 Iron charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 7/4 sec. cor.  
No trees near.

79.80 Cor to sees 4, 5, 8 and 9.  
Land slightly undulating.  
Soil good.  
No stones or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

to North on true line between sees. 4 & 5.  
var.  $14^{\circ}05'$  East.

410.00 Drive charred stake and build mound  
of earth 2 ft high with pit 1 ft deep  
2 ft long, 1 ft wide, as per instructions  
for 4 sec. cor. No trees near.

50.11 Interset N. boundary, - 2<sup>d</sup> Standard S.  
26.05 Chs. N. of Standard cor. to sees.  
32 & 33, of Sp. 10 S. R. 24 E. - Drive  
charred stake and build mound  
of earth 2 ft high with pit 1 ft deep,  
2 ft long, 1 ft wide, and in center of  
pit E. a spec. drive a stake, marked  
and notched, 2 ft long, 2 in.  
sqd. 1 ft in the ground, for closing  
cor. to sees. 4 & 5. No trees near.  
Sand rising a little N. E.  
Abundant grass. No stakes or  
trees.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Line North between secs. 31 & 32.

401. 14° 05' East.

- 40.00 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor. No trees near.
- 80.00 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. a few drive a stake, marked and notched, 2 ft. long, 2 in. sq. d., 1 ft. in the ground, as per instructions, for cor. to secs. 29, 30, 31 and 32. No trees near. Land smooth grassy plain. Some good soil. Much grass. No stones or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

No Eastward line between 29<sup>37</sup> &  
var. 14° 05' East.

40.00 Set temporary 1/4 sec. cor.

50.12 Intersect N. and S. line of Sec. 28  
cor to sec. 28. 29. 32 and 33.

from which cor. Run  
S. 89° 54' W.

On true line between sec. 29<sup>37</sup> & 32.

var. 14° 05' East.

40.06 Two charred stakes and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

50.12 Cor. to sec. 29. 30. 31 and 32.

Smooth grassy plain.

Soil partly good. Abundant  
grass. No stones or trees.

December 2, 1875.

Township 11 S. Range 24 E  
Gila and Salt River Meridian

No. West. on random line between 30 & 31.  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.35 Intersect N. boundary 10 cks.  
S. of cor to secs. 30 and 31, from  
which cor. drawn  
S.  $89^{\circ}56'$  E.

On true line between sec. 30 & 31.

var.  $14^{\circ}05'$  East.

38.35 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 4 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.35 Cor. to secs 29, 30, 31 and 32.  
Smooth, grassy plain.  
Soil partly good. Much grass.  
No stones or timber

Township 11 S. Range 74 E.

Gila and Salt River Meridian

to North between sec. 29, 30,  
40, 114° 05' East.

40.00 Drive charred stake and build mound a fourth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.  
No trees near.

80.00 Drive charred stake and build mound a fourth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a sec. drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions for cor. to sec. 19, 20, 29, and 30.  
No trees near.

Smooth grassy plain.  
Soil partly good. Abundant grass. No stones or timber.



Township 11 S Range 24 E.  
Gila and Salt River Meridian

1/4<sup>th</sup> East, or random line bet. sec. 20 & 29  
var. 14° 05' East.

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect N. and S. line 5 ls. S.  
of cor. to secs. 20, 21, 28 and 29,  
from which cor. Run  
S. 89° 58' W.

True line between sec. 20 & 29.  
var. 14° 05' East.

40.08 Set charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
No trees near.

80.16 Cor. to secs. 19, 20, 29 and 30.  
Land smooth Abundant  
Grass. Soil partly good.  
No stones or timber.

Township 11 S. Range 24 E.  
Gda and Salt River Meridian

To West corner on line bet sees. 19 & 30.  
var.  $114^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.30 Intersect N. boundary 17 $\frac{1}{2}$  lns. S. of  
cor. to sees. 19 and 30. from which  
cor. run  
S.  $89^{\circ}53'$  E.

On true line between sees. 19 & 30.

var.  $114^{\circ}05'$  East.

38.30 Drive charred stake and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.30 Cor. to sees. 19, 20, 29 and 30.  
Smooth plain. Much grass.  
Some good soil.  
No stone or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

As North between secs. 19 & 20.

var.  $14^{\circ} 05'$  East.

40.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide and  
in center of pit S. E. a  $\frac{1}{4}$  cor. drive  
a stake, marked and related,  
2 ft long, 2 in. sq. 1 ft in the ground,  
as per instructions, for cor. to secs  
17, 18, 19 and 20. No trees near.  
Land, smooth plain.  
Soil partly good.  
Abundant grass. No stones or timber.

Township 11 S. Range 14 E.  
Gila and Salt River Meridian

As East on random line bet sec. 17<sup>th</sup> & 20  
var. 14° 05' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.93 Intersect N. and S. line 6 lines S. of cor.  
to sec. 16, 17, 20 and 21. from  
which cor. Run  
S. 89° 57' W.

On true line between sec. 17<sup>th</sup> & 20.  
var. 14° 05' East.

39.97 Saw charred stake and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near

79.93 Cor. to sec. 17, 18, 19 and 20.  
Land, sloping gently S. W.  
Soil 2<sup>nd</sup> rate Good grass.  
No stones or trees.



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Run N.W. corner line bet. sec. 18 & 19  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.36 Intersect N. boundary 21 lvs. S.  
of cor. to sec. 18 and 19. from  
which cor. Run  
 $S 89^{\circ}51' E.$

On true line between sec. 18 & 19  
var.  $14^{\circ}05'$  East.

38.36 Run charred stake and build  
mound of earth 2 ft high with  
pile 4 ft deep, 2 ft long, 4 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.36 Cont to sec. 17, 18, 19 and 20.  
Land sloping gently S. W.  
Soil good. Grass.  
No stones or timber

Township 11 S. Range 24 E.  
 5th and 6th River Meridian

to North between sec. 17 & 18.  
 var. 14° 05' East.

40.00 Drive charred stake and build  
 mound of earth 2 ft high, with pits  
 1 ft deep, 2 ft long, 1 ft wide, as per in-  
 structions, for 14 sec. cor. Notes near.

80.00 Drive charred stake and build  
 mound of earth 2 ft high, with  
 pits 1 ft deep, 2 ft long, 1 ft wide  
 and in center of pit S. E. of cor.  
 drive a stake, marked and  
 notched, 2 ft long, 2 in. sq. d. 1 ft  
 in the ground, as per instructions for  
 cor. to sec. 7, 8, 17 and 18.  
 Notes near.

Land sloping gently S. W.  
 Soil good. Grass.  
 No stones or timber.

Township 11 S. Range 24. E  
 Gila and Salt River Meridian

To East. on random line bet. sec. 8 & 17  
 var.  $14^{\circ}05'$  East.

40.00 Set temporary 1/4 sec. cor.

79.95 Intersect N. and S. line 10 hrs. S.  
 of cor. to sec. 8, 9, 16, and 17,  
 from which cor. run  
 $S. 89^{\circ}56' W.$

On true line between sec. 8 & 17  
 var.  $14^{\circ}05'$  East.

39.98 Drive charred stake and build  
 mound a ft. high, with  
 pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
 as per instructions, for 1/4 sec. cor.  
 No trees near.

79.95 Cor. to sec. 7, 8, 17 and 18.  
 Land sloping gently S. W.  
 Soil good. Grass.  
 No stones or timber

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

As West. meridian line bet sec. 7 & 18.  
var.  $14^{\circ} 05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

69.00 Old road to Grant has. E. of N.

78.32 Intersect N. boundary 12 rods S. of cor.  
to sec. 7 and 18. from which cor. from  
S.  $89^{\circ} 55'$  E.

On true line between sec. 7 & 18  
var.  $14^{\circ} 05'$  East.

38.32 Drive charred stake and build  
mound a foot high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near

78.32 Cor. to sec. 7, 8, 17 & 18.  
Land sloping a little S. W.  
Some good soil.  
No stones or timber



Township 11 S. Range 24 E.  
Gila and Salt River Meridian

Chs North between sees. 7 & 8.

var. 14° 05' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 14 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
drive a stake, unmarked and  
notched, 2 ft long, 2 in. sq'd,  
1 ft in the ground, as per instructions  
for cor. to sees. 5, 6, 7 and 8.  
No trees near

Land sloping a little S. W.

Some good soil. No stones or timber.

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

As East on random line between 5 & 8.  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. and S. line 9 lks N. of  
cor. to sees. 4, 5, 8 and 9, from  
which cor. Drive  
N.  $89^{\circ}56'W$ .

Outline line between sees. 5 & 8

var.  $14^{\circ}05'$  East.

40.03 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.07 Cor. to sees. 5, 6, 7 and 8.  
Land sloping a little S. W.  
Some good soil. No stones  
or timber.

60

Township 11 S. Range 24 E.  
Gila and Salt River Meridian

To West. random line bet sec. 6 & 7  
var.  $14^{\circ}05'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

60.00 Old road to Grant has. E. of N.

78.32 Intersect N. boundary 1800 ft. S. of cor.  
to sec. 6 & 7. from which cor. run  
 $S. 89^{\circ}52'$  E.

On true line between sec. 6 & 7  
var.  $14^{\circ}05'$  East.

38.32 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.32 Cor. to sec. 5, 6, 7 and 8.  
Land sloping a little S.W.  
Some good soil  
No stones or timber.



Township 11 S. Range 24 E.  
Gla & Salt River Meridian

Rs. North on true line between sees. 5 & 6.  
var.  $14^{\circ}05'$  East.

40.00 Drive charred stake and build mound  
a foot 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruction  
for 7th sec. cor. No trees near.

79.89 Subsect N. boundary, - 2<sup>d</sup> Standard S. -  
26.07 Chs. N. of cor. to sees. 31 & 32. a of 57 ft.  
10 S. range 24 E. Drive charred  
stake and build mound a foot 2 ft high,  
with pits 1 ft deep, 2 1/2 ft long, 1 1/2 ft  
wide, and in center of pit E. of cor.  
drive a stake, marked & notched, 2 ft long,  
2 in. sqd. 4 ft in the ground, as per instruc-  
tion, for closing cor. to sees. 5 & 6.  
No trees near.

Land sloping a little S. W.

Some good soil. No stones or timber.

December 3, 1875.



Township 11 S. R. 24 E.  
 Tola & Salt River Meridian

Co. General Description.

This Township is better adapted to grazing than agriculture. There is considerable good soil, however, in the southern and southwestern portions.

The land is covered with abundant grass, but there is no timber and but very little brush.

In the S. E. cor. is a group of low hills. The N. E. cor. runs on to the foot hills of Mt. Graham.

Theodore F. White  
 U.S. Deputy Surveyor.

## List of Names.

BOOK 755

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field

Notes of the survey of the Subdivision  
lines of Township 11 S.

Range 2nd E. of the Gila  
and Salt River Meridian,  
Arizona.

Showing the respective capacities in which they  
acted.

Urbain Bossard Chairman.

R. A. Vasquez Chainman,

P. Palmer Axeman.

Wright H. Aubrey Flagman.

## Final Oath of Assistants.

We hereby certify that, we assisted Theodore  
F. White U. S. Deputy Surveyor, in  
 surveying the Subdivision lines of  
 Township 11 S. Range 27  
 E. of the Gila and Salt River  
 Meridian, Arizona.

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

Urbain Berger Chainman.

H. A. Tarquez Chainman,

B. Palm Axeman.

Wright, A. C. C. C. Axeman.

Sworn to and subscribed before me, this 3<sup>o</sup>  
 day of January, 1876

John H. Harris  
 Asst Secretary  
 Arizona



# Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *25* day of *June*

187*5* I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*the Subdivision lines of Township 11 S. Range 24 E. of the Gila and Salt River Meridian, Arizona.*

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-



tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White  
Deputy Surveyor.

Sworn to and subscribed before me, this 3<sup>rd</sup>  
day of January, 1876

John L. Harvis  
Asst. Secretary  
Arizona

U. S. Surveyor General's Office,  
Tucson, Arizona, January 24, 1876

The foregoing Field Notes of the survey of the  
Subdivision lines of  
Township 11 S.  
Range 24 E.

of the Gila and Salt River Base and Meridian, Arizona,  
executed by Theodore F. White,  
D. S., under his contract of the 25<sup>th</sup> day of  
June, 1875, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Mason,  
Surveyor General.