

13

BOOK 756

No. 756

Fractional

4-671

756

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

— of —

T.12S.R.12E.

BOOK 756
(4-674.)

Township 12 South R. 12 East

BOOK 757

BOOK 758

6	152	5	121	4	94	3	63	2	31	1
149		147		119		92		60		28
7	144	8	116	9	88	10	57	11	25	12
142		139		114		86		54		23
18	137	17	111	16	82	15	51	14	20	13
134		132		109		79		49		18
19	129	20	107	21	77	22	46	23	14	24
127		124		105		74		43		12
30		29	102	28	70	27	40	26	9	25
				100		68		37		7
31		32	97	33	66	34	33	35	4	36

6-389

95
5

Field-Notes
of the survey of the
Sub-division
of
T. 12. S. R. 12 E.
of the
Gila and Salt River Base^{2^d} Meridian
in the
Territory of Arizona
as surveyed by
Philip Contzen
U. S. Deputy Surveyor
Under his Contract N^o 36
Dated February 5. 1895

Survey commenced, July 6. 1895
Survey completed, July 19. 1895

Subdivision of
Chains

July 6. 1895: At 7^h 5^m
a. m. l. m. t., I set off
32° 20' on the lat. arc; 22°
43' N. on the decl. arc, and
determine a true meridian
with the solar, at the cor.^{position}
of secs. 1, 2, 35 and 36 on
the S. bdy. of the Tp.,
as heretofore described

Thence, I run

No 1' W. bet. secs 35 and 36

Over level land

1.20

Leave dry bed of Santa Cruz
River, course N. N. W and
enter heavy timber and
undergrowth

7.70

13.04

40.00

Brush fence bears N. N. W ²/₃ of S. E.
Brush fence bears E of W.
Set a limestone 16x7x5 ins,
11 ins. in the ground for

T. 12. S. R. 12 E —

Chains

$\frac{1}{4}$ sec. cor, marked $\frac{1}{4}$ on
W. face, from which
A mesquite 12 ins. diam
bears $N 79\frac{1}{2}^{\circ} W$. 108 fms. dist;
marked $\frac{1}{4}$ S. B. T.

A mesquite 15 ins. diam
bears $S 69\frac{1}{2}^{\circ} E$. 166 fms. dist;
marked $\frac{1}{4}$ S. B. T.

~~3.24 Break fence, bears E and W~~

49.19 Wire fence, bears E. and W

66.74 Trail bears E. and W.

70.00 Leave heavy timber and
undergrowth

76.00 Road bears N. W. & S. E.

76.80 Telegraph line bears $N 42^{\circ} 17' W$
and $S 42^{\circ} 17' E$.

77.80 Middle of single track
of the Southern Pacific
Railroad bears $N 42^{\circ} 17' W$ $\frac{2}{3}$ of $S 42^{\circ} 17' E$

78.80 Telegraph line bears $N 42^{\circ} 17' W$.

Subdivision of Chains

and S. $42^{\circ}17' E$

79.00 Enter heavy timber and undergrowth

80.00 Set a limestone $15 \times 10 \times 6$ ins. 10 ins. in the ground for cor. of secs 25, 26, 35 and 36, marked with 1 notch on S. and E. edges, from which

A mesquite 6 ins. diam. bears S $28^{\circ} E$, 20 lks. dist., marked T. 12 S. R. 12 E. S. 36. B. T.

A mesquite 14 ins. diam. bears N $13^{\circ} W$, 70 lks. dist., marked T. 12 S. R. 12 E. S. 26.

B. T.; no other trees suitable for bearing trees; dig pits $18 \times 18 \times 12$ ins. in each sec.

T. 12 S. R. 12 E - Continued
Chains

5½ ft. dist, and raise
a mound of earth 4 ft.
base, 2 ft. high, N. of cor.
Land, level

Soil, rich loam; 1st rate
Timber, mesquite and
tesota; undergrowth,
mesquite and tesota.

Heavily timbered land ^{9 miles}

East, on a random line
bet. secs. 25 and 36

40.00 Set temp ¼ sec. cor.

80.08 Intersect E. bdy. of Tp.

5 lks. S. of cor. of secs.

25, 30, 31 and 36, as hereto-
fore described

Thence, I run

N 89° 58' W, on a true line

- Subdivision of
Chains
- bet. secs. 25 and 36
- Over rolling and level land
Descending from mesa
- 10.00 Foot of mesa bears N. W and S. E
and enter heavy timber
and undergrowth
- 40.04 Set a volcanic stone
15 x 12 x 10 ins., 10 ins. in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face;
from which
- A mesquite 10 ins. diam.
bears N 19° W, 22 lks. dist.;
marked $\frac{1}{4}$ S. B. T.
- A mesquite 7 ins. diam.
bears S $47\frac{1}{2}^{\circ}$ E, 123 lks. dist.;
marked $\frac{1}{4}$ S. B. T.
- 66.58 Road from Tucson
bears N. W and S. E.

T. 12 S. R. 12 E. - Continued

Chains

- 75.60 Trail bears N. E. and S. W.
- 77.85 Trail bears N. E. and S. W.
- 80.08 The cor. of secs. 25, 26, 35 and 36
Land, level and rolling
Soil, rich and gravelly loam,
1st and 2nd rate.
Timber, mesquite, palo
verde and ironwood;
undergrowth mesquite.
Heavily timbered land
70.08 chs.

N 0° 1' W, bet secs. 25 and 26

Over level and rolling land
through heavy timber
and undergrowth

- 40.00 Set a sand stone 15x8x4
ins. 10 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked

Subdivisions of Chains

- $\frac{1}{4}$ on W. face; from which
 A mesquite 4 ins. diam. bears
 $N47\frac{1}{2}^{\circ}E$, 124 lks. dist., marked
 $\frac{1}{4}$ S. B. T.
- A mesquite 8 ins. diam.
 bears $S61\frac{1}{4}^{\circ}E$, 115 lks. dist.,
 marked $\frac{1}{4}$ S. B. T.
- 41.75 Trail bears $N85^{\circ}E$ and $S85^{\circ}W$
- 46.24 Road from Tucson, bears
 N.W. and S.E
- 59.82 Trail bears N.E. and S.W.
- 60.00 Leave heavy timber and
 undergrowth
- 60.50 Ascend mesa
- 62.00 Top of mesa, bears E and W.
- 66.00 ^{enter of} Gulch, 6 chs wide, course S.W.
- 71.50 Gulch, 3 chs wide, course S.W.
- 76.00 Descend from mesa
- 77.00 Foot of mesa bears E. and W.
 enter dense timber

T. 12 S. R. 12 E. - Continued
Chains

and enter dry wash

80.00 Falls on a quartz stone
12 x 12 x 8 ins. above ground.
I cut a cross (x) at the
exact cor. point for
cor. of secs 23, 24, 25, 26,
mark 2 notches on S.,
and 1 notch on E. edges;
from which

A tesota 10 ins. diam.
bears $N 62^{\circ} E$, 106 fms. dist.;
marked T. 12 S. R. 12 E.

S. 24. B. T.

A palo verde 6 ins. diam.
bears $S 13\frac{1}{4}^{\circ} E$, 104 fms. dist.;
marked T. 12 S. R. 12 E.

S. 25. B. T.

A mesquite 4 ins. diam.
bears $S. 17\frac{1}{4}^{\circ} W$, 168 fms. dist.;

Subdivisions of

Chains

marked T. 12 S. R. 12 E. S.
26. B. T.

A palo verde 8 ins. diam.
bears $N 45 \frac{1}{4}^{\circ} W$, 86. Mts. dist.,
marked T. 12 S. R. 12 E.
S. 23. B. T.

Land level and rolling
Soil, rich and gravelly loam,
1st and 2nd rate

Timber, mesquite, palo
verde, ironwood and
tesota; undergrowth
mesquite.

Heavily timbered or
land covered with dense
undergrowth 63chs.

$S 89^{\circ} 58' E$ on a random
line bet. secs 24 and 25

T. 12. S. R. 12 E - Continued
Chains

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.10 Intersect E. bdy. of Tp.
at the cor. of secs 19, 24, 25
and 30, as heretofore described.
Thence, I run
N $89^{\circ} 58' W$, on a true line
bet secs. 24 and 25
Over rolling land through
scattering timber
- 38.00 Trail bears N. E. and S. W.
- 40.05 Set a mesquite post 3 ft.
long, 3 ins. sq., with marked
stone 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; from which
A mesquite 6 ins. diam.
bears N $55^{\circ} W$, 190 lbs. dist.;
marked $\frac{1}{4}$ S. B. T.
A palo verde 14 ins. diam.

- Subdivisions of
- Chains
- bears $S 67 \frac{3}{4}^{\circ} E$, 158 lks. dist,
marked $\frac{1}{4}$ S. B. T.
- 47.00 Enter dry wash, with
an average width of 3 to 4
chs., course West, and
enter dense timber
- 63.05 Trail bears N. E. and S. W.
- 80.10 The cor. of secs 23, 24, 25 and 26
Land, rolling
Soil, loam and sand, 2nd and 4th rate
Timber, mesquite, palo verde,
tesota and ironwood
Heavily timbered land 33.10 chs
-
- N 0° 1' W, bet. secs 23 and 24
Over rolling land through
heavy timber
- 1.26 Leave dry wash, course W.
- 3.00 Leave heavy timber and

T. 12 S. R. 12 E - Continued

Chains

- enter scattering timber
- 3.13 Dry wash, 10 lks. wide, course W.
- 5.75 Dry wash, 20 lks. wide, course W.
- 7.35 Trail bears N. E. and S. W.
- 8.70 Dry wash, 150 lks. wide, course W.
- 14.35 Dry wash, 10 lks. wide, course S. W.
- 15.65 Dry wash, 20 lks. wide, course S. W.
- 19.00 Dry wash, 10 lks. wide, course S. W.
- 32.00 Trail, bears N. E. and S. W.
- 34.34 Dry wash, 10 lks. wide, course S. W.
- 39.00 Dry wash, 5 lks. wide, course S. W.
- 40.00 Set a sandstone $15 \times 12 \times 10$ ins.
10 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on W. face, from which
an ironwood 15 ins. diam
bears $N 14\frac{1}{2}^{\circ} E$, 72 lks. dist.,
marked $\frac{1}{4}$ S. B. T.
A palo verde 4 ins. diam.

Subdivision of

Chains

- S 41° W, 95 lks. dist., marked
 1/4 S. B. T.
- 42.60 Dry wash, 5 lks wide, course S.W.
- 45.03 Trail, bears N.E. and S.W.
- 53.12 Trail, bears N.E. and S.W.
- 54.33 Dry wash, 30 lks. wide, course S.W.
- 57.00 Dry wash, 15 lks. wide, course S.W.
- 58.20 Trail bears N.E. and S.W.
- 58.50 Dry wash, 20 lks. wide, course S.W.
- 60.00 Dry wash, 40 lks. wide, course S.W.
- 71.35 Dry wash, 7 lks. wide, course S.W.
- 74.90 Dry wash, 10 lks wide, course S.W.
- 80.00 Set a volcanic stone
 16 x 10 x 8 ins. 11 ins. in the
 ground for cor. of secs
 13, 14, 23 and 24, marked
 with 3 notches on S. and
 1 notch on E. edges; from
 which

F. 12 S. R. 12 E - Continued
Chains.

An ironwood 4 ins. diam.
bears $N41^{\circ}E$, 23 fms. dist.,
marked F. 12. S. R. 12 E.

S. 13 B. T.

A palo verde 7 ins. diam.
bears $S66\frac{3}{4}^{\circ}E$, 157 fms. dist.,
marked F. 12. S. R. 12 E.

S. 24 B. T.

An ironwood 4 ins. diam.
bears $S8^{\circ}W$, 183 fms. dist.,
marked F. 12 S. R. 12 E. S.

23. B. T.

A palo verde 8 ins. diam.
bears $N27\frac{1}{2}^{\circ}W$, 82 fms. dist.,
marked F. 12 S. R. 12 E. S

14 B. T.

Land, rolling
Soil, sandy loam, 3rd rate
Timber, palo verde and

Subdivision of
Chains ironwood.

Heavily timbered land; 3 chs.

S $89^{\circ}58'$ E, on a random
line bet. sees 13 and 24

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect E. bdy. of Twp.

5 lks. S. of cor. of sees.

13, 18, 19 and 24, as heretofore
described

Thence, I run

West, on a true line bet.
sees. 13 and 24

Over rolling land, through
scattering timber and
undergrowth

2.10 Dry wash, 25 lks. wide, course S.W.

4.57 Trail, bears N.E. and S.W.

9.70 Dry wash, 9 lks. wide, course S.W.

T. 12. S. R. 12 E. - Continued

- 10.90 Dry wash, 10 lks. wide, course S.W.
- 13.64 Trail bears N.E. and S.W.
- 15.14 Dry wash, 10 lks. wide, course S.W.
- 24.40 Trail bears N.E. and S.W.
- 25.50 Dry wash, 30 lks. wide, course S.W.
- 40.00 Set a mesquite post 3 ft long, 3 ins. sq. with marking stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, from which an ironwood 14 ins. diam bears N $31\frac{3}{4}^{\circ}$ E, 87 lks. dist., marked $\frac{1}{4}$ S. B. T.
- An ironwood 6 ins. diam bears S $21\frac{3}{4}^{\circ}$ W, 83 lks. dist., marked $\frac{1}{4}$ S. B. T.
- 51.96 Dry wash, 15 lks. wide, course S.W.
- 54.70 Dry wash, 10 lks. wide, course S.W.
- 56.84 Trail bears N.E. and S.W.

Subdivision of	
Chains	
70.00	Dry wash, 10 lks wide, course S.W.
72.00	Trail, bears N.E. and S.W.
78.39	Trail, bears N.E. and S.W.
79.00	Dry wash, 10 lks wide, course S.W.
80.00	The cor. of secs. 13, 14, 23 and 24

Land, rolling
 Soil, sandy loam; 3rd rate
 Timber, palr verde and
 ironwood; undergrowth
 greasewood.

Some giant cactus.

July 8. 1895

No. 1' W. bet secs. 13 and 14	
Over rolling land, through scattering timber	
0.60	Dry wash, 75 lks wide, course S.W.
2.80	Trail, bears N.E. and S.W.
10.45	Dry wash, 10 lks wide, course S.W.
15.80	Dry wash, 10 lks. wide, course S.W.

T. 12 S. R. 12 E - Continued

Chains

- 19.90 Dry wash, 70 fks. wide, course S.W.
- 25.10 Dry wash, 10 fks. wide, course S.W.
- 32.46 Dry wash, 50 fks. wide, course S.W.
- 34.77 Dry wash, 8 fks. wide, course S.W.
- 40.00 Set a quartz stone 16x12x8
ins. 11 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on W. face; from which
An ironwood 10 ins. diam
bears N $45\frac{3}{4}^{\circ}$ E, 194 fks. dist,
marked $\frac{1}{4}$ S. B. T.
- A mesquite 7 ins. diam. bears
S $15\frac{3}{4}^{\circ}$ W. 34 fks. dist,
marked $\frac{1}{4}$ S. B. T.
- 40.30 Dry wash, 15 fks. wide, course S.W.
- 41.55 Dry wash, 11 fks. wide, course S.W.
- 55.90 Dry wash, 25 fks. wide, course S.W.
- 65.50 Dry wash, 3 chs. wide, course S.W.
- 68.75 Dry wash, 15 fks. wide, course S.W.

Subdivision of

Chains

75.40 Dry wash, 20 lks wide, course S.W.

75.85 Dry wash, 30 lks wide, course S.W.

80.00 Set a sand stone $18 \times 8 \times 6$ ins., 12 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked with 4 notches on S. and 1 notch on E.edges; from which
A palo verde 12 ins. diam
bears $N 25^\circ E$, 112 lks. dist;
marked T. 12 S. R. 12 E.
S. 12. B. T.A palo verde 12 ins. diam.
bears $S 02 \frac{1}{4}^\circ E$, 127 lks. dist;
marked T. 12 S. R. 12 E.
S. 13. B. T.A palo verde 14 ins. diam.
bears $S 9^\circ W$. 152 lks. dist;
marked T. 12 S. R. 12 E.

T. 12 S. R. 12 E - Continued

Chains

S. 14. B. T.

A palo verde 10 ins. diam.
 bears $N 72 \frac{1}{4}^{\circ} W. 131$ Mes. dist;
 marked T. 12 S. R. 12 E.

S. 11. B. T.

Land, rolling
 Soil, sandy loam; 3rd rate
 Timber, palo verde and
 ironwood.
 Some giant cactus

East, on a random line
 bet. secs. 12 and 13

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect E. bdy. of Tps;
 3 lbs. S. of cor. of secs
 7, 12, 13 and 18.

Thence, I run

S $89^{\circ} 59' W.$, on a true line

Subdivision of

Chains

bet. sees 12 and 13.

Over rolling land, through scattering timber

14.09 Dry wash, 20 fms wide, course S.W.

18.05 Dry wash, 25 fms wide, course S.W.

35.18 Dry wash, 15 fms wide, course S.W.

40.04 Set a mesquite post.

3 ft. long 3 ins sq. with marked stone 24 ins.

in the ground for $\frac{1}{4}$ sec.cor. marked $\frac{1}{4}$ S. on N.

face; from which

A mesquite 4 ins. diam

bears $N79^{\circ}E$, 119 fms. dist.marked $\frac{1}{4}$ S. B. T.

An ironwood 12 ins. diam

bears $S78\frac{1}{2}^{\circ}W$, 156 fms. dist.marked $\frac{1}{4}$ S. B. T.40.50 Dry wash, 40 fms wide,
course S.W.

T. 12 S. R. 12 E - Continued

Chains	
49.00	Dry wash, 10 lks. wide, course S.W.
56.00	Dry wash, 2 chs. wide, course S.W.
60.00	Dry wash, 40 lks. wide, course S.W.
63.50	Dry wash, 50 lks. wide, course S.W.
65.70	Trail bears N.E. and S.W.
67.05	Dry wash, 15 lks. wide, course S.W.
80.08	The cor. of secs 11, 12, 13 and 14

Land, rolling

Soil, sandy loam, 3rd rate

Timber, palo verde, iron
wood and mesquite

N 0° 1' W, bet. secs 11 and 12

Over rolling land

through scattering timber

4.10	Dry wash, 20 lks. wide, course S.W.
10.00	Dry wash, 20 lks. wide, course S.W.
10.95	Dry wash, 15 lks. wide, course S.W.
16.25	Dry wash, 10 lks. wide, course S.W.

Subdivision of

Chains

- 17.32 Dry wash, 25 lks wide, course S.W.
- 24.50 Dry wash, 8 lks wide, course S.W.
- 29.80 Dry wash, 8 lks. wide, course S.W.
- 32.10 Dry wash, 20 lks. wide, course S.W.
- 37.08 Dry wash, 7 lks. wide, course S.W.
- 39.20 Dry wash, 10 lks. wide, course S.W.
- 40.00 Set a quartz stone 17x7x4 ins., 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which a palo verde 10 ins. diam bears — N $12\frac{1}{4}^{\circ}$ E. 87 lks. dist., marked $\frac{1}{4}$ S. B. T.
- A palo verde 10 ins. diam bears N $73\frac{3}{4}^{\circ}$ W, 57 lks. dist., marked $\frac{1}{4}$ S. B. T.
- 41.25 Dry wash 8 lks. wide, course S.W.
- 46.00 Dry wash 40 lks. wide, course S.W.
- 51.00 Dry wash, 20 lks. wide, course S.W.

T. 12 S. R. 12 E. - Continued

Chains

- 53.10 Trail bears N. E. and S. W.
- 54.05 Dry wash, 30 lks wide, course S. W.
- 60.90 Dry wash, 10 lks. wide, course S. W.
- 67.75 Dry wash, 25 lks. wide, course S. W.
- 69.40 Dry wash, 20 lks. wide, course S. W.
- 75.80 Dry wash, 40 lks. wide, course S. W.
- 79.53 Dry wash, 20 lks. wide, course S. W.
- 80.00 Set a sand stone $16 \times 8 \times 6$ ins. 11 ins. in the ground for cor. of secs. 1, 2, 11 and 12 marked with 5 notches on S. and 1 notch on E. edges; from which a mesquite 12 ins. diam bears $N 62\frac{1}{2}^{\circ} E$, 180 lks. dist., marked T. 12 S. R. 12 E. S. 1 B. T.
- A palo verde 6 ins. diam. bears $S 78\frac{1}{2}^{\circ} E$, 80 lks. dist.;

Subdivision of
chains
marked T. 12 S. R. 12 E.
S. 12. B. T.

A palo verde 5 ins. diam.
bears S $28\frac{1}{2}^{\circ}$ W, 87 lks. dist.,
marked T. 12 S. R. 12 E. S.
11 B. T.

A palo verde 8 ins. diam.
bears N $45\frac{1}{2}^{\circ}$ W, 93 lks. dist.,
marked T. 12 S. R. 12 E. S.
2 B. T.

Land, rolling
Soil, sandy loam, 3rd rate
Timber, palo verde, iron-
wood and mesquite.
Some giant cactus.

N $89^{\circ} 59' E$, on a random
line bet. secs. 1 and 12.
40.00 Set temp. $\frac{1}{4}$ sec. cor.

T. 12 S. R. 12 E. - Continued

Chains

80.05 Intersect E. bdy. of 5p;
7 lks. S. of cor. of secs.
1, 6, 7 and 12 as hereto-
fore described

Thence, I run

S 89° 56' W, on a true line
bet. secs. 1 and 12.

Over rolling land, through
scattering timber

3.00 Dry wash, 15 lks. wide, course S.W.

9.60 Dry wash, 10 lks. wide, course S.W.

21.05 Dry wash, 20 lks. wide, course S.W.

36.09 Dry wash, 18 lks. wide, course S.W.

40.02½ Set a mesquite post
3 ft. long, 3 ins. sq. with
marked stone 24 ins.
in the ground for ¼
sec. cor. marked ¼ S.
on N. face, from which

Subdivision of
Chains

An ironwood 4 ins. diam.
bears $N 25 \frac{1}{2}^{\circ} E$, 50 lks. dist.,
marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins. diam.
bears $S 16 \frac{3}{4}^{\circ} W$, 113 lks. dist.,
marked $\frac{1}{4}$ S. B. T.

- 42.00 Dry wash, 2 chs. wide, course S.W.
48.90 Dry wash, 20 lks. wide, course S.W.
50.90 Trail bears N.E. and S.W.
58.60 Dry wash, 60 lks. wide, course S.W.
66.00 Dry wash, 20 lks. wide, course S.W.
71.55 Dry wash, 20 lks. wide, course S.W.
75.90 Dry wash, 10 lks. wide, course S.W.
79.20 Dry wash, 20 lks. wide, course S.W.
80.05 The cor. of secs. 1, 2, 11 and 12

Land, rolling

Soil, sandy loam; 3rd rate

Timber, palo verde, iron-
wood and mesquite

T. 12 S. R. 12 E. - Continued

Chains

$N0^{\circ}1'W$, on a random
line, bet. secs 1 and 2

40.00 Set tempo $\frac{1}{4}$ sec. cor.

80.05 Intersect N. hdy of T_p,
5 lks E. of cor. of secs
1, 2, 35 and 36, as heretofore
described

Thence, I run

$S0^{\circ}3'E$, on a true line
bet. secs 1 and 2

Over rolling land,
through scattering timber

4.05 Dry wash, 15 lks. wide, course S.W.

9.10 Dry wash, 10 lks. wide, course S.W.

14.06 Dry wash, 20 lks. wide, course S.W.

20.00 Dry wash, 30 lks. wide, course S.W.

26.07 Dry wash, 5 lks. wide, course S.W.

40.05 Set a mesquite post
3 ft. long, 3 ins. sq. with

Subdivision of
Chains

- marked stone 24 ins. in
the ground, ^{for 1/4 sec. cor.} marked 1/4 S
on W. face; from which
A mesquite 8 ins. diam. bears
N 52° W, 114 lks. dist.; marked
1/4 S. B. T.; no other tree
within limits; dig pits
18 x 18 x 12 ins. N. and S. of
post, 3 ft. dist.; and raise
a mound of earth 3 1/2 ft
base, 1 1/2 ft. high, W. of cor.
- 41.00 Dry wash, 20 lks wide, course N.W.
- 47.00 Dry wash, 2 chs. wide, course S.W.
- 52.10 Dry wash, 10 lks. wide, course S.W.
- 55.70 Dry wash, 25 lks. wide, course N.W.
- 58.55 Trail, bears E. and W.
- 65.30 Dry wash, 10 lks. wide, course N.W.
- 78.00 Dry wash, 2 chs. wide, course N.W.
- 80.05 The cor. of sees 1, 2, 11 and 12

T. 12 S. R. 12 E - Continued

Chains

Land, rolling

Soil, sandy loam; 3rd rate

Timber, palo verde, iron-wood and mesquite

July 9, 1895

July 10, 1895: At 6^h 45^m

a. m., l. m. t., I set off

$32^{\circ} 20'$ on the lat. arc;

$22^{\circ} 15'$ N. on the decl. arc;

and determine a true meridian with the

solar, at the cor. of

secs 2, 3, 34 and 35 on

the s. bdy of the Tp,

as heretofore described.

Thence, I run

$N 0^{\circ} 1' W$, bet secs 34 and 35

Over rolling and level

land through scattering

- Subdivision of
- Chains
- timber and undergrowth.
- 4.60 Dry wash, 10 lks. wide, course N.E.
- 12.95 Dry wash, 10 lks. wide, course N.E.
- 18.10 Dry wash, 10 lks. wide, course N.E.
- 19.00 Dry wash, 10 lks. wide, course N.E.
- 31.33 Road bears N.E. and S.W.
- 38.15 Dry wash, 5 lks. wide, course N.E.
- 39.18 Road bears N.E. and S.W.
- 40.00 Set a sand stone $20 \times 12 \times 5$ ins., 16 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; from which
- A mesquite 6 ins. diam. bears $N 9^{\circ} E$, 284 lks. dist., marked $\frac{1}{4}$ S. B. T.
- A mesquite 10 ins. diam. bears $S 63 \frac{3}{4}^{\circ} W$ 257 lks. dist., marked $\frac{1}{4}$ S. B. T.
- 43.00 Ruiz and Aguirre's ranch,

T. 12 S. R. 12 E - Continued
Chains

formerly belonging to
Juan Bajarquez bears
5 ch. E.

- 46.12 Trail bears N. E. and S. W.
47.00 Dry wash, 10 k wide, course N. E.
50.00 Descend from mesa
51.50 Foot of mesa bears E. and W.
55.89 Road bears N. W. and S. E.
56.80 Trail bears N. W. and S. E.
58.53 Trail bears N. W. and S. E.
60.45 Trail bears N. W. and S. E.
62.00 Trail bears N. W. and S. E.
67.10 Trail bears N. W. and S. E.
68.14 Trail bears N. W. and S. E.
80.00 Set a sand stone 15x14x10
ins., 10 ins. in the ground
for cor. of secs 26, 27, 34
and 35, marked with 1
notch on S. and 2 notches

Subdivision - of -
chains

on E. edges; from which
A mesquite 6 ins. diam.
bears $N 85^{\circ} E$, 38 lks. dist.,
marked T. 12 S. R. 12 E.
S. 26. B. T.

A mesquite 8 ins. diam.
bears $S 38^{\circ} E$, 138 lks. dist.,
marked T. 12 S. R. 12 E.
S. 35 B. T.

A mesquite 12 ins. diam.
bears $S 39 \frac{3}{4}^{\circ} W$, 203 lks.
dist., marked T. 12 S. R. 12 E.
S. 34. B. T.

A mesquite, 6 ins. diam.
bears $N 30^{\circ} W$. 100 lks dist.,
marked T. 12 S. R. 12 E.
S. 27 B. T.

Land, rolling and level
Soil, loam; 1st and 3rd rate

T. 12 S. R. 12 E - Continued

Chains

Timber, mesquite, palo verde; undergrowth greasewood

East, on a random line
bet. secs 26 and 35

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line
3 lks. N. of cor. of secs
25, 26, 35 and 36

Thence I run

$N 89^{\circ} 59' W$, on a true line
bet. secs. 26 and 35

Over level land through
heavy timber and under-
growth

1.03 Telegraph line bears $N 42^{\circ} 17' W$
and $S 42^{\circ} 17' E$

1.98 Middle of single track

Chains	Subdivision of of the Southern Pacific Railroad bears $N42^{\circ}17'W.$ and $S42^{\circ}17'E$
2.93	Telegraphline bears $N42^{\circ}17'W.$ and $S42^{\circ}17'E$
3.50	Road from Tucson to Picacho and other points. bears N.W. and S.E.
12.00	Trail bears N.E. and S.W.
16.50	Trail bears N.E. and S.W.
23.43	Trail bears N.E. and S.W.
24.50	Trail bears N.E. and S.W.
25.48	Trail bears N.E. and S.W.
27.30	Trail bears N.E. and S.W.
29.42	Trail bears N.E. and S.W.
32.20	Trail bears N.E. and S.W.
35.22	Trail bears N.E. and S.W.
39.95	Set a malpais stone 15 x 6 x 6 ins., 10 ins. in the

T. 12 S. R. 12 E - Continued

Chains

ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face,
from which

A mesquite 15 ins. diam.

bears $N 44\frac{1}{2}^{\circ} W$, 123 lks.

dist., marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins. diam.

bears $S 10\frac{1}{4}^{\circ} E$, 149 $\frac{1}{2}$ lks

dist., marked $\frac{1}{4}$ S. B. T.

60.25 Trail bears N. and S.

62.45 Trail bears N. and S.

65.00 Trail bears N. and S.

67.70 Middle of dry bed of the
Santa Cruz River, ^{2.50 chs. wide} course
North.

70.30 Road bears N. W. and S. E.

79.90 The cor. of secs 26, 27, 34² & 35

Land level

Soil, rich loam; 1st rate

Subdivision of
 Chains
 Timber, mesquite, under-
 growth
 mesquite and tesota
 Heavily timbered land
 79.90 chs.

-
- No^o 1' W, bet. secs. 26 and 27
 Over level land through
 dense timber and undergrowth
- 17.80 Middle of dry bed of the
 Santa Cruz River, 3 chs. wide,
 course W.
- 20.35 Brush fence bears N 85° W and
 S 85° E
- 23.05 Trail, bears N. W. and S. E.
- 37.00 Leave dense timber and
 undergrowth bears E. and W.
- 40.00 Set a malpais stone
 15 x 12 x 6 ins., 10 ins. in the
 ground for $\frac{1}{4}$ sec. cor.

- T. 12 S. R. 12 E. - Continued
 chains
- marked $\frac{1}{4}$ on W. face;
 from which
 A jaw 6 ins. diam.
 bears $S 63 \frac{1}{4}^{\circ} W.$ - 270 fms.
 dist; marked $\frac{1}{4}$ S. B. T.
 no other tree within
 limits; dig pits $18 \times 18 \times 12$
 ins. N. and S. of post,
 3 ft. dist; and raise a
 mound of earth $3 \frac{1}{2}$ ft.
 base, $1 \frac{1}{2}$ ft. high, W. of cor.
- 40.44 Trail bears N. W. and S. E.
 42.25 Brush fence bears $N 80^{\circ} W.$
 and $S. 80^{\circ} E.$ ✓
- 46.00 Trail bears N. W. and S. E.
^{+ 42}
~~42~~.17 Road bears N. W. and S. E.
 53.00 Trail bears N. W. and S. E.
 62.42 Trail bears N. W. and S. E.
 79.00 Road bears N. W. and S. E.

Subdivision of

chains

80.00

Set a sand stone $16 \times 12 \times 6$ ins., 12 ins. in the ground for cor. for secs. 22, 23, 26 and 27, marked with 2 notches on S. and E. edges, from which a mesquite 5 ins. diam. bears $N 11 \frac{1}{4}^{\circ} E$, 178 lks. dist., marked T. 12 S. R. 12 E.

S. 23 B. T.

A mesquite 6 ins. diam. bears $S 69 \frac{3}{4}^{\circ} E$, 44 lks. dist., marked T. 12 S. R. 12 E.

S. 26 B. T.

A mesquite 10 ins. diam. bears $S 31^{\circ} W$, 96 lks. dist., marked T. 12 S. R. 12 E.

S. 27 B. T.

A mesquite 10 ins. diam

T. 12 S. R. 12 E - Continued
chains

bears $N 54 \frac{1}{4}^{\circ} W$, 134 lks.
dist; marked T. 12 S. R. 12 E.
S. 22 B. T.

Land, level

Soil, loam; 1st and 2nd rate

Timber, mesquite and
jano; undergrowth
mesquite.

Heavily timbered land
or land covered with
dense undergrowth ^{3/4} lks.

S $89^{\circ} 59' E$, on a random
line bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line
9 lks. S. of cor. of secs. 23,
24, 25 and 26

Thence I run

Subdivision of
Chains

S $90^{\circ}57'W$, on a true line
bet. secs 23 and 26

In wash through dense
timber

- 6.14 Trail bears N.E. and S.W.
19.60 Trail bears N.E. and S.W.
22.30 Leave wash, course $S80^{\circ}W$
40.02 Set a mesquite post, 3ft
long, 3 ins. sq. with
marked stone 24 ins. in
the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. on
N. face; from which
A mesquite 8 ins. diam.
bears $N66^{\circ}E$, 172 lks. dist.;
marked $\frac{1}{4}$ S. B. T.
A mesquite 6 ins. diam.
bears $S30^{\circ}W$, 116 lks. dist.;
marked $\frac{1}{4}$ S. B. T.

T. 12 S. R. 12 E - Continued

chains

- 68.15 Road from Tucson to Picacho and other points bears N.W. and S.E.
- 73.37 Telegraph line bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$.
- 74.32 Middle of single track of the Southern Pacific Railroad bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$.
- 75.27 Telegraph line bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$.
- 79.30 Road from Tucson to Picacho and other points bears N.W. and S.E.
- 80.04 The cor. of secs 22, 23, 26, and 27
 Land, level
 Soil, loam; 1st and 2nd rate
 Timber, mesquite, tesota
 and palo verde
 Heavily timbered land
 80.04 chs.

- Subdivision of
- chains
- $N0^{\circ}1'W$, bet. secs 22 and 23
- Over level and gently rolling land through dense timber
- 5.30 Telegraph line bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$
- 5.46 Road from Tucson to Picoacho and other points bears $N.W.$ and $S.E.$
- 6.30 Middle of single track of the Southern Pacific Railroad bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$.
- 7.30 Telegraph line bears $N42^{\circ}17'W$ and $S42^{\circ}17'E$
- 23.59 Road from Tucson to Picoacho and other points bears $N.W.$ and $S.E.$
- 30.00 Leave dense timber
- 34.38 Dry wash, 500 ft wide, course $S.W.$
- 40.00 Set a mesquite post. 3 ft long, 3 ins. sq. with marked stone 24 ins.

T. 12 S. R. 12 E - Continued

~~Chains~~

in the ground for $\frac{1}{4}$ sec.

cor. marked $\frac{1}{4}$ S. on W.

face, from which

A mesquite 10 ins. diam.

bears N $45\frac{1}{2}^{\circ}$ W. 150 lks. dist;

marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins. diam.

bears S 49° E, 139 lks. dist;

marked $\frac{1}{4}$ S. B. T.

42.85 Trail bears N. E. and S. W.

59.70 Dry wash, 25 lks. wide, course S. W.

72.00 Trail bears N. E. and S. W.

72.30 Dry wash, 25 lks. wide, course S. W.

74.10 Dry wash, 12 lks. wide, course S. W.
and ascend mesa

80.00 Set a sand stone 15x14x8

ins., 10 ins. in the ground

for cor. of secs. 14, 15, 22

and 23, marked with

3 notches on S. and 2

Subdivision of
 Chains notches on E. edges;
 from which

A palo verde 5 ins. diam.
 bears $N 63 \frac{1}{4}^{\circ} E$, 30 lks. dist.,
 marked T. 12 S. R. 12 E.

S. 14 B. T.

A palo verde 6 ins. diam.
 bears $S 69 \frac{1}{2}^{\circ} E$, 117 lks. dist.,
 marked T. 12 S. R. 12 E.

S. 23 B. T.

A palo verde 6 ins. diam.
 bears $S 41 \frac{1}{2}^{\circ} W$, 23 lks. dist.,
 marked T. 12 S. R. 12 E.

S. 22 B. T.

A palo verde 6 ins. diam.
 bears $N 24 \frac{3}{4}^{\circ} W$, 43 lks. dist.,
 marked T. 12 S. R. 12 E.

S. 15 B. T.

Land, level and rolling

T. 12 S. R. 12 E - Continued

Chains

Soil, loam; 1st and 3rd rate
 Timber, dense mesquite,
 scattering palo verde
 and ironwood
 Heavily timbered
 land 30chs.

June 10. 1895

N 89° 57' E, on a random
 line bet. secs. 14 and 23

40.00 Set temp. 1/4 sec. cor.

80.03 Intersect N. and S. line
 4 lks S. of cor. of secs.

13, 14, 23 and 24

Thence I run

S 89° 55' W, on a true
 line bet. secs. 14 and 23.

Over rolling mesa land
 through scattering
 timber and undergrowth

Subdivision of

- Chains
- 3.25 Dry wash, 20 lks. wide, course S.W.
- 20.25 Dry wash, 50 lks. wide, course S.W.
- 30.80 Trail bears N.E. and S.W.
- 40.01 $\frac{1}{2}$ Set a mesquite post 3 ft long, 3 ins. sq. with marked stone 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ low N. face, from which
- An ironwood 16 ins. diam bears N $13\frac{1}{4}^{\circ}$ W, 64 lks. dist., marked $\frac{1}{4}$ S. B.T.
- An ironwood 16 ins. diam. bears S $52\frac{1}{2}^{\circ}$ E. 93 lks. dist., marked $\frac{1}{4}$ S. B.T.
- 53.60 Dry wash, 20 lks. wide, course S.W.
- 66.90 Dry wash, 18 lks. wide, course S.W.

T. 12 S. R. 12 E - Continued

Chains

- 72.30 Trail bears N.E. and S.W.
 74.20 Trail bears N.E. and S.W.
 76.00 Dry wash 20 lks. wide, course S.W.
 77.96 Trail bears N.E. and S.W.
 80.03 The cor. of secs 14, 15, 22 and 23

Land, rolling
 Soil, gravelly and sandy
 loam; 3rd and 4th rate.
 Timber, palo verde
 and ironwood; under-
 growth, greasewood.

N 0° 1' W, bet. secs 14 and 15
 Over rolling land through
 scattering timber and under-
 growth

- 1.00 Top of mesa
 7.00 Dry wash, 4 lks. wide, course S.W.
 15.20 Dry wash, 15 lks. wide, course S.W.

Subdivisions of

Chains

- 21.60 Dry wash, 10 lks. wide, course S.W.
- 32.20 Dry wash, 10 lks. wide, course S.W.
- 34.15 Trail bears N.E. and S.W.
- 36.15 Dry wash, 30 lks. wide, course S.W.
- 38.35 Dry wash, 30 lks. wide, course S.W.
- 39.75 Dry wash, 10 lks. wide, course S.W.
- 40.00 Set a limestone 15 x 12 x 8 ins,
10 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on
N. face; from which
A palo verde 10 ins. diam.
bears N $85\frac{1}{2}^{\circ}$ W, 105 lks. dist.;
marked $\frac{1}{4}$ S. B. T
A palo verde 9 ins. diam.
bears S 84° E, 120 lks. dist.;
marked $\frac{1}{4}$ S. B. T.
- 40.15 Dry wash 15 lks. wide, course S.W.
- 44.30 Dry wash 25 lks. wide, course S.W.
- 48.10 Dry wash, 5 lks. wide, course S.W.

T. 12 S. R. 12 E. - Continued

Chains

- 53.14 Trail, bears N.E. and S.W.
- 53.54 Dry wash 15 lks. wide, course S.W.
- 58.40 Dry wash 5 lks. wide course S.W.
- 58.96 Trail, bears N.E. and S.W.
- 65.10 Dry wash, 5 lks. wide, course S.W.
- 70.00 Dry wash, 2.80 chs. wide, course S.W.
- 73.23 Dry wash, 20 lks. wide, course S.W.
- 77.90 Dry wash, 10 lks. wide, course S.W.
- 80.00 Set a sand stone $18 \times 12 \times 10$ ins., 12 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked with 4 notches on S. and 2 notches on E. edges, from which a palo verde 12 ins. diam. bears $N 49 \frac{1}{4}^{\circ} E$, 83 lks. dist., marked T. 12 S. R. 12 E. S. 11 B. T.
- A palo verde 10 ins. diam.

Subdivision of
 Chains bears $S 45^{\circ} E$, 247 lks. dist.;
 marked T. 12 S. R. 12 E.
 S. 14 B. T.

A palo verde 8 ins. diam.
 bears $S 43^{\frac{3}{4}}^{\circ} W$, 216 lks.
 dist.; marked T. 12 S.
 R. 12 E. S. 15. B. T.

A palo verde 7 ins. diam
 bears $N 62^{\circ} W$, 30 lks. dist.;
 marked T. 12 S. R. 12 E.
 S. 10 B. T.

Land, rolling
 Soil, loam; 3rd rate
 Timber, palo verde;
 under growth greasewood

$N 89^{\circ} 55' E$, on a random
 line bet sees 11 and 14
 40.00 Set temp. $\frac{1}{4}$ sec. cor.

T. 12 S. R. 12 E - Continued

Chain

- 80.06 Intersect N. and S.
line 7 lks. N. of cor. of
secs. 11, 12, 13 and 14
Thence I run
S 89° 58' W, on a true line
bet. secs. 11 and 14
Over rolling land
through scattering
timber and undergrowth
- .70 Dry wash, 10 lks. wide, course S.W.
- 6.20 Dry wash, 30 lks. wide, course S.W.
- 6.65 Dry wash, 20 lks. wide, course S.W.
- 9.02 Trail bears N.E. and S.W.
- 13.20 Trail bears N.E. and S.W.
- 17.40 Dry wash, 40 lks. wide, course S.W.
- 18.70 Dry wash, 10 lks. wide, course S.W.
- 20.80 Trail bears N.E. and S.W.
- 21.35 Dry wash, 15 lks. wide, course S.W.
- 27.20 Dry wash, 15 lks. wide, course S.W.

Subdivision - of -

- 31.10 Dry Wash, 12 lks. wide, course S.W.
- 35.00 Dry Wash, 5 lks. wide, course S.W.
- 40.03 Set a sand stone 15x14x8 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; from which An ironwood 4 ins. diam. bears N $19\frac{1}{2}^{\circ}$ E. 70 lks. dist.; marked $\frac{1}{4}$ S. B. T.
- A palo verde 7 ins. diam bears S $33\frac{3}{4}^{\circ}$ W. 71 lks. dist.; marked $\frac{1}{4}$ S. B. T.
- 42.70 Trail bears N.E. and S.W.
- 44.85 Dry wash, 15 lks. wide, course S.W.
- 47.30 Dry wash, 15 lks. wide, course S.W.
- 56.90 Dry wash, 10 lks. wide, course S.W.
- 60.60 Trail, bears N.E. and S.W.
- 62.08 Trail, bears N.E. and S.W.
- 65.00 Dry wash, 4 lks. wide, course S.W.

Continued, Book 757.

Concluded, Book 758.