

14

BOOK 757

No. 757

*Fractional*

4-671

757

FIELD NOTES  
GENERAL LAND OFFICE,

*Subdivision*

*of*

*T.12 S. R. 12 E.*

*Indexed Book 756*

56

Township 12S R. 12E

6	5	121	4	94	3	63	2	1
			119		92		60	
7	8	115	9	88	10	57	11	12
			114		86		54	
18	17	111	16	82	15	51	14	13
			109		79		49	
19	20	107	21	77	22		23	24
			105		74			
30	29	102	28	70	27		26	25
			100		68			
31	32	97	33	66	34		35	36

## T. 12. S. R. 12 E - Continued

Chains

- 68.95 Trail, bears N.E. and S.W.  
 69.00 Dry wash, 30 fks. wide, course W.  
 71.25 Dry wash, 20 fks. wide, course S.W.  
 77.40 Dry wash, 10 fks. wide, course S.W.  
 80.06 The cor. of secs. 10, 11, 14 and 15  
 Land, rolling  
 Soil, gravelly and sandy loam,  
 3<sup>rd</sup> and 4<sup>th</sup> rate  
 Timber, palo verde and  
 ironwood; undergrowth  
 greasewood.

No. 1 W. bet. secs 10 and 11

Over rolling land through  
scattering timber

- 4.70 Dry wash, 10 fks. wide, course S.W.  
 7.00 Dry wash, 30 fks. wide, course S.W.  
 9.20 Dry wash, 10 fks. wide, course S.W.  
 17.64 Trail, bears E. and W.

## Subdivision of

Chains

- 18.68 Dry wash, 10 lks. wide, course S.W.
- 26.08 Dry wash, 15 lks. wide, course S.W.
- 33.00 Dry wash, 10 lks. wide, course S.W.
- 37.90 Dry wash, 12 lks. wide, course S.W.
- 40.00 Set a sand stone 15x12x6  
ins., 10 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face; from which  
a palo verde 6 ins. diam.  
bears  $N53^{\circ}W$ , 146 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.  
A palo verde 4 ins. diam  
bears  $S73\frac{3}{4}^{\circ}E$ , 72 lks.  
dist., marked  $\frac{1}{4}$  S. B. T.
- 40.33 Dry wash, 10 lks. wide, course S.W.
- 47.00 Dry wash, 10 lks. wide, course S.W.
- 48.00 Dry wash, 15 lks. wide, course S.W.
- 50.00 Trail bears N.E. and S.W.
- 50.40 Dry wash 10 lks. wide, course  
S.W.

## T. 12 S. R. 12 E - Continued

Chains

- 56.00 Dry wash, 10 lks. wide, course S.W.
- 58.50 Trail bears N.E. and S.W.
- 63.10 Dry wash, 30 lks. wide, course S.W.
- 64.50 Dry wash, 120 lks. wide, course S.W.
- 67.15 Trail bears N.E. and S.W.
- 72.65 Dry wash, 10 lks. wide, course S.W.
- 73.85 Dry wash, 10 lks. wide, course S.W.
- 80.00 Set a sand stone 16x10x10 ins., 11 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked with 5 notches on S. and 2 notches on E. edges; from which a palo verde 12 ins. diam. bears S  $23\frac{1}{2}^{\circ}$  E, 60 lks. dist., marked T. 12 S. R. 12 E.
- S. 11 B. T.
- A palo verde 8 ins. diam. bears S  $45\frac{1}{4}^{\circ}$  W. 78 lks. dist.,

Chains. Subdivision of  
 marked T. 12 S. R. 12 E.  
 S. 10 B. T.; no other trees  
 within limits; dig pits  
 18x18x12 ins in secs 2 and 3,  
 5½ ft. dist.; and raise  
 a mound of earth 4 ft.  
 base, 2 ft. high, W. of cor.  
 Land, rolling  
 Soil, sandy loam; 3<sup>rd</sup> rate  
 Timber, palo verde and  
 ironwood; undergrowth  
 palo verde, ironwood  
 and greasewood

N 89° 58' E, on a random  
 line, bet. secs. 2 and 11  
 40.00 Set temp ¼ sec. cor.  
 80.06 Intersect N. and S. line  
 3 lks S. of cor. of secs.

## T. 12 S. R. 12 E - Continued

Chains

1, 2, 11 and 12

Thence I run

S 89° 57' W. on a true line  
bet. secs 2 and 11Over rolling land  
through, scattering  
timber and undergrowth

2.00 Dry wash, 50 lks. wide, course S. 20.

5.40 Dry wash, 20 lks. wide, course S. 20.

10.10 Dry wash, 20 lks. wide, course S. 20.

13.15 Dry wash, 10 lks. wide, course S. 20.

24.35 Dry wash, 10 lks. wide, course S. 20.

32.35 Dry wash, 15 lks. wide, course S. 20.

35.00 Dry wash, 20 lks. wide, course S. 20.

35.70 Dry wash, 15 lks. wide, course S. 20.

40.03 Set a mesquite post  
3 ft. long, 3 ins. sq. with  
marked stone 24 ins.  
in the ground for  $\frac{1}{4}$  sec.  
cor., marked

Subdivision of  
chains  $\frac{1}{4}$  s. on N. face, from  
which

A mesquite 8 ins. diam.  
leaves  $89\frac{1}{4}^{\circ}$  W, 139 lks. dist.,  
marked  $\frac{1}{4}$  s. B. T., no  
other tree within limits,  
dig pits  $18 \times 18 \times 12$  ins. E  
and W. of post, 3 ft. dist.,  
and raise a mound of  
earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.

- 41.60 Dry wash, 30 lks. wide, course S.W.  
43.20 Dry wash, 20 lks. wide, course S.W.  
47.60 Dry wash, 20 lks. wide, course S.W.  
60.10 Dry wash, 12 lks. wide, course S.W.  
71.00 Dry wash, 10 lks. wide, course S.W.  
78.00 Dry wash 15 lks. wide course S.W.  
80.06 The cor. of secs 2, 3, 10 and 11  
Land, rolling.



## T. 12 S. R. 12 E - Continued

Chains

Soil, sand and loam; 3<sup>rd</sup> rate  
 Timber, palo verde, iron-  
 wood and mesquite;  
 undergrowth greasewood

No<sup>o</sup> 1' N. on a random  
 line bet. secs. 2 and 3

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. bdy of Tp;  
 6 lks. W. of cor. of secs.  
 2, 3, 34 and 35

Thence I run

50° 2' N, on a true line  
 bet. secs. 2 and 3

Over rolling land, through  
 scattering timber

.85 Dry wash, 10 lks. wide, course S.W.

9.00 Dry wash, 30 lks. wide, course S.W.

10.10 Dry wash, 7 lks. wide, course S.W.

Chains	Subdivisions of
18.15	Trail bears N.E. and S.W.
20.80	Dry wash, 10 lks wide, course S.W.
24.00	Dry wash, 30 lks. wide, course S.W.
30.00	Dry wash, 4 chs. wide, course S.W.
35.20	Dry wash, 70 lks. wide, course S.W.
40.02	Set a sandstone 16x12x3 in 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face; from which A mesquite 8 ins. diam. bears N 35° W. 119 lks. dist; marked 1/4 S. B. T.
	A palo verde 4 ins. diam bears S 38 3/4° E, 29 lks. dist; marked 1/4 S. B. T.
43.00	Dry wash, 4 chs. wide, course S.W.
51.05	Dry wash, 15 lks. wide, course S.W.
55.30	Dry wash, 15 lks. wide, course S.W.
58.40	Trail, bears N.E. and S.W.

## T. 12 S. R. 12 E - Continued

Chains.

59.30 Dry wash, 40 lks. wide, course S.W.

68.90 Dry wash, 15 lks. wide, course S.W.

76.90 Dry wash, 40 lks. wide, course S.W.

80.04 The cor. of secs 2, 3, 10 and 11

Land, rolling

Soil, sandy loam; 3<sup>rd</sup> rate

Timber, palo verde, iron-wood and mesquite

some giant cactus.

July 11. 1895.

July 12. 1895: At 7<sup>h</sup>. 5<sup>m</sup>

am. l. m. t., I set off

32° 20' on the lat. arc, 22°

0' N. on the decl. arc; and

determine a true meridian with the solar, at the cor.

of secs 3, 4, 33 and 34 on

the S. bdy of the Twp, as

heretofore described

## Subdivision of

Chains

Thence Run

$N 0^{\circ} 2' W$ , bet sees 33 and 34.  
Over rolling land, through  
timber

18.52 Trail bears E. and W.

37.95 Trail bears E. and W.

40.00 Set a malpais stone  
18 x 12 x 8 ins., 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  on W. face,  
from which

A palo verde 10 ins. diam.  
bears  $N 71^{\circ} \frac{3}{4}' E$ , 32 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

A palo verde 8 ins. diam.  
bears  $S 41^{\circ} \frac{3}{4}' W$ , 68 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

42.50 Dry wash 15 lks. wide, course N. E.

53.60 Dry wash 10 lks. wide, course N. E.

## T. 12 S. R. 12 E - Continued.

Chains

80.00 Set a granite 18 x 10 x 6 ins,  
12 ins. in the ground for  
cor. of sees 27, 28, 33<sup>and</sup> 34,  
marked with 1 notch on  
S. and 3 notches on E. edges,  
from which

A mesquite 4 ins. diam.  
bears S 81 $\frac{1}{4}$ ° W. 90 lbs. dist.,  
marked T. 12 S. R. 12 E.  
S. 33 B. T., no other trees  
within limits; dig pits  
18 x 18 x 12 ins. in each see.  
5 $\frac{1}{2}$  ft. dist., and raise  
a mound of earth 4 ft.  
base, 2 ft. high, W. of cor.  
Land, rolling  
Soil, gravelly loam; 3<sup>rd</sup> rate  
Timber, palo verde,  
undergrowth greasewood.

Subdivision of  
 chains Some giant cactus.

- East, on a random line  
 bet secs 27 and 34
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.06 Intersect N. and S. line  
 6 lks. S. of cor. of secs. 26, 27  
 34 and 35
- Thence, I run  
 S  $89^{\circ}57'W$ , on a true line,  
 bet. secs 27 and 34
- Over rolling land, through  
 dense mesquite timber
- 11.60 Trail, bears N.W. and S.E.
- 15.00 Road bears N.W. and S.E.
- 18.00 Have dense mesquite timber
- 24.60 Trail bears N.W. and S.E.
- 25.10 Trail bears N.W. and S.E.
- 26.00 Trail bears N.W. and S.E.

## T. 12 S. R. 12 E - Continued

Chains

- 32.20 Trail bears N.W. and S.E.
- 37.20 Trail bears N.W. and S.E.
- 38.40 Trail bears N.W. and S.E.
- 40.03 Set a sand stone  $18 \times 8 \times 6$  ins., 12 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face; from which a mesquite 10 ins. diam. bears  $N 74^\circ E$ , 68 lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- A mesquite 8 ins. diam. bears  $S 18\frac{1}{2}^\circ W$ . 48 lks. dist.; marked  $\frac{1}{4}$  S. B. T.; thence ascend gradually to mesa
- 45.40 Dry wash, 10 lks. wide, course N.E.
- 47.50 Trail bears N.W. and S.E.
- 48.40 Dry wash, 7 lks. wide, course N.E.
- 50.00 Enter greasewood undergrowth

## Subdivision of

chains

57.72 Dry wash, 5 lks. wide, course N.E.

58.00 Dry wash, 5 lks. wide, course N.E.

60.73 Dry wash, 5 lks. wide, course N.E.

63.40 Dry wash, 6 lks. wide, course N.E.

67.70 Dry wash, 10 lks. wide, course N.E.

71.00 Dry wash, 30 lks. wide, course N.E.

78.00 Top of mesa, bears N.W. and S.E.

80.06 The cor. of secs. 27, 28, 33 and 34

Land, rolling

Soil, rich and gravelly loam,  
1<sup>st</sup> and 2<sup>nd</sup> rateTimber, mesquite, under  
growth, greasewood.

Heavily timbered land 18 chs.

No<sup>o</sup> 2' W, bet. secs. 27 and 28Descending gradually  
from mesa, through  
undergrowth.



## T. 12 S. R. 12 E - Continued

- | Stations |   |
|----------|---|
| 10.00    | Dry wash 10 lks. wide, course N.E.  |
| 21.20    | Dry wash, 20 lks. wide, course N.E.   |
| 25.00    | Trail, bears N.W. and S.E.  |
| 30.50    | Trail, bears N.W. and S.E.  |
| 39.10    | Trail, bears N.W. and S.E.  |
| 40.00    | Foot of mesa, set a<br>malpais 18 x 8 x 4 ins. 12 ins<br>in the ground for $\frac{1}{4}$ sec. cor.<br>marked $\frac{1}{4}$ on W. face,<br>from which<br>A mesquite 4 ins. diam.<br>bears $N 58\frac{1}{2}^{\circ} E$ , 147 lks. dist.,<br>marked $\frac{1}{4}$ S. B. T.<br>A mesquite 10 ins. diam.<br>bears $S 33\frac{1}{2}^{\circ} W$ , 144 lks. dist.,<br>marked $\frac{1}{4}$ S. B. T. |
| 40.58    | Trail bears N.W. and S.E.   |
| 48.00    | Trail bears N.W. and S.E.   |
| 50.32    | Trail bears N.W. and S.E.   |

# Subdivision of

Chains

- 50.97 Trail bears N.W. and S.E.
- 52.20 Trail bears N.W. and S.E.
- 53.10 Road from Tucson to  
Silver Bell Mines bears  
N.W. and S.E.
- 57.60 Road from Tucson to  
Ruellas ranch and other  
points bears N.W. and S.E.
- 61.80 Trail bears N.W. and S.E.
- 62.00 Leave greasewood and  
enter dense tesota under-  
growth
- 66.57 Trail bears N.W. and S.E.
- 70.50 Trail bears N.W. and S.E.
- 77.60 Trail bears N.W. and S.E.
- 80.00 Set a malpais stone  
15x14x12 ins., 10 ins. in the  
ground for cor. of secs.  
21, 22, 27 and 28, marked

T. 12 S. R. 12 E. — Continued

Chains

with 2 notches on S. and  
3 notches on E. edges;  
from which

A mesquite 10 ins. diam.  
bears  $N 85\frac{1}{4}^{\circ} E$ , 150 Mts. dist.,  
marked T. 12 S. R. 12 E.  
S. 22. B. T.

A mesquite 6 ins. diam.  
bears  $S 8\frac{1}{2}^{\circ} E$ , 289 Mts. dist.,  
marked T. 12 S. R. 12 E.  
S. 27. B. T.

A mesquite 10 ins. diam.  
bears  $S 42\frac{1}{4}^{\circ} W$ , 365 Mts. dist.,  
marked T. 12 S. R. 12 E.  
S. 28 B. T.

A mesquite 12 ins. diam.  
bears  $N 80^{\circ} W$ , 239 Mts. dist.,  
marked T. 12 S. R. 12 E.  
S. 21 B. T.

Chains

## Subdivision of

Land, rolling  
Soil, loam; 1<sup>st</sup> and 3<sup>rd</sup> rate  
Timber, mesquite; under-  
growth, greasewood and  
tesota.

Land, covered with dense  
undergrowth, 18 chs.

N89° 57' E, on a random  
line, bet secs. 22 and 27  
40.00 Set temp. 1/4 sec. cor.  
80.02 Intersect N. and S. line  
8 lks N. of cor. of secs 22, 23,  
26 and 27  
Thence I run  
West, on a true line bet.  
secs. 22 and 27  
Over level land through  
timber

T. 12 S. R. 12 E. - Continued

- | Stations |   |
|----------|---|
| 1.00     | Leave timber bears N. and S.  |
| 1.44     | Road from Tucson to Picacho and points along the river bottom bears N. W. and S. E.   |
| 4.77     | Trail bears N. W. and S. E.   |
| 14.67    | Trail bears N. W. and S. E.   |
| 19.40    | Road to Molina's ranch bears N. W. and S. E.  |
| 19.72    | Molina's ranch bears N 35 $\frac{1}{4}$ ° W, about 20 cho   |
| 29.00    | Enter dense undergrowth and timber bears N and S.   |
| 40.01    | Set a mesquite post 3 ft long, 3 ins. sq. with marked stone 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N face, from which |

## Subdivision of

Chains

A tesota 6 ins. diam. bears  
 $N 35 \frac{1}{4}^{\circ} W$  25 lks. dist; marked  
 1/4 S. B. T.

A mesquite 5 ins. diam. bears  
 $S 3 \frac{3}{4}^{\circ} E$  60 lks. dist; marked  
 1/4 S. B. T.

44.80 Irrigating ditch, <sup>10 lks. wide</sup> course  $N. W.$

48.00 Middle of dry bed of  
 Santa Cruz River, 2 chs. wide  
 course  $N. W.$

80.02 The cor. of secs 21, 22, 27 and 28

Land, level

Soil, rich loam; 1<sup>st</sup> rate  
 Timber, mesquite and  
 tesota; undergrowth  
 tesota

Land covered with dense  
 undergrowth 51.02 chs.

## T. 12 S. R. 12 E - Continued

Chains

- No  $0^{\circ} 2' W$ , bet. secs 21 and 22  
 Over level land, through  
 timber and dense undergrowth.
- 3.20 Trail bears N.E. and S.W.
- 26.86 Trail bears N.E. and S.W.
- 40.00 Set a gravel stone  $17 \times 6 \times 5$   
 ins., 11 ins. in the ground  
 for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
 on W. face; from which  
 A mesquite 4 ins. diam  
 bears  $N 82^{\circ} W$ , 33 kts. dist.,  
 marked  $\frac{1}{4}$  S. B. T.
- A jano 6 ins. diam bears  
 $S 71 \frac{1}{2}^{\circ} E$ , 160 kts. dist., marked  
 $\frac{1}{4}$  S. B. T.
- 44.54 Trail bears N.W. and S.E.
- 52.20 Road from Molina's  
 ranch to Ruelas ranch  
 bears N.W. and S.E.

Subdivision of

Chains

56.00 Trail bears N.W. and S.E.

64.47 Middle of dry bed of the  
Santa Cruz River, 2 chs.  
wide, course West.

80.00 Set a sand stone 15x12x10  
ins., 10 ins. in the ground  
for cor. of secs. 15, 16, 21 and 22;  
marked with 3 notches on S. and E. edges,  
from which

A tesota 24 ins. diam. bears  
N 18° E, 70 lbs. dist., marked  
T. 12 S. R. 12 E. S. 15 B. T.

A tesota 10 ins. diam. bears  
S. 83 1/2° E, 43 lbs. dist., marked  
T. 12 S. R. 12 E. S. 22. B. T.

A javo 6 ins. diam. bears  
S 27° W, 80 lbs. dist., marked  
T. 12 S. R. 12 E., S. 21. B. T.

A javo 12 ins. diam. bears  
N 42 1/4° W, 207 lbs. dist.,



## T. 12 S. R. 12 E. - Continued

Chains

marked T. 12 S. R. 12 E.

S. 16 B. T.

Land, level

Soil, sandy loam; 2<sup>nd</sup> rateTimber, tesota, mesquite  
and jano; undergrowth  
tesota.Land covered with dense  
undergrowth sochs.

July 13. 1895

East, on a random  
line bet. secs. 15 and 2240.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line

5 lks. N. of cor. of secs. 14, 15  
22 and 23

Thence I run

N89°58'W, on a true line  
bet. secs 15 and 22

- Subdivision of
- Chains
- Descending from mesa  
through palo verde timber
- 7.20 Dry wash 20 lks. wide, course  
S.W.; leave mesa and palo  
verde timber
- 20.00 Dry wash, 10 lks. wide, course S.W.
- 22.30 Trail bears N.E. and S.W.
- 39.00 Trail bears N.E. and S.W.
- 40.00 Set a mesquite post 3  
ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground for  $\frac{1}{4}$  sec.  
cor., marked  $\frac{1}{4}$  S. on  
N. face; from which  
A mesquite 4 ins. diam.  
bears  $N 73^{\circ} W$ , 174 lks. dist.;  
marked  $\frac{1}{4}$  S. B. F.  
A mesquite 4 ins. diam.  
bears  $S 47^{\circ} \frac{1}{4} E$ , 153 lks. dist.;

## T. 12 S. R. 12 E. - Continued

Chains

marked  $\frac{1}{4}$  S. B. T.

- 49.40 Road from Tucson to Picacho and other points bears N. W. and S. E.
- 58.00 Trail bears N. E. and S. W.
- 58.45 Telegraph line bears N. W.  $\frac{2}{3}$  E.
- 59.40 Middle of single track of the Southern Pacific Railroad bears N. W. and S. E.
- 60.18 Road from Tucson to Picacho and other points bears N. W. and S. E.
- 60.35 Telegraph line bears N. W. and S. E.
- 63.42 Road bears N. W. and S. E.
- 67.60 Road bears N. W. and S. E.
- 72.76 Antonio Alvarez ranch bears N.  $1\frac{1}{2}$ ° E, about 10 chs.
- 75.00 Enter dense undergrowth and timber, bears N. and S.

# Subdivisions of

Chains

- 77.50 Trail bears N.W. and S.E.
- 80.00 The cor. of sec. 15, 16, 21 and 22  
 Land, level  
 Soil, loam; 1<sup>st</sup> and 2<sup>nd</sup> rate  
 Timber, mesquite, tesota  
 and palo verde; under-  
 growth tesota.  
 Land covered with dense  
 undergrowth 5 chs.
- 
- N. 0° 2' W, bet. secs. 15 and 16  
 Over level land through  
 dense undergrowth and  
 timber
- 8.10 Trail bears N.E. and S.W.
- 11.81 Trail bears E. and W.
- 13.10 Fence posts bear E and W.
- 23.00 Leave dense mesquite and  
 tesota undergrowth and

## T. 12 S. R. 12 E - Continued

- Chains
- timber bears E. and W.
- 29.62 Telegraph line bears  $N34^{\circ}35'W$   
and  $S34^{\circ}35'E$
- 29.86 Road from Tucson to  
Picacho and other points  
bears N. W. and S. E.
- 30.82 Middle of single track  
of the Southern Pacific  
Railroad bears  $N34^{\circ}35'W$   
and  $S34^{\circ}35'E$
- 32.02 Telegraph line, bears  $N34^{\circ}35'W$   
and  $S34^{\circ}35'E$
- 36.00 Road bears N. W. and S. E.
- 40.00 Set a sandstone  $16 \times 12 \times 7$   
ins, 11 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face; from which  
A mesquite 14 ins. diam. bears  
 $S81\frac{3}{4}^{\circ}E$ , 109 lks. dist.; marked  
 $\frac{1}{4}$  S. B. T.  
A mesquite 8 ins. diam, bears

- Subdivision of
- Chains
- 157½° W, 81 lks. dist., marked  
4. S. B. T.
- 41.00 Ascend mesa
- 42.00 Top of mesa and enter  
palo verde and ironwood  
Timber.
- 42.90 Dry wash, 7 lks. wide, course S.W.
- 46.85 Dry wash, 50 lks. wide, course S.W.
- 48.85 Dry wash, 12 lks. wide, course S.W.
- 53.77 Trail bears N80°E and S80°W
- 62.90 Dry wash, 50 lks. wide, course S.W.
- 65.00 Trail, bears N.E. and S.W.
- 66.00 Dry wash, 5 lks. wide, course S.W.
- 67.77 Dry wash, 10 lks. wide, course S.W.
- 73.75 Dry wash, 10 lks. wide, course S.W.
- 77.47 Dry wash, 13 lks. wide, course S.W.
- 79.05 Trail bears N.E. and S.W.
- 80.00 Set a sand stone 18x12x7,  
12 ins. in the ground for

## T. 12 S. R. 12 E - Continued

Chains

cor. of secs 9, 10, 15 and 16,  
marked with 4 notches  
on S. and 3 notches on E.  
edges; from which

A mesquite 8 ins. diam.  
bears  $N 72^{\circ} E$ , 118 lks. dist.,  
marked T. 12 S. R. 12 E.

S. 10 - B. T.

A mesquite 10 ins. diam.  
bears  $S 48\frac{1}{2}^{\circ} W$ , 95 lks.  
dist., marked T. 12 S. R. 12 E.

S. 16. B. T., no other trees  
within limits; dig pits  
 $18 \times 18 \times 12$  ins. in secs 9  
and 15,  $5\frac{1}{2}$  ft. dist., and  
raise a mound of  
earth 4 ft. base, 2 ft.  
high, W. of cor.

Land, level and rolling

# Subdivision of

Chains

Soil, loam; 1<sup>st</sup> and 3<sup>rd</sup> rate  
 Timber, mesquite, tesota,  
 palv verde and ironwood;  
 undergrowth mesquite  
 and tesota.

Land covered with dense  
 undergrowth 23 chs

S 89° 58' E, on a random  
 line bet. sees 10 and 15

40.00 Set temp. ¼ sec. cor.

80.10 Intersect N. and S. line;  
 4 lks. S. of cor. of sees.  
 10, 11, 14 and 15.

Thence I run

West, on a true line bet.  
 sees. 10 and 15

Over rolling land, through  
 scattering timber



## T. 12 S. R. 12 E. - Continued

Chains

- 2.37 Trail, bears N. E. and S. W.
- 3.00 Dry wash, 20 lks. wide, course S. W.
- 11.90 Dry wash, 30 lks. wide, course S. W.
- 20.50 Dry wash, 10 lks. wide, course S. W.
- 28.85 Dry wash, 10 lks. wide, course S. W.
- 39.50 Dry wash, 10 lks. wide, course S. W.
- 40.05 Set a sand stone  $16 \times 10 \times 7$  ins. 11 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face; from which a palo verde 8 ins. diam. bears  $N 29^{\circ} E, 29$  lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- A mesquite 8 ins. diam. bears  $S 35 \frac{1}{2}^{\circ} W, 23$  lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- 41.96 Trail bears N. E. and S. W.
- 43.05 Trail bears N. E. and S. W.
- 51.80 Dry wash, 20 lks. wide, course S. W.

## Subdivision of

Chains

60.95 Trail, bears N.E. and S.W.

66.65 Trail, bears N.E. and S.W.

67.85 Dry wash, 10 fks. wide, course S.W.

70.00 Dry wash, 10 fks. wide, course S.W.

76.40 Dry wash, 15 fks. wide, course S.W.

78.00 Trail bears N.E. and S.W.

80.10 The cor. of secs 9, 10, 15 and 16

Land, rolling

Soil, sandy loam; 3<sup>rd</sup> rateTimber, palr verde, ironwood  
and mesquiteNo<sup>o</sup> 2' W, bet. secs 9 and 10through timber and  
undergrowth

.05 Dry wash, 6 fks. wide, course S.W.

1.95 Dry wash, 15 fks. wide, course S.W.

8.90 Trail bears N.E. and S.W.

10.20 Trail bears N. 86° E and S 86° W.

## T. 12 S. R. 12 E. - Continued

Chains

- 15.23 Dry wash, 15 lks. wide, course S.W.
- 17.44 Dry wash, 12 lks. wide, course S.W.
- 19.80 Dry wash, 10 lks. wide, course S.W.
- 22.00 Dry wash, 15 lks. wide, course S.W.
- 26.90 Dry wash, 25 lks. wide, course S.W.
- 32.92 Dry wash, 15 lks. wide, course S.W.
- 34.78 Trail bears N.E. and S.W.
- 37.93 Trail bears N.E. and S.W.
- 40.00 Set a sand stone 15x10x4  
ins. 10 ins. in the ground  
for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  on W. face; from  
which
- A palm verde 10 ins. diam.  
bears  $N 21\frac{3}{4}^{\circ} E$ , 198 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.
- A mesquite 5 ins. diam.  
bears  $S 55\frac{1}{4}^{\circ} W$ , 105 lks.  
dist., marked  $\frac{1}{4}$  S. B. T.

# Subdivision of

Chains

- 41.54 Dry wash, 25 lks wide, course S.W.
- 43.68 Trail bears E. and W.
- 48.15 Dry wash, 25 lks wide, course S.W.
- 50.65 Dry wash, 75 lks wide, course S.W.
- 54.30 Dry wash, 20 lks wide, course S.W.
- 56.50 Dry wash, 13 lks wide, course S.W.
- 63.92 Dry wash, 30 lks wide, course S.W.
- 65.33 Dry wash, 20 lks wide, course S.W.
- 67.13 Dry wash, 10 lks wide, course S.W.
- 68.76 Trail bears N.E. and S.W.
- 71.30 Dry wash, 20 lks wide, course S.W.
- 72.68 Dry wash, 20 lks wide, course S.W.
- 73.00 Dry wash, 10 lks wide, course S.W.
- 78.75 Dry wash, 12 lks wide, course S.W.
- 80.00 Set a granite stone 17x10x8  
ins. 11 ins. in the ground,  
for cor. of secs. 3, 4, 9 and 10,  
marked with 5 notches  
on S. and 3 notches on E.

## T. 12 S. R. 12 E. - Continued

Chains

edges, from which  
 A palo verde 12 ins. diam.  
 bears  $N 59^{\circ} E$ , 186 lks. dist.,  
 marked T. 12 S. R. 12 E.

S. 3. B. T.

A palo verde 6 ins. diam.  
 bears  $S 9 \frac{1}{2}^{\circ} E$ , 192 lks.  
 dist., marked T. 12 S. R. 12 E.

S. 10 B. T.

A palo verde 5 ins. diam.  
 bears  $S 38 \frac{1}{4}^{\circ} W$ , 136 lks. dist.,  
 marked T. 12 S. R. 12 E.

S. 9 B. T., no other tree  
 within limits; dig a  
 pit  $18 \times 18 \times 12$  ins. in sec.  
 4,  $5 \frac{1}{2}$  ft. dist., and raise  
 a mound of earth 4 ft.  
 base, 2 ft high, W. of cor.  
 Land, rolling

## Subdivision of

Chains

Soil, sandy loam, 3<sup>rd</sup> rate  
 Timber, palo verde, iron-  
 wood and mesquite;  
 undergrowth, greasewood

East, on a random line  
 bet. secs 3 and 10

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. and S. line  
 6 lks N. of cor. of secs. 2,  
 3, 10 and 11

Thence I run

$N 89^{\circ} 57' W$ , on a true line  
 bet. secs 3 and 10

Over rolling land, through  
 scattering timber.

6.80 Dry wash, 20 lks. wide, course S.W.

19.30 Dry wash, 40 lks. wide, course S.W.

24.30 Dry wash, 15 lks. wide, course S.W.

## T. 12 S. R. 12 E - Continued

Chains

- 30.25 Dry wash, 25 lks. wide, course S.W.
- 32.50 Trail bears N.E. and S.W.
- 40.03½ Set a sandstone 16x10x8 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N. face; from which a mesquite 4 ins. diam. bears N  $11\frac{1}{2}^{\circ}$  E, 111 lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- A palo verde 8 ins. diam. bears S  $23\frac{1}{2}^{\circ}$  W. 117 lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- 46.10 Dry wash 10 lks. wide course S.W.
- 50.20 Dry wash, 7 lks. wide, course S.W.
- 69.30 Dry wash 18 lks. wide, course S.W.
- 80.07 The cor. of secs. 3, 4, 9 and 10  
Land, rolling  
Soil, sandy loam; 3<sup>rd</sup> rate

## Subdivision of

Chains

Timber, palo verde, iron  
wood and mesquite

No<sup>o</sup> 2' N., on a random  
line bet. secs. 3 and 4

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.03 Intersect N. bdy. of the  
Twp. 4 lks. N. of cor. of  
secs 3, 4, 33 and 34 as  
heretofore described.

Thence I run

South on a true line  
bet. secs. 3 and 4

2.00 Dry wash, 30 lks. wide, course S.W.

5.10 Dry wash, 5 lks. wide, course S.W.

7.60 Dry wash, 10 lks. wide, course S.W.

9.43 Dry wash, 35 lks. wide, course S.W.

16.40 Dry wash, 30 lks. wide, course S.W.

24.40 Dry wash, 50 lks. wide, course S.W.



## T. 12 S. R. 12 E - Continued

Chains

- 27.18 Dry wash, 5 lks. wide, course S.W.
- 29.20 Dry wash, 10 lks. wide, course S.W.
- 31.60 Dry wash, 15 lks. wide, course S.W.
- 37.60 Dry wash, 10 lks. wide, course S.W.
- 40.03 Set a sand stone  $15 \times 12 \times 4$  ins. 10 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face; from which an ironwood 10 ins. diam. bears  $N 87 \frac{1}{2}^{\circ} E$ , 15 lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- A mesquite 4 ins. diam. bears  $S 75^{\circ} W$ , 64 lks. dist.; marked  $\frac{1}{4}$  S. B. T.
- 40.70 Dry wash, 10 lks. wide, course S.W.
- 42.33 Dry wash, 37 lks. wide course S.W.
- 47.22 Dry wash, 10 lks. wide, course S.W.

## Subdivision of

Chains

- 53.35 Dry wash, 10 lks. wide, course S.W.  
 58.50 Dry wash, 25 lks. wide, course S.W.  
 66.45 Dry wash, 13 lks. wide, course S.W.  
 67.97 Trail bears N.E. and S.W.  
 69.65 Dry wash, 15 lks. wide, course S.W.  
 76.60 Dry wash, 70 lks. wide, course S.W.  
 80.03 The cor. of secs 3, 4, 9 and 10

Land, rolling

Soil, sandy loam; 3<sup>rd</sup> rate  
 Timber, palo verde, iron-  
 wood and mesquite

July 15. 1895

July 16. 1895: At 8<sup>h</sup> 30<sup>m</sup>  
 am. l. m. t., I set off  
 32° 20' on the lat. arc;  
 21° 21' N. on the decl. arc;  
 and determine a true  
 meridian, with the  
 solar, at the cor. of

## T. 12 S. R. 12 E. - Continued

secs 4, 5, 32 and 33 on  
the S. bdy of the Tps.,  
as heretofore described  
Thence I run

N $0^{\circ}2'$  W, bet secs 32 and 33

Along the East slope  
of Tucson Mts. bears N and S

6.90 Dry gulch 20 lks. wide, course  
N. E.

40.00 Set a volcanic stone  
15 x 12 x 4 ins. 10 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on W.  
face; from which  
A paler verde 6 ins. diam.  
bears N $24^{\circ}$  W, 206 lks. dist.;  
marked  $\frac{1}{4}$  S. B. T.

A paler verde, 6 ins. diam  
bears S $31^{\circ}$  E, 208 lks. dist.;

Subdivision of  
 Chains marked  $\frac{1}{4}$  S. B. T.,  
 thence ascend knoll,  
 about 200 ft above  $\frac{1}{4}$  sec. cor.  
 47.00 Top of knoll  
 48.00 Descend from knoll  
 56.00 Foot of knoll and enter  
 palo verde timber  
 80.00 Set a sand stone  
 18 x 7 x 6 ins., 12 ins. in  
 the ground for cor. of  
 secs 28, 29, 32 and 33, marked  
 with 1 notch on S. and  
 4 notches on E. edges;  
 from which  
 A palo verde 8 ins. diam.  
 bears S  $62\frac{1}{2}^{\circ}$  E, 43 lks. dist.,  
 marked S. 12 S. R. 12 E.  
 S. 33. B. T.  
 An ironwood 7 ins. diam.

## T. 12 S. R. 12 E - Continued

Chains

bears S 39° W. 111 lks. dist.  
marked T. 12 S. R. 12 E.

S. 32 B. T.

A mesquite 10 ins. diam.  
bears N 57½° W. 83 lks. dist.  
marked T. 12 S. R. 12 E.

S. 29 B. T.; no other  
tree within limits;

and raise a mound  
of stone 2½ ft base,  
1½ ft. high, W. of cor.  
Pit impracticable.

Land, mountainous

Soil, rocky; 4<sup>th</sup> rate

Timber, palo verde,

ironwood and mesquite

Some giant cactus

Mountainous land 56 chs.

East, on a random

## Subdivision of

Chains

line bet secs 28 and 33  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.05 Intersect N. and S. line

7 lks N. of cor. of secs 27, 28  
33 and 34

Thence Run

 $N 89^{\circ} 57' W$ , on a true line  
bet. secs. 28 and 33Over rolling land  
descending gradually  
from mesa, through  
scattering palo verde  
and giant cactus

21.00 Dry wash, 15 lks. wide, course N.E.

25.85 Dry wash, 15 lks. wide, course N.E.

40.02  $\frac{1}{2}$  Set a volcanic stone  
18 x 10 x 8 ins., 12 ins in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N.  
face; from which

## T. 12 S. R. 12 E. - Continued

Chains

A mesquite 4 ins. diam.  
bears N 23° E, 22 lks. dist.,  
marked  $\frac{1}{4}$  S. B. F.

A palo verde 10 ins. diam.  
bears S 70° W, 45 lks. dist.,  
marked  $\frac{1}{4}$  S. B. F.

49.85 Dry wash, 10 lks. wide, course  
N. E.

50.95 Dry wash, 20 lks. wide, course  
N. E.

52.00 Dry wash, 5 lks. wide, course  
N. E.

67.85 Dry wash, 10 lks. wide, course  
N. E.

80.05 The cor. of secs 28, 29, 32 and 35  
Land, rolling  
Soil, gravelly loam; 3<sup>rd</sup> rate  
Timber, palo verde,  
mesquite; undergrowth

Chains

Subdivision of  
greasewood.  
Some giant cactus

No° 2' W, bet. secs 28 and 29  
Over level land through  
scattering timber and  
undergrowth

39.35 Trail bears N. W. and S. E.

40.00 Set a malpais stone  
14 x 10 x 6 ins, 8 ins. in  
the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on W.  
face; from which  
A mesquite 5 ins. diam.  
bears S 41° W, 170 fms. dist.;  
marked  $\frac{1}{4}$  S. B. T.;  
no other tree within  
limits; dig pits 18 x 18 x 12  
ins., N. and S. of stone,



## T. 12 S. R. 12 E. - Continued

chains

- 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft.  $1\frac{1}{2}$  ft. high. N. of cor.
- 46.70 Trail, bears E. and W.
- 50.23 Trail, bears E. and W.
- 80.00 Dry wash, 18 fks. wide course East, and cor. point of secs 20, 21, 28<sup>2</sup>/<sub>4</sub> 29
- 80.20 Set a sandstone  $15 \times 10 \times 10$  ins, <sup>10 ins in the ground</sup> for witness cor. to cor. of secs. 20, 21, 28 and 29, marked W. C. on N. W. face; with 2 notches of S. and 4 notches on E. edges; from which a mesquite 12 ins. diam. bears N 46° E, 73 fks. dist., marked W. C. T. 12. S. R. 12 E. S. 21 B. T.

## Subdivisions of

Chains:

A mesquite 12 ins. diam.  
 bears  $S 64\frac{1}{2}^{\circ} E$  330 lks.  
 dist. marked <sup>W.C.</sup> T. 12 S. R.  
 12 E. S. 28 B. T.

A mesquite 4 ins. diam.  
 bears  $S 51\frac{1}{4}^{\circ} W$ , 82 lks. dist.;  
 marked W. C. T. 12 S. R. 12 E  
 S. 29 B. T.

A mesquite 8 ins. diam.  
 bears  $N 42\frac{1}{4}^{\circ} W$ . 131 lks. dist.;  
 marked W. C. T. 12 S. R. 12 E.  
 S. 20 B. T.

Land, level

Soil loam, 1<sup>st</sup> and 2<sup>nd</sup> rate

Timber, scattering  
 mesquite, undergrowth  
 greasewood

---

From cor. point of sec

## T. 12 S. R. 12 E - Continued

Chains

20, 21, 28 and 29,  $S89^{\circ}57'E$   
on a random line  
bet. secs 21 and 28

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line at  
cor. of secs. 21, 22, 27 and 28

Thence, I run

$N89^{\circ}57'W$ , on a true line  
bet. secs 21 and 28

Over level land through  
scattering timber and  
undergrowth

1.70 Trail, bears N.W. and S.E.

8.50 Trail, bears N.W. and S.E.

17.40 Road to Puelas Ranch  
bears N.W. and S.E.

19.50 Road to Silver Bell Mines  
bears N.W. and S.E.

25.50 Trail bears N.W. and S.E.

## Subdivision of

Chains

- 27.70 Trail bears N.W. and S.E.
- 35.10 Trail bears N.W. and S.E.
- 36.70 Trail bears N.W. and S.E.
- 38.75 Road to Silver Bell Mines  
bears N.W. and S.E.
- 40.03 Set a granite stone  
15 x 10 x 6 ins. 10 ins. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face;  
from which  
A mesquite 4 ins. diam.  
bears  $N 36^{\circ} W$ , 105 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.  
A tesota 4 ins. diam.  
bears  $S 59^{\circ} E$ , 116 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.
- 40.90 Trail bears N.W. and S.E.
- 42.90 Trail bears N.W. and S.E.
- 79.95 Enter dry wash, course N.E.
- 80.06 The cor. point of secs 20, 21, 28<sup>2</sup>, 29

## T. 12 S. R. 12 E. - Continued

Chains

Land, level  
 Soil, loam; 1<sup>st</sup> rate  
 Timber, mesquite; under-  
 growth, greasewood

From cor. point of secs  
 20, 21, 28 and 29,

N 0° 2' W. bet secs. 20 and 21

Over level land

- .09 Leave dry wash, course E.  
 .20 W.C. to cor. of secs 20, 21,  
 28 and 29, as heretofore des-  
 cribed.  
 6.60 Dry wash, 15 fms. wide, course N.E.  
 27.60 Road to Silver Bell Mines  
 bears N.W. and S.E.  
 40.00 Set a sand stone 14x14x5  
 ins., 8 ins. in the ground  
 for  $\frac{1}{4}$  sec. cor., marked

## Subdivision of

Chains

$\frac{1}{4}$  on W. face; dig pits  
 18x18x12 ins., N. and S. of  
 stone, 3 ft. dist; and  
 raise a mound of earth  
 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.

66.30 Trail bears N.W. and S.E.

72.40 Trail bears N.W. and S.E.

73.87 Trail bears N.W. and S.E.

80.00 Set a volcanic stone,  
 16x12x10 ins. 11 ins in the  
 ground for cor. of secs.  
 16, 17, 20 and 21, marked  
 with 3 notches on S. and  
 4 notches on E. edges;  
 from which  
 A mesquite 8 ins. diam  
 bears N18 $\frac{1}{4}$ ° W, 224 lks.  
 dist; marked T. 12 S.

## T. 12 S. R. 12 E - Continued

Chains

R. 12 E. S. 17. B. T., no  
 other tree within limits;  
 dig pits 18 x 18 x 12 ins.  
 in each sec., 5½ ft.  
 dist.; and raise a  
 mound of earth 4 ft.  
 base, 2 ft. high, W. of cor.

Land, level

Soil, loam; 1<sup>st</sup> and 2<sup>nd</sup> rate

No timber

S 89° 57' E, on a random  
 line, bet. secs. 16 and 21

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. and S. line  
 7 lbs S. of cor. of secs

15, 16, 21 and 22

Thence I run

West, on a true line

## Subdivision of

Chains

bet. secs. 16 and 21

Over level land, through  
dense undergrowth and  
timber

13.50 Jano 10 ins. diam. on line,  
marked with 1 notch on  
E. and W. sides.

17.20 Middle of dry bed of  
Santa Cruz River, 150 fms.  
wide, course N.

20.00 Leave dense undergrowth  
and timber bears N. and S.

36.30 Road from Molina's ranch  
to Ruelas ranch, bears N.  $W \frac{3}{4} E$

40.00 Set a malpais stone  
18 x 12 x 10 ins., 12 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N.  
face; dig pits 18 x 18 x 12



## T. 12 S. R. 12 E. - Continued

Chains

ins., E. and W. of stone,  
3 ft. dist.; and raise a  
mound of earth  $3\frac{1}{2}$  ft.  
base,  $1\frac{1}{2}$  ft. high, N. of cor.

44.00 Road to Ruellas ranch  
bears N.W. and S.E.

63.70 Trail bears N.W. and S.E.

66.45 Old road bears N.W. and S.E.

80.00 The cor. of secs 16, 17, 20 and 21

Land, level

Soil, loam, 1<sup>st</sup> rate

Timber, tesota, mesquite  
and fano, undergrowth  
same.

Land covered with dense  
undergrowth, 20 chs.

N  $0^{\circ} 2'$  W, bet secs 16 and 17

Over level land

## Subdivisions of

Chains

- 18.10 Road to Ruellas ranch bears N.W. and S.E.
- 31.30 Road to Ruellas ranch bears N.W. and S.E.
- 39.10 Dry wash, 10 krs. wide, course S.E.
- 40.00 Set a malpais stone 16 x 12 x 6 ins., 11 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face; dig pits 18 x 18 x 12 ins. N. and S. of cor, 3 ft. dist.; and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high, W. of cor.
- 43.00 Ruellas ranch bears 1  $\frac{1}{2}$  chs. W.
- 47.10 Dry wash 10 krs. wide, course N.E.
- 60.10 Trail bears E. and W.
- 66.00 Road to S. Ruellas ranch

## T. 12 S. R. 12 E. - Continued

Chains

bears E. and W.

79.54 Irrigating ditch, course W.

80.00 Set a volcanic stone  $18 \times 8 \times 8$ ins., 12 ins. in the ground  
for cor. of secs. 8, 9, 16 and 17marked with 4 notches  
on S. and E. edges; dig  
pits  $18 \times 18 \times 12$  ins. ineach sec.  $5\frac{1}{2}$  ft. dist;

and raise a mound

of earth 4 ft. base,

2 ft. high, W. of cor.

S. Ruelas ranch bears

 $S 68^\circ W. 23$  chs.

Land, level

Soil, loam; 1<sup>st</sup> rate

No timber

East, on a random line

Subdivision of

Chains

- bet. secs 9 and 16
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.30 Intersect N. and S. line  
8 lks. N. of cor. of secs. 9, 10,  
15 and 16
- Thence I run
- $N 89^{\circ} 57' W$ , on a true line  
bet. secs 9 and 16
- Over gently rolling land  
through scattering timber
- 2.00 Dry wash, 20 lks. wide, course S.W.
- 13.10 Trail bears N.E. and S.W.
- 16.15 Dry wash, 15 lks. wide, course S.W.
- 19.90 Trail bears N.E. and S.W.
- 22.00 Dry wash, 20 lks. wide, course S.W.
- 24.75 Trail bears N.E. and S.W.
- 26.30 Trail bears N.E. and S.W.
- 33.60 Dry wash, 8 lks. wide, course S.W.
- 34.00 Descend from mesa

## T. 12 S. R. 12 E. - Continued

Chains

- 34.09 Road from Tucson to  
Picacho and other points  
bears N. W. and S. E.
- 34.86 Telegraphline bears  $N 49\frac{1}{2}^{\circ} W$   
and  $S 49\frac{1}{2}^{\circ} W$  C
- 35.96 Middle of single track  
of the Southern Pacific  
Railroad bears  $N 49\frac{1}{2}^{\circ} W$   
and  $S 49\frac{1}{2}^{\circ} E$
- 36.67 Road from Tucson to  
Picacho and other points  
bears N. W. and S. E.
- 37.06 Telegraphline bears  $N 49\frac{1}{2}^{\circ} W$   
and  $S 49\frac{1}{2}^{\circ} E$
- 38.00 Bottom of mesa bears N. W. and S. E.
- 40.15 Set a gravel stone  $16 \times 6 \times 6$   
ins. 11 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
 $18 \times 18 \times 12$  ins. E. and W.

Subdivisions - of -  
 of stone, 3 ft. dist., and  
 raise a mound of earth  $3\frac{1}{2}$  ft.  
 base,  $1\frac{1}{2}$  ft. high, N. of cor.

- 45.00 Weaver's well bears 5 chs. S.  
 49.15 Trail, bears N.E. and S.W.  
 68.60 Irrigating ditch course N.W.  
 70.50 Middle of dry bed of Santa  
 Cruz River, 3 chs. wide, course N.N.W.  
 75.20 Irrigating ditch, 10 fks. wide,  
 1 ft. deep, course N.W.  
 80.30 The cor. of secs. 8, 9, 16 and 17  
 Land, gently rolling  
 Soil, loam; 2<sup>d</sup> and 3<sup>d</sup> rate  
 Timber, scattering mes-  
 quite and palo verde

July 17. 1895

N<sup>o</sup> 2' W. bet secs. 8 and 9  
 Over <sup>level</sup> land ascending  
 gradually to the north

Couchéed, Book 758.