

15.

BOOK 758

No. 758

*Fractional*

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

758

*Subdivision*

— of —

*T.12 S.R.12E.*

*Indexed, Book 756.*

116

Township 12 S R. 12 E

6	152	5	121	4	3	2	1
149		147		119			
7	144	8	116	9	10	11	12
142		139					
18	137	17		16	15	14	13
134		132					
19	129	20		21	22	23	24
127		124					
30		29		28	27	26	25
31		32		33	34	35	36

T<sub>12</sub> S. R. 12 E. - Continued

chains

- 12.00 Middle of dry bed of Santa Cruz River, 2.50 chs wide, course N.W.
- 18.10 Trail, bears N.E. and S.W.
- 37.57 Telegraph line bears N 49 $\frac{1}{2}$ ° W. and S 49 $\frac{1}{2}$ ° E
- 37.80 Road from Tucson to Picocho and other points
- 38.47 Middle of single track of the Southern Pacific Railroad bears N 49 $\frac{1}{2}$ ° W. <sup>3/4</sup> of S 49 $\frac{1}{2}$ ° E
- 39.37 Telegraph line bears N 49 $\frac{1}{2}$ ° W. and S 49 $\frac{1}{2}$ ° E
- 40.00 Set a malpais stone 18x10x6 ins. 12 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face; dig pits 18x18x12 ins. N. and S. of stone, <sup>3 ft. dist.</sup> and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

## Subdivision of

Chains

48.20

Road from Tucson to

Picacho and other points  
bears N.W. and S.E.

52.15

Road bears N.E. and S.W.

80.00

Set a malpais stone  
18 x 10 x 6 ins. 12 ins. in  
the ground for cor. of  
secs. 4, 5, 8 and 9, marked  
with 5 notches on S.  
and 4 notches on E.  
edges; from which  
A mesquite 9 ins. diam.  
bears S 54° E, 360 lks. dist.,  
marked T. 12 S. R. 12 E.  
S. 9. B. T.

A mesquite 6 ins. diam.  
bears N 24° W, 453 lks. dist.,  
marked T. 12 S. R. 12 E.  
S. 5. B. T.; dig pits  
18 x 18 x 12 ins. in each

## T. 12 S. R. 12 E - Continued

Chain

see.  $5\frac{1}{2}$  ft. dist, and raise  
 a mound of earth 4 ft.  
 base, 2 ft. high, N. of cor.  
 Land, gently rolling  
 Soil, loam; 2<sup>nd</sup> rate  
 Timber, scattering mes-  
 quite; undergrowth,  
 greasewood.

S  $89^{\circ}57'E$ , on a random  
 line, bet sees 4 and 9

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. and S. line  
 15 lks. S. of cor. of sees  
 3, 4, 9 and 10

Thence, I run

S  $89^{\circ}57'N$ , on a true line,  
 bet. sees. 4 and 9

Over gently rolling land

Chains	Subdivision of
	through scattering timber and undergrowth
2.00	Dry wash, 50 lks. wide, course S.
6.46	Dry wash, 15 lks. wide, course S.
34.00	Dry wash, 10 lks. wide, course S.
34.93	Trail, bears N.E. and S.W.
39.04	Dry wash, 15 lks. wide, course S.W.
39.96	Set a mesquite post, 3 ft. long, 3 ins. sq. with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, from which
	A mesquite 14 ins. diam bears N $37\frac{1}{2}^{\circ}$ W, 206 $\frac{1}{2}$ lks. dist., marked $\frac{1}{4}$ S. B.T.
	A mesquite 12 ins. diam. bears S $68\frac{3}{4}^{\circ}$ E, 65 lks. dist., marked $\frac{1}{4}$ S. B.T.

## T12 S. R. 12 E - Continued

Chains

- 50.33 Dry wash, 20 fks. wide, course S.W.
- 52.15 Dry wash, 10 fks. wide, course S.W.
- 60.70 Dry wash, 5 fks. wide, course S.W.
- 68.00 Dry wash 25 fks. wide, course S.W.  
and leave mesa bears N.W.  $2\frac{1}{2}$  S.E.
- 79.92 The cor. of secs 4, 5, 8 and 9  
Land, gently rolling  
Soil, loam, 2<sup>nd</sup> and 3<sup>rd</sup> rate  
Timber, scattering mesquite  
palo verde and ironwood,  
undergrowth, greasewood.

No<sup>o</sup> 2' N, on a random line  
bet. secs. 4 and 5

- 40.00 set temp.  $\frac{1}{4}$  sec. cor.
- 79.90 Intersect N. bdy of Tps.  
at cor. of secs. 4, 5, 32 and 33.  
Thence I run  
S<sup>o</sup> 2' E, on a true line bet.

## Subdivision of

Chains

secs. 4 and 5

Over <sup>rolling level</sup> land with a gradual descent to the south, through scattering timber.

3.27 Dry wash, 10 lks. wide, course S.W.

14.50 Dry wash, 10 lks. wide, course S.W.

22.27 Dry wash, 40 lks. wide, course S.W.

29.74 Dry wash, 10 lks. wide, course S.W.

31.75 Dry wash, 50 lks. wide, course S.W.

39.78 Dry wash, 30 lks. wide, course S.W.

39.90 Point for  $\frac{1}{4}$  sec. cor.

40.50 Set a mesquite post 3 ft. long, 3 ins. sq. with marked stone 24 ins. in the ground, for witness cor. to  $\frac{1}{4}$  sec. cor. marked W.C.  $\frac{1}{4}$  S. on W. face; from which



## T. 12 S. R. 12 E. - Continued

Chains.

A mesquite 6 ins. diam  
bears  $N13^{\circ}E$ , 124 lks. dist.,  
marked W. C.  $\frac{1}{4}$  S. B. T.

A mesquite 6 ins. diam.  
bears  $S27^{\frac{3}{4}}W$ , 114 lks.  
dist., marked W. C.  $\frac{1}{4}$  S. B. T.

46.80 Dry wash, 15 lks. wide, course S.W.

54.10 Dry wash, 25 lks. wide, course S.W.

59.26 Dry wash, 15 lks. wide, course S.W.

68.50 Dry wash, 20 lks. wide, course S.W.

71.27 Dry wash, 12 lks. wide, course S.W.

75.00 Dry wash, 9 lks. wide, course S.W.  
and leave mesa

79.90 The cor. of secs 4, 5, 8 and 9

Land, gently rolling

Soil, loam; 3<sup>rd</sup> rate

Timber, palo verde, iron  
wood and mesquite

From cor. point of secs.

## Subdivision of

Chain

20, 21, 28 and 29, I run West, on a true line bet sees. 20 and 29

over level land through scattering timber and undergrowth

- .08 Leave dry wash, course  $N 88^{\circ} E$
- 3.50 Dry wash, 10 lks. wide, course  $N. E.$
- 15.85 Trail, bears  $N. E.$  and  $S. W.$
- 23.30 Dry wash, 10 lks. wide, course  $N. E.$
- 28.70 Dry wash, 10 lks. wide, course  $N. E.$
- 39.08 Trail, bears  $N.$  and  $S.$
- 40.00 Set a volcanic stone  $15 \times 12 \times 10$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  $N.$  face, from which
- A palo verde 10 ins. diam. bears  $N 58 \frac{1}{4}^{\circ} W$ , 57 lks. dist.;

## T. 12 S. R. 12 E - Continued

Chains

marked  $\frac{1}{4}$  S. B. T.;  
 A palo verde 15 ins. diam.  
 bears  $S 32 \frac{3}{4}^{\circ} E$ , 85 lks. dist.;  
 marked  $\frac{1}{4}$  S. B. T.; thence  
 ascend Tucson Mountains

61.50 Top of ridge bears N. and S.

70.00 Descend ridge bears N. and S.

77.00 Foot of ridge bears N. and S.

80.00 Set a volcanic stone  
 15 x 12 x 7 ins, 10 ins. in  
 the ground for cor. of  
 secs 19, 20, 29 and 30, marked  
 with 2 notches on S. and  
 5 notches on E. edges;  
 from which

A palo verde 10 ins. diam.  
 bears  $N 71 \frac{3}{4}^{\circ} E$ , 122 lks. dist.  
 marked T. 12 S. R. 12 E. S.  
 20. B. T.

## Subdivisions of

Chains

A palo verde, 6 ins. diam.  
 bears  $S 41\frac{1}{2}^{\circ} E$ , 16 M<sup>rs.</sup> <sup>dist.</sup> marked  
 T. 12 S. R. 12 E. S. 29 B. T.

A palo verde, 10 ins. diam.  
 bears  $S 75^{\circ} W$ , 75 M<sup>rs.</sup> dist,  
 marked T. 12 S. R. 12 E.  
 S. 30. B. T.

A palo verde 8 ins. diam.  
 bears  $N 52^{\circ} W$ , 149 M<sup>rs.</sup> dist,  
 marked T. 12 S. R. 12 E.  
 S. 19. B. T., and raise  
 a mound of stone  $2\frac{1}{2}$  ft  
 base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 Pits impracticable.

Land, level and mountainous.  
 Soil, loam, stony, 2<sup>nd</sup>  
 and 4<sup>th</sup> rate.

Timber, mesquite, <sup>2<sup>nd</sup></sup> palo verde,  
 undergrowth, greasewood.

## T. 12 S. R. 12 E. - Continued

Chains

Mountainous, land 37 chs.

West, on a random line  
bet. secs 19 and 3040.00 Set temp.  $\frac{1}{4}$  sec. cor.78.38 Intersect W. bdy. of the  
Tp. 3 lks. S. of cor. of secs.  
19, 24, 25 and 30, as heretofore described

Thence I run

S  $89^{\circ}59'E$ , on a true line  
bet. secs. 19 and 30Over level land, through  
scattering timber

1.65 Dry wash, 12 lks. wide, course N.

2.65 Dry wash, 15 lks. wide, course N.

11.40 Dry wash, 25 lks. wide, course N.

16.70 Trail bears N.W. and S.E.

18.90 Dry wash, 10 lks. wide, course N.

23.85 Dry wash, 40 lks. wide, course N.

## Subdivisions of

Chains

- 27.80 Dry wash, 25 fks. wide, course N.
- 34.45 Dry wash, 10 fks. wide, course N.
- 37.14 Trail bears N.W. and S.E.
- 38.38 Set a volcanic stone  
16x12x6 ins., 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face;  
from which  
A palo verde 6 ins. diam.  
bears N  $33^{\circ}$  W, 180 fks. dist,  
marked  $\frac{1}{4}$  S. B. T.  
An ironwood 10 ins. diam.  
bears S  $40^{\circ}$  E, 62 fks. dist,  
marked  $\frac{1}{4}$  S. B. T.
- 39.85 Dry wash, 20 fks. wide, course N.  
and road from Maish's  
ranch, bears N. E. and S. W.
- 42.00 Road bears N. E. and S. W.
- 78.38 The cor. of secs. 19, 20, 29 and 30  
Land, level and gently rolling

## T. 12 S. R. 12 E - Continued

Chains

Soil, loam and clay, 2<sup>nd</sup>  
and 3<sup>rd</sup> rate

Timber, palo verde <sup>and</sup> iron  
wood; undergrowth greasewood.

N 0° 3' W, bet. secs. 19 and 20

Over, gently rolling land  
through scattering  
timber and undergrowth

22.20 Dry wash, 10 lks. wide, course N.W.

40.00 Set a volcanic stone  
15 x 12 x 7 ins., 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  on W. face;  
from which

A palo verde 12 ins. diam.  
bears N 16  $\frac{1}{4}$ ° W. 17 lks. dist.;  
marked  $\frac{1}{4}$  S. B. T.

A palo verde 7 ins. diam.

## Subdivision of

Chains

- bears  $S 80^{\circ} \frac{3}{4} E$ , 60 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.
- 44.00 Road from Maish's ranch  
bears N. E. and S. W.
- 49.00 Trail bears E. and W.
- 50.65 Dry wash, 10 lks. wide, course N. E.
- 55.98 Trail bears E. and W.
- 62.85 Road from Tucson to  
Silver Bell Mines bears  
N. W. and S. E.
- 70.20 Trail bears N. W. and S. E.
- 72.20 Trail bears N. W. and S. E.
- 83.00 Set a volcanic stone  
 $18 \times 12 \times 10$  ins., 12 ins. in the  
ground for cor. of secs.  
17, 18, 19 and 20, marked  
with 3 notches on S. and  
5 notches on E. edges;  
from which



## T. 12 S. R. 12 E - Continued

Chains

A mesquite 5 ins. diam.  
 bears  $N 31^{\circ} E$ , 146 lbs. dist.  
 marked T. 12 S. R. 12 E.  
 S. 17 B. T.

A mesquite 6 ins. diam.  
 bears  $S 46^{\circ} E$ , 80 lbs. dist.  
 marked T. 12 S. R. 12 E.  
 S. 20 B. T.

An ironwood 6 ins. diam.  
 bears  $S 55^{\circ} W$ , 60 lbs. dist.  
 marked T. 12 S. R. 12 E.  
 S. 19 B. T.

An ironwood 5 ins. diam.  
 bears  $N 26 \frac{1}{4}^{\circ} W$ , 94 lbs.  
 dist., marked T. 12 S. R. 12 E.  
 S. 18 B. T.

Land, gently rolling  
 Soil, clay; 2<sup>nd</sup> rate  
 Timber, palo verde,

## Subdivision of

Chains

ironwood and mesquite;  
undergrowth, greasewood

East, on a random  
line bet secs 17 and 20

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.09 Intersect N. and S line  
7 lks N. of cor. of secs  
16, 17, 20 and 21

Thence I run

$N 89^{\circ} 57' W$ , on a true line  
bet. secs. 17 and 20

Over level land

1.88 Trail bears N.W. and S.E.

5.40 Trail bears N.W. and S.E.

7.50 Trail bears N.W. and S.E.

40.04 $\frac{1}{2}$  Set a volcanic stone  
15 x 14 x 8 ins., 10 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.

T. 12 S. R. 12 E - Continued

Chains

marked  $\frac{1}{4}$  on N. face;  
from which

A palo verde 10 ins. diam.  
bears  $N 39\frac{1}{2}^{\circ} W$ , 128 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite 6 ins. diam.  
bears  $S 1\frac{3}{4}^{\circ} E$ , 40 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.;  
thence ascend

Tuescor Mountains

- 67.00 Top, bears N. and S.  
71.00 Descend, bears N. and S.  
75.90 Foot of Mountains bears  
N. and S. and trail  
bears N.W. and S.E.  
80.09 The cor. of sees 17, 18, 19  
and 20.

Land, level and mountains  
Soil, loam, clay and stony

Chains Subdivision of  
 2<sup>nd</sup>, 3<sup>rd</sup> and 4<sup>th</sup> rate  
 Timber, scattering  
 palo verde, ironwood  
 and mesquite; under-  
 growth, greasewood.  
 Mountainous land 35.90chs.  
 July 18. 1895

July 19. 1895: At 7<sup>h</sup> 20<sup>m</sup>  
 a. m., l. m. t., I set off  
 32° 23' on the lat. arc; 20°  
 51' N. on the decl. arc; and  
 determine a true meridian  
 with the solar, at the cor.  
 of secs. 17, 18, 19 and 20

Thence, I run  
 N89°59' W, on a random  
 line bet. secs. 18 and 19

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

78.30 Intersect W. bdy. of T<sub>p</sub>.

## T. 12 N. R. 12 E - Continued

Chains

7 lks. N. of cor. of secs.

13, 18, 19 and 24, as heretofore described

Thence I run

N 89° 58' E, on a true  
line bet. secs. 18 and 19  
Over level land, through  
scattering undergrowth

3.10 Dry wash, 8 lks. wide, course N.E.

6.40 Dry wash, 10 lks. wide, course N.E.

7.05 Dry wash, 20 lks. wide, course N.E.

9.10 Dry wash, 7 lks. wide, course N.E.

14.25 Dry wash, 15 lks. wide, course N.E.

22.10 Dry wash, 10 lks. wide, course N.E.

29.07 Dry wash, 7 lks. wide, course N.E.

33.80 Dry wash, 10 lks. wide, course N.E.

38.30 Set a malpais stone 15x10x4  
ins. 10 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits

## Subdivisions of

Chains

- 18x18x12 ins. E. and W. of  
stone, 3 ft. dist., and  
raise a mound of earth  
3½ ft. base, 1½ ft. high,  
N. of cor.
- 41.20 Road from Tucson to  
Silver Bell Mines bears  
N.W. and S.E.
- 42.20 Dry wash, 10 lks. wide, course N.E.
- 47.00 Dry wash, 7 lks. wide, course N.E.
- 58.30 Trail bears N.W. and S.E.
- 67.00 Dry wash, 10 lks. wide, course N.E.
- 70.70 Trail bears N.W. and S.E.
- 72.60 Trail bears N.W. and S.E.
- 78.30 The cor. of ees. 17, 18, 19 and 20  
Land, level  
Soil, clay; 2<sup>nd</sup> rate  
Timber, a few palo verde  
and ironwood trees;

## T. 12 S. R. 12 E - Continued

Chains  
under growth, greasewood

No 3' W, bet secs 17 and 18  
Over level land, through  
scattering timber

4.18 Trail, bears N.W. and S.E.

16.25 Trail bears N.E. and S.W.

40.00 Set a volcanic stone  
16x10x8 ins. 11 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  on W. face;  
from which

A palo verde 12 ins. diam.  
bears  $S 45\frac{1}{2}^{\circ} E$ , 17 lbs. dist.,  
marked  $\frac{1}{4}$  S. B. T.,  
no other tree within  
limits, and raise a  
mound of stone  $2\frac{1}{2}$  ft.  
base,  $1\frac{1}{2}$  ft. high, W. of cor.

## Subdivision of

Chains

Pits impracticable;  
thence ——— along  
W. slope of Tuccan  
mountains.

80.00 Set a volcanic stone  
16 x 12 x 10 ins., 11 ins. in  
the ground for cor. of  
secs. 7, 8, 17 and 18, marked  
with 4 notches on S.  
and 5 notches on E. edges;  
from which

A palo verde, 10 ins. diam.  
bears N 68 1/4° E, 134 lks. dist.;  
marked T. 12 S. R. 12 E.

S. 8 B. T.

A palo verde 8 ins. diam.  
bears S 43 1/4° W., 88 lks. dist.;  
marked T. 12 S. R. 12 E.

S. 18 B. T.



## T. 12 S. R. 12 E - Continued

Chains

A palo verde 8 ins. diam.  
bears  $N12\frac{1}{4}^{\circ}W$ . 107 lks. dist;  
marked T. 12 S. R. 12 E.

S. 7 B. T., no other tree  
within limits; and

raise a mound of  
stone  $2\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, W. of cor. Pits  
impracticable

Land, level and mountainous,  
Soil, clay and rocky; 2<sup>nd</sup>  
and 4<sup>th</sup> rate

Timber, palo verde.

Some giant cactus.

Mountainous land 40chs.

$S89^{\circ}57'E$ , on a random  
line, bet. secs. 8 and 17

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.08 Intersect N. and S. line

## Subdivision of

Chains

- 6 lks. N. of cor. of secs.  
8, 9, 16 and 17  
Thence I run  
N 89° 54' W, on a true line  
bet. secs. 8 and 17  
Over level land
- 4.20 Trail bears N. N. W. and S. S. E.  
7.00 Trail bears N. N. W. and S. S. E.  
7.35 Wire fence bears N. N. W. <sup>2</sup>/<sub>3</sub> and S. S. E.  
29.53 Wire fence bears N. N. W. <sup>2</sup>/<sub>3</sub> and S. S. E.  
32.40 Old road and trail bears  
N. W. and S. E.  
33.00 Dry wash, 20 lks. wide, course N. W.  
40.04 Set a malpais stone  
16 X 12 X 10 ins. 11 ins. in the  
ground, for <sup>1</sup>/<sub>4</sub> sec. cor.  
marked <sup>1</sup>/<sub>4</sub> on N. face;  
from which  
A mesquite 8 ins. diam

## T. 12 S. R. 12 E - Continued

Chains

bears N  $63\frac{3}{4}^{\circ}$  E, 168 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite 10 ins. diam.

bears S  $40\frac{3}{4}^{\circ}$  W. 48 lks.  
dist.; marked  $\frac{1}{4}$  S. B. T.

42.00 Ascend Tucson Mountain

50.00 Top, bears N. and S.

54.00 Descend over steep bluffs.

56.00 Bottom of steep bluffs  
and descend gradually

62.20 Dry wash, 5 lks. wide,  
course N.

63.60 Dry wash, 15 lks. wide, course N.

66.75 Trail bears N. and S.

67.50 Trail bears N. W. and S. E.

80.08 The cov. of secs. 7, 8, 17 and 18  
Land, level and mountainous  
Soil, loam and boulders;  
1<sup>st</sup> and 4<sup>th</sup> rate

Chains

## Subdivisions of

Timber, mesquite and  
palo verde.

Same giant cactus.

Mountainous land 38.08 chs

$89^{\circ}58'W$ , on a random  
line bet. secs. 7 and 18

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

78.25 Intersect W. bdy of Twp.  
5 lks. S. of cor. of secs.

7, 12, 13 and 18, as heretofore  
described.

Thence I run

East on a true line  
bet. secs. 7 and 18

Over level land, through  
scattering undergrowth

7.75 Trail bears N.W. and S.E.

20.08 Trail bears N.W. and S.E.

## T. 12 S. R. 12 E - Continued

Chains

- 38.25 Set a volcanic stone  
18 x 12 x 4 ins., 12 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face,  
dig pits 18 x 18 x 12 ins.  
E. and W. of stone, 3 ft.  
dist., and raise a mound  
of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$   
ft. high, N. of cor.
- 56.00 Trail, bears N.W. and S.E.
- 67.00 Trail, bears N.W. and S.E.
- 71.00 Ascend W. slope of Tucson  
Mountains bears N. and S.
- 78.25 The cor. of secs. 7, 8, 17 and 18  
Land, level and mountainous  
Soil, loam, clay and rocky,  
2<sup>nd</sup>, 3<sup>rd</sup> and 4<sup>th</sup> rate  
Timber, palo verde,  
undergrowth greasewood.  
Mountainous land, 7.25 chs.

Subdivisions of  
Chains

- N<sup>o</sup> 3' W, bet. secs 7 and 8  
Over mountainous land,  
descending slope
- 4.00 Dry wash, 50 fms. wide, course W.  
4.10 Trail, bears E. and W.;  
4.20 Bottom of slope  
9.00 Ascend ridge of Tucson  
Mountains
- 22.00 Top of ridge, bears E. and W.  
23.00 Descend from ridge  
35.00 Foot of ridge, bears E. and W.  
35.20 Trail, bears N.W. and S.E.  
39.00 Dry wash, 30 fms. wide, course N.W.  
40.00 Set a volcanic stone  
15 x 12 x 9 ins., 10 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  on W. face;  
from which  
A palr verde, 6 ins. diam.

## T. 12 S. R. 12 E - Continued

Chains

bears  $S 12^{\circ} E$ , 81 lks. dist.;  
marked  $\frac{1}{4}$  S. B. T.

A mesquite 16 ins. diam.  
bears  $S 40^{\frac{3}{4}} W$ , 112 lks.  
dist., marked  $\frac{1}{4}$  S. B. T.

44.20 Middle of dry bed of  
Santa Cruz River, 150 lks.  
wide, course N. W.

63.48 Trail, bears N. W. and S. E.

70.50 Trail, bears N. W. and S. E.

76.20 Old road bears N. W. and S. E.

78.10 Road bears N. W. and S. E.

80.00 Set a granite stone  
18 x 8 x 8 ins., 12 ins. in the  
ground for cor. of sec.  
5, 6, 7 and 8, marked  
with 5 notches on  
S. and E. edges; from  
which

Subdivision of  
 Chains

A mesquite 5 ins. diam.  
 bears  $N27\frac{1}{2}^{\circ}E$ , 241 lks.  
 dist., marked J. 12 S.  
 R. 12 E. S. 5. B. T.

A mesquite 6 ins. diam.  
 bears  $S16^{\circ}W$ , 188 lks. dist.,  
 marked J. 12 S. R. 12 E.  
 S. 7. B. T.; no other  
 trees within limits,  
 dig pits  $18 \times 18 \times 12$  ins.  
 in each sec.  $5\frac{1}{2}$  ft.  
 dist., and raise a mound  
 of earth 4 ft. base, 2 ft.  
 high, W. of cor.

Land, level and mountainous  
 Soil, loam and rocky;  
 1<sup>st</sup> and 4<sup>th</sup> rate

Timber, some mesquite  
 and palo verde.



## T. 12 S. R. 12 E. - Continued

Chains

Mountainous land  
35 chs.

S  $89^{\circ}54' E$ , on a random  
line bet. sees 5 and 8

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. and S. line  
9 lks S. of cor. of sees.

4, 5, 8 and 9

Thence I run

N  $89^{\circ}58' W$ , on a true  
line, bet sees 5 and 8

Over gently rolling land

14.00 Old Road bears N. W. and S. E.

31.20 Road bears N. W. and S. E.

33.70 Trail bears N. W. and S. E.

35.00 Trail bears N. and S.

40.02 Set a volcanic stone  
16 x 12 x 10 ins., 11 ins. in the  
ground

Subdivisions of  
 Chains  
 for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; from which  
 A mesquite 12 ins. diam  
 bears  $S 17\frac{1}{2}^{\circ} W$ , 157 lks. dist.,  
 marked  $\frac{1}{4}$  S. B. T.; no  
 other tree within limits;  
 dig pits  $18 \times 18 \times 12$  ins. E. and  
 W. of stone, 3 ft. dist. and  
 raise a mound of earth  
 $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.

42.55 Road to Flores ranch

47.34 Telegraph line bears  $N 49\frac{1}{2}^{\circ} W$   
 and  $S 49\frac{1}{2}^{\circ} E$

48.44 Middle of single track  
 of the Southern Pacific  
 Railroad bears  $N 49\frac{1}{2}^{\circ} W$ .  
 and  $S. 49\frac{1}{2}^{\circ} E$

49.35 Road from Tucson

T. 12 S. R. 12 E - Continued  
Chains

to Picacho and other  
points bears N. W. and S. E.

49.54 Telegraphline bears  $N 49\frac{1}{2} W$   
and  $S 49\frac{1}{2} E$

60.90 Trail bears N. W. and S. E.

70.80 Irrigating ditch, 15 lks. wide,  
course N. W.

74.75 Road bears N. W. and S. E.

80.04 The cor. of secs. 5, 6, 7 and 8  
Land, gently rolling  
Soil, loam; 1<sup>st</sup> rate  
No timber

West, on a random line  
bet. secs. 6 and 7

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

78.20 Intersect W. bdy of Tps.  
5 lks. N. of cor. of secs.  
1, 6, 7 and 12, as heretofore

Subdivisions of  
Chains described

- Thence I run  
 $N 89^{\circ} 58' E$ , on a true line  
 bet. sees 6 and 7  
 Over level land through  
 scattering timber and  
 undergrowth
- 8.80 Middle of dry bed of  
 Santa Cruz River, 120 lks.  
 wide, course N.W.
- 14.30 Dry wash, 50 lks. wide,  
 course N.W.
- 17.35 Trail, bears N.W. and S.E.
- 21.70 Trail, bears N.W. and S.E.
- 28.20 Trail, bears N.W. and S.E.
- 38.20 Set a malpais stone  
 $14 \times 10 \times 6$  ins., 8 ins. in  
 the ground, for  $\frac{1}{4}$   
 sec. cor., marked  $\frac{1}{4}$

## T. 12 S. R. 12 E. - Continued

Chains

on N. face; dig pits 18x18x12  
ins. E. and W. of stone, <sup>3 ft. dia.</sup><sub>N</sub>  
and raise a mound of  
earth 3½ ft. base, 1½ ft.  
high, N. of cor.

46.72 Trail, bears N.W. and S.E.

53.70 Trail, bears N.W. and S.E.

63.15 Trail, bears N.W. and S.E.

77.15 Road from Fucson  
to J. Landis farm.  
bears N.W. and S.E.

78.20 The cor. of secs. 5, 6, 7 and 8

Land, level

Soil, loam; 1<sup>st</sup> and 2<sup>nd</sup> rateTimber, scattering  
mesquite and palo verde,  
undergrowth greasewood

N 0° 3' W, on a random

# Subdivision of

Chains

line, bet. secs. 5 and 6

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. bdy. of the  
Twp. 5 Tks. E. of cor. of  
secs. 5, 6, 31 and 32, as  
heretofore described

Thence I run

$80^{\circ}5'E$ , on a true line  
bet. secs. 5 and 6.

Over level land.

- 1.00 Trail, bears  $N 80^{\circ}W$ . and  $S 80^{\circ}E$
- 1.30 Wire fence, bears  $N W$ . and  $S E$ .
- 26.59 Wire fence, bears  $N E$ . and  $N W$ .
- 27.54 Wire fence, bears  $N W$ . and  $S E$ .
- 28.46 Road to Flores ranch,  
bears  $N W$ . and  $S E$ .
- 31.95 Trail, bears  $N W$ . and  $S E$ .
- 34.00 Flores ranch, bears  $E$ . 8 chs.
- 36.20 Trail, bears  $E$ . and  $W$ .
- 40.00 Set a malpais stone

## T. 12 S. R. 12 E. - Continued

Chains

15 x 10 x 6 ins., 10 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W. face; dig pits 18 x 18 x 12 ins.

N. and S. of stone, 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

40.15 Trail, bears E. and W.

46.20 Trail, bears E. and W.

50.50 Road from Tucson to Picacho and other points, bears E. and W.

52.25 Telegraph line bears  $N49\frac{1}{2}^{\circ}W.$  and  $S49\frac{1}{2}^{\circ}E$

53.15 Middle of single track of the Southern Pacific Railroad bears  $N49\frac{1}{2}^{\circ}W.$  and  $S49\frac{1}{2}^{\circ}E$

## Subdivisions of

- 53.39 Side track of Rillito station, bears  $N 49\frac{1}{2}^{\circ} W$  and  $S 49^{\circ}\frac{1}{2} E$ .
- 53.64 Fence bears N. W. and S. E.
- 54.05 Telegraph line bears  $N 49\frac{1}{2}^{\circ} W$  and  $S 49\frac{1}{2}^{\circ} E$ ; section House of Rillito station bears 15 lks. W.
- 54.74 Fence bears N. E. and S. W.
- 56.64 Road from Tucson to Picacho and other points bears N. W. and S. E.
- 57.80 Old road bears N. E. and S. W.
- 66.67 Irrigating ditch 15 lks. wide, course N. W.
- 80.00 The cor. of secs. 5, 6, 7 and 8  
Land, level  
Soil, loam; 1<sup>st</sup> and 2<sup>nd</sup> rate  
No timber

July 19. 1895.



## T. 12 S. R. 12 E - Continued

## General Description

This township contains nearly every variety of land, and the soil ranges from rocky to rich loam. The soil of the bottom land along the Santa Cruz River is generally rich loam, capable of producing abundant crops with an artificial irrigation. The soil in the north eastern and south western portions of the township is mostly of a poor quality; the numerous washes, in the north-eastern, and the mount-

Subdivision of  
ains in the south-  
western portions of  
the townships make  
the land valueless  
for agriculture.

Mesquite, tesota, jaww  
and palo verde timber  
is <sup>found</sup> along the Santa  
Cruz River, there is  
considerable palo  
verde and ironwood  
timber and greasewood  
undergrowth scattered  
all over the townships.  
There is no mineral  
found in this township.  
The Santa Cruz River  
is mostly dry, excepting  
during the rainy season.

## T. 12 S. R. 12 E. - Concluded

and several of the settlers within this township avail themselves of the water of the Santa Cruz River, by which they succeed in raising a profitable crop, otherwise water is to be found only in the wells dug by the settlers themselves. There are two settlers in secs 17 and 35, and one, each in secs. 5, 6, 15 and 22.

Pillitter Station of the Southern Pacific Railroad is situated in secs 5 and 6.

Philip Contzen  
U. S. Deputy Surveyor

U. S. Surveyor-General's Office,  
Tucson, A.T., November 28, 1896.

The foregoing field notes of the Survey of Subdivisions of Township 12 South Range 12 East, Gila and Salt River Meridian in Arizona, executed by -----

-----Philip Contzen-----

U.S. Deputy Surveyor, under his contract No. 36, dated February 5, 1895, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

*George J. Roskrige*  
U. S. Surveyor-General,

of the Territory of Arizona.