

12-264
Subdivisions of
T. 12, S., R. 26, E.
Contzen, D.S.

BOOK 760

No. 760

4-978

FIELD NOTES
GENERAL LAND OFFICE.

760

Indexed, Book 791

108

Township 12 S R. 26 E

6	5	4	118	3	2	1
7	8	9	112	10	11	12
		140				
18	17	136	16	107	15	14
		134				
19	160	20	131	21	22	23
157		155	129			
30	29	126	28	27	26	25
149		146	124			
31	143	32	121	33	34	35
						36

No. 760 BOOK 760 109

Subdivisions of T. 12 S. R. 26 E.

Chains

W. of cor.

47.40 Dry wash, 15 lks. wide,
course E., and ascend

54.00 Top of ascent, bears
N. W. and S. E.; and
descend to

66.65 Dry wash, 24 lks. wide,
course E.

68.40 Ascend steep slope

70.00 Top, bears E and W.,
and descend

77.10 Dry wash, 10 lks. wide,
course S. E., and ascend

80.00 This point falling
on a granite stone,
18 x 12 ins. 2 ins. above
ground, I marked
a cross (x) at exact
cor. point for cor. of

Subdivisions of Chains

secs. 9, 10, 15 and 16;
 marked-
 and 12 S. on N.E., and
 26 E. on S.E. sides;
 with 4 grooves on
 S. and 3 grooves on
 E. sides; and raise
 a mound of stone
 2½ ft. base, 1½ ft
 high, W. of cor. - Pits
 impracticable
 Land, rolling;
 Soil, gravelly loam;
 3rd rate
 No timber

S 89° 55' E. on a random
 line bet. secs 10 and 15
 40.00 Set temp. ¼ sec. cor.
 79.86 Intersect N. and S.

T. 12 S. R. 26 E. - Continued

Chains line, 2 lks. S. of cor
of secs. 10, 11, 14 and 15

Thence I run

$N 89^{\circ} 56' W.$, on a true
line, bet. secs. 10 and 15

Over rolling land,
ascending

10.00 Top of ascent, bears
 $N. W.$ and $S. E.$, and
descend

24.90 Foot of descent, $\frac{2}{3}$ of ascent

38.00 Top of ascent, bears
 $N. W.$ and $S. E.$, and descend

39.93 Set a granite stone
 $16 \times 10 \times 5$ ins., 11 ins. in
the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$
on $N.$ face; and raise
a mound of stone

Subdivisions of

Chains

- 2½ ft. base, 1½ ft. high, n. of cor.
- 58.66 Dry wash, 15 lks. wide course S. E., and ascend
- 74.00 Top of ascent, bears N. W. and S. E., and descend
- 79.86 The cor. of secs. 9, 10, 15^{2d} & 16^{2d} Land, rolling^{3d} & level Soil, gravelly loam; 2nd and 3rd rate No timber, undergrowth, scattering yucca.
-
- N 0° 3' E., bet. secs. 9^{2d} & 10^{2d} Over rolling land, ascending
- 5.00 Top, bears N. W. ^{2d} and S. E., and descend

T. 12 S. R. 26 E. - Continued

Chains

- 14.90 Dry wash, 20 lks. wide,
course S. E., and ascend
- 17.06 Dry wash, 5 lks. wide,
course S. Easterly,
and ascend
- 40.00 Set a sand stone
18 x 8 x 6 ins., 12 ins. in
the ground, for $\frac{1}{4}$
sec. cor., marked
 $\frac{1}{4}$ on W. face; dig
pits 18 x 8 x 6 ins.,
N. and S. of stone,
3 ft. dist.; and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.
- 65.00 Top of ascent bears
N. W. and S. E., and
descend

Subdivisions of

Chains

78.55 Steep bank, 40 ft. high, bears N. W. ^{2nd} of S. E.

80.00 Foot of bank; and enter draw, course Easterly. Set a sand stone, 16 x 8 x 8 ins., 11 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked

12 S. on N. E., and 26 E. on S. E. faces, with 5 notches on S. and 3 notches on E. edges, dig pits 18 x 18 x 12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

T. 12 S. R. 26 E. - Continued

Chains Land, rolling
 Soil, gravelly loam,
 2nd and 3rd rate
 No timber

S89°56'E, on a random
 line, bet. secs. 3rd & 10

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.84 Intersect N. and S.
 line, 14 lks. S. of
 cor. of secs. 2, 3, 10^{2nd} & 11

Thence I run

△ 589°58'W

589°58'W

~~S89°50'W~~, on a true
 line, bet. secs. 3rd & 10

Over rolling land,
 along S. Slope of
 long ridge

39.92 Set a malpais
 stone, 18 x 10 x 6 ins.,

- Subdivisions of
Chains
- 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face; and
raise a mound of
stone $2\frac{1}{2}$ ft. base, $\frac{1}{2}$
ft. high, N. of cor.
and descend to
- 42.34 Draw, course S.E.,
and ascend
- 48.90 Top of ascent, bears
N.W. and S.E.; and
descend
- 55.84 Foot of descent; and
dry wash 5 lks. wide,
course S.E.; and
ascend
- 59.60 Top, bears N.W. and S.E.,
descend
- 64.44 Foot of descent; and

T. 12 S. R. 26 E. - Continued

Chains

enter draw, course S. E.,
and ascend

65.00 Top of ascent, bears
N. W. and S. E. and
descend to

69.90 Draw, course Easterly

71.54 Enter dry wash,
course $N 87^{\circ} E$.

73.70 Leave wash, and
ascend spur

79.34 Top of spur, bears N,
and descend

79.84 The cor. of secs, 3, 4
9 and 10

Land, rolling
Soil, gravelly, 3rd rate
No timber; under-
growth scattering
cats claw and yucca.

- Subdivisions of
Chains
- No° 3' E, on a random
line bet. secs. 3 and 4
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 78.43 Intersect N. bdy. of
Tp. 7 lks. E. of cor. of
secs. 3, 4, 33 and 34,
as heretofore described
Thence I run
South, on a true line,
bet. secs. 3 and 4
Over rolling land,
ascending
- .50 Top, bears E. and W.,
and descend to
- 9.93 Dry wash, 15 lks. wide,
course S. E. and ascend
- 15.50 Top, bears E. and W., and
descend to
- 20.20 Dry wash, 10 lks. wide,

- T. 12 S. R. 26 E. - Continued
- chains
- course S. E., and ascend
- 28.78 Top of ascent, bears
E. and W. and descend to
- 34.50 Draw, course E
- 37.66 Enter dry wash, course E.
- 38.48³ The point for $\frac{1}{4}$ sec.
cor. in wash
- 38.66 Leave dry wash, course E.
- 39.43 I mark a red sand
stone 10×10 ins., 3 ins.
above ground for
witness cor., I cut a
cross (x) on top of the
stone at the exact
point, for witness
cor. to $\frac{1}{4}$ sec. cor., marked
W. C. $\frac{1}{4}$ on W. side of cross,
and raise a mound
of stone $2\frac{1}{2}$ ft. base,

Subdivisions of

Chains

- $1\frac{1}{2}$ ft. high, W. of cor.
 Pits impracticable;
 leave draw and ascend
 43.50 Top, bears E. and W.;
 and descend to
 44.93 Dry wash, 5 lks. wide,
 course N. E.; and ascend
 45.60 Top of ridge, bears N. E.
 and S. W. and descend to
 46.89 Dry wash, 30 lks. wide,
 course N. E.; and ascend
 55.50 Top, bears E. and W., and
 descend to
 74.50 draw, course E.
 75.59 Enter dry wash, course E.
 76.10 Leave dry wash, course E.
 78.43 The cor. of secs. 3, 4, 9 and 10
 Land, rolling
 Soil, gravelly; 2nd and 3rd rate

BOOK 760 121
No. 760.

T. 12 S. R. 26 E. - Continued

Chains

No timber; undergrowth
scattering cat's claw and yucca
November 4, 1897

November 5: At 9^h
15^m. A. M. l. m. t.,
I set off $32^{\circ}20' N.$ on
the lat. arc, and $15^{\circ}53' S.$
on the decl. arc, and
determine a true meridian
with the solar, at
cor. of secs. 3, 4, 32 ^{and} 33
on S. boundary of
Tps., as heretofore
described

Thence, I run
 $N 0^{\circ}3' E.$, bet. secs. 32 ^{and} 33
Over rolling land;
ascending

Subdivisions of

Chains

- 5.00 Top of ascent, bears N. E. and S. W., and descend gently to
- 25.90 Dry wash, course N. E.
- 26.93 ^{24.93} Dry wash, course N. E.
- 32.16 Telegraph line, bears $N 79 \frac{3}{4}^{\circ} W.$ and $S 79 \frac{3}{4}^{\circ} E.$
- 32.91 Middle of single track of the Southern Pacific Railroad, bears $N 79 \frac{3}{4}^{\circ} W.$ and $S 79 \frac{3}{4}^{\circ} E.$
- 33.60 Western Union, telegraph line, bears $N 79 \frac{3}{4}^{\circ} W.$ and $S 79 \frac{3}{4}^{\circ} E.$
- 34.50 Road, from Wilcox to Bowil, bears Easterly and Westerly
- 40.00 Set a granite stone $18 \times 8 \times 6$ ins., 12 ins. in

T. 12 S. R. 26 E. - Continued

Chains

the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dig pits $18 \times 18 \times 12$ ins., N. and S. of stone, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. and begin to ascend

50.00 Tops of ascent, bears N. W. and S. E.

52.90 Old road, bears N. W. $\frac{2}{3}$ / S. E.; and descend to

60.00 Draw, course S. E.

80.00 Set a sand stone $18 \times 12 \times 6$ ins., 12 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked

124

Subdivisions of

Chains

12 S. on N.E. and
26 E. on S.E. faces;
with 1 notch on S. and
4 notches on E. edges;
dig pits $18 \times 18 \times 12$ ins.
in each sec. $5\frac{1}{2}$ ft.

high

dist. and raise a mound
of earth 4 ft. base, 2 ft.
W. of cor.

Land, gently rolling
Soil, gravelly loam;
2nd and 3rd rate

No timber; undergrowth
scattering Jucca and
cats claw.

S $89^{\circ}55'$ E. on a random
line, bet. secs. 28th & 33
40.00 Set temp. $\frac{1}{4}$ sec. cor.

T. 12 S. R. 26 E. - Continued

Chains

80.00 Intersect N. and S.
line 7 lks. S. of cor.
of secs. 27, 28, 33 and 34
Thence I run

$N89^{\circ}58' W.$, on a true
line, bet. secs. 28rd/33

Over rolling land

29.30 Begin to descend

29.83 Foot of steep descent,
and enter draw, course
S. E.

34.00 Ascend

40.00 Set a granite stone
 $18 \times 8 \times 8$ ins., 12 ins. in
the ground for $\frac{1}{4}$
sec. cor., marked
 $\frac{1}{4}$ on N. face; dig pits
 $18 \times 18 \times 12$ ins., E. and W.
of stone, 3 ft. dist;

Subdivisions of
chains

- and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.
- 51.00 Top of ascent, bears
N.W. and S.E.; and
descend to
- 64.00 Draw, course S.E., and
ascend
- 68.10 Old road, bears N.N.E. ^{2nd}
S.S.W.
- 76.50 Top, bears N.W. ^{2nd} S.E.;
and descend
- 80.00 The cor. of secs. 28, 29, 32 ^{and} 33
Land, gently rolling
Soil, gravelly loam; 2nd rate
No timber; undergrowth
scattering yucca
-
- N^o 3' E., bet. secs. 28 ^{and} 29

T. 12 S. R. 26 E. - Continued

- Chains Over rolling land,
ascending
- 10.50 Top, bears N.W. and S.E.
and descend to
- 19.40 Draw, course S.E.,
and ascend
- 26.60 Top, bears N.W. and S.E.,
and descend to
- 33.76 Draw, course S. Easterly
- 40.00 Set a granite stone,
16 x 8 x 7 ins., 11 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
W. face, dig pits 18 x 18 x 12
ins., N. and S. of stone,
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

- Subdivisions of
- Chains
- 49.60 Top of ascent; bears N.W.
and S.E.; and descend to
- 54.06 Draw, course S.E.; and
ascend
- 61.00 Top, bears N.W. ²/₃ of S.E.
- 64.00 Descend abruptly
- 65.20 Foot of descent
- 66.00 Road, N. Easterly ²/₃ of S. Westerly
- 68.48 Enter dry wash, course S.E.
- 68.77 Leave dry wash, course S.E.
- 72.00 Ascend
- 80.00 Set a granite stone
20 x 12 x 5 ins., 16 ins. in
the ground, for cor. of
secs. 20, 21, 28 and 29,
marked
- 12 S. on N.E., and
26 E. on S.E. faces;
with 2 notches on S.

T. 12 S. R. 26 E. - Continued

Chains

and 4 notches on E. edges; dig pits 18x18x12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

Land level and rolling
Soil, gravelly loam;
2nd and 3rd rate.

No timber

S 89° 58' ~~W~~^E on a random
line bet. secs. 21 and 28

40.00 Set temp. ¼ sec. cor.

80.09 Intersect N. and S.
line, 18 lks. N. of cor.

of secs. 21, 22, 27^{2d} and 28

Thence I run

Subdivisions of

Chains

- $N 89^{\circ} 50' W.$, on a true
 line bet. secs. 21nd & 28
 Over rolling land
 4.75 Enter draw, course S.E.
 10.00 Leave draw, course S.E.
 and ascend
 25.00 Top of ascent, bears
 $N. W.$ and S.E.
 40.04 $\frac{1}{2}$ Set a sand stone
 $15 \times 8 \times 3$ ins., 10 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ on
 $N.$ face; dig pits $18 \times 18 \times 12$ ins.
 $E.$ and $W.$ of stone, 3 ft
 dist.; and raise a
 mound of earth, $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high,
 $N.$ of cor.
 46.00 Begin to descend

T. 12 S. R. 26 E. - Continued

Chains

- 50.00 Foot of descent, and enter draw, course S. E.
- 58.39 Road, bears N. N. W. and S. S. E.
- 66.00 Ascend
- 80.09 The cor. of secs. 20, 21, 28^{2d}/29
Land rolling
Soil, gravelly loam,
2nd and 3rd rate
No timber; under-
growth scattering yucca
-
- N^o 3' E., bet. secs. 20^{2d}/21
Over rolling land,
ascending
- 9.50 Top of ascent, bears
N. W. and S. E. and
descend
- 19.95 Dry wash, 10 ft. wide, course S. E.

Subdivisions of
Chains and ascend

28.00 Top, bears N.W. $\frac{3}{4}$ of S.E.;
and descend to

35.00 Draw, course S.E.;
and ascend

40.00 Set a granite stone,
15 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. face; dig pits
18 x 18 x 12 ins. N. and S.
of stone, 3 ft. dist.; and
raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
ft. high, W. of cor.

42.50 Top of ascent, bears
N.W. and S.E.

47.00 Descend abruptly to

48.30 Dry wash, 15 lbs. wide,
course S.E. and begin

T. 12 S. R. 26 E. - Continued

- Chains to ascend, gently
- 58.77 Dry wash, 5 lks. wide, course E.
- 59.88 Dry wash, 5 lks. wide, course S. E.
- 60.20 Road, bears N. Westerly and S. Easterly
- 75.80 Top of ascent, bears N. W. and S. E.; and descend to
- 79.50 Draw, course E.
- 80.00 Set a granite stone ^{18 x 10 x 6 ins., 12 ins. in the ground,} for cor. of secs. 16, 17, 20 and 21, marked 12 S. on N. E., and 26 E., on S. E. faces; with 3 notches on S. and 4 notches on E. edges; and raise a

Subdivisions of

Chains

mound of stone, $2\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor. Pits impracticable
 Land, rolling
 Soil, gravelly loam, 3rd rate
 No timber; undergrowth
 scattering yucca

$S 89^{\circ} 50' E$ on a random
 line, bet. secs. 16 and 21

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect N. and S.

line 14 lks. S. of cor. of
 secs. 15, 16, 21 and 22

Thence I run

$N 89^{\circ} 56' W$, on a true
 line, bet. secs. 16²⁰ and 21

Over rolling land

35.19 Draw, 100 lks. wide, course $1\frac{1}{2}$

T. 12 S. R. 26 E. - Continued

Chains
40.03

Set a malpais stone, $18 \times 18 \times 6$ ins., 12 ins. in the ground for $\frac{1}{4}$ sec. ^{cor.} marked $\frac{1}{4}$ on N. face; dig pits $18 \times 18 \times 12$ ins., E. and W. of stone, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

59.66 Road, from Luzina Station to Monks ranch, course N.W. and S.E.

76.70 Descend,

79.00 Foot of descent, and enter draw, course S.E.

79.20 Dry wash, 10 lks. wide, course S. Easterly

Subdivisions of
Chains

80.06 The cor. of secs. 16, 17, 20^{2d/21}
Land, gently rolling
Soil, gravelly loam;
2nd and 3rd rate.
No timber

N 0° 3' E., bet. secs. 16^{2d/17}
Over gently rolling land;
ascending

5.50 Top, bears N. Westerly
and S. Easterly; and
descend

11.09 Dry wash, 10 fms. wide,
course E., and ascend

11.75 Road from Luzina
Station to Monks ranch,
bears N. Westerly ^{2d/1} S. Easterly

18.50 Top of ascent, bears
E. and W., and enter

T. 12 S. R. 26 E. - Continued

- Chains level land
- 30.40 Descend steep bank,
20 ft. high, bears E. 34° W.
- 31.00 Foot of descent and
enter Pinaleno Creek,
course E.
- 33.15 Leave Pinaleno Creek,
course E. and ascend
steep bank, 40 ft. high,
- 40.00 Set a granite stone,
18 x 10 x 6 ins., 12 ins. in
the ground for $\frac{1}{4}$
sec. cor., marked
 $\frac{1}{4}$ on W. face; and
raise a mound of
stone, 2 $\frac{1}{2}$ ft. base,
1 $\frac{1}{2}$ ft. high, W. of cor.
Pits impracticable
E. R. Monks. ranch,

Subdivisions of

Chains

- known also as the Pinaleno ranch, bears East, 45 chs.
- 41.00 Top of bank, bears N. Westerly ³/₄ S. Easterly
- 49.00 Descend
- 51.40 Dry wash, 15 lks. wide course S. Easterly
- 55.38 Old road, bears N.E. and S.W. and descend gradually
- 65.00 Descend abruptly to
- 65.80 Gulch, 25 lks. wide, course S. Easterly
- 66.64 S. edge of cañon
- 67.00 N. edge of cañon, course S. Easterly; and ascend.
- 72.70 Top, bears N.W. and S.E.

T. 12 S. R. 26 E. - Continued

- Chains and descend to
73.45 Dry wash, 20 lks. wide,
course S. E., and ascend
73.90 Top of bank, bears
N. W. and S. E.
79.24 Dry wash, 4 lks. wide,
course S. Easterly
80.00 Set a granite stone
16 x 8 x 8 ins., 11 ins. in
the ground for cor. of
secs. 8, 9, 16 and 17,
marked
12 S. on N. E., and
26 E. on S. E. faces;
with 4 notches on S.
and E. edges; and
raise a mound of
stone 2½ ft. base,
1½ ft. high, W. of cor.

Subdivisions of

Chains

Pits impracticable
 Land, rolling
 soil, gravelly and rocky,
 3rd and 4th rate
 No timber, under-
 growth, scattering
 catsclaw, mesquite
 and yano, along
 Pinaleno creek.

S 89° 56' E. on a random
 line, bet. secs. 9^{2d} & 16
 40.00 Set temp. 1/4 sec. cor.
 80.10 Intersect N. and S.
 line 11 lks. N. of cor.
 of secs. 9, 10, 15 and 16.
 Thence I run
 N 89° 51' W. on a true
 line, bet. secs. 9 and 16

T. 12 S. R. 26 E. - Continued

- Chains Descend to
- 1.59 Dry wash, 4 lks. wide,
course S. E.; and ascend
- 8.50 Top, bears N. W. and S. E.;
and descend to
- 14.00 Draw, course S. E.
- 21.40 Enter dry wash, course S. E.
- 23.20 Leave dry wash, course S. E.;
and ascend
- 30.00 Top of ascent, bears
N. W. and S. E.
- 40.05 Set a granite stone
15 x 8 x 4 ins., 12 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
N. face; and raise
a mound of stone,
2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor. Pits impracticable

142

Subdivisions of

Chains

42.45

Dry wash, 15 fks. wide,
course S.E.; and ascend

47.52

Top of ascent, bears
N. and S.; and descend

54.90

Enter dry wash, course S.E.

56.00

Leave dry wash, course S.E.;
and ascend

61.00

Old road, bears N. N.E.
and S. S.W.

74.00

Top, bears N.E. and S.W.;
and descend

79.65

Cut, 4 ft deep, bears N. ²nd S.

80.10

The cor. of secs. 8, 9, 16 ²nd 17

Land, rolling

Soil, gravelly and stony
3rd and 4th rateNo timber; undergrowth
scattering, cats claw
and yucca.

T. 12 S. R. 26 E. - Continued

Chains

Note: At cor. of secs.
8, 9, 16 and 17, I discontinued
to subdivide any further,
on account of broken
and mountainous land

November ⁴ 1897.

November ⁵ 1897: At
gh 15^m, a. m., l. m. t.,
I set off $32^{\circ}20' N.$ on the
lat. arc, and $15^{\circ}53' S.$
on the decl. arc, and
determine a true meridian
with the solar, at
cor. of secs. 5, 6, 31 and 32,
as heretofore described.
Thence I run
 $N 0^{\circ}2' E.$ bet. secs. 31 and 32
Over rolling land, ascending

144

Subdivisions of

Chains

- 7.00 Top of ascent, bears N. E. and S. W., and descend gently to
- 18.60 Draw, course N. E.
- 22.45 Telegraph line, bears N $79^{\circ}20'$ E. and S $79^{\circ}20'$ W
- 23.20 Middle of single track, of the Southern Pacific Railroad, bears N $79^{\circ}20'$ E. and S $79^{\circ}20'$ W.
- 23.81 Western Union telegraph line, bears N $79^{\circ}20'$ E. and S $79^{\circ}20'$ W.
- 29.00 Head of dry wash, course E.
- 29.91 Road from Willcox to Bowie, bears N. Easterly and S. Westerly, ascend
- 35.00 Top of ascent, bears N. W. and S. E., and descend

T. 12 S. R. 26 E. - Continued

Chains

- 38.65 Dry wash, 20 lks. wide,
course S.E. and ascend
- 39.05 Top of bank, bears N.W. $\frac{3}{4}$ S.E.
- 40.00 Set a granite stone
16 x 8 x 6 ins., 11 ins. in the
ground for $\frac{1}{4}$ sec. cor.,
marked $\frac{1}{4}$ on N. face;
dig pits 18 x 18 x 12 ins.,
N. and S. of stone,
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor
- 51.10 Ascend S. slope of
ridge
- 77.00 Top, bears N.W. and S.E.
- 80.00 Set a sand stone
18 x 12 x 8 ins., 12 ins.
in the ground for.

Subdivisions of
 chains
 cor. of secs. 29, 30, 31^{2d} & 32,
 marked
 12 S. on N.E. and
 26 E. on S.E. faces,
 with 1 notch on S.
 and 5 notches on E.
 edges; dig pits 18x18x12
 ins. in each sec. 5½
 ft. dist; and raise a
 mound of earth, 4 ft.
 base, 2 ft. high W. of cor.
 Land gently rolling.
 Soil, gravelly loam;
 2nd and 3rd rate
 No timber, undergrowth
 scattering Jucca

S 90° 55' E, on a random
 line, bet. secs. 29^{2d} & 32

T. 12 S. R. 26 E. - Continued

- Chains
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.07 Intersect N. and S.
line, 10 lbs S. of cor.
of secs. 28, 29, 32nd & 33
Thence I run
N 89° 59' W., on a true
line, bet. secs. 29th & 33
Over rolling land,
descending to
- 2.20 Draw course S. E., and
ascend
- 15.60 Top of ascent, bears
N. and S., and descend to
- 19.60 Draw, course S., and
ascend
- 22.70 Top of ascent, bears
N. and S., and descend to
- 30.00 Draw, course S. E.
- 40.03 $\frac{1}{2}$ Set a granite stone

Subdivisions of

Chains

14 x 10 x 8 ins., 9 ins. in
the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face;
dig pits 18 x 18 x 12 ins.

E. and W. of stone, 3 ft
dist., and a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
ft. high, N. of cor.

Small enclosure, bears
N 45° W. 5 chs., and ascend

45.00 Top of ascent, bears
N. W. and S. E., and
descend to

50.00 Draw, course S. E.,
and ascend

61.50 Top of ascent, bears
N. W. and S. E. and descend to

70.00 Draw, course S. E., and ascend

80.07 The cor. of secs. 29, 30, 31 $\frac{2}{3}$

T. 12 S. R. 26 E. - Continued

Chains

Land, rolling
Soil, gravelly loam;
2nd and 3rd rate
No timber

N 89° 55' W., on a random
line, bet. secs. 30th of 31

40.00 Set temp. $\frac{1}{4}$ sec. cor.

76.90 Intersect W. half of
Tp. 12 N. of cor. of
secs. 26, 30, 31 and 36,
as heretofore described

Thence I run

East on a true line,
bet. secs. 30 and 31

Over rolling land,
ascending

34.00 Top of ascent; bears
N. W. and S. E.; and descend

Subdivisions of

chains

36.90

Set a granite stone
 18x18x12 ins., 12 ins. in
 the ground for $\frac{1}{4}$ sec
 cor., marked $\frac{1}{4}$ on
 N. face; dig pits 18x18x $\frac{1}{2}$
 ins., E. and W. of stone,
 3 ft. dist; and raise
 a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
 high, N. of cor.

38.70

Enter draw, course S.S.E

44.00

Leave draw, course S.S.E
 and ascend

46.00

Top of ascent, bears
 N. N. W. and S. S. E.,
 and descend to

48.40

Draw, course S, ^{and}
 ascend

49.60

Top, bears N. and S.,

T. 12 S. R. 26 E. - Continued

Chains

- and descend
- 50.33 Road, from Willcox
to Solomonville,
bears N. N. E. and S. S. W.
- 54.50 Draw, course S;
and ascend
- 56.40 Top of ascent, bears
N. and S., and descend
- 59.90 Draw, course S.; and
ascend
- 67.60 Top of ascent, bears
N. and S.; and descend
gently
- 76.90 The cor. of secs. 29, 30, 31, ²/₃ 32
Land gently rolling.
Soil, gravelly loam,
2nd and 3rd rate
No timber

Subdivisions of

Chains

- $N 0^{\circ} 2' E$, bet. secs.
 29 and 30
 Over rolling land;
 ascending
 16.00 Top of ascent, bears
 $N. W.$ and $S. E.$
 22.50 Descend
 23.40 Road from Wilcox
 to Solomonville, bears
 $N. E.$ and $S. W.$
 27.35 Draw, course $E.$, ^{and}
 ascend
 32.00 Top of ascent, bears
 $E.$ and $W.$, and descend
 34.80 Draw, course $E.$,
 and ascend
 37.60 Top of ascent, bears
 $E.$ and $W.$, and descend
 40.00 Draw, course $E.$

T. 12 S. R. 26 E. - Continued

Chains

Set a malpais stone
 16 x 12 x 6 ins., 11 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ on
 W. face, dig pits
 18 x 18 x 12 ins. N. and S.
 of stone, 3 ft. dist.;
 and raise a mound
 of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor.,
 and ascend

44.00 Top of ascent; bears
 E. and W., and descend

49.00 Draw, course E., and
 ascend along E. slope
 of ridge

65.00 Top of slope; and
 descend

66.00 Draw, course S. Easterly

Subdivisions of

Chains

and ascend

80.00 Set a granite stone
 16 x 10 x 6 ins., 11 ins. in
 the ground, for cor.
 of secs. 19, 20, 29 and 30,
 marked

12 S. on N.E. and
 26 E. on S.E. faces;
 with 2 notches on
 S. and 5 notches on
 E. edges; dig pits
 18 x 18 x 12 ins. in each
 sec. 5½ ft. dist; and
 raise a mound of earth
 4 ft. base, 2 ft. high,
 W. of cor.

Land, rolling
 Soil, gravelly loam;
 2nd and 3rd rate

T. 12 S. R. 26 E. - Continued

Chains No timber

S 89° 59' E, on a random
line, bet. secs. 20nd/29

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect, N. and S.
line, 7 lks. N. of
cor. of secs. 20, 21, 28nd/29
Thence I run

6 ✓ N 89° 56' W, on a true
line, bet. secs. 20nd/29

Over rolling land;
descending

5.00 Foot of descent, bears
N. W. ^{2nd} S. E.

9.00 Ascend

21.00 Top, bears N. W. ^{2nd} S. E.

22.45 Road from Wilcox
to Solomonville, bears

Subdivisions of

Chains

N. N. W., and S. S. E.

31.50 Descend to

33.65 Draw, course S. ^{2nd} of ascent

36.50 Top of ascent, bears

N. W. and S. E. ^{2nd} of descent to39.80 Dry wash, 10 lks. wide,
course S. S. E.

40.03 Set a granite stone,
15 x 8 x 6 ins., 10 ins. in
the ground for $\frac{1}{4}$ sec
cor., marked $\frac{1}{4}$ on
N. face; dig pits 18 x 18 x 12
ins., E. and W. of stone,
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, N. of cor.; and
ascend

47.86 Road from Wilcox

T. 12 S. R. 26 E. - Continued

Chains to Solomonville, bears
N. and S.

54.00 Top of ascent; bears
N. and S.; and descend

65.00 to draw, course S. S. E.,
and ascend

76.60 Top, bears N. and S.;
and descend

80.06 The cor. of secs. 19, 20, 29 ³⁰/₃₀

Land, rolling

Soil, gravelly loam,
3rd rate

No timber

West, on a random
line, bet. secs. 19 ³⁰/₃₀

40.00 Set temp. 1/4 sec. cor.

76.81 Intersect W. hdy.
of Tp., 17 lks. N. of

Subdivisions of

Chains

- cor. of secs. 19, 24, 25²/₃₀
 as heretofore described
 Thence I run
 N 89° 53' E, on a true
 line bet. secs. 19²/₃₀
 Over rolling land,
 descending
 5.00 Draw, course S, and
 ascend
 14.00 Top, bears N. and S.,
 and descend
 21.80 Foot of descent
 22.50 Dry wash, 10 lks. wide,
 course S. E.
 23.80 Same wash, 10 lks. wide,
 course N. E.
 24.00 Same wash, 10 lks. wide,
 course S. E.
 33.00 Small draw, course S. E.

T. 12 S. R. 26 E. - Continued

chains

and ascend

36.81 Set a granite stone
 15 x 8 x 8 ins., 10 ins. in
 the ground, for $\frac{1}{4}$
 sec. cor., marked
 $\frac{1}{4}$ on N. face; dig
 pits 18 x 18 x 12 ins. E.
 and W. of stone,
 3 ft. dist., and raise
 a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
 high, N. of cor.

40.00 Top of ascent,
 bears N. and S.; ^{and}
 descend to

65.80 Draw course S;
 and ascend

76.81 The cor. of secs. 19, 20, 29 ^{and 30}
 Land, rolling

Subdivisions of T. 12 S. R. 26 E. - *Continued*
 Chains

Soil, gravelly loam;
 2nd and 3rd rate
 No timber

November 6. 1897

November 8. 1897:
 At 9^h. 10^m. A. M., l.m.t.,
 I set off $32^{\circ}22'$ N. on
 the lat. arc., and
 $16^{\circ}46'$ N. on the decl.
 arc., and determine
 a true meridian,
 with the solar, at the
 cor. of secs. 19, 20, 29^{3/4}/30.
 Thence I run
 $N 0^{\circ}2' E$, bet. secs.
 19 and 20
 Over rolling land,
 ascending
 5.00 Top of ascent, bears

concluded, Book 793.