

11

No. 766

at the  
office of  
Comptroller  
General

# Field Notes

BOOK 766

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

No. 766

Township 10 S Range 28 E

Gila and Salt River Base and Meridian

**ARIZONA.**

By *John C. Smith* D. S.

under contract dated Dec 19<sup>th</sup> 1884.

Survey commenced Feb. 23<sup>rd</sup> 1885.

Survey completed Feb. 25<sup>th</sup> 1885.

766

BOOK 766

Township 10 S. R. 28 E.

BOOK 766

Land S. R. M

6	105	5	76	4	58	3	40	2	20	1
103	101		75		57		38		18	
7	99	8	74	9	55	10	37	11	17	12
97	96		72		54		35		15	
18	94	17	70	16	53	15	33	14	14	13
92	90		69		51		31		12	
19	89	20	67	21	49	22	29	23	11	24
87	85		66		47		28		9	
30	84	29	64	28	45	27	26	26	7	25
82	80		62		43		24		5	
31	78	32	60	33	41	34	22	35	3	36

For preliminary oaths  
and description of  
instrument see book No. 1

T10 S. R 28E,

No. 766

Chains

Beginning at the <sup>stand</sup> cor to Secs  
35 + 36. on S. bay of T<sub>10</sub>  
S. R 28E. previously  
described by me. From N.  
bet Secs. 35 + 36  
Qd 12° 30'E

40.00

Deposited a marked stone  
12 ins. in the ground  
for 44 Sec. cor. dug pits 18x18  
x 12 ins. N + S. of stone 5½ ft.  
dist and raised a mound of  
earth 1½ ft. high 3½ ft. base  
over it. In N. pit drove a  
stake 2 ft. long 2 ins. sq.  
12 ins. in the ground  
marked 44 S. on W. face.

80.00

Deposited a marked stone  
12 ins. in the ground for



T 10 S. R 28E.

Mains

Cor. to Secs. 25, 26, 35 & 36  
 dug pits  $18 \times 18 \times 12$  ins.  
 in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base over it. In S.E. pit  
 drove a stake 2 ins. sq  
 2 ft. long 12 ins. in the  
 ground, marked.

T 10 S. S 25 on N.E.

R 28E. S 36 on S.E.

S 35 on S.W. and S 26 on N.  
 W. faces with 1 notch on  
 S and E. edges.

Surface rolling

Soil 3 $\frac{1}{4}$  rate

Grass poor

Dense brush



T10 S. R 28E.

Chains

Cast on a random line  
bet Secs. 25 & 36.

$\theta$  a  $12^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor  
79.89 Intersect the E. ldy. of Tp.  
12 lms N. of cor. to Secs  
25, 30, 31 & 36. which is a Post.  
4 ins. sq. in mound of  
earth marked.

T10 S. S30 on N.E.

R29E. S31 on S.E.

R28E. S36 on S.W.  
and S25 on N.W. faces  
with 1 notch on S. and  
5 notches on N. edges.  
and futs of required size.

Thence I run  
 $N. 89^{\circ} 55' W.$  on a true

T10 S. R 28 E.

mainz

in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$   
 ft. base low ft. In  
 S.E. pit drove a stake  
 2 ft. long 2 in. sq 12  
 in in the ground.  
 marked. T10 S. S24 on N.E.  
 R28 E. S25 on S.E. S26  
 on S.W. and S. 23 on N.W.  
 faces. with 2 notches  
 on S. and 1 notch on E.  
 edges.

Surface level  
 Soil  $3\frac{1}{2}$ " rate  
 Grass poor  
 Dense brush

T. 10 S., R 28 E.,

chains

Cast on a random line  
bet Secs. 24 & 25.

Wa 2° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
79.91 Intersect the East. bdy.  
of T. 10 bet Secs. 19, 24, 25 & 30.

which is a Post. 4 mi.  
sq. in mound of earth  
marked T. 10 S., R 29 on N.E.  
R 29 E. S 30 on S.E.

R 28 E. S 25 on S.W. and S.  
24 on N.W. faces, with 4  
on N and 2 notches on S.  
edges, fits of required size.

Thence from

N 89° 56' W. on a true line bet  
Secs. 24 & 25. with same Wa.



To S. R 2 & Co.

9.95

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. dug pits 18x18x12 ins. E + W. of stone  $5\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. ins. the ground marked  $\frac{1}{4}$  S. on N. face.

9.91

The cor to Secs. 23, 24, 25 + 26

Surface rolling  
 Soil  $3\frac{1}{4}$  rate  
 Grass poor  
 Dense brush

T. X. S. R 28E.

Chains

North bet Secs 23 & 24  
270 12° 30' E.

40.00 Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18x18x12  
ins. N & S. of stone 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 5 1/2 ft. base  
over it In N. pit. drove a  
stake 2 ft. long 2 ins. sq. 12  
ins. in the ground, marked  
1/4 S. on W. face.

80.00 Set a Malpais. stone 14x10x5  
ins. 9 ins. in the ground  
for cor to Secs 13, 14, 23 & 24  
marked with 3 notches on  
S. and 1 notch on E. edges

T. S. R 28E,

Pharis

dug pits 18x18x12 ins.  
in each sec. 5 1/2 ft. dish  
and raised a mound  
of earth 2 ft. high 4 1/2  
ft. base, alongside.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

East on a random  
line bet Secs 13 & 24

Var 12° 30' E.

40.00

19.94

Set temporary 44 Sec. cor.  
Intersect the East. bay. of  
Tn. 16. 1/2 mi. N. of cor  
to Secs. 13, 18, 19 & 24, which



T11 S, R28 E.

Chains

is a Post, 4 ins. sq. in mound of earth marked,

T10 S. S18 on N.E.

R29 E. S19 on S.E.

R28 E. S24 on S.W.

and S13 on W.W. faces with 3 notches on N & S. edges. and pits of required size.

Hence from

N 89° 53' W on a true line bet Secs. 13 & 14 with same wa.

39.97

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18x18x12 ins. E & W. of stone 5 1/2 ft. dist. and raised a

T10 S. R 28 E.

Lains

mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base. over it.  
In E. part drove a stake  
2 ft. long 2 ins. sq. 12  
ins. in the ground.  
marked 14 S. on N. face.

1994

The cor. to Secs. 13, 14, 23 &amp; 24

Surface rolling

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

North bet Secs 13<sup>rd</sup> and 14

20.00

Cross dry wash, course S. E.  $\frac{1}{4}$  a  $12^{\circ}30' E$ 

40.00

Set a malpais stone  $14 \times 10 \times 6$  ins 9 ins in the  
ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
W. face; dug pits  $18 \times 18 \times 12$  ins N  
& S of stone  $5\frac{1}{2}$  ft dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside.

64.00

Cross dry wash course S. W.

80.00

Set a malpais stone  $14 \times 8 \times 6$  ins

No S. R 2 & E.

Chains 9 ins in the ground for cor. to secs 11-12-13 & 14 marked with 4 notches on S<sup>nd</sup> of 1 notch on E edges, dug pits 18 x 18 x 12 ins in each sec. 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

Cast on a random line  
bet Secs 12 & 13.

Va 12° 30' E.

40.00 Set temporary 1/4 Sec. cor.  
80.02 Intersect the E. bay. of Tpi.



T10. S. R 28E.

hains

24 links N. of cor to Secs. 7, 12, 13 + 18. which is a Volcanic. rock 9x7 ins. above the ground marked with 4 notches on S. and 2 notches - on N. edges and mound of stone alongside.

Thence I run N 89° 50' W. on a true bet Secs. 12 + 13. with same Va.

40. 01

Set a Malpais stone 14x9 x 8 ins. 9 ins. in the ground for 1/4 Sec. cor. marked 1/4 on N. face and raised a mound of stone alongside.

T10 S. R28E.

Chains

80.02

The cor to Secs 11, 12, 13 & 14  
 Surface rolling  
 Soil 3<sup>1</sup>/<sub>4</sub> rate  
 Grass poor  
 Dense brush

---

North bet Secs 11 & 12  
 Va 12° 30' E.

40.00

Set a Malpais stone 14x10  
 x 6 ins. 9 ins. in the ground  
 for 1/4 Sec. Cor. marked 1/4 on  
 W. face. and raised a  
 mound of stone alongside.

43.50

cross Dry Wash course S.W.

80.00

Set a Malpass stone 12x10  
 x 6 ins. 7 ins. in the ground  
 for cor to Secs. 1, 2, 11 & 12

18

T10 S. R 2 SE,

chains

marked with 5 notches  
 on S. or 1 notch on N  
 edges. and raised a  
 mound of stone alongside  
 surface rocky  
 Soil 3<sup>rd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random line  
 bet Secs. 1 & 12

Sta 120306

40.00  
 79.95

Set temporary 14 Sec. cor.  
 Intersect the E. bay. of  
 Tfr 14 links N. of cor. to Secs.  
 1, 6, 7 & 12. which is a  
 Volcanic rock 7x5 ins.



T10 S. R 2 & E.

Chain

above the ground. marked  
with 5 notches on S. and 1  
notch on N. edges. and  
mound of stone alongside.

Fence Iron

N 89° 54' W. on a true line  
bet Secs. 1 & 12 with same Va.

39.97

Set a Malpais stone 12 x 1 x 8  
ins. 7 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 on N. face. and raised  
a mound of stone along  
side.

62.75

cross Dry Wash course N.W.

79.95

The cor. to Secs. 1, 2, 11 & 12.

Surface rocky  
Soil 3<sup>rd</sup> rate  
Grass poor

T10 S, R 28 E,

Claims

Dense brush

North on a random  
line bet Secs. 1 & 2  
at  $12^{\circ} 30' E$ .

40.00  
79.88

Set temporary  $1/4$  Sec. cor.  
Intersect the N. ldy. of  
T<sub>10</sub> S. 12 miles E. of cor.  
to Secs. 1, 2, 35 & 36, which  
is a Volcanic rock  $9 \times 7$   
ins. above the ground  
marked with 5  
notches on W. and 1  
notch on E. edges, and  
mound of stone along  
Thence run  
 $S 0^{\circ} 5' E$  on a true line

T10 S. R 2 SE.

Chains

- bet Secs. 1 & 2 with same W  
39.88 Set a Malpais stone 12 x 1  
x 6 ins. 7 ins. in the ground  
for  $\frac{1}{4}$  Sec. marked  $\frac{1}{4}$  on W  
face. and raised a mound  
of stones alongside.
- 45.88 Cross Dry Wash course S.  
79.88 The cor. to Secs. 1, 2, 11 & 12.  
Surface rocky  
Soil 3<sup>rd</sup> rate  
Grass poor  
Dense brush
- 

I carefully examined the  
adjustments of my solar  
transit particularly the  
latitude and reversing appa



T<sub>10</sub> S. R 2 & E. 1

Chains

tus, and found them correct.

Feb. 23<sup>rd</sup> 1885

From the Stand. cor  
to Secs. 34 & 35, on S. side,  
of T<sub>10</sub> S. R 2 & E.

Previously described by  
me. From N. bet Secs  
34 & 35.

N 12° 30' E.

40.00

Set a sand stone 12 x  
8 x 6 ins 7 ins. in the  
ground for 1/4 Sec. cor  
marked 1/4 on W. face.  
and raised a mound  
of stone alongside.

T10 S. R28E.

Chains

57.00 Enter San Simon Valley  
 80.00 Deposited a marked stone  
 12 ins. in the ground for  
 cor to Secs. 26, 27, 34 + 35. dug  
 pits 18x18x12 ins. in each  
 sec. 5 1/2 ft. dist. and raised  
 a mound of earth 2 ft. high  
 4 1/2 ft. base over it. In S.E.  
 pit drove a stake 2 ft.  
 long 2 ins. sq. 12 ins. in  
 the ground marked.

T10 S. S26 on N.E.

R28E. S35 on S.E. S34 on S.

and S 27 on N.W. faces. with  
 1 notch on S. and 2 notches  
 on E. edges.

Surface rolling  
 Soil 3 1/4 rate

T10 S. R 28 E.

Chains

Grass floor  
 Dense brush 57 chs  
 No " 23 "

East on a random  
 line bet Secs. 26 + 35  
 $70 \frac{1}{2}^{\circ} 30' E$

40.00

Set temporary  $1 \frac{1}{4}$  Sec. cor.

80.04

Intersect the E + S. line  
 12 links N. of cor. to Secs.  
 25, 26, 35 + 36.

Thence I run  
 $N 89^{\circ} 55' W.$  on a true  
 line bet Secs 26 + 35 with  
 same  $70 \frac{1}{2}$ .

40.02

Deposited a marked  
 stone 12 ins. in the



T10 S, R 2 &amp; E.

## Chains

ground for  $\frac{1}{4}$  Sec. cor  
 dug pits  $18 \times 18 \times 12$  ins. E & W  
 of stone  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. On E. pit. drove a stake  
 2 ft. long 2 ins. sq. 12 ins. in  
 the ground marked  
 $\frac{1}{4}$  S on N. face.

41.03 Enter Valley bears N.W. S.E.  
 78.00 Cross road bears " "  
 80.04 The cor. to Secs. 26, 27, 34 & 35  
 Surface level  
 Soil  $3\frac{1}{2}$  rate  
 Grass poor  
 Dense brush 4 ch.  
 Scattering " 39.04"

T10 S. R 28E

Chains

North bet Secs 26 & 27  
N 12° 30' E.

Through the San Simon Valley

4.00

Cross road bears N.W.

40.00

Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
18x18x12 ins. N & S. of stone  
5½ ft. dist. and raised  
a mound of earth ½ft. high 3½ ft. base over  
it. In N. pit drove a stake  
2 ft. long 2 ins. sq. 12  
ins. in the ground  
marked  $\frac{1}{4}$  S on W. face

59.70

Leav. Valley bears S.E. &amp; N.W.

80.00

Deposited a marked stone  
12 ins. in the ground

T10 S. R 28E.

Markers

for cor. to Secs. 22, 23, 26 & 27.  
Long pits 18x18x12 ins. in  
each sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft. base over it.

In S.E. pit drove a stake  
2 ins. sq. 2 ft. long 12 ins.  
in the ground marked  
T10 S. S23 on N.E.

R28E. S26 on S.E.

S27 on S.W. and S. 22 on  
N.W. face with 2 notches  
on S. and 2 notches on E.  
edges.

Surface level

Soil 3 1/4 rate

Grass poor

Dense brush 19.50 chs



T. S. R 286,

chains

no. brush 60.70 chs

Cast on a random  
line bet Secs. 26 + 23

va 120° 30' E

40.00

Set temporary 114 Sec. cor

79.90

Intersect the N & S line  
14 links N. of cor. to Secs.  
23, 24, 25 + 26.

Thence from

N 89° 54' W. on a true  
line bet Secs 23 + 26 with  
same va.

89.95

Deposited a marked  
stone 12 ins. in the  
ground for 114 Sec. cor.  
dug pits 18 x 18 x 12 ins.

T10 S. R 28 E.

Chains

E. & W. of stone  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit drove a  
stake 2 ft. long 2 ins. sq.  
12 ins. in the ground  
marked "4 S. on E. face

79.90

The cor to Secs. 22, 23, 26 + 27

Surface rolling

Soil  $3\frac{1}{4}$  rate

Grass floor

Scattering brush

North bet Secs 22 + 23

var  $120^{\circ}30' E.$

40.00

Deposited a marked stone  
12 ins. in the ground

T10 S. R 28 E.

chains

for 1/4 Sec cor. dug pits  
 18x18x12 ins. N + S. of  
 stone 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 5 1/2  
 ft. base over it. In N  
 pit drove a stake 2  
 ft long 2 ins. sq. 12  
 ins. in the ground.  
 marked 1/4 S. on W. face.

0. 0 0

Deposited a marked  
 stone 12 ins. in the  
 ground for cor to Secs.  
 14, 15, 22 + 23. dug pits  
 18x18x12 ins. in each  
 sec. 5 1/2 ft. dist. and raised  
 a mound of earth  
 2 ft. high 4 1/2 ft. base



T10 S. R 28 E.

basis

over it. In S.E. pit drove a stake 2 ft. long 2 ins sq 12 ins. in the ground marked. T10 S. S14 on N.E. R28 E. S. 23 on S.E. S22 on S.W. and S15 on N.W.

faces. with 3 notches on S and 2 notches on E. edges.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

East on a random line bet Secs. 14 & 23

Nd 12° 30' E

40.00 Set temporary 1/4 Sec. cor.

T10 S. R 28 E,

Chains

80.00

Intersect the N + S. line  
10 links S. of cor to Secs.  
13, 14, 23 + 24.

Hence I run  
 $S 89^{\circ} 56' W.$  on a true  
line bet Secs 14 + 23  
with same Va.

4.00

Cross Dry Wash course  
S. W.

40.00

Deposited a marked  
stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. cor.  
dug pits  $18 \times 18 \times 12$  ins  
E + W. of stone  $5\frac{1}{2}$  ft.  
dist. and raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
over it. In E. pit

T10 S. R 28 E.

Chassis

drove a stake 2 ft. long 2  
 ins. sq. 12 ins. in the  
 ground marked  $\frac{1}{4}$  S. on  
 N. face.

58.00 Cross Dry Wash courses.

80.00 The cor to Secs 14, 15, 22 &amp; 23

Surface rolling  
 Soil 3% rate  
 Grass poor  
 Dense brush

North bet Secs 14 & 15  
 N  $12^{\circ} 30' E$ .

40.00 Deposited a marked  
 stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. cor.  
 dug pits 18x18x12 ins. N & S



T10 S, R 28 E,

chains

of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S on W. face.

P.O. 00

Deposited a marked stone 12 ins. in the ground. for cor to Secs 10, 11, 14 & 15. dug pits  $18 \times 18 \times 12$  ins. in each sec  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in

T10 S. R 2 & E.

chain

ground marked.

T10 S. S11 on N.E.

R 2 & E. S14 on S.E.

S15 on S.W. and S 10  
on N.W. faces with 4  
notches on S. and 2  
notches on E. edges.

Surface rolling

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

East on a random line  
bet Secs. 11 & 14

W 9 12 0 30' E

40.00 Set temporary "4 sec. cor  
79.84 Intersect the N & S. line of

T. S. R. 2 & E.

chain

21 links S. of cor. to Secs  
11, 12, 13 & 14.

Thence I run  
S 89° 57' W. on a true  
line bet Secs 11 & 14  
with same Va.

9. 9 2

Deposited a marked  
stone 12 ins. in the  
ground for 14 Sec. cor.  
dug pits 18 x 18 x 12 ins.  
E & W. of stone 5 1/2 ft. dist.  
and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base over it. In E. pit  
drove a stake 2 ft. long  
2 ins. sq. 12 ins. in  
the ground marked  
14 S. on N. face.



T10 S. R28 E.

Chamiz

79.84

The cor. to Secs. 10, 11, 14 & 15  
Surface rolling  
Grass floor  
Soil 3<sup>rd</sup> rate  
Dense brush

---

North bet Sec. 10 & 11  
Qa 12° 30' E

40.00

Set a Malpais stone 10x10x8  
ins. 6 ins. in the ground  
for 114 Sec. cor. marked 114  
on W. face. and raised a  
mound of stone alongside.

71.00

Cross Dry Wash course SW

80.00

Set a Malpais stone 15x10x6  
ins. 9 ins. in the ground  
for cor. to Secs. 2, 3, 10 & 11

T10 S. R 28 E.

Chains

marked with 5 notches  
on S. and 2 notches on  
E. edges and raised a  
mound of stone along  
side.

Surface rocky  
Soil 3<sup>rd</sup> rate  
Grass poor  
Dense brush

---

East on a random  
line bet Secs 2 & 11  
wa 12° 30' E.

40.00

79.90

Set temporary 1/4 Sec. cor.  
Intersect the N of S line  
15 links S. of cor. to Secs.  
12.11 & 12.

T10 S. R 2 & E.

Chains

- Hence from  
 S89° 54' W. on a true  
 line bet Secs. 2 & 11 with com  
 Va.
- 31.40 Cross Dry Wash course S. 2
- 39.95<sup>-</sup> Set a Malpais stone 12x10x8  
 ins. 7 ins. in the ground  
 for "4 Sec. Cor. marked "4  
 on N. face and raised  
 a mound of stone along  
 side.
- 72.50 Cross Dry Wash course S. 2
- 79.90 The cor to Secs 2, 3, 10 & 11  
 Surface rolling  
 Soil 3/4 rate  
 Good grass  
 Dense brush



T/O S, R 2 & E.

chain

North on a random  
line bet Secs. 2 & 3

$\text{Wa } 12^{\circ} 30' \text{ E.}$

10.00

79.86

Set temporary 1/4 Sec. corner  
Intersect the N. boundary of  
Twp. 20 miles E. of Cor. to  
Secs. 2, 3, 34 & 35. which  
is a Volcanic rock 8x6  
ins. above the ground  
marked with 2 notches  
on E. and 4 notches  
on W. edges. and mound  
of stone alongside.

Thence I run

$80^{\circ} 9' \text{ E.}$  on a true line  
bet Sec 2 & 3 with same  $\text{Wa.}$

39.86

Set a Malpais stone  
10x10x6 ins. 6 ins. in

T10 S. R 2 SE

Chassis

the ground for 1/4 Sec. cor.  
marked 1/4 on W. face and  
raised a mound of stone  
alongside.

79.86

The conf. to Secs 21, 3, 10 + 11

Surface rolling

Soil 3<sup>rd</sup> rate

Grass floor

Dense brush

From the Stand cor to  
Secs 33 + 34 on S. day. of T10  
S. R 2 SE. previously described  
by me. From N. bet Secs 33 + 34  
Var 20 30'E.

40.00

Through San Simon Valley  
Deposited a marked stone  
2 vis. in the ground for

T70 S. R 28 E.

Chains

$\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times 12$  ins. N + S. of cor  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it  
 In N. pit drove a stake  
 = 9 ft. long 2 ins. sq. 12 ins. in the ground marked  
 145 on W. face.

80,000

Deposited a marked stone 12 ins. in the ground for cor to Secs. 27, 28, 33 + 34. dug pits  $18 \times 18 \times 12$  ins. in each sec  $5\frac{1}{2}$  ft. dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft. base over it  
 In S.E. pit drove a stake



T 10 S. R 2 E

Chains

2 ft. long 2 ins. eq. 12 ins.  
in the ground marked  
T 10 S. S 27 on N.E. R 2 E  
S 34 on S.E. S 33 on S.W.  
and S 28 on N.W. faces with  
1 notch on S. and 3 notches  
on E. edges.

Surface level

Soil  $\frac{1}{2}$  rate

Good grass

No brush

East on a random line  
bet Secs 27 & 34

On a  $12^{\circ}30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

80.00 Intersect the E & S. line

44

T10 S. R 2 SE.

shams

16 links S. of cor to Secs  
26, 27, 34 & 35.

Thence run  
S 89° 53' W. on a true  
line bet Secs. 27 & 34, with  
same  $\frac{1}{4}$ .

13.00  
5.00  
40.00

Leave Valley bears S. E. W. 20

Enter " " " "

Deposited a marked  
stone 12 ins. in the ground  
for 44 Sec. cor. dug pits  
18x18x12 ins. E. & W. of  
stone 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base over it  
In E. pit drove a stake 2  
ft. long 2 ins. sq. 2 ins.

T10 S, R 28 E.

Chain

in the ground marked  
1/4 S on N. face.

80.00

The cor to Secs 27, 28, 33 & 34  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass poor  
No brush

North bet Secs 27 & 28  
Va 12° 30' E

Through Valley bears S. Et  
NW.

17.00

Leave Valley .. .. S. Et + NW

32.00

Enter Valley .. ..

40.00

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec cor. dug pits 18 x 18 x 12



D10 S. R 288

Mains

ins N + S. of stone,  
 $5\frac{1}{2}$  ft. dist and raised  
 a mound of earth  $\frac{1}{2}$   
 ft. high  $3\frac{1}{2}$  ft. base over  
 it. In N. pit drove  
 a stake 2 ft. long 2  
 ins. sq. 12 ins. in the  
 ground marked  $\frac{1}{4}$  S on  
 W. face.

3.00

Cross road bears S.E. N.W.

0.00

Deposited a marked  
 stone 12 ins. in the  
 ground for Cor'ts Secs.  
 21, 22, 27 & 28. dug pits  
 $18 \times 15 \times 12$  ins. in each sec  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base over it. In S.E.

T10 S. R 28 E

chain

drew a stake 2 ft long 2 in. sq. 12 in. in the ground marked. T10 S. S 22 on N.E. R 28 E. S 27 on S.E. S 28 on S.W. and S 21 on N.W. faces with 2 notches on S. and 3 notches on E. edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
No. brush

Cast on a random  
line bet. Sec 22 & 27

N 91° 30' E.

10.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
79.86 Intersect the N + line 14 links

T10 S. R 28E

chain's

W. of cor. to Secs. 22, 23,  
26 & 27.

Thence I run  
N 89° 54' W. on a true  
line bet Secs. 22 & 27 with  
same Va.

6.00

9.93

Enter Valley bears S.E. & N.W.  
Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits  
18x18x12 ins. E & W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base over it.  
In E. pit drove a stake 2  
ft. long 2 ins. sq. 12 ins.  
in the ground marked  
 $\frac{1}{4}$  S. on N. face.



D10 S. R 2 & E,

Chamie  
79.86.

The cor to Secs 21, 22, 27 & 28  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
No. brush

---

North bet Secs 21 & 27  
VA 1/2 030'E.

Through Valley bears N 45 E  
Leave " " " "

20.00

40.00

Deposited a marked stone  
12 ins in the ground for 1/4  
Sec. cor. dug pits 18x18x12 ins  
At S. of stone 5 1/2 ft. dist. and  
raised a mound of earth 1/2 ft. high  
3 1/2 ft. base over it In N. pit  
drove a stake 2 ft. long 2 ins.

T10 S. R 28 E.

Chain

80.00 sq. 12 ins. in the ground  
 marked. N. S. on W. face.  
 Deposited a marked  
 stone 12 ins. in the  
 ground. for Corto Secs.  
 15, 16, 21 & 22. dug pits 18 1/8  
 x 12 ins in each sec 5 1/2  
 ft dist. and. raised a mound  
 of earth 2 ft. high 4 1/2 ft  
 base over it. In S. E. pit  
 drove a stake 2 ft. long  
 2 ins. sq. 12 ins. in the  
 ground marked  
 T10 S. S15 on N. E.  
 R 28 E. S22 on S. E.  
 S21 on S. W. and S. 16  
 on N. W. faces with  
 3 notches on S. and 3

T10 S. R 28 E,

chains

notches on E. edges.  
Surface level  
Soil 3/4 rate  
Grass poor  
Scattering brush

---

East on a random line  
bet Secs 15 & 22

Va  $\approx 30^\circ E$ 

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor  
79.88 Intersect the N & S. line 12  
links N. of Cor. to Secs. 14, 15,  
22 & 23.

Thence run  
N  $89^\circ 53'$  W. on a true  
line bet Secs. 15 & 22 with  
same Va.



T10 S. R 2 &amp; E,

9.94

Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. dug pits  
 $18 \times 18 \times 12$  ins. E of N. of stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base over it. In E.  
pit drove a stake 2 ft.  
long 2 ins. sq. 12 ins  
in the ground. marked  
 $\frac{1}{4}$  S. on N. face.

9.88

The cor to Secs. 15, 16, 21 &amp; 22

Surface level

Soil  $3\frac{1}{2}$  rate

Grass poor

Dense brush

## T10 S. R 2 PE,

Karin

North bet Secs 15 + 16  
Va 12° 30' E.

10.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  sec. cor dug pits 18 x 18 x 12 ins. N. S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face.

0.00 Set a Granite stone 16 x 10 x 8 ins. 11 ins. in the ground for cor to Secs. 9, 10, 15 + 16 marked with 4 notches on S. and 3 notches on E. edges. and raised a mound of stone alongside.

54

T10 S. R 28 E.

chain

Surface level  
 Soil 3<sup>rd</sup> rate  
 Grass poor  
 Dense brush

---

East on a random  
 line bet Secs. 10 & 15  
 Va 12° 30' E.

10.00

9.90

Set temporary  $\frac{1}{4}$  Sec cor  
 Intersect the N+S line  
 21 links S. of cor. to Secs.  
 10, 11, 14 & 15.

Hence I run  
 S 89° 57' W. on a true  
 line bet Secs. 10 & 15 with  
 same Va.

2, 90

Cross Dry Wash course S W



T10 S. R 28 E.

chains

39.95

Set a Malpais stone 12x10x8 ins.  
7 ins. in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  on N. face. dug pits  
18x18x12 ins. E & W. of stone  $5\frac{1}{2}$  ft. dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

79.90

The Cor to Secs. 9, 10, 15 &amp; 16

Surface level

Soil  $3\frac{5}{8}$  rate

Grass poor

Dense brush.

North bet Secs 9+10

N412030'E

16.00

Gross Dry Wash Course S.W.

40.00

Set a Malpais stone 13x8x7  
ins. 7 ins. in the ground for

010 S. R 28E,

Chamis

1/4 Sec. cor. marked 1/4 on  
W. face. dug pits 18x18x12  
ins. N & S. of stone 5 1/2 ft.  
dist. and raised a  
mound of earth 1 1/2 ft high  
3 1/2 ft. base along side.

0,00

Set a Malpais stone 14x8  
x8 ins. 9 ins. in the  
ground for cor to Secs  
3, 4, 9 & 10. marked with  
5 notches on S. and 3  
notches on E. edges. dug  
pits 18x18x12 ins. in each  
sec. 5 1/2 ft. dist. and raised  
a mound of earth 2 ft.  
high 4 1/2 ft base along side  
Surface rolling  
Soil 3 1/4 rate

T10 S. R 28 E,

Chains

Grass floor  
Dense brushEast on a random  
line bet Secs 3 & 10

Va 12° 30' E

40.00 Set temporary  $\frac{1}{4}$  Sec. cor79.96 Intersect the T & S. line 10  
links S. of cor to Secs 2, 3, 10 & 11.

Thence from

S 89° 56' W. on a true  
line bet Secs 3 & 10 with same Va.

8.96 Grass Dry Wash Course S. W.

39.98 Deposited a marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. dug pits 18 x 10  
x 12 ins. E & W. of stone  $5\frac{1}{2}$  ft.



T10 S. R 28 E,

chain

dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pt. drove a stake 9 ft. long 2 ins. sq. 12 ins. in the ground marked 14 S. on N. face

9.96

The Cor to Secs. 3, 4, 9 & 10  
 Surface level  
 Soil  $3\frac{1}{4}$  rate  
 Grass poor  
 Dense brush

North on a random line bet Secs. 3 & 4  
 Va 12 1886.

40.00

Set temporary 14 Sec. cor

T10 S. R 28 E,

Stations

80.10

Intersect the N. bdy. of Tpc. 21 links E. of cor. to Secs. 3, 4, 33 + 34. which is a Volcanic rock 8x7 ins, above the ground marked with 3 notches on E & W. edges, and mound of stone alongside.

Thence I run

S 0° 9' E. on a true line bet Secs. 3 + 4. with same Va. cross Dry Wash course W.

28.10

40.10

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18x18x12 ins, N. S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft.

T/O S. R 2 &amp; E.

chains

high  $3\frac{1}{2}$  ft. base over it.  
In N. pit. drove a stake  
2 ft. long 2 ins. sq. 12  
ins. in the ground  
marked  $1\frac{1}{4}$  S. on N. face.

56.10

Cross Dry Wash course, N

80.10

The cor. to Secs. 3, 4, 9 &amp; 10.

Surface level

Soil 3 $\frac{1}{4}$  rate

Grass fair

Dense brush

---

 Feb. 24<sup>th</sup> 1885
 

---

From the Stand, cor  
to Secs. 32 & 33. on S. side,  
of T/O S. R 2 & E. previously



T10 S. R 28E.

No. 766

Chains

described by. Iron St. bet.  
Secs. 32 + 33.

N 12° 30' E.

40.00

Set a Malpais stone 9x8x8  
ins. 4 ins. in the ground for  
1/4 Sec. cor. marked 1/4 on N.  
face. dug pits 18x18x12  
ins. N + S. of stone 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
alongside.

80.00

Deposited a marked stone  
12 ins. in the ground for cor.  
to Secs. 28, 29, 32 + 33, dug pits  
18x18x12 ins. in each sec. 5 1/2  
ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft. base  
over it. In S.E. pit drove a

T10 S. R 28 E.

Chains

stake 2 ft. long 2 ins. sq.  
 12 ins. in the ground  
 marked. T10 S. S28 on N.E.  
 R28 E. S33. on S.E. S32  
 on S.W. and S29 on N.W.  
 face with 1 notch in S.  
 and 4 notches on E. edges  
 Surface level  
 Soil 2<sup>me</sup>/<sub>11</sub> rate  
 Grass good  
 Scattering brush

Cast on a random  
 line bet Secs 28 & 33.  
 $\frac{1}{4}$  120° 30' E.

40.00

80.00

Set temporary  $\frac{1}{4}$  Sec. cor  
 Intersect the N.E. line

T 10 S. R 28 E.

Chambers

10 links S. of cor to Secs.  
27. 28. 33 + 34.

Hence I run  
S 89° 56' W. on a true  
line bet Secs. 28 + 33 with  
same  $\frac{1}{4}$  in.

20.00 Leave Valley bears N.W. + S.E.  
40.00 Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18 x 18 x 12  
ins. E & W. of stone 5 1/2 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base over it. In E. pit drove  
a stake 2 ft. long. 2 ins. eq.  
12 ins. in the ground  
marked 1/4 S on N. face.



T10 S, R 28 E.

Charris

80.00

The cor to Secs 28.29.32+33  
 Surface level  
 Soil 2<sup>0mg</sup>/<sub>1</sub> rate  
 Grass fair  
 Scattering brush

North bet Secs 28+29  
 N<sup>79</sup>W 12° 30' E.

40.00

Deposited a marked  
 stone 12 ins. in the  
 ground for 1/4 Sec. cor.  
 dug pits 18x18x12 ins.  
 N & S. of stone 5 1/2 ft. dist.  
 and raised a mound  
 of earth 1 1/2 ft. high 3 1/2  
 ft. base over it. In N. pit  
 drove a stake 2 ft. long 2

T10 S. R 28E,

Chamie

ins. sq. 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on W. face.

80.00

Set a Granite stone  $13 \times 8 \times 5$   
ins. 8 ins. in the ground  
for Cor. to Secs. 20, 21, 28 + 29  
marked with 2 notches on  
S. and 4 notches on E. edges.  
dug pits  $18 \times 18 \times 12$  ins. in  
each sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base alongside

Surface level

Soil 2<sup>nd</sup> rate

Grass fair

Scattering brush

T10 S. R 28 E,

chains

East on a random  
line bet. Secs. 21 & 28.  
Cva  $12^{\circ}30'6''$

40.00

Set temporary  $1/4$  Sec. cor.

79.84

Intersect the N & S. line  
11 miles S. of cor. to Secs. 21, 22,  
27 & 28.

Thence from  
S  $89^{\circ}55'$  W. on a true  
line bet Secs. 21 & 28. with  
same Cva.

57.64

Cross road bears S.  $67^{\circ}19'$  W.

9.92

Deposited a marked  
stone 12 ins. in the  
ground for  $1/4$  Sec. cor.  
dug pits  $18 \times 18 \times 12$  ins  
E & W. of stone  $5\frac{1}{2}$  ft. dia.  
and raised a mound



T10 S. R 28 E,

Cherim

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base on it. In E. pit drove  
 a stake 2 ft. long 2 ins. sq.  
 12 ins. in the ground marked  
 $1/4$  S. on N. face.

79.84

The cor to Secs. 20, 21, 28+29

Surface level

Soil 2<sup>nd</sup> rate

Grass fair

Scattering brush

North bet Secs 21+20

of a  $12^{\circ} 30'$  E.

40.00

Deposited a marked stone  
 12 ins. in the ground for  
 $1/4$  Sec. cor. dug pits  $18 \times 12$  ins.  
 N.W.S. of stone  $5\frac{1}{2}$  ft. disk and raised

T10 S, R 28E,

Chains

a mound of earth 1 1/2 ft. high 3 1/2 ft base over it. On N. put drove a stake 2 ft. long 2 ins. sq. 12 ins in the ground marked 1/4 S. on W. face.

53.00

Cross road bears N.W. S.E

64.00

Leave Valley bears N.W. S.E

80.00

Set a granite stone 13x7x7 ins. 9 ins. in the ground for cor. to Secs. 16, 17, 20 & 21 marked with 3 notches on S and 4 notches on E. edges. dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base along side.

T70 S. R28E.

Chains

Surface level  
Soil 2<sup>nd</sup> rate  
Grass poor  
Scattering brush

East on a line bet Secs  
16 + 21

$\text{Va } 12^{\circ} 30' \text{ E.}$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

79.86 Intersect the W + S. line 21  
links N. of cor. to Secs. 15, 16, 21  
+ 22.

Thence Iron  
at  $89^{\circ} 57' \text{ W.}$  on a true  
line bet. Secs. 16 + 21 with same  
Va.



T10 S, R 28 E.

Chains  
39.93

Set a Malpais. stone 15x9  
x6 ins. 9 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$   
on N. face. dug pits 18x18  
x12 ins. E + W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  
1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
alongside.

79.86

The cor to Secs. 16, 17, 20 + 21

Surface rolling

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

North bet Secs 16 + 17  
Q/A  $12^{\circ} 30' E$ .

T10. S. R 28E,

Charnie

- 40.00 Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18x18x12 ins. N + S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over the N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. or W. face.
- 58.00 Gross Dry Wash course W.
- 80.00 Set a Granite stone 14x10x6 ins. 9 ins. in the ground for cor. to Secs. 8, 9, 16 & 17 marked with 4 notches on S. and 4 notches on E. edges dug pits 18x18x12 ins. in

T10 S, R 28 E.

Chain

each sec  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft. base  
alongside.

Surface level

Soil  $2\frac{00}{71}$  rate

Grass poor

Dense brush

Cast on a random  
line bet Secs 9 & 16  
T4/2031'E.

40.00

Set temporary  $\frac{1}{4}$  Sec. cor

79.92

Intersect the N & S. line  
at cor to Secs. 9, 10, 15 & 16.

Thence from

West, on a true line



T10 S. R 28 E,

Chavis

- 14.92 bet Secs. 9 & 16 with same of  
 39.96 Cross Dry Wash course S. R.  
 Deposited a marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. dug pit 18 x 10  
 x 12 ins. E & W. of stone 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base over it. In E. pit  
 drove a stake 2 ft. long  
 2 ins. sq. 12 ins. in the  
 ground marked 1/4 S on N.  
 face.
- 79.92 The cor to Secs. 8, 9, 16 & 17  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

T10 S, R 28 E,

Chains

North bet Secs 8 + 9  
T<sub>10</sub> 2° 30' E

40.00 Set a Malpais stone 14 x 6 ins. in the ground for 1/4 Sec. cor, marked 1/4 on W. face. dug pits 18 x 18 x 12 ins. N. S. of stone 5 1/2 ft. dist. and raised a mound of earth 1/2 ft high 3 1/2 ft base alongside.

0.00 Set a Malpais stone 11 1/2 x 7 ins. 6 ins. in the ground for cor. to Sec. 4, 5, 8 + 9, marked with 5 notches on S. and 4 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth

T10 S. R28E.

Claims

2 ft. high 4 $\frac{1}{2}$  ft. base alongside  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass poor  
 Dense brush

East on a random  
 line bet Secs. 4 + 9

Q/A 12° 30' E.

4 0.00 Set temporary  $\frac{1}{4}$  Sec. cor  
 80.14 Intersect the N+S. line 20 miles  
 S. of cor. to Secs. 34, 9 + 10.

Hence I run

S 89° 57' W. on a true line  
 bet Secs. 4 + 9. with same Q/A.

40.07 Deposited a marked stone  
 12 ins. in the ground



T10 S, R 28 E.

Chains

for 1/4 Sec. cor. dug pits  
 18x18x12 ins. E & W of stone  
 5 1/2 feet dist. and raised  
 a mound of earth 1 1/2  
 ft. high 3 1/2 ft. base on  
 W. In E. pit drove a  
 stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground  
 marked 1/4 Sec. on N. face.

80. 14

The cor. to Sec. 4, 5, 8 &amp; 9

Surface level

Soil 2<sup>nd</sup> rate

Grass poor

Dense brush

on a random line  
 North, bet Sec 4 & 5  
 Va 12° 30' E.

T 10 S. R 28 E.

Chains

40.00

79.81

Set temporary  $\frac{1}{4}$  Sec. Cor.  
Intersect the N. bay. of T<sub>10</sub>  
47 links E. of cor. to Secs.  
4, 5, 32 & 33. which is a  
Volcanic stone 12 x 6 ins.  
above the ground marked  
with 4 notches on E. and 2  
notches on W. edges, and  
mound of stone alongside  
Thence I run

S  $0^{\circ} 20' E$ . on a true  
line bet. Secs. 4 & 5 with same  
Va.

39.81

Deposited a marked stone  
12 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor. dug pits 18 x 18 x 12  
ins. N + S. of stone  $5\frac{1}{2}$  ft. dist  
and raised a mound of

T/10 S. R 28E.

Chains

each  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 over it. In N. pit. drove  
 a stake 2 ft. long 2 in.  
 sq. in. in the ground  
 marked  $\frac{1}{4}$  S. on W. face.

79, 81

The cor to Secs. 4, 5, 8 + 9

Surface level

Soil  $2\frac{1}{4}$  good rate

Good grass

Dense brush

From the Stand, cor  
 to Secs. 31 + 32 on S  
 bay of T/10 S. R 28E.  
 previously described by  
 me from North bet.  
 Secs. 31 + 32.



T10 S. R 28 E.

Chains

Pa 12° 30' E.

40.00

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18x18x  
12 ins. N + S. of stone 5 1/2 ft.  
dist. and raised a  
mound of earth 1/2 ft  
high 3 1/2 ft. base over it.  
In N. pit. drove a stake  
2 ft. long 2 ins. sq. 12 ins.  
in the ground marked 1/4 S.  
on W. face.

62.30

Cross Dry Wash course N.E.

80.00

Set a Granite stone 11x8x7 ins  
6 ins. in the ground for cor  
to Sec. 29, 30, 31 + 32. marked  
with 1 notch on S. and 5 notches  
on E. edges. and raised a

80  
 T10 S. R28E.

chains

mound of stone alongside  
 surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass good  
 Dense brush

---

Cast on a random  
 line bet Secs. 29 + 32  
 Val 17° 30' E.

40.00

79.94

Set temporary 1/4 Sec. cor.  
 Intersect the N + S line  
 at cor. to Secs 28, 29, 32  
 + 33.

39.97

Thence I run  
 W. on a true line  
 bet Secs. 29 + 32 with same  $\theta$ <sub>1</sub>  
 Deposited a marked

T 10 S. R 28 E.

Chains

12 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times \frac{1}{2}$   
 ins. E & W. of stone  $5 \frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft.

base over it. In E pit drove  
 a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground  
 marked "4 S. on W. face.

65.54 Cross Dry Wash course N.E.

78.54 " road bears N + S.

79.94 The cor to Secs. 29, 30, 31 + 32

Surface level

Soil 2<sup>nd</sup> rate

Grass good

Dense brush



T. O. S. R 28 E.

chains

West on a random  
line bet Secs. 30 & 31Va  $12^{\circ} 30' E$ 

40.00

79.92

Set temporary  $\frac{1}{4}$  Sec. cor  
Intersect the W. bay of  
Tp 8 links W of cor. to Secs.  
25, 30, 31 & 36 which is a  
Post. 4 ins. sq. in mound  
of earth marked.

T. O. S. S 30 on N. E.

R 28 E. S 31 on S. E.

R 27 E. S 36 on S. W. and S  
25 on N. faces with 1  
notch on S. and 5 notches  
on N. edges, and fits of  
required size.

Thence from

N  $89^{\circ} 57' E$ . on a true

## T. S. R 286,

Chains

line bet. Secs. 30 + 31 with  
same  $\frac{1}{4}$  c.

39.92

Deposited a marked stone  
12 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor. dug pits  $18 \times 18 \times 12$   
ins. E & W. of stone  $5\frac{1}{2}$  ft.  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
drew a stake 2 ft. long 2 ins. sq. 12  
ins. in the ground marked  
 $\frac{1}{4}$  S. on N. face

79.92

The cor. to Secs. 29, 30, 31 + 32

Surface level

Soil 2<sup>nd</sup> rate

Grass good

Dense brush

T. 1 S. R 28 E.

Clearing

39.96

889056 W. on a true line  
bet Sec 20 + 29 with same 90.  
Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. cor. dug pits 18 x 18 x 2 in  
E & W. of stone 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. take over it In  
E. pit drove a stake 2 ft long 2 in  
sq. 12 ins. in the ground  
marked 1/4 S. on N. face.

79.92

The cor to Secs. 19, 20, 29 + 30.

Surface level

Soil 2<sup>nd</sup> rate

Grass good

Dense brush



## T10 S. R 28 E.

Chain

West on a random line  
bet Secs. 19 + 30.

$\text{Va } 120^{\circ} 30' \text{ E.}$

40.00

Set temporary  $\frac{1}{4}$  Sec. cor

79.90

Intersect the W. ldy. of T<sub>10</sub>  
S. l. l. N. of cor to Secs. 19.24  
25 + 30. which is a Post 4  
ins. sq. in mound of  
earth marked. T10 S. S19 on N.E.  
R28 E. S30 on S.E.  
R27 E. S25 on S.W. and  
S24 on N.W. faces with 2  
notches on S. and 4 notches  
on N. edges, and pits of  
required size.

Fence Run

$\text{N } 89^{\circ} 57' \text{ E.}$  on a true line  
bet Secs. 19 + 30. with same  $\text{Va.}$

88

T10 S, R 28 E.

Chain

39.00

39.90

Cross Dry Wash course S.E.  
 Deposited a marked  
 stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. cor. dug  
 pits 18x18x12 ins. E & W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base or it. In E.  
 pit drove a stake 2 ft.  
 long 2 ins. sq. 12 ins. in  
 the ground marked  
 $\frac{1}{4}$  S. on N. face.

70.50

79.90

Cross road bears N+S.  
 The cor to Secs. 19, 24, 25 & 30  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Grass good  
 Dense brush

T10 S. R 28 E.

Chamie

North bet Secs 19 & 20  
T<sub>10</sub> 12° 30' E.

- 40.00 Deposited a marked stone  
12 ins. in the ground for <sup>1/4</sup>  
Sec. cor. dug pits 18x18x12  
ins. N + S. of stone 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
over it. In N. pit drove a  
stake 2 ft. long 2 ins. 12  
ins. in the ground  
marked 1/4 S. on N. face
- 80.00 Set a Granite stone 14x10x4  
ins. 9 ins. in the ground for  
cor. to Secs. 17, 18, 19 & 20. marked  
with 3 notches on S. and 5  
notches on E. edges. dug pits



T10 S. R 28 E.

Chains

18x18x12 ins. in each sec.  
 5 1/2 ft. dist. and raised  
 a mound of earth 2 ft.  
 high 4 1/2 ft. base alongside  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Scattering brush

---

Cast on a random  
 line bet Secs. 17 & 20  
 Val 2° 30' E.

40.00  
 9.92

Set temporary 1/4 Sec. cor.  
 Intersect the N & S line 14  
 links N. of cor. to Secs. 16, 17  
 20 & 21.

Hence I run  
 N 89° 54' W. on a true

T10 S. R 28 E.

Chain

line bet Secs. 17+20 with same  
Wa.

- 20.00 Center Valley bears N.W. + S.E
- 53.40 Cross road bears S.E + N.W
- 39.96 I deposited a marked stone  
12 ins. in the ground for  $\frac{1}{4}$   
Sec. dug pits 18x18x12 ins. E + W.  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it  
In E. pit drove a stake 2  
ft. long 2 ins. sq. 12 ins. in  
the ground marked  $\frac{1}{4}$  S. on  
N. face
- 79.92 The cor to Secs 17, 18, 19 + 20  
Surface level  
Soil good rate  
Grass fair

T10 S. R 28 E.

chains

Dense brush

---

Went on a random  
line bet Secs 18 & 19

$\text{N} 12^{\circ} 30' \text{E}$

40.00

19.86

Set temporary 1/4 Sec cor.  
Intersect the W. bdy of  
T10 line N. of cor. to  
Secs. 13, 18, 19 & 24, which  
is a post 4 ins. sq. in  
mound of earth marked.

T10 S. S18 on N.E.

R28 E. S19 on S.E.

R27 E. S24 on S.W. and

S13 on N.W. faces with  
3 notches on N + S. edges,

Hence I run



T.W.S. R 286.

Chain

N89° 56' E. on a true line bet.  
Secs. 18 + 19, with same W.

39.86

Deposited a marked stone  
12 ins. in the ground for  
1/4 Sec. Cor. dug pits 18 x 18 x  
12 ins. E + W. of stone 5 1/2 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base over it. In E. pit drove  
a stake 2 ft. long 2 ins. eq.  
12 ins. in the ground  
marked 1/4 S. on N. face.

63.86

Cross road bears N + S.

79.86

The cor to Secs 17, 18, 19 + 20

Surface level

Soil 2<sup>nd</sup> rate

Grass fair

Dense brush

T10 S. R 28 E,

chains

North bet Secs 17 & 18  
Q 12° 30' 6"

10.00

Deposited a marked stone 12 ins. for  $\frac{1}{4}$  Sec. cor. dug pits 18x18x12 ins. N & S. of stone 5  $\frac{1}{2}$  ft. dist. and raked a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

11.00

Cross road bears N 10 W 5 E

16.00

Leave Valley bears N 10 W 5 E

20.00

Deposited a marked stone 12 ins. in the ground for cor. to Secs. 7, 8, 17 & 18. dug pits 18x18x12 ins

T10 S. R28E.

chain

in each sec  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it.

In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked.

T10 S. S8 on N.E.

R28E. S17 on S.E.

S18 on S.W. and S7 on N.W. faces with 4 notches on S. and 5 notches on E. edges.

Surface level

Soil 2<sup>mg</sup>/<sub>11</sub> rate

Grass poor

Scattering brush

---



T10 S. R 2 &amp; E.

Chain

East on a random  
line bet Secs 8 & 17

Wa 12° 30' E.

40.00

Set temporary 1/4 Sec. cor.

79.96

Intersect the N & S. line  
20 links N. of cor. to Secs.  
8, 9, 16 & 17.

Thence I run

N 89° 57' W. on a true  
line bet. Secs. 8 & 17 with  
same Wa.

39.98

Deposited a marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor.  
dug pits 18 x 18 x 12 ins. E & W.  
of stone 5 1/2 ft. dia. and  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base

T/O S. R 28E.

chain

on it. In C. pit drove a  
stake 2 ft. long 2 ins. dia.  
12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face.

79.96 The cor to Secs. 7, 8, 17 + 18

Surface level

Soil  $3\frac{1}{4}$  rate

Grass poor

Dense brush

West on a random line  
bet Secs. 7 + 18

 $\text{Az } 120^{\circ} 30' \text{ E.}$ 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.79.60 Intersect the N. bdy. of T/O.  
8 links N. of cor. to Secs. 7, 12,  
13 + 18 which is a Post. 4 ins.

To S R 28 E.

chains

sq. in mound of earth  
marked. To S. of 7 on N.E.  
R 28 E. S 18 on S.E.

R 27 E. S 13 on S.W. and  
S 12 on N.W. faces with  
2 notches on N. and 4  
notches on S. edges.  
and pits of required size.

Then from

N 89° 57' E. on a true  
line bet. Sec. 7 & 8 with  
same W.

9.60

Deposited a stone 12 ins  
in the ground for 1/4 Sec.  
Cor. dug pits 18 x 18 x 2 ins.  
E & W. of stone 5 1/2 ft. dist.  
and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.



T10 S. R 28 E.

Chains

base on it. In E. pit drove  
a stake 2 ft long 2 ins. sq  
12 ins. in the ground  
marked 14 S. on N. face

Baileys ranch bears  
N 2° E from this point 10  
chs. dist.

54.60 Cross road bears S.E. + E + N.W.  
76.00 Leave Valley bears S.E. + N.W.  
79.60 The cor. to Secs. 7, 8, 17 + 18.

Surface level

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

North bet Secs 7 + 8

N 12° 31' E

T10 S. R 28E.

chains

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. cor. dug pits 18x18x12 ins. N+S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base on it. On N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N. face.

0.00

Deposited a marked stone 12 ins. in the ground for cor to Secs. 5, 6, 7 & 8. dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft.

T10 S. R 28E.

chains

high  $4\frac{1}{2}$  ft. base over st. In S.E.  
 pit drive a stake 2 ft. long  
 2 in. sq. 12 in. in the ground  
 marked T10 S. S. 5 on S.E.

R 28E. S. 8 on S.E.

S 7 on S.W. and 6 on N.W.

faces with 5 notches on  
 S and E. edges.

Surface level

Soil 3<sup>rd</sup> rate

Grass poor

Dense brush

East on a random line bet  
 Secs. 5 & 8.

Var  $2^{\circ} 30' E$

40.00

Set temporary  $\frac{1}{4}$  Sec. cor.



T/O S. R 28E.

Chains

79.96

Intersect the N & S. line  
20 links S. of. cor. to Secs.  
4, 5, 8 & 9.

Thence I run  
S 89° 51' W. on a true  
line bet. Secs. 5 & 8 with  
same Va.

39.98

Deposited a marked  
stone, 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. cor.  
dug pits 18 x 15 x 12 ins. E & W.  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it. In E. pit  
drove a stake 2 ft. long  
2 ins. sq. 12 ins. in the  
ground marked  $\frac{1}{4}$  S. on

T10 S. R 28 E.

Chain

N. face.

79.96

The cor to Secs. 5, 6, 7 + 8.

Surface level

Soil 3<sup>rd</sup> rate

Grass floor

Dense brush

West on a random  
line bet Secs. 6 + 7

At 12° 30' E.

40.00

Set temporary 1/4 Sec. cor.

79.67

Intersect the W. bdy. of the  
15-line. S. of cor. to Secs. 6, 7  
+ 12 which is a Post. 4 in.  
sq. in mound of earth  
marked. T10 S. 6 on N.E.  
R28 E. S7 on S.E.

T10 S. R 2 SE.

Chains

R 27<sup>c</sup>. S 12 on S.W. and  
S. 1 on N.W. faces with  
5 notches on S. and 1  
notches on N. edges.  
and pits of required size.

Then from  
S 89° 54' E. on a true  
line bet Secs. 6 + 7 with  
same Vh.

\$1.00

Cross road bears N.W.  
+ S.E.

9.67

Deposited a marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor.  
dug pits 18x18x12 ins. E & W.  
of stone 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft. base over it.



T10 S. R 28 E.

chain

In E. pit drove a stake 2  
ft. long 2 ins. sq. 12 ins. in  
the ground marked 14 S on  
N. face.

9.67

The cor. to Secs. 5, 6, 7 & 8.

Surface level

Soil 3% rate

Grass poor

Dense brush

North on a random line  
bet. Secs. 5 & 6

Va 12° 30' E.

40.00

Set temporary 14 Sec. cor.

79.94

Intersect the N. ldy. of Tfr.  
57 links E. of cor. to Secs. 5, 6,  
31 & 32, which is a Post 4 ms.

T10 S. R 28E.

chains

sq. in mound of earth  
marked.

T10 S. S32 on N.E.

R 28E. S 5 on S.E.

T10 S. S. 6 on N.W.

and S 31 on N.W. faces,  
with 5 notches on E. and  
1 notch on W. edges.

Pits of required size.

Thence from

S0° 22' E. on a true  
line bet. Secs. 5 & 6. with  
same  $\theta$ .

9. 94

Deposited a marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor.  
dug pits 18 x 18 x 12 ins.  
N.E.S. of stone 5 1/2 ft. dist.

T10 S. R 28E.

chain

and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 in. sq. 12 in. in the ground  $\frac{1}{4}$  in. marked.  $\frac{1}{4}$  S. on W. face.

79.94

The cor. to Secs. 5, 6, 7 + 8

Surface level

Soil  $3\frac{1}{4}$  rate

Grass poor

Dense brush

---

 Feb. 25<sup>th</sup> 1885
 

---



T10 S. R 2 SE.

## General Description

chains

The surface of this township is mostly rolling. The grass is poor, and most of the township is covered with dense brush.

The San Simon Valley is in the S.W. part of the township and spreads out into a broad flat.

Bailey's ranch is in the S.W.  $\frac{1}{4}$  of S.E.  $\frac{1}{4}$  of Sec. 7.

The grass in the S.W. part of the township is  $\frac{1}{4}$  late.

For final oaths, see book No. 12

## U. S. Surveyor General's Office,

Tucson, Arizona, June 5 1885

The foregoing Field Notes of the Survey of the

Township 10 South  
Range 28 East

Of the Gila and Salt River Base and Meridian, Arizona, executed

by John C. Smith

Deputy Surveyor, under his contract of the 19<sup>th</sup>

day of December, 1884 having been

critically examined and the necessary corrections and explanations

made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson  
Surveyor General.