

5
BOOK 773

Group 378
6-25-62

No. 773

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

BOOK 773

- OF -

Township 12 S Range 29 E

Gila and Salt River Base and Meridian

ARIZONA.

No. 773

By John C. Smith D. S.

under contract dated Dec 19th 1884.

Survey commenced Feb. 2nd 1885.

Survey completed Feb 4th 1885.

For Field

773

used
impaired
returned

2

BOOK 773

Township 12 S R. 29 E,

G and S R. M

6	93	5	68	4	51	3	34	2	18	1
91		90		67		50		33		16
7	88	8	65	9	48	10	32	11	15	12
86		85		64		47		30		13
18	84	17	63	16	46	15	29	14	12	13
82		81		61		44		28		10
19	80	20	60	21	43	22	26	23	9	24
78		77		59		42		25		8
30	75	29	57	28	40	27	24	26	6	25
74		72		56		38		22		5
31	70	32	54	33	36	34	20	35	3	36

For preliminary data
and description of instrument
see book No 1.

T12 S R29E

No. 773

Chain

beginning at the
 cor to secs. 12, 35 and
 36. on S. body of Tpe
 12 S R. 29E.

Which is a post 4 ins
 sq. in mound of earth
 marked T12 S S36
 on N.E. R29E. S1 on SE
 T13 S S2 on SW. and
 S35 on N.W. faces with
 5 notches on W. and 1
 notch on E edges. + puts
 Iron N bet secs
 35 and 36.

Q 12° 27' E

T₁₂ S R 29E

Chain

40.00

Through dense brush

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone, $\frac{3}{4}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high $\frac{1}{4}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 2 ins. in the ground marked $\frac{1}{4}$ S. on W face.

67.40

Leaves dense brush

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 25:26.35:36, dug pits

18 x 18 x 12 ins. in each Sec. $\frac{3}{4}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. baseover it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T₁₂ S

S. 25- on NE R 29E 36 on SE. S 35- on S W and S. 26 on N W faces, with

/ notch on S. and / notch on E edges.

Surface nearly level
Soil, 2nd rate

912. SR 29E

Charno

Some Grass

Scattering brush 12.60 ch.

Dense 67.40 ch.

S89°21'E on a random
line bet secs 25 & 36.

O/A 12°27'E

40.00 Set temporary 44 sec cor

79.98 Intersect the E bdy. of
Twp 75 links N. of cor
to Secs 25, 30, 31 and 36

no. 7. described in book

Thence I run

N88°49' W. on a true
line bet Secs 25 & 36
with same O/A

T12 S R 29E

Chains

39.99

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on S face.

79.98

The cor to secs 25.26.33+36

Surface nearly level

Soil 2nd rate

Scattering brush

Grass poor

North bet secs 25+26

Q 120 27 E

T12 SR 29E

Chain

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist. and raised mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs ~~23, 24, 25, 26~~ dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground and marked T. 12 S. 24 on N.E. R 29E S 25 on S.E. S 26 on S.W. and S. 23 on N.W. faces. with 2 notches on S, and 1 notch

Surface nearly level
Soil 2nd rate
Grass poor

T/2 SR 296

Chains

$S 89^{\circ} 21' E$ on a random
line bet secs 24 & 25

$\text{Q/A } 12^{\circ} 27' E$

40.00

Set temporary $\frac{1}{4}$ sec cor

80.02

Intersect the E bdy. of
The 70 links $N.$ of cont
to secs 19, 24, 25 and 30.

described
in book No. 7

Thence run
 $N 88^{\circ} 51' W.$ on a true
line bet secs 24 & 25
with same Q/A

40.01

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins.
 E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face

T12. S.R. 29E

Chain

80.02

The cor to secs 23, 24, 25 + 26

Surface nearly level

S. oil 2nd rate

Grass poor

Scattering brush

North bet secs 23 + 24

Qva 120 27E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over it.

In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on ~~W~~

face.

T 12 S. R 29 E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 13, 14, 23 & 24 dug pits 18 x 18 x 12 ins. in each Sec. 64 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. across it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 12 S. 13 on N.E. R 29 E S 24 on S.E. S. 23 on S.W. and S. 14 on N.W. faces, with 3 notches on S, and 1 notch

Surface nearly level
Soil 2nd rate
Grass poor
Scattering brush

889.21 on a random
1/4 sec 13 and 24

791.21 27 E

4000

Set temporary 44 sec cor

T 12 S R 29 E

Chain

80.00

Intersect the E. side of
T₁₂ 25 miles N. of cor to
secs 13, 18, 19 and 24
described in Book No

Hence O. run.

N 89° 10' W. on a true
line bet secs 13 and 24
with same wa.

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.00

The cor to secs 13, 14, 23 & 24
Surface nearly level
Soil 2nd rate

T. 12 S. R. 29 E

Chaine

Some grass
Scattering brush

North bet secs 13 + 14
Q 12° 27' E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/8 on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 11, 12, 13, 14, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dia. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked 1/8 on S. 12 - N. E. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. faces, with 4 notch on S, and 1 notch

912 S R 29 E

Chains

on E edges.

Surface nearly level

Soil 2nd rate

Some grass

Scattering brush

$89^{\circ} 21' E$ on a random
line bet secs 12 and 13

@ $12^{\circ} 27' E$

40.00 Set temporary $1/4$ sec cor

79.80 Intersect the E. bay. of
of 11 links N. of cor
to secs 7, 12, 13 and 18

described in

Book No. 7

Thence I run

16

BOOK 773

T₁₂ S_Q 298

chain

Surface nearly level
 Soil 2nd rate
 Grass some
 Scattering brush

S_{89° 21' E} on a random
 line bet sec 1 and 12
 On 12° 27' E

40.00 Set temporary 44 sec cor

79.86 I intersect the E. bay of
 Tp 13 links N. of cor
 to Secs 1, 6, 7 and 12
 described in

Book No. 7

Thence I run
 N_{89° 15' W} on a true

T12 S. R 29C

Chain

line bet secs 1 and 12
with same @ra

39.93

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raised
a mound of earth 14 ft. high 54 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

75.36 Cross Road bears S.E + N W

77.70 " Saw Simon Creek Co NW

79.86 The cor to Secs 1, 2, 11 and 12

Surface nearly level
Soil 2 rate

Some grass

Scattering brush

18

BOOK 773

T12 SR 29E

Chains

North on a random
line W sec 1 and 2
T12 SR 27E

40.00 Set temporary 1/4 sec cor

79.93 Intersect the N. bdy
of Tp 16 links E of cor
to secs 1, 2, 35 and 36
which is a post
in sq in mound of
earth marked.

T11 S S36 on N.E

R29E S1 on S.E

T12 S S2 on S.W

and S 35 on N.W
with 1 notch on E and
5 notches on W. Wedges
fits of required size

T12 S R 29 E

Chains

Thence I run

$80^{\circ} 7' E$ on a true
line bet secs 1 and 2
with same ~~cor~~

25.93 Cross Road bears N.W. + S.E.

39.93 ~~Sec. 1~~ Malpain stone 9 8 8 5
in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on NW
face. dug pits 18 x 18 x 12 ins. N and S
of stone 54 ft. dist. and raised a mound of earth
14 ft. high 34 ft. base alongside.

40.76 Cross San Simon Creek
course N.W.

79.93 The Cor to secs 1, 2, 11 and 12
Surface nearly level
Soil 2nd rate
Grass poor
Scattering brush

T12 S R298

Chains

I carefully examined
 the adjustments of my
 solar transit today
 particularly the latitude
 and reversing apparatus
 and found them correct
 Feb 2nd 1885

From the cor
 to secs 2, 3, 34 and 35
 T12 S R298
 on S. side of T.P. which
 Post 4 ins eq. in mound
 of earth and pit Post
 marked.

T12 S. S35 on N.E.

T12 S. R 29E

Chain

R 29E S 2 on S.E. T13 S
 S 3 on S 9K and sec 34 on
 N.W. ^{face} with 4 notches on W
 and 2 notches on E edges.
 Run N bet sec
 34 and 35

Q 120 27 E

40.00

Deposited a marked stone 12 ins. in
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
 N and S of stone 54 feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high 54 ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T 12 S R 29E

chains

80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Sec. 9, 6, 27, 34, 35 - dug pits
18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft high 4 1/2 ft. base
over it. in S. E. pit drove a stake 2 ins. sq
ft. long 12 ins. in the ground marked T. 12 S
S. 26 on N.E. R 29 E S 35 - on S.E. S. 34
on S. W. and S. 27 on N. W. faces, with
1 notch on S, and 2 notches
on S. E. faces.

Surface nearly level
Soil 2nd rate
Grass poor
Scattering brush

S 89° 21' E. on a random
line bet sec 26 and 35
Q 012° 27' E

T12 SR 29E

Chains

40.00

Set temporary 1/4 sec cor

79.90

Intersect the N & S line

40 links N of cor to sec

25.26.35 and 36.

Thence Turn

N 89° 4' W. on a true

line bet secs 26 and 35

with same $\frac{1}{4}$ in.

39.95

Deposited a marked stone 12 ins. in ~~the~~ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet N of st and raised

a mound of earth 14 ft. high 34 ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

face.

79.90

The cor to secs 26.27.34+35

Surface nearly level

Soil 2nd rate

T12. SR 298

chain

Some grass
Scattering brush

North bet secs 26 & 27
Cva 12° 27' 6"

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $5\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{4}$ ft high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

80.00

face. Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 22, 27, 26 & 27

18 x 18 x 12 ins. in each Sec. $5\frac{1}{4}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S.E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T 12 S

S. 23 on N.E. R 298 S 26 on S.E. S. 27

on S.W. and S. 22 on N.W. faces, with
2 notch \ll on S, and 2 notch \ll

T12 SR 29E

Chains

Surface nearly level
 Soil 2nd rate
 Some grass
 Scattering brush

S89°21'E on a ran down
 line bet secs 23 & 26
 99 120 27'E

40.00 Set temporary 1/4 sec cor
 79.94 Intersect the N and S
 line 24 links N of cor
 to secs 23, 24, 25 and 26
 Thence run
 N89°10'W. on a true
 line bet secs 23 and 26
 with same 99.

T12 S R 29 E

Chains

39.97

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet apart and a mound of earth 14 ft. high 14 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.94

The cor to secs 22, 23,
26 and 27

Surface nearly level
Soil 2nd rate
Some grass
Scattering brush

North 1st sec 22 + 23

QA 12° 27' E

T12 SR 29E

Chamre

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on NW face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 14, 15, 2 & 23, dug pits

18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base

over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 12 of

S. 14 on N.E. R 29E S 23 on S.E. S 22 on S.W. and S 15 on N.W. faces with

3 notch es on S, and 2 notch es on E edges.

Surface nearly level
 Soil 2nd rate
 Grass poor
 Scattering brush

T12 S R29E

Chain

S 89° 21' E on a random
line bet secs 14 and 23

N 91° 27' E

40.00

Set temporary 1/4 sec cor

79.92

Intersect the N + S
line at cor to secs
13, 14, 23 and 24

Thence I run

N 89° 21' W on a

true line bet secs 14 + 23
with same θ

39.96

Deposited a marked stone 12 ins. in dia
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 in

E and W of stone 34 feet dist and

mound of earth 14 ft. high 34 ft. base 30

ft. In E pit drove a stake 2 ft. long 2 in

sq. 12 ins. in the ground marked 1/5 on N

1800.

T12 S.R. 29E

Chains

79.92

The cor to secs 14, 15, 22 & 23

Surface level

Soil 2nd rate

Grass poor

Scattering brush

North 68° Secs 14 and 15

Qva 120 27'E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone 54 feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 24 ft. base diam.In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

T12 S R 29E

Chains

80.00

Deposited a marked stone 12 ins. in
ground for Cor. to Secs. 10, 11, 14th, dug pits
18 x 18 x 12 ins. in each Sec. 54 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 12 S
S. 11 on N. E. R. 29 E S. 14 on S. E. S. 15
on S. W. and S. 10 on N. W. faces, with
4 ~~notch~~ on S, and 2 notch ~~on~~
on E. edges

Surface level

Soil 2nd rate

Grass poor

Scattering brush

S 89° 21' E on a random
line bet sec 11 and 14

@ 12° 27' E

40.00

Set temporary 14 sec cor

T12 SR 29E.

Chains

79.68

Intersect the N + S line
at 8 links S of cor to
secs 11, 12, 13 and 14

Thence I run

N 89° 24' W in a true
line bet secs 11 and 14
with same ~~wa~~

3984

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised
a mound of earth 14 ft high at ft base over

it. In E pit drove a stake 2 ft long 2 ins.

sq. 12 ins. in the ground marked 4 S. on N

face.

79.68

The cor to secs 10, 11, 14 & 15

Surface nearly level

Soil 2nd rate

Grass poor

Scattering brush

T 12 S R 29E

Chains

+

North 6th sec 10 & 11
Q 12° 27' E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W. face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 2 on N. E. R. 29E 11 on S. E. S. 10 on S. W. and S. 3 on N. W. faces, with 5 notches on S, and 2 notches on E edges.

T12 SR 29E

No. 773

Chains

Surface nearly level
 Soil 2nd rate
 Grass poor
 Scattering brush

$S 89^{\circ} 21' E$, on a random
 line bet secs. 2 and 11
 @ $12^{\circ} 27' E$

40.00 Set temporary 14 sec cor
 79.80 I intersect the N & S
 line 11 links S of cor to
 secs 1, 2, 11 and 12.

Thence I run
 $N 89^{\circ} 26' W$, on a true
 line bet secs 2 and 11
 with same @.

T12 SR 29E

Chamie

39.9.0

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 14 ft high 24 ft base diam. In E pit drove a stake 2 ft long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.80

The cor to Secs 23, 10 and 11 -
 Surface level
 Soil 2nd rate
 Grass poor
 Scattering brush

North on a random
 line bet Secs 2 & 3
 @ a 12° 27' E

40.00

Set Temporary 44 sec cor

T12 SR 298

Chains

80.04 I intersect the N. bay of
 Tfr. Plmiks 6 of cor to
 secs. 2, 3, 34 and 35, which
 is a Post 4 in sq. in
 mound of earth marked.

T11 S 35 on N.E

R298 S2 on S.E

T12 S 33 on S.W and

S34 on N. W. ^{faces} with

2 notches on E and 4

notches on W. edges,

and pits of required
 size;

Thence I run

S0° 4' E on a true
 line bet secs 2 + 3
 with same ca.

T12 S R 29E

Chains

40.04

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 53 feet apart and raised a mound of earth 14 ft. high 14 ft. wide over it. In N pit drove a stake 2 ft. long 8 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. or W face.

80.04

The Cor to secs 2, 3, 10 and 11
 Surface nearly level
 Soil 2nd rate
 Some Grass
 Scattering brush

From the cor to
 secs 3, 4, 33 and 34
 T12 S. R 29
 E on S bay of T12

T12 SR 29E

Chain

which a Post 4 in sq.
in corner of each and
false Post marked.

T12 S 834 on N.E. R 29E

83 on S.E. T13 S 4 on S.W.

and Sec 33 on N.W. with
3 notches on E & W edges

from N 1st sec

33 and 34

Q 12° 27' E

4000

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 8 x 18 x 12 ins
N and S of stone 5 1/2 feet dist. and raised
a mound of earth 1 1/2 ft. high on 1/2 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked 1/4 S on W

acc.

38

T 12 S R 299

Chairs

80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 27 28. 33. 34
18 x 18 x 12 ins. in each Sec. 31 ft. dist. and
raised a mound of earth 2 ft. high 2 ft. base
over it. In S. E. pit above a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T 12 S
27 on N. E. R 299, 34 on S. E. S. 31
on S. W. and 28 on N. W. faces, with
1 notch on S, and 3 notches
on E edges.

Surface level

Soil ^{very} rate

Some grass

Scattering brush

889° 21' E on a random
line bet sec 27 and 34

Q 12' 27' E

T12 SR 29E

Chains

40.00 Set temporary $\frac{1}{4}$ sec cor
 79.82 " intersect the N & S
 line 21 links W. of cor
 to secs 26, 27, 34 and 35.

Thence from
 N $89^{\circ} 12'$ W on a true
 line bet secs 27 and 34
 with same QA

39.91

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth 11 ft. high 24 ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

79.82

The cor to secs 27, 28, 33 & 34
 Surface level
 Soil 2nd rate

T 12 S R 29 E

Chains

Some grass
 Scattering brush

North 6th sec 27 & 28

Q 12° 27' E

4.50

Enter dense brush

20.00

Leave " "

40.00

Set a Malpais stone $12 \times 8 \times 6$ ins. 9 ins.
 in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on W
 face, dug pits $18 \times 18 \times 12$ ins. N and S
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $7\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.

63.00

Enter dense brush

T. 12 S R 29 E

Chains
80.00

Deposited a marked stone 12 ins. in dia.
ground for Cor. to Secs. 21, 22, 27 & 28
18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 12 S
S. 22 on N.E. h. 29 E S 27 on S.E. S. 28
on S.W. and S. 21 on N.W. faces, with
2 notches on S, and 3 notches
on E edges.

Surface nearly level
Soil 3rd rate

Some grass
Dense brush 32.50 chs
Scattermg. 47.50 chs

T/2 S R 29E

Chain

S 89° 21' E on a random
line bet secs 22 + 27

Va 12° 27' E

40.00

Set temporary 1/4 sec cor

79.88

I intersect the N. and S
line 17 links N of
cor to secs 22, 23, 26 + 27

Thence I run

N 89° 14' W on a random
line bet secs 22 + 27

with same Va

39.94

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist and raised
a mound of earth 14 ft high 24 ft base over
it. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N

T/2 S.R 298

Chain

79.88

The cor to secs 21, 22, 27
and 28

Surface level

Soil 2nd rate

Grass poor

Scattering brush.

North bet Secs 21 & 22

Sta 12027 E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone $\frac{1}{4}$ feet dist and raise
a mound of earth 14 ft. high $\frac{1}{4}$ ft. base over
it to N pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

T12 S R 286

Chain
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 15, 16, 21 & 22, dug pits 18 x 18 x 18 ins. in each Sec. 5 ft. apart. I raised a mound of earth 2 ft. high 4 ft. long over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 12 S 15 on N. E. E 286 22 on S. E. S 21 on S. W. and S. 16 on N. W. faces, with 3 notches on S, and 3 notches on E edges.

Surface nearly level
Soil 2nd rate
Grass poor
Dense brush

89° 21' E on a random
line bet secs 15 and 22
Va 12° 27' E

T/2 SR 29E

Chain

40.00 Set temporary $\frac{1}{4}$ sec cor79.84 Intersect the N + S.
line 12 links N of cor
to secs 14, 15, 22 and 23.Thence I run
N $89^{\circ} 16'$ W. on a true
line bet secs 15 and 22
with same $\frac{1}{4}$.

39.92

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.84

The cor to secs 15, 16, 21 & 22
surface level
Soil 2nd rate

5/12 S.R 29E

Chain

Some grass
Scattering brush

North bet sees 15+16

Wa 120 27'E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5/8 foot dist and raised a mound of earth 1 1/2 ft. high 20 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S. on NW face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. 5/8 ft. dist and raised a mound of earth 2 ft. high 43 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 10 on N.E. R 29E S. 15 on S.E. S. 16 on S.W. and S. 9 on N.W. faces, with 4 notch on S. and 3 notch on N.E.

5/2 S.R. 29E

Chains

Surface level
Soil 2nd rate
Some grass
Scattering brush

S 89° 21' E on a random
line bet secs 10 and 15

Ca 12° 27' E

40.00 Set temporary 1/4 sec cor
79.98 Intersect the N & S line
at cor to secs 10, 11, 14 & 15

Thence I run

1/8 89° 21' W. on a true
line bet secs 10 and 15
with same Ca.

T12 SR 299

Chain

39.99

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet apart and set a mound of earth 14 ft. high 24 ft. back over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked + S. on N face.

79.98

The cor to secs 9, 10, 15, 16
 Surface nearly level
 Soil 2nd rate
 Some grass
 Scattering brush

North lot secs 9 + 10

Va 12^d 27^g

T12 SR29E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins. N and S of stone $5\frac{1}{2}$ feet apart and raised a mound of earth 1 $\frac{1}{2}$ ft. high 4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 3, 4, 9+10, dug pits $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 3 on N.E. R29E S 10 on S.E. S. 9 on S.W. and S. 4 on N.W. faces, with 5 notches on S, and 3 notches on E edges.

Surface nearly level
Soil 2nd rate
Some grass.

T12 SR 29E

chamie

Scattering brush

589° 21' E on a random
line bet secs 3 and 10

Q/A 12° 27' E

40.00

Set temporary 1/4 sec
cor

80.06

Intersect the N + S
line 18 links N. of
cor to secs 2, 3, 10 + 11

Thence I run

N 89° 13' W on a true
line bet secs 3 + 10
with same Q/A

T 12 S. R. 29 E

Chains

40.03

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet distance raised a mound of earth 14 ft high 34 ft. base over it. In E pit drove a stake 2 ft long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.06

The cor to pccs 3, 4, 9 & 10

Surface level

Soil 2nd rate

Some Grass

Scattering brush

North on a random
line bet pccs 3 & 4

QA 120 27' E

40.00

Set temporary $\frac{1}{4}$ sec cor

T12 S R29E

Chain

80.10

Intersect the N. boundary of T12 S R29E
 of T12 S R29E
 Cor to secs 3, 4, 33 and 34
 which is a Post 4,
 viz eq. in mound of
 earth marked.

T11 S. S34 on N.E

R29E. S3 on S.E

T12 S S4 on S.W. and

S33 on N.W. ^{face} with

3 notches on E.W. edge

bits of required size.

Thence I run

S0° 5' E on a true

line bet secs 3 & 4

with same @ra

92 S R 29 C

Chains

40.10

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone $\frac{1}{4}$ feet dist and raised
a mound of earth 11 ft. high $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on *SW*

74.10

Leave dense brush

80.10

The cor to pccs 3, 4, 9 & 10

Surface level

Soil 2nd rate

Some Grass

Dense brush 74.10 chi

Scattering 6.00 "

T12 S R 29E

Chains

From the cor to
secs 4, 5, 32 and 33
T12 S. R 29E
on S. body of T12
which is a Post
line eq. in mound of
earth and pits Post
marked.

T12 S 833 on NE

R 29E. 84 on SE.

T13 S 85 on SW and
832 on NW with 2
notches in W and 4 notches
on E edges

Thin N. 65
secs 32 and 33

QVA 12° 27' 6"

T12 SR 29E

Chain

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. and S of stone $\frac{1}{4}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 21 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

0.00.

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 29.28.32~~33~~ dug pits 18 x 18 x 12 ins. in each Sec. $\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high 41 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 1208 S. 28 on N.E. R 29E S. 33 on S.E. S. 32 on S.W. and S. 29 on N.W. faces, with 1 notch on S, and 4 notches on E edges.

Surface nearly level
Soil 2nd rate
Some Grass

T12 SR 298

Chain

Dense brush

$89^{\circ} 21' E$ on a random
line bet secs 28 & 33

$12^{\circ} 27' E$

40.00 Set temporary 114 sec cor

79.96 Intersect the F & S
line 3 links N of cor
to secs 27, 28, 33 and 34.

Thence I run

$189^{\circ} 20' W$ on a true
line bet secs 28 & 33
with same @/a

912 SR 298

Claim

39.9.8

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 14 feet apart with
a mound of earth 14 ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.9.6

The cor to secs 28, 29, 32 & 33

Surface nearly level

Soil 2nd rate

Some grass

Scattering brush

North bet secs 28 & 29

912° 27' 6"

T12 S R 298

Claims

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 ft apart and raised a mound of earth 11 ft. high over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 20, 21, 28 & 29 dug pits 18 x 18 x 12 ins. in each Sec. 5 ft apart and raised a mound of earth 5 ft. high over it. In S. E. pit drove a stake 2 ft. long 12 ins. in the ground marked T 12 S on N. E. R 296 28 on S. E. S 29 on S. W. and S 20 on W faces 2 notch 22 on S. and 4 notch 22 on E edges.

Surface nearly level
 Soil 2nd rate
 Some grass
 Dense brush

T12 SR 29E

Chains

S89° 21' E on a random
line bet secs 21 and 28
Va 12° 27' E

40.00 Set temporary 1/4 sec cor
79.82 Intersect the N & S line
12 links N of cor to
secs 21, 22, 27 and 28.

Thence I run
N89° 16' W. on a true
line bet secs 21 and 28,
with same Va

39.91 Deposited a marked stone
12 ins. in the ground for 1/4
Sec. cor. dug pits 18 x 18 x 12 ins. E & W
of stone 3 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high 5 1/2
ft. base of mound 18 x 18 ft. dist.
a stake 2 ft. long 2 ins. sq. 12 ins.
in the ground marked 1/4 Sec. N. face.

T12 S R 29E

Chain

79.82

The cor to Secs 20-21
28 and 29Surface level
Soil ^{and} 2nd rateGrass fair
Scattering brushNorth Wt secs 20 & 21
@ 120 27E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. cor dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist and raised a mound of earth 14 ft. high 14 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T/2 SR 296

Chains
80.00

Deposited a marked stone 12 ins. in dia. in the ground for Cor to Secs 16, 17, 20 & 21 dug pits 18 x 18 x 12 ins in each Sec. 54 ft. dist. and raised a mass of earth 2 ft high 4 ft. long over it. In S E pit above a stake 2 ins. sq. 2 ft. long 12 ins in the ground marked T. 12 S & 16 on N.E. 12 & 21 on S.E. S. 20 on S.W. and S. 17 on N.W. faces, with 3 notch ee on S, and 4 notch ee on N edges.

Surface level

Soil 2nd rate

Some grass

Dense brush

89° 21' E on a random line bet sec 16 and 21
@ 912° 27' E

T12 SR 298

Charis

40.00

29.80

Set temporary 1/4 sec cor
Intersect the N & S line
6 links N of cor to secs
15.16.21 and 22.

Thence I run
N89° 18' W. on a true
line bet secs 16 & 21
with same Qa

39.90

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

79.80

The cor to secs 16.17.20 21

Surface level
Soil ^{and} siltate
Some grass

T 12 S R 29 E

Chain

Scattering brush

North bet secs 16 & 17

Q 120 27'E

H. 0.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for cor to Sec. 8, 9, 16 & 17, dug pits 8 x 18 x 12 ins in each Sec $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 2 ins. in the ground marked T. 12 S. 9 on N. E. R. 29 E S. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. faces, with 4 notch es on S. and 4 notch es on N. E. faces.

T12 SR 298

Chain

Surface level
 Soil 2nd rate
 Some grass
 Dense brush

$89^{\circ}21'E$ on a random
 line bet secs 9+16
 $9012^{\circ}27'E$

40.00

Set temporary 1/4 sec cor

L 79.86

Intersect the N & S
 line 10 links N of cor
 to secs 9, 10, 15 and 16

Thence I run
 $89^{\circ}17'W$ on a true
 line bet secs 9+16
 with same Pa

T12 S R 29 E

Chamie

39.93

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.86

The cor to secs 8, 9, 16 & 17
 Surface level
 Soil 2nd rate
 Grass fair
 Scattering brush

North bet secs 8 & 9
 79 12' 27" E

T12 S R 298

Chain

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9, dug pits, 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 4 on N.E. R298 S. 9 on S.E. S. 8 on S.W. and S. 5 on N.W. faces, with 5 notches on S, and 4 notch on E edges.

Surface level

Soil 2nd rate

Some grass

T 12 S R 29 E

chains

Scattering brush

S 89.21' E on a random
line bet secs 4 and 9
Qa 12° 27' E

40.00 Set temporary 1/4 sec cor
7980 Intersect the N & S
line 3 links S of cor to
secs 3, 4, 9 and 10.

thence I run

N 89' 22' W on a true
line bet secs 4 and 9
with same Qa

39.90

Deposited a marked stone 12 ins. in
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.

T 12 S R 29 E

Chain

29.12 ins. in the
ground marked $\frac{1}{4}$ m¹¹
face

79.80

The cor to secs 4, 5, 8 & 9

Surface level

Soil 2nd rate

Some grass

Scattering brush

North on a random
line bet secs 4 & 5

Va $12^{\circ} 27' E$

40.00

Set temporary $\frac{1}{4}$ sec cor

80.08

I intersect the N. body
of T¹¹ 7 links E of cor
to secs 4, 5, 32 and 33

T12 SR 29E

Chairs

which is a Post 4 in
sq. in mound of
earth marked.

T11 S. S33 on NE

R29E. S4 on S.E

T12 S S5 on S.W and

R32 on N. W. ^{faces} with 4
notches on E and 2 notches
on W. edges pits of required
size.

Thence from

S0° 3'E on a true line
w/secs 4 and 5 with same
Ga.

T 12 S R 29E

Claims

40.08

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet apart and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.08

The cor to Recs 4, 5, 8 & 9

Surface level

Soil 2nd rate

Some grass

Scattering brush

From the cor to
Recs 5, 6, 31 and 32

T 12

S. R 29E

on S side of T 12
which is a Post 4 ins.

T12 SR 29E

Chains

sq. in mound of earth
and pits. Post
marked T. 12 S. 832 on NE
R29E S5 on S.E. T13 S
S6 on SW and sec 31 on NW face
with 5 notches on E and
1 notch on W. edges

From NW to

secs 31 and 32 N 91° 27' E

4000

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

912 S R 29E

Chains

80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 29, 30, 31 & 32, dug pits
18 x 18 x 12 ins. on each Sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 128
S 29 on N.E. R. 29E S 32 on S.E. S. 31
on S.W. and S. 30 on N.W. faces, with
1 notch on S, and 5 notches
on N faces.

Surface level

Soil 2nd rate

Some grass

Dense brush

S 89° 21' E on a true
line bet sec 29 and 32

Q 120° 27' E

40.00

Set temporary 1/4 sec cor

T 12 SR 29 E.

Chains

79.98 Intersect the N & S line
5 links S of cor to secs
28, 29, 32 and 33.

Thence from
N 89° 23' W on a true
line bet secs 29 & 32
with same Va

39.99

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{4}$ ft. high 5 $\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.98 The cor to secs 28, 29, 32 & 33
Surface level
Soil 2nd rate
Some grass

T12 SR 298

Chain

Dense brush

1889° 21' W on a random
line bet secs 30 and 31

9012° 27' E

40.00

78.40

Set temporary 1/4 sec cor
Intersect the W. bay
of the 7 links S of
Cor to secs 25, 30, 31 and 36

previously described by
me.

Thence I run
889° 18' E on a true
line bet secs 30 and 31
with same ga

T 12: S R 29E

Chains

38.40

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. C and W of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

78.40

The cor to secs 29, 30, 31 and 32

Surface level

Soil 2nd rate

Some grass

Dense brush

North bet secs 29 & 30

Q 12° 27'E

T12 S R 298

chain

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 19.20.21, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 44 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T12 S

S 20 on N E R 298 S 29 on S E S 30 on S W and S. 19 on N. W. faces, with 2 notch es on S, and 5 notches on edges.

Surface level

Soil 2nd rate

Some Grass

T12 S R 29 E

Chains

Dense brush

S $89^{\circ} 21' E$ on a random
line bet secs 20 and 29

va $12^{\circ} 27' E$

40.00

Set temporary 14 sec cor

79.78

Intersect the N & S line
9 links N of cor to secs
20. 21. 28. and 29.

Thence I run

N $89^{\circ} 17' W$. on a true
line bet secs 20 and 29
with same va

T12 SR 298

Chain

39.89

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

79.78

The cor to secs 19, 20, 29 & 30

Surface level

Soil 2nd rate

Some grass

Scattering brush

89° 21' W on a random
line bet secs 19 and 30

12° 27' E

4000

Set temporary 1/4 sec cor

912 SR 29E

Chains

28.00

I intersect the w body
of the 11 links S of cor
to recs 19, 24, 25 and 30
previously described by me.

Thence I run

S89° 17' E bet recs
19 + 30 with same ga

38.00

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

28.00

The cor to recs 19, 20, 27 + 30

Surface level.

Soil 2nd rate

Some Grass.

T12 SR 29E

chain

Dense brush

North bet secs 19 + 20

T12^o 27^oE

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone $3\frac{1}{4}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

55.00

Leave Dense brush

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 17, 18, 19²⁰ and dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12^o S.

17 on N.E. R 29E S 20 on S.E. S. 19 on S.W. and S. 18 on N.W. faces, with

3 notch $\frac{1}{2}$ on S; and 5 notch $\frac{1}{2}$ on E

T12 S.R 29E

Chains

Surface level
 Soil 2nd rate
 Some grass
 Scattering brush

S89° 21' E on a random line
 bet secs 17 and 20

Pa 12° 27' E

40.00 Set temporary 1/4 sec cor
 79.98 Intersect the N & S line
 14 links N of cor to
 secs 16, 17, 20 and 21.

Thence I run
 N89° 15' W. on a true
 line bet secs 17 and 20
 with same Pa

T12 SR 298

Chain

39.99

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet apart and raised a mound of earth 1 $\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on $\frac{1}{4}$ Sec.

79.98

The cor to secs 17, 18, 19 & 20

Surface level

Soil 2nd rate

Some grass

Scattering brush

N89°21'W on a random line bet secs 18 & 19

Va 12°27'E

40.00

Set temporary $\frac{1}{4}$ sec cor

T12 SR 29E

chain

77.64 Intersect the W bay,
of Twp 22 links S of
Cor to secs 13, 18, 19 & 24
previously described by
me.

Thence I run
S 89° 12' E on a true
line bet secs 18 & 19
with same ga

77.64 Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins
E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. in E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

77.64 The cor to Secs 17, 18, 19 & 20

T 12 SR 296

Chain

Surface level
 Soil 2nd rate
 Some grass
 Scattering brush

North lot secs 17 & 18

T 12° 27' E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T12 SR 22 E

Chain
80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 7, 8, 17 & 18, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins in the ground marked T12 S S. 8 on N.E. R. 22 E S 17 on S.E. S. 18 on S.W. and S 7 on N.W. faces, with 4 notches on S, and 5 notches on E edges.

Surface nearly level
Soil 2nd rate
Some grass
Scatteringly brush

S 89° 21' E - in a random
line bet Secs 8 & 17

Y 12° 27' E

40.00

But temporary 1/4 sec com

T12 SR 296

Chain

79.92

Intersect the N & S
line 27 links S of cor
to sec 8, 9, 16 and 17.

Thence I run
N 89° 32' W. on a true
line bet sec 8 & 17
with some va.

39.96

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $\frac{1}{4}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $\frac{3}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
T#00.

79.92

The cor to sec 7, 8, 17 & 18
Surface level
Soil 2nd rate
Some grass

T 12 SR 29E

Chain

Scattering brush

$989^{\circ} 21' W.$ on a random
line bet secs 7 and 18

va $12^{\circ} 27' E$

40.00 Set temporary 1/4 sec cor
77.20 Intersect the W. body
of the 46 links S of
cor to secs 7, 12, 13 and 18

precisely

described by me.

There I run

$889^{\circ} 1' E$ on a true
line bet secs 7 and 18
with same va

88

BOOK 773

T12 SR 29E

Chain

37.20

Deposited a marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. Aug pits is a $\frac{1}{4}$ Sec. 12 ins.

E and W of stone 13 ft. 11 in. deep a mound of earth 14 ft. high 13 ft. 11 in. over it. In C pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S. on W face.

43.00
77.20

Crossroad brs. N.E and S.W

The cor to sec 7, 8, 17 & 18

Surface level
Soil 2nd rate
Some grass
Scattering brush

North br sec 7 & 8

N 91^o 27' E

D12 SR 29E

Claims

40.00

Deposited a marked stone 12 ins. in the
ground for 1st Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 34 feet dist. and raised
a mound of earth 1 1/2 ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/2 S. on W

65.60

80.00

~~cross road bns N.E. and S.W.~~
Deposited a marked stone 12 ins. in the
ground for Cor to Secs 5, 6, 7 & 8, dug pits
18 x 15 x 12 ins. in each Sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 12 S
S. 5 on N.E., R. 29 E S. 8 on S.E. S. 7
on S.W. and S. 6 on N.W. faces, with
5 notch ~~es~~ on S, and 5 notch ~~es~~

Surface level

Soil 2nd rate

Some grass

Scattering brush

T12 SR 29E

Chains

S89°21'E on a random
line bet secs 5 & 8
wa 12°27'E

40.00 Set temporary 1/4 sec cor

80.06 Intersect the N & S
line 16 links S of cor
to secs 4, 5, 8 and 9.

Thence I run
N89°28'W. on a true
line bet secs 5 and 8
with same wa.

40.03

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

72.36

Cross Road bears N8°51'W

T12 SR 29E

chains

80.06 The cor to secs 5, 6, 7 and 8
 surface level
 Soil 2nd rate
 Some grass
 Scattering brush

N 89° 21' W. on a random
 line bet secs 6 & 7

N 120° 27' E

40.00 Set temporary 1/4 sec cor
 76.56 Intersect the W. bay
 of T12 25 links S of cor
 to secs 16, 7 and 12
 previously described by
 me.

Thence run.

T 12 S R 22 E

Chains

S 89° 10' E on a true
line bet secs 6 & 7
with same *va*

36.5-6

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18" x 18" x 12 ins.

E and W of stone 54 feet apart and raised
a mound of earth 15 ft. high 24 ft. long over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

76.5-6

The cor to secs 5, 6, 7 & 8

Surface level

Soil 2nd rate

Some grass

Scattering brush

T12 SR 29E

Chains

North on a random
line bet secs 5 & 6.

$\text{Bearing } 120^{\circ} 27' \text{E}$

40.00

Set temporary $\frac{1}{4}$ sec cor

80.14

I intersect the W. bdy.
of Twp 22 links W of
cor to secs 5, 6, 31 and 32
which is a Post 4 in.
sq. in mound of earth
marked.

T11 S. 832 on N.E

R 29E. 85 on S.E

T12 S. 86 on S.W

and Sec 31 on N.W ^{corner}
with 1 notch on W end
5 notches on E edges
and pits of required size.

T 12 S R 29 E

Chain

40.14

Hence I run 90° $9' W$. on a true line bet Secs 5 & 6 with same $90'$

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins. N and S of stone $5\frac{1}{2}$ feet apart. A mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.14

The cor to secs 5, 6, 7, 8

Surface level

Soil 2nd rate

Some grass

Scattering brush

I carefully examined the adjustments of my solar transit particularly the reversing and latitude apparatus

and found them correct.

Feb 4th 1885

General Description
of Tr 12 S R 29 E

This Tr. is mostly level, some parts a little rolling. The grass is not of very good quality, and soil is 2nd rate. Dense brush in S. W. part of


Tr. no water is found on the surface except the San Simon ^{well}, which enters in the middle

96

BOOK 773

of see 13 and flow
N.W. through sec
13, 12, 1 and 2.

For final path
see Book No. 12



U. S. Surveyor General's Office,

Tucson, Arizona, June 5 1885

The foregoing Field Notes of the Survey of the

subdivisions of
Township 12 South
Range 29 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

John E. Smith
Deputy Surveyor, under his contract of the 19th
day of December, 1884having been
critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.Raphael Johnson
Surveyor General.