

most compared
misdeyed

7

BOOK 774

No. 774

Field Notes

BOOK 774

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 12 S Range 30 E

Gila and Salt River Base and Meridian

ARIZONA.

No. 774

By John C. Smith D. S.

under contract dated Dec 10th 1884

Survey commenced Feb. 9th 1885.

Survey completed Feb. 11th 1885.

774

BOOK 774

Township 12 S R. 30 E

Grand S. C.

6	91	5	65	4	50	3	33	2	18	1
89	88		64		48		37			17
7	86	8	62	9	47	10	30		15	12
85	83		61		46		29			14
18	82	17	60	16	44	15	28	14	13	13
80	79		59		43		26			11
19	78	20	57	21	42	22	25	23	10	24
76	74		56		40		24			8
30	73	29	55	28	39	27	23	26	6	25
71	70		53		38		22			5
31	67	32	57	33	36	34	20	35	3	36

For preliminary oath
and description of
instrument see Book
No. 1

T12 S. R 306.

No. 774

chain

Beginning at the
 cor. to Secs 1, 2, 35 & 36
 T12 S. R 306 on Sbdy
 of Sp. which is a
 post 4 in sq. in mound
 of earth marked.

T12 S. S36 on N.E
 R306 S1 on S.E.

T13 S S2 on S.W and
 S35 on N.W. faces
 with 1 notch on E and
 5 notches, on W. edges.

Run N bet
 Secs 35 and 36

T12 S R 306

T12 SR 308

chains

40.00

deposited a marked stone 12 ins. on the ground for $\frac{1}{4}$ Sec. Cor. deep hole $18 \times 18 \times 12$ ins. N and S of stone $3\frac{1}{2}$ feet diameter raised a mound of earth $1\frac{1}{2}$ ft. high $8\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set a Malpais stone $13 \times 10 \times 7$ ins 8 ins in the ground for cor to Sec 25:26. 35 and 36 marked with 1 notch on S and 1 notch on E edge and raised a mound of stone along side surface level
 Sall $3\frac{1}{11}$ rate
 Grass poor

T 12 S. R 30 E

chains

S $89^{\circ}19' E$ on a random
line bet secs 25 & 36

On $12^{\circ}30' E$

40.00 Set temporary 1/4 Sec cor

80.09 Intersect the E bdy. of
T_p. 15 links N. of cor to
Secs 25, 30, 31 and 36
which is a Volcanic stone
 10×9 ins above the ground
marked with 1 notch on
S and 5 notches on N
edges and mound of
earth and pits of required
size.

Thence run

N $89^{\circ}13' W$ on a true
line bet Secs 25 & 36 with

T12 SR 30E

chains

same as

40.04

Set a Malpais stone
 9x9x8 ins 5 ins in
 the ground for 1/4
 Sec cor. marked 1/4 on
 N face. and raised a
 mound of stone along
 side.

80.09

The cor to Secs 25, 26
 35 + 36

Surface level

Soil 3rd rate

Grass poor

North bet Secs

25 + 26

T12 SR 30E

Chain

T12 SR 30E

40.00 Set a Malpais stone
 12x9x6 ins 7 ins in the
 ground for 1/4 Sec cor
 marked 1/4 on W face
 and raised a mound
 of stone alongside

80.00

Deposited a marked stone 12 ins. in the
 ground for Cor to Sec. 23, 24, 25⁹ and 26 dug pits
 18x18x12 ins in each Sec. 5 1/4 ft. dist and
 raised a mound of earth 2 ft. high 4 1/4 ft. base
 over it. In S. E. corner a stake 2 ins sq 2
 ft. long 12 ins in the ground marked T. 12 S
 S. 24 on N.E. R 30 E S 25 on S E S 26
 on S W and S 23 on N W faces with
 2 notch ~~on~~ on S, and 1 notch
 on E edges.

Surface level
 Soil 3 1/4 rate

712 SR 30E

Chains

Grass floor

S 89° 19' E on a random
line bet Secs 24 & 25

W 120° 30' E

40.00 Set temporary $\frac{1}{4}$ Sec cor

80.22 Intersect the E bdy of
Twp. 13 links N. of cor
to Secs 19, 24, 25, & 30

which is a Volcanic
stone 14.9. above the
ground marked with
2 notches on S. and
4 notches on N. edges
fits and mound of
earth of required size.

P12 S R 308

chain

Pierce Run

N 89° 13' W. on a
true line bet Secs 24 & 25
with same $\frac{1}{4}$ A.

40.11

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.22

The cor to Secs 23, 24, 25 & 26

Surface level

Soil 3 $\frac{1}{2}$ rate

Grass floor

T12 SR 30E

Chamiz

North bet Secs 23 + 24

N 12° 30' E

- 40.00 Set a Malpais stone
15 x 8 x 8 ins 9 ins in
the ground for $\frac{1}{4}$ Sec
cor marked $\frac{1}{4}$ on N.
face, and raised a
mound of stone alongside.
- 80.00 Set a Malpais stone,
12 x 12 x 8 ins 7 ins in
the ground for cor
to Secs 13, 14, 23 and 24
faces with 3 notches
on S and 1 notch on
E edges, and raised a
mound of stone along
side

T12 S R 30 E

Chain

Surface level

Soil 3rd rate

Grass poor

S 89° 19' E on a random
line bet Secs 13 + 24

N 12° 31' E

40.00 Set temporary 1/4 Sec cor

80.40 Intersect the E bdy of T₁₂
7 line N. of cor to Secs
13, 18, 19 + 24 which is a
Volcanic rock 8x5 in
above the ground marked
with 3 notches on N and S
edges. pits and mound
of required size.

T12 S R 318

Chamis

Thence I run
 N 89° 16' W. on a true
 line bet Secs 13 & 24 with
 same Va.

40.20

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

East $\frac{1}{2}$ W of stone $\frac{1}{4}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In $\frac{1}{2}$ pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.40

face. The cor to Secs 13,
 14, 23 & 24

Surface level
 Soil 3rd rate
 Good Grass

T 12 S R 30 E

chain

North bet Secs 13+14
T 12 S R 30 E

40.00

Set a Malpais stone, 10 x 8 x 7 ins., 6 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

80.00

Set a Malpais stone 15 x 10 x 7 ins 9 ins in the ground for cor to Secs 11, 12, 13 + 14 marked with 4 notches on S and 1 notch on E edges and raised a mound of stone alongside
Surface level
Soil 3rd rate
Good grass

T12 SR 30E

Chain

S 89° 19' E on a random
line bet. Secs 12 & 13
VA 12° 30' E

40.00 Set temporary 1/4 Sec cor

80.20 Intersect the E bdy of
T_p. 20 line N. of cor
to Secs 7, 12, 13 & 18 which
is a Volcanic rock
12x4 mi. above the
ground marked
with 4 notches on S and
2 notches on N. edge
and mound of stone
alongside.

Hence I run
N 89° 10' W. on a true
line bet sec 12 & 13

T12 S R 30 E

Chain

with same Va.

40.10 Set a Malpais stone 12 x 9
x 9 ins 7 ins in the
ground for 1/4 Sec cor
marked 1/4 on N. face
and raised a mound
of stone alongside.

80.20 of the cor to Secs 11, 12, 13 & 14
Surface level.
Soil 3/4 rate
Good grass

North bet Secs 11 & 12
Va 12 30 E

40.00 Set a Malpais stone
13 x 8 x 7 ins 8 ins in the
ground for 1/4 Sec cor

T12 SR30E

Chamiz

marked 14 on W. face
and raised a mound
of stone alongside.

80.00

A Malpais rock in
place 42373 ft. above
the ground, which
I marked with a cross (+)
at each ^{cor point} for cor to Secs
12, 11 and 12 and with
5 notches on S and 1
notch on E. edges. and
raised a mound of
stone alongside.

Surface rolling
\$ all 3rd rate
grass floor

T12 SR 3 & E

Chain

S 89° 19' E on a random
line bet Sec 1 & 12

Va 12 030' E

37.40

I set a Malpais stone
10x10x6 ins in the ground
marked N. C. 14 on the
face and raised a
mound of stone alongside
for witness cor. This
cor is at the foot of
a perpendicular bluff
and the remainder of
the mile is unmeasurable
Surface mountainous
Soil 4th rate
Grass poor

T12 SR 30E

chains

North on a random
line bet Secs 1+2N $92^{\circ}30'E$ 40.00 Set temporary $\frac{1}{4}$ Sec cor80.16 Intersect the N bdy of
T 90 bdy E. of cor to
secs 1, 2, 35 and 36which is a Volcanic
rock 12x7 above the
ground markedwith 1 notch on E and
5 notches on W. edges
and a mound

of stone alongside.

Thence run
S $09^{\circ}E$ on a true
line bet Secs 1+2

T12 S A 30E

Chambers

with same Pa.

24.16 Foot of bluff bears E + W
and ascend slope40.16 After making the correct
allowance I set a Malpais
stone 10x10x 8 ins 6 ins
in the ground. for ¹¹/₄
sec cor marked ¹¹/₄ on W.face and raised a
mound of stone alongside
and ascend60.16 Top of Orange butte and
descend

80.16 The cor to Sec 12, 11 & 12

Surface mountainous

Soil 3rd rate

Grass poor

T 12 S R 30 E

Chains

From the cor
to Secs 2, 3, 34 & 35
T 12 S, R 30 E on S
bay of Sp. which is
a post 4 in sq
in mound of earth
marked Sp. 12 S,
S 35 on N. E

R 30 E S. 2 on S. E
T 13 S, S 3 on S. W and
S 34 on N. W. faces
with 2 notches on
E and 4 notches on
W. edges

Run 15 bet
secs 34 & 35

Q 12 S R 30 E

P12 S R 30E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for 1st Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base on it. In NW pit drove a stake 2 feet long 2 ins sq. 12 ins. in the ground marked 1/4 S. on NW face.

80.00

Set a Malpais stone 10 x 10 x 9 ins 6 ins in the ground for cor to Secs 26, 27, 34 + 35 marked with 1 notch on S and 2 notches on E edges and raised a mound of stone alongside.
 Surface level
 Soil 3 1/4 rate
 Grass floor

$T\frac{1}{2} S R 30 E$

Chains

$S 89^{\circ} 19' E$ on a random
line bet Secs 26 + 35

$\text{Va} 120.30 E$

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.98 Intersect the T + S line
17 links N of cor to
Secs 25, 26, 35 + 36.

Thence I run

$N 89^{\circ} 12' W$ on a
true line bet Secs 26 + 35
with same Va .

39.99

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

Q 12 S R 30 E

Chains

79.98 The cor to Secs 26, 27, 34 and 35
 Surface level
 Soil 3rd rate
 Grass fair

North bet Secs 26 & 27
 Q 12° 30' E

40.00 Set a Malpais stone, 13 x 10 x 7 ins. & ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W
 face, dug pits 18 x 18 x 12 ins. N and S
 of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. alongside.

80.00 Set a Malpais stone 16 x 8 x 7 ins., 7 ins. in
 the ground for Cor. to Secs, 22, 23, 26 & 27 marked
 with 2 notches on S. and 2 notches on E. edges,
 dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft.
 dist. and raised a mound of earth 2 ft. high,
 4 ft. base. alongside.

T12 SR. 30E

Chains

Surface level
 Soil 3¹/₄ rate
 Grass floor

S89°19'E on a
 random line bet Secs
 23 & 26

Wa 12030'E

40.00 Set temporary 1/4 Sec cor
 79.88 Intersect the N and S
 line 22 links N of
 cor to Secs. 23, 24, 25
 and 26.

Thence I run
 S89°10'W. on a true
 line bet Secs 23 and 26

Q12 SR 30E

chains

with same Ora

39.94 Set a Malpais stone 13
x 11 x 7 in 9 in in the
ground for 1/4 Sec cor
marked 1/4 on N. face
and raised a mound
of stone alongside.

79.88 The cor to Secs 22, 23, 26 + 27
Surface level
Soil 3rd rate
Grass poor

North bet Secs 22 + 23
Ora 12 '30 E

D12 SR 308

Chains

40.00

Set a Malpais stone, 10 x 10 x 8 ins., 6 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

80.00

Set a Malpais stone 14 x 11 x 9 ins., 9 ins. in the ground for Cor, to Secs, 4, 15, 22 & 23 marked with 3 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base, alongside.

Surface level
Soil 3 $\frac{1}{2}$ rate
Grass poor.

S 89° 19' E on a random
line bet Secs 14 & 23
Wa 12° 30' E

T12 S R 30E

chains

40.00 Set temporary $\frac{1}{4}$ Sec cor
 79.90 Intersect the N + S line
 19 links N of Cor to secs
 13, 14, 23 and 24.

Thence I run
 N89° 11' W. on a true
 line bet secs 14 & 23
 with same @a.

39.95 Set a Malpais stone 12x8
 x7 ins 7 ins in the
 ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ on N. face
 and raised a mound

79.90 of stone alongside
 of the cor to secs 14, 15, 22 & 23
 Surface level
 Soil 3⁵⁰/₁₀₀ rate
 Grass savor

712 SR 308

Chamie

North bet Secs 14 & 15

712 SR 308

40.00 Set a Malpais stone 13 x
 16 ins. 8 ins. in the ground
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on W
 face and raised a mound
 of stone alongside.

80.00 Set a Malpais stone 17 x 12
 x 10 ins. 11 ins. in the ground
 for cor to Secs 10, 11, 14 & 15
 marked with 4 notches
 on S. and 2 notches
 on E. edges and raised
 a mound of stone alongside.
 Surface level
 Soil 3rd rate

T12 SR 30E

chains

Grass floor

S89°19'E on a random
line bet Secs 11 & 14

Wa 12°30'E

40.00 Set temporary 1/4 Sec cor

79.96 Intersect the N+S line
28 links N. of cor to Secs
11, 12, 13 + 14.

Thence I run

N89°7' W. on a true
line bet secs 11 and 14
with same Wa.

19.96 Cross Dry Wash course S. W.

39.98 Set a Malpais stone
2x8x7 ins 5 ins. in the

T12 S R 30 E

chain

ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N. face
and raised a mound
of stone alongside.

79.96

The cor to Secs 10, 11,
14 and 15

Surface level

Soil $3\frac{1}{2}$ rate

Grass poor

North bet Secs 10 & 11

Q19 12° 30' E

40.00

Set a Malpais stone
15x8x6 in. 9 in. in the
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on W. face

712 S R 308

chain

and raised a mound of
stone alongside.

80.00

Set a Malpais stone 16x8
x5 ins. 10 ins in the ground
for cor to Secs 2, 3, 10^{and} 11
marked with 5 notches
on S and 2 notches on
E. edges and raised a
mound of stone alongside

Surface level

Soil 3rd rate

Grass poor

Dense brush

S89°19'E on a random
line bet Secs 2 and 11

912 SR 30E

chains

On 9.2° 30' E

40.00 Set temporary $\frac{1}{4}$ Sec cor
79.84 Intersect the N+S line
20 links N. of cor to
secs 1, 2, 11 + 12.

Thence I run

N 89° 10' W. on a true
line bet Secs 2 + 11 with
same On. and descend
slope

36.84 Foot of slope

39.92 after making the correct
allowance I Set a Malpais
stone 14 x 8 x 6 ins. 9 ins.
in the ground for $\frac{1}{4}$
Sec cor marked $\frac{1}{4}$ on N.
face and raised a mound

T12 SR 3 8E

Chains

of stone alongside.
 79.84 The cor to Secs 2, 3, 10 & 11
 Surface 36.84 chs vtz
 Soil 4 ft. rate 43.00 chs level
 Grass floor
 Dense brush

North on a random
 line bet Secs 2 & 3

N 120° 30' E

40.00 Set temporary 1/4 Sec cor
 79.96 Intersect the N. bdy of
 T12 1/2 miles E. of cor to
 Secs 2, 3, 34 & 35 which is
 a Volcanic rock 8 B mi
 above the ground

912 SR 38 E

Chains

marked with 2
notches on E and 4
notches on W. edges and
a mound of stone
alongside.

Thence I run
80° 5' E. on a true
line bet Sec 2+3 with
same W.

39.96 Set a Malpais stone
3 x 7 x 6 ins., 9 ins
in the ground for ¹⁴
Sec cor marked ¹⁴ on W.
face and raised a
mound of stone along-
side.

79.96 The cor to Secs 2, 3, 10 & 11

T12SR318

Chain

Surface level

Soil 3rd rate

Grass floor

I carefully examined
the adjustments of my
solar transit particularly
the latitude and reversing appa-
ratus and found them correct

Feb. 9th 1885

T12 S R 30 E

Chains

From the cor to Secs
3, 4, 33 and 34 T12 S
R 30 E on S. side of T12 S
which a Post 4 in sq
in mound of earth
marked.

T12 S. S. 34 on N. E
R 30 E S. 31 on S. E

T13 S. S. 4 on S. W
and Sec. 33 on N. W
face with 3 notches on
E & W. edges, pits of required
eye
2 1/2
Dum W bet Secs
33 and 34

T12 R 30 E

912 SR 30E

Main

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on ~~W~~ face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 27, 28, 33 and 34, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 12 S S. 27 on N.E., R. 30E S 34 on S.E. S. 33 on S.W. and S. 28 on N.W. faces, with 1 notch on S. and 3 notches on E edges.

Surface level
Soil 3 $\frac{1}{2}$ rate
Grass floor

T12 SR 30E

chains

S 89° 19' E on a random
line bet Secs 27 and 34
Va 12° 30' E

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N and S
line 22 links N of cor
to Secs 26, 27, 34 & 35.

Thence I run.

N 89° 10' W on a true
line bet Secs 27 & 34
with same Va.

39.95

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 in.

E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

512 SR 30E

Chamie

- 45.00 Cross Road bears N.W + S.E
- 4.90 Cross San Simon Creek Course NW
- 9.90 The cor to Secs 27, 28, 33 + 34
- Surface level
- Soil 3/4 rate
- Grass floor

North bet Secs 27 + 28
512 030E

- 22.90 Cross San Simon Creek course NW
- 30.00 " Road bears N.W + S.E
- 40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/4 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on NW face.

912 SR30E

Chain

80.00

Deposited a marked stone 12 ins. in ground for Cor to Secs 21, 22, 27 & 28. 18 x 18 x 12 ins. in each Sec. 51 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. wide over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 128 S. 22 on N.E. R. 30 E S. 27 on S.E. S. 28 on S.W. and S. 21 on N.W. faces, with 2 notches on S, and 3 notches on E edges.

Surface level

Soll 3 1/2" rate

Grass poor

S 89° 19' E on a random line bet Sec 22 + 27

Q 912, 038 E

40.00 Set temporary 1/4 Sec cor

80.03 Intersect the N + S line

T12 S R30E

Chain

16 links N of cor to Secs
22, 23, 26 + 27.Thence I run
N 89° 12' W. on a true
line bet Secs 22 + 27 with
same Va.

40.01

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high 34 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.03

The cor to Secs 21, 22, 27 + 28

Surface level

Soil 3rd rate

Grass fair

T12 SR 38 E

Chains

Anchor bet Secs 21+22

T12 SR 38 E

40.00 Set a Malpais stone 10x9
x 8 ins 6 ins in the ground
for 114 Sec cor marked
114 on W. face and
raised a mound of stone
alongside.

48.00 Cross Dry Wash Course W

80.00

Deposited a marked stone 12 ins. in the
ground for Cor to Secs 15, 16, 21+22 dug pit
18 x 18 x 12 ins in each Sec 8 1/2 ft. dist and
raised a mound of cor to 2 ft. high 11 ft base
over it. In S.E. 1/4 there a stake 2 ins sq 2
ft. long 12 ins in the ground marked T. 12 SR
S. 15 on N.E. R. 306 S. 22 on S.E. S. 21
on S.W. and S. 16 on N. W. faces. with
3 notches on S, and 3 notches
on E edges.

T12 SR 30E

No. 774

Chain

Surface level

Soil 3rd rate

Grass poor

$S89^{\circ}19'E$ on a random
line bet Secs 15 & 22

QVa $12^{\circ}30'E$

40.00 Set temporary "4 Sec cor

80.10 Intersect the N & S line
28 links N. of cor to Secs
14, 15, 22 & 23.

Thence from

$S89^{\circ}07'W$ on a true
line bet Secs 15 and 22
with same Qv.

T12 SR 308

Chains

40.05

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 24 feet dist and raised
a mound of earth 14 ft high 24 ft base
d. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.10

1 sec.

The cor to Secs 15, 16
21 & 22

Surface level

Soil 3rd rate

Good grass

North bet Secs 15 & 16

T12 SR 308

T12 SR 38E

Chain

4000

Deposited a marked stone 19 ins in the ground for $\frac{1}{4}$ Sec. Cor, dug pits 18 x 18 x 12 ins N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft high 38 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.0 d

Set a Volcanic stone 12 x 8 ins, 7 ins. in the ground for Cor, to Secs. 9, 10, 15 & 16 marked with 4 notches on S. and 3 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 41 ft. base. alongside.

Surface rolling

Soil 3rd rate

Grass poor

Dense brush

T 12 S R 30 E

chain

S $89^{\circ} 19' E$ on a random
line bet Secs 10 & 15

Wa $12^{\circ} 30' E$

40.00

Set temporary $\frac{1}{4}$ Sec cor

79.94

Intersect the N + S line
15 links N. of cor to Secs
10, 11, 14 & 15.

Thence I run

N $89^{\circ} 13' W$ on a true
line bet Secs 10 and 15
with same Wa.

39.97

Set a Malpais stone
 $12 \times 8 \times 7$ ins 7 ins in
the ground for $\frac{1}{4}$ Sec
Cor marked $\frac{1}{4}$ on N. face
and raised a mound
of stone alongside.

T 12 SR 30 E

Name
79.94

The cor to Secs 9, 10, 15 + 16
 Surface level
 Soil 3rd rate
 Grass floor

North bet Secs 9 + 10
 WA 12° 30' E

40.00 Set a Malpais stone
 12x10x6 ins 7 ins in
 the ground for 1/4 Sec
 cor marked 1/4 on W. face
 and raised a mound
 of stone alongside.

80.00 Set a Malpais stone
 14x10x8 ins 9 ins in the
 ground for cor to

T12 SR 30E

Chains

Secs 3, 4, 9+10 marked
with 5 notches on S
and 3 notches on E
edges. and raised a
mound of stone along
side.

Surface level

Soil 3rd rate

Grass poor

S89°19'E on a random
line bet Secs 3+10

On 12'30E

40.00

Set temporary 1/4 Sec cor

80.04

Intersect the N+S line

28 links N. of cor to

T12 S R30E

Chains

Secs 2, 3, 11 and 12.

Thence I run

N 89° 07' W. on a true
line bet Secs 3 & 10 with
same Pa.

40.02 Set a Malpais stone.
15x9x8 in. 9 in. in the
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N. face
and raised a mound
of stone alongside.

80.04 The cor to Secs 3, 4, 9 and 10
Surface rolling
Soil $\frac{4}{5}$ rate
Grass poor
Dense brush

712 S R 308

Chain

North on a
random line bet Secs 3+4
@ Va $12^{\circ}30'E$

40.00 Set temporary $1/4$ Sec cor
80.04 Intersect the north bdy.
of Twp. 20 lines E of cor
to Secs 3, 4, 33 and 34
which is a Volcanic
rock 8x6 ins above the
ground marked with
with 3 notches on E & W
edges and mound of
stone alongside.

Thence True

$80^{\circ}9'E$ on a true
line bet Secs 3+4 with
same @ Va.

T 12 S R 30 E

Chains

40.04

Set a Malpais stone, 12 or 8 x 8 ins. 7 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W face, dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. alongside.

80.04

The cor to Secs 3, 4, 9 & 10

Surface level

Soil 3rd rate

Grass poor

From the cor to Secs 4, 5, 32 and 33 T 12 S R 30 E. on S day. of the which is a post 4 ins. sq in mound of earth marked.

T 12 S. S. 33 on N.E

T12 SR:30E

chains

R30E. S4 on S.E
 T13S. S5 on S.W. and
 S32 on N.W. faces
 with 2 notches on W.
 and 4 notches on E. edges
 I run N. bet
 Secs 32 and 33

Ova 12° 30'E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 18 x 12 ins.

W and S of stone $5\frac{1}{2}$ feet dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T12 SR30E

Chassis

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 28, 24, 32 & 33, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins in the ground marked T. 12 S 28 on N E. E 30 E S 33 on S E. S 32 on S W and S. 29 on N. W. faces, with 1 notch on S, and 4 notches on E edges.

Surface level

Soil 3rd rate

Grass fair

Dense brush

889° 19' E on a random line bet Secs 28 & 33

T 12 30 E

40.00

Set temporary 1/4 Sec cor

T12 SR 30E

chain

Grass floor
Dense brushS89°19'E on a random
line bet Secs 21 and 28

O/A 12°30'E

40.00 Set temporary $\frac{1}{4}$ Sec cor80.14 Intersect the N and S
line 10 links S of cor
to Secs 21, 22, 27 + 28

Thence from

N89°23'W. on a true
line bet Secs 21 and 28
with same O/A.

T12 S R 30 E

Chanis	
40.07	Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 1/2 feet distance entered a mound of earth 1 1/2 ft. high 3 1/2 ft. bare over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.
60.00	Cross Road bears N. W. S. E
73.14	" San Simon Creek course N. W.
80.14	The cor to Secs 20, 21, 28 + 29
	Surface level
	Soil 2 nd rate
	Grass poor
	Dense brush
	North bet Secs 20 + 21
	Q 12030 E
17.00	Cross San Simon Creek course W

58

912 SR 30E

Chairs

21.30

Cross Road bears N.W. & S.E.

40.00

Deposited a marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. dug pits in 18×12 N and S of stone $4\frac{1}{2}$ ft. dist and raised a mound of earth 14 ft. high $3\frac{1}{2}$ ft. base. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set Malpais stone 6×12 ins. in the ground for Cor. to Secs. 16.17.20 + 21 with 3 notches S. and 4 notches edges dug pits $18 \times 18 \times 12$ ins. in each $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 ft. base. alongside.

Surface level

Soil 3rd rate

Grass poor

Dense brush

T12SR30E

Chains

S89°19'E on a random
line bet Secs 16 + 21

N912°30'E

40.00 Set temporary 1/4 Sec cor

79.95 Intersect the N + S line 20
links S of cor to Secs 15
16, 20 and 21.

Thence Iron

N89°28'W on a true
line bet Secs 16 + 21 with same Va.

39.97

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins.E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked 1/4 S. on N
face. The cor to Secs 16, 17, 20 + 21

79.95

Surface level

Soil 2nd rate

T12 SR30E

Chamiz

Grass fair
Dense brush

North bet Secs 16+17

T12 SR30E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 8, 9, 16 + 17, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 9 on N.E. R. 30 E. 16 on S.E. S. 17 on S.W. and S. 8 on N.W. faces, with 4 notches on S, and 4 notches on E edge.

T128R30E

Chain

Surface level

Soil 3rd rate

Grass poor

Dense brush

S89°19'E on a random
line bet Secs 9 & 16

Wa 12°38'E

40.00 Set temporary 1/4 Sec cor

80.00 Intersect the 1/4 S line

24 links S. of cor. to Secs

9, 10, 15 and 16.

Thence from

S89° 29' W. on a true

line bet Secs 9 & 16

with same Wa.

T12 SR 308

cc chains

40.00

Deposited a marked stone 12 ins. in dia.
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18×12 ins.
E and W of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.00

The cor to Secs 8, 9, 16 & 17

Surface level

Soil 3 $\frac{1}{2}$ % rate

Grass poor

Dense brush

North bet Secs 8 & 9

Q12 030'E

T12 S R 30 E

chain
40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set a Malpais stone 12 x 10 x 8 ins., 7 ins. in the ground for Cor. to Secs. 1, 3, 8 & 9 marked with 5 notch on S. and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base. alongside.

Surface level
Soil 3rd rate
Grass poor
Dense brush

T 12 SR 30 E

chains

S $89^{\circ} 19' E$. on a random
line bet Secs 4 & 9

Va $12^{\circ} 30' E$

40.00

Set temporary "4 Sec cor

80.12

Intersect the N + S
line 16 links S of cor
to Secs 3, 4, 9 & 10.

Thence I run

N $89^{\circ} 26' W$. on a

true line bet secs 4
& 9 with same Va.

8 40.06

Set a *malpas* stone, 10 x 10 x 8 ins., 6 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N
face, dug pits 18 x 18 x 12 ins. E and on
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. alongside.

712 SR31E

Chains

80.12 The cor to Secs 4, 5, 8 and 9
 Surface level
 Soil 3rd rate
 Grass poor

North on a random
 line bet Secs 4 & 5
 Ora 12° 30' E

40.00 Set temporary 1/4 Sec cor
 80.09 Intersect the N. bdy. of
 the 37 links E. of Cor
 to Secs 4, 5, 32 & 33 which
 is a mound of earth
 and pile in S.E. pit
 a stake marked
 711 S. S. 33 on N.E

T12 SR 30 E

chains

R 30 E S4 on S.E

T12 S S5 on S.W

and S 32 on N.W

faces with 4 notches
on E and 2 notcheson W. edges, pits of required
size

Thence I run

S0° 16' E. on a true

line bet Secs 4 & 5 with
with same Va.

40.09

Set a Malpais

stone, 14" 12" 10" ins., 9" ins.

in the ground for $\frac{1}{4}$ Sec, Cor. marked $\frac{1}{4}$ on W

face, dug pits 18 x 18 x 12 ins. N and S

of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

80.09

The cor. to Secs 4, 5, 8 & 9

Surface level

Soil 3rd rate

T12 SR 30E

Chains

Grass poor
dense brush

I carefully examined
the adjustments of my
solar transit to-day
particularly the latitude
and reversing apparatus
and found them correct
Feb. 10th 1885

From the cor to Secs
5, 6, 31 and 32, T12 S. R
30E. on S. side of T12
which is a Post Office.
sq in mound of earth

T12 S.R. 30E

chain

marked. T12 S. S32 on N.E.
 R 30E S5 on S.E. T13 S
 S36 on S.W. and S31
 on N.W. faces with
 1 notch on W and
 5 notches on E. edges
 Run N bet Secs
 31 and 32

Va 12030'E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

912 S. R 308

chains

St. 10

Deposited a marked stone 12 ins. in dia. ground for Cor. to Secs 29, 30, 31, 32 dug pits 18 x 18 x 12 ins. in each Sec. 34 ft. dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S 29 on N. E., R. 30 E S. 32 on S. E., S. 31 on S. W. and S. 30 on N. W. faces, with 1 notch on S, and 5 notches on E edges.

Surface level
Soil 3rd rate
Grass poor
Dense brush

T12 S R 30 E

Chains

S 89° 19' E on a random
line bet Secs 29 and 32

Oa 12 30 E

40.00 Set temporary $\frac{1}{4}$ Sec cor80.04 Intersect the N + S
line 12 links N of cor
to Secs 28, 29, 32 + 33.

Thence I run

N 89° 14' W, on a true
line bet Secs 29 + 32
with same Oa

8 40.02

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T12 SR 30E

Chains

80.04 The cor to Secs 29, 30, 31 and 32

Surface level

Soil 3rd rate

Grass floor

Dense brush

N 89° 19' W. on a random
line bet Secs 30 and 31

Q 1/2 030'E

40.00 Set temporary 1/4 Sec cor

78.12 Intersect the W. bdy of
T₁₂ 21 line N of of cor
to Secs 25, 30, 31 + 36which is a Post 4 in's
sq. in mound of earth
marked:

T12 S R 30 E

Chains

T12 S S 30. on N.E
 R 30 E S 31 on S.E
 R 29 E S 31 on S.W
 and Sec 25 on N.W.
 with 5 notches on N
 and 1 notch on S
 edges, fits of required size
 then I run
 S 89° 28' E on a true
 line bet Secs 30 + 31 with
 same W.

38.12

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 'ecc.

T12 S R 30 E

chains

78, 12

The cor to Secs 29, 30, 31 + 32

Surface level

Soil 3rd/₄" rate

Grass poor

Dense brush

North bet Secs 29 + 30

T12 S R 30 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

W and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over

it. In N pit drove a stake 2 ft. long 2 ins.



sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on

face.

W

T12 S R 308

Chain
80.00

Deposited a marked stone 12 ins. in dia. in the ground for Cor to Secs 19, 20, 29 & 30, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S S. 29 on N. E. R 308 S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. faces, with 2 notch  on S, and 5 notch  on E edges.

Surface level
soil 3rd rate
Grass poor
Dense brush

S 89° 19' E on a random
line bet Secs 20 & 29

Q 12 ' 30' E

40.00 Set temporary 1/4 Sec cor

T 12 S R 30 E

Chains

9.96 Intersect the N + S line
8 links N. of cor to Secs
20, 21, 28 and 29.

Thence Run
N 89° 16' W. on a true
line bet Secs 20 + 29 with
same @ Va

39.98

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raised
a mound of earth 14 ft. high 34 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

9.96

the cor to Secs 19, 20, 29 + 30

Surface level

Soil 3 $\frac{1}{2}$ " rate

Grass poor

Dense brush

T12 SR 308

Chains

N 89° 19' W. on a
random line bet Secs 19
+ 30

N 12° 30' E

40.00 Set temporary 1/4 Sec cor 3

78.02 Intersect the W. lay. of
Tpc. 16 miles N. of cor
to Secs 19. 24. 25 + 30
which is a Post 4 in
sq in mound of earth
marked T12 S. S19 on N. E
R308 S30. on S.E.

R298. S25 on S.W and
S24 on N.W. faces
with 2 notches on S
and 4 notches on N
edges. fits of required size

912 SR 308

Chains

Thence I run
 $S 89^{\circ} 26' E$ on a true
 line bet Secs 19 & 30 with
 same \odot & \odot .

38.02

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone $5\frac{1}{2}$ feet dist and placed
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 feet.

78.02

The cor to Secs 19, 20, 29, 30
 Surface level
 Soil 3^{rd} rate
 Grass floor
 Dense brush

T12 SR 30E

Chains

North lot Sec 19+20
T12 SR 30E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on \overline{NW} faces

43.00

Cross San Simon Creek course S.W.

45.50

" Road bears N.W. + S.E.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 17, 18, 19 + 20, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T12 S S 17 on N.E., R. 30E S 20 on S.E., S 19 on S.W. and S. 18 on N.W. faces, with 3 notch \overline{ee} on S, and \overline{y} notch \overline{ee} on E edges.

912 SR 30E

chains

Surface level
 Soil 3rd rate
 Grass floor

$S 89^{\circ} 19' E$ on a random
 line bet Secs 17 and 20

$Q 12^{\circ} 38' E$

40.00 Set temporary 1/4 Sec cor

80.00 Intersect the N + S line

15 links n. of cor to Secs
 16, 17, 20 & 21.

Thence run

$N 89^{\circ} 13' W$ on a true
 line bet Secs 17 + 20
 with same Q .

80

BOOK 774

T12 SR 308

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.00

The cor to Secs 17, 18, 19 + 20
Surface level
Soil 3rd rate
Grass poor

N 89° 19' W. on a random line bet Secs 18 + 19

On 12° 30' E

40.00

Set temporary $\frac{1}{4}$ Sec cor

77.90

Intersect the W. bdy of Tr 16 links N. of cor

712 SR 308

chains

to Secs. 13, 18, 19 & 24
which is a post 4
ins sq in mound of
earth marked.

S12 S S18 on N.E

R308 S19 on S.E

R298 S24 on S.W

and S 13 on N.W. faces
with 3 notches on N & S
edges fits of required size.

Thence Run

S 89° 26' E on a true
line bet Secs 18 & 19 with same ^{70.}

37.90

Deposited a marked stone 12 ins. in ~~the~~
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

T12 SR 308

Chains

55.99 Cross Sec. Union Creek Course N 20° W
 67.90 " Road bears N. W + SE
 77.90 The cor to Secs 17, 18, 19 + 20
 Surface level
 Soil 3rd rate
 Grass poor

North bet Secs 17 + 18
 On a 19030'E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 in.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T12 SR 30E

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 7, 8, 17 + 18; dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S. 8 on N.E. R. 30E 17 on S.E. S. 18 on S.W. and S. 7 on N.W. faces, with 4 notch es on S, and 5 notch es on edges.

Surface level

Soil 3rd rate

Grass poor

Dense brush

S 89° 19' E on a random line bet Secs 8 and 17

Q/A 12° 30' E

40.00

Set temporary 1/4 Sec cor

D12 SR 30 &

c. Chains

80.08 Intersect the N + S line
20 links N. of cor to
Secs 8, 9, 16 and 17.

Thence I run
N 89° 10' W. on a true
line bet Secs 8 + 17. with
same Va.

40.04

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.08

The cor to Secs 7, 8, 17 + 18
Surface level
Soil 3 $\frac{1}{4}$ rate
Grass poor
Dense brush

T12 S R 30 E

chains

N 89° 19' W on a
random line bet Secs.
7 & 18

T 12° 30' E

40.00 Set temporary $\frac{1}{4}$ Sec cor
77.84 Intersect the W. bdy of Sp.
18 miles N. of cor to Secs 7, 12, 13
& 18 which is a post 4 ins eq
in mound of earth marked
T12 S. S 7 on N.E. R. 30 E
S. 18 on S.E. R 29 E. S
13 on S.W. and S 12 on N.W
faces with 4 notches on
S and 2 notches on N edges
fits of required size.
Thence run

P12 SR 30E

Chains

S89°27'E. on a true
line bet Sec 7 + 18 with
same Va.

37.84

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

77.84

The cor to Secs 7, 8, 17 + 18
Surface level
Soil 3rd rate
Grass poor
Dense brush


North bet Secs 7 + 8
Va 12030'E

T 12 S R 308

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.



1 ft. and $\frac{1}{2}$ of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on 

50.00

Sec.

Deposited a marked stone 12 ins. in the ground for Cor to Secs 5-6-7+8. dug pits

18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 12 S

S. 5 on N. E., R 308 S. 8 on S. E. S. 7 on S. W. and S. 6 on N. W. faces, with 5 notch  on S, and 5 notch  on E. edges.

Surface level

Soil 3 $\frac{1}{4}$ rate

Grass floor

Dense brush

912 SR 308

chains

S 89° 19' E on a random
line bet Secs 5 & 8

W 12° 30' E

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.94 Intersect the N + S line

26 links N. of cor to
Secs 4, 5, 8 + 9.

thence I run

N 89° 8' W. on a true

line bet Secs 5 & 8 with same W.

3.9.97

Deposited & marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised

a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over

it. In E pit drove a stake 2 ft. long 2 in.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

T12 S R 30 E

Chains

79.94

The cor to Secs 5, 6, 7 + 8
 Surface level
 Soil 3rd rate
 Grass poor
 Dense brush

N 89° 19' W. on a random
 line bet Secs 6 + 7

T12 030 E

40.00

Set temporary 1/4 Sec cor

77.80

Intersect the W. bdy. of
 5 ft. 40 links N. of Cor
 to Secs 1, 6, 7 and 12 which
 is a Post 4 in. sq in
 mound of earth marked.

T12 S, S. 6. on N. E

T12 SR 30E 1

Chains

R 30E S. 7 on S.E

R 29E S12 on S.W.

and S 1 on N.W. faces
with 5 notches on S
and 1 notch on N. edges
fits of required size.

Thence from

S 89° 36' E. on a true line
bet Secs 6 and 7 with
same Va.

37.80

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
12 ins. in the ground marked $\frac{1}{4}$ S. on

912 SR 308

Chambers

77.80 The cor to Secs 5, 6, 7 + 8
 Surface level
 Soil 35% rate
 Grass floor
 Dense brush

North on a random
 line bet Secs 5 + 6
 912 0308

40.00 Set temporary 1/4 Sec cor
 80.10 Intersect the N. by of Twp. 42
 links E. of cor. to Secs. 5, 6, 31 + 32
 which is a mound of
 earth and pile m.s. &
 put a stake marked:
 9118. S. 32 on N. 8

T12 SK 308

Chains

R 30. E. S. 5 on S.E

T12 S. S. 6 on S.W and

S31 on N.W. faces with
5 notches on E. and 1
notch on W. edges.

Thence I run

S $0^{\circ}18'E$ on a true line
bet Secs 5 + 6 with
same Q.A.

40. 10

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 14 ft. base over
it. In N pit drove a stake 2 ft. long 2 ~~sq.~~
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

912 SR 30E

chains

80.10

The cor to Secs 5, 6, 7 and 8
Surface level
Soil 3rd rate
Grass poor
Dense brush

I carefully examined
the adjustments of my
solar transit to day
particularly the latitude
and reversing apparatus
and found them correct
Feb. 11th 1885

General Description

That portion of this township E of the center line is of 3rd rate soil and rocky or of a gravelly nature volcanic in its origin.

The West part is sandy or alluvial.

The surface of the entire is nearly level or rolling with the exception of that portion in the N E part about Orange Butte. The grass is poor. Brush is mostly dense Mesquite Cats claw and Greasewood.

BOOK 774

San Simon creek
flows N.W. through
the S.W. part of the
township.

For final oaths
see Book No. 12