

No. 782

BOOK 782

Field Notes

OF THE SURVEY OF THE **BOOK 782**

SUBDIVISION LINES

-OF-

No. 782

Township 13 S Range 24 E

Gila and Salt River Base and Meridian

ARIZONA.

By Theodor F. White, D. S.

under contract dated June 25, 1875.

Survey commenced Nov. 16, 1875.

Survey completed Nov. 19, 1875.

782

1A

Preliminary Oaths of Assistants.

We, Urban Passard
 and R. A. Vaequez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Urban Bernard
R. A. Vaequez

Sworn to and subscribed before me, this 18th
 day of October, 1875



John H. Harris
 Asst Deputy
 Ariz

We, B. Palm and
Wright H. Aubrey
do solemnly swear that we will well and truly per-
form the duties of Assessors and
Magistrates, respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palm
Wright H. Aubrey

Sworn to and subscribed before me this 18th
day of October, 1875.

John T. Harris
Asst Secretary
Arizona



10

4-674. BOOK 782

Township 13 S. R. 24 E. S. 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36

6	60	5	44	4	33	3	22	2	11	1
59	58	43	32	21	10					
7	57	8	42	9	31	10	20	11	9	12
56	55	41	30	19	8					
18	54	17	40	16	29	15	18	14	7	13
53	52	39	28	17	6					
19	51	20	38	21	27	22	16	23	5	24
50	49	37	26	15	4					
30	48	29	36	28	25	27	14	26	3	25
47	46	35	24	13	2					
31	45	32	34	33	23	34	12	35	1	36

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

Subdivision commenced November 16, 1875.
 From the cor. to sec. 35 & 36. on S. boundary, Iron
 North between secs. 35 & 36.
 var. 13° 50' East

As per east boundary.

40.00 Drive charred stake and
 build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1
 ft wide as per instructions for
 sec. cor. Notices near.

50.00 Drive charred stake and build
 mound of earth 2 ft high with pits
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. Drive
 a stake, marked and notched,
 2 ft long, 2 in. sq'd. 1 ft in the
 ground, as per instructions, for cor.
 to secs. 25, 26, 35 & 36. Notices near
 Land flat. Soil good. No stones
 timber or brush. Much grass

No. 782

BOOK 782 2

Township 13 S. R. 24 E.

6thth Salt River Meridian

39.96 East on random line bet sec. 25 & 26.
var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intusock E. boundary, 8 lks.

S. of cor. to sec. 25 and 26,
from which cor. Draw
S. $89^{\circ}54'$ N.

On true line between sec. 25 & 26.
var. $13^{\circ}50'$ East.

39.98 Drive charred stake and build
mound beneath 2 ft high,
with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

79.96 Cor. to sec. 25, 26, 35 & 36.

Land flat Soil good.

Much grass. No staves or
timber.

Township 13 S. R. 24 E.
Tela 4 Salt River Meridian

hs. North between secs. 25 & 26,
near. 13° 50' East.

40.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for 14 sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide
and in center of pit S. E. of
cor. drive a stake, marked
and notched, 2 ft long, 2 in.
sq'd, 1 ft in the ground as per
instructions, for cor. to secs. 23,
24, 25 and 26. No trees near.
Land flat. Soil good; grass.
No stones or timber.

Township 13 S. R. 24 E.
 T4⁹ Salt River Meridian

Tr. East on random line between sec. 24 & 25.
 var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect E. boundary 56 lbs.
 N. of cor. to sec. 24 and 25,
 from which cor. Drive
 $N. 89^{\circ}36' W.$

On true line between sec. 24 & 25.
 var. $13^{\circ}50'$ East.

40.11 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor.

No trees near.

80.22 Cor. to sec. 23, 24, 25 & 26.

Land level plain. Soil good.
 Good grass. No stones or timber.

Township 13 S. R. 24 E.
 Tada & Salt River Meridian

Sec. North between secs. 23 & 24
 var. 13° 50' East

40.00 Drive charred stake and build
 mound afeath 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 1/4 sec.
 cor. No trees near.

80.00 Drive charred stake and build
 mound afeath 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide
 and in center a pit S. E. a few
 drive a stake, marked and
 notched, 2 ft long, 2 in sq'd,
 1 ft in the ground, as per in-
 structions, for cor. to secs.
 13, 14, 23 and 24.

No trees near.

Land level. Soil good. Grass.
 No stones or timber.

Township 13 S. R. 74 E.
 Gila & Salt River Meridian

As East on random line bet sec. 13 & Mt.
 var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect E. boundary 16 lvs.
 N. a foot to sec. 13 and Mt.
 from which cor. Drive
 N. $89^{\circ}53'$ W.

On true line between sec. 13 & Mt.
 var. $13^{\circ}50'$ East.

39.97 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$
 sec. cor.

Notice near.

79.93 Cor. to sec. 13, 14, 23 and Mt
 Land level. Soil good. Grass
 No stone or timber

Township 13 S. R. 24 E.
Gila & Salt River Meridian

Sec. North between secs. 13 & 14.
var. 13°50' East.

20.00 Road from Point of Mountain to ^{Cor. N. of E.} Tower

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 11 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in sq. 1 ft in the ground, as per instructions, for cor. to secs. 11, 12, 13 and 14. No trees near.

Land level. Soil good. Grass.
No stones or timber.

Township 13 S. R. 74 E.

Section 4 Salt River Meridian

hs. East on random line bet sec. 12 & 13.
var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.67 Intersect E. boundary 58 lbs.
N. a few to sec. 12 and 13,
from which cor. True
 $A. 89^{\circ}35' N.$

Outline line between sec. 12 & 13.

var. $13^{\circ}50'$ East.

39.84 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

79.67 Cor. to sec. 11, 12, 13 and 14.
Sand level. Soil good.
Grass. No stones or timber.

Township 13 S. R. 24 E.

Gila & Salt River Meridian

Co. North between sec. 11 & 12.
var. 13° 50' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4th sec. cor. Notes near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a cor. drive a stake, marked and notched, 2 ft long, 2 in. sq, 1 ft in the ground, as per instructions, for cor. to sec.

1, 2, 11 and 12. Notes near.

Land flat Soil good.

Good grass. No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

As. East around line bet sees. 1 & 12.
var. 13° 50' East.

40.00 Set temporary 1/4 sec. cor.

80.55 Intersect E. boundary 40 lbs.
S. a foot to sees. 1. and 12. from
which cor. Drive
S. 89° 43' W.

Between line between sees. 1 & 12,
var. 13° 50' East.

40.28 Drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for
1/4 sec. cor.

Notices near.

80.55 Co. to sees. 1, 2, 11 and 12.
Land flat. Soil good. Grass.
No stones or timber.

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

- P. North on random line bet sees. 1 & 2,
 var. $13^{\circ}50'$ East
- 110.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. boundary 21 lks.
 E. a few to sees. 1 and 2, from
 which cor. Run
 $S. 0^{\circ}9' E.$
 On true line between sees. 1 & 2,
 var. $13^{\circ}50'$ East.
- 240.10 Drive charred stake and
 build mound a few inches high
 with pile 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions, for
 $\frac{1}{4}$ sec. cor.
 No trees near.
- 80.10 Cor. to sees. 1, 2, 11 and 12.
 Sand flat. Soil good. Grass.
 No stumps or timber.

Township 13 S. R. 24 E.,
 Gila Co. Salt River Meridian

Cor. North between secs. 34 & 35.
 var. 13° 50' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. 1/4 cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to secs. 26, 27, 34 and 35. No trees near. Land flat. Soil 1/2 rate for grass. No stones or timber.

Township 13 S. R. 24 E.
 Gila Salt River Meridian

Cor. Eastwarden line bet sec. 26 & 35
 var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. and S. line 10 lbs.

N. of cor. to sec. 25, 26, 35

and 36, from which cor. Run

N. $89^{\circ}56'$ W.

On true line between sec. 26 & 35.

var. $13^{\circ}50'$ East.

40.04 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.08 Cor. to sec. 26, 27, 34 & 35.

Land flat

Soil good.

No stone or timber.

Township 13 S. R. 24 E.

Gila & Salt River Meridian

Chs. North between sec. 26 & 27
 var. 13° 50' East

40.00 Drive charred stake and build
 mound of earth 2 ft high,
 with pit 1 ft deep, 2 ft long,
 1 ft wide, as per instructions, for
 1/4 sec. cor. No trees near.

80.00 Drive charred stake & build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center a pit S. E. a few
 drive a stake marked and notched,
 2 ft long, 2 in. sq'd. 1 ft in the
 ground, as per instructions, for
 cor. to secs. 22, 23, 26 and
 27. No trees near.

Land flat. Soil good. Fine grass.
 Some brush. No staves or timber.

Township 13 S. R. 74 E,
 Gila & Salt River Meridian

Rs. East on random line bet. secs. 23 & 26.
 var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect N. and S. line 11 hrs. S. of
 cor. to secs. 23, 24, 25 and 26,
 from which cor. Drive
 S. $89^{\circ}55'N$

On true line between secs. 23 & 26.
 var. $13^{\circ}50'$ East.

39.96 Drive charred stake and build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.92 Cor to secs. 22, 23, 26 and 27.
 Land flat Soil good.
 Pine grass.

No stones or timber.

November 16, 1875.

Township 13 S. R. 24 E.
 Tida & Salt River Meridian

Line North between sec. 22 & 23.
 var. 13° 50' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a p. cor. drive a stake, marked and notched, 2 ft long, 2 in. sqd. as per instructions, for cor. to sec. 14, 15, 22 and 23. No trees near. Land flat. Soil good. Fine grass. No stones or timber.

Township 13 S. R. 24 E.
 6th Salt River Meridian

Co. East on random line bet. secs. 14 & 23.
 var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.70 Intersect N. and S. line 37 lks.
 S. of cor. to secs. 13, 14, 23 and
 24, from which cor. I run
 S. $89^{\circ}44'7''$.

On true line between secs. 14 & 23.
 var. $13^{\circ}50'$ East.

39.85 Drive charred stake and build
 mound a foot $\frac{1}{2}$ high, with
 pits $\frac{1}{2}$ ft. deep, $\frac{1}{2}$ ft. long, $\frac{1}{2}$ ft. wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.70 Cor. to secs. 14, 15, 22 & 23.
 Sand level.

Soil good. Grass.

Remote from stones & timber.

Township 13 S. R. 24 E.
 Gila⁴ Salt River Meridian

Co. North between secs. 14 & 15.
 var. 13⁵⁰ East

8.00 Road from Point of Mountain to
 Bowie Co. N. of E.

40.00 Drive charred stake & build mound
 of earth 2 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instruction
 for 14 sec. cor. No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. of cor. drive
 a stake, marked and notched,
 2 ft long, 2 in. sq. d. flush the
 ground, as per instructions, for
 cor. to secs. 10, 11, 14 and 15.
 No trees near.

Sand flat. Soil good. Grass.
 Remote from stone & timber.

Township 13 S. R. 24 E.
Tola & Salt River Meridian

Run East on random line bet. secs. 11 & 14.
var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. & S. line 49 hrs. S.
of cor. to secs. 11, 12, 13 and 14,
from which cor. run
 $S. 89^{\circ}39' W.$

On true line between secs. 11 & 14,
var. $13^{\circ}50'$ East.

40.15 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.31 Cor. to secs. 10, 11, 14 and 15.
Level level.
Soil good. Grass.
No stones or timber.

Township 13 S. R. 21 E,
 Gila & Salt River Meridian

Rs. North between sec. 10 & 11,
 var. 13° 50' East

40.00 Drive charred stake and
 build mound of earth 2 ft. high,
 with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for 1/4 sec. cor.
 No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 and in center of pit S. E. of cor.
 Drive a stake, marked and
 notched, 2 ft. long, 2 in. sqd.,
 1 ft. in the ground, as per instruc-
 tions, for cor. to sec. 2, 3, 10
 and 11. No trees near.
 Land flat. Soil good.
 Grass. No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

The East or random line bet sees. 2 & 11.
var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect N. & S. line 7 lks. N.
of cor. to sees. 1, 2, 11 & 12. from
which cor. I run
N. $89^{\circ}54'7''$

On true line between sees. 2 & 11.
var. $13^{\circ}50'$ East.

40.02 Iron charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.05 Cor. to sees. 2, 3, 10 and 11.
Land flat.

Soil good. Grass.

Remote from stone and timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

Rs North-south line bet sec. 2 & 3,
var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

55.00 Road from Point of Mountain to Pueblo Viejo, var. $13^{\circ}50'$ East

79.90 Intersect N. boundary 18. lvs. E. of cor.
to secs. 2 and 3, from which
cor. Run
S. $0^{\circ}52'$ E.

On true line between sec. 2 & 3,
var. $13^{\circ}50'$ East.

39.90 Drive charred stake and build
mound of earth 2 ft high, with
pile 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.90 Cor. to secs. 2, 3, 10 and 11.
Sand level. No stones or
timber. Good grass.
Soil good.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

Ch. North between sees 33 & 34
var. 13° 50' East

- 40.00 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
driv charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. No trees near.
- 80.00 Driv charred stakes & build mound
of earth 2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, and in center of pit
S. E. a cor. driv a stake, marked
and notched, 2 ft long, 2 in. sq'd,
1 ft in the ground, as per instructions
for cor. to sees 27, 28, 33 and 34.
No trees near.
- Land flat. Soil good. Much grass.
Some brush. No stones or timber.

Township 13 SR. 24 E.

Gila & Salt River Meridian

No. Eastward line bet. sec. 27 & 31.
var. $13^{\circ} 50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. and S. line 15 lvs. N.
of cor. to sec. 26, 27, 31 and
35, from which cor. True
N. $89^{\circ} 52' W$.

On true line between sec. 27 & 31.
var. $13^{\circ} 50'$ East.

39.92 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.84 Cor. to sec. 27, 28, 33 & 31.
Land flat. Soil good.
Some brush.

No stones or timber.

Township 13 S. R. 24 E.
 T14 Salt River Meridian

Ch. North between secs. 27 & 28.
 var. $13^{\circ}50'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to secs. 21, 22, 27 and 28. No trees near.
 Land flat. Soil good.
 No stones or timber.

Township 13 S. R. 24 E.
 Gila ⁴/₄ Salt River Meridian

Co. East-south line between sec. 22 & 24
 var. 13° 50' East

40.00 Set temporary ¹/₄ sec. cor.

79.78 Intersect N. and S. line 26 lbs.

N. of cor. to secs. 21, 23, 26 and
 27¹/₄ from which cor. Drive
 N. 89° 49' W.

Outline line between sec. 22 & 24
 var. 13° 50' East.

39.89 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for ¹/₄ sec. cor.
 No trees near.

79.78 Cor. to secs. 21, 22, 24 and 28.
 Sand flat.

Salt good.

Some brush.

No stones or timber.

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

Sec. North. Sections 21 & 22.
 var. 13° 50' East

40.00 Drive charred stake & build mound
 of earth 2 ft. high, with pits
 1 ft. deep, 2 ft. long, 1 ft. wide, as
 per instructions, for 1/4 sec. cor.
 No trees near.

66.00 Road from Point of Mountain to Lower, var. E. & N.

80.00 Drive charred stake and build
 mound of earth 2 ft. high, with pits
 1 ft. deep, 2 ft. long, 1 ft. wide, and
 in center of pit S. E. a few. Drive
 a stake, marked and notched 2 ft.
 long, 2 in. sqd. 1 ft. in the ground, as
 per instructions, for cor. to secs.
 15, 16, 21 and 22. No trees near.
 Land flat Soil good. Much
 grass. Some brush. No stones or timber.

Township 13 S. R. 24 E.,
Gila ⁴⁴ Salt River Meridian

No. East on random line bet secs. 15 & 22
var. 13° 50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

56.00 Road from Point of Mountain to Bowie hrs. E. & N.

50.07 Intersect N. & S. line 10 hrs. N. of cor.
to secs. 14, 15, 22 & 23. from
which cor. Run
N. 89° 56' W.

On true line between sec. 15 & 22.
var. 13° 50' East.

40.03 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
The trees near.

80.07 Cor. to Secs. 15, 16, 21 and 22.
Land flat Soil good. Grass.
Some brush. No staves or timber.

Township 13 S. R. 24 E,
Gala & Salt River Meridian

Rs North between sees. 15 & 16,
var. $13^{\circ}50'$ East

40.00 Drive charred stake and build
mound of earth 2 ft. high, with pit
1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
and in center of pit S. E. a few
drive a stake, marked and
notched, 2 ft. long, 2 in. sq. d. 1 ft.
in the ground, as per instruc-
tions, for cor. to sees. 9, 10, 15
and 16. No trees near.
Land flat. Soil good. Grass.
Some brush. No stones or timber.

Township 13 S. R. 24 E.

Sec. 4 Salt River Meridian

Cor. East. meridian line bet. sec. 10 & 15.
var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.73 Intersect N. and S. line 41 Cas. N.
of cor. to sec. 10, 11, 14 and
15, from which cor. Drive
 $N. 89^{\circ}42' N.$

On true line between sec. 10 & 15.
var. $13^{\circ}50'$ East.

39.87 Drive charred stake and build
mound of earth 2 ft. high, with
pile 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.73 Cor. to sec. 9, 10, 15 and 16.
Sand flat.
Soil good. Grass. Some brush.
No stones or timber.

November 17, 1875.

Township 13 S. R. 21 E.
 Gila^{Co.} Salt River Meridian

Sec. North between secs. 9 & 10,
 ran. 13° 50' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for N. sec. cor. Notice near.

56.00 Road from Point of Mountain to Pueblo Vieja, ran. N. E.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions, for cor. to secs.

3, 4, 9 and 10. Notice near. Land flat. Soil good. Grass. No stones or timber.

Township 13 S. R. 74 E.
 Tola Salt River Meridian

No. East meridian line bet. sec. 3 & 10.
 var. 13° 50' East.

30.00 Road to Pueblo Viejo bet. N. E.

40.00 Set temporary 1/4 sec. cor.

79.64 Intersect. N. and S. line 20 hrs. S.
 a few to 5 sec. 2, 3, 10 and 11.
 from which cor. from
 S. 89° 51' W.

On true line between sec. 3 & 10.

var. 13° 50' East.

39.82 Durr's charred stake and build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for 1/4 sec. cor.
 No trees near.

79.64 Cor. to sec. 3, 4, 9 and 10.

Sand flat. Soil good. Grass.

Some brush. No stones or timber.

Township 13 S R. 24 E.
Gila & Salt River Meridian

Ths. North on random line bet sec. 3 & 4.
var. 13°50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.28 Intersect N. boundary 65 lns. E. of
cor. to secs. 3 and 4, from
which cor. Run
S. 0°28' E.

On true line between secs. 3 & 4.
var. 13°50' East.

40.28 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.28 Cor. to secs. 3, 4, 9 and 10.

Land flat

Soil good. A little brush on S. end.
No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

Ch. North between sec. 32 & 33
44. 13° 50 East

40.00 Drive charred stake and build mound a foot 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 4 sec. cor.

No trees near.

80.00 Drive charred stake and build mound a foot 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a foot. Drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions, for cor. to sec. 28, 29, 32 and 33. No trees near.

Land flat. Soil good. Much grass. Some brush. No stones or timber.

Township 13 S. R. 24 E.
 Tola & Salt River Meridian

Co. East random line bet sees. 28 & 33
 var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line 19 lvs. N.
 of cor. to sees. 27, 28, 33 and 34
 from which cor. run
 $N. 89^{\circ}52' W.$

On true line between sees. 28 & 33.
 var. $13^{\circ}50'$ East

40.06 Set charred stakes and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.12 Cor. to sees. 28, 29, 32 & 33.

Land flat Soil good.

Much grass.

No staves or timber.

Township 13 S. R. 24 E.

Gila & Salt River Meridian

Cor. North between sec. 28 & 29.
var. $13^{\circ}50'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 20, 21, 28 and 29. No trees near.

Land flat

Soil good.

No stones or timber

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

Ch. East random line bet. secs. 21 & 28.
 var. $13^{\circ}50'$ East

40.00 Set temporary 14 sec. cor.

80.15 Intersect N. and S. line of lcs.
 N. a few to secs. 21, 22, 24 and
 28. from which cor. Run
 $N. 89^{\circ}50' W.$

Outline line between secs. 21 & 28.
 var. $13^{\circ}50'$ East.

40.08 Iron charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec. cor.
 No trees near.

80.15 Cor. to secs. 20, 21, 28 & 29.
 Land flat. Soil good.
 Some brush. No stones or
 timber.

Township 13 S. R. 24 E.

Gila & Salt River Meridian

Run North between sec. 20 & 21.
var. $13^{\circ}50'$ East.

38.50 Road from Point of Mountain
to Bowie, Co. N. & E.

40.00 Drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for 14 sec. cor. No trees near.

80.00 Drive charred stake & build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. a few
drive a stake, marked and notched,
2 ft long, 2 in sq. d. 1 ft. in the
ground, as per instructions, for
cor. to secs. 16, 17, 20 and 21.
No trees near.

Land flat. Soil good. Grass.
No stones or timber.

Township 13 S. R. 21 E.
 Gold Salt River Meridian

Ln. East, random line bet sees, 16 & 21
 var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. and S. line 12 lvs. S.
 of cor. to sees. 15, 16, 21 and 22,
 from which cor. drawn
 $S. 89^{\circ}55' W.$

Patrol line between sees. 16 & 21,
 var. $13^{\circ}50'$ East.

40.08 Drive charred stake and build
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.17 Cor. to sees 16, 17, 20 & 21.

Land flat

Soil good. Much grass.

No stones or timber.

Township 13 S. Range 24 E.
Gila & Salt River Meridian

- Rs. North between sees. 16 & 17
var. 13° 50' East
- 40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. Notices near.
- 57.00 Road from Point of Mountain to Pueblo Viejo.
- 80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center a pit S.E. of corner a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to sees. 8, 9, 16 and 17. Notices near.
Land flat Soil good. Much grass.
No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

On East random line bet. sees. 9 & 16.
var. $13^{\circ}50'$ East

22.00 New Road to Pueblo Vieja.

80.07 Intersect N. and S. line 10 hrs. N. of
cor. to sees. 9, 10, 15 and 16. from
which cor. In line
N. $89^{\circ}56'$ W.

On true line between sees. 9 & 16.
var. $13^{\circ}50'$ East.

40.03 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.07 Cor. to sees. 8, 9, 16 and 17
Land level.

Soil good. Much grass.
No stone or timber.

Township 13 S. R. 74 E.

Grid 4 Salt River Meridian

Co. North between sec. 8 & 9
 nr. $13^{\circ}50'$ East

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S.E. corner
 drive a stake marked and
 notched, 2 ft long, 2 in. sqd. 1 ft
 in the ground, as per instruc-
 tions, for cor. to sec. 4, 5, 8 and
 9. No trees near.

Land flat. Soil good. Much
 grass. No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

On East or random line bet. sec. 4 & 9.
var. 13° 50' East

40.00 Set temporary 1/4 sec. cor.

79.89 Intersect N. and S. line 18 hrs. N.
of cor. to sec. 3, 4, 9 and 10,
from which cor. Run
N. 89° 52' W.

On true line between sec. 4 & 9.
var. 13° 50' East.

39.95 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec.
cor. No trees near.

79.89 Cor. to sec. 4, 5, 8 and 9,
Land level.
Soil good. Much grass.
No staves or timber.

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

Cor. North or random line bet. sec. 4 & 5.
 var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.80 Intersect N. boundary 62 lks. E.
 of cor. to sec. 4 and 5. from
 which cor. Run
 $S. 0^{\circ}27' E.$

Outline line between sec. 4 & 5.
 var. $13^{\circ}50'$ East.

39.80 Drive charred stake & build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

79.80 Cor. to sec. 4, 5, 8 and 9.
 Land flat.
 Soil good. Much grass.
 No stones or timber.

Township 13 S. R. 21 E.
 Tila & Salt River Meridian

Ln North between secs 31 & 32,
 var. 13° 50' East.

40.00 Drive charred stake and build
 mound of earth 2 ft high with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 1/4 sec. cor.
 No trees near.

80.00 Drive charred stake and
 build mound of earth 2 ft high,
 with pit 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor.
 drive a stake, marked and notched,
 2 ft long, 2 in. sq'd. 1 ft in the
 ground, as per instructions, for
 cor. to secs. 29, 30, 31 and 32.
 No trees near.

Land flat. Soil good. Much grass.
 Some brush. No stones or timber.

November 18, 1875.

Township 13 S. R. 24 E.
 Tola 4 Salt River Madison

The East random line bet sec. 29 & 32.
 var. 13° 50' East.

40.00 Set temporary 1/4 sec. cor.

80.22 Intersect N. and S. line 38' W. S.
 of cor. to secs. 28, 29, 32 and 33,
 from which cor. Drive
 S. 89° 44' W.

On true line between secs. 29 & 32,
 var. 13° 50' East.

40.11 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 4 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for 1/4 sec.
 cor. No trees near.

80.22 Cor. to secs. 29, 30, 31 and 32,
 Land flat.
 Soil good.
 No stones or timber.

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

Sec. West on random line bet. sees. 30 & 31.
 var. $13^{\circ} 50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.44 Intersect N. boundary 37 lbs. S.
 of cor. to sees. 30 & 31. from which
 cor. run

S. $89^{\circ} 44'$ E.

On true line between sees. 30 & 31.
 var. $13^{\circ} 50'$ East.

40.44 Drive charred stake and build
 mound of earth 2 ft high with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.44 Cor. to sees. 29, 30, 31 & 32.
 Land ascends a little N.
 Soil good. Fine grass.
 No stones or timber.

Township 13 S. R. 24 E.
 6th & Salt River Meridian

Co. North between sec. 29 & 30,
 var. 13° 50' East

40.00 Drive charred stake and build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. a cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in. sq. d. 1 ft.
 in the ground, as per instructions
 for cor. to sec. 19, 20, 29 and
 30. No trees near.

Land flat Soil good. Grass.
 Some brush. No stones or timber.

Township 13 S. R. 24 E.
 Gila & Salt River Meridian

No. East on random line bet secs. 20 & 29.
 var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line 35 lbs.

S. of cor. to secs. 20, 21, 28 and 29,
 from which cor. run
 $S. 89^{\circ}45' W.$

On true line between sec. 20 & 29
 var. $13^{\circ}50'$ East.

40.09 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.18 Cor. to secs. 19, 20, 29 & 30.
 Sand level.

Soil good. Much grass.
 Some brush. No stones or timber.

Township 13 S. R. 24 E.
Gila & Salt River Meridian

Cor. West on random line bet sees. 19 & 30
var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

68.00 Road from Point of Mountain bet. N. & E.

80.39 Intersect N. boundary 22 chs. S. of cor. from
sees. 19 & 30. from which cor. Run
 $S. 89^{\circ}51' E.$ on true line bet sees. 19 & 30.
var. $13^{\circ}50'$ East.

40.39 Set a post, marked $\frac{1}{4}$ S. of flang, flattened 3 in. wide,
 $\frac{1}{2}$ in the ground, driven charred stake and
built mound of earth $2\frac{1}{2}$ ft high, with pile of logs,
 $2\frac{1}{2}$ flang, $\frac{1}{2}$ ft wide, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

Point of Mountain station bet. S. $85^{\circ} W.$ from
this cor. about 25 chs. dist.

The Well bet. N. $78^{\circ} W.$ about 12 chs. dist.

80.39 Cor. to sees. 19, 20, 29 and 30.

Land ascends N. Soil good E. - 2nd rate
N. Good grass. No stones or timber.

Township 13 S. R. 24 E.
 6th & Salt River Meridian

to North between sec. 19 & 20
 var. $13^{\circ}50'$ East

- 8.00 Road from Point of Mountain to Bourc,
 40.00 Drive charred stake and build mound
 of earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for sec. cor. No trees near.
 80.00 Set a post, marked and notched,
 2 ft long, 3 in sq, 1 ft in the ground
 drive charred stake and build mound
 of earth 2 ft high with pits 1 ft deep
 2 ft long, 1 ft wide, as per instructions
 for cor. to sec. 17, 18, 19 and
 20. No trees near.
 Land flat
 Soil good.
 Grass. Some brush.
 No stones or timber.

Township 13 S. R. 21st E.
 6th Salt River Meridian

Rs. East on random line bet sees. 17th & 20.
 var. 13°50' East

29.00 Road to Camp Grant, hrs. N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. and E. line 15 hrs. S. of
 cor. to sees. 16, 17, 20 and 21.

from which cor. Dime
 S. 89°52' N.

Out true line between sees. 17th & 20.
 var. 13°50' East.

40.05 Dime charred stake and build
 mound of earth 2 ft high, with feet
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor.
 7 trees near.

80.10 Cor. to sees 17, 18, 19 and 20.
 Land flat Soil good. Much
 grass. Some brush. No stones
 or timber.

Township 13 S. R. 74 E.
 T4 S. Salt River Meridian

Co. Wat. on random line bet. sec. 18 & 19
 var. $13^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. boundary 12 Cos. S.
 of cor. to sec. 18 & 19, from which
 cor. Drive
 $S. 89^{\circ}55'$ E.

Outline line between sec. 18 & 19.

var. $13^{\circ}50'$ East.

39.91 Drive charred stakes and build
 mound a foot high, with
 hole 4 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.91 Cor. to sec. 17, 18, 19 and 20.
 Land flat.

Soil good. Much grass. Some
 brush. No stones or timber.

Township 13 S. R. 24 E.

6th & Salt River Meridian

Co. North between sec. 17 & 18,
 var. $13^{\circ}50'$ East.

40.00 Drive charred stake and build
 mound a feather 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Drive charred stake and build
 mound a feather 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide, and
 in center of pit S.E. corner drive
 a stake, marked and notched 2
 ft long, 2 in. sq. d. 4 ft on the
 ground, as per instructions, for
 cor. to sec. 7, 8, 17 and 18.

No trees near.

Land flat

Soil good. Much grass. Some brush.

No stones or timber.

Township 13 S. R. 74 E.
 6th & Salt River Meridian

Ch. East on random line bet. sees. 8 & 17
 var. 13°50' East.

40.00 Set temporary 1/4 sec. cor.

79.91 Intersect A. and S. line 12 hrs. S.
 of cor. to sees. 8, 9, 16 and 17,
 from which cor. I run
 S. 89°55' W.

Put true line between sees. 8 & 17
 var. 13°50' East.

39.96 Drive charred stake and build
 mound of earth 2 ft. high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for 1/4 sec. cor.
 No trees near.

79.91 Cor. to sees. 7, 8, 17 and 18.
 Sand flat.

Soil good. Much grass. Some
 brush. No stones or timber.

Township 13 S. R. 27 E.

Gila & Salt River Meridian

Cor. West random line bet. sec. 7 & 18.
var. 13° 50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect N. boundary, 30 lbs. N.
of cor. to sec. 7 and 18. from
which cor. Run
N. 89° 47' E.

On true line between sec. 7 & 18.
var. 13° 50' East.

39.87 Drive charred stake and build
mound a foot 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.87 Cor. to sec. 7, 8, 17 and 18.

Sand flat

Soil good. Some brush. Grass.

No stones or timber.

Township 13 S R. 24 E.
 Tula & Salt River Meridian

Run North between sec. 7 & 8.
 Var. $13^{\circ}50'$ East.

40.00 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for 14 sec. cor.
 No trees near.

80.00 Drive charred stake and build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, and in
 center of pit S. E. a ferr. drive a
 stake, marked and notched, 2 ft
 long, 2 in. sq. 1 ft in the ground,
 as per instructions, for cor. to sec.
 5, 6, 7 and 8. No trees near.

Land flat.

Soil good. Much grass.
 Some brush. No stones or
 timber.

Township 13 S. R. 21st E.
Tda & Salt River Meridian

Sec. 8 Eastern random line bet sec. 5 & 8.
var. 13° 50' East.

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. and S. line 15 hrs. S.
of cor. to sec. 4, 5, 8 and 9, from
which cor. run
S. 89° 52' W.

On true line between sec. 5 & 8.
var. 13° 50' East.

39.98 Drive charred stake and build
mound of earth 2 ft high, with
furts 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec.
cor. No trees near.

79.96 Cor. to sec. 5, 6, 7 and 8.
Land flat
Soil good. Much grass. Some
brush. No stone or timber.

Township 13 S. R. 24 E.
T. 1/2 Salt River Meridian

On West random line betweens 6 1/2 7
var. 13° 50' East.

40.00 Set temporary 1/4 sec. cor.
79.78 Intersect N. boundary 25 lks.

Na far to sec. 6 1/2 7. from which
cor. from
N. 89° 49' E.

On true line between sec. 6 1/2 7,
var. 13° 50' East.

39.78 Drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec. cor.
No trees near.

79.78 Cor. to sec. 5, 6, 7 and 8.
Sand level.
Soil good. Grass,
No stones or timber

Township 13 S. R. 7th E.
Tula & Salt River Meridian

5th North meridian line between 5th & 6.
var. 13° 50' East.

19.00 Set temporary $\frac{1}{4}$ sec. cor.
19.82 Intersect N. boundary 54 lbs. E.
of cor. to secs. 5 and 6. from
which cor. run
S. 0° 23' E.

On true line between sec. 5 & 6.
var. 13° 50' East.

19.82 Drive charred stake and build
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

19.82 Cor. to secs. 5, 6, 7 and 8.

Land flat

Soil good. Much grass.

No stones or timber.

7 November 19, 1875.

Township 13 S. R. 24 E.
Gila & Salt River Meridian
General Description

This township is situated in the valley in which Camp Grant is located, and in which the Arivaipai heads, to the N.

It is an almost level grassy plain, with no timber and very little brush, but the grass is abundant and good.

The soil is good and, with artesian water, could be made to produce largely.

Theodore F. White
U.S. Deputy Surveyor.

887 BOOK 62
BOOK 782
List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision
lines of Township 13 S.
Range 7th E. of the Gila
and Salt River Meridian
Arizona.

Showing the respective capacities in which they
acted.

Urban Passin ~~Chairman~~ Chairman.

R. A. Vasquez Chairman,

P. Palmer Axeman.

August H. Aubrey Flagman.

Final Oath of Assistants.

We hereby certify that, we assisted *Theodore*
A. White U. S. Deputy Surveyor, in
 surveying the Subdivision lines of
 Township 13 S. Range 2nd
 E. of the Gila and Salt
 River Meridian, Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Urban Beard Chainman.
R. A. Vasquez Chainman,
B. Palm Axeman.
Wright Hubbard Axeman.

Sworn to and subscribed before me, this *20*
 day of *January*, 18*76*.

John H. Harris
 Asst Secretary
 Arizona

Final Oath of Deputy Surveyor.

64

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 25 day of June

1875. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision lines of
Township 13 S. Range 7th
E. of the Gila and Salt River
Meridian, Arizona.

_____ as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Thodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 3rd
day of January, 1876

John H. Harris
Asst. Secretary
Arizona

U. S. Surveyor General's Office,
Tucson, Arizona, January 24, 1876

The foregoing Field Notes of the survey of the
Subdivision lines of
Township 13 S.
Range 24 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodor F. White,
D. S., under his contract of the 25th day of
June, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Maclean