

12-26

3.
59

Subdivisions of
T. 12, S., R. 26, E.
Contzen, D.S.

T. 12, S., R. 26, E.
Philip Contzen.

No. 792
4-978

BOOK 792

792

FIELD NOTES
GENERAL LAND OFFICE.

60 Indexed, Book 791.

Township 12 S R. 26 E

| | | | | | |
|----|----|----|-------|------|-----|
| 6 | 5 | 4 | 3 | 882 | 621 |
| 7 | 8 | 9 | 10 | 9311 | 12 |
| 18 | 17 | 16 | 10715 | 7914 | 13 |
| 19 | 20 | 21 | 10222 | 7423 | 24 |
| 30 | 29 | 28 | 9727 | 7026 | 25 |
| 31 | 32 | 33 | 9134 | 6535 | 36 |

Subdivisions of T. 12 S. R. 26 E. Continued

Chains

- 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 47.95 Dry wash, 10 lks. wide, course S. W.
- 50.50 Foot of descent; gulch 10 lks. wide, course S. S. W., thence S. E., and ascend
- 56.00 Top of ascent, bears N. W. and S. E., and descend
- 70.00 Enter valley, course S. E.
- 79.00 Leave valley, course S. E.
- 80.04 The cor. of secs. 1, 2, 11^{2d} & 12
Land, rolling and mountainous
Soil, gravelly; 3rd rate

Subdivisions of

Chains

No timber

Mountainous land, 70 chs.

N^o 4' E, on a random
line bet. secs. 1 and 240.00 Set temp. $\frac{1}{4}$ sec. cor.77.88 Intersect N. boundary
of Twp. 9 lks. E. of
cor. of secs. 1, 2, 35th & 36th,
as heretofore described

Thence I run

South, on a true line
bet. secs. 1 and 2

Ascending

3.00 Top, bears E. and W.,
and descend

8.80 Foot of descent

9.00 Dry wash, 20 lks. wide,
course S. E.; and ascend

T. 12 S. R. 26 E. - Continued

Chains

- 17.80 Top, bears E. and W.,
and descend
- 31.00 Foot of descent
- 31.50 Dry wash, 50 lbs. wide,
course S. E., and ascend
- 35.80 Top, bears E. and W.
and descend
- 37.88 Set a lime stone
18 x 8 x 6 ins., 12 ins. in
the ground for $\frac{1}{4}$ sec. cor.,
marked $\frac{1}{4}$ on W. face,
and raise a mound
of stone 2 $\frac{1}{2}$ ft. base,
1 $\frac{1}{2}$ ft. high, W. of cor.
- 39.10 Dry wash, 15 lbs. wide,
course E.
- 45.75 Dry wash, 25 lbs. wide,
course E.
- 47.88 Foot of descent, and
enter dry wash, course N. E.

Subdivisions of

| Chains | |
|--------|--|
| 49.55 | Leave dry wash, course N.E. |
| 49.60 | Ascend bank, 30 ft. high |
| 51.40 | Top, bears N.E. and S.W., and descend |
| 55.90 | Foot of descent, and ascend |
| 58.90 | Top, bears E. and W., and descend |
| 68.00 | Foot of descent, and enter valley, course S.E. |
| 75.00 | Leave valley, course S.E. |
| 77.88 | The cor. of secs. 1, 2, 11 ^{2d} & 12 Land, rolling and mountainous, Soil gravelly loam, 3 rd rate No timber; under growth scattering mesquite, cats claw and yucca, along washes. Mountainous land of 68 chs. |
| | October 30. 1897 |

T. 12 S. R. 26 E. - Continued

Chains

November 1. 1897: At
 8^h 20^m. A. M., l. m. t.,
 I set off $32^{\circ}20'N.$ on
 the lat. arc, and $14^{\circ}37'S.$
 on the decl. arc, and
 determine a true meridian
 with the solar, at cor.
 of secs. 2, 3, 34 and 35
 on the S. hdy of the
 T. p., as heretofore des-
 cribed.

Thence I run

$N0^{\circ}4'E.$, bet. secs. 34² & 35

Over rolling land

13.00 Enter valley, course N.E.

40.00 Set a granite stone

18x10x8 ins., 12 ins. in the
 ground for $\frac{1}{4}$ sec. cor.,
 marked $\frac{1}{4}$ on W. face;

Subdivisions of

Chains

dig pits 18 x 18 x 12 ins., N. and S. of stone, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

41.38 Telegraph line, bears $N. 76\frac{1}{4}^{\circ} E.$ and $S. 76\frac{1}{4}^{\circ} W.$

42.10

41.38

Middle of single track of the Southern Pacific Railroad, bears $N. 76\frac{1}{4}^{\circ} E.$ and $S. 76\frac{1}{4}^{\circ} W.$

42.80 Western Union telegraph line, bears $N. 76\frac{1}{4}^{\circ} E.$ and $S. 76\frac{1}{4}^{\circ} W.$

43.77 Road from Wilcox to Bowie, bears N.E. and S.W.

51.40 Dry wash, 25 lbs. wide, course E, thence N.E.

60.00 Lane valley, course N.E., foot of ascent, bears N.W. and S.E.

T. 12 S. R. 26 E. - Continued

Chains

63.00 Top of ascent; bears N. E. $2\frac{1}{2}$ of S. W.

67.00 Enter draw, course S. E.

70.00 Leave draw, course S. E.

78.00 Enter draw, course S. E.

80.00 Set a granite stone
24 x 12 x 6 ins., 18 ins. in
the ground for cor. of
secs. 26, 27, 34 and 35,
marked

12 S. on N. E., and
26 E. on S. E. faces,
with 1 notch on S.
and 2 notches on E. edges.
Dig pits 18 x 18 x 12 ins.,
in each sec. 5 $\frac{1}{2}$ ft.
dist., and raise a
mound of earth 4 ft.
base, 2 ft. high, W. of cor.
Land, rolling

Subdivisions of

Chains

Soil, gravelly loam; $1\frac{1}{2}$ / 2^{nd} rate
 No timber, under growth
 scattering mesquite, cats-
 claw and Yucca

$N89^{\circ}55'E$, on a random
 line, bet. secs. 26^{3rd} and 35

40.00 Set temp. 4 sec. cor.

80.10 Intersect N. and S. line
 5 lks. S. of cor. of secs.
 25, 26, 35 and 36.

Thence I run

$N89^{\circ}57'W$, on a true line
 bet. secs. 26 and 35

Over rolling land,
 descending

10.00 Foot of descent; and
 ascend

25.00 Top, bears. N.W. and S.E.

T. 12 S. R. 26 E. - Continued

Chains

- 36.00 Enter draw, course S. E.
- 38.00 Road from Laguna Station to E. R. Monks ranch, bears N. W. and S. E.
- 39.00 Leave draw, course S. E.
- 40.05 Set a malpais stone 15 x 8 x 5 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits 18 x 18 x 12 ins., E. and W. of stone, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 50.60 Old road, bears N. W. $2\frac{1}{2}$ of S. E.
- 56.80 Dry wash, 5 lbs. wide, course S. E., thence Westerly
- 78.00 Enter draw, course S. E.

Subdivisions of

Chains

- 78.50 Dry wash, 5 lks. wide,
course S.E.
- 80.10 The cor. of secs. 26, 27, 34²/₃ & 35
Land, rolling
Soil, gravelly loam; 2nd rate
No timber; under growth,
scattering Yucca.
-
- No^o 4¹/₂ E, bet. secs 26²/₃ & 27
Over rolling land
- 2.60 Dry wash, 10 lks. wide,
course S.E.
- 3.50 Leave draw, course S.E.,
and ascend
- 5.00 Top of ascent, bears N.W. ²/₄ 1/2
- 19.50 Old road, bears N.W. and S.E.
- 40.00 Set a sand stone,
18 x 18 x 4 ins., 12 ins. in
the ground for 1/4 sec.

T. 12 S. R. 26 E. - Continued

chains

- cor., marked $\frac{1}{4}$ on
 W. face; dig pits
 18 x 18 x 12 ins., N. and S.
 of stone, 3 ft. dist, and
 raise a mound of
 earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
 ft. high, W. of cor.
- 50.00 Enter draw, course S.E.
- 52.60 Road from Laguna
 station to Monks ranch,
 bears N.W. and S.E.
- 55.00 Lane draw, course S.E.
- 70.00 Enter draw, course S.E.
- 80.00 Set a malpais stone
 16 x 8 x 8 ins., 11 ins. in
 the ground for cor. of
 secs. 22, 23, 26 and 27,
 marked
 12 S. on N.E., and

Subdivisions of
chains

26 E. on S.E. faces;
with 2 notches on S.
and E. edges; dig pits
18 x 18 x 12 ins. in each
sec. 5 1/2 ft. dist.; and
raise a mound of
earth 4 ft. base, 2 ft.
high, W. of cor.

Land, rolling

Soil, loam; 1st 2^d of 2nd rate
No timber; undergrowth
scattering Yucca

S 89° 57' E, on a random
line bet. secs. 23 and 26
40.00 Set temp. 4 sec. cor.
80.18 Intersect N. and S. line
5 lks. S. of cor. of
secs. 25, 26, 35 and 36

T. 12 S. R. 26 E. - Continued

Chains

- Thence I run
 $789^{\circ}59'$ W., on a true
 line, bet. secs. 23 and 26
 Over rolling land
 40.09 Set a granite stone
 $18 \times 14 \times 7$ ins., 12 ins. in
 the ground for $\frac{1}{4}$
 sec. cor., marked
 $\frac{1}{4}$ on N. face; dig pits
 $18 \times 18 \times 12$ ins., E. and W.
 of stone, 3 ft. dist.;
 and raise a mound
 of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.
 47.80 Dig wash, 20 lbs. wide,
 course S.E. and ascend
 54.00 Top of ascent. bears N.W.
 and S.E.
 70.00 Descend

Subdivisions of

Chains
 77.70 Foot of descent and enter draw, course S.E.
 80.18 The cor. of sees. 22, 23, 26²/₃ / 27
 Land rolling
 Soil, gravelly loam; 2nd rate
 No timber

No^o 4' E. bet. sees. 22²/₃ / 23
 Over rolling land
 2.40 Leave draw, and ascend
 7.00 Top, bears N.W. and S.E.
 26.25 Dry wash, 20 lbs. wide, course S.E.

40.00 Set a granite stone
 14 x 14 x 10 ins., 9 ins. in the ground for $\frac{1}{4}$ see. cor., marked $\frac{1}{4}$ on W. face.
 41.50 Draw, 10 lbs. wide, course E.
 63.00 Descend
 18 x 18 x 12 ins N & S of stone 3 ft. dist.

Big pile etc etc

T. 12 S. R. 26 E. - Continued

Chains

- 65.45 Steep bank of draw, 20 ft high bears E. and W.
- 66.00 Foot of bank and enter dry wash, 40 fms. wide, course E.
- 69.90 Dry wash, 25 fms. wide, course E.
- 70.30 Leave draw and ascend
- 76.60 Dry wash, 20 fms. wide, course E.
- 80.00 Set a granite stone, 16 x 8 x 7 ins., 11 ins. in the ground for cor. of secs. 14, 15, 22 ²/₃ / 23, marked
 12 S. on N. E., and
 26 E. on S. E., with
 3 notches on S. and
 2 notches on E. edges,
 and raise a mound
 and raise md. of east $3\frac{1}{2}$ @ $1\frac{1}{2}$ N. of cor.

Subdivisions of

Chairs

of stone $2\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.
 Pits impracticable.
 Land, rolling
 Soil, loam; 2nd rate
 No timber; undergrowth
 scattering yucca along
 washes.

S $89^{\circ}59'$ E., on a random
 line, bet. secs. 14th and 23rd
 40.00 Set temp. 4 sec. cor.
 80.28 Intersect N. and S.
 line, 4 lks. N. of cor.
 of secs. 14 and 23.
 Thence, I run
 N $89^{\circ}57'$ W., on a true
 line, bet. secs. 14th and 23rd
 Over rolling land.

T. 12 S. R. 26 E. - Continued

- Chains
- 4.80 Dry wash, 10 fks. wide, course S.E.
- 23.40 Descend
- 30.00 Enter draw, course S.E.
- 35.00 Leave draw, course S.E.
- 40.14 Set a granite stone
 18 x 10 x 10 ins., 12 ins.
 in the ground for
 $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face, dig
 pits 18 x 18 x 12 ins., E.
 and W. of stone, 3 ft.
 dist., and raise a
 mound of earth $3\frac{1}{2}$ ft.
 base, $1\frac{1}{2}$ ft. high, N. of cor.
- 45.00 Dry wash, 10 fks. wide,
 course S.E., and ascend
- 47.00 Top of ascent, bears
 N.W. and S.E., and
 descend

Subdivisions of

Chains

- 50.00 Foot of descent
- 51.00 Dry wash, 5 lks. wide,
course S.E. and ascend
- 52.00 Top, bears N.W. and S.E.
- 57.50 Descend
- 59.50 Foot of descent, bears
N.W. and S.E.
- 61.10 Dry wash, 10 lks. wide,
course S.E., and ascend
abruptly
- 64.10 Top, bears N.W. and S.E.
- 74.50 Descend
- 80.28 The cor. of secs. 14, 15, 22nd & 23rd
Land, rolling
Soil, gravelly loam; 2nd rate
No timber; undergrowth
scattering Yucca
- November 1. 1897

T. 12 S. R. 26 E. - Continued

Chains

November 2: At 8^h 15^m

A. M., L. M. T., I set
 off $32^{\circ} 23' N.$ on the lat.
 arc, and $14^{\circ} 57' S.$ on
 the decl. arc, and de-
 termine a true meridian
 with the solar, at
 cor. of secs. 14, 15, 22 and 23

Thence I run

No^o 4' E., bet. secs. 14^{2nd} / 15

Over rolling land,
 ascending

15.00 Top of ascent, bears
 N. W. and S. E., and descend

25.80 Dry wash, 5 lks. wide,
 course S. E., and ascend

35.00 Top, bears N. W. and S. E.,
 and descend

40.00 Set a sandstone

Subdivisions of

Chains

- 16x10x8 ins., 11 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dig pits 18x18x12 ins., N. and S. of stone, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 42.73 Dry wash, 5 lks. wide, course S.E., and ascend
- 54.60 Top of ascent, bears N.W. and S.E., and descend
- 67.88 Dry wash, 10 lks. wide, course S.E., and ascend
- 75.00 Top of ascent, bears N.W. and S.E., and descend.
- 80.00 Set a granite stone

T. 12 S. R. 26 E. - Continued

Chains

16 x 8 x 6 ins., 11 ins. in
the ground for cor.
of secs. 10, 11, 14 and 15,
marked

12 S. on N.E., and
26 E. on S.E. faces,
with 4 notches on S.
and 2 notches on E. edges,
and raise a mound
of stone 2½ ft. base,
1½ ft. high, W. of cor.

Pits impracticable

Land rolling

Soil loam; 2nd and 3rd rate
No timber; under-
growth, scattering yucca

S 89° 57' E. on a random
line, bet. secs. 11 and 14

Subdivisions of

Chains

40.00 Set temp $\frac{1}{4}$ sec. cor.80.24 Intersect N. and S. line
5 lks. N. of cor. of secs.

11, 12, 13 and 14

Thence Run

 $78^{\circ}55'$ W, on a true
line, bet. secs. 11 ³/₄ of 14

Over rolling land

3.00 Leave draw, course S. E

40.12 Set a granite stone
15 x 8 x 6 ins., 10 ins in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
N. face; dig pits 18 x 18 x 12
ins., E. and W. of stone
3 ft. dist., and raise
a mound of earth,
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.

T. 12 S. R. 26 E. - Continued

- Chains
- 56.00 Descend
- 64.00 Foot of descent,
bears N. W. and S. E.
- 64.88 Dry wash, 5 lks. wide,
course S. E., and ascend
- 68.00 Top, bears N. W. and S. E.,
and descend
- 75.70 Foot of descent and
enter draw, course S. E.
- 80.24 The cor. of secs. 10, 11, 14^{2/3}/₁₅
Land, rolling
Soil, gravelly loam,
2nd and 3rd rate
No timber

N^o 4 E., bet. secs. 10^{2/3}/₁₁
Over rolling land.

- 4.00 Draw, 100 lks. wide, course S. E.
and ascend

Subdivisions of

Chains

- 13.00 Top, bears N. W. and S. E.,
and descend
- 17.80 Dry wash, 15 lks. wide,
course E., and ascend
- 22.35 Top, bears E. and W., and
descend
- 40.00 Set a granite stone
15 x 10 x 6 ins., 10 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
N. face, dig pits 18 x 18 x 12
ins., N. and S. of stone,
3 ft. dist., and raise a
mound of earth, $3\frac{1}{2}$
ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 42.25 Dry wash, 40 lks. wide,
course E., and ascend
- 44.10 Dry wash, 5 lks. wide, course

T. 12 S. R. 26 E. - Continued

Chains

- 45.50 Top, bears E. and W.;
and descend
- 48.30 Enter draw, course E.
- 49.00 Leave draw, and ascend
- 55.00 Top of ascent, bears
E. and W.; and descend
- 60.89 Draw, 60 lks. wide,
course E., and ascend
- 64.40 Top, bears E. and W.;
and descend to
- 67.30 Draw 100 lks. wide,
course E.; and ascend
- 70.40 Top, bears E. and W.
and descend to
- 75.15 Draw, course Easterly
- 80.00 Set a granite
stone, 18 x 10 x 10 ins.,
12 ins. in the ground
for cor. of secs.
2, 3, 10 and 11, marked

Subdivisions of
 Chains 12 S. on N.E. and
 26 E. on S.E. faces,
 with 5 notches on S.
 and 2 notches on E. edges,
 and raise a mound
 of stone, $2\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.
 Pits impracticable.
 Land, rolling
 Soil, gravelly loam,
 2nd and 3rd rate
 No timber, undergrowth,
 scattering *Jucea*

S 89° 55' E., on a
 random line, bet
 secs. 2 and 11

40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.22 Intersect N. and S.

T. 12 S. R. 26 E. - Continued

Chains

line, 12 lks N. of cor.

of secs. 1, 2, 11 and 12

Thence I run

N89°50' W., on a true line

bet. secs. 2 and 11

Over rolling land,

Ascending

40.11 Set a malpais

stone 16 x 10 x 8 ins.,

11 ins. in the ground

for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, and raise

a mound of stone

2½ ft. base, 1½ ft. high,

N. of cor.

49.00 Top, bears N.W. and S.E.

and descend

61.06 Dry wash, 5 lks. wide,

course S.E., and ascend

Subdivisions of

Chains

- 64.00 Top of ascent, bears
N.W. and S.E. and
descend to
- 67.30 Draw, course S.E.
- 80.22 The cor. of secs. 2, 3, 11^{3/4}/₁₁
Land, rolling
Soil, gravelly loam;
3rd rate.
No timber; undergrowth
scattering juncea

No^o 4'E. on a random
line, bet. secs. 2^{3/4}/₃

- 40.00 Set temp. ¹/₄ sec. cor.
- 78.32 Intersect N. body of
Tps., 12 lks. W. of cor.
of secs. 2, 3, 34 and 35,
as heretofore described
Thence I run

T. 12 S. R. 26 E. - Continued

Chains

- So° 9' W., on a true line bet. secs. 2 and 3
Over rolling land
- 1.22 Dry wash, 10 lks. wide, course E., and ascend
- 12.30 Top of ridge, bears E. and W., and descend to
- 20.52 Dry wash, 25 lks. wide, course E., and ascend
- 38.00 Top of ascent, bears E. and E. and W.
- 38.32 Set a granite stone 18 x 10 x 6 ins., 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor. ^{2nd} descend

Subdivisions of

- Chains
 50.00 Foot of descent and enter gulch, course Easterly
- 53.70 Leave gulch, and ascend steep bank
- 54.70 Top of bank, bears E. ²/₄ W.
- 68.32 Dry wash, 15 lks. wide, course S. E., and ascend
- 76.30 Top of ascent, bears E. and W., and descend to draw, course S. Easterly
- 78.32 The cor. of secs. 2, 3, 10 ⁶/₄ 11
 Land, rolling
 Soil, gravelly loam;
 2nd and 3rd rate
 No timber; underground
 scattering yucca
 November 2. 1897

T. 12 S. R. 26 E. - Continued

Chains

November 3, 1897: At 8^h
20^m. A. M., l. m. t., I
set off 32° 20' N. on the
lat. arc., and 14° 16' S.
on the decl. arc., and
determine a true meridian
with the solar, at
cor. of secs. 3, 4, 33 and 34
on the S. boundary
of Tps., as heretofore
described

Thence I run

N 0° 3' E. bet. secs. 33²/₃₄

Over rolling land,
descending

1.20 Foot of descent; and
ascend

8.00 Top, bears E. and W.,
descend

Subdivisions of

Chains

- 19.00 Foot of descent and enter valley
- 25.87 Dry wash, 20 lbs, course N.E.
- 34.50 Enter dry wash, course E.
- 35.90 Leave dry wash, course E.
- 37.60 Telegraph line, bears $N 80^{\circ} W.$ and $S 80^{\circ} E.$
- 38.32 Middle of single track of the Southern Pacific Railroad, bears $N 80^{\circ} W.$ and $S 80^{\circ} E.$
- 39.02 Western Union, telegraph line, bears $N 80^{\circ} W.$ and $S 80^{\circ} E.$
- 39.70 Road from Willcox to Bowie, bears $N 80^{\circ} W.$ and $S 80^{\circ} E.$
- 40.00 Set a granite stone $16 \times 8 \times 6$ ins. 11 ins. in the ground for $\frac{1}{4}$ sec.

T. 12 S. R. 26 E. - Continued

chains

- cor., marked $\frac{1}{4}$
 on W. face; dy pits
 18x18x12 ins., N. and S.
 of stone, 3 ft. dist; and
 raise a mound of
 earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft
 high, N. of cor.
- 41.30 Enter draw, course S.E.
 42.00 Road, bears N.W. $\frac{1}{2}$ of S.E.
 44.00 Leave draw, course S.E.
 and ascend
- 57.00 Top, bears N.W. and S.E.
 53.00 Descend
- 54.60 Foot of descent, bears
 N.W. and S.E.
- 58.25 Dry wash, 20 lbs. wide,
 course S.E.
- 60.37 Dry wash, 20 lbs. wide
 course S.E.
- 61.50 Ascend

Subdivisions of

Chains

78.00

Top, bears N. W. and S. E.

80.00

Set a granite stone,
 16 x 8 x 5 ins., 11 ins. in
 the ground for cor. of
 secs. 27, 28, 33 and 34,
 marked

12 S. on N. E., and

26 E. on S. E. faces;

with 1 notch on S.

and 3 notches on E. edges,

and raise a mound

of stone 2½ ft. base,

1½ ft. high, W. of cor.

Pits impracticable

Land, rolling

Soil, gravelly loam;

2nd and 3rd rate

No timber

T. 12 S. R. 26 E. - Continued

- chains
- 0.00 S 89° 55' E. on a random line, bet. secs. 27 ^{2nd} of 34
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.90 Intersect N. and S. line, 4 lks. S. of cor. of secs. 26, 27, 34 ^{2nd} of 35
- Thence I run
- N 89° 57' W. on a true line, bet. secs. 27 ^{2nd} of 34.
- Over rolling land,
Ascending
- 3.00 Top of ascent; bears N. W. and S. E.
- 39.95 Set a sand stone, 16 x 8 x 6 ins.; 11 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits 18 x 18 x 12 ins., E. and W. of stone, 3 ft. dist;

- Subdivisions of
Chains
- and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ high, N. of cor.
- 50.30 Draw, 100 lks. wide,
course S. E., and
ascend
- 62.00 Top, bears N. W. and S. E.
and descend
- 66.00 Foot of descent; and
ascend
- 70.00 Top of ascent, bears
N. W. and S. E., and
descend
- 77.60 Draw, 100 lks. wide,
course S. E. and ascend
- 79.90 The cor. of ^{secs.} 27, 28, 33 ^{and} 34
Land, gently rolling
Soil gravelly loam;
2nd and 3rd rate

T. 12 S. R. 26 E. - Continued

Chains

No timber; under-
growth scattering
Yucca

$70^{\circ} 3' E.$, bet secs.
27 and 28

Over rolling land

1.70 Draw, course S.E.
and ascend

16.00 Top of ascent, bears
N.W. and S.E.; and
descend to

30.00 Draw, course S.E.; ²/₄ ascend

40.00 Set a malpais stone,
15 x 10 x 8 ins., 10 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
W. face; dig pits
18 x 18 x 12 ins., N. and S.

- Subdivisions of
chains
- of stone, 3 ft. dist;
and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor
- 53.00 Top of ascent. bears
N.W. and S.E., and
descend to
- 64.40 Draw, course S.E., and
ascend
- 69.00 Top, bears N.W. and
S.E. and descend to
- 78.00 Draw, course S.E.
- 80.00 Set a granite stone
 $16 \times 8 \times 6$ ins., 11 ins. in
the ground for cor.
of secs. 21, 22, 28 and 29,
marked
12 S. on N.E. and
26 E. on S.E. faces,

T. 12 S. R. 26 E. - Continued

Chains

with 2 notches on
S. and 3 notches on
E. edges; and raise
a mound of stone
2½ ft. base, 1½ ft.
high W. of cor. Pits
impracticable
Land rolling
Soil, loam; 2nd and 3rd rate
No timber.

S 89° 57' E. on a random
line bet. secs. 22nd & 27th
40.00 Set temp. ¼ sec. cor.
79.72 Intersect N. and S.
line, 2 lbs. S. of cor.
of secs. 22, 23, 26nd & 27th
Thence I run
N 89° 58' W. on a true
line, bet. secs. 22nd & 27th

Subdivisions of

Chains

Over rolling land,
ascending15.00 Top, bears N.W. and S.E.
and descend to25.50 Draw, course S.E.; and
ascend27.60 Top of ascent; bears
N.W. and S.E.; and
descend to

29.26 Draw, course S.E.

34.36 Road from Luzina
Station to Monks ranch,
bears N.W. and S.E.38.07 Road, bears N.N.W. $\frac{2}{3}$ / N.E.39.86 Set a malpais stone,
16 x 12 x 4 ins., 11 ins. in
the ground for $\frac{1}{4}$
sec. cor., marked
 $\frac{1}{4}$ on N. face; dig

T. 12 S. R. 26 E. - Continued

Chains

- pits $18 \times 18 \times 12$ ins. E. and W. of stone, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 42.60 Leave draw, course S. E., and ascend
- 45.10 Top of ascent, bears N. W. and S. E., and descend to
- 47.10 Draw, course S. E., and ascend
- 63.00 Top, of ascent, bears N. W. and S. E., and descend to
- 78.70 Draw, course S. E.
- 79.34 Old road, bears N. W. and S. E.

Subdivisions of

Chains

79.72 The cor. of secs. 21, 22, 27 ^{and 28}

Land, rolling

Soil, gravelly loam;
2nd and 3rd rate

No timber

N^o 3' E, bet. secs.

21 and 22

Over rolling land

0.13 Old road, bears N. W.
and S. E.

1.00 Ascend

21.00 Top of ascent, bears
E. and W., and descend29.23 Draw, course E.; and
ascend35.00 Top of ascent, bears
E. and W. and descend to

38.04 Dry wash, 10 fks. wide

T. 12 S. R. 26 E. - Continued

chains

- course E., and ascend
- 40.00 Set a lime stone
 16 x 14 x 8 ins., 11 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ on
 W. face; dig pits
 18 x 18 x 12 ins., N. and
 S. of stone, 3 ft.
 dist., and raise a
 mound of earth $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high.
 W. of cor.
- 40.18 Dry wash, 12 lks. wide,
 course E.
- 48.00 Top of ascent, bears
 E. and W., and descend
- 50.81^{to} Dry wash, 5 lks. wide,
 course E.; and ascend
- 57.00 Top of ascent, bears E. and W.

Subdivisions of

Chains

- and descend to
- 70.09 Dry wash, 10 lks. wide,
course E.; and ascend
- 73.00 Top of ascent bears
E. and W. and enter
level land
- 80.00 Set a granite stone
18 x 8 x 6 ins., 12 ins. in
the ground for cor.
of secs. 15, 16, 21^{and} 22,
marked
- 12 S. on N.E., and
26 E. on S.E. faces;
with 3 notches on
S. and E. edges;
and raise a mound
of stone, 2½ ft. base,
4½ ft. high, W. of cor.
Pits impracticable

T. 12 S. R. 26 E - Continued

chains

Land, gently rolling.
 2nd and 3rd rate soil, loam.

No timber.

S 89° 58' E, on a random
 line bet. secs. 15 and 22

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S.

line 6 lks. N. of cor of
 secs. 14, 15, 22 and 23.

Thence I run

N 89° 55' W, on a true
 line, bet. secs. 15 and 22

Over rolling land

33.00 Begin to descend

35.90 Set a granite stone
 16 x 9 x 6 ins., 11 ins. in the
 ground for witness
 cor. for $\frac{1}{4}$ sec. cor.

Subdivisions of

Chains

marked W. C. $\frac{1}{4}$
on N. face, and raise
a mound of stone
 $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor. Pits
impracticable.

36.10 Enter Pinaleno Creek,
course S. E.

39.95
~~46.00~~

$\frac{1}{4}$ ^{Sec.} cor. point falls
in creek.

45.55 Leave Pinaleno Creek,
course S. E., and
ascend

64.50 Top, bears N. W. $\frac{3}{4}$ of S. E.,
thence over gently
rolling land

79.90 The cor. of secs. 15, 16,
21 and 22

Land, gently rolling

T. 12 S. R. 26 E. - Continued

chains

Soil, gravelly loam;
2nd and 3rd rate

No timber, undergrowth
catsclaw along creek

November 3, 1897

November 4: At 9^h 5^m

a. m., l. m. t., I set
off 32° 23' N. on the
lat. arc, and 15° 35' S.

in the decl. arc, and
determine a true meridian
with the solar, at

cor. of secs. 15, 16, 21, and 22

Thence I run

N 0° 3' E, bet secs. 15²/₄ / 16

Over level land

10.00 Begin to descend

15.10 steep bank, bears E²/₄ of W.

16.21 Dry wash, 12 lks. wide,

Subdivisions of T. 12 S. R. 26 E - Continued

Chains

- course E., and ascend
 17.54 spur, bears E., and
 descend to
 18.00 Pinaleno Creek, course
 S.E.
 22.30 Leave Pinaleno Creek,
 course S.E. and ascend
 36.75 Top of ascent, bears
 N.W. and S.E., and descend
 40.00 Set a granite stone
 16 x 8 x 5 ins., 11 ins. in
 the ground for $\frac{1}{4}$
 sec. cor., marked
 $\frac{1}{4}$ on W. face; dig
 pits 18 x 18 x 12 ins., N.
 and S. of stone, 3 ft.
 dist., and raise a
 mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high

Continued, Book 760.

Concluded, Book 793.