

No. 803

BOOK 803

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

No. 803

Township 16. S. Range 18. E.

Gila and Salt River Base and Meridian

ARIZONA.

By Thos. F. White D. S.

under contract dated Aug. 21. 1874.

Survey commenced Dec. 5. 1874.

Survey completed Dec. 9. 1874.

803

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez
 and L. S. Burton
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

R. A. Vasquez
L. S. Burton

Sworn to and subscribed before me, this
 day of October, 1874

30

William B. Horn
Notary Public

WE, W. H. Aubury, H. G. Morse
C. S. Leon

do solemnly swear that we will well and truly per-
 form the duties of flagman, axeman
and mound builder, respectively,
 according to instructions given us, and to the best
 of our skill and ability.

W. H. Aubury
H. G. Morse
C. S. Leon

Sworn to and subscribed before me this 30
 day of October 1874

William Babson
Notary Public



4-674.

Township **16 S.**, R. **18 E.**, *4th S.R.B.M.*

BOOK 803

6	5	4	3	2	11	1
				*	21	10
7	8	9	10	20	11	9
45*		*		*	19	8
18	44	17	34	16	15	18
14	43	42	33	*	27	17
19	41	20	32	21	26	22
	16	23	5	24		
40	39	31	25	15	4	
30	38	29	30	28	24	27
	14	26	3	25		
37	36	29	28	13	2	
31	35	32	28	33	22	34
	12	35	1	36		

No. 803

BOOK 80

Township 16 S. R. 18 E.

Gila and Salt River Mounds

December 5, 1874

From cor. to secs. 35 & 36, in S. boundary, from
North between secs. 35 & 36
var. 13° 25' East

As per East boundary.

0.00 Set a post, marked "4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide as per
instructions, for "4 sec. cor. From which
A mesquite 4 in. dia. has N. 14° 25' W. 82 lv. Dist.
No other trees near.

0.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions for
cor. to secs. 25, 26, 35 & 36.

No trees near.

Sand, rattling and grassy.
No timber.

Township 16 S. R. 18 E.
 Tola & Salt River Meridian
 Ch. East

Arandom line between secs. 25 & 36.
 bearing $13^{\circ} 25'$ East

80.31 Set temporary $\frac{1}{4}$ sec. cor.
 Intersect E. boundary 56 lks. S. of
 cor. to secs. 25 and 36. from
 which cor. run
 $S. 89^{\circ} 36' W.$

On true line between secs. 25 & 36.
 bearing $13^{\circ} 25'$ East

40.15 Set a post, marked $\frac{1}{4}$ S. 11 ft long,
 flattened 3 in wide, 1 ft in the ground,
 drive charred stake $\frac{1}{4}$ build mound of
 earth 2 ft high, with pits 4 ft deep, 2 ft long,
 1 ft wide, as per instructions, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.31 Cor. to secs. 25, 26, 35 and 36.
 Land smooth and rolling.
 Soil good for grain. No timber.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Chs North between sec. 25 & 26.
var. 13° 25' East.

- 18.00 Set a post, marked, 40 lbs. wide, base S. W.
- 40.00 Set a post, marked W. S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1
ft wide, as per instructions, for 1/4 sec
cor. No trees near.
- 80.00 Set a post, marked and notched,
4 ft long, 3 in sqd, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions, for cor. to secs. 23,
24, 25 and 26.
No trees near.
Rolling grass land.
No timber.

Township 16 S. R. 18 E.

Gila & Salt River Meridian
Chs. East.

A random line between sec. 24 & 25,
cor. 13° 25' East

40.00 Set temporary 1/4 sec. cor.

80.37 Intersect E. boundary of sec. 26 to
sec. 24 & 25, from which cor. from
S. 89° 51' W.

On true line between sec. 24 & 25,
cor. 13° 25' East

40.18 Set a quartzite rock, 13 x 8 x 7 inches
2/3 in the ground, marked 1/4,
and on W. side, build mound of
earth 2 ft high, with side of deep,
2 ft long, 1 ft wide, as per instruction
for 1/4 sec. cor.

Notes near.

80.37 Cor. to sec. 23, 24, 25 & 26.
Underneath & rolling. Some
grasses. No timber.

Township 16 S. R. 18 E.

July 4 Salt River Mendocino

Chs North between sec. 23 & 24.
 cor. 13 & 25 East.

20.00 Set a granite stone 12 x 10 x 6 inches,
 $\frac{2}{3}$ in the ground, marked "H", and
 on each side build mound of earth
 2 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. No trees near.

20.00 Set a post, marked and matched,
 4 ft long, 3 in. sqd, 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for cor. to sec.
 13, 14, 23 and 24.

No trees near.

Rolling grass land.

Excellent grass. No timber.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Ch² East

On random line between sec. 13 & 23rd.
 cor. 13° 25' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.42 Intersect E. boundary 28 hrs. S. of
 cor. to sec. 13 and 23rd. from which
 cor. runs
 S. 89° 48' W.

On true line between sec. 13 & 23rd.
 cor. 13° 25' East

40.21 Set a granite stone 10 x 8 x 8 inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
 and on N. side, build mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. 76 trees near.

80.42 Cor. to sec. 13, 14, 23 and 23rd.
 Land rolling. Soil good
 for grass. No timber.

Township 16 S. R. 18 E.
Gila and Salt River Meridian

Chs. North between sees, 13 & 14.
a. a. 13° 25' East.

40.00 Seta post, marked 4 S. 4 ft long, flattened 3 in wide,
4 ft in the ground, driven charred stake & built mound of
earth 2 ft high, with pit 4 ft deep, 2 ft long, 4 ft wide, as per in-
structions for 1/4 sec. cor. from which
A Mesquite, 4 in. dia. br. S. 63 1/4° E. 50 br. dist
do. 6 " " " N. 13 1/4° W. 69 " "

80.00 In bottom, Seta post, marked and notched,
4 ft long, 3 in. sq. ft. 4 ft in the ground, driven charred
stake and built mound of earth 2 ft high, with
pit 4 ft deep, 2 ft long, 4 ft wide, as per instructions
for cor. to sees. 11, 12, 13 & 14, from which
A Cecote tree 9 in. dia. br. N. 21° W. 175 br. dist
A Chocoma " 2 1/2 " " " S. 69 1/4° E. 60 " "
do. 5 " " " S. 14 3/4° W. 80 " "
A Paraiso " 5 " " " S. 63° W. 80 " "
Over smooth, swelling slopes: A. half in
bottom of little valley, Soil rich. Grass.
Some trees.

Township 16 S. R. 18 E.

Gila and Salt River & Mendocino

Chs. East

On random line between sec. 12 & 13,
cor. 13° 25' East

40.00 Set temporary 1/4 sec. cor.

80.20 Intersect E. boundary 25 hrs. S. of cor. to
secs. 12 and 13, from which
cor. drawn.

S. 89° 49' W.

On true line between sec. 12 & 13,
cor. 13° 25' East40.10 Set granite stone 17 x 10 x 8 inches
2/3 in the ground, marked 1/4,
and on N. side, build mound of
earth 2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruction
for 1/4 sec. cor. No trees near.80.20 Cor. to secs. 11, 12, 13 & 14.
Sand, rolling hills. Much grass.
No timber.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Chs. North between sec. 11 & 12.

var. 13° 25' East

6.00 Long bed of stream, 40 les. wide, var. S. W.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide,
1 ft in the ground, and chiseled stake 3/4 built mound
of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for 1/4 sec. cor.

from which

An Ash tree 16 in. dia. var. N. 23 1/4° E. 159 les. dist.

1 Paraceo " 12 " " " Surp. N. 10 " "

80.00 Set a post, marked and notched 4 ft
long, 3 in. sqd., 1 ft in the ground, and
built mound of stones 2 ft high as
per instructions, for cor. to sec. 5.

1. 2. 11 and 12. No trees near.

Mainly in bottom of little valley,
running S. Soil good. Grass
Scattering Ash and walnut trees.

Township 16 S. R. 18 E.

Gda and Salt River Mendocino

Chs. East corner in line bet sec. 1 & 12.
var. 13° 25' East

40.00 Set temporary 1/4 sec. cor.

80.45 Intersect E. boundary 32 lvs. S. of cor.
to sec. 1 & 12, from which cor. run
S. 89° 46' W.

Outline line between sec. 1 & 12.
var. 13° 25' East.

40.22 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in. wide, 1 ft. in the
ground, and build mound of
stones 2 ft high, as per instructions
for 1/4 sec. cor. from which

An oak 8 in. dia. bet. S. 67° 46' E. 203 lvs. dist.
No other trees near.

80.45 Cor. to Secs. 1, 2, 11 and 12.

Land hilly and rocky. Considerable
grass. A few oak trees.

Township 16 S. R. 18 E.

Gila and Salt River Mountains

To North corner of sec. 1 & 2,
 cor. 13° 25' East.

40.00 Set a post, marked 14 S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pile of stones
 2 ft long, 1 ft wide, as per instructions for 1st sec. cor.
 from which
 An oak 12 in. dia. bears S. 77 1/4° E. 29 ft. long. dist
 No other trees near.

80.00 Set a post, marked and notched, 4 ft long,
 3 in. sq. d. 1 ft in the ground, and build
 mound of stones 2 ft high, as per
 instructions for closing cor. to sec.
 1 and 2. No trees near.

To be corrected if necessary, upon the
 extension of the 3^d Standard S. which
 will have to be extended from the E. as
 the mountains W. are impassable.
 Land very hilly and rocky. Some
 grass and oak trees.

December 5. 1874.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Co. North between sec. 34 & 35.
 cor. 13° 25' East.

40.00 Set a post, marked "H.S." 4 ft long, flat-
 tined 3 in wide, 1 ft in the ground, and
 build mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions for sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft
 long, 3 in sq. 1 ft in the ground, drive
 charred stake and build mound of
 earth 2 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instructions
 for cor. to sec. 26, 27, 34 and 35,
 from which

A Mesquite 13 in. dia. br. N. 12½° W. 197 lbs. dia.

do 10 " " " N. 22° W. 221 " "

No other trees near.

Sand rolling. Good grass.

Scattering trees.

Township 16 S. R. 18 E.

Gila and Salt River Meridian.

Co. East corner on line bet. secs. 26 & 35.
cor. $13^{\circ}25'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.21 Intersect N. and S. line 30 lbs. S. of cor.
to sec. 25, 26, 35 & 36. from which cor. run
 $S. 89^{\circ}44'$ N.

On true line between secs. 26 & 35.

cor. $13^{\circ}25'$ East

40.11 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long,
flattened 3 in. wide, 1 ft. in the ground,
driv' charred stake and build mound
of earth 2 ft. high, with pile 1 ft. deep,
 $\frac{1}{2}$ ft. long, $\frac{1}{2}$ ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. from which

A Spruce 18 in. dia. by S. 8 $^{\circ}$ E. 91 lbs. dist.
No other trees near.

50.21 Co. to sec. 26, 27, 34 and 35.

Land rolling. Good pastureage.
No timber.

Township 16 S. R. 18 E.

Gila and Salt River Meander

To North between sec. 26 & 27.

or, $13^{\circ}25'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stake and build mound of earth 2 ft. high
 with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instruction for $\frac{1}{4}$ sec. cor from which
 a Mesquite 4 in. dia. bears N. 59° E. 253 lbs. back
 do 3 " " " S. 72° E. 241 " "

80.00 Set a post, marked and notched, $\frac{1}{4}$ ft. long,
 3 in. sq. d. 1 ft. in the ground, drive charred
 stake and build mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
 structions, for cor. to sec. 22, 23, 26 and
 27, from which

a Mesquite $2\frac{1}{2}$ in. dia. bears S. $45\frac{1}{2}^{\circ}$ E. 110 back
 No other trees near.

Ascending a little N. Good grazing
 Considerable mesquite timber.

Township 16 S. R. 18. E.
Gila and Salt River Meridian

Chs. East Azimuth line bet. sec. 23 & 26.
var. $13^{\circ}25'$ East

27.00 Dry stream 40 lbs. wide, bas. S. E.

28.00 Set temporary $\frac{1}{4}$ sec. cor.

28.38 Intersect N. & S. line 20 lbs. S. of cor. to Sec.
23. 24. 25 & 26. from which cor. run
S. $89^{\circ}51'$ N.

On true line between sec. 23 & 26.
var. $13^{\circ}25'$ East

29.19 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
drill charred stake and build mound
of earth 2 ft. high, with pile 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruction for $\frac{1}{4}$
sec. cor. from which

A Mesquite 18 in. dia. has S. 65° E. 188 lbs. dist.

do. 18 " " West 167 " "

29.38 Cor. to Sec. 22, 23, 26 & 27.

Sand smooth & rolling. Good grass.
Mesquite timber on W. end.

Township 16 S. R. 18 E.

Gila and Salt River Mountains

- 40.00 North between sec. 22 & 23,
 cor. 13° 25' East
 Set a post, marked 14 S. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stakes and build mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
 structions for 14 sec. cor. from which
 a Mesquite timber, bearing N. 33° W. 203 feet dist.
 No other trees near.
- 50.00 Top of hill bearing E. & N.
- 80.00 Set a post, marked and notched 4 ft. long,
 3 in. sq. d. 1 ft. in the ground, ^{drive charred stakes} and build
 mound of earth 2 ft. high, with pits
 1 ft. deep, 2 ft. long, 1 ft. wide, as per
 instructions, for cor. to sec.
 14, 15, 22 and 23. No trees near.
 A little rolling then hilly.
 Considerable grass.
 Mesquite timber on S. end.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

to East

On random line between sec. 14 & 23.
 cor. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

60.00 Dry bed of stream 40 hrs. wide, cor. S. W.

80.10 Intersect N. and S. line 41 hrs. S. of cor. to
 sec. 13, 14, 23 and 24, from which
 cor. I run

S. $89^{\circ}42'$ W.

On true line between sec. 14 & 23.

cor. $13^{\circ}25'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drove charred
 stake and built mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instruction for $\frac{1}{4}$ sec. cor.

No trees near.

80.10 Cor. to sec. 14, 15, 22 & 23.

Land rolling ridges. Good grass.
 Some trees.

Township 16 S. R. 18 E.
 Gda & Salt River Mendocino

Chs North between sec. 14 & 15.

ang. $13^{\circ} 25'$ East.

40.00 Sola post, marked 14 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1 sec. cor. from which
 an oak 8 in. dia. bears N. 80° W. 73 cu. feet.

do. 6 " " " N. 89° E. 130 " "

80.00 Sola post, marked and notched, 4 ft long,
 3 in. sq. d. 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for cor.
 to sec. 10, 11, 14 and 15.

No trees near.

Over rough, rocky hills and
 ridges. Considerable grass.

Some oak trees.

Township 16 S. R. 18 E.

Gda and Salt River Meander

to East

An random line between sec. 11 & 14
cor. 13° 25' East.

21.00 Imp bed of stream 50 lbs wide, cor. S. W.

40.00 Set temporary 1/4 sec. cor.

80.08 Intersect N. and S. line 22 lbs S. of cor.
to sec. 11, 12, 13 and 14 from which
cor. run

S. 89° 51' N.

Put true line between sec. 11 & 14
cor. 13° 25' East.

40.04 Set a post, marked 1/4 S. of flag, flat-
tined 3 in. wide, 1 ft in the ground, drove
charred stake and build mound approx
1 ft high, with pits 1 ft deep, 2 ft long, flanking
as per instructions for 1/4 sec. cor. No trees near

80.08 Cor. to sec. 10, 11, 14 and 15.

Over smooth ridges on N. end, then
into little valley. Grass. Some trees.

Township 16 S. R. 18 E.
Gila and Salt River Mendocino

Line North between sec. 10 & 11.

or. 130° 25' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
tined 3 in wide, 1 ft in the ground and
built mound of stone, as per instructions
for $\frac{1}{4}$ sec. cor. from which

An oak 8 in dia. br. S. 74° W. 38 br. dist

do. 4 " " " N. 23 $\frac{1}{2}$ ° W. 17 " "

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. ft. 1 ft in
the ground, and built mound of stone 2 ft high, as per in-
structions for cor. to sec. 2, 3, 10 & 11. from which

An oak, 6 in dia. br. N. 84 $\frac{1}{2}$ ° E. 126 br. dist

do. 13 " " " S. 33° E. 40. " "

do. 10 " " " S. 41 $\frac{1}{2}$ ° W. 85 " "

do. 11 " " " N. 33 $\frac{3}{4}$ ° E. 87 " "

Land rocky hills. Considerable grass Oak timber, oak and
Further N. this line runs up the precipitous rock of sides
of the Santa Catarina mountain, not known to contain min-
eral and the land is worthless. The line becomes
impassable in a short distance. (Further N.)
Therefore do not cross any

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Co. East on random line bet sec. 2 & 11.

var. $13^{\circ}25'$ East

- 8.00 Dry bed of stream 40 lvs. wide, runs S.
 40.00 Set temporary 7/4 sec. cor.
 60.00 Dry bed of stream 50 lvs. wide, runs S.W.
 80.09 Intersect N. & S. line 35 lvs. S. of cor. to sec.
 12.11 and 12. from which cor. run
 $S. 89^{\circ}45' N.$

Outline line between sec. 2 & 11

var. $13^{\circ}25'$ East

- 40.04 Set a post, marked 7/4 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, and build mound of
 stones 2 ft high, as for instructions for 7/4 sec.
 cor. from which
 An Oak 18 in. dia. N. $23^{\circ}12' N.$ 18 lvs. dist
 do. 14 " " N. $37^{\circ} E.$ 46 " "

80.09 Cor. to sec. 2, 3, 10 and 11.

Land very hilly, rocky. On W. end com-
 mence to ascent big mountain. Consid-
 erable oak timber.

Township 16 S. R. 18 E.
Gila and Salt River Meriden

Line North between sec. 33 & 34.
var. 13° 25' East

40.00 Set a post, marked 14 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long 1 ft
wide as per instructions, for 14 sec. cor.
No other trees near.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq'd. 1 ft in the ground,
and build mound of stones 2
ft high, as per instructions for cor.
to sec. 27, 28, 33 and 34 from which
a Mesquite 5 in. dia. bears S. 72° 14' W. 41 cor. dist.
do 8 " " " S. 21° 14' W. 393 " "

No other trees near.
Sand rolling
Good grass
No timber

Township 16. S. R. 18 E.

4th & Salt River Meridian

Run East on random line between sec. 27 & 34.
 dir. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line 3rd sec. S. of cor.
 to sec. 26. 27. 34 and 35. from
 which cor. Run
 S. $89^{\circ}47'$ W.

Continue line between sec. 27 & 34.
 dir. $13^{\circ}25'$ East.

39.99 Set a fast marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive chisel
 stake and build mound of earth 2 ft high,
 with pit 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor. from which
 A Mesquite 12 in dia. br. S $28\frac{1}{2}^{\circ}$ W. 326 br. dist.
 do. 9 " " S $52\frac{1}{2}^{\circ}$ W. 275 " "

79.98 Conto sec. 27. 28. 33 and 34.

Partly rolling and partly flat Good
 grass. Some mesquite on E. end.

December 7, 1874

Township 16 S. R. 18 E.
Gila and Salt River Meridian

To North between sec. 27 & 28
var. $13^{\circ}25'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
tined 3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor. From which
a Mesquite 8 in. dia. bears $N. 66\frac{1}{2}^{\circ} E. 42$ land dist.

do 9 " " " S. $74^{\circ} E. 172$ " "

80.00 Set a post, marked and notched, 4
ft long, 3 in. sq'd, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions, for cor.
to sec. 21, 22, 24 and 28.

No trees near.

Land ralling. Considerable grass.
Some mesquite timber.

Township 16 S. R. 18 E.
 Gila and Salt River Meridian
 Sec. East

On random line between sec. 22 & 27.
 var. 13° 25' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and Slave. 41 ls. S. of cor.
 to sec. 22, 23, 26, and 27.

from which cor. run
 S. 89° 43' W.

On true line between sec. 22 & 27.
 var. 13° 25' East.

39.97 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ along, flat-
 topped 3 in. wide, 1 ft in the ground, drive
 charred steel and build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.94 Cor. to sec. 21, 22, 27 and 28.

Land rolling. Some grass.

No timber.

Township 16 S. R. 18 E.
Gila & Salt River Meridian

Line North between secs. 21 & 22.

Cor. 13° 25' East

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft
in the ground, drove a round stake & built mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. No trees near.

62.00 Long bed of stream, 200 lbs. wide, Cor. N. N.

73.00 Commence ascent of mountain.

80.00 Set a post, marked "notched, 4 ft long, 3 in. sq. d.
1 ft in the ground, and built mound of stones
2 ft high, as per instructions, for cor. to secs.
15, 16, 21 and 22, from which
a Mesquite 2 miles Cor. S. 7° N. 111 lbs. dist.
No other trees near.

Land rolling; commence ascent of mountain on last
end. Good grass & mesquite on S. end.

Further N. the line runs up the precipitous side of
mound Santa Catarina, not known to contain min-
eral, and land rocky and worthless.

Therefore I do not extend the line N.

Township 16 S. R. 18 E.

Gila and Salt River Mountains

S. East

Arandom line bet sec. 15 & 22.
var. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.44 Intersect N. and S. line 18 hrs. S. of cor. to
secs. 14, 15, 22, and 23, from which
cor. drawn

S. $89^{\circ}57'$ N.

Outline line bet sec. 15 & 22.
var. $13^{\circ}25'$ East.

40.22 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 4 ft in the ground,
and build mound of stones 2 ft
high, as per instructions, for $\frac{1}{4}$ sec. cor.
Notices near

80.44 Cor. to sec. 15, 16, 21 and 22.

Along rocky S. slope of mountain
near bottom. Soil mostly corinthian.

Township 16 S. R. 18 E.
 Gila and Salt River Meridian

Sec. North between sec. 32 & 33.
 var. $13^{\circ}25'$ East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened
 3 in. wide, 4 ft. in the ground, drive charred
 stake and build mound of earth 2 ft. high, with
 pits 4 ft. deep, 2 ft. long, 4 ft. wide, as per instructions
 for this sec. cor. No trees near.

70.00 Dry bed of stream, 25 lvs. wide, cor. S. W.

80.00 Set a post, marked and notched, 4 ft. long,
 3 in. sq. d. 4 ft. in the ground, drive charred stake and
 build mound of earth 2 ft. high, with pits 4 ft. deep,
 2 ft. long, 4 ft. wide, as per instructions, for cor. to
 sec. 28, 29, 32 and 33, from which
 a Mesquite 3 in. dia. br. S. $17^{\circ}N$. 70 lvs. dist.
 do. 3 " " S. $53^{\circ}E$. 172 " "
 do. 7 " " S. $71\frac{3}{4}^{\circ}E$. 103 " "

No other trees near.

Sand rolling and some broken.

Considerable grass. Some mesquite.

Township 16 S. R. 18 E.
Gila and Salt River Meridian

Sec. East on random line bet. sec. 28 & 33.

var. $13^{\circ}25'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

61.00 Dry bed of stream 20 lbs. wide, bas. S. W.

80.31 Intersect 4. and S. line 60 lbs. S. of cor. to sec.
27.28. 33 and 34. from which cor. run
S. $89^{\circ}34'$ W.

On true line between sec. 28 & 33.

var. $13^{\circ}25'$ East

40.16 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tined 3 in. wide, 4 in. the ground, and
build mound of stones 2 ft. high, as per
instructions for $\frac{1}{4}$ sec. cor. from which
A Mesquite 6 in. dia. at 76° E. 32.7 lbs. dist
No other trees near.

80.31 Cor. to sec. 28. 29. 32 and 33.

Long walling. Gravelly soil
Good fracturing - No timber.

Township 16 S. R. 18 E.
Gda and Salt River Meridian

Line North between sec. 28 & 29
var. $13^{\circ}25'$ East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened
3 in. wide, 4 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high, with pits
4 ft. deep, 2 ft. long, 1 ft. wide, as per instruction
for 14 sec. cor. No trees near

80.00 Set a post, marked and scratched, 4
ft. long, 3 in. sq. d. 4 ft. in the ground, drive
charred stake and build mound of earth
2 ft. high, with pits 4 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for cor. to sec.

20, 21, 28 and 29 from which
A Mesquite 8 in. dia. br. N. $11\frac{1}{4}^{\circ}$ E. 249 br. dist.
do. 12 " " " N. $7\frac{1}{4}^{\circ}$ W. 299 " "
do. 2 " " " S. 31° W. 54 " "

No other trees near.

Land rolling on S. end; some broken.
Considerable mesquite and grass.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Sec. East

Random line between sec. 21 & 28.
var. $13^{\circ}25'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 20 hrs. S. of cor.
to sec. 21, 22, 27 and 28. from
which cor. I run
S. $89^{\circ}51'$ W.

Random line between sec. 21 & 28.
var. $13^{\circ}25'$ East.

40.15 Set a post, unmarked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft. long, flat-
tined 3 in wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.31 Cor. to sec. 20, 21, 28 and 29.
Sand rolling. Good grass.
No timber.

Township 16 S. R. 18 E.

Gila and Salt River Mendocino

Sec. North between sec. 20 & 21.

cor. $13^{\circ}25'$ East

40.00 Set a post, marked $4\frac{1}{2}$ ft. long, flattened
3 in. wide, 4 ft. in the ground, dove charred
stone and build mound $4\frac{1}{2}$ ft. high
with pits $1\frac{1}{2}$ ft. deep, $2\frac{1}{2}$ ft. long, $1\frac{1}{2}$ ft. wide, as
per instructions for $4\frac{1}{2}$ sec. cor. from which
A Mesquite 11 in. dia. br. S. $77^{\circ}\frac{3}{4}'$ W. 300 lbs. dia.
No other trees near.

80.00 Set a post, marked and nailed, $4\frac{1}{2}$ ft. long
3 in. sq. 4 ft. in the ground, dove charred
stone and build mound $4\frac{1}{2}$ ft. high,
with pits $1\frac{1}{2}$ ft. deep, $2\frac{1}{2}$ ft. long, $1\frac{1}{2}$ ft. wide, as per
instructions, for cor. to sec. 16, 17, 20 and
21, from which
A Mesquite 3 in. dia. br. S. $59^{\circ}\frac{3}{4}'$ W. 316 lbs. dia.
No other trees near.

Sand rolling Good grazing
Scattering trees.

Township 16 S. R. 18 E.
Gila & Salt River Meridian
The East

An random line between sec. 16 & 21
cor. $13^{\circ}25'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
49.00 Dry bed of stream 50 hrs. wide, cor. S. W.
50.38 Intersect N. and S. line 21 hrs. S. of
cor. to sec. 15, 16, 21 and 22,
from which cor. from
S. $89^{\circ}51'$ N.

An true line between sec. 16 & 21.
cor. $13^{\circ}25'$ East.

- 40.19 Set post, marked $\frac{1}{4}$ S. 4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground, and
build mound of stones 2 ft. high, as
per instructions for $\frac{1}{4}$ sec. cor.
Notices near.

- 50.38 Cor. to sec. 16, 17, 20 and 21.
Rocky hills, foothills of mountains,
and then rolling on W. end, where is
good grass.

344

Township 16 S. R. 18 E
Gila and Salt River Meridian

Line North between sec. 16 & 17.
var. 13° 25' East.

- 7.00 Dry bed of stream 50 lbs. wide, cor. S.W.
- 40.00 Set a find, marked 14 S. 4 ft long, flat-
tend 3 in wide, 1 ft in the ground, and
built morned of stones 2 ft high,
as per instructions for 1/4 sec. cor. from which
A Mesquite 5 in dia. has S. 15 3/4° E 81 lbs. dist
do 8 " " " N. 43° W. 57 " "

Further N. the line runs up steep rocky
side of mountain. It is not known to con-
tain mineral and the land is utterly worthless.
I do not therefore run further N.
The half mile surveyed crosses
little valley, then over rocky
foothills.

Township 16 S. R. 18 E.
Gila & Salt River Meridian
The North between sec. 31 & 32
cont. 13° 25' East.

40.00 Set a post, unmarked 14 ft long,
flattened 3 in wide, 1 ft in the ground,
dove charred stake and built mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per in-
struction for these cor. from which
a Mesquite 9 in. dia. to S. 11° W. 48 Cts. dist.
do. 6 " " S. 88° W. 45 " "

80.00 Set a post, unmarked and notched, 14 ft long,
3 in. sq. 1 ft in the ground, dove charred stake
and built mound of earth 2 ft high, with pile
1 ft deep, 2 ft long, 1 ft wide, as per in-
struction for cor. to sec. 29,
30, 31 and 32.

Notices near.
Land broken mesa.
Good pasturage.
Scattering trees.

December 8, 1874

Township 16 S. R. 18 E.
Gila & Salt River Meridian
1st East

On random line between sec. 29 & 32.
cor. $13^{\circ}25'$ East.

2.00 Dry bed of stream 20 lbs. wide, cor. S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.48 Intersect N. and S. line 41 lbs. S. of cor
to sec. 28, 29, 32 & 33, from which cor. run
S. $89^{\circ}42'$ W.

On true line between sec. 29 & 32.
cor. $13^{\circ}25'$ East.

40.24 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft. in the ground, drove
chopped stake and build mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.48 Cor. to Sec. 29, 30, 31 and 32.

Rolling grass land.

Stony. Occasional trees.

Township 16 S. R. 18 E.

Gila & Salt River Meridian

No. W. Corner random line bet. sec. 30 & 31
 var. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.50 Intersect N. boundary 23 lvs. N. of cor.
 to sec. 30 & 31, from which cor. run
 N. $89^{\circ}50'6''$.

Return line between sec. 30 & 31
 var. $13^{\circ}25'$ East.

38.50 Set a post, marked W.S. 4 ft long, flat-
 lined 3 in. wide, 1 ft in the ground, drove
 charred stake and build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instruction for $\frac{1}{4}$ sec.
 from which

a 2 Magnite 7 in. dia. br. S. $82\frac{1}{2}^{\circ}$ E 140 lvs. dist
 do 10 " " " N. $64\frac{1}{2}^{\circ}$ E 175 "

78.50 Cor. to sec. 29, 30, 31, and 32
 Land brown mesa. Considerable
 grass. Scattering trees.

Township 16 S. R. 18 E.
Gila and Salt River Meridian

No. North between sec. 29 & 30.
cor. 13° 25' East

40.00 Set a post, marked $\frac{1}{4}$ in. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
and build mound of stones 2 ft. high,
as per instructions for this sec. cor. from which
a Mesquite 8 in. dia. S. 21° E. 225 lbs. dia.
No other trees near.

84.00 Set a post, marked and notched 4
ft. long, 3 in. sq. in. 1 ft. in the ground, drive
sharred stakes and build mound 4 feet
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions for cor. sec. 19,
20, 29 and 30. from which
a Mesquite 7 in. dia. S. 18° E. 177 lbs. dia.
No other trees near.
Land smooth and rolling. Good grass.
A few trees.

Township 16 S. R. 18 E.
Gila and Salt River Meridian

to East. or random line bet. sec. 20 & 29
var. $13^{\circ}25'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

40.12 Intersect Stand S. line 60 lvs. S. of cor
to sec. 20. 21. 28 & 29, from which cor. from
S. $89^{\circ}34'$ N.

Outline line between sec. 20 & 29.
var. $13^{\circ}25'$ East

40.06 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long, flat
and 3 in. wide, 4 ft. in the ground, drive
charred stake and build mound of earth
2 ft. high, with pile 4 ft. deep, 2 ft. long, 4 ft.
wide, as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite 3 in dia. has N. $37^{\circ}34'$ E. 22 lvs. dist.

do 7 " " " S. $34^{\circ}12'$ N. 224 . .

80.12 Cor. to sec. 19, 20, 29 and 30.

Land smooth and rolling. Good grass.
Scattering trees.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

Sec. 14 on random line bet. sec. 19 & 30
cor. 13° 25' East

40.00 Set temporary 1/4 sec. cor.

78.76 Intersect N. boundary 22 hrs. N. of cor. to
sec. 19 & 30. from which cor. down
N. 89° 51' E.

Outline line between sec. 19 & 30,
cor. 13° 25' East

38.76 Set a post, marked 1/4 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pile 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions for 1/4
sec. cor. from which

A Mesquite 7 in. dia. to S. 5° E. 227 hrs. dist.
do. 8 " " S. 38 1/2° E. 402 " "

78.76 Cor. to sec. 19, 20, 29 and 30.

Good rolling and smooth.
Considerable grass. Some trees.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

to North between sec. 19 & 20.

var. $13^{\circ} 25'$ East.

40.00 Set a post, marked "H.S." 4 ft. long, flat-
tired 3 in. wide, 1 ft. in the ground, drive
chased stake and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for "H.S." cor.
A Mesquite 4 in. dia. bears $S. 12^{\circ} E. 23$ less. dit.
do 6 " " " $S. 30^{\circ} W. 180$ " "

77.00 Top of hill, overlooking valley on N.

80.00 Set a post, marked and notched 4
ft. long, 3 in. sq. d. 1 ft. in the ground,
and build mound of stones 2 ft. high
as per instruction for cor. to sec.
17, 18, 19 and 20.

No trees near.

Land rolling hill Good
grazing.

No timber of consequence.

Township 16 S. R. 18 E.

Lyda & Salt River Meridian

Ch^o East on random line bet. sec. 17 & 20
 cor. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line 32 ch. S. of cor.
 to sec. 16, 17, 20 and 21, from which cor. $S. 89^{\circ}46' N.$

Outline line between sec. 17 & 20.
 cor. $13^{\circ}25'$ East.

40.02 Set a post, marked $\frac{1}{4}$ S. of fl. long, flat-
 tened 3 in. wide, 1 ft in the ground, drove
 charred stake and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Mesquite 5 in. dia. N. $43^{\circ} E$ 214 ch. dist.
 do 6 " " " N. $12^{\circ}42' N.$ 198 " "

80.04 Cor. to sec. 17, 18, 19 and 20.

Sand rilling, and hilly. Good
 grazing. Some timber in valley
 to N.

Township 16 S. R. 18 E.
 Gila & Salt River Meridian
 Cho West.

On random line bet. sec. 18 & 19
 cor. $13^{\circ}25'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.90 Intersect N. boundary 27 lbs. N. of
 cor. sec. 18 & 19, from which cor. draw
 $N. 89^{\circ}48' E.$

On true line between sec. 18 & 19
 cor. $13^{\circ}25'$ East.

38.90 Soda flat, unmarked $\frac{1}{4}$ S. 14 ft. long, flat-
 tened 3 in. wide, 1 ft. in the ground,
 door charred stone and build mound
 of earth 2 ft. high, with pit 1 ft.
 deep, 2 ft. long, 1 ft. wide, as per in-
 structions for $\frac{1}{4}$ sec. cor.

No trees near.

78.90 Cor. to sec. 17, 18, 19 and 20.
 Sand rolling hills, bordering
 valley out. Grass. No timber.

Township 16 S. R. 18 E.
Gila & Salt River Meridian

Ch. North between sec. 17 & 18.
var. 13° 25' East

34.00 Dry bed of stream 75 lbs. wide, base S. W.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide,
1 ft in the ground, drive charred stake & build mound of earth
2 ft high, with pile of 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for 14 sec. cor. from which
a Mesquite 4 in dia. br. S. 37 1/2° E. 69 lbs. dist
do. 10 " " " N. 67° W. 64 " "

80.00 Set a post, marked & notched, 4 ft long, 3
in sq. ft. in the ground, and build mound
of stones 2 ft high, as per instructions
for cor. to sec. 7, 8, 17 and 18, from which
a Mesquite 4 in dia. br. S. 40° E. 252 lbs. dist.
do. 4 " " " S. 38° W. 176 " "
do. 9 " " " S. 83° W. 42 " "

260 other trees near.
The line crosses valley running
N. somewhat broken N. of valley
hilly on S. Grass. Some trees.

Township 16 S R 18 E.
Gila & Salt River Meridian

Chs. Further N. & E. the land becomes precipitous and rocky, ascending the side of Santa Catalina mountain, which is not known to contain mineral and the land is worthless. Therefore do not extend the lines.

W. W. on random line bet. sec. 7 & 18.
var. $13^{\circ} 25'$ East

40.00 Set temporary 7 sec. cor.

75.00 Dry bed of stream.

78.80 Intersect N. boundary 23 cen. N. of cor. to
sec. 7 & 18, from which cor. I run
N. $89^{\circ} 50'$ E. on true line bet. sec. 7 & 18.
var. $13^{\circ} 25'$ East.

38.80 Set a post marked "48.4" long, flattened 3 in. wide,
upon the ground, and build mound of stones 2 ft
high, as per instruction for 7 sec. cor. from which
a Magnet 10 in. dia. has S. $24^{\circ} 7'$ W. 242 cen. dist.
do. 5 " " N. $37^{\circ} 1/2'$ W. 146 " "

78.80 Cor. to sec. 7, 8, 17 and 18.

Land very broken, rocky foothill.
Worthless.

December 9, 1894.

Township 16 S. R. 18 E.

Gila and Salt River Meridian

No. General Description
The lands of this township, except what lie on the mountains and are worthless, furnish excellent grazing. In the valley running S. along the E. end of the mountains water can be procured in wells, and excellent pasturage is found in it and to the E. The same can be said of the little valley, which is a portion of the Agua Verde valley, that runs along the S. West end and side of the mountains.

There is but little land in the township which can be utilized for agriculture, on account of the lack of water for irrigation, but all the portion surveyed is excellent for grazing.

Theodore F. White
U.S. Dep. Surveyor.

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of
Township 16 S. R. 18 E.
of the Gila & Salt River
Meridian Arizona

Showing the respective capacities in which they acted.

R. A. Vasquez Chainman.

L. D. Burton Chainman.

H. G. Morse Axeman.

W. H. Auburns Flagman.

C. S. Leon. Wood Builder

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Thos. J. White U. S. Deputy Surveyor, in surveying the Subdivision Lines of Township 16 S. R. 18 E. of the Gila and Salt River Meridian Arizona,

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

R. A. Parquet Chairman.

S. D. Burton Chairman.

W. H. Moore Axeman.


W. H. Chubb Wagman.

Sworn to and subscribed before me, Mount builder this

day of December, 1874.

William Deborn

Notary Public



FINAL OATH OF DEPUTY SURVEYOR.

I, Theo. F. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 21st day of August

1874 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Subdivision Lines of
Township 16 S. R. 18
E. of the Gila and Salt
River Meridian Arizona.

as are repre-
sented in the foregoing Field Notes as having

WE hereby
The
surveying
of
E. of
Mena

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor.

and that
the best of
faithfully
ments plan
ished by

Sworn to and subscribed before me, this 11th day of December, 1874

William Osborn
Notary Public

Sworn to
day of



U. S. Surveyor General's Office,
Tucson, Arizona, December 15, 1874

The foregoing Field Notes of the survey of
The Subdivision Lines
of Township 16 S. Range
18 E.

the Gila and Salt River Base and Meridian, Arizona,
executed by Theo. F. White
S., under his contract of the twenty first day of
August, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason