

No. 818

818

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township *15. S.* Range *13. E.*

Gila and Salt River Base and Meridian

ARIZONA.

By *Solomon N. Forman* D. S.

under contract dated *30 Apr* 1871.

Survey commenced *May 3*, 1871.

Survey completed *May 10* 1871.

No. 818

1A

Preliminary Oaths of Assistants.

I, _____ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this 21 day of

May 1871

Pro. Anderson. Probate Judge
 Ex-officio Probate Clerk & Surveyor.

Pima County
 Arizona

We, George W. Lear and
 John Moore

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W Carr

John Moore

~~John Riley~~

Subscribed and sworn to before me, this 2nd day of
May 1871.

Joe Anderson ~~U. S. Deputy Surveyor.~~

Probate Judge

And ex-officio Probate Clerk

Pima County

Arizona Territory

We, W. Evans & John Riley
 do solemnly swear that ~~we~~ will well and truly perform the
 duties of ~~Assessors & Collectors~~
 according to instructions given ~~us~~ and to the best of ~~our~~
 skill and ability. Washington Evans
 John Riley

Subscribed and sworn the be before me, this Second
 day of May 1871

J. W. [Signature]
 Probate Judge ~~U. S. Deputy Surveyor.~~
 Ind ex-officio Probate Clerk
 Pima County
 Arizona

No. 818

BOOK 818 R

Field Notes

— of —

The Survey of the Sub-
division lines in

Township No. 15 South

— and of —

Range No. 13 East

of

The Gila & Salt River

Base & Meridian lines

as Surveyed by

E. M. Foreman

U. S. Dept. Surveyor

Commenced May 3^d and
Completed do 10th 1871.

under his contract bearing
date the day of May 1871.

10

4-674.

Township

15th, R. 13th E., T. 8th N., R. B. & M.

BOOK 818

6	62	5	46	4	35	3	23	2	11	1
61	60		45		33		22		10	
7	59	8	44	9	32	10	21	11	9	12
58	57		43		31		20		8	
18	36	17	42	16	30	15	19	14	7	13
55	54		41		29		18		6	
19	53	20	40	21	28	22	17	23	5	24
52	51		39		27		15		4	
30	50	29	38	28	26	27	14	26	3	25
49	48		37		25		13		2	
31	47	32	36	33	24	34	12	35	1	36

Township 15 S, Range 13 East
Gila and Salt River Mercedean

I begin on the South
boundary at the corner
to sections 35 + 36, - 1 + 2,
and run thence

North between sections 35 + 36,

Cor. $12^{\circ}54'$ East

As per East boundary as run by
myself —

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions, from which

A Mesquite 12 in. diam. Brs. S. 8° W. 150 lks dist

" do 10 " " " N. 10° W. 130 " "

80.00 Set a post in a mound and pits
as per instructions for the corner
to Secs. 25, 26, 35 and 36.

No trees near
said, level prairie, and
soil 1st rate.

No timber —

Township 15 South, Range 13 E.

Gila & Salt River Meridian

Chs East, on a random line between Secs. 35 & 36

Variation $12^{\circ}54'$ East.

10.00 Enter timber bears N. & S.

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. Post.

80.08 Intersect the East boundary
at the corner to sections 25,
30, 30 & 31, from which corner I run
West on a true line bet. Secs. 25 & 36
Var. $12^{\circ}54'$ East.

40.04 Set a $\frac{1}{4}$ Section Corner post in
a mound & pits as per in-
structions, and from which
a Mesquite 14 in. diam. Brs. S. $40^{\circ}E$, 68 lbs dist
No other tree near

80.08 The corner to sections 25, 26,
35 & 36.

Sand level and 1st & 2nd
rate

Scattered Mesquite timber
and Mesquite brush

Township 15 South, Range 13 East.

Gila & Salt River Meridian

Chd. North, between Sections 25 & 26.

Variation $12^{\circ}54' E$.

26.00 Road, bears N. W. & S. E. —

34.00 leave Prairie & enter bears. brs. E. & W.

40.00 Set a $\frac{1}{4}$ section Corner post
in a mound with pits.

A Mesquite 8 in diam Brs N. $78^{\circ} E$, 25 lks dist

" do 6 in " " S. $78^{\circ} W$, 28 " "

80.00 Set a post in a mound
and pits as per instructions
for the Corner to sections

23, 24, 25 and 26, from which
a Mesquite 8 in diameter Bears N. $76^{\circ} W$,
30 links distant. No other
trees near

Land level, Sandy & dry
Soil 3rd rate

Some scattered Mesquite
timber —

Township 15 S. Range 13 E.

Gila and Salt River Meridian

Chaus. East, on a Random line bet. Secs. 24 & 25

Var. $12^{\circ}54'$ East,

40.00 Set a temporary $\frac{1}{4}$ Sec. Corn. post.

46.00 Hay road bears N. W & S. E.

79.90 Intersect the East boundary

13 links South from the corner
to sections 24, 25, 19 & 30

from which corner I run

S. $89^{\circ}54'$ W. a true line bet. Secs. 24 & 25

Var. $12^{\circ}54'$ East

39.95 Set a $\frac{1}{4}$ Sec. Corner post in

a mound and pits as
per instructions.

(No trees near

79.90 The Corner to sections

23, 24, 25 and 26.

Land level. Soil sandy

dry & 3rd rate

mesquite brush. No timber.

Townships 15 S. Range 13 East.

Gila & Salt River Meridian

Sec. North, between Secs. 23 & 24.

Var. $12^{\circ}54'$ East.

19.00 Hay Road bears N.W. & S.E.

40.00 Set a $\frac{1}{4}$ Sec. Corner post in
a mound and pits as per
instructions, from which
a Mesquite 6 in diam. Brs. N. 39° W.

23 links distant. No other trees near

80.00 Set a post in a mound and
pits as per instructions for
the Corner to sections 13, 14,

23 and 24, and from which

a Mesquite 4 in diameter brs. N. 7° E. 13
links distant.

No other trees near

Sand level. Soil 3rd rate
Sandy & dry.

A few scrubby mesquite
trees.

Townships 15 S. Range 13 East

Gilbert Salt River Meridian

Chs. East on a Random line bet. Secs 13 and 24.
Var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. Corner post
80.12 Intersect the East boundary 14
links North from the Corner
to Sections 13, 24, 18 & 19 and
from which corner I run
 $N. 89^{\circ}54' W.$ on true line bet. Secs. 13 & 24.
Var. $12^{\circ}54'$ East.

40.06 Set a $\frac{1}{4}$ section Corner post
in a mound and pits as
per instructions.

A Mesquite 4 in diam. leaves. $S. 53^{\circ} E.$ 110 lbs
distant, No other tree near
80.12 The corner to Sections 13, 14
23 & 24.

Sand level, Soil 3rd rate
dry & sandy.
A few scrubby mesquite trees

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chd. North, between Sections 13 & 14

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ Section Corner Post
in a mound and pits as
per instructions.

No trees near

80.00 Set a post in a mound and
pits as per instructions for
the corner to Sections 11, 12

13 & 14. from which a
Mesquite 6 in. diam. Bears S. 83° W. 96
links distant.

No other trees near —

Sand lead, Soil 3rd rate
dry & sandy —

Mesquite Brush, No
timber —

Township 15 S., Range 13 East
Gila & Salt River Meridian.

Chd. East on a Random line bet. Secs. 12 & 13.

Variation $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor. post.

48.50 Hay road bears N. W. & S. E.

80.00 Intersect the East boundary

at the corner to sections

12, 13, 7 & 18 from which corner from

West on a true line between Secs. 12 & 13

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions.

No trees near

80.00 The corner to sections 11, 12

13 and 14.

Land level, soil 3rd rate
dry and sandy
No timber
mesquite brush

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs. North, between Sections 11 & 12

Var. $12^{\circ}54'$ East.

- 23.00 Hay road runs N.W. & S.E.
- 40.00 Set a $\frac{1}{4}$ Section Corner post
in a mound and pits as
per instructions & from which
- A Mesquite 10 in diam Br. S. $81\frac{1}{2}^{\circ}$ W. 28 lks.
- do 8 " " " S. 83° E. 83 "
- 80.00 A Mesquite tree 6 in diameter
and marked as per instructions
for the corner to sections 1, 2, 11
& 12 and from which
- A Mesquite 6 in diam S. 47° W 49 lks dist.
- " do 8 " " East 49 do do
- No other trees near —
- Sand level Soil 2nd rate
and some Mesquite timber

Township 15 S. Range 13 East.

Great Salt River Meridian

Chd East, on a rainbow line bet. Secs. 1 & 12

Var. $12^{\circ} 54'$ East

37.00 Road runs N. & S.

40.00 Set temporary the Sec. Cor. post.

79.88 Intersect the East boundary

19 links South from the
Corner to Sections 1, 12, 6 & 7
from which corner I run

S. $89^{\circ} 52'$ W. on true line bet. Secs. 1 & 12

Var. $12^{\circ} 54'$ East.

39.94 Set a 1/4 section corner post

in a mound and sets as
per instructions, from which

a mesquite 4 in diam. Bears N. 28°

E. 76 links distant,

No other tree near

79.88 The corner to Sections 1, 2, 11

and 12.

Sand level, Soil 3rd rate
serribly Mesquite timber —

Township 15 S. Range 13 East.

Gile & Salt River Meridian

Ch. North on a random line bet. Secs. 1 & 2.
Var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner post

80.35 Intersect the North boundary 21
links East from the corner to
Sections 1, 2, 35 & 36, from
which corner I run

$S00^{\circ}09'E$, on true line bet. Secs. 1 and 2
Var. $12^{\circ}54'$ East

40.35 Set a $\frac{1}{4}$ section corner post
in a mound and pits as per
instructions & from which

at Mesquite 3 m. down, Run East, 102 links dist
do 8 " " " $S. 79^{\circ}W$, 22 " "

80.35 The corner to sections 1, 2, 72
and 73.

Sand land, Soil 2nd rate
Scattered Mesquite timber
& Mesquite brush

May 3rd 1897

Township 15 S. Range 13 East.

Gila & Salt River Meridian

Chs. North, between Sections 34 & 35

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions from which
a Mesquite 6 in diam. Bears S. 18° E. 20 links dist.

No other tree near

60.50 Santa Cruz River 50 links wide &
runs N.W. - Bluff banks 15
feet high -

66.00 Raylans house 3 chs to east of line

80.00 Set a post in a mound and
pits as per instructions for the Cor.
to Secs. 26, 27, 34 & 35 from which

a Mesquite 10 in diam bears N. 61° E. 56 lks. dist.

do 8 " " " N. 52° W. } 2 " "

do 15 " " " S. 50° W. 124 " "

do 10 " " " S. 48° E. 129 " "

Sand lease, Soil 1st rate
and heavy Mesquite timber -

Township 15 S. Range 13 East

Gila and Salt River Meridian

Chs East, on Random line bet. Secs. 26 + 35.

Variation $12^{\circ} 54'$ East.

21.00 Enter Prairie bro. N + S.

40.00 Set temporary $\frac{1}{4}$ sec. cor. post.

57.20 Spring branch 10 links wide runs N.

80.00 Intersect the N + S. line at the
Corner to Secs. 25, 26, 35 + 36

from which corner I run
West, on a true line bet. Secs. 26 + 35

Var. $12^{\circ} 54'$ East

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and sets as
per instructions.

No trees near

80.00 The corner to sections 26
27, 34 + 35 —

Sand lead. Soil 1st rate
Reservoir trailer on west
end of line. Then Prairie

Township 15-S. Range 13 East.

Gila & Salt River Meridian

Chs. North, between Sections 26 & 27.

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ Section corner post
in a mound and pits as
per instructions, from which

a Mesquite 10 in diam, Bears N. $43^{\circ}E$ 66 lks dist.

" do 14" " do S. $45^{\circ}W$. 280 " "

76.00 Fence Pns. E & W. & set a white field

80.00 Set a post in a mound &
pits as per instructions
for the corner to sections
22, 23, 26 & 27.

No trees near -

Sand Soil, Soil 1st
rate - Heavy Mesquite
timber on middle and
South portion of line

Township 15 S., Range 13 East.

Gila & Salt River Meridian

Go East, on a random line between

Sections 23 and 26

Var. $12^{\circ}54'$ East.

00.60 Ditch runs N.W.,

6.50 Renew. Bears N. E & S. W.

14.00 Base of South Slope of rocky
hill. Coars about 200 acres
in section 23 —

40.00 Set a stone $16 \times 10 \times 7$ in. for temporary
 $\frac{1}{4}$ sec. corner

56.00 Enter level land & leave the
S. E. slope of hill —

67.00 Road bears N + S.

80.09 Intersect the N. + S. line
at the corner to sections
23, 24, 25 & 26 from which
corner I run

West, on true line bet. secs. 23 & 26.

Var. $12^{\circ}54'$ East.

40.04 Set a $\frac{1}{4}$ section corner

16

Sp. 15 S. R. 13, East

Gile & Salt River ^{1/2} Meridian

Chaus

Stem 16 x 10 x 7 in in a
Stem round as per
instructions.

No trees near

80.09 The corner to sections
22, 23, 26 and 27.Land on line is over the
South base and near the
foot of an oblong rocky
ledge extending from
East to West nearly
1/2 a mile.Soil 1st 1/4 chaus, ^{on West end} 2^d rate
then worthless to 1/4 sec.
corner, then 3rd rate

No timber on line

Township 15 S. Range 13 East.

Piles of Salt River Meridian

Chs) North, between Sections 22 & 23.

Var. $12^{\circ} 54'$ East.

0.25 Ditch runs N. W.

40.00 Set a post in a mound
and pits for $\frac{1}{4}$ section
corn, as per instructions

No trees near

66.00 Fence Beans E & W.

78.25 do " E & W.

80.00 Set a post in a mound
and pits as per instructions
for the corner to
Sections 14, 15, 22 & 23.

and from which a

Mesquite 6 in diameter Beans N. 18° W
24 links distant.

No other trees near

Land level and cultivated
Soil 1st rate

No timber

Township 15 S. Range 13 East.

Gila & Salt River Meridian

chs East, on a random line between
sections 14 and 23.

Var. $12^{\circ}54'$ East.

- 7.90 Fence, bears N. & S.
29.00 Ditto & fence bears N. & S.
39.50 Road runs N. & S.
40.00 Set a temporary $\frac{1}{4}$ sec. cor. post.
80.00 Intersect the N. & S. line 19
links North from the corner
to sections 13, 14, 23 & 24,
from which corner run
N. $89^{\circ}52'$ W. on true line lat. Secs. 14 & 23.

Var. $12^{\circ}54'$ East.

- 40.00 Set a $\frac{1}{4}$ section corner post in
a mound & pits as per instructions
a Mesquite 10 in, diam. brs. S. 15° W. 143 links
distant. No other tree near
80.00 The corner to sections 14, 15
22 & 23. — Sand level
Soil 1 & 2nd rate. No timber
only a few scattered trees —

Township 15 S. Range 13 East
Gila & Salt River Meridian

Chs. North between Sections 14 & 15.

Var. $12^{\circ} 54'$ East.

22.00 Fence beams E & W.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions, from which

a Mesquite 78 in diam brs, S. $68^{\circ} E$, 57 links distant
do 12 " " " S. $40^{\circ} W$. 62 " " "

56.00 Enter white field brs E, & W.

73.20 Fence beams E & W.

80.00 Set a post in a mound &
pits as per instructions for
the corner to sections 10. 11

14 & 15. No trees near
a House beams N. $46^{\circ} W$. about
10 chs. distant.

Sand level soil 1st
rate and scattering
mesquite timber

Township 15 S. Range 13 East

Great Salt River Meridian

Chd East on a random line bet. secs. 11 & 14.

Var. $12^{\circ}54'$ East.

11.00 Santa Cruz River 100-ells wide. No
water & Bluff banks 10 ft
high. runs North

17.00 Road runs N & S

20.00 Enter bush & leave bottom sec. 11 & 14

40.00 Set a temporary $\frac{1}{4}$ sec. Cor. post.

80.00 Intuse at the N. & S. line
at the corner to sections

11, 12, 13 & 14, from which Cor. I runs

West, on true line bet. sections 11 & 14

Var. $12^{\circ}54'$ East

40.00 Set a $\frac{1}{4}$ section corner post in
a mound & pits, from which

a Mesquite 5 m, diam. runs North 9 links dist

do 8 " " " S. $5^{\circ}E$. 56 " "

80.00 The corner to secs 10, 11, 14 and 15

Sand level. Soil 1st & 2nd
rate some severely mesquite
timber

Township 15 S. Range 13 E.

Gila & Salt River Meridian

Chd North, between Sections, 10 & 11.

Var. $12^{\circ} 34'$ East

- 8.00 Enter timber Beans E. & W.
 40.00 Set a 1/2 section corner post
 in a mound & pits as per
 instructions,
 a Cotton wood 3 in diam bus. South 1 link dist,
 a Mesquite 8 in " " South 51 links dist,
 45.00 House on line (Adobe).
 70.00 House 3 chains E. of line
 80.00 Set a post in a mound and
 pits as per instructions
 for Cor. to Secs. 2, 3, 10 & 11.

- a Mesquite 12 in diam Bus N. 85° W 31 links dist
 " do 12 " " " E. 78° E. 67 " "
 " do 15 " " " N. 10° E 123 " "

No other tree near
 Sand level, Soil 1st rate
 Mesquite timber

Townships 15 S. Range 13 E.
Glen & Salt River Meridian

Chd. East, on Random line bet. Secs. 2 and 11.

Var. $12^{\circ} 54'$ East.

5.00 Sautw Cray Run 50 links with run N.

19.00 Road runs N. & S —

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. post

41.00 Hay road runs N. & S. E —

80.00 Interset the N. & S. line 10
links South from the corner
to sections 1, 2, 11 & 12 from
which corner I run

S, $89^{\circ} 56'$ W, on true line bet. Secs. 2 & 11

Var. $12^{\circ} 54'$ West

40.00 Set a $\frac{1}{4}$ section corner post
in a mound & pits as per
instructions & from which

a " Measpt 6 in diam Pro S. $3^{\circ} N. 54$ links, dist.

do 6 " " " N. $7\frac{1}{2}^{\circ} W 133$ " "

80.00 The corner to sections 2
3, 10 & 11. Sand level

Soil 1st rate Some
measpt timber

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs. North on Random line bet. Secs. 2 & 3.
var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor. post
80.41 Intersect the north boundary
line 29 links East from the
Corner to sections 2, 3, 34 & 35
from which Corner I run
S. $17^{\circ}E$. a true line bet. Secs. 2 & 3
var. $12^{\circ}54'$ East.

40.41 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instr. structures, & from which
a Mesquite 10 in. diam. N. $88^{\circ}W$. 71 links, dia
" do 8 " " N. $82^{\circ}E$. 42 " "

80.41 The corner to sections
2, 3, 10 & 11. and the
Santa Cruz River runs parallel
to this line on the E. side.
Sand Creek, soil 1st rate
Mesquite timber
May 4th 1871

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs North, between Secs. 33 & 34

Var. $12^{\circ}54'$ East.

40.00 Set a 1/4 sec. corner post in
a mound and pits as
per instructions. from which

a Mesquite 8 in diam. B_s N. 63° E. 114 lks. dist

" do 4 in " " S. 76° W. 30 " "

80.00 Set a post in a mound &
pits as per instructions
for the corner to sections

27, 28, 33 & 34. from which

a Mesquite 10 in diam. B_s S. 52° E. 121 lks. dist.

do 6 " " " North 117 " "

No other trees near

Land level. Soil 2nd
rate Sandy

Some scattering Mesquite
trees

Township 15-S. Range 13 E.
Gila & Salt River Meridian

Chs. East, on random line bet. Secs. 27 & 34

Var. $12^{\circ}54'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. post
43.00 Road to Gular, & Tucson, N. & S.
71.50 Santa Cruz River, 40 cuts wide
runs North, Banks 8 ft high
80.00 Intersect the N. & S. line at
the corner to sections 26, 27, 34
& 35, from which corner I run
West, on true line between Secs. 27 & 34
Var. $12^{\circ}54'$ East.

- 40.00 Set a $\frac{1}{4}$ section corner post in
a mound & pits as per in-
structions, & from which
a Mesquite 9 in diam. bvs S, 5° E, 51 lks. dist.
" do 18 " " " N, 4° W, 109 " "
80.00 The corner to secs. 27, 28,
33 & 34.

Sand level, Soil 1st & 2nd
rate - Mesquite timber -

Township 15 S. Range 13 East
Gila & Salt River Meridian

- No. North, between Secs. 27 & 28,
Cor. $12^{\circ}54' E$
40.00 Set a post in a mound &
pits as per instructions.
A Mesquite 9 in diam base, N. $23^{\circ} E$, $3\frac{1}{2}$ lbs dist
" do 4 " " " S, $18^{\circ} E$, 29 " "
41.25 Road S, W, & N. E —
46.50 Leave timber & begin ascent
of round hill (dry creek
runs East)
55.10 Top of round hill 100 ft. high
61.00 Bottom of hill & level land
80.00 Set a stone $14 \times 10 \times 8$ in. in a
mound & pits as per in-
structions for the corner
to sections 21, 22, 27 & 28

No trees near.

Land level except the
round hill. Soil 2nd
rate. Mesquite timber on
1st half mile —

Township 15 S. Range 15 East

Gila & Salt River Meridian

Obs. East, on random line bet. Secs. 22 & 27.

Var. $12^{\circ}54'$ East.

- 6.00 Apex of round Hill -
- 9.00 Road from Tucson to Sulzac.
- 12.00 Saw Beaver Church leaves
North } chains distant
- 22.50 Fence lines N. & S. (Cultivated)
and ditch runs North.
- 40.00 Set a temporary $\frac{1}{4}$ section corner
post
- 45.00 Fence runs N. & S.
- 48.00 Ditch runs North
- 80.07 Intersect the N. & S. line
9 links South from the
corner to sections 22, 23
26 & 27, from which I run
 $S, 89^{\circ}56' W$, on true line bet. Secs. 22 & 27.
Var. $12^{\circ}54'$ East
- 40.03 Set a $\frac{1}{4}$ section corner post
in a mound and pits

Township 15 S. Range 13 E

Gila & Salt River Meridian

aka

as per instructions.

No trees near

80.00 The corner to Sections 21, 22
27 & 28

Sand level & cultivated
Soil 1st rate. No timber.

Ch. North, bet. sec. 21 & 22

var. $12^{\circ}54'$ East.

15.50 Road leaves N.W. & S. E

18.00 Fence " N.W. & S. E. Enter field "

40.00 Set a 1/4 sec. corner post in a
mound & pits as per instructions
No trees near

50.00 Fence bet. E. & W. & leave field

80.00 Set a post in a mound and
pits as per instructions for
the corner to Secs. 15, 16, 21 & 22.
No trees near. Sand level
Soil 1st rate. No timber

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs. East on random line bet. Secs. 15 & 22

Var. $12^{\circ} 54'$ East.

- 2.00 Ditch runs North.
- 10.00 Fence leaves N. & S. W.
- 23.00 Ditch runs North
- 40.00 Set a temporary $\frac{1}{4}$ sec. Cor. post
- 57.20 Fence leaves N. & S.
- 62.00 Ditch runs North.
- 72.50 Fence leaves, N. W. & S. E.
- 80.26 Intersect the N. & S. line at
the corner to Secs. 14, 15, 22
& 23 from which corner I run
West on true line bet. Secs. 15 & 22,
Var. $12^{\circ} 54'$ East.
- 40.13 Set a $\frac{1}{4}$ sec. Cor. post in a mound
and pits as per instructions
No trees near
- 80.26 The corner to sections 15, 16, 21
& 22, Sand level
Soil 1st rate No timber.

Township 15 S. Range 13 East

Gila & Salt River Meridian

Ch. North, bet. Secs. 15 & 16.

Var. $12^{\circ}54'$ East.

10.00 Enter timber, beaus E. & W.

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per in-
structions from which

a Mesquite 16 in diam. Brs N. 70° E. 25 lbs &

do 8 " " " N. 87° W. 198 "

57.80 Fence beaus E. & W.

68.00 do " E. & W.

80.00 Set a post in mound & pits
for corner to Secs. 9, 10, 15 & 16

A Mesquite 4 in diam Brs N. 30° E. 41 lbs dit

do 3 " " " N. 85° W 39 " "

do 5 " " " S. 21° E. 58 " "

do. 12 " " " S. 81° W. 171 " "

Sand levels. Soil 1st rate
Mesquite timber in
scattered strips —

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs East, on random line bet sec. 10 & 15

Var $12^{\circ}54'$ East

- 12.00 fence lvs. N. & S.
 12.50 House on line, (adobe)
 15.00 Ditch runs North
 19.00 do " do
 25.50 Ditch & fence lvs. N. W. & S. E.
 36.00 Enter wheat field lvs. N. & S.
 40.00 Set a temporary $\frac{1}{4}$ sec. cor. post.
 57.70 Fence lvs. N. & S. & leave wheat
 69.00 Road in lane lvs. N. & S.
 79.00 leave Cultivated lands. N. & S.
 80.23 Intersect the N. & S. line
 13 links N. of the corner to
 sections 10, 11, 14 & 15 from
 which cor. I run
 N. $89^{\circ}54'$ N. on true line bet sec. 10 & 15
 Var. $12^{\circ}54'$ East.
 40.11 Set a $\frac{1}{4}$ section corner
 next to a mound & pits

32
Township 15 S. Range 13 East

Gila & Salt River Meridian
Chs.

as per instructions from which

a Nagput 4 in diam Brs. N. 5° E. 12 lbs dist

do 8 " " " S. 7° E. 22 " "

80.23 The corner to sections 9, 10
15 & 16.

Sand level, Soil 1st rate

and scattering Mesquite timber

North, between Secs. 9 & 10

var. $12^{\circ}54'$ East

8.50 House on line -

11.00 Road bears N. E. & S. W.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound & pits from which

a Nagput 6 in diam Brs S. 22° W, 20 lbs dist

do. 4 " " " S 23° E. 27 " "

50.00 Lime kiln 50 lbs. East of line

66.00 Old Arastro 50 links west.

71.50 Road bears N. E. & S. W.

80.00 Set a post in a mound

Township 15 S. Range 13 East
 Gila & Salt River Meridian

and pits as per instructions
 for the Survey to Secs. 3, 4, 9 & 10.

@ Mesquite 6 in diam bus. S. 52° W. 84 lks. dist
 do 8 " " " N. 15° W. 190 " "
 do 2 " " " S. 31° E 32 " "

No other trees near
 Sand level, Soil 1st rate
 Scattered Mesquite timber

East on Random line bet. Secs. 3 & 10.

3.00 Road bus. N. E. & S. W ^{var. 1254 E}

10.50 Same road bus. S. E.

18.00 Corner of fence 2 chains S of
 line runs. S. & E.

24.00 Same Road runs North

29.00 Fence runs N. & S.

40.00 Set a temporary 1/4 sec. post

68.00 Fence bears N. & S.

73.00 Road bears N. & S.

80.00 Culvert The N. & S. line

Township 15 S. Range 13 East.

Gile & Salt River Meridian

at the Corner to Sections

2, 3, 10 & 11. from which

Corner I run

West on true line bet Secs. 3 & 10

Cor. $12^{\circ} 54'$ East

40.00 Set a $\frac{1}{4}$ section Corner

West in a mound &

pits as per instructions

A Magnet Six diam Cor. S. 9° E. 119 lbs det

No other true need

80.00 On the Corner to Sections

3, 4, 9 & 10

Land level, soil 1st rate

Scattering musquit

tree here

Township 15 S. Range 13 East

Gileo & Salt River Meridian

No. North, on meadow line bet sec. 3 & 4

Var. $12^{\circ}54'$ East

15.00 Road runs N. E. & S. W

40.00 Set temporary $\frac{1}{4}$ sec. Corner post

80.47 Detached the North boundary 30
links East of the Corner to

Sections 3, 4, 33 & 34 from
which Corner I run

S 13° E, on true line bet sec. 3 & 4

Var. $12^{\circ}54'$ East.

40.47 Set a $\frac{1}{4}$ section Corner post

in a mound & pits as
per instructions No trees
near —

80.47 The Corner to Sections
3, 4, 9 & 10.

Sand level, Soil 1st
and 2nd rate, and a
few scattering mesquite trees.
Nov 5th 1871

36
 Township 15 S. Range 13 East
 Gila & Salt River Meridian

- Chs North, between Secs. 32 & 33
 Var. $12^{\circ} 54'$ East
- 17.80 Dry Creek 10 lks wide runs N. E.
 and then begin ascent of E.
 End of point.
- 40.00 Set a stone $16 \times 10 \times 6$ in in a
 stone mound as per in-
 structions for the Cor. Corner
 No trees near
- 44.00 Level land bet N. & S. E.
- 51.00 Dry Creek 10 lks wide runs E.
- 63.50 Begin ascent of E. slope
 of mountain.
- 80.00 Set a stone $18 \times 10 \times 8$ in
 in stone mound &
 marked as per instructions
 for the Corner to sections
 28, 29, 32 & 33. No trees near
 Sand broken Soil are
 low stony & poor.

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs. East, on a random line bet Secs. 28 & 33.

Var. $12^{\circ} 54'$ East.

18.00 Base of hill & enter level land

25.50 Dry Creek 10 links well over N. E. cor

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner post.

80.00 Intersect the N. & S. line 11 links

North from the Corner to sections

27, 28, 33 & 34, from which I run

N. $89^{\circ} 55'$ W. on true line bet. Secs. 28 & 33.

Var. $12^{\circ} 54'$ East

40.00 Set a $\frac{1}{4}$ Sec. Corner post in

a mound & pits as per

instructions from which

A magnetic 8 inch diam. Box N. $42^{\circ} 8'$, 41 links etc

" do. 4 " " " S. $37^{\circ} W$, 53 " "

80.00 The corner to sections 28

29, 32 & 33 -

Land level except West

End. Soil 2nd & 3rd rates.

A few scattered trees only -

38

Township 15 S. Range 13 E.
Gila & Salt River Meridian

Chs North, between Secs. 28 & 29
Var. $12^{\circ}54'$ East

33.00 begin to descend N. E. slope,

40.00 set a $\frac{1}{4}$ section corner stone
15 x 12 x 6 in in stone mound
and marked as per in-
structions. No trees near

59.00 enter level land bcs E. & W.

80.00 set a post in a mound
and pits as per instructions
for the corner to sections
20, 21, 28 & 29

No trees near
Sand broken & stony
excepting North end
of line

Soil 3rd rate

No timber —

Township 15 S. Range 13 E
 Gila & Salt River Meridian

40.00 East, on ran down line between Secs. 21 & 28
 Va. 12° 54' E.

40.00 Set a temporary 1/4 sec. corner post
 80.00 In the center of the N. & S. line 14 links
 South from the corner to sections
 21, 22, 23 & 28 from which
 Corner I run

S. 89° 54' W. on true line bet sec. 21 & 28
 Va. 12° 54' East

40.00 Set a 1/4 section corner post
 in a mound & pits as per
 instructions from which

A Magnet Co. in deav. Pos. East 92 links det
 do 4, " " " S 9° E 29 " "

80.00 The corner to sections 20
 21, 28 & 29.

Sand level, soil 2nd
 rate, and a few
 scrubby Mesquite trees.

Township 15 S. Range 13 E.

Gile & Salt River Meridian

Chs. North, between Sections 20 & 21.

Var. $12^{\circ}54'$ East

21.00 Road across E. & W.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions from which
a *Nusquit* 8 in diam bcs S. 68° E. 80 links dist-

No other tree near

80.00 Set a post in a mound
and pits as per instructions
for the corner to sections
16, 17, 20 & 21.

No trees near

Sand level, dry & sandy
Soil 2nd rate -

Timber, - a few scattered
& scrubby *Nusquit* trees -
Good grass land.

Township 15 S. Range 13 East
Gile & Salt River Meridian

Ch. East, on random line bet. Secs. 16 & 21
Var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner post.

58.00 Road to Giesow beans N. & S.

62.00 Enter rich bottom lands bet. N & S.

80.00 Intersect the N & S. line at the
Corner to sections 15, 16, 21 and
22 from which Corner I run
West, on true line between Secs. 16 & 21.

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section Corner post
in a mound & pits as per
instructions from which

A Mesquite 8 in diam Bears N. $87^{\circ}E$, 25 the dist.

" do 5 " " " North 94 " "

80.00 The corner to sections 16,
17, 20 and 21

Sand Level, and Soil
1st rate on East end &
2nd rate on West end of line
A few scrubby Mesquite trees.

Township 15 S. Range 13 East
Gila & Salt River Meridian

Chs. North, between Sections 16 & 17.

Var. $12^{\circ}54'$ East

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions

No trees near —

57.80 Road to Altav — bears E. & W.

80.00 Set a post in a mound
and pits as per instruc-
tions for the corner to
Sections 8, 9, 16 and 17.
and from which

a Mesquite 6 in diam. bears N. 5° W. 75 lbs

" do 3 " " " N. 10° E. 20 "
deadest, No other trees near

Sand level, soil 2nd
rate sandy & dry.

Mesquite brush and
a few scrubby trees —

Township 15 S. Range 13 East

Gila & Salt River Merchain

hd East, on random line bet. Secs. 9 & 16

Var. $12^{\circ}54'$ East.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor. post

58.50 Road bears S. W. & N. E.

60.25 do " N. & S.

68.50 do to Tucson bears N. & S.

80.00 Intersect the N. & S. line 7
leaves North from the corner
to sections 9, 10, 15 & 16 from
which corner I run

N. $89^{\circ}57'$ N. on true line bet. Secs. 9 & 16.

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as
per instructions.

Notes near

80.00 The corner to sections
8, 9, 16 and 17.

Sand level, soil 2nd rate
No timber, some
mesquite brush

Township 15 S. Range 13 East.

Great Salt River Meridian

hd North, between Secs. 8 & 9.

Var. $12^{\circ}54'$ East.

21.00 Road, bears Grand W.

40.00 Set a $\frac{1}{4}$ section Corner

post in a mound and
pits as per instructions

No trees near.

60.00 High sharp rocky Peaks
about 10 chs E. & West of line

80.00 Set a stone $18 \times 10 \times 5$ in
in a stone mound as
per instructions for the

Corner to sections 4, 5,
8 & 9. No trees near

Land gently ascending
towards the north.

Soil on line 3rd rate

No timber -

Township 15 S. Range 13 East
 Gila & Salt River Meridian

Chs. East on random line bet secs. 4 & 9.
 Var. $12^{\circ}54'$ East.

5.00 begin steep ascent -

12.40 Summit of sharp rocky ridge
^{75 feet high}
 ^ bears N. & S. & begin descent.

20.00 Bottom of descent, thence
 gently descending -

40.00 Set a temporary $\frac{1}{4}$ sec. Corn post.

79.00 Road to Guesow bus. N. & S.

80.05 Intersect the N. & S. line at
 the corner to Secs. 3, 4, 9 & 10
 from which corner I run

West on true line bet secs. 4 & 9.

Var. $12^{\circ}54'$ East

40.02 Set a $\frac{1}{4}$ sec. corner post in a
 mound & pits as per instructions.

a magnetic line clear bus S. 30° E. 30 lks dist

" do 4 " " " S. 40° W. 36. " "

80.05 The corner to Secs. 4, 5, 8 & 9.

Sand sloping to East, soil
 3^{rd} rate, no timber -

Township 15 S. Range 13 East -
Gila & Salt River Meridian

Ch. North, on random line bet. Secs. 4 & 5
Var. $12^{\circ}54'$ East.

17.00 Begin steep rocky ascent, E & W.

20.00 Summit of same 50 feet high

25.00 ^{and descend} Bottom of descent, bet E & W.

Then ascending -

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. post

80.60. Intersect the North boundary

23 links East of the corner
to sections 4, 5, 32 & 33, from
which corner run

S. 10° E. on true line bet. Secs. 4 & 5.

Var. $12^{\circ}54'$

40.60 Set a stone $16 \times 8 \times 6$ in in a
stone mound as per instruc-
tions for $\frac{1}{4}$ Sec. corner

No trees near

80.60 The corner to sections

4, 5, 8 & 9 - Land Broken
& stony said worthless,
No timber -
May 6th 1871

Township 15 S. Range 13 East

Gila & Salt River Meridian

1/4 North, between Secs. 31 & 32
 var. $12^{\circ}54'E$ -

- 5.00 Top of stony ridge 100 ft high E & W.
 16.00 Deep ravine runs East and
 begins ascent of mountain -
 40.00 Set a $\frac{1}{4}$ Sec. Corner stone
 18x10x7 inches in a stone
 mound as per instructions
 No trees near.
 42.00 Summit of Round Mountain
 300 feet high (above plain).
 74.00 descending ground -
 80.00 Set a stone 16x10x8 in
 in a stone mound well
 marked as per instructions
 for the corner to sections
 29, 30, 31 & 32.
 No trees near
 Sand broken & stony
 Soil 3rd rate
 No timber

Sawship 15 S. Range 13 E.

Gila & Salt River Meridian

Obs East, on a random line bet. Secs. 29 & 32.

Var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. Cor post

79.82 Intersect the N. & S. line 17

links South of the corner
to sections 28, 29, 32 &

33 from which corner I run

$889^{\circ}53'$ W. on true line bet. Secs. 29 & 32

Var. $12^{\circ}54'$ East.

39.91 Set a stone $16 \times 12 \times 6$ in

in a stone mound as
per instructions for the
 $\frac{1}{4}$ section corner.

No trees near

79.82 The corner to sections

29, 30, 31 and 32 -

Sand Brakier & stoney

Soil 3rd rate -

No timber -

Township 15 S. Range 13 East
 Gila & Salt River Meridian

Chs. West on random line bet. Secs. 30 & 31.

Var. $12^{\circ}54'$ East.

40.00 Set a temporary 'true' Cor. post.

79.92 Intersect the West boundary
 10 links South from the
 corner to Secs. 30, 31, 25
 & 36, from which Cor. I run

S. $89^{\circ}56'$ E. on true line bet. Secs. 30 & 31.

Var. $12^{\circ}54'$ East.

39.92 Set a $\frac{1}{4}$ Sec. Corner stone

18 X 10 X 8 in in a stone

marked as per instructions

No trees near.

79.92 The Corner to sections

29, 30, 31 and 32.

Sand broken, stoney and
 sloping N. W.

Soil 3rd rate

No timber —

Township 15 S. Range 13 East
 Gila & Salt River Meridian

Co North, between sections 29 & 30
 U.S. 12° 54' East

- 11.00 Begin ascent of S. Slope
 37.00 Summit of Mountain 300 ft high
 40.00 Set a $\frac{1}{4}$ ac. corner stone
 16 x 12 x 6 in in a stone
 mound as per instructions
 No trees near
- 59.00 Base of hill bet. E & W, and
 enter level ground
- 80.00 Set a post in mound &
 pits as per instructions
 for the corner to sections
 19, 20, 29 and 30.
 No trees near
- Sand broken except
 last $\frac{1}{4}$ of mile which
 is level
- Soil 3 and 2 rate
 No timber —

Homestead 15 S. Range 13 East

Gile & Salt River Meridian

Chs. East on random line bet. Secs. 20 & 29
Var. $12^{\circ}54'$ East

40.00 Set a temporary $\frac{1}{4}$ sec. cor. post,
80.00 Intersect the N. & S. line at
the corner to sections 20, 21,
28 & 29 from which cor. Iron
Post, on true line bet. Secs. 20 & 29.
Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post in a
record and pits as per
instructions.

80.00 The corner to sections
19, 20, 29 & 30.
No trees near

Sand level.

Soil Sandy 2nd rate
No Timber

Township 15 S. Range 13 E.

Gila & Salt River Meadows

Ch^d West, an railroad line (at Sec)

19 and 30 —

var. $12^{\circ}54'$ East.

40.00 Set a temporary $\frac{1}{4}$ section

corner west —

79.80 Intersut the West boundary

15 links South of the

corner to sections 19, 30

24 and 25, from which

corner I run —

S. $89^{\circ}54'$ E. a true line (at Sec. 19 & 30

var. $12^{\circ}54'$ E

39.80 Set a ~~the~~ ~~Sec~~ corner post

in a mound and pits

as per instructions

No trees near —

79.80 The corner to sections

19, 20, 29 & 30 —

Land level, Soil 2^d

rate no trees

Township 15 S. Range 13 East

Lyle & Salt River Mound

Chs. North, between Secs. 19 & 20

Var. $12^{\circ}54'$ East

36.00 Road, bears E. & N.

40.00 Set a $\frac{1}{4}$ section corner

post in a mound and

pits as per instructions

No trees near

80.00 Set a post in a mound

and pits as per in-

structions for the

corner to sections

17, 18, 19 & 20.

No trees near

Sand level, & sandy

Soil 2nd rate

No timber

Some mesquite

brush

Township 15 S. Range 13 East

Gila & Salt River Meridian

Obs. East, on random line bet Decs. 17 & 20.
Var. $12^{\circ}54'$ East.

40.00 Set a temporary 1/4 sec. Cor. post.

80.10 Intersect the N. & S. lines at
the corner to Decs. 16, 17,
20 & 21, from which
corner I run

West, on true line bet. Decs. 17 & 20.

Var. $12^{\circ}54'$ East.

40.05 Set a 1/4 sec. corner post in
a mound and pits as
per instructions

No trees near

80.10 The corner to Decs. now
17, 18, 19 & 20 —

Sand level & sandy

Soil 2nd rate

No timber

Some mesquite brush

Township 15 S. Range 13 East

Gila & Salt River Meridian

Chs. West, on a random line bet. Secs. 18 & 19
Var. $12^{\circ}54'$ East.

20.00 A rock peak 10 chs N. of line

40.00 Set a temporary $\frac{1}{4}$ sec. corner

79.75 Intersect the West boundary
22 links South of the corner
to Secs. 18, 19, 13 & 24, from
which corner I run

S. $89^{\circ}57'$ E. on true line bet. Secs. 18 & 19
Var. $12^{\circ}54'$ East

39.75 Set a $\frac{1}{4}$ sec. corner peak
in a mound and pits
as per instructions.

79.75 In cor. to Secs. 17, 18, 19 & 20
Land level on line

Soil 3rd rate dry & sandy
No timber

Township 15 S. Range 13 East
Gila & Salt River Meridian

@ Chum, North, between secs. 17 & 18.

Var. $12^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits
as per instructions -

No trees near

58.00 Road to Altav bears E. & N.

80.00 Set a post in a mound
and pits as per instruc-
tions for the corner to
sections 7, 8, 17 & 18 -

No trees near

Land a little ascending
to the north -

Soil 3rd rate dry &
sandy

No timber

Some mesquite brush.

May 8th 1891.

Township 15 S. Range 13 East,

Gile & Salt Run Meridian

- Chs East, on a random line bet secs. 8 & 17.
var. $12^{\circ} 54'$ East,
- 40.00 Set a temporary $\frac{1}{4}$ sec. corner
post
- 80.10 Intercept the N. & S. line 19
links South from the corner
to secs. 8, 9, 16 & 17, from
which corner I run
- $S 89^{\circ} 52' N.$ on true line bet, secs. 8 & 17
var. $12^{\circ} 54'$ East.
- 40.05 Set a $\frac{1}{4}$ sec. corner post
in a mound and pits
as per instructions
No trees near
- 80.10 The corner to sections
7, 8, 17 & 18 —

Land level. Soil 3rd
rate dry & sandy —
No timber —

Township 15 S. Range 13 East.

Gila & Salt River Meridian

Chs. West, on random line bet. Secs. 7 & 18

Var. $12^{\circ}54'$ East

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. post

79.78 Intusset the West boundary

27 links South from the
corner to sections 7, 18, 12 &

13 from which corner I ran

S. $89^{\circ}48' E$. on true line between

sections 7 and 18.

Var. $12^{\circ}54'$ East.

39.78 Set a $\frac{1}{4}$ Sec. corner post

in a mound and

pits as per instructions

No trees near.

79.78 The corner to sections

7, 8, 17 & 18 —

Land level, on line

Soil 3rd rate dry

& sandy. No timber —

Township 15 S. Range 13 East

Gilex & Salt River Meridian

Sec. North, between Secs. 7 & 8.

var. $12^{\circ} 54'$ East.

40.00 Set a $\frac{1}{4}$ section post in
a mound and pits
as per instructions.

No trees near
a round rocky peak about
15 chains NW —

80.00 Set a post in a mound
and pits as per instructions
for the corner to sections
5, 6, 7 & 8.

No trees near
Land sloping S. & East.
Soil dry sandy and 3^d rate.

No timber
Mesquite brush —

Township 15 S. Range 13 E -
Gila & Salt River Meridian

Chs. East on a random line bet Secs. 5 & 8.

var. $12^{\circ}54'$ East.

19.40 Road bears N. W. & S. E -

40.00 Set a temporary $\frac{1}{4}$ sec. cor. post.

79.92 Intersect the N. & S. line 23
links South of the corner
to sections 4, 5, 8 & 9 from
which corner I run

$S 89^{\circ}50'$ N. on true line, bet. Secs. 5 & 8.

var. $12^{\circ}54'$ East.

39.96 Set a $\frac{1}{4}$ section corner post
in a mound and pits
as per instructions.

No trees near.

79.92 The corner to sections
5, 6, 7 & 8 -

Sand level

Soil 3rd rate

No timber -

Township 15 S. Range 13' East

Gila & Salt River Meridian

1/2 West. on random line between

Sections 6 and 7.

var. $12^{\circ}54'$ East.

40.00 Set temporary 1/4 sec. cor. post

79.68 Intersect the West boundary

17 links South from the

corner to Secs. 6, 7, 1 & 12

from which corner I run

S. $89^{\circ}53'$ E. on true line bet. Secs. 6 & 7.

var. $12^{\circ}54'$ E.

39.68 Set a 1/4 sec. corner post

in a mound and pits

as per instructions

No trees near

79.68 The corner to sections 5

6, 7 & 8.

Land rolling & stony

Sail 3rd rate

No trailer —

Township 15 S. Range 13 East.

Gila & Salt River Meridian

- Chs North, on random line bet. sec 5 & 6,
 Var. $12^{\circ}54'$ East -
- 23.00 Stoney cedar beams N.W. & S.E. 50 ft by 4
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor. post.
- 80.60 Intersert the North boundary
 47 links East from the
 corner to sections 5, 6, 31
 and 32, from which I run
 S. $0^{\circ}20'$ E on true line bet. sec. 5 & 6
 Var. $12^{\circ}54'$ East.
- 40.60 Set a $\frac{1}{4}$ section corner
 post in a mound and
 sets as per instructions
 No trees near
- 80.60 The corner to sections 5
 6, 7 & 8.

Land broken

Soil worthless

No timber -
 May 9th 1871

T. 15 S. R. 13 East of
Tela & Sankin Meridian

General Description
The Lands in this Town-
ship along the Sante
Cruz River are of a
superior quality and
a good portion of them
are under Cultivation.

Along the East and
West boundaries the
lands are only of 2nd
and 3rd rate, and
can only be made
available as pasture
lands.

The famous old
Church called San
Havier is in this
Township and on the
S. W. 1/4 of section 22
This is quite an

Extensive Stone Structure
 with two brick Caspales
~~of brick~~, the whole
 covered with a hard
 and durable Cement
 which has defied the
 destructive Elements
 for probably a
 Century — and
 when considered
 in connection with
 its locality and
 the circumstances
 that have attended
 it, since its construction,
 is perhaps the
 greatest Curiosity
 in Arizona
 S. M. Foreman
 U. S. Dept. Arizona

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of The Sub-division lines in Township No. 15 South, of Range No. 13, East of the Salt Run & Base and Meridian lines — showing the respective capacities in which they acted.

George W Carr	Compassman.
John Munn	Chainman.
Washington Evans	Chainman.
John Riley	Flagman.

Final Oaths of Assistants.

We hereby certify that we assisted Solomon W. Foreman Deputy Surveyor, in surveying the subdivision lines in Township 15 South of Range 13 East of the Gila & Salt River Base and meridian lines

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

George W. Carr
John Munn
Washington Evans
John Riley

Subscribed and sworn to before me this 10th day of May 1871.

Ino Judson.
Probate Judge Ex Off. Clerk
Pima Co. Arizona 74

Final Oath of Deputy Surveyor.

I, Solomon W. Forman
Deputy Surveyor, do solemnly swear that, in pursuance
with a contract with John Hasson
United States Surveyor-General for Arizona, bearing date
the 30 day of ~~April~~ ^{April} 1871, I have well, faithfully
and truly, in my own proper person, and in strict con-
formity with the instructions furnished by the Surveyor-
General, the Surveying Manual, and the laws of the
United States, surveyed all those parts or portions of
The Sub-division lines
in Township 15 South
and of Range 13 East
of the Gila and Salt
River Base and
Meridian lines

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Foreman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10th
day of May 1871

John Anderson
Notary Public
Ex Officio Notary Clerk
Pima Co
Arizona Territory

U. S. Surveyor General's Office,

Tucson Arizona, May 24, 1871

The foregoing Field Notes of the Survey of the Sub-division^{lines} of Township No. 15 S. in Range No. 13 E. of the Gila and Salt River Meridian and Base lines, executed in the Month of May 1871, by Solomon W. Foreman Deputy Surveyor, under his contract of the 30th day of April A. D. 1871, having been critically examined, the necessary corrections and explanations made, the said Field Notes, and the Surveys they describe, are hereby approved

John H. Mason
U. S. Surveyor General
For Arizona