

Book No 6 - BOOK 824

No. 824

# Field Notes

OF THE SURVEY OF THE

BOOK 824

*Subdivision lines*

-OF-

No. 824

Township *14 S* Range *31 E*

*Gila and Salt River Base and Meridian*

ARIZONA.

By *R. B. Powers* D.S.

Under contract dated *Feb 27 - 1883*

Survey commenced *March 24 - 1883*

Survey completed *March 27 - 1883*

*indexed*

824

*late to  
copyed  
depanit*

1A

BOOK 824  
INDEX DIAGRAM.

Township 14 South

Range 31 East

6	111	5	81	4	61	3	39	2	19	1
109		107		80		59		38		18
7	105	8	78	9	57	10	36	11	16	12
104		102		76		55		34		14
18	100	17	74	16	53	15	32	14	12	13
98		96		73		51		30		10
19	94	20	71	21	49	22	28	23	8	24
93		91		69		47		27		7
30	89	29	67	28	45	27	25	26	4	25
87		85		65		43		23		3
31	83	32	63	33	41	34	21	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

No. 824

BOOK 824

1B 1

Sp 14 S. R. 31 E. S. 4 S. R. M -

Chs -

Survey commenced  
March 24<sup>th</sup> 1883.

For preliminary notes  
and description of  
instrument see Book  
No. 1.

From the Cor. to Secs  
1-2-35+36 on S. Bay of Sp  
recently established by me -  
I run North 1/2 -  
Secs 35+36 -

via 130° 28' E

17.30 Cross road hrs N. E + S. W

4000 Deposited marked stone  
12 ins in the ground for  
1/4 Sec Cor. dug pits 18 x  
15 x 12 ins N + S of stone  
5 1/2 ft. dist. & raised a  
mound of earth 1 1/2 ft.

T 14 S. R 31 E

cls-

high  $3\frac{1}{2}$  ft. base over it.  
 Set N. pit drove stake  
 2 ft. long 2 ins sq - 12  
 ins in the ground - marked  
 $\frac{1}{4}$  S on W face -

80.00

Deposited marked  
 stone 12 ins in the  
 for corner to Secs 25-26-35+36 -  
 ground " dug pits 18x18  
 12 ins in each Sec  
 $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base over it.  
 Set east pit drove  
 stake 2 ft. long 2 ins sq  
 12 ins in the ground  
 marked T 14 S. S 25 on N. E.  
 R 31 E. S 36 on S. E.  
 S 35 on S. W + S 26 on  
 N. W faces + with  
 notch on S + E edges -

T 14 S. R 31 E

Chs.

Surface level -  
 Soil 2<sup>nd</sup> rate  
 Dense greasewood and  
 mesquite brush -  
 \_\_\_\_\_

E on a random line  
 bet. Secs 25 + 36

Va 130 28' E -

33.00 Cross road hrs S. E.

40.00 Sit temporary 1/4 Sec Cor.

79.90 Intersect E of Bay of Sp.

16 lbs of coal to Secs -

25 - 30 - 31 + 36 - recently  
 established by me -

Thence I ran -

N 89° 53' W on a true  
 line bet. Secs - 25 + 36 -

with same Va -

39.95 Deposited marked stone

S. 14 S. R. 31 E

Obs -

12 ins in the ground  
 for  $\frac{1}{4}$  Sec Co. - dug  
 pits 18 x 18 x 12 ins E & W  
 of stone  $5\frac{1}{2}$  ft. dist. &  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base  
 over it. In E pit  
 drove a stake 2 ft.  
 long 2 ins sq 12 ins  
 in the ground marked  
 $\frac{1}{4}$  S on N face -

79.90

The Co. to Secs 25-26

- 35 &amp; 36 -

Surface level

Soil 2<sup>nd</sup> rate

Some greasewood &  
 mesquite brush

North bet. Secs -

T 14 S. R 31 E

Chs -

25-726-

ba 15° 26' E.

40,00 Deposited marked stone  
12 ins in the ground for  
1/4 sec Cor. dug pits  
18 x 18 x 12 ins N + S of  
stone 5 1/2 ft. dist. &  
raised a mound of  
earth 1 1/2 ft. high 3 1/2  
ft. base over it - In  
E. pit drove stake 2  
ft. long 2 ins sq - 12 ins in  
the ground marked 1/4  
S and W face -

80,00 Deposited marked  
stone 12 ins in the  
ground for Cor. to  
Secs 23-24-25-26  
dug pits 18 x 18 x 12  
ins in each Sec

S 14 S, R 31 E

Obs -

5 1/2 ft. dist. & raised  
a mound of earth  
2 ft. high 4 1/2 ft. base  
over it. In S. E. pit  
drove stake 2 ft. long  
2 in sq - 12 in in thick  
around - marked -

S 14 S, S 24 on N. E,  
R 31 E, S 25 on S. E  
S 26 on S. W and  
S 23 on N. W faces &  
with 2 notches on S  
& 1 notch on E  
edges -

Surface level -

Soil 1st rate -

Dense greasewood  
& mesquite brush -



S. 1/4 S. R. 31 E

Chs -

E. on a random line  
bet. Secs. 24 + 25 -Ba  $13^{\circ} 26' E$ 40.00 Set temporary  $\frac{1}{4}$  Sec Cor

47.00 Cross road bet N. W + S. E.

79.46 Cross San Simon creek  
course N. W -79.94 Intersect E Bay of  
Sp. 34 lbs N of Cor  
to Secs 19-24-25-30  
recently established by  
me. Thence I runN  $89^{\circ} 45'$  W on a true  
line bet. Secs 24 + 25  
with same Ba -39.97 Deposited marked stone  
12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor dug  
pits  $10 \times 15 \times 12$  ins  $\frac{1}{4}$   
+ W of stone  $5\frac{1}{2}$  dist -

T 14 S. R 31 E

Obs-

and raised a mound  
of earth 1 1/2 ft. high  
3 1/2 ft. base over it -  
In E pit drove a  
stake 2 ft. long 2  
ins sq - 12 ins if the  
ground marked 1/4 S  
from N. face -

79.94

The con to Secs -  
23 - 24 - 25 + 26

Surface level  
soil, stake

Dense mesquite &  
greewood brush -  
\_\_\_\_\_

North bet. Secs 25 + 24

to 15° 25' E

22.00

Cross road hrs E + N

40.00

Deposited marked

S 14 S. R 31 E

Chs-

stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
dug pits  $18 \times 18 \times 12$  ins  
N + S of stone  $5\frac{1}{2}$  ft -  
diam. & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it.  
In N. pit drove a stake  
2 ft. long 2 ins sq - 12  
ins in the ground marked  
 $\frac{1}{4}$  Sec N place -

63,14

Cross San Simon creek  
course N. W -

71,00

Cross road bet N. W

80,00

Deposited marked  
stone 12 ins in the  
ground for Cor. to Sec -  
13 - 14 - 23 or 24 - dug pits  
 $18 \times 18 \times 12$  ins in each  
Sec  $5\frac{1}{2}$  ft. diam. & raised

T 14 S. R 31 E 1

Obs.

a mound of earth  
 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S. E. pit  
 drove stake 2 ft. long  
 2 ins sq 12 ins in the  
 ground. I marked - S 14 S  
 S 13 on N. E. R 31 E. S  
 24 on S. E. S 23 on S W  
 + S 14 on N. W faces -  
 + with 3 notches on  
 S +, notch on E  
 edges -

Surface level  
 Soil 1<sup>st</sup> rate  
 Scattering mesquite  
 + greasewood brush

---

E - on a sand on line  
 but, sees 13 + 24 -

T 14 S. R 31 E.

lbs -

to a 150' 25" E

- 40.00 Set temporary  $\frac{1}{4}$  Sec Cor
- 79.98 Intersect E By of Sp -  
 18 lbs S of Cor. to Secs  
 13-18-19 & 24. recently  
 established by me -  
 Thence I of an -  
 S 89° 52' W on a true  
 line bet. Secs 13 & 24  
 with same to -
- 39.99 Deposited marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor.  
 dug pits 18 x 18 x 12 ins  
 E of W of stone 5  $\frac{1}{2}$  ft.  
 dist. & raised a mound  
 of earth 1  $\frac{1}{2}$  ft. high  
 3  $\frac{1}{2}$  ft. base over ft.  
 In E pit drove a  
 stake 2 ft. long &

T 14 S. R 3. E

Obs -

12 in sq - 12 in in the  
ground - marked  $\frac{1}{4}$   
Sec on N. face -

79.98

The Cor. to Secs 13-14-  
23 & 24 -

Surface level  
Soil, strata  
Good grass  
\_\_\_\_\_

North bet. Secs 13 & 14 -  
T 13 0 25' E

40.00

Over level surface -  
Deposited marked  
stone 12 in in the  
ground for  $\frac{1}{4}$  Sec Cor.  
big pile 18 x 18 x 12  
in of N & S of stone 5  $\frac{1}{2}$   
ft. dist. & raised a  
mound of earth

513 S. R 3, E

Obs-

$1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it - In N pit drove a stake 2 ft. long 2 ins sq - 12 ins in the ground marked  $\frac{1}{4}$  S on W. face -

80.00

Deposited marked stone 12 ins in the ground for Co. to see - 11-12-13 & 14 - dug pits 18 x 18 x 12 ins in each see  $5\frac{1}{2}$  ft. dist. & raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ft. long 2 ins sq - 12 ins in the ground - marked -

514 S. S 12 on N. E

S, 4 S, R 31 E

Obs.

R 31 E, S 13 on S. E.  
 S 14 on S. W and  
 S 11 on N. W faces  
 with 4 notches on S  
 + 1 notch on E edges  
 Surface level  
 Soil sandy loam  
 1<sup>st</sup> rate -  
 Good grass

E - on a random line  
 bet. Secs 12 + 13 -

to 130 25' E

4000

80,10

Set temporary  $\frac{1}{4}$  Sec Cor  
 Intersect E By of  
 Sp - 42 lbs N. of foot  
 to Secs 7 - 12 - 13 + 18  
 recently established  
 by me - Thence Iron



T 14 S. R 3. E

Obs-

N 89° 42' W on a true  
line bet. Secs 12 & 13  
with same Pa-

40.05 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor  
Dug pits 18 x 18 x 12 ins  
E & W of stone  $5\frac{1}{2}$   
ft. dist. & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
over pit. In E pit  
drove a stake 2 ft.  
long 2 ins sq. - 12 ins  
in the ground marked  
 $\frac{1}{4}$  S on N. face -

80.10 The Cor. to Secs 11-12

- 13 & 14 -

Surface level  
Soil gravelly & - drate

T. 14 S. R. 3. E

Obs.

35 obs. scattering  
undergrowth - 4/5 -  
obs dense greasewood  
& mesquite brush

St. - bet. Secs 11 & 12

ba 130° 25' E

40.00

Deposited marked  
stone 12 ins in the  
ground for 1/4 Sec Cor-  
-ding pits 18 x 18 x 12  
ins N + S of stone  
5 1/2 ft. dist. & raised  
a mound of earth  
1 1/2 ft. high 3 1/2 ft.  
base over it. In the  
pit drove a stake  
2 ft. long 2 ins sq  
12 ins in the ground

S. 14 S. R. 3. E.

Obs-

80.00

$\frac{1}{4}$  S on W. face -  
 Set a granite stone  
 16 x 14 x 8 ins 11 ins in  
 the ground for Coor  
 to lines 1-2-11 + 12 -  
 marked with 5  
 notches on S + 1  
 notch on E edges -  
 dug pits 18 x 18 x 12 ins  
 in each see 5'  $\frac{1}{2}$   
 ft. dist. & raised a  
 mound of earth  
 2 ft. high 4'  $\frac{1}{2}$  ft.  
 base alongside a  
 surface level  
 Soil gravelly - 2<sup>nd</sup> rate  
 Greenwood + mesquite  
 brush  
 Some Grass

---

T. 4 S. R. 31 E.

Obs-

E. on a random  
line bet. Secs 1 + 12

va 13025' E

40.00 Set temporary  $\frac{1}{4}$  sec cor.

79.94 Intersect E. by of Sp-  
10 lks N of head - to  
Secs - 1-6-7 + 12 - recently  
established by me -

Thence I run  
N 89° 56' W on a true  
line bet. Secs 1 + 12  
with same va -

39.97 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  sec  
Cor. dug pits 18 x  
18 x 12 ins E + W  
of stone  $5\frac{1}{2}$  ft. dist -  
raised a mound  
of earth  $\frac{1}{2}$  ft. high

T. 4 S. R. 3. E.

Obs-

- 3 1/2 ft. base over it  
 In E pit drove slates  
 2 ft long 2 ins sq - 12  
 ins in the ground marked  
 1/4 S on N face -

79.94

The Cor. to Sec 1-2-11 1/2  
 surface level  
 Soil gravelly 2<sup>nd</sup> rate  
 scattering greasewood  
 brush.

It, on a random line  
 bet. Sec 1 & 2 -

bearing 130° 25' E.

40.00

Set temporary 1/4 Sec Cor.

80.08

Intersect N. Bay of Sp  
 12 lbs E of Cor. to Sec  
 1-2-35 & 36 - recently  
 established by me

T 14 S, R 3, E

Obs.

Thence I run  
S 5' E on a true  
line bet. Secs 1 & 2  
with same  $\nabla$

40.08 Set a granite  
stone 14" x 10 x 8 ins  
9 ins in the ground  
for  $\frac{1}{4}$  Sec. Co., marked  
 $\frac{1}{4}$  on N face - dug  
pits 18 x 18 x 12 ins -  $\nabla$   
S of stone 5  $\frac{1}{2}$  ft. dia  
and raised a mound  
of earth  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base alongside

80.08 The Co. to Secs -

1-2 -  $\nabla$  12

Surface level  
Soil gravelly 2<sup>nd</sup>  
rate -  $\nabla$

Dense greasewood

S 14 S. R 31 'E

Obs.

and mesquite brush -  
some grass -

I carefully examined  
the adjustments of my  
Solar Compass to day  
particularly the latitude  
and reversing apparatus  
and found them correct

---

From the Cor. to Secs  
2-3-34+35 on S. By  
of Sp. recently established  
by me. I run North  
West, Secs - 34+35 -

To a 13025' E

40.00

Deposited marked stone  
12 ins in the ground  
for  $\frac{1}{4}$  sec coal dug pits  
18 x 18 x 12 ins N & S of

S. 14 S, R. 3, E

Obs-

stown  $5\frac{1}{2}$  ft. dist.  
 & raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it -  
 In the pit drove a  
 stake 2 ft. long 2  
 ins sq. 12 ins fr  
 the ground - marked  
 $\frac{1}{4}$  S on W. face -  
 Deposited marked  
 stown 12 ins in the  
 ground for Co -  
 to Secs - 26 - 27 -  
 34 & 35 - dug pits  $18 \times$   
 $18 \times 12$  ins in each Sec  
 $5\frac{1}{2}$  ft. dist. & raised  
 a mound of earth  
 2 ft. high  $3\frac{1}{2}$  ft. base  
 over it. In S. E pit  
 drove a stake 2

80.00



S 14 S, R 31 E

Use -

ft long 2 mi sq - 12  
mi in the ground - marked

S 14 S, S 26 on N. E.

R 31 E, S 35 on S. E

S 34 on S. W +

S 27 on N. W faces -

+ with 1 notch on S

+ 2 notches on E edges -

Surface level ↓

Soil, strata

Dense mesquite + greasewood  
brush - ↓

E on a random line  
bet. Secs 26 + 35

to 13° 25' E

4000

Set temporary 1/4 Sec Cor

8006

Intersect N + S line

24 lbs S of Cor. to

B. 4 S. R. 31 E

Chs

Secs 25-26-35+36

Thence I run

S 89° 50' W on a true  
line bet. Secs 26 + 35 -  
with same va -

40.03

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Coo. dug pits 18 x 18  
x 12 ins E + W of stone  
5  $\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
base over it. In  
E pit drove stake  
2 ft. long 2 ins sq.  
12 ins in the ground  
marked -  $\frac{1}{4}$  S of N. face

80.06

Thence Coo. to Secs 26-27  
- 34 + 35 -

S, 4 S R 31 E

Obs-

Surface level  
 Soil, 1st rate  
 Dense greasewood  
 + mesquite brush

N. bet. Secs 26 + 27 -  
 Twp 130 28. E

40.00

Deposited marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor-  
 Dig pits 18 x 18 x 12 ins  
 N + S of stone  $5\frac{1}{2}$  ft.  
 dist. & raised a mound  
 of earth  $\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it  
 In N. pit drove stake  
 2 ft long 2 ins sq -  
 12 ins in the ground -  
 marked  $\frac{1}{4}$  S on N face

T 14 S, R 31 E

Obs.

80.00

Deposited marked stone 12 ins in the ground for Cor. to  
 lines 22-23-26+27  
 dug pits 18x18x12 ins  
 in each sec 5 1/2 ft.  
 dia. & raised a mound  
 of earth 2 ft. high 4 1/2  
 ft. base over it. In  
 S. E. pit drove stake  
 2 ft. long 2 ins sq - 12  
 ins in the ground  
 marked - T 14 S, S  
 23 on N. E.

R 31 E, S 26 on S. E  
 S 27 on S. W and  
 S 22 on N. W faces  
 + with 2 notches on  
 S + E edges -  
 surface level

S 14 S. R 31 E

Chs-

Soil 2<sup>nd</sup> rate  
 Dense mesquite &  
 greasewood brush -  
 ! ~~~~~

E on a random  
 line bet. Secs 23 & 26 -  
 Va 13° 28' E

40.00 Set temporary 1/4 Sec Cor  
 79.94 Intersect N of S line  
 31 lbs Prof Cor. to  
 Secs 23-24-25 & 26 -

Thence I run -  
 S 89° 47' W on a true  
 line bet. Secs 23 & 26  
 with same Va -

59.97 Deposited marked  
 stake 12 ins in the ground  
 for 1/4 Sec Cor. dug  
 pits 18 x 18 x 12 ins E

S. 14 S. R. 31 E.

Obs.

+ W of stam 5-1/2 ft. dist.  
+ raised a mound of  
earth 1/2 ft. high 5 1/2  
ft. base over it.

In E pit drove stake  
2 ft. long 2 ins sq. 12  
ins in the ground marked  
1/4 S on N. face.

79.94

The Cor. to Secs. 22-  
23 - 26 + 27,

Surface level

Soil 2<sup>nd</sup> rate

Dense greasewood brush

---

N. bet. Secs 22 + 23

ba 130 28' E

16.95

Cross road hrs.  
E + W -

40.00

Deposited marked

D, 4 S, R 3, E

Chs-

stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor-  
ding pits  $18 \times 18 \times 12$   
ins N & S of stone  $5\frac{1}{2}$   
ft. disk & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
over pit. In N. pit  
drove stake 2 ft. long  
2 ins sq. - 12 ins in the  
ground - marked  $\frac{1}{4}$  S on  
W. face.

80.00

Deposited marked  
stone 12 ins in the  
ground for Cor. to  
Ses 14-15 - 2 27 23 -  
dug pits  $18 \times 18 \times 12$  ins  
in each See  $5\frac{1}{2}$  ft -  
disk & raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$

T14 S, R31 E

Obs

base over it. In  
S. E. pit drove stake  
2 ft. long 2 ins sq. 12  
ins in the ground  
marked -

T14 S, S 14 on N. E.  
R 31 E, S 23 on S. E.  
S 22 on S. W + S 15  
on N. W faces with  
3 notches on S + 2 notches  
on E edges -

Surface level  
Soil, 1st rate  
Mesquite & greasewood  
brush -

E on a random line  
bet. Secs 14 + 23

fa 15° 25' E



D 14 S. R 31 E

lbs-

4.00  
40.00  
56.00Enter prairie  
sit temporary  $\frac{1}{4}$  sec cor-  
Cross San Juan

creek 6 lbs wide

course N. W.

76.74

Road hrs N W + S. E

79.96

Intersect N + S line

16 lbs N of cor. to Sec-

13-14-23 + 24 - thence

S -

At  $89^{\circ}53'$  W on a true

line bet. Secs 14 + 23 -

with same ba -

39.98

Deposited marked  
stone 12 ins in theground for  $\frac{1}{4}$  sec cor.

Dug pits 18 x 18 x 12

ins E + W of stone

5  $\frac{1}{2}$  ft. dist. & raised

a mound of earth

1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.

T. 4 S. R. 31 E.

Obs.

base over it. In  
E pit drove stake  
2 ft. long 2 ins sq.  
1/2 ins into the ground  
marked 1/4 S of N  
face -

79.94

The Cor. to Secs 14-15-  
22-23 -

surface level  
soil, ~~stake~~  
Good grass -  
\_\_\_\_\_

North bet Secs 14 &  
15 -

to 10° 25' E

24.10

Cross San Simon  
creek 7 lbs wide  
course N. W -

26.48

Cross road hrs -

D 14, S, R 31 E

Chs-

40.00

N 46° E + S 46° W -  
 Deposited marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Co  
 dug pits 18 x 18 x 12  
 ins N + S of stone 5 $\frac{1}{2}$   
 ft. dia. & raised a  
 mound of earth 1 $\frac{1}{2}$   
 ft. high 3 $\frac{1}{2}$  ft. base  
 over it. In N pit  
 drove stake 2 ft. long  
 2 ins sq 12 ins in of  
 the ground - marked  
 $\frac{1}{4}$  S + W face -

80.00

Deposited marked  
 stone 12 ins in the  
 ground for Co. to Sec  
 10-11-14 + 15. dug  
 pits 18 x 18 x 12 ins in  
 each Sec 5 $\frac{1}{2}$  ft. dia.

T 14 S. R 3. E

Obs.

and raised a mound  
of earth 2 ft. high  
4 1/2 ft. base over it  
In S. E. pit drove stake  
2 ft. long 2 ins sq - 12 ins  
in the ground marked

T 14 S. S 11 on N. E.

R 3. E. S 14 on S. E.

S 15 on S. W and

S 10 on N. W faces -

+ with 4 notches  
on S + 2 notches on  
E edges -

Surface level

Soil 1st state

Good grass -

E - on a random  
line bet. Secs 11 & 14

S, 4 S. R 31 E

Obs-

ba 130 25' E

40.00

Set temporary  $\frac{1}{4}$  Sec Cor,

79.92

Intersect W & S line

18 lbs S of base to  
Secs - 11 - 12 - 13 & 14 -

Thence I run -  
S 89 05 2' W on a true  
line bet. Secs 11 & 14 -  
with same ba -

39.96

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dug pits 18 x 18  
x 12 ins E & W of stone  
5  $\frac{1}{2}$  ft. dia. & raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
base over it. In E  
pit drove stake 2 ft.  
long 2 ins sq 12 ins

T 14 S. R 31 E 1

Obs

7992

in the ground marked  
1/4 S on N. face -

The Cor. to Secs  
10-11-14 & 15-

Surface level  
Soil gravelly & rate  
Good grass

---

N. bet. Secs 10 & 11

to 13° 25' E

4900

Deposited marked  
stone 12 ins in the  
ground for 1/4 Sec  
Cor. dug pits 18 x 18  
x 12 ins N. & S of stone  
5 1/2 ft. diam. & raised  
a mound of earth  
1 1/2 ft. high 3 1/2 ft.  
base over it. In

D 14 S, R 31 E

Chs.

N. pit drove stake 2  
ft. long 2 mis sq. 12 mis in  
the ground marked  
1/4 Sec W face ✓

80.00

Deposited marked  
stake 12 mis in the  
ground for Cor. to  
Lines 2-3-10 & 11 - dug  
pits 18 x 18 x 12 mis in  
each. See 5 1/2 ft. disk.

I raised a mound of  
earth 2 ft. high 4 1/2  
ft. base over it.

On S. E. pit drove  
stake 2 ft. long 2  
mis sq. 12 mis in the  
ground marked  
D 14 S, S 2 on N. E,  
R 31 E, S 11 on S. E  
S 10 on S. W & S 3 on

S 14 S. R 31 E

Obs.

N. W. faces + with  
5 notches on S + 2 notches  
on E edges -

Surface level  
Soil sandy 2<sup>nd</sup> rate  
Scattering brush -

---

E on a random  
line bet. Secs 2 + 11

va 15025-1 E -

40.00

79.94

Set temporary 1/4 sec cor  
Intersect N + S line  
26 lbs S of cor. to  
Secs - 1 - 2 - 11 + 12 -

Thence down -  
S 89° 49' W on a true  
line bet. Secs 2 + 11  
with same va -

89.97

Deposited marked



S. 4 S. R. 31 E

Obs

stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dug pits 18 x 18  
x 12 ins E + W of stake  
 $5\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In E pit  
drove stake  $1\frac{1}{2}$  ft. long  
2 ins sq - 12 ins in the  
ground - marked  $\frac{1}{4}$  Sec  
W. face -

79.94 The Cor. to Secs 2-3-10 + 11

Surface level  
Soil gravelly - 2<sup>nd</sup> rate  
Scattering greasewood  
brush

North on a random

T14 S. R 31 E

Obs -

line bet. Secs 2 + 3

T 13025' E

40.00

Set temporary  $\frac{1}{4}$   
Sec Cor.

80.04

Intersect N. By of  
Tp 38 lbs E of Cor -  
to Secs - 2 - 3 - 34 + 35 -  
recently established  
by me. Thence down  
S  $\frac{1}{2}$  6' E on a true line  
bet. Secs - 2 + 3 with  
same T -

40.04

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dug pits 18 x 18  
x 12 ins N + S of stone  
5  $\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.

D 14 S, R 31 E

Obs -

base over it. In  
 -N pit drove stake  
 2 ft. long 2 ins sq - 12  
 ins in the ground  
 marked  $\frac{1}{4}$  S on N face  
 80.04 The Cor. to Secs 2-3-10411  
 surface level  
 soil 2<sup>nd</sup> rate  
 Dense mesquite + grasswood  
 brush

From the Cor. to Secs  
 3-4-33 + 34 on S. By  
 of - Df - recently established  
 by me - From north  
 left. Secs 33 + 34 -

Ta 1002518

40.00 Deposited marked stone  
 12 ins in the ground for

T 14 S. R 31 E

Obs-

$\frac{1}{4}$  Sec Cor. dug pits  
 $18 \times 18 \times 12$  ins N & S of  
 stone  $5\frac{1}{2}$  ft. dist. &  
 raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over the  
 2nd N. pit drove  
 stake 2 ft. long 2  
 ins sq - 12 ins in the  
 ground marked  $\frac{1}{4}$   
 ft on N face -

80,000

Deposited marked  
 stone 12 ins in the  
 ground for Cor to  
 Secs - 27 - 28 - 33 + 34  
 dug pits  $18 \times 18 \times 12$   
 ins in each Sec  $5\frac{1}{2}$   
 ft. dist. & raised a  
 mound of earth 2  
 ft. high  $4\frac{1}{2}$  ft. base

D 14 S. R 31 E

Chs-

over it. In S. E. pit  
drove stake 2 ft. long  
2 ins sq - 12 ins in the  
ground - marked -

D 14 L S. 27 on N. E.  
R 31 E. S 34 on S. E.  
S 33 on S. W

S 28 on N W faces -  
and with 1 notch  
on S & 3 notches on  
E edges -

Surface level  
soil 1st rate -

Dense mesquite &  
greasewood brush -

---

E. on a random line  
bet. Secs 27 + 34 -

to 13025' E

S 14 S. R 31 E 1

Obs.

- 40.00 Set a temporary  $\frac{1}{4}$  Sec  
Cor.
- 79.96 Intersect N + S line  
18 lbs S of Cor. to Secs.  
26-27-34 + 35 - Thence  
S on -  
S 89° 52' W on a true  
line bet. Secs 27 + 34  
with same Pa -
- 39.98 Deposited marked  
stone, 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dug pits 18 x 18  
x 12 ins E + W of  
stone, 5  $\frac{1}{2}$  ft. dist.  
+ raised a mound  
of earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base over the  
In E. pit drove  
a stake 2 ft. long

S. 14 S. R. 31 E.

Obs.

79.96

2 ins sq. - 12 ins in the  
ground marked  $\frac{1}{4}$  S  
for St. face -

The Cor. to Secs -

27 - 28 - 33 & 34

Surface level

Soil moderate -

Dense greasewood

& mesquite brush -

St. bet. Secs 27 & 28 -

to  $13^{\circ} 25' E$  -

40.00

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dug pits  $18 \times 18$   
 $\times 12$  ins W & S of stone  
 $5\frac{1}{2}$  ft. dia. & raised  
a mound of earth.

## T 14 S. R 31 E

Obs -

1 1/2 ft. high 3 1/2 ft. -  
base over it. In  
N. pit drove stake  
2 ft. long 2 ins sq -  
12 ins in the ground  
marked 1/4 S on W face.

80.00

Deposited marked  
stone 12 ins in the  
ground for Cor. to Sec.  
21 - 22 - 27 & 28. dug  
pits 18 x 18 x 12 ins  
in each Sec 5 1/2 ft.  
diam & raised a  
mound of earth 2 ft.  
high 4 1/2 ft. base  
over it. In S. E  
pit drove stake  
2 ft. long 2 ins sq  
12 ins in ground  
marked -



T 14 S. R 31 E.

Obs-

T 14 S. S 22 on N E

R 31 E. S 27 on S. E.

S 28 on S W +

S 21 on N W faces-

with 2 notches

on S + 3 notches

on E edges-

Surface level

Soil 1<sup>st</sup> rate-

Dense mesquite &

greasewood brush-

E on a random line

bet. Secs 22 + 27

to 13° 25' E

40.00

Set temporary 1/4 Sec Cor.

80.06

Intersect N + S line

27 lbs S of Cor. to Secs-

22-23-26 + 27. Thence

T. 14 S. R. 31 E

Obs.

I run -

S 89° 48' Monoton  
line bet. Secs 22 + 27  
with same Va -

40.03

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Cor. dig pits 18 x 18 x  
12 ins E + W of stone  
 $5\frac{1}{2}$  ft. dist. & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
over it. In E pit  
drove stake 2 ft -  
long 2 ins sq 12  
ins in the ground  
marked  $\frac{1}{4}$  A on the  
face -

80.06

The Cor. to Secs -

T 14 S. R 3, E

Use -

21 - 22 - 27 &amp; 28 -

Surface level

Soil 2<sup>nd</sup> rateDense mesquite &  
greasewood brush -  

---

St. bet. Secs 21 &amp; 22

T 13° 25' E

14.20

Cross road hrs -  
E & W -

40.00

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
 dug pits 18 x 18 x 12 ins  
N & S of stone  $5\frac{1}{2}$  ft.  
dist. & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $5\frac{1}{2}$  ft. base  
over it, In N

T 14 S. R 31 E

Chs-

pit drove stake  
2 ft. long 2 ins sq -  
12 ins in the ground  
marked  $\frac{1}{4}$  S out W  
face -

80,00

Deposited marked  
stone 12 ins in the  
ground for Cor. to  
Secs 15-16-21+22  
dug pits 18 x 18 x 12  
ins in each Sec -  
5 1/2 ft. dist. & raised  
a mound of earth  
2 ft. high 4 1/2 ft. diam  
over it. In S. E.  
pit drove stake  
2 ft. long 2 ins sq -  
12 ins in the ground  
marked -

T 14 S. S 15 out N E

B 14 S. R 31 E

Uns-

R 31 E, S 2 2 on S. E,  
S 2, on S. W + S 16 on  
N. W. face - + with  
3 notches on S. + E  
edges -

Surface level  
Soil 1 strata -  
Dense mesquite +  
greasewood brush -  
\_\_\_\_\_

E on a random line  
bet. Secs 15 + 2 2 -

to 130° 25' E

40.00

Set temporary 1/4 Sec  
Cor.

80.06

Intersect N + S  
line 16 lbs S of Cor  
to Secs 14 - 15 - 2 2  
+ 2 3 - Thence Iron

## T. 14 S. R. 31 E

Chs-

S & 90.53' W on a true  
line bet. Secs - 15 & 22  
with same Pa -

40.03

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
plug pits 18 x 18 x 12  
ins E & W of stone  
5  $\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
over it. In E pit  
drove stake 2 ft. long  
2 ins sq - 12 ins in  
the ground - marked  
 $\frac{1}{4}$  S on N. face -

80.06

The Cor. to Secs -  
15 - 16 - 21 & 22 -

Surface level -  
Soil 1st rate

S 14 S. R 3, E

Chs -

Dense greasewood  
and mesquite brush

---

St. bet. Secs 15 + 16

to 150 25' E

40.00

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
dug pits 18 x 18 x 12 ins  
N + S of stone  $5\frac{1}{2}$   
ft. dist. & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft -  
base over it.

In N. pit drove  
stake 2 ft. long  
2 ins sq. 12 ins in  
the ground marked  
 $\frac{1}{4}$  S. Von N face

T 14 S. R 31 E

Chs -

80.00 Deposited marked stone 12 ins in the ground for Cor. to Secs 9-10-15 & 16 - dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. & raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove stake 2 ft. long 2 ins sq - 12 ins in the ground marked -

T 14 S. S 10 on N. E

R 31 E. S 15 on S. E.

S 16 on S W &

S 9 on N W

faces & with 4 notches on S & S



S. 1/4 S. R. 31 E

Chs -

notches on E edges -  
 Surface level  
 Soil 1st rate  
 Scattering brush  
 A good grass

E on a random line  
 bet. trees 10 + 15

to 150 25' E

34.42

Cross San Simon  
 creek 8 lbs wide

40.00

49.57

set temporary  $\frac{1}{4}$  tree cor -  
 Cross road lbs -

N. W + S. E.

79.94

Intersect N + S  
 line 12 lbs S of  
 Cor. to trees - 10-11-  
 14 + 25 - Thence S

run

T. J. R. 31 E

Obs-

S 89° 55' W on a  
true line bet. Secs  
10 & 15 - with saw  
bar -

39,97

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor-  
dug pits 18 x 18 x 12  
ins E & W of stone  
5  $\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
ft. base over it.

In E. pit drove  
stake 2 ft long  
2 ins sq - 12 ins  
in the ground  
marked  $\frac{1}{4}$  Sec  
N. face

T 14 S, R 31 E

Chs -

7994 The Cor. to Secs -  
 9 - 10 - 15 - & 16 -  
 surface level  
 Soil 2 <sup>nd</sup> rate  
 Good grass -  
 \_\_\_\_\_

N. bet. Secs 9 + 10 -  
 T 13° 25' E

10.00 Beam bush - enter  
 San Simon valley -  
 27.28 Cross San Simon creek  
 6 lbs wide course N. W.  
 31.00 Road bra N. W + S. E,  
 40.00 Set a granite stone 20 x  
 10 x 4 ins 15 ins in the  
 ground for 1/4 Sec Cor.  
 marked 1/4 on N face  
 dug pits 18 x 18 x 12 ins  
 N + S of stone 5 1/2 ft

T<sub>14</sub>S, R<sub>31</sub>E

Obs.

80.00

dist. & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base along side

Deposited marked  
stone 12 ins in the  
ground for Cor. 15  
Secs 3-4-9 & 10 - dug  
pits  $18 \times 18 \times 12$  ins  
in each Sec  $5\frac{1}{2}$  ft.  
dist. & raised a

mound of earth  
2 ft. high  $4\frac{1}{2}$  ft.  
base over it. In  
S. E. part - drove a  
stake 2 ft. long  
2 ins sq - 12 ins in  
the ground marked  
T<sub>14</sub>S, S<sub>30</sub> on N. E.  
R<sub>31</sub>E, S<sub>10</sub> on S. E.  
S<sub>9</sub> on S. W and

T 14 S. R 31 E

Obs -

S. 4 on N. W faces - with  
5 notches on S + 3  
notches on E edges -  
Surface level  
Soil 2nd rate  
Good grass

---

E - on a random line  
bet. Secs 3 + 10

to 13025' E

40,00

Set temporary  $\frac{1}{4}$  sec  
Coo.

79.94

Intersect N + S line  
2 x lbs N of Coo. to  
Secs 2 - 3 - 10 + 11 -

Thence I run  
N + 9048' W on a  
true line bet  
Secs 3 + 10 with

J. & J. R. S. E.

Chs

same to -

39.97

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
Coo. dug pits 18 x  
18 x 12 ins E + W of  
stone 5  $\frac{1}{2}$  ft. dist -  
raised a mound of  
earth  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base over it -

In E. pit drove  
a stake 2 ft. long  
2 ins sq - 12 ins in  
the ground - marked  
 $\frac{1}{4}$  L in N. face -

79.94

The Coo. to Secs -

5-4-9 & 10

Surface level  
soil  $\rightarrow$  rate  
Scattering brush

S 14 S. R 31 E

Chs

Some grass

It on a random line  
bet. Secs 3 + 4

ba 13° 25' E

40.00

Enter dense brush  
& set temporary  $\frac{1}{4}$  Sec Cor

79.84

Intersect St. Ry. of Sp.  
34 lbs E of Cor. to  
Secs 3-4-33 + 34 -

recently established  
by me. Thence I ran  
N 15' E on a true  
line bet. Secs 3 + 4  
with same ba

39.84

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec

D, 4 S. R, 3, E

Obs-

Cor. dug pits  $18 \times 18 \times 12$  ins  $\text{N} + \text{S}$  of stone  $5\frac{1}{2}$  ft. dist. & raised a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over it. In  $\text{N}$ . pit drove a stake 2 ft. long 2 ins sq - 12 ins in the ground marked  $\frac{1}{4}$  S on  $\text{N}$  face -

79.84 The Cor. to Sres 3-4-9+10

Surface level

Soil 2<sup>nd</sup> rate

40 chs - dense brush -

Good grass 40 chs

I carefully examined the adjustments of my solar compass today



ECOK 824

T. 14 S. R. 31 E

Chs

particularly the  
latitudes & reversing  
apparatus & found  
them correct.

---

From the bar to see  
4-5-32733 on S. Bay  
of If - recently established  
by me - I went  
North lat. sees - 32733 -  
to 13025'E

40.00 Deposited marked stone  
12 ins in the ground for  
1/4 see cor. dug pits  
18 x 18 x 12 ins N + S of  
stone 5 1/2 ft. dist. &  
raised a mound of  
earth 1/2 ft. high

T. 14 S. R. 31 E

Obs -

3 1/2 ft. base over it  
 In N. pit drove a  
 stake 2 ft. long 2  
 ins sq - 12 ins in the  
 ground marked 1/4 S  
 for N face -

80.00

Deposited marked  
 stone 12 ins in the  
 ground for Cor. to  
 Secs - 28 - 29 - 32 + 33 -  
 dug pits 18 x 18 x 12  
 ins in each Sec  
 5 1/2 ft. dist. & raised  
 a mound of earth  
 2 ft. high 4 1/2 ft.  
 base over it

In S. E. pit drove  
 a stake 2 ft. long  
 2 ins sq - 12 ins

T 14 S, R 31 E

Obs -

in the ground - marked  
 T 14 S, S 28 on N. E,  
 R 31 E, S 33 on S. E,  
 S 32 on S. W and  
 S 29 on N. W faces  
 and with 1 notch  
 on S + 4 notches on E  
 edges -

Surface level  
 Soil, 1<sup>st</sup> State  
 Dense mesquite  
 and greasewood bush

E. on a road on line  
 bet. Secs. - 28 + 33

T 13025' E

40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 79.90 Intersect N + S line

T 14 S. R 51 E

Obs-

18 lbs S of of loc-  
to Secs 27-28-33+34-

Thence S on -

S 89° 52' W on a true  
line bet. Secs 28+33  
with same va-

39.95-

Deposited marked  
stone 12 mis in the  
ground for  $\frac{1}{4}$  Sec  
Ror. dug pits 18 x 18 x  
12 mis E & W of stone  
5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft -  
base over it, In  
E. pit drove a stake  
2 ft. long 2 mis sq.  
12 mis in the ground  
marked  $\frac{1}{4}$  Sec W-

S 14 S. R 3, E

Obs -

face -  
79.90 The Cor. to Secs 28-29-  
32 & 33 -

Surface level  
Soil, 1<sup>st</sup> rate

Dense greasewood brush

---

North bet. Secs 28 & 29  
to 130° 25' E -

40.00 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor  
dug pits 18 x 18 x 12  
ins N & S of stone  $5\frac{1}{2}$   
ft. dist. & raised a mound  
of earth  $\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it  
In N. pit drove a  
stake 2 ft. long 2

T 14 S, R 31 E

Obs -

80.00

12 ms in the  
 ground - marked  
 N. S on W. face -  
 Deposited marked  
 stone 12 ms in the  
 ground for loc. to  
 Dec- 20-21-28+29 -  
 dug pits 15 x 15 x 12  
 ms in each sec  
 5 1/2 ft. dia. & raised  
 a mound of earth  
 2 ft. high 4 1/2 ft. base  
 over it. In S. E. pit  
 drove a stake 2 ft.  
 long 2 ms sq - 12 ms  
 in the ground marked  
 T 14 S, S 21 on N. E  
 R 31 E, S 28 on S. E.  
 S 29 on S. W -  
 S 20 on N. W -

T 14 S. R 3. E

Obs -

faces - with 2  
 notches on S & 4  
 notches on E edges.  
 Surface level  
 Soil 1<sup>st</sup> state  
 Dense undergrowth,  
 \_\_\_\_\_

E on a random  
 line bet. Secs 21 & 28  
 to  $130^{\circ}25'$  E

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.  
 79.92 Intersect  $\frac{1}{4}$  S line  
 18 lbs S of Cor. to Secs -  
 21 - 22 - 27 + 28.

Thence Iron -  
 S 89° 52' W on a true  
 line bet. Secs 21 & 28  
 with same  $\frac{1}{4}$  -  
 39.96 Deposited marked

S 14 S. R 31 E

Obs.

stone 12 ins in the  
ground for  $\frac{1}{4}$  sec  
Cor. dug pits 18 x 18  
x 12 ins E & W of stone  
 $5\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it,  
In E. pit drove a  
stake 2 ft. long 2  
ins sq. - 12 ins in  
the ground marked  
 $\frac{1}{4}$  S of ck. face -

79.92

The Cor. to Secs -

20 - 21 - 28 & 29

Surface level

Soil 2<sup>nd</sup> rate -

Dense undergrowth

---



T 14 S. R 31 E

Chs-

N. bet. Secs 20 + 21

T<sub>14</sub> S<sub>14</sub> 25' E

25.48

Cross road bet Sec E &amp; W-

40.00

Deposited marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. dug pits 18 x 18 x 12 ins N & S of stone  $5\frac{1}{2}$  ft dist. & raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it.

In N. pit drove a stake 2 ft. long 2 ins sq. - 12 ins in the ground marked  $\frac{1}{4}$  S on W. face -

80.00

Deposited marked stone 12 ins in the ground for Cor. to Secs 16-17-20 + 21 - dug -

S 14 S. R 31 E

Obs

pits  $18 \times 18 \times 12$  ins  
in each Sec  $5\frac{1}{2}$  ft.  
diam. & raised a  
mound of earth  
2 ft. high  $14\frac{1}{2}$  ft.  
base over it. In  
S. E. pit drove stake  
2 ft. long 2 ins sq.  
12 ins in the ground  
marked

S 14 S. S 16 on N. E.

R 31 E. S 21 on S. E

S 20 on S. W. and

S 17 on N. W. faces -

+ with 3 notches

on S + 4 notches

on E edges -

Surface level

Soil, strata

Dense undergrowth

D 14 S. R. 3, E

Obs-

E. on a random line  
bet. Secs 16 & 21 -

va 13025' E

40.00

Set temporary  $\frac{1}{4}$  section

79.94

Intersect N + line

16 lbs S of cor. to Secs -

15-16-21+22 - Thence

I run -

S 89° 53' W on a true  
line bet. Secs 16 & 21

with same va -

39.97

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
cor. dug pits 18x  
18x12 ins E & W of  
stone  $5\frac{1}{2}$  ft. dist  
and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  
 $5\frac{1}{2}$  ft. base over it

T 14 S. R 31 E

Obs-

In E. pit drove a stake 2 ft. long 2 in dia sq - 12 in in the ground marked  $\frac{1}{4}$  S on N. face -

79.94

The Cor. to bees 16-17-20+21-

Surface level

Soil 1<sup>st</sup> rate

Dense mesquite and greasewood brush

---

N. bet. bees 16 & 17

to 1302512

40.00

Deposited marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor blue pits 18 x 18 x 12 in N & S of stone

T. U. S. R. O. E

Obs -

5 1/2 ft. dist. & raised  
a mound of earth  
1 1/2 ft. high 3 1/2 ft.  
base over it -

In N. pit drove a  
stake 2 ft. long 2 in  
sq - 12 in in the ground  
marked 1/4 S of W face

80.00

Deposited marked  
stone 12 in in the  
ground for. Cor. to Secs  
8-9-16 & 17. dug pits  
18 x 18 x 12 in in each  
Sec 5 1/2 ft. dist. &  
raised a mound of  
earth 2 ft. high 4 1/2  
ft. base over it.  
In S. E. pit drove a  
stake 2 ft. long 2  
in sq - 12 in in

T 14 S, R 31 E

Obs.

the ground - marked  
 T 14 S, S 9 on N. E.

R 31 E, S 16 on S. E.

S 17 on S. W and S 8 on  
 N. W. faces and with  
 4 notches on S + E  
 edges -

Surface level  
 Soil, 1<sup>st</sup> strata

Dense mesquite and  
 greasewood brush.

---

E on a random  
 line bet. Secs 9 + 16  
 on 130° 35' E.

4000

Set temporary 1/4 sec cor -

79.96

Intersect N + S line -  
 20 lbs S of 600 to

5, 4 S, R 3, E

Obs-

Secs 9-10-15+16-  
Thence down -  
S & 90 51' W on a true  
line bet. Secs - 9+16  
with same bearing

39.98

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  sec Co.  
bug pits 18 x 18 x 12 ins  
E & W of stone  $5\frac{1}{2}$   
ft. dia & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
over it. In E pit  
drove a stake 2 ft.  
long 2 ins sq. 12 ins  
in the ground -  
marked  $\frac{1}{4}$  S on  
N face -

79.96

The Co. to Secs - 8-9-16+17

T 14 S. R 31 E

Obs.

Surface level  
Soil 1st stateDense greenwood  
and mesquite brush  

---

N. bet. Secs 8 + 9 -  
T 130 25 E

40.00

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
Dig pits 18 x 18 x 12 ins  
holes of stone  $5\frac{1}{2}$   
ft. dist. & raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft base  
over it. In N. pit  
drove a stake 2 ft-  
long 2 ins sq -  $1\frac{1}{2}$   
ins in the ground



514 S. R 31 E

Obs-

80.00

marked  $\frac{1}{4}$  Sec W face  
 Deposited marked stone  
 12 ins in the ground for  
 Cor. to Secs 4-5-8+9 -  
 dug pits 18 x 18 x 12 ins  
 in each Sec  $5\frac{1}{2}$  ft.  
 dia. & raised a mound  
 of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base over it  
 In S. E. pit drove a  
 stake 2 ft. long 2 ins sq  
 12 ins in the ground -  
 marked. 514 S. S 4 on N. E  
 R 31 E. S 9 on S. E. S 8 on S  
 W - + S 5 on Cr. W faces -  
 + with 5 notches on S  
 + 4 notches on E edges -  
 Surface level  $\checkmark$   
 Soil moderate -  
 Some grass -

S. 14 S. R. 31 E

Chs -

E on a random  
line bet. Secs 4 + 9  
ba 13025' E

- 8.00 Enter good grass -  
40.00 Set temporary  $\frac{1}{4}$  sec cor  
66.36 Cross San Simon creek  
course N. W -  
73.80 Cross road bet -  
N. W + S. E.  
79.98 Intersect N + S  
line 12 lbs S of cor -  
to Secs 3 - 4 - 9 + 10 -  
Thence I run -  
S 89° 05' W on a true  
line bet. Secs 4 + 9 -  
with same ba -  
39.99 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  sec  
cor. dug pits 18

T. 14 S. R. 31 E

Chs-

x 18 x 12 ins E + W of  
 stone 5 1/2 ft. dia -  
 + raised a mound  
 of earth 1 1/2 ft. high  
 3 1/2 ft. base over it.  
 In E. pit drove a  
 stake 2 ft. long 2  
 ins sq. 12 ins in the  
 ground marked 1/4 S  
 for N. face.

79.98

The Cor. to Secs. 4-5-8+9  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Good grass -  
 \_\_\_\_\_

It on a random line  
 bet. Secs 4 + 5 -

ba 13° 25' E

S 14 S, R 3, E

Obs-

- 38.40 Cross San Simon creek  
8 lbs wide course  
N. W.
- 40.00 Set temporary  $\frac{1}{4}$  Sec  
Cor.
- 57.20 Cross road bet N-W.  
and S. E.
- 79.96 Interest. N. By of Sp.  
28 lbs E of Cor. 1<sup>st</sup> Sec-  
4-5-32 + 33. recently  
established by me.  
Thence I run  
S 12' E on a true  
line bet. Secs 4 + 5 -  
with same ba -
- 39.96 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
Along pits 182, 182, 12

T 14 S, R 31 E

Obs -

ins N + S of stone  $5\frac{1}{2}$   
 ft. dist. & raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base over it, In  
 the pit drove a stake  
 2 ft. long 2 ins sq - 12  
 ins in the ground -  
 marked  $\frac{1}{4}$  S on W  
 face -

79.96

The Cor. to Secs -  
 4 - 5 - 8 + 9 -  
 surface level  
 soil  $2\frac{1}{2}$  rate  
 scattering greasewood  
 brush -

---

From the Cor. to  
 Secs 5 - 6 - 31 + 32 - on S  
 Bay of P  
 recently established

T. 4 S. R. 3, E.

Chs.

by me - I run N -

bet. Secs 31 &amp; 32

ba 13° 25' E

40.00

Deposited marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Co. dug pits 18 x 18 x 12 ins N & S of stone  $5\frac{1}{2}$  ft. dist. & raised a mound of earth  $1\frac{1}{2}$  ft. high  $8\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins sq. 12 ins in the ground marked  $\frac{1}{4}$  S on W face -

80.00

Deposited marked stone 12 ins in the ground for Co.

T 14 S. R 31 E

Chs-

to Secs 29 - 30 - 31 + 32

Dug pits 18 x 18 x 12

ins in each Sec 5 1/2

ft. dist. & raised a mound of earth 2 ft. high 4 1/2 ft. base over it

in S. E. pit drove a stake 2 ft. long 2

ins sq - 12 ins in the

ground marked

T 14 S. S 29 on N. E

R 31 E. S 32 on S. E.

S 31 on S. W. & S

30 on N. W. faces + notch on  
S + 5 yoteleson & edges -

Surface level

Soil, 1 stake

Dense greasewood brush

E. on a random line

D 14 S. R 51 E

Obs -

- bet. Secs 29 + 32 -  
 Va 130 25' E
- 40.00 Set temporary  $\frac{1}{4}$  Sec  
 Cor -
- 80.04 Intersect N + S line  
 34 lbs S of Cor. to  
 Secs 28 - 29 - 32 + 33 -  
 Thence I run -  
 S 89° 45' W on a true  
 line bet. Secs 29 + 32 -  
 with same Va -
- 40.02 Deposited marked  
 stone 12 ins in. the  
 ground. for  $\frac{1}{4}$  Sec Cor.  
 dug pits 48 x 18 x 12  
 ins E & W of stone  
 5  $\frac{1}{2}$  ft. dist. & raised  
 a mound of earth  
 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
 base over it



No. 824

D 14 S. R 31 E

Obs

In E pit drove a  
 stake 2 ft. long 2 ins.  
 sq. - 12 ins in the ground  
 marked  $\frac{1}{4}$  S out N. face

80.04

The cor. to Secs

29-30-31 &amp; 32-

Surface level

Soil 1st rate

Dense undergrowth

W- on a random line  
 bet. Secs 30 & 31

to 130° 25' E

31.83

Cross road bet N &amp; S-

40.00

Set temporary  $\frac{1}{4}$  Sec Cor-

79.34

Intersect W. Bay of Sp-  
 14 lbs S of Cor. to Secs-  
 29-30-31 & 36 - recently  
 established by me

T. 4 S, R. 31 E

Chs-

Thence I run -  
 S 89° 54' E on a true  
 line bet. Secs - 20 & 31  
 with same be -

39.34 Deposited marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec  
 Cor - The pits 18 x  
 18 x 12 ins E & W of  
 stone 5  $\frac{1}{2}$  ft. dia. I  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  
 3  $\frac{1}{2}$  ft. base over pit.

In N. pit drove a  
 stake 2 ft. long 2 ins  
 sq - 12 ins in the  
 ground marked  $\frac{1}{4}$  S  
 In N. face -

79.34 The Cor. to Secs -

T 14 S. R 3, E

Mrs -

29 - 30 - 31 + 32 -  
 Surface level  
 Soil 2<sup>nd</sup> rate  
 Dense mesquite &  
 greasewood brush -  
 \_\_\_\_\_

St. bet. Secs 29 + 30.

va 130 25' E -

40.00

Deposited marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor.  
 dug pits 18 x 18 x 12  
 ins N + S of stone 5  $\frac{1}{2}$   
 ft. dia. & raised a  
 mound of earth  
 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
 base over it.

In N. pit drove  
 a slate 2 ft. long

T 14 S. R 31 E

Obs-

80.00

2 mis sq - 12 mis in  
 the ground - marked  
 $\frac{1}{4}$  S on W face -  
 Deposited marked  
 stone 12 mis in the  
 ground for Cor. to  
 Secs 19 - 20 - 29 + 30 -  
 dug pits 18 x 18 x 12  
 mis in each Sec.  
 5  $\frac{1}{2}$  ft. dia. & raised  
 a mound of earth  
 2 ft. high 4  $\frac{1}{2}$  ft.  
 base over it. In  
 S. E. pit drove a  
 stake 2 ft. long  
 2 mis sq - 12 mis in  
 the ground marked  
 T 14 S. S 20 on N. E  
 R 31 E. S 29 on S. E  
 S 30 on S. W

T 14 S, R 31 E

Obs -

and 2 1/2 on N W faces  
and with 2 notches  
on S + S notches on E  
edges -

Surface level  
Soil, strata  
Dense undergrowth

---

E on a random  
line bet. Secs 20 + 29  
T 13° 25' E -

40.00 bet temporary 1/4 Sec  
Cor.

79.88 Intersect N + S line  
9 lbs S of Cor. to Secs.  
20-21-28 + 29 - Thence run  
S 89° 56' W on a true  
line bet. Secs - 20 + 29  
with same T

T 14 S. R 31 E

Obs-

3994

Deposited marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Coor. dug pits  $18 \times 18 \times 12$  ins E & W of stone  $5\frac{1}{2}$  ft. dia. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it.

In E pit drove a stake 2 ft. long 2 ins sq. - 12 ins in the ground - marked  $\frac{1}{4}$  S on N. face -

7988

The Coor. to Secs -  
19 - 20 - 29 & 30 -

Surface level

Soil 2<sup>nd</sup> rate

Dense greasewood brush

S 14 S. R 31 E

W - on a random line  
bet. Secs 19 + 30 -  
Va 130 25' E

1348 Cross road hrs -  
N + S. -

40.00 Set temporary  $\frac{1}{4}$  Sec  
Coo -

79.26 Intersect W. Bay  
of Sp - 20 lbs S of foot  
of Secs - 19 - 24 - 25 + 30  
recently established  
by me - Thence Iron  
S 89 051' E on a true  
line bet. Secs - 19 + 30  
with same Va -

39.26 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Coo -  
plug pits 18 x 18 x 12 ins  
E + W of stone  $5\frac{1}{2}$

T 14 S, R 31 E

Obs-

ft. dist. & raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins sq. 12 ins in the ground marked  $\frac{1}{4}$  S on N. face

7926

The Cor. to Secs. 19-20

- 29 + 20 -

Surface level

Soil 2<sup>nd</sup> state

Dense undergrowth

N. bet. Secs 19 + 20

to 13025' E

4000

Deposited marked stone 12 ins in the ground - for  $\frac{1}{4}$  Sec



T 14 S. R 31 E

Obs -

Cor. dug pits  $18 \times 18 \times 12$  ins N + S of stone  $5\frac{1}{2}$  ft. dist. & raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins sq. 12 ins in the ground marked  $\frac{1}{4}$  S of N. face -

63.48 Cross road hrs E + W -  
80.00 Deposited marked stone 12 ins in the ground for Cor. to

Secs - 17 - 18 - 19 + 20 -  
dug pits  $18 \times 18 \times 12$  ins in each Sec  $5\frac{1}{2}$  ft. dist. & raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it

T<sub>14</sub> S. R 31 E

Chs-

In S. E. pit drove  
a stake 2 ft. long 2  
ins sq 12 ins in the  
ground - marked -  
T<sub>14</sub> S. S 17 on N. E.  
R 31 E. S 20 on S E.  
S 19 on S. W & S 18 on  
N W faces & with  
3 notches on S &  
5 notches on E edges -  
Surface level  
Soil 2<sup>nd</sup> rate  
Dense greasewood &  
mesquite brush -

E on a random  
line bet. Secs - 17 & 20  
T<sub>14</sub> 150 25' 18  
Set temporary 1/4 Sec

40.00

S 14 S. R 31 E

Obs-

Cor-

79.92

Intersect N + S line  
16 lbs S. of Cor. to Sec-  
16-17-20 & 21. Thence  
S run-

S  $89^{\circ}53'$  W on a true  
line bet. Secs 17 & 20  
with same va-

39.96

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
 dug pits  $18 \times 18 \times 12$   
inf E + W of stone  
 $5\frac{1}{2}$  ft. dist. & raised  
a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it.

In E pit drove  
a stake 2 ft. long  
2 ins sq 12 ins

T 14 S. R 31 E

Obs -

in the ground -  
marked  $\frac{1}{4}$  S on N  
face.

79.92

See Cor. to Secs -  
17-18-19 + 20

Surface level  
Soil, 1st rate

Dense mesquite  
and greasewood brush  

---

Nest on a random  
line bet. Secs 18 + 19  
va 19025' E

40.00

Set temporary  $\frac{1}{4}$   
See Cor.

79.18

Intersect W. By of  
Tp - 12 lbs S of  
Cor. to Secs - 13 + 18

514 S. R 31 E

Chs.

- 19024 - recently  
established by me -  
Thence I ran  
S 89° 05' 5" E on a true  
line bet. Secs 18 & 19  
with same be -

39.18

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor -  
dug pits 18 x 18 x 12 ins  
E & W of stone  $5\frac{1}{2}$  ft.  
diam. & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base over it. In  
E pit drove a stake  
2 ft. long 2 ins sq - 12  
ins in the ground -  
marked  $\frac{1}{4}$  S on N. face

79.18

Sec Cor. to Secs

17 - 18 - 19 & 20 -

S 14 S. R. 3. 1 E

Obs

Surface level  
Soil 2<sup>nd</sup> rate  
Dense greasewood  
and mesquite brush.

---

N. bet. Secs 17 & 18 -  
T<sub>a</sub> 13° 25' E

40,00

Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec  
For. dug pits 18 x  
18 x 12 ins N & S of  
stone  $5\frac{1}{2}$  ft. dist.  
Raised a mound of  
earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it  
In N. pit drove a  
stake 2 ft. long 2 ins  
sq - 12 ins in the

S 14 S. R 31 E

Ans.

ground - marked  $\frac{1}{4}$  S on  
W face -

80.00

Deposited marked  
stone 12 ins in the  
ground for Cor. to  
Dees - 7 - 8 - 17 & 18 -  
dug pits  $18 \times 18 \times 12$   
ins in each. See  $5\frac{1}{2}$   
ft. dist. & raised a  
mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S. E.  
pit drove a stake  
2 ft. long 2 ins sq -  
12 ins in the ground  
marked -

S 14 S. S 8 on N. E.

R 31 E. S 17 on S. E.

S 18 on S. W

and S 7 on N. W

T 14 S. R 31 E

Chs-

faces & with 4  
 notches on S & 5  
 notches on E edges.  
 Surface level  
 Soil 1st rate  
 Dense mesquite  
 & greasewood brush

---

E on a random line  
 bet. Secs 8 & 17 -  
 Va 13025' E

40.00

Set temporary  $\frac{1}{4}$  Sec Cor

80.00

Intersect N & S line

10 lbs S of Cor. to  
 Secs - 8 - 9 - 16 & 17 -

Thence I run -

S 89° 56' W on a true  
 line bet. Secs 8 & 17 with  
 same Va -



T 14 S. R 31 E

Obs -

40.04

Deposited marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor-  
ding pits  $18 \times 18 \times 12$   
ins E + W of stone  
 $5\frac{1}{2}$  ft. diam. & raised  
a mound of earth  
 $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft-  
base over it. In  
E pit drove stake  
2 ft. long 2 ins sq-  
12 ins in the ground  
marked  $\frac{1}{4}$  S of N face

80.08

The Cor. to Secs - 7 - 8  
- 17 + 18.

Surface level  
Soil 1<sup>st</sup> rate  
Dense mesquite &  
greasewood brush

S. 14 S. R. 3. 12

Obs.

ground for  $\frac{1}{4}$  Sec. Cor  
 dug pits  $18 \times 18 \times 12$   
 ins N + S of stone  $5\frac{1}{2}$   
 ft. dist. & raised a  
 mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 over it. In N pit  
 drove stake 2 ft.  
 long 2 ins sq - 12  
 ins in the ground  
 marked  $\frac{1}{4}$  S on N  
 face -

80,000

Deposited marked  
 stone 12 ins in the  
 ground for Cor. to  
 Secs. 5-6-7+8 -  
 dug pits  $18 \times 18 \times$   
 $12$  ins in each Sec.  
 $5\frac{1}{2}$  ft. dist. & raised  
 a mound of earth

B 14 S. R 31 E

Chs-

2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S. E. pit  
drove stake 2 ft. long  
2 ins sq 12 ins in the  
ground - marked -

V B 14 S. S 5 on N. E.  
R 31 E. S 8 on S. E.  
S 7 on S. W + S 6 on  
N. W faces + with 5  
notches on S. + E edges -

Surface level

Soil 1<sup>st</sup> rate

Dense greasewood +  
mesquite brush -

---

E on a sandour bin  
bet. Dec 5 + 8 -

ba 130 25-1 E

T 14 S. R 51 E

Obs.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.80.02 Intersect W + S line  
22 lbs N of Cor. to Sec.  
4-5-8+9 - ~~Thence~~  
run -N 89° 51' W on a true  
line bet. Secs 5 + 8  
with same va -40.01 Deposited marked  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor.  
Dug pits 18 x 18 x 12  
ins E + W of stone  $5\frac{1}{2}$   
ft. dist. & raised a  
mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it. In  
E pit drove a stake  
2 ft. long 2 ins sq  
12 ins in the ground

T 14 S. R 31 E

Chs-

marked  $\frac{1}{4}$  S on N. face -

80.02

The Cor. to Secs. 5-6-7+8

Surface level

Soll 2<sup>nd</sup> rate

Scattering greasewood  
and mesquite brush.

---

West on a random  
line bet. Secs. 6+7 -

Va 13025' E

40.00

Set temporary  $\frac{1}{4}$  Sec Cor

79.05

Intersect W. By of 5<sup>th</sup>

16 lbs N of Cor to

Secs. 1-6-7+12 -

recently established

by me - Thence I run

N 89° 55' E on a true

line bet. Secs 6+7

with same Va -

T 14 S, R 31 E

Obs.

39.05

Deposited marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. dug pits 18 x 18 x 12 ins E + W of stone 5  $\frac{1}{2}$  ft. dist. & raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E. pit drove stake 2 ft. long 2 ins sq. 12 ins in the ground marked  $\frac{1}{4}$  S of the face -

79.05

The Cor. to Secs -  
5-6-7-8-

Surface level  
Soil, 1<sup>st</sup> state  
Dense mesquite &  
greasewood brush

T 14 S, R 31 E

Obs -

North on a random  
line bet. Secs 5 & 6 -  
ba 130 25' E

40.00

Set temporary  $\frac{1}{4}$  Sec  
Coo.

79.93

Intersect N. Bay of  
Sp. 2 1 lks E of Bon  
to Secs 5-6-31 & 32  
recently established  
by me - Thence down  
S of E on a true line  
bet. Secs. 5 & 6 with  
same ba ✓

39.93

Deposited marked-  
stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Coo.  
dug pits 18 x 18 x 12  
in N & S of stone  
5 1/2 ft. dia. & raised  
a mound of earth

T. 4 S. R. 31 E

Obs-

1/2 ft. high 3 1/2 ft. base  
over it. In N. pit  
drove a stake 2  
ft. long 2 ins sq 12  
ins in the ground  
marked 1/4 on N face -

7993

The Co. to Secs -

5-6-7-8-

Surface level -

Soil 2nd rate -

Scattering mesquite  
+ greasewood brush.

I carefully examined  
the adjustments of my  
solar compass to day  
particularly the latitude  
and reversing apparatus  
and found them correct  
Feb 27-1883.



## General Description -

The surface of this township is generally level - The soil a sandy loam - which may be classed as first and second rate - The whole township is covered with a dense growth of mesquite and greasewood undergrowth except a narrow strip lying on each side of the San Simon Creek - which crosses the Township from S. E to N. W. - This creek affords a constant supply of water - Good grass in most portions

of the township-

For Final Dates  
see Book No. 9 -

U. S. Surveyor General's Office,  
Tucson, Arizona, April 30, 1883,

The foregoing Field Notes of the survey of

Subdivision lines of

Township 14 South

Range 31 East,

of the Gila and Salt River Base and Meridian, Arizona,  
executed by R. C. Powers,

D. S., under his contract of the 27th day of

February, 1883, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe, are hereby approved.

J. M. Robinson

Surveyor General.