

3.

832

BOOK 832

No. 832

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

of

T. 15 S. R. 15 E.

Indexed, Book 867.

Township 155 R. 15E 124

6	5	4	135	3	158	2	1	
			134		156		157	
7	8	9	131	10	154	11	182	12
			129		152		179	181
18	17	16	126	15	149	14	178	13
					147		174	176
19	20	21		22	144	23	172	24
					142		168	170
30	29	28		27	141	26	166	25
					140		162	163
31	32	32 33		34	137	35	160	36

T. 15 S. R. 15 E. Continued

Chains

Over level land, through scattering undergrowth

40.02 Set a sand stone $15 \times 10 \times 6$ ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; from which a mesquite, 5 ins. diam. bears N $36\frac{1}{2}^{\circ}$ W., 9 lks. dist.; marked $\frac{1}{4}$ S. B. T.

A mesquite, 5 ins. diam. bears S $79\frac{1}{4}^{\circ}$ E., 244 lks. dist.; marked $\frac{1}{4}$ S. B. T.

80.04 The cor. of secs. 15, 16, 21 and 22

Land, level

Soil, rich loam, 1st rate
 Timber, scattering mesquite and palo verde; undergrowth, greasewood.

Subdivisions of

Chains

- no 2' E, bet. secs 15 and 16
Over level land, through
scattering timber and
undergrowth
- 23.70 Telegraph line, bears
N 54° W. and S 54° E.
- 24.61 Middle of single track
of the Southern Pacific
Railroad, bears N 54° W.
and S 54° E
- 25.51 Telegraph line, bears
N 54° W. and S. 54° E.
- 26.70 Road, from Tucson, to
Pantano, bears N. W. ²/₃ S. E.
- 40.00 Set a mesquite post, 3
ft. long 3 ins. sq. with
marked stone, 24 ins.
in the ground, for ¹/₄ Sec.
cor. marked ¹/₄ S
on N. face; from which

T. 15 S. R. 15 E. - Continued

chain

A mesquite, 8 ins. diam.
bears $N 32\frac{1}{4}^{\circ} E$, 229 lks. dist.;
marked $\frac{1}{4}$ S. B. T.

A mesquite, 6 ins. diam.
bears $N 25\frac{1}{4}^{\circ} W$, 128 lks. dist.;
marked $\frac{1}{4}$ S. B. T.

50.00 Road, bears N.W. and S.E.

80.00 Set a mesquite post, 3 ft.
long, 4 ins. sq. with
marked stone, 24 ins.
in the ground, for cor.
of secs. 9, 10, 15 and 16,
marked

T. 15 S. S. 10 on N. E.

R. 15 E., S. 15 on S. E.

S. 16 on S. W., and

S. 9 on N. W. faces, with
4 notches on S. and 3
notches on E. edges;

Chains Subdivision of

from which

A palo verde, 10 ins. diam.
bears $N 24 \frac{3}{4}^{\circ} E$, 285 lks. dist.,
marked T. 15 S. R. 15 E.
S. 10 B. T.

A palo verde, 20 ins. diam.,
bears $S 74 \frac{3}{4}^{\circ} E$, 98 lks. dist.,
marked T. 15 S. R. 15 E.
S. 15. B. T.

A palo verde, 14 ins. diam.
bears $S 75^{\circ} W$, 111 lks. dist.,
marked T. 15 S. R. 15 E.
S. 16 B. T.

A mesquite, 4 ins. diam.
bears $N 45^{\circ} W$, 210 lks. dist.,
marked T. 15 S. R. 15 E.
S. 9 B. T.

Land, level

Soil, gravelly loam; 2nd rate

T. 15 S. R. 15 E. - Continued

Chains

Timber, scattering palo verde and mesquite; undergrowth, scattering greasewood

$S 89^{\circ} 54' W$, on a random line bet. secs. 9 and 16

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 6 lks. S. of cor. of secs. 8, 9, 16 and 17

Thence I run

$N 89^{\circ} 57' E$, on a true line bet. secs. 9 and 16

Over gently rolling land, through scattering timber and undergrowth

2.28 Telegraph line, bears $N 34^{\circ} W$ and $S 34^{\circ} E$

Subdivision of

chains

3.52

Middle of single track of the Southern Pacific Railroad bears $N 54^{\circ} W$ and $S 54^{\circ} E$.

4.35

Road, from Tucson to Pantano, bears $N. W$ and $S. E$.

4.66

Telegraph line, bears $N 54^{\circ} W$ and $S. 54^{\circ} E$

39.95

Set a mesquite post, 3 ft. long, 3 ins. sq. with marked stone, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4} S$ on N. face; from which a mesquite, 6 ins. diam. bears $N 54^{\circ} E$, 222 lks. dist., marked $\frac{1}{4} S. B. T.$

A mesquite, 4 ins. diam.

- T. 15 S. R. 15 E. - Continued
 chains
 bears $N 88\frac{1}{2}^{\circ} W$, 90 lks. dist;
 marked $\frac{1}{4}$ S. B. T.
- 66.40 Dry wash, 10 lks. wide, course
 N. E.
- 66.80 Road, bears N. W. and S. E.
- 79.90 The cor. of secs. 9, 10, 15th and 16th
 Land, gently rolling
 Soil, rich and gravelly loam;
 1st and 2nd rate
 Timber, scattering palo-
 verde and mesquite;
 undergrowth greasewood.

No^o 2' E, bet. secs. 9 and 10
 Over level and rolling
 land, through scatter-
 ing timber and undergrowth.

40.00 Set a mesquite post,
 3 ft. long, 3 ins. sq.

- Subdivisions of
Chains with marked stone,
24 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face; from
which
- A mesquite, 10 ins. diam.
bears $N 19\frac{1}{4}^{\circ} W$, 384 lks.
dist. marked $\frac{1}{4}$ S. B. T.
- A palo verde, 6 ins. diam.
bears $S 19\frac{1}{2}^{\circ} E$, 158 lks. dist.
marked $\frac{1}{4}$ S. B. T.
- 49.25 Dry wash, 10 lks. wide, course
N. E.
- 79.75 Dry wash, 10 lks. wide, course
N. E.
- 80.00 Set a sand stone $16 \times 12 \times 8$
ins., 12 ins. in the ground
for cor. of secs. 3, 4, 9th & 10,
marked with 5 notches

T. 15 S. R. 15 E - Continued

Chains

on S. and 3 notches on
E. edges; from which
A mesquite, 10 ins. diam.
bears $N 19 \frac{1}{4}^{\circ} W$, 384 lks.
dist. marked T. 15 S. R. 15 E.
S. 4. B. T.

A palo verde, 6 ins. diam
bears $S 19 \frac{1}{2}^{\circ} E$, 158 lks. dist.
marked T. 15 S. R. 15 E.
S. 10. B. T.; no other trees
within limits; dig pits
 $18 \times 18 \times 12$ ins., in secs. 3 and 9,
 $5 \frac{1}{2}$ ft. dist; and raise
a mound of earth, 4
ft. base, 2 ft. high, W.
of cor.

Land, level and rolling
Soil, loam; 2nd rate
Timber, scattering palo

Subdivision of

Chains

verde and mesquite;
undergrowth, greasewood.

S 89° 57' W., on a random
line, bet. secs. 4 and 9

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.05 Intersect N. and S. line
8 lks. S. of cor. of secs
4, 5, 8 and 9

Thence I run

East, on a true line
bet. secs. 4 and 9

Over level and rolling
land, through scattering
timber and undergrowth

40.02 $\frac{1}{2}$ Set a mesquite post
3 ft. long, 3 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$.

T. 15 S. R. 15 E. - Continued

Chains

sec. cor., ~~marked~~ $\frac{1}{4}$ sec.~~cor.~~ marked $\frac{1}{4}$ S.on N. face; from which
A palo verde, 14 ins. diam.bears $N 37 \frac{1}{2}^{\circ} E$, 112 lks. dist.marked $\frac{1}{4}$ S. B. T.

A palo verde, 12 ins. diam.

bears $S 54 \frac{3}{4}^{\circ} W$, 161 lks.dist. marked $\frac{1}{4}$ S. B. T.

80.05 The cor. of secs. 3, 4, 9 and 10

Land, level and rolling

Soil, loam; 2nd rate

Timber, scattering palo

verde and mesquite;

undergrowth, greasewood.

No. 2 E, on a random line

bet. secs. 3 and 4

40.00 Set temp. $\frac{1}{4}$ sec. cor.

Subdivision of

Chains

80.42

Intersect N. bdy. of Tp.
5 lks. W. of the cor. of
secs. 3, 4, 33 and 34, as
heretofore described

Thence I run

S⁰4' W, on a true line
bet. secs. 3 and 4.

Over rolling land
through palo verde timber
and dense undergrowth

5.00 Leave dense undergrowth
bears E. and W.

28.50 Chirion, wash (dry) 50 lks.
wide, bears S.E. and S.W.;
flows S.W.

40.42 Set a mesquite post
3 ft. long, 3 ins. sq, with
marked stone, 24 ins.,
in the ground for $\frac{1}{4}$ sec.

T. 15 S. R. 15 E. - Continued

chains

cor., marked $\frac{1}{4}$ S on
W. face; dig pits 18x18x12
ins. N. and S. of post,
3 ft. dist., and raise a
mound of earth, $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high W. of cor.

54.50 Road, from Tucson to
Rincon, bears N.W. and S.E.

80.42 The cor. of secs. 3, 4, 9 and 10

Land, rolling

Soil, gravelly loam; 3rd rate

Timber, scattering, palo-
verde and mesquite;

undergrowth, palo

verde and greasewood

Land covered with dense undergrowth. 500
June 3, 1895

June 4, 1895: At 7^h 20^m
a. m. l. m. t., I set
off $32^{\circ}5'$ on the lat. arc;

Subdivision of

Chains

$22^{\circ} 26' N.$, on the decl. arc,
and determine a true
meridian with the solar,
at the standard cor. of
secs. 34 and 35, on S. bdy
of the Tp., as heretofore
described.

Thence I run

$N 0^{\circ} 2' E.$, bet. secs. 34 and 35

Over gently rolling land,
through scattering under-
growth

40.00 Set a limestone $14 \times 12 \times 6$
ins., 9 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face; dig pits
 $18 \times 18 \times 12$ ins., N. and S. of
stone, 3 ft. dist. and
raise mound of earth,

T. 15 S. R. 15 E - Continued

chains

3½ ft. base, 1½ ft. high
W. of cor.

81.00 Trail, bears N.W. and S.E.

80.00 Set a granite stone
14 x 14 x 14 ins., 9 ins. in the
ground for cor. of secs
26, 27, 34 and 35, marked
with 1 notch on S. and
2 notches on E. edges;
dig pits 18 x 18 x 12 ins. in
each sec., 5½ ft. dist.,
and raise a mound
of earth, 4 ft. base, 2 ft.
high, W. of cor.

Land, gently rolling
Soil, gravelly loam, 2nd rate
No timber; undergrowth,
greasewood

Subdivision of
Chains West, on a random line,
bet. secs 27 and 34

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line
22 lks. N. of cor. of secs.
27, 28, 33 and 34

Thence I run

$N 89^{\circ} 51' E$, on a true line
bet. secs. 27 and 34

Over level land, through
scattering undergrowth

40.00 Set a malpais stone
 $12 \times 10 \times 8$ ins., 8 ins. in the
ground for $\frac{1}{4}$ sec. cor.,
marked $\frac{1}{4}$ on N. face,
dig pits $18 \times 18 \times 12$ ins.,
N. and S. of stone, 3 ft.
dist. and raise a mound
of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.

T. 15 S. R. 15 E. - Continued

chains

high, N. of cor.

52.60 Trail, bears N.W. and S.E.

80.00 The cor. of sees. 26, 27, 34^{2d} & 35

Land, level

Soil, loam; 2nd rateNo timber; undergrowth,
scattering greasewood.N^o 2' E, bet. sees. 26 and 27Over level and gently rolling
land

1.70 Trail, bears N.W. and S.E.

12.80 Road, bears N.W. and S.E.

40.00 Set a mesquite post,

3 ft. long, 3 ins. sq. with

marked stone, 24 ins.

in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S.

on W. face; dig pits

Subdivision of

Chains

18 x 18 x 12 ins., N. and S.
of post, 3 ft. dist.; and
raise a mound of earth,
3½ ft. base, 1½ ft. high,
W. of cor.

80.00 Set a sandstone 20 x 16 x 4
ins., 15 ins. in the ground,
for cor. of secs. 22, 23, 26² & 27,
marked with 2 notches
on S and E. edges; from
which

A palo verde, 8 ins. diam.
bears S 20° E, 139 lks. dist.;
marked T. 15 S. R. 15 E. S
26 B. T.; no other trees
within limits; dig
pits 18 x 18 x 12 ins. in
each sec., 5½ ft. dist.;
and raise a mound

T. 15 S. R. 15 E. - Continued

Chains

of earth, 4 ft. base, 2 ft high, W. of cor.

Land, level and gently rolling.

Soil, loam; 2nd rate
Timber, a few palovide trees.

S89°51' W., on a random line, bet. secs. 22 and 27

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect N. and S. line, 8 lks. S. of cor. of secs. 21, 22, 27 and 28.

Thence I run

N89°54' E., on a true line bet. secs. 22 and 27

Over level land, through scattering undergrowth

Subdivision of

Chains

40.10

Set a limestone $20 \times 14 \times 12$ ins., 15 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits $18 \times 18 \times 12$ ins., E. and W. of of stone, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

80.20

The cor. of secs. 22, 23, 26^{2nd} & 27

Land, level

Soil, loam, 2nd rate

No timber; undergrowth, greasewood

No. 2'E, bet. secs 22 and 23

Over level land, through scattering timber and undergrowth

20.00

Road, bears N. W^{2nd} & E

T. 15 S. R. 15 E. - Continued

Chains
40.00

Set a sand stone $15 \times 12 \times 6$ ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; from which a mesquite, 4 ins. diam. bears $N 24^\circ E$, 321 lbs. dist.; marked $\frac{1}{4}$ S. B. T.

A mesquite, 6 ins. diam. bears $S 33^\circ E$, 191 lbs. dist.; marked $\frac{1}{4}$ S. B. T.

46.40 Telegraph line, bears $N 54^\circ W$. and $S 54^\circ E$.

46.85 Trail bears N. W. and S. E.

47.30 Middle of single track of the Southern Pacific Railroad, bears $N 54^\circ W$ and $S 54^\circ E$

48.20 Telegraph line, bears $N 54^\circ W$. and $S 54^\circ E$.

Subdivisions of

71.65 Trail, bears N.W. and S.E.

80.00 Set a sand stone
 15 x 14 x 3 ins., 10 ins. in the
 ground, for cor. of secs.
 14, 15, 22 and 23, marked
 with 3 notches on S.
 and 2 notches on E. edges,
 from which

A palo verde, 12 ins. diam.,
 bears N 48° E, 130 lks. dist.,
 marked T. 15 S. R. 15 E
 S. 14 B. T.

A palo verde, 8 ins. diam.
 bears S 71° E, 105 lks. dist.,
 marked T. 15 S. R. 15 E.
 S. 23 B. T.

A palo verde, 12 ins. diam.,
 bears S 56° W, 171 lks. dist.,
 marked T. 15 S. R. 15 E

T. 15 S. R. 15 E. - Continued

S. 22 B. T.

A palo verde, 8 ins. diam.
 bears $N42\frac{1}{2}^{\circ}W$, 135 lks.
 dist. marked T. 15 S. R. 15 E.

S. 15 B. T.

Land, level

Soil, loam; 2nd rate
 Timber, scattering palo
 verde and mesquite;
 undergrowth, greasewood.

$S89^{\circ}54'W$, on a random
 line, bet. secs. 15 and 22

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line
 6 lks. S. of cor. of secs.
 15, 16, 21 and 22

Thence run
 $N89^{\circ}57'E$, on a true line

Subdivision of
Chains

bet. secs. 15 and 22

Over level land, through
scattering timber and
under growth

33.56 Telegraph line bears
 $N54^{\circ}W.$ and $S54^{\circ}E$

34.80 Middle of single track
of the Southern Pacific
Railroad, bears $N54^{\circ}W$
and $S54^{\circ}E$

36.04 Telegraph line, bears
 $N54^{\circ}W.$ and $S54^{\circ}E$

38.40 Road from Tucson to Canyon, bears $N.W. \frac{1}{4} E.$

40.01 Set a basalt stone
 $18 \times 14 \times 12$ ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face, from which
a mesquite, 8 ins. diam.
bears $N36\frac{1}{2}^{\circ}E.$, 34 lbs.
dist. marked $\frac{1}{4}$ S.B.T.

T. 15 S. R. 15 E. - Continued

chains

- A mesquite, 6 ins. diam.
bears $S 21^{\circ} W$, 134 lks. dist;
marked $\frac{1}{4}$ S. B. T.
- 70.90 Dry wash, 8 lks. wide, course N.W.
- 75.60 Dry wash, 7 lks. wide, course N.W.
- 75.90 Dry wash, 5 lks. wide, course N.W.
- 80.02 The cor. of secs. 14, 15, 22nd and 23
Land, level.
Soil, loam; 2nd rate
Timber, scattering mes-
quite and palo verde;
undergrowth, scattering
greasewood and cholla.
-
- No. 2' E, bet. secs. 14 and 15
Over rolling land, through
timber and undergrowth
- 20.00 Road, bears N.W. and S.E.
- 40.00 Set a mesquite post

Subdivision of
Chains

3 ft. long, 3 ins. sq. with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face, from which
A palo verde, 6 ins. diam.
bears $N 30 \frac{3}{4}^{\circ} E$, 124 lbs. dist.,
marked $\frac{1}{4}$ S. B. T.

A mesquite, 8 ins. diam.,
bears $S 48^{\circ} W$, 125 lbs.
dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a malpais stone
16 x 14 x 12 ins., 12 ins. in
the ground, for cor. of
secs. 10, 11, 14 and 15, marked
with notches on S. and
2 notches on E. edges;
from which
A mesquite, 6 ins. diam.

T. 15 S. R. 15 E. - Continued

Chains

bears $N41\frac{1}{2}^{\circ}E$, 208 fms.
 dist. marked T. 15 S.
 R. 15 E. S. 11 B. T.

A palo verde, 4 ins.
 diam., bears $S63\frac{1}{2}^{\circ}E$,
 66 fms. dist., marked
 T. 15 S. R. 15 E. S. 14 B. T.

A palo verde, 5 ins. diam.
 bears $S45\frac{3}{4}^{\circ}W$, 178 fms.
 dist., marked T. 15 S.
 R. 15 E. S. 15 B. T.

A palo verde, 14 ins. diam.
 bears $N64\frac{1}{4}^{\circ}W$, 102 fms.
 dist., marked T. 15 S.
 R. 15 E. S. 10 B. T.

Land, rolling

Soil, gravelly loam; 2nd rate
 Timber, palo verde and
 mesquite; undergrowth,

Chains

Subdivision of greasewood

40.00 $299^{\circ}57'W$, on a random
line, bet. secs. 10 and 15

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line,
8 lks. N. of cor. of secs.
9, 10, 15 and 16

Thence I run

$289^{\circ}54'E$, on a true line,
bet. secs. 10 and 15

Over rolling land, through
scattering timber and
undergrowth

40.02 Set a mesquite post,
3 ft. long, 3 ins. sq. with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.

T. 15 S. R. 15 E. - Continued

Chains

on N. face, from which
A mesquite, 6 ins. diam.

bears N 54 1/2° E, 78 lks.

dist. marked 1/4 S. B. T.

A palo verde, 4 ins. diam.

bears N 7° W, 99 lks. dist.

marked 1/4 S. B. T.

46.30 Dry wash, 8 lks. wide, course
N. E.

57.84 Dry wash, 7 lks. wide, course
N. E.

60.50 Chirion wash, (dry) 20 lks.
wide, course N. N. W.

80.04 The cor. of secs. 10, 11, 14 and 15

Land, rolling

Soil, gravelly loam; 2nd rate

Timber, scattering palo
verde and mesquite; under

growth, greasewood.

Subdivision of

Chains

N^o 2' E, bet. sees. 10^{and} 11

Over rolling land, through scattering timber and undergrowth

25.80 Dry wash, 5 lks. wide, course N. W.

40.00 Set a mesquite post 3 ft. long, 3 ins. sq. with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face; dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a sand stone 12 x 11 x 9 ins., 8 ins. in

T. 15 S. R. 15 E. — Continued

Chains

the ground, for cor. of
secs, 2, 3, 10 and 11, marked
with 5 notches on S.
and 2 notches on E.

edges, from which
A palo verde, 20 ins.
diam, bears $N 53^{\circ} E$,
259 lks. dist. marked
T. 15 S. R. 15 E. S. 2 B. T.

A palo verde, 6 ins. diam.
bears $S 76\frac{1}{2}^{\circ} E$, 66 lks. dist,
marked T. 15 S. R. 15 E.
S. 11 B. T.

A mesquite, 6 ins. diam
bears $S 59^{\circ} W$, 53 lks.
dist, marked T. 15 S.
R. 15 E. S. 10. B. T.

A mesquite, 4 ins. diam.
bears $N 42\frac{1}{2}^{\circ} W$, 181 lks.

Chains

Subdivision of
 dist. marked T. 15 S.
 R. 15 E., S. 3 B. T.
 Land, level
 Soil, gravelly loam; 3rd rate
 Timber, palo verde and
 mesquite; undergrowth,
 greasewood

S 89° 54' N, on a random
 line, bet. secs. 3 and 10
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line
 9 lks. S. of cor. of secs.
 3, 4, 9 and 10
 Thence I run
 N 89° 58' E, on a true line
 bet. secs. 3 and 10
 Over rolling land, through
 timber and undergrowth

T. 15 S. R. 15 E. - Continued

- Chains
- .25 Dry wash, 7 lks. wide, course N.E.
- 4.10 Dry wash, 6 lks. wide, course N.E.
- 7.20 Dry wash, 4 lks. wide, course N.E.
- 7.55 Dry wash, 5 lks. wide, course N.E.
- 10.00 Chirion wash, (dry), 20 lks wide, course N.W.
- 15.20 Dry wash, 3 lks. wide, course N.W.
- 31.48 Trail, bears N.W. and S.E.
- 40.04 Set a mesquite post, 3 ft. long, 3 ins. sq, with marked stone 24 ins. in the ground, for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S. on N face; from which a mesquite, 5 ins. diam. bears $S 29^{\circ} E$, 226 lks. dist.; marked $\frac{1}{4}$ S. B. T. A palo verde, 5 ins. diam. bears $S 83\frac{1}{2}^{\circ} W$, 148 lks.

Subdivision of
 Chains
 dist. marked $\frac{1}{4}$ S.B.T.
 80.08 The cor. of secs. 2, 3, 10 and 11
 Land, rolling
 Soil, gravelly loam; 2nd rate
 Timber, scattering
 palv verde and mesquite,
 undergrowth, greasewood.

No $2^{\circ} 2' E$, on a random
 line, bet. secs. 2 and 3
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 40.60 Intersect N. bdy. of Twp.
 at cor. of secs. 2, 3, 34
 and 35, as heretofore
 described
 Thence I run
 $20^{\circ} 2' N$, on a true line
 bet. secs. 2 and 3
 Over level land, through

T. 15 S. R. 15 E. - Continued

chains

timber and dense under
growth

20.00 Have dense undergrowth

40.60 Set a mesquite post
3 ft. long, 3 ins. sq.
with marked stone,
24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18 x 18 x 12 ins. N.
and S. of post, 3 ft.
dist., and raise a
mound of earth,
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

71.05 Road, bears N.W. and S.E.

80.60 The cor. of sec. 2, 3, 10 and 11
Land, level
Soil, gravelly loam;

Subdivision of
Chains 2nd rate.

Timber, palo verde
and mesquite; under-
growth, palo verde and
greasewood.

Scattering giant cactus.
Land, covered with dense
undergrowth, rocks.

From the standard cor.
of secs. 35 and 36, on S.
bdy. of Tp., as heretofore
described

Run

N^o 3' E, bet. secs. 35 and 36

Over rolling land

36.06 Road, bears N.W. and S.E.

36.30 Trail, bears N.W. and S.E.

40.00 Set a sand stone 14 x 10 x 8

T. 15 S. R. 15 E. - Continued.

Chains
ins., 8 ins. in the ground and
for $\frac{1}{4}$ sec. cor., marked and
 $\frac{1}{4}$ on W. face; from which
A mesquite, 4 ins. diam.

bears $N 16^{\circ} W$; 164 lbs. dist.; 12×12
marked $\frac{1}{4}$ S. B. T.

A palo verde, 5 ins. diam.
bears $S 70^{\circ} E$; 62 lbs. dist.;
marked $\frac{1}{4}$ S. B. T.

69.95 Trail, bears N. W. and S. E.

74.70 Old road, bears N. E. and S. W.

77.05 Trail, bears E. and W.

78.50 Trail, bears E. and W.

80.00 Set a sandstone $14 \times 14 \times 12$
ins., 9 ins. in the ground
for cor. of secs. 25, 26, 35 and 36,
marked with 1 notch
on S. and E. edges; dig
pits $18 \times 18 \times 12$ ins. in each

Chains

Subdivision of
sec., $5\frac{1}{2}$ ft. dist., and
raise a mound of earth,
4 ft. base, 2 ft. high, W.
of cor.

Land, rolling

Soil, loam; 2nd rate.

Timber, a few mesquite
and palo verde trees;
undergrowth, scattering
greasewood

West, on a random line
bet. secs. 26 and 35

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.05 Intersect N. and S. line
23 lbs. S. of cor. of secs.

26, 27, 34 and 35

Thence I run

S89°50'E, on a true line

T. 15 S. R. 15 E. - Continued

Chains

bet. secs. 26 and 35

Over level and rolling land

17.92 Road, bears N. W. and S. E.

40.02½ Set a sand stone, 15x12x8

ins., 10 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits
18x18x12 ins., E. and W. ofstone, 3 ft. dist.; and
raise a mound of earth,
3½ ft. base, 1½ ft. high,
N. of cor.

80.05 The cor. of secs. 25, 26, 35 and 36

Land, level and rolling

Soil, loam; 2nd and 3rd rate

No timber

East, on a random line
bet. secs. 25 and 36

Subdivision of

Chains

40.00 Set. temp. $\frac{1}{4}$ sec. cor.80.24 Intersect E. bdy. of T_p
8 lks. S. of cor. of secs.25, 30, 31 and 36, which is
a stone 10 x 10 x 10 ins. above
ground, marked and
witnessed as described
by the surveyor general.

Thence, I run

S 89° 57' W, on a true line
bet. secs. 25 and 36Over rolling land, through
scattering undergrowth24.76 Road from Tucson to
Pantano, bears N. W. and N. E.26.61 Telegraph line, bears N. W.
and S. E.27.46 Middle of single track
of the Southern Pacific

T. 15 S. R. 15 E. - Continued

Chains.

- Railroad, bears N. W. and S. E.
- 27.93 Road, from Tucson to Pantano, bears N. W. and S. E.
- 28.31 Telegraph line, bears N. W. and S. E.
- 40.24 Set a sand stone 15x12x10 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits 18x18x12 ins. E. and W. of stone, 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
- 50.25 Esmond Station, bears N 6 $\frac{1}{4}$ ° W.
- 76.91 Road, bears N. E. and S. W.
- 79.54 Trail, bears N. E. and S. W.
- 80.24 The cor. of secs. 25, 26, 35 and 36

Subdivision of

Chains

Land, rolling.

Soil, gravelly loam; 3rd rate
No timber, undergrowth
scattering greasewood.

N^o 3' E, bet. secs. 25 and 26

Over rolling land, through
scattering undergrowth

40.00 Set a sand stone 12x10x6
ins, 8 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. face, dig pits
18x18x12 ins, N. and S. of
stone, 3 ft. dist. and raise
a mound of earth, 3 $\frac{1}{2}$
ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

67.10 Road from Tucson to
Pantano, bears N.W. and S.E.

68.10 Telegraph line, bears N.W. $\frac{2}{3}$ of S.E.

T. 15 S. R. 15 E. - Continued

- chains
- 69.10 Middle of single track of the Southern Pacific Railroad, bears N. W. ²/₄ and S. E.
- 70.10 Telegraph line, bears N. W. and S. E.
- 71.84 Road from Tucson to Pantano, bears N. W. ²/₄ and S. E.
- 75.60 Trail, bears N. W. and S. E.
- 80.00 Set a malpais stone 12 x 8 x 6 ins., 8 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked with 2 notches on S. and 1 notch on E. edges; dig pits 18 x 18 x 12 ins. in each sec. 5 ¹/₂ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Subdivision of
chains

Land, rolling
Soil, gravelly loam; 2nd rate
No timber; undergrowth
scattering greasewood,
sotillo and cholha.

$N 89^{\circ} 50' W$, on a random
line, bet. secs. 23 and 26

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect N. and S. line
10 lbs. N. of cor. of secs.
22, 23, 26 and 27

Thence I run

$S 89^{\circ} 54' E$, on a true line
bet. secs. 23 and 26

Over level land

40.03 Set a sand stone $18 \times 12 \times 10$
ins., 12 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked

T. 15. S. R. 15 E. - Continued

Chains

$\frac{1}{4}$ on N. face; dig pits
 18 x 18 x 12 ins., N. and S.
 of stone, 3 ft. dist; and
 raise a mound of earth,
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
 N. of cor. - A mesquite,
 6 ins. diam. bears N 77 $\frac{1}{2}$ W;
 356 lbs. dist; marked
 $\frac{1}{4}$ S. B. T. No others near.

63.30 Road, from Tucson
 to Pantano, bears N. W. and S. E.

64.05 Telegraph line, bears N. W.
 and S. E.

65.28 Middle of single track
 of the Southern Pacific
 Railroad, bears N. W.
 and S. E.

66.33 Telegraph line, bears
 N. W. and S. E.

Subdivisions of

Chains

67.05 Road, from Tucson to
Pantano, bears N.W. and S.E.

80.06 The cor. of secs. 23, 24, 25³/₄ & 26
Land, level

Soil, loam, 2nd rate
Timber, a few mesquite
and palo verde trees

N 89° 57' E, on a random
line, bet. secs. 24 and 25

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.59 Intersect E. bdy of Tp.
8 lks. S. of cor. of secs
19, 24, 25, and 30, which
is a sand stone, 10x10x8
ins, above ground, marked
and witnessed, as described
by the surveyor general
Thence I run

T. 15 S. R. 15 E. - Continued

Chains

S 89° 54' W, on a true line
bet. secs. 24 and 25

Over rolling land, through
scattering undergrowth

33.00 Ascend gradually to mesa

40.59 Set a mesquite post,
3 ft. long, 3 ins. sq, with
marked stone, 24 ins.
in the ground from $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
18 x 18 x 12 ins., E. and W.
of post, 3 ft. dist.; and
raise a mound of
earth, 3½ ft. base, 1½ ft.
high, N. of cor.

Esmond station bears
S 21° 40' W.

41.00 Top of mesa; bears N. W $2\frac{1}{2}$ of N. E

Subdivision of

Chains

55.93 Trail, bears N.W. and S.E.

80.59 The cor. of secs. 23, 24, 25^{3d} & 26

Land, rolling

Soil, gravelly loam; 3rd rate

No timber; undergrowth,
scattering greasewood

No^o 3'E, bet. secs. 23 and 24

Over rolling land, through
scattering undergrowth

40.00 Set a mesquite post,
3 ft. long, 3 ins. sq. with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits
18x18x12 ins., N and S.
of post, 3 ft. dist. and
raise a mound of

T. 15 S. R. 15 E - Continued

Chains

earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

50.17 Road, bears E. and W.

80.00 Set a malpais stone $14 \times 7 \times 6$ ins, 12 ins, in the ground for cor. of secs 13, 14, 23 and 24, marked with 3 notches on S. and 1 notch on E. edges; from which

A palo verde, 8 ins. diam. bears $S 68\frac{1}{2}^{\circ} W$, 157 lks. dist. marked T. 15 S. R. 15 E.

S. 23. B. T. no other trees within limits.

dig pits $18 \times 18 \times 12$ ins ^{in secs. 13, 14 and 24} $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high

Subdivision of
Chains W. of cor.

Land, rolling
Soil, gravelly loam; 3rd rate
Timber, a few palv verde
trees; undergrowth,
scattering greasewood.

N 89° 54' W, on a random
line, bet. secs. 14 and 23
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.03 Intersect N. and S. line
15 lks. S. of cor. of secs.
14, 15, 22 and 23
Thence I run
S 89° 48' E, on a true line,
bet. secs. 14 and 23
Over rolling land,
through scattering
timber and undergrowth

T. 15 S. R. 15 E. - Continued

Various

22.00 Trail, bears N. W. and S. E.

32.86 Road, bears N. W. and S. E.

40.01½ Set a granite stone
 16x10x6 ins., 12 ins. in the
 ground for $\frac{1}{4}$ sec. cor.,
 marked $\frac{1}{4}$ on N. face;
 dig pits 18x18x12 ins., E.
 and W. of stone, 3 ft.
 dist., and raise a mound
 of earth, 3½ ft. base, 1½
 ft. high, N. of cor. —

A mesquite, 6 ins. diam.
 bears N 6¾° W, 347 lks. dist.,
 marked $\frac{1}{4}$ S. B. T.
 no others near.

80.03 The cor. of secs. 13, 14, 23rd and 24

Land, rolling

Soil, gravelly loam; 3rd rate
 Timber, scattering palo
 verde and mesquite;

Subdivision of

Chains

undergrowth, greasewood
and cholla.

$N89^{\circ}54'E$, on a random
line, bet. secs. 13 and 24

40.00 Set temp. $\frac{1}{4}$ sec. cor.

81.00 Intersect E. bdy. of the
Twp., 10 Ws. S. of cor. of
secs. 13, 18, 19 and 24,

which is a mesquite
post, 3 ft. above ground,
4 ins. sq., marked and
witnessed as described
by the surveyor general

Thence I run

$S89^{\circ}50'W$, on a true line
bet. secs. 13 and 24

Over level land, through
scattering undergrowth

T. 15 S. R. 15 E. - Continued

chains

16.55 Road, bears N.W. and S.E.

41.00 Set a limestone, 14x12x4
 ins., 8 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on N. face; from which
 A palo verde, 10 ins. diam.
 bears N 62° E., 242 lbs. dist,
 marked $\frac{1}{4}$ S. B. T. no
 other tree within limits,
 dig pits, 18x18x12 ins., E.
 and W. of stone, 3 ft.
 dist. and raise a mound
 of earth, 3 $\frac{1}{2}$ ft. base,
 1 $\frac{1}{2}$ ft. high, N. of cor.

81.00 The cor. of secs. 13, 14, 23^{and} 24
 Land, level

Soil, rich loam, 1st rate
 Timber, a few mesquite
 and palo verde trees;

Subdivision of

Chains

undergrowth, mesquite
and greasewood

N 0° 3' E, bet. secs. 13 and 14

Over level land, through
scattering undergrowth.

34.50 Road, bears S. E. and W.

40.00 Set a mesquite post,
3 ft. long, 3 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits
18 x 18 x 12 ins., N. and S.
of post, 3 ft. dist. and
raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

80.00 Set a lime stone 16 x 12 x 10

T. 15 S. R. 15. E. - Continued

chains

ins., 12 ins. in the ground
for cor. of secs. 11, 12, 13 and
14, marked with 4 notches
on S. and 1 notch on
E. edges; dig pits 18x18x12
ins., in each sec., 5½ ft
dist., and raise a
mound of earth 4 ft
base, 2 ft. high, W. of cor.
Land, level

Soil, loam; 2nd rate
No timber, undergrowth
greasewood.

June 5. 1895

N 89° 48' W., on a random
line bet. secs. 11 and 14

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. and S. line

10 lbs. N. of cor. of secs.

Subdivision of
Chains

10, 11, 14 and 15

Thence, I run

S 89° 52' E, on a true line
bet. secs. 11 and 14

Over level land, through
undergrowth

40.00 Set a granite stone
14 x 10 x 10 ins., 9 ins. in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face;
dig pits 18 x 18 x 12 ins.,
E. and W. of stone, 3 ft.
dist.; and raise a mound
of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$
ft. high, N. of cor.

80.00 The cor. of secs. 11, 12, 13 ^{2nd} & 14

Land, level

Soil, loam; 2nd rate.

No timber; undergrowth,

T. 15 S. R. 15 E. - Continued

chains

greasewood

N 89° 50' E, on a random
line, bet. secs. 12 and 13

40.00 Set temp. $\frac{1}{4}$ sec. cor.

81.92 Intersect E. bdy. of the
Tp, 3 lks. S. of the cor.
of secs. 7, 12, 13 and 18,
which is a sandstone
10x10x7 ins. above ground,
marked and witnessed
as described by the
surveyor general

Thence I run

S 89° 49' W, on a true
line, bet. secs. 12 and 13

Over level and rolling
land, through scattering
undergrowth

Subdivision of

Chains

41.92

Set a sand stone
 15 x 10 x 10 ins., 10 ins. in the
 ground for $\frac{1}{4}$ sec. cor.,
 marked $\frac{1}{4}$ on N. face;
 dig pits 18 x 18 x 12 ins. E.
 and W. of stone, 3 ft. dist.,
 and raise a mound of
 earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft
 high, N. of cor.

81.92

The cor. of secs. 11, 12, 13^{2/3} & 14
 Land, level and rolling
 Soil, loam, 2nd rate
 No timber; undergrowth,
 greasewood

No^o 3'E, bet secs. 11 and 12
 Over level land, through
 undergrowth

40.00

Set a mesquite post

T. 15 S. R. 15 E. - Continued

Chains

3 ft. long, 3 ins. sq., with marked stone, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face; from which a mesquite 5 ins. diam bears S $74\frac{1}{2}^{\circ}$ E, 194 lbs. dist., marked $\frac{1}{4}$ S.B.T.; no other tree within limits; dig pits 18x18x12 ins, N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

67.10 Road from Tucson to Rincon, bears N.W. and S.E.

80.00 Set a sand stone 18x12x8 ins, 12 ins. in the ground for cor. of secs. 1, 2, 11^{2nd} and 12

Subdivision of
Chains
marked with 5 notches
on S. and 1 notch on E.
edges; from which
A mesquite, 6 ins. diam.
bears $N49\frac{1}{2}^{\circ}E$, 127 lks. dist.
marked T. 15 S. R. 15 E.,
S. 1 B. T.

A mesquite, 6 ins. diam
bears $S39^{\circ}W$, 100 lks. dist.
marked T. 15 S. R. 15 E.,
S. 11 B. T.; no other
trees within limits;
dig pits $18 \times 18 \times 12$ ins. in
each sec. $5\frac{1}{2}$ ft. dist.
and raise a mound of
earth 4 ft. base, 2 ft. high,
W. of cor.

Land, level

Soil, loam; 2nd rate

T. 15 S. R. 15 E. - Continued

Chains

Timber, a few mesquite trees; undergrowth, greasewood

N 89° 52' W, on a random line, bet. secs. 2 and 11

40.00 Set temp $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line at cor. of secs. 2, 3, 10 and 11
Thence, Run

S 89° 52' E, on a true line, bet. secs. 2 and 11

Over level and rolling land through scattering timber and undergrowth

26.65 Old road, bears N. W. $\frac{2}{3}$ of S. E.

30.60 Road, from Tucson to Rincon, bears N. W. $\frac{2}{3}$ of S. E.

40.03 $\frac{1}{2}$ Set a mesquite post

Subdivision of

Chains

3 ft. long, 3 ins. sq. with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; from which
A mesquite, 4 ins. diam.
bears $N 52^{\circ} E$, 50 lks. dist.,
marked $\frac{1}{4}$ S. B. T.

A mesquite, 6 ins. diam.
bears $N 71^{\circ} W$, 168 lks. dist.,
marked $\frac{1}{4}$ S. B. T.

80.07 The cor. of secs. 1, 2, 11 $\frac{2}{3}$ / 12
Land, level and rolling
Soil, loam, 2nd rate.
Timber, scattering
palo verde and mesquite,
undergrowth greasewood

$N 89^{\circ} 49' E$, on a random

T. 15 S. R. 15 E. - Continued

Chains

- line bet. secs. 1 and 12
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 82.84 Intersect E. bdy. of
Twp., 8 bks. S. of cor. of
secs. 1, 6, 7 and 12, which
is a sandstone 12x12x8
ins. above ground,
marked and witnessed
as described by the
surveyor general
Thence I run
S89°46'W, on a true line
bet. secs. 1 and 12, through
scattering timber and
undergrowth
- 20.00 Ascend mesa
- 23.84 Dry wash, 10 bks. wide,
course N.W.
- 25.94 Dry wash, 12 bks. wide,

Subdivision of
Chain:

course N. W.

29.90 Dry wash, 20 lks. wide, course
N. W.

31.00 Trail, bears N. W. and S. E.

36.85 Dry wash, 10 lks. wide, course
N. W.

40.00 Top of mesa, bears N. W. ²/₄ S. E.

42.84 Set a mesquite post
3 ft. long, 3 ins. sq., with
marked stone, 24 ins.
in the ground for ¹/₄
sec. cor., marked ¹/₄ S.
on N. face, from which
A palo verde 6 ins. diam
bears N 39° E, 138 lks. dist.,
marked ¹/₄ S. B. T.
A mesquite, 6 ins. diam
bears S 57° W, 210 lks. dist.,
marked ¹/₄ S. B. T.