

x d

Contract No. 32

2.  
62

834

No. 834

BOOK 834

No. 2

Subdivision  
T. 15 S. - R. 17 E.

4-671

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

63 Indexed, Book 870.

Township 155 R. 17E

6	74	5	4	3	2	1
72		71				
7	69	8	9	10	11	12
67		66				
18	64	17	16	15	14	13
64						
19		20	21	22	23	24
30		29	28	27	26	25
31		32	33	34	35	36

## Subdivision, T. 15 S.

and raised a mound of stones  
 $\frac{1}{2}$  ft high 2 ft base along side.  
 Pits impracticable.

79.78 The cor. to Sec. 17, 18, 19, 20  
 Land rolling  
 Soil 3<sup>d</sup> rate, gravelly  
 No timber.

N.  $0^{\circ} 3' W.$  bet. Sec. 17, & 18  
 Va.  $12^{\circ} 15' E.$

Over rolling land

37.00 Mariscal's house near W.  
 about 7.00 Chs.

40.00 Set a granite  $15 \times 8 \times 7$  ins.  
 10 ins. in the ground for  $\frac{1}{4}$   
 Sec. Cor. Int'd.  $\frac{1}{4}$  on N. face,  
 and raised a mound of stones

R. 1 of E.

- 1 1/2 ft high 2 ft base along  
- side. Ditto impracticable.
- 53.20 Old road, bears S.W. & N.E.
- 53.80 field fence, bears S.W.
- 62.55 field fence, bears S.W., leave  
field.
- 68.35 Irrigation ditch 8 lks. wide,  
Course S.W.
- 69.00 Leon's House, about 9 lks. E.
- 71.50 Middle of Rincon Wash,  
Course S. 70° W. A little water  
runs in wash for about half  
a mile, then sinks in sand.  
Ascend S. Slope of Rincon Mts.
- 70.00 Set granite 15 x 10 x 9 ins, 10<sup>ins</sup>  
in the ground for cor. to Des.  
7.8. 17, 18, mtd. with 4  
notches on S. and S' notches

Subdivision, T. 15 S,

on E. edges. Dig pits 18 x 18 x  
12 ins. in each Sec. 5 1/2 ft. dist.  
and raised a mound of earth  
2 ft high 4 1/2 ft base along side.

Land rolling

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

No timber except a few  
Scattered Ash & Cottonwood  
along Rincon Wash.

Nov. 17, 1893

N. 89° 53' E. on random line  
bet. Secs. 8 and 17  
Va. 12° 15' E.

4000 Set temp. 1/4 Sec. Cor.

80.10 Interset N. & S. line 20 Ecs  
S. of Cor. to Secs. 8, 9, 16, 17.

R. 17 E.

Thence I run

E.  $89^{\circ}44'N$ . on true line  
bet. Secs. 8 & 17

N.  $12^{\circ}15'E$ .

Along S. slope of mountains.

40.05

Set stone  $10 \times 9 \times 6$  ins.  $7$  ins.  
in the ground for  $\frac{1}{4}$  Sec. cor.  
Inkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  
 $1\frac{1}{2}$  ft high 2 ft base along-  
-side. Pits impracticable.

80.10

The cor. to Secs. 7, 8, 17, 18

Land rolling

Soil 3' or 4'

No timber

N.  $89^{\circ}45'W$ . on random line

## Subdivision, F, 15 S.

bet. Secs. 7 &amp; 18

Va.  $12^{\circ} 15' E.$ 40.00 Set temp.  $\frac{1}{4}$  Sec. cor.79.72 Intersect W. boundary 16 lbs.  
N. of cor. to Secs. 7, 12, 13, 18  
as heretofore described. Thence  
I runS,  $89^{\circ} 52' E.$  on a true line

bet. Secs. 7 &amp; 18

Va.  $12^{\circ} 15' E.$ 

Over rolling ground

11.30 Wash, course S. at bend

32.00 Wash, course S, copper indications  
near on left of line39.72 Set a stone  $15 \times 10 \times 6$  ins  $10$  ins,  
in the ground for  $\frac{1}{4}$  Sec. cor.  
mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  $\frac{1}{2}$

R. 17 E.

ft. high 2 ft. base alongside  
Dits impracticable.

77.50 Wash, course S. 20° E.

79.72 The cor. to Secs. 7, 8, 17, 18

Land rolling.

Soil 3<sup>d</sup> rate gravelly

No timber

N. 0° 3' W. bet Secs. 7 & 8

Va. 12° 15' E.

Ascend rough mountain

17.50 Top of rocky ridge, bears N. W.  
& S. E. about 300 ft above  
last cor.

31.40 Wash, Course S. E.

40.00 Set a gneiss stone 18 x 10 x 5  
ins., 12 ins. in the ground for



# Subdivision, T. 15 S.

$\frac{1}{4}$  Sec. Cw. Mkd.  $\frac{1}{4}$  on W. face, and raised a mound of stones  $1\frac{1}{2}$  ft high 2 ft base alongside. Pits impracticable.

53.00 Wash, course S. E.

79.80 Ridge, bears S.  $30^{\circ}$  E.

80.00 Set granite  $18 \times 12 \times 7$  ins., 12 ins. in the ground for Cor. to Secs. 5, 6, 7, 8, Mkd. with 5 notches on S. and 5 notches on E. edges, and raised a mound of stones  $1\frac{1}{2}$  ft high 2 ft base alongside. Pits impracticable.

Land mountainous

Soil 3<sup>d</sup> rate, stony

No timber

R. 14 E.

N.  $89^{\circ}44'E$ , on random line  
bet. Secs. 5 and 8

Va.  $12^{\circ}15'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.32 Interset N. & S. line 24 lbs.

N. of Cor. to Secs. 4, 5, 8, 9.

Thence I run

S.  $89^{\circ}54'W$ , on a true line  
bet. Secs. 5 & 8

Va.  $12^{\circ}15'S$ ,

Over very broken S. Slope of  
Pinecon Mts.

4.30 Deep wash, course S.

14.00 Deep gulch, course S.

26.00 Ridge about 250 ft high, bears  
South

40.16 Set a granite  $18 \times 12 \times 10$  ins.  
12 ins. in the ground for  $\frac{1}{4}$

72

## Subdivision, T. 15 S,

Sec. cor. mtd.  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stones  $1\frac{1}{2}$  ft high 2 ft base  
alongside, Pat's impracticable.

42.00 Top of high ridge, bears S.  
Descend abruptly along  
rough slope of mountain

63.00 Wash, course, S,  $150^{\circ} 8$ .

Ascend high ridge bears S. 8.

80.32 The cor. to Secs. 5, 6, 7, 8

Land mountainous

Soil 5<sup>th</sup> rate - rocky

No timber.

N.  $89^{\circ} 52'$  W. on random line

bet. Secs. 6 and 7

(Va.  $120^{\circ} 15' 8$ .)

R. 17 E.

40.00 Set temp.  $\frac{1}{4}$  sec. Cor,

79.32 Intersect West boundary  
17 eko. N. of Cor, to Secs. 6, 7  
1, 12, as heretofore described  
Thence I run

S.  $89^{\circ} 59' E.$  on true line  
bet. Secs. 6 and 7

N.  $12^{\circ} 15' E.$

Over broken ground, slope S.

39.32 Set a granite  $15 \times 12 \times 9$  ins 10  
ins. in the ground for  $\frac{1}{4}$  sec,  
Cor, Inkd.  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stones  $1\frac{1}{2}$  ft high 2 ft base  
alongside. Pits impracticable

79.32 The Cor, to Secs. 5, 6, 7, 8  
Land mountainous  
Soil  $5^{\text{th}}$  rate, stony

74

Subdivision, T. 15 S.

No timber

N. 0° 3' W. bet. Secs. 5 & 6  
 Va, 12° 15' E.

Descend steep mountain

15.00 Deep gulch, course S. E.

Ascend very abruptly

35.00 Top of steep ascent, thinner  
 over broken ledges

40.00 Set sandstone 12 x 10 x 10 in's

pins in the ground for 1/4 sec,  
 Cor. bk'd. in on W. face, and  
 raised a mound of stones 1 1/2 ft  
 high 2 ft base alongside.  
 Pats impracticable

Land mountainous

Soil 5<sup>th</sup> rate, rocky

A. J. O.

No timber

I discontinue line farther north  
the mountain being too steep  
and precipitous to survey.

Nov. 18, 1893

---

## General Description

The S. W. part of this township is nearly level or gently rolling sloping N. W. and covered with grass, cactus and Mesquite and other brush, also Palo verde shrubs. The soil of this part of township is 2<sup>nd</sup> Class in quality, but along the Picon Wash, where small farms and improvements have been made by Martinez Caballero, Mariscal, Leon and others unknown to me, the land is of 1<sup>st</sup> rate quality. There is no timber except a

narrow strip along the  
Pineon Wash, of Sycamore,  
Ash, Black Walnut and  
Cottonwoods, and no  
running water, except for  
about half a mile in Pineon  
Wash, in sections 17 and 18.  
During the rainy seasons  
the hollows noted herein  
as "Washes" contain more or  
less running water for a  
short time only.

Indications of silver and  
copper are found in places,  
but apparently not worth  
developing.

The few families along the  
Pineon Wash, irrigate their



crops by means of winter  
and summer rains.

The East and North parts  
of this Township lie high up  
in the rugged Pincon Mts,  
and are destitute of timber.

The portion surveyed is, as  
a general thing, covered with  
grass, and the Sp. seems  
best adapted for grazing  
purposes.

James H. Martineau  
U. S. Deputy Surveyor.

BOOK 834  
List of Names.

No. 834 79

A List of the Names of the Individuals  
employed by James H. Martineau  
U. S. Deputy Surveyor, to assist in running, meas-  
uring and marking the lines and corners described  
in the foregoing Field Notes of the survey of the  
3<sup>d</sup> Standard Parallel South  
through Ranges 16 and 17 East,  
and the Exterior & Subdivision  
Lines of Twp. 15 S. Ranges  
16 and 17 East

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, showing the respective  
capacities in which they acted.

Benjamin L. Johnson Chainman.

Arthur Spenshaw Chainman.

Chainman.

Chainman.

John S. Tucker Axeman.

Axeman.

Theodor Martineau Flagman.

## Final Oath of Assistants.

We hereby certify that we assisted *James*  
*H. Martineau* U. S. Deputy Surveyor, in  
 surveying all those parts or portions of the  
*Third Standard Parallel*  
*South through Ranges 16 & 17 E.*  
*and Exterior and Subdivision*  
*Lines of Twp. 15 S. Ranges 16*  
*and 17 East*

of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, as are represented in the  
 foregoing field notes as having been surveyed by him  
 and under his direction; and that said Survey has  
 been in all respects, to the best of our knowledge  
 and belief, well and faithfully surveyed, and the  
 corner monuments established according to the  
 instructions furnished by the United States Surveyor  
 General for Arizona.

*B. S. Johnson* Chainman.

*Arthur Openhaw* Chainman.

Chainman.

Chainman.

*John J. Tucker* Axeman.

Axeman.

*Theodore Martineau* Flagman.

Sworn to and subscribed before me, this *15<sup>th</sup>*

day of *December*, 189*3*

*Gas F. Johnson*  
 Notary Public.

## Final Oath of U. S. Deputy Surveyor.

I, James H. Martineau

U. S. Deputy Surveyor, do solemnly swear that in  
pursuance of a contract received from <sup>Levi H.</sup> ~~Royal A.~~  
~~Manning~~ <sup>Johnson</sup>, United States Surveyor-General for Ari-  
zona, bearing date of the twenty seventh day of

June 1893, I have well, faith-  
fully, and truly, in my own proper person, and in  
strict conformity with the instructions furnished by  
the United States Surveyor-General for Arizona,  
the Manual of Surveying Instructions, and the  
laws of the United States, surveyed all those parts  
or portions of the Third Standard

Parallel South through Ranges  
16 & 17 East and Exterior and  
Subdivision Lines of T<sup>p</sup>. 15 South  
Ranges 16 and 17 East,

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing Field Notes as having been surveyed by  
me and under my direction; and I do further  
solemnly swear that all the corners of said surveys  
have been established and perpetuated in strict  
accordance with the Manual of printed instructions,  
the special instructions of the United States Sur-  
veyor-General for Arizona, and in the specific

80 E 38

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

James H. Martineau  
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 10<sup>th</sup>

day of April, 1894

Levi H. Manning

U. S. Surveyor Genl.

BOOK 834

st  
e  
e  
L  
of  
th  
fo  
a  
b  
a  
cc  
ir  
G

de