

838

838

BOOK 838

F I E L D N O T E S
O F T H E S U R V E Y O F T H E
S U B D I V I S I O N L I N E S
O F

Township 17 South, Range 27 East.

Gila and Salt River Base and
Meridian,

ARIZONA.

By Theodore F. White, D.S., under
Contract dated July 14, 1883.
Survey commenced Oct. 8, 1883.
Survey completed Oct. 13, 1883.

Preliminary Oaths of Assistants.

We J. H. McBlure
and Walter Sipe
do solemnly swear that we will well and faithfully execute the
duties of Chain Carriers; that we will level the chain over even
and uneven ground, and plumb the tally pins, either by sticking
or dropping the same; that we will report the true distance to
all notable objects, and the true length of all lines that we assist
in measuring, to the best of our skill and ability and in accord-
ance with instructions given us in the survey of the

Subdivision lines of Township
17 South of Range 27 East of the
Gila and Salt River Base and
Meridian

Territory of Arizona.

J. H. McBlure Chainman.

Walter Sipe Chainman.

Subscribed and sworn to before me, this 5th

day of October 1883

Theodore H. White

Notary Public.

U.S. Deputy Surveyor.

We *John Blake Alfred Smith and D. W. Smith*

do solemnly swear that we will well and truly perform the duties of *axeman, flagman and mound-builder*

in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability, in the survey of the

Subdivision lines of Town-ship 17th South of Range 27th East of the Gila, and Salt River Base and Meridian

Territory of Arizona.

*John Blake
Alfred Smith
D. W. Smith*

Subscribed and sworn to before me this *5th*

day of *October* 188*3*

Theodore H. White
Notary Public.


U. S. Deputy Surveyor,

Township 17S Range 27E. M.

Gila and Salt River Meridian

6	97	5	70	4	54	3	36	2	19	1
95	91	69	52	35	17					
7	92	8	67	9	50	10	33	11	15	12
90	89	66	49	32	14					
18	87	17	64	16	47	15	30	14	12	13
85	84	63	46	29	10					
19	82	20	62	21	45	22	27	23	8	24
80	79	60	43	26	7					
30	77	29	59	28	42	27	24	26	5	25
76	75	55	41	23	3					
31	73	32	56	33	39	34	21	35	2	36

Township 17 S. Range 27 E. M.
Gila and Salt River Meridian



188275
17S 28E Sketch

No. 838

BOOK 838

10 /

Subdivision of T. 17 S. R. 27 E.

Gila and Salt River Meridian

chs.

Preliminary to subdividing this township I run along the S. & E. lines of Sec. 36, and find my instrument will run the same lines and the measurements are the same.

Survey commenced Oct 8, 1883
With a Burt's Improved Solar
Compass.

I commenced at the Cor. to Secs. 1, 2, 35 & 36 on the S. boundary, which is a cor. set by myself and is a mound with pits in each sec. $5\frac{1}{2}$ ft. dist. and in the S.E. pit a stake 2 ins. square is driven marked T. 17 S. S. 36 on N.E.

R. 27 E. S. 1 on S.E.

T. 18 S. S. 2 on SW and

Subdivision of T₁. 17 S. R. 27 E.
Gila and Salt River Meridian
Chs.

S. 35 on N. W. face, with
1 notch on E. and 5 notches
on W. edges. Thence run
North bet. Secs. 35 & 36.

Pat. 12° 31' E.

As per Solar observation
with compass

Over nearly level surface

40.00 Drove charred stake 12 ins. in
the ground for $\frac{1}{4}$ Sec. cor. dug
pits 18 x 18 x 12 ins N. & S. of stake
5 $\frac{1}{2}$ ft dist. and raised mound
of earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
over it. In ^N ~~W~~ pit drove stake
2 ft. long, 2 ins. square, 12 ins. in
the ground marked $\frac{1}{4}$ S. on
the W. face. No timber or stones

75.50 Road to Sulphur Springs, bet N.W.

80.00 Drove charred stake 12 ins. in

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Cks. The ground for the cor. to Secs. 25, 26, 35 & 36, dug pits 18x18x12 ins. in each sec. 5½ ft. deep and raised ind. of earth 2 ft. high 4½ ft. base over it. In the S.E. pit, drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked:

T. 17 S. S. 25 on N.E.,
R. 27 E. S. 36 on S.E.,
S. 35 on S.W. and
S. 26 on N.W. faces, with
1 notch on the E. and 1 notch
on the S. edges. No timber or stones
Land nearly level. Good
Soil, 2nd rate. Grass. No timber

~~~~~

East on random line bet. Secs. 25 & 36

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridians

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs.  | <p>40.00 Set temporary <sup>1/4 sec. cor.</sup> <sup>Var. 12° 31' E.</sup> <sup>cor.</sup></p> <p>80.03 Intersect the E. boundary of the township 6 kts. S. of the cor. to Secs. 25, 30, 31 &amp; 36, which is a cor. set by myself and is a porphyry stone marked with 1 notch on the S. and 5 notches on the N. edges, with pits <sup>in upper part</sup> N. &amp; W. 5 1/2 ft. dist. and mid. of earth raised along side. Then a line run S. 89° 57' W. on true line bet. Secs. 26 &amp; 36</p> <p style="text-align: center;">Var. 12° 31' E.</p> |
| 40.01 | <p>Drove Charred stake 12 ins. in the ground, for 1/4 Sec. cor. dug pits 18x18x12 ins. E. &amp; W. of stake 5 1/2 ft. dist. and raised mid. of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In the E. pit</p>                                                                                                                                                                                                                                                                                                                                        |

Subdivision of T. 17 S. R. 27 E.

Gila and Salt River Meridian

Chs.

Drove stake 2 ft. long 2 ins. square  
12 ins. in the ground marked

80.03

$\frac{1}{4}$  S. on N. face. No timber or stones.  
The except secs. 25, 26, 35 & 36.

Land nearly level. Good  
grass land. No timber. Soil 2 rot.

North bet. Secs. 25 & 26

Lat.  $12^{\circ} 31' E.$

Nearly level.

40.00

Drove charred stakes 12 ins.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
beg. pits 18 x 18 x 12 ins. N. & S. of  
stake  $5\frac{1}{2}$  ft. dist. and raised  
mid. of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
base over it. In N. pit drove  
stake 2 ft. long, 2 ins. square, 12 ins.  
in the ground, marked  $\frac{1}{4}$  S.  
on W. face, No timber or stones near.



Subdivision of T. 17 S., R. 27 E.,  
Gita and Salt River Meridians

| chs.  | Road bearing N.E.                                                                                                                                                                                                                                                                                                                                                    |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 47.89 | Drove charred stake 12 ins. in the ground for the cor. to Secs. 23, 24, 25 & 26; dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised ind. of earth 2 ft. high, 4 1/2 ft. base over it                                                                                                                                                                     |
| 80.00 | In the S.E. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked;<br>T. 17 S. S. 24 on N.E.,<br>R. 27 E. S. 25 on S.E.,<br>S. 26 on S.W., and<br>S. 23 on N.W. faces. with 2 notches on S. and 1 notch on E. edges. No lumber or stones.<br>Land nearly level. Soil good<br>Abundance of grass, <del>but</del> 2 <sup>nd</sup> rate<br>No timber. |

Subdivision of T. 17 S., R. 27 E.,  
Gila and Salt River Meridian

chs

Eastern random line bet. Secs. 24 & 25 -

Gas.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

50.00 Road, bearing N. E.

80.10 Intersect the E. boundary of this township 7 kcs. S. of the cor. to Secs. 19, 24, 25 & 30, which is a cor. set by myself and is a mud of earth with pits in each sec.  $5\frac{1}{2}$  ft. dist. In the S.E. pit is driven a stake 2 ins. square marked

T. 17 S. S. 19 on N.E.

R. 28 E. S. 30 on S.E.

R. 27 E. S. 25 on S.W. and

S. 24 on N.W. faces, with 4 notches on the N. & 2 notches on the S. edges. Thence I run

S.  $89^{\circ} 57' W.$  on true line bet. Secs. 24 & 25 -

Gas.  $12^{\circ} 31' E.$

Subdivision of T. 17 S. R. 27 E.

Gila and Salt River Meridian

- Chs.  
40.05 Drove charred stake 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. cor.  
dug pits 18 x 18 x 12 ins. E. & W.  
of stake  $5\frac{1}{2}$  ft. dist. and rais-  
ed rad. of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base over it. In the E. pit drove  
stake 2 ft long, 2 ins square 12 ins.  
in the ground, marked  $\frac{1}{4}$  S.  
on N. face. No timber or stumps met.
- 80.10 The cor. to Secs. 23, 24, 25 & 26  
Land nearly level. Soil good  
No timber. Soil 2<sup>nd</sup> rate.

~~~~~

North bet. Secs. 23 & 24
Var. $12^{\circ} 31' E.$

- 40.00 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ Sec. cor.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

aug pits 18x18x12 ins. N. & S. of stake
5½ ft. dist. and raised surd. of
earth 1½ ft. high, 3½ ft. base over
it. In the N. pit drove stake
2 ft long, 2 ins. square, 12 ins.
in the ground, marked 48,
on W. face. No timber or stones used.

73.00 Dry wash of "Five Mile" Creek
100 lbs wide, runs W.

80.00 Set a post 4 ft. long, 4 ins. square
with charred stake 12 ins. in the
ground for the cor. to secs. 13,
14, 23 & 24, marked;
T. 17 S. S. 13 on N. E.
R. 27 E. S. 24 on S. E.
S. 23 on S. W. and
S. 14 on N. W. faces. with
3 notches on S. and 1 notch on
E. edges. Aug pits 18x18x12 ins.

Subdivision of Twp 17 S. R. 27 E.
Gila and Salt River Meridian

chs.

in each sec. $5\frac{1}{2}$ ft. dist. and
raised md. of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post.

Land nearly level or descend-
ing a little W. Good soil.
Scattering trees along wash.

East on random line bet. Secs. 13, 18 & 24
Var. $12^{\circ} 31' E.$

- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
57.50 Enter wash of "Five Mile" creek
3 running S. of W.
59.30 Leave the same
70.20 Dim Road bxs N. & S.
80.04 Intersect the E. boundary of the
township 2 1/2 hrs. N. of the cor.
to Secs. 13, 18, 19 & 24 which was
set by me and is a post 4 ins.

Subdivision of T_{p.} 17 S. R. 27 E.
Gila and Salt River Meridian

Obs
Square set in the ground and
marked;

T. 17 S. S. 18 on N.E.

R. 28 E. S. 19 on S.E.

R. 27 E. S. 24 on S.W. and
S. 13 on N.W. faces, with

3 notches on the N. & S. edges
Pits are dug in each sec.

5½ ft. dist. from cor. and
a mound of earth is raised
around post; thence I run,
N. 89° 57' W. on true line bet. Secs. 13 & 24

Gas. 12° 31' E.

40.02 Set a post 4 ft long 4 ins. square
with charred stake 12 ins. in
the ground for ^{marked ¼ S. on N. face} ¼ sec. cor.,
dug pits E. & W. of cor. 18 x 18 x 12 ins.
5½ ft. dist. and raised mound of
earth 1½ ft. high, 3½ ft. base

Subdivision of $\frac{1}{4}$ Sec. 17, S. R. 27 E,
T. 14 and Salt River Meridian

chs.

around post, from which
An Ash tree Cins. diam. bro S 16° E. 342 lks. dist.
No other tree near.

80.04

The cor. to Secs. 13, 14, 23 & 24

Land nearly level. Soil good
No timber except scattering trees

~~~~~

North bet. Secs. 13 & 14

Var.  $12^{\circ} 31' E$

Nearly level surface

40.00

Drove charred stake 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. cor. dug  
pits  $18 \times 18 \times 12$  ins. N. & S. of stake  
 $5\frac{1}{2}$  ft. dist. and raised end. of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base over  
it. In N. pit drove stake 2 ft.  
long, 2 ins. square 12 ins. in  
the ground, marked  $\frac{1}{4} S.$  on

Subdivision of T. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs  
80.00 the W. face. No timber or stones near.  
Drove Charred Stake 12 ins. in  
the ground for the cor. to Secs.  
11, 12, 13 & 14; dug pits 18x18x12 ins.  
in each sec. 5 1/2 ft. dist; and  
raised med. of earth 2 ft. high 4 1/2 ft.  
base over it. In the S.E. pit  
drove stake 2 ft. long, 2 ins. square  
12 ins. in the ground marked;  
T. 17 S. S. 12 on N.E.  
R. 27 E. S. 13 on S.E.  
S. 14 on S.W. and  
S. 11 on N.W. face, with  
4 notches on the S. and 1 notch  
on the E. edges. No timber or stones  
Land nearly level. Good  
grass land. No timber, Soil 2' or 3'.

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gita and Salt River Meridian

Chs.

East on random line bet. Secs. 12 & 13

Var.  $12^{\circ} 31' E$

Descending gently towards the W.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80.12 Intersect the E. boundary of the township 18 lks. N. of the cor.

to Secs. 7, 12, 13 & 18, which was set by myself and is a md. of earth with pits in each sec.  $5\frac{1}{2}$  ft. dist. In the S. E. pit is driven a stake 2 ins. sq. marked:

T. 17 S. S. 7 on N. E.

R. 28 E. S. 18 on S. E.

R. 27 E. S. 13 on S. W. and

S. 12 on N. W. faces, with 2

notches on the N. & 4 notches

on the S. edges. Then I run

A  $89^{\circ} 52' W$ . on true line bet. Secs 12 & 13



Subdivision of Twp. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chas.

Var.  $12^{\circ}31'E$

40.06 Drove charred stake 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. cor. dug  
pit 18x18x12 ins. E. & W. of stake  
 $5\frac{1}{2}$  ft. dist. and raised mt.  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
over it. In the E. pit drove  
stake 2 ft. long 2 ins. square, 12 ins  
in the ground, marked  $\frac{1}{4}$  S.  
on N. face. No timber or stones near.

80.12 The cor. to Secs. 11, 12, 13 & 14  
Land descending a little W.  
Soil good for grass, 2<sup>nd</sup> rate.  
No timber.

North bet. Secs. 11 & 12  
Var.  $12^{\circ}31'E$   
Nearly level

Open  
Canyon

Subdivision of Tr. 17 S. R. 27 E.  
Gila and Salt River Meridian

- Chs  
40.00 Drove charred stake 12 ins.  
in the ground, for  $\frac{1}{4}$  Sec.  
Cor. Dug pits 18x18x12 ins.  
N. & S. of stake.  $5\frac{1}{2}$  ft. dist.  
and raised mid. of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N. pit drove stake  
2 ft. long 2 ins. square, 12 ins.  
in the ground, marked  
 $\frac{1}{4}$  S. on W. face. No timber or stones.
- 80.00 Drove charred stake 12 ins.  
in the ground, for the cor. to  
Secs. 1, 2, 11 & 12, dug pits 18x18x  
12 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
and raised mid. of earth 2 ft.  
high,  $4\frac{1}{2}$  ft. base over it. In  
the S.E. pit drove stake 2 ft  
long, 2 ins. square 12 ins. in  
the ground, marked



Subdivision of T. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs

T. 17 S. S. 1 on N.E.  
R. 27 E. S. 12 on S.E.  
S. 11 on S.W. and  
S. 2 on N.W. faces, with  
5 notches on the S. and 1 notch  
on the E. edges. No timber or stones  
Land nearly level  
Soil good <sup>2nd</sup> ~~1st~~. No timber  
—————

East on random line bet. Secs. 18 & 12  
Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.14 Intersect the E. boundary of the  
township 12 lbs. N. of the cor.  
to Secs. 16, 7 & 12, which was  
set by myself, and is a rid.  
of earth with pits in each  
sec.  $5\frac{1}{2}$  ft. dist. In the S.E.



Subdivision of Sec. 17 S. R. 27 E.,  
Gila and Salt River Meridian

Chs

pit is driven a stake 2 ins.  
square, marked

T. 17 S. S. 6 on N. E.

R. 28 E. S. 7 on S. E.

R. 27 E. S. 12 on S. W. and  
S. 1 on N. W. faces, with 1 notch  
on the N. & 5 notches on the S.  
edges. Thence I run.

N.  $89^{\circ} 55' W.$  on true line bet. Secs. 18 & 12.

Var.  $12^{\circ} 31' E.$

40.07 Drove charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. cor.  
dug pits  $18 \times 18 \times 12$  ins. E. & W.  
of stake  $5 \frac{1}{2}$  ft. dist. and  
raised ind. of earth  $1 \frac{1}{2}$  ft. high  
 $3 \frac{1}{2}$  ft. base over it. In the E. pit  
drove stake 2 ft. long, 2 ins.  
square, 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on N. face.

Subdivision of T. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs

811.14 No timber or stones near  
The cor. to Secs. 1, 2, 11 & 12.  
Land nearly level. Soil 2<sup>nd</sup> rate  
Good grass land. No timber  
~~~~~

North on a random line bet. Secs. 1 & 2
Var. $12^{\circ} 31' E$.

Ascending a little towards the N.W.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

79.70 Intersect the N. boundary 12 $\frac{1}{2}$ Secs.
W. of the cor. to Secs. 1, 2, 35
& 36. just set by myself and his
a rod. of oak, with a pit in
each sec. $5\frac{1}{2}$ ft. dist. In the
S.E. pit is driven a stake 2 ins.
square, marked:
T. 17 S. R. 36 on N.E.
R. 27 E. S. 1 on S.E.

Subdivision of $\frac{1}{4}$ Sec. 17 S. R. 27 E.
Gila and Salt River Meridians

Chs.

N. 1/4 S. 2 on S. W. and
S. 3/4 on N. W. faces, with
x notches on the E. and 5 notches
on the W. edges. These run
S. 0 05' W. on true line bet. Secs. 18 & 2

Var. $12^{\circ} 31' E.$

39.70 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. N. & S
of stake $5 \frac{1}{2}$ ft. dist. and
raised mid. of earth $1 \frac{1}{2}$ ft.
high, $3 \frac{1}{2}$ ft. base over it. In
the N. pit drove stake 2 ft. long
2 ins. square, 12 ins. in the ground
marked $\frac{1}{4}$ S. on W. face.

No timber or stumps near.

79.70 The cor. to Secs. 1, 2, 11 & 12.

Land nearly level or ascending
a little to the N. W. Soil 2 rate

No timber. Oct. 8, 1883

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Obs.

From the cor. to Secs. 1, 2, 35 & 36
on the S. boundary, ^{of T.} which was
established by me, and is a mid.
of earth with a pit in each
sec. $5\frac{1}{2}$ ft. dist. In the S. E. pit
is driven a stake 2 ins. square
marked:

T. 17 S. S. 35 on N. E.

R. 27 E. S. 2 on S. E.

T. 18 S. S. 3 on S. W. and
S. 34 on N. W. faces, with
2 notches on the E. and 4 notches
on the W. edges. Thence I run
North bet. Secs. 34 & 35

Var. $12^{\circ} 31' E$,

as per Observations
over nearly level surface.

40.00 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ sec. cor.

Subdivision of $T. 17 S. R. 27 E.$
 Gila and Salt River Meridians

Chs.

dug pits $18 \times 18 \times 12$ ins. N.W.S.
 of stake $5\frac{1}{2}$ ft. dist. and raised
 mid. of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
 base, over it. In the N. pit
 drove stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground
 marked $\frac{1}{4}$ S. on W. face
 No timber or stones near.

80.00 Drove charred stake 12 ins.
 in the ground for the cor. to
 sec. 26, 27, 34 & 35. dug pits
 $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft.
 dist. and raised mid. of earth
 2 ft. high, $4\frac{1}{2}$ ft. base over it.
 In the S.E. pit drove stake
 2 ft. long, 2 ins. square, 12 ins.
 in the ground, marked:
 $T. 17 S. S. 26$ on N.E.
 $R. 27 E. S. 35$ on S.E.

Subdivision of S. 17 S. R. 27 E.
Gila and Salt River Meridian

cks

S. 34 on S. W. and
S. 27 on N. W. faces, with
notch on the S. and 2 notches
on the E. edges. No timber or stones
Land nearly level.
Soil 2nd rate, good for grass
No timber.

East on a random line bet. Secs. 26 & 35
Var. $12^{\circ} 31' E$.

40.00
61.00
79.89

Set temporary $\frac{1}{4}$ sec. cor.
Road bearing $70^{\circ} 15'$
Intersect N. & S. line 10 lbs. N.
of the cor. to Secs. 25, 26, 35 & 36.
Then I run

N $89^{\circ} 56' W$. on true line bet. Secs. 26 & 35
Var. $12^{\circ} 31' E$.

39.94

Drove charred stake 12 ins. in
the ground for $\frac{1}{4}$ sec. cor. dug

Subdivision of T₁ 17 S. R. 27 E.
Gila and Salt River Meridians

chs

pits 18x18x12 ins. E. & W. of
stake 5 1/2 ft. dist. and raised
mid. of earth 1 1/2 ft. high 3 1/2 ft.
base over it. In the E. pit
drove stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked 4 S,
on N. face. No timber or stumps mad.

79.89

The cor. to Secs. 26, 27, 34 & 35
Land nearly level. Soil 2 rate
Good grass land.
No timber.

North bet. Secs. 26 & 27
T₁ 12° 31' E.

12.59 Road from Saw mill to Tombstone
brs. S. W.

34.05 Road from El Dorado Ranch
to Sulphur Springs. brs N. W.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs
40.00

Drove charred stake 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits 18x18x12 ins. N. & S. of stake and raised end. of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In the N. pit, drove stake 2 ft. long 2 ins. square 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face. No timber or stumps near.

80.00

Drove charred stake 12 ins. in the ground for the cor. to secs. 22, 23, 26 & 27, dug pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised end. of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit, drove stake 2 ft. long 2 ins. square 12 ins. in the ground marked:
T. 17 S. S. 23 on N. E.

Subdivision of T¹/₄ S. R. 27 E.
Gila and Salt River Meridian

Chs.

R. 27 E. S. 26 on S. E.
S. 27 on S. W. and
S. 22 on N. W. faces, with
2 notches on the S. and 2 notches
on the E. edges. No timber or stones
Land nearly level. Soil 2 rate -
No timber.

East on random line bet. Secs. 23 & 26
Var. $12^{\circ} 31' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect the N. & S. line 17¹/₂ fms.
N. of the cor. to secs 23, 24, 25
& 26. Thence I run
N. $89^{\circ} 53' W.$ on true line bet. Secs. 23 & 26
Var. $12^{\circ} 31' E.$

39.95 Drove charred stake 12 ins. in
the ground for $\frac{1}{4}$ sec. cor.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

18x18x12 ins.

dug pits, E. & W. of stakes
5 1/2 ft. dept. and raised wd.
of earth 2 ft high 3 1/2 ft. base
over it. In the E. pit drove
stakes 2 ft long, 2 ins. square
12 ins. in the ground, mark-
ed 1/4 S. on N. face. No timber
or stones mar

79.90 The cor. to secs. 22, 23, 26 & 27
Land level. Soil 2 rats
No timber

North bet. Secs. 22 & 23
Var. 12° 31' E.

Nearby level

140.00 Drove charred stakes 12 ins.
in the ground, for 1/4 Sec. cor.
dug pits 18x18x12 ins. N. & S.

Subdivision of Twp. 17 S. R. 27 E.
Gila and Salt River Meridians
Chs.

of stake $5\frac{1}{2}$ ft. dist. and raised
end made of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base over it. In the N. E. pit
drove stake 2 ft. long 2 ins. square
12 ins. in the ground, marked
"N. S." on the W. face.

70.00 The dry wash of "Five Mile
Creek" 90 lbs wide, runs W.

80.00 Drove charred stake 12 ins.
in the ground, for the cor. to
secs. 14, 15, 22 & 23, dug pits
 $18 \times 18 \times 12$ ins. in each sec.
 $5\frac{1}{2}$ ft. dist. and raised end
of earth 2 ft. high $4\frac{1}{2}$ ft. base
over it. In the S. E. pit
drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked;
T. 17 S. S. 14 on N. E.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

R. 27 E. S. 23 on S.E.
S. 22 on S.W. and
S. 15 on N.W. faces, with
3 notches on the S. and 2 notches
on the E. edges. No timber or stumps.
Nearly level. Soil 2nd rate
Good grass. No timber

East on a random line bet. Secs. 14 & 23
Far. $12^{\circ} 31' E.$

Nearly level

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
79.95 Intersect the N. & S. line 18 Wks.
N. of the cor. to Secs. 13, 14
23 & 24. Thence I run
N. $89^{\circ} 52' W.$ on a true line bet. Secs. 14 & 23.

Far. $12^{\circ} 31' E.$

39.97 Set a post 4 ft. long. 4 ins. square

Subdivision of Tp. 17 S. R. 27 E.
Gila and Salt River Meridians
Chs.

with charred stake 12 ins. in
the ground for $\frac{1}{4}$ Sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits 18x18x12 ins. E. & W. of
cot. 5 $\frac{1}{2}$ ft. dist. and raised
end of earth 1 $\frac{1}{2}$ high 3 $\frac{1}{2}$ ft.
base around post from which
the cor. is taken. 12 ins. diam. long 3 1/2 ft. dist. the other for mark.
79.95 The cor. 6 Secs. 1/4 or 1/2, 1/3, 1/2 & 2/3.

Surface nearly level.
Soil 2nd rate No timber.

North bet. Secs. 14 & 15
Lat. 12° 31' E.

Nearly level

40.00 Drove charred stake 12 ins. in
the ground for $\frac{1}{4}$ Sec. cor. dug
pits 18x18x12 ins. N. & S. of stake
5 $\frac{1}{2}$ ft. dist. and raised end.

Subdivision of T¹/₄ 17 S. R. 2nd E.
Gila and Salt River Meridian

Chs.

of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In the N. pit drove
stakes 2 ft. long, 2 ins square, 12 ins.
in the ground marked $\frac{1}{4}$ S. on
the W. face. No timber or stumps met.

80.00

Drove charred stake 12 ins. in
the ground for the cor. to Secs.
10, 11, 14 & 15. dug pits 18×18
 $\times 12$ ins. in each sec. $5\frac{1}{2}$ ft.
dist. and raised mound of earth
2 ft. high, $4\frac{1}{2}$ ft. base over it.
In the S.E. pit drove stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked:

T. 17 S. S. 11 on N.E.

R. 2nd E. S. 14 on S.E.

S. 15 on the S.W. and

S. 10 on the N.W. faces, with
4 notches on the S. and 2 notches

Subdivision of $\frac{1}{4}$ Sec. 17 S. R. 27 E.
Gila and Salt River Meridian

Obs.

on the E. edges. No timber or stones.
Land nearly level. Soil 2nd rate
No timber.

East on a random line bet. Secs. 11 & 14
Gas. $12^{\circ} 31' E.$

Surface nearly level or descends
inga little W.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

80.09 Intersect the N. & S. line 19 lbs.
N. of the cor. to Secs. 11, 12, 13
& 14. Thence I run

N. $89^{\circ} 52' W.$ on a true line bet. Secs. 11 & 14
Gas. $12^{\circ} 31' E.$

40.04 Drove charred stake pins
in the ground for $\frac{1}{4}$ Sec. cor.
dug pits $18 \times 18 \times 12$ ins. E & W,
of stake $5\frac{1}{2}$ ft. dist. and raised

Subdivision of T². 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

rod. of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
base over it. In the E. pit.
drove stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on the N. face. No timber or stones.

881.09

The cor. to Secs. 10, 11, 14 & 15
Land descending a little W.
Soil 2nd grade. No timber.

North bet. Secs. 10 & 11

Var. $12^{\circ} 31' E$

Descending gently W.

140.00

Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. N. & S
of stake $5\frac{1}{2}$ ft. dist. and
raised rod. of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In the

Subdivision of T¹. 17th S. R. 2nd E.
Gta and Salt River Meridian

chs.

We put drove stake 2 ft long
2 ins. square 12 ins. in the
ground, marked $\frac{1}{4}$ S. on the
W. face. No timber or stones near
the S.W. cor. of Thomas White's
house, bears from this cor.
N 30° E. 12 chs. distant.

44.50 A pond of water immediately
E. of line; another pond 2 chs.
West.

50.00 A gully running S.W. ascend.

80.00 Drove charred stake 12 ins.
in the ground for the cor. to
secs. 2, 3, 10 & 11. dug pits
18 x 18 x 12 ins. in each sec. 5 ft.
dist. and raised mid. of earth
2 ft. high 4 $\frac{1}{2}$ ft base over it.
In the S.E. put drove stake
2 ft. long, 2 ins. square 12 ins.

Subdivision of T¹. 17 S. W. 27 E.
Gila and Salt River Meridian
chs.

in the ground, marked:
T. 17 S. S. 2 on the N. E.
R. 27 E. S. 11 on S. E.
S. 10 on S. W. and
S. 3 on N. W. faces. with
5 notches on the S. and 2 notches
on the E. edges. No timber or stones
Land ascending N. W. & W.
on last end. Soil 2 & 3
rate No timber

East on a random line bet. Secs. 2 & 11
Lat. $12^{\circ} 31' E.$

Descending

8.00 Foot of descent, and into plain.
40.00 Set temporary 1/4 Sec. cor.
80.121 Intersect the N. & S. line 10 kts.
N. of the cor. to Secs. 1, 2, 11 & 12

Subdivision of Twp. 17^N, R. 27^E,
Gila and Salt River Meridian

Ans.

Thence I run

N. 89° 56' W on true line bet. Secs. 2 & 11
Var. 12° 31' E.

40.06 Drove charred stakes 12 ins.
in the ground, for $\frac{1}{4}$ Sec. cor.
Aug pits 18 x 18 x 12 ins. E & W,
of stakes 5 $\frac{1}{2}$ ft dist, and
raised ind. of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base over it. In the
E pit drove stake $\frac{1}{2}$ ft long
2 ins. square, 12 ins. in the ground
marked $\frac{1}{4}$ S. on N. fac. No timber or stones.

80.12 The cor. to Secs. 2, 3, 10 & 11
Reced W. on W. end.
Soil 2 & 3 rate. No timber.

North on range line bet. Secs. 2 & 3
Var. 12° 31' E.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

chs.

Rolling

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.50 Intersect the N. boundary of
the township 20 lks. W. of the
cor. to Secs. 2, 3, 34 & 35 which
was recently set by myself and is
a porphyry stone marked
with 2 notches on the E. and
4 notches on the W. edges, with
rod. of stone alongside. True S. from
S. $0^{\circ} 9' W.$ on true line bet. Secs. 2 & 3.
Var. $12^{\circ} 31' E.$

39.50 Drive charred stake 12 ins. in
the ground for $\frac{1}{4}$ Sec. cor.
dug pits $18' \times 18' \times 12$ ins. N. & S.
of stake $5\frac{1}{2}$ ft. dist. and raised
rod. of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
base over it. In the N. pit
drive stake 2 ft. long, 2 ins. square

Subdivision of T¹⁴ S. R. 27 E.
Gila and Salt River Meridian
Chs.

12 ins. in the ground marked
W.S. on W. face. No timber or stones met.
79.50 The cor. to Secs. 2, 3, 10 & 11.
Rolling surface.
Soil 2 & 3rd rate. No timber
Oct. 9, 1883

From the Cor. to Secs. 3, 4, 33
& 34 on the S. boundary of
the township, which was set
by myself and is a post 4 in
square set in the ground and
marked

T¹⁴ S. S. 34 on N.E.

R. 27 E. S. 3 on S.E.

T¹⁸ S. S. 4 on S.W. and
S. 33. on N.W. faces, with
3 notches on the E. and 3
notches on the W. edges. In

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian
etc.

each sec. pits are dug, $5\frac{1}{2}$ ft.
dist. and a md. of earth is
raised around post. Hence
I run,

North bet. Secs. 33 & 34

Gas, $12^{\circ}31'E$,

as per observation.

Over marshy flat surface.

40.00 Drove a charred stake 12 ins.
in the ground for $\frac{1}{4}$ sec.

cor. dug pits $18 \times 18 \times 12$ ins.

N. & S. of stake $5\frac{1}{2}$ ft. dist.

and raised md. of earth

$1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over

it. In the N. pit drove stake

2 ft. long, 2 ins. square 12 ins.

in the ground, marked $\frac{1}{4}$ S.

on W. face. No timber or stumps near,

57.74 Road from Saw Mill to Lambston brs. S. W.

Subdivision of T₁ 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

62.10 Dime road b^{rs} N. W.

80.00 Drove charred stake 12 ins.
in the ground, for the Cor. to
secs. 27, 28, 33 & 34, dug
pits 18x18x12 ins. in each
sec. 5½ ft. dist. and raised
mud. of earth 2 ft. high, 4½ ft.
base over it. On the S. E. pit
drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground, marked:
T₁ 17 S. 27 on N. E.
R. 27 E. S. 34 on S. E.
S. 33 on S. W. and
S. 28 on N. W. faces, with
1 notch on the S. and 3 notches
on the E. edges. No timber or stones.
Nearly level.
Soil 2 rates
No Timber.

Subdivision of T. 17th S. R. 27th E.
Gila and Salt River Meridian

0	Eastern random line bet. Secs. 27 & 34 Yas. 12° 31' E.
	Nearby level
40.00	Set temporary $\frac{1}{4}$ Sec. cor.
57.43	Road from Sawmill to Tombstone by SW.
79.90	Intersect the U.S. line 7 th Sec. S. of the cor. to Secs. 26, 27, 34 & 35 Thence run S. 89° 57' W. on true line bet. Secs. 27 & 34 Yas. 12° 31' E.
79.95	Drove charred stake 12 ins. in the ground for $\frac{1}{4}$ Sec. cor. dug pits 18 x 18 x 12 ins. E. & W. of stake 5 $\frac{1}{2}$ ft. dist. and raised ind. of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base over it. In the E. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face. No timber or stones met.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian
Chs.

79.90 The cor. to secs. 27, 28, 33 & 34
Land nearly level
Soil 2nd rate. No timber.

North bet. secs. 27 & 28
Cor. $12^{\circ} 31' E.$

Nearly level

40.00 Drove charred stake 12 ins. in
the ground for $\frac{1}{4}$ sec. cor. dug
pit 18 x 18 x 12 ins. N. & S. of stake
 $5\frac{1}{2}$ ft. dist. and raised end
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In the pit drove
stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on W. face. No timber or stones.

71.40 Road to Sulphur Spring bro Mill.

80.00 Drove charred stake 12 ins in

Subdivision of T¹. 14 S. R. 27 E.
Gila and Salt River Meridian
chs.

The ground for the cor. to Secs.
21, 22, 27 & 28, dug pits 18x18x
12 ins. in each sec. 5½ ft. dist.
and raised med. of earth
2 ft. high 4½ ft. base over it.
In the S.E. pit drove stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked
T¹. 14 S. S 22. on W.E.
R. 27 E. S. 27 on S.E.
S. 28 on S.W. and
S. 21 on N.W. faces, with
2 notches on the S. and 3 notches
on the E. edges. No timber or stones
Land nearly level.
Soil 2 rate. No timber.

East on random line bet. Secs. 22 & 27

Subdivision of Twp. 17 S. R. 2 E.
Gila and Salt River Meridians

Chs.

Var. $12^{\circ}31'E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
79.92 Intersect the N. & S. line 20 kcs.
N. of the cor. to Secs. 22, 23, 26 & 27
Thence I run
N. $89^{\circ}51'W$, on true line bet. Secs. 22 & 27

Var. $12^{\circ}31'E$

39.96 Drove charred stake 12 ins.
in the ground for $\frac{1}{4}$ Sec. cor.
dug pits $18 \times 18 \times 12$ ins. E. & W. of
stake $3\frac{1}{2}$ ft. dist. and raised
mid. of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base over it. In the E. pit
drove stake 2 ft. long, 2 ins.
square 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.

No timber or stones near.

79.92 The cor. to Secs. 21, 22, 27 & 28

Land nearly level. Soil 2' or 3' No timber

Subdivision of T² P. 17 S. R. 27 E.
Gila and Salt River Meridian

chs.

North bet. Secs. 21 & 22
Var. 12° 31' E.

Marshy level.

40.00

Drove charred stake 12 ins. in the ground for $\frac{1}{4}$ sec. cor. dug pits 18x18x12 ins. N & S. of stake 5½ ft. dist. and raised mid. of earth 1½ ft. high 3½ ft. base over it. In the N. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face. No timber or stones.

80.00

Drove charred stake 12 ins. in the ground for the cor. to Secs. 15, 16, 21 & 22. dug pits 18x18x12 ins. in each Sec. 5½ ft. dist. and raised mid. of earth 2 ft. high, 4½ ft. base over it. In the S. E. pit drove stake

Subdivision of T₁. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

2 ft. long, 2 in. square 12 in.
in the ground marked;
T₁. 17 S. S. 15 on N.E.
R. 27 E. S. 22 on S.E.
S. 21 on S.W. and
S. 16 on N.W. faces with
3 notches on the S. and 3 notches
on the E. edges. No timber or stumps
Land nearly level. Soil 7" rate
good grass land. No timber.

Eastern random line bet. Secs. 15 & 22
Var. 12° 31' E.

Nearly level

40.00 Set temporary 1/4 sec. cor.
79.98 Intersect the N. & S. line 22 Ws.
W. of the cor. to Secs. 14, 15,
22 & 23. Thence a run

Subdivision of T₁, 17 S. R. 2nd E.
Gila and Salt River Meridian

Obs

S. $89^{\circ}51'W$, on true line bet. Secs. 15 & 22
Var. $12^{\circ}31'E$.

39.99

Drove charred stake 12 ins. for
the ground, for $\frac{1}{4}$ sec. cor. dug
pits $18 \times 18 \times 12$ ins. E & W of stake
 $5\frac{1}{2}$ ft. dist. and raised ind. of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
over it. In the E. pit drove
stake 2 ft. long, 2 ins. square 12
ins. in the ground, marked
 $\frac{1}{4}$ on N. face. No timber or stumps.

79.98

The cor. to Secs. 15, 16, 21 & 22

Land nearly level. Soil 2nd rate
No timber.

North bet. Secs. 15 & 16

Var. $12^{\circ}31'E$.

Nearly level.

Subdivision of T¹. 17 S. R. 27 E.
Gila and Salt River Meridian

chs.

40.00

Drove charred stake 12 ins.
in the ground for $\frac{1}{4}$ sec. cor.
Dug pits 18 x 18 x 12 ins. N.W.S.
of stake $5\frac{1}{2}$ ft. dist, and
raised mid. of earth $1\frac{1}{2}$ ft.
dist. $3\frac{1}{2}$ ft. base over it. In
the N.W. pit drove stake 2 ft.
long 2 ins. square 12 ins. in
the ground, marked $\frac{1}{4}$ S. on
W. face. No timber or stones met.

80.00

Drove charred stake 12 ins.
in the ground, for the cor.
to secs. 9, 10, 15 & 16. Dug
pits 18 x 18 x 12 ins. in each
sec. $5\frac{1}{2}$ ft. dist, and raised
mid. of earth 2 ft. high, $4\frac{1}{2}$ ft.
base over it. In the S.E.
pit drove stake 2 ft. long
2 ins. square 12 ins. in the

Subdivision of $\frac{1}{4}$ Sec. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

ground marked;
 $\frac{1}{4}$ Sec. 17 S. 10 on N.E.
 R. 27 E. S. 15 on S.E.
 S. 16 on S.W. and
 S. 9 on N.W. face, with
 4 notches on the S. and 3
 notches on the E. edges.
 No timber or stones near.
 Land level. Soil 2nd rate
 Good grass land. No timber.

East on random line bet Secs. 10 & 15
 Var. $12^{\circ} 31' E.$

Descending a little W,
 Subtemporary $\frac{1}{4}$ Sec. cor.

40.00
 79.88

Intersect the N. & S. line
 11 Wks. N. of the cor. to Secs 10,
 11, 14 & 15. Thence a run

Subdivision of T₁. 17 S. R. 27 E.
Gila and Salt River Meridian
Chw.

N 89° 35' W, on true line bet Secs. 10 & 15
Far, 12° 31' E.

39.94 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ Sec. cor.
 dug pits 18x18x12 ins. E, & W
of cor, 5 $\frac{1}{2}$ ft. dist, and raised
mid. of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft.
base, over it. In the E. pit
drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked $\frac{1}{4}$ S, on the N. face.
No timber or stones near.

49.88 The cor. to Secs. 9, 10, 15 W.
Land descending a little
W, Soil good 2nd rate
No timber.

North bet. Secs. 9 & 10

Subdivision of T₁, 17 S. R. 27 E.
 Gila and Salt River Meridian
 Chs.

Var. $12^{\circ} 31' E$,

Ascending a little E & NE,

40.00 Drove charred stake 12 ins.

in the ground for $\frac{1}{4}$ sec. cor,

dug pits $18 \times 18 \times 12$ ins. N,

& S. of cor, $5\frac{1}{2}$ ft. dist, and

raised ind. of earth $1\frac{1}{2}$ ft.

high $3\frac{1}{2}$ ft. base over it.

In the N. pit drove stake

2 ft. long, 2 ins. square, 12 ins.

in the ground, marked $\frac{1}{4}$ S,

on the W. face. No timber or stones.

80.00 Drove charred stake 12 ins.

in the ground for the cor

to secs. 3, 4, 9 & 10, dug pits

$18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$

ft. dist, and raised ind.

of earth 2 ft. high $4\frac{1}{2}$ ft. base

over it. In the S.E. pit.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked;

T. 17 S. S. 3 on N. E.

R. 27 E. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces, with
5 notches on S. and 3 notches
on E. edges. No timber or staves

Land ascending a little E. W. E.

Soil good 2nd rate

No timber.

Each on random line bet. Secs. 38 & 40

Var. 12° 31' E.

Ascending E.

40.00 Sep temporary 1/4 Sec. Cor.

46.00 Hoop of low hill descend.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

- Chs.
64.00 Top of same & descend
79.91 intersect the N. & S. line 22
lbs, N. of cor. to secs. 2, 3, 10 & 11
thence I run.
Ar. $89^{\circ} 51' W$, on true line bet. Secs. 3 & 10
Var. $12^{\circ} 31' E$.
- 39.95 Drove charred stake 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. E & W,
of cor. $5\frac{1}{2}$ ft. dist. and
raised mid. of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base over it. In
the E. pit, drove stake 2 ft.
long, 2 ins. square 12 ins.
in the ground, marked $\frac{1}{4}$ S.
on N. side. No timber or stones near.
- 79.91 The cor. to secs. 3, 4, 9 & 10
Land ascend E. on W. end
hilly on E. Soil 2 & 3 rate. No timber.

Subdivision of Twp. 17th S. R. 27th E.
Gila and Salt River Meridian

Chs.

North on random line bet. Secs. 3 & 4

Var. $12^{\circ} 31' E.$

Ascending E. & N.

140.00 Set a temporary $\frac{1}{4}$ Sec. cor.

65.00 Foot of low hill & ascend.

79.22 Intersect the N. boundary of
the township 5 lks. E. of the
cor. to Secs. 3, 4, 33 & 34, which
was recently set by myself
and is a porphyry stone
marked with 3 notches on
the E. & W. edges, with a
rod of stone alongside.
Thence I run

S. $0^{\circ} 2' E.$ on true line bet. Secs. 3 & 4

Var. $12^{\circ} 31' E.$

39.22 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ Sec. cor.
dug pits $18 \times 18 \times 12$ ins. Mid S.

Subdivision of T₁ 17 S. R. 27 E,
Gila and Salt River Meridian

Cor. of cor. 5 1/2 ft. dist. and raised
md. of earth 1 1/2 ft. high 3 1/2 ft.
base over it. In the N. pit
drove stake 2 ft. long 2 ins.
square 12 ins. in the ground,
marked '4 S. in the W. face.
No lumber or stones near.

79.22 The cor. to secs. 3, 4, 9 & 10,
Land ascending N. E.
Soil 2nd & 3rd rate, No timber
===== Oct. 10, 1883

From the cor. to secs. 4, 5, 32
& 33 on the S. boundary of the
township, which was set
by myself and is a md.
of earth with pits dug in
each sec. 5 1/2 ft. dist. In the
S. E. pit is driven a stake

Subdivision of T₁ 17 S. R. 27 E.
Gila and Salt River Meridian
Nos.

2 ins. square, marked
T₁ 17 S. S. 33 on N. E.
R. 27 E. S. 4 on S. E.
T₁ 18 S. S. 5 on S. W. and
S. 32 on N. W. faces, with
4 notches on the E. and 2
notches on the W. edges.

Thence I run

North bet. Secs. 32 & 33

Var. 12° 31' E.

As per observation

Nearly level.

19.00 Road from Summit to Tombstone by S.W.

40.00 Drove, charred stake 12 ins

in the ground, for $\frac{1}{4}$ sec.
Cor. dug pits 18 x 18 x 12 ins.

N. & S. of cor. 5 $\frac{1}{2}$ ft. dist. and
raised mid. of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base over it. In the N.

Subdivision of T₁, 17 S., R 27 E.
 Gila and Salt River Meridian

Chs.

80.00

Set drove stake 2 ft long, 2 ins. square, 12 ins in the ground, marked $\frac{1}{4}$ S. on W. fac. No timber or stones.

Drove charred stake 12 ins. in the ground, for the cor. to secs. 28, 29, 32 & 33, dug pits 18x18 x 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raised rnd. of earth 2 ft high, 4 $\frac{1}{2}$ ft base over. In the S. E. set drove stake 2 ft long, 2 ins. square, 12 ins. in the ground, marked T₁, 17 S., R. 27 E. 28 on N. E.

R. 27 E. S. 33 on S. E.
 S. 32 on the S. W. and
 S. 29 on N. W. facis, with 1 notch on the S. and 4 notches on the E. edges. No timber or stones
 Land level. Soil 2nd rate. No timber

Subdivision of T¹/₄ Sec. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

Eastern random line bet. Secs. 28 & 33

Var. $12^{\circ} 31' E$,

Level.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect the N. & S. 10 lks.

S. of the cor. to secs. 27, 28,
33 & 34. Thence a line

S. $89^{\circ} 56' W$ on true line bet. Secs. 28 & 33

Var. $12^{\circ} 31' E$,

40.02 Drove charred stake 12 ins.

in the ground for $\frac{1}{4}$ sec. cor.

dug pits $18 \times 18 \times 12$ ins. E.

& W. of cor. $5\frac{1}{2}$ ft. dist. and

raised ind. of earth $1\frac{1}{2}$ ft. high,

$3\frac{1}{2}$ ft. base over it. In the E.

pit drove stake 2 ft. long, 2

ins. square 12 ins. in the

ground marked $\frac{1}{4}$ p. on N.

face. No timber or stones met.

Subdivision of T². 17 S. R. 27 E.
Gila and Salt River Meridian

chs
80.04 The cor. to secs 28, 29, 32 & 33
Land level. Soil 2 rate
Good grassland. No timber.

North bet. Secs. 28 & 29
Var. 12° 31' E
Level.

40.00 Drove charred stake 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. dug
pits 18x18x12 ins. N. & S. of cor.
 $5\frac{1}{2}$ ft. dist. and raised rnd.
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
over it. In the N. pit drove
stake 2 ft. long 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on W. side. No timber or stones

80.00 Drove charred stake 12 ins. in
the ground, for the cor. to secs.

Subdivision of T. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

20, 21, 28 & 29. dug pits 18 x
18 x 12 ins. in each sec. 5 1/2 ft.
dist. and raised mid. of earth
2 ft. high 4 1/2 ft. base over it.
In the S. E. pit drove stakes
2 ft. long, 2 ins. square, 12 ins.
in the ground, marked;
T. 17 S. T. 21 on N. E.
R. 27 E. S. 28 on S. E.
S. 29 on S. W. and
S. 20 on N. W. faces, with
2 notches on the S. and 4
notches on the E. edges.

No timber or stumps near.

Land level. Soil 2nd rate

No timber. Good grass.

East on random line bet. Secs. 28 & 29

Subdivision of T₁ 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.	Var. 12° 31' E
40.00	Set temporary $\frac{1}{4}$ sec. cor.
45.00	Road to Sulphur Springs, bro 7 th W.
80.00	Intersect the N. & S. line 17 th W.
	S. of the cor. to secs. 21, 22,
	27 & 28. Thence I run
	S. 89° 53' W. on true line bet. Secs. 21 & 28
	Var. 12° 31' E.
40.00	Drove charred stake 12 ins in
	the ground for $\frac{1}{4}$ sec. cor. dug
	pits 18 X 18 X 12 ins. E. & W. of
	cor. and raised md. of earth
	1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it.
	In the E. pit, drove stake 2 ft.
	long, 2 ins square 12 ins. in
	the ground, marked $\frac{1}{4}$ S. on N. & P. C.
	No timber or stumps near.
80.00	The cor. to secs. 20, 21, 28 & 29
	Land level. Soil 2 nd rate. No timber

~~~~~

Subdivision of T. 17 S. R. 27 E.

Gila and Salt River Meridian

Obs.

North bet. Secs. 20 & 21

Lat.  $12^{\circ} 31' E.$

Level

30.00 Road to Sulphur Springs br. Mill.

40.00 Drove charred stake 12 ins. in the ground for  $\frac{1}{4}$  sec. cor.

dug pits  $18 \times 18 \times 12$  ins. N. & S. of the cor.  $5\frac{1}{2}$  ft. dist. and raised ind. of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In the N. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked  $\frac{1}{4}$  S. on the W. face. No timber or stones.

80.00 Drove charred stake 12 ins. in the ground for the cor. to Secs. 16, 17, 20 & 21. dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised ind. of earth 2 ft. high  $4\frac{1}{2}$  ft. base



Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gita and Salt River Meridian

over it. In the S. E. put down  
stake 2 ft. long 2 ins. square  
12 ins. in the ground, marked  
T<sub>1</sub>. 17 S. S. 16 on N. E.

R. 27 E. S. 21 on S. E.  
S. 20 on S. W. and  
S. 17 on N. W. faces, with  
3 notches on S. and 4 notches  
on E. edges. No timber or stones.  
Land level. Soil 2<sup>nd</sup> rate  
No timber



East on random line bet. Secs 16 & 21  
Var. 12° 31' E

40.00 Set temporary 1/4 Sec. cor.  
80.05 Intersect the N. & S. line 20 lbs.  
S. of the cor. to Secs. <sup>15-16-21</sup> <sup>20-22</sup> <sup>21-22</sup> <sup>22</sup> <sup>22</sup> <sup>22</sup>  
S. 89° 51' W. on true line bet. Secs. 16 & 21

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridian  
chs.

Var. 12°31'E.

40.02 Drove charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  sec. cor.  
Aug pits 18 x 18 x 12 ins. E. & W,  
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
mid. of earth  $7\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base over it. In the E. pit  
drove stake 2 ft. long, 2 ins.  
square, 12 ins. in the ground,  
marked  $\frac{1}{4}$  S. on N. face.

No timber or stones near.

80.05 The cor. to Secs. 16, 17, 20 & 21  
Land level. Soil 2 rate  
Good grass. No timber.

North bet. Secs. 16 & 17  
Var. 12°31'E.  
Level.



Subdivision of T<sup>p</sup>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chas.

40.00

Drove a charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor., dug pits 18 x 18 x 12 ins. N. & S, of cor.  $5\frac{1}{2}$  ft. dist. and raised mid. of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In the N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground marked  $\frac{1}{4}$  S. on W. face. No lumber or stones near.

80.00

Drove charred stake 12 ins. in the ground, for the cor. to secs. 8, 9, 16 & 17, dug pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised mid. of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In the S. E. pit drove stake 2 ft. long, 2 ins. square, 12 ins. in the ground.



Subdivision of Twp. 17 S. R. 24 E.  
Gita and Salt River Meridian  
Chs.

marked,  
T. 17 S. S. 9 on N.E.,  
R. 24 E. S. 16 on S.E.,  
S. 17 on S.W. and  
S. 8 on N.W. faces, with  
4 notches on the S. and 4  
notches on the E. edges.  
No timber or stumps near.  
Level. Soil 2 rate  
Good grass land. No timber.

Easton random line bet. 9 & 16  
Has.  $12^{\circ}31'E$ .

40.00 Set a temporary  $\frac{1}{4}$  sec. cor. c  
80.11 Intersect the N. & S. line  
22 lks. S. of the cor. to sec.  
9, 10, 15 & 16. Thence run  
S.  $89^{\circ}51'W$ . on true line bet. sec. 9 & 16

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

Var. 12° 31' E

40.05 Drove a charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  sec. cor.  
Aug pits 18 x 18 x 12 ins. E, & W.  
of Cor. 5  $\frac{1}{2}$  ft. dist. and raised  
rod. of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft.  
base over it. In the E. pit  
drove stake 2 ft. long 2 ins.  
square, 12 ins. in the ground  
marked  $\frac{1}{4}$  S. on the N. face.  
No timber or stones near.

80.11

The cor. to Secs. 8, 9, 16 & 17  
Land level. Soil good, 2<sup>nd</sup> rate  
No timber.

North bet. Secs. 8 & 9

Var. 12° 31' E

Level



Subdivision of Twp. 17 S. R. 27 E.  
Gila and Salt River Meridian

- |               |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| chs.<br>40,00 | <p>Drove a charred stake 12 ins. in the ground for <math>\frac{1}{4}</math> sec. cor, dug pits 18x18x12 ins. N. &amp; S. of cor. <math>5\frac{1}{2}</math> ft. dist. and raised ind. of earth <math>1\frac{1}{2}</math> ft. high, <math>3\frac{1}{2}</math> ft. base over it. In the N. pit drove stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <math>\frac{1}{4}</math> S. on W. face.<br/>No timber or stones met.</p> |
| 80,00         | <p>Drove charred stake 12 ins. in the ground, for the cor. to secs. 4, 5, 8 &amp; 9, dug pits 18x18x12 ins. in each sec. <math>5\frac{1}{2}</math> ft. dist. and raised ind. of earth 2 ft. high, <math>4\frac{1}{2}</math> ft. base over it. In the S. E. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked;</p>                                                                                                   |



Subdivision of T<sub>1</sub> 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

T<sub>1</sub> 17 S. S. 4 on N.E.  
R. 27 E. S. 9 on S.E.  
S. 8 on S.W. and  
S. 5 on N.W. faces, with  
5 notches on S. and 4 notches  
on E. edge. No timber or stones  
Land level. Soil 2 rate  
No timber



East on random line bet. Secs. 4 & 9  
Var. 12° 31' E.

Depending a little W.

40.00 Set temporary 1/4 sec. cor.  
80.09 Intersect the N. & S. line 9/16 S.  
of the cor. to Secs. 3, 4, 9 & 10  
thence I run

S. 89° 56' W. on true line bet. Secs. 4 & 9  
Var. 12° 31' E.

Subdivision of T<sup>1</sup>/<sub>4</sub> Sec. 17 S. R. 27 E.  
Gita and Salt River Meridian

- Obs.  
40.04 Drove charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  sec. cor.  
dug pits 18x18x12 ins. E, W.  
of cor. and raised m<sup>d</sup>. of earth  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base over it.  
In the E. pit drove stakes  
2 ft. long, 2 ins. square, 12 ins.  
in the ground, marked  $\frac{1}{4}$  S.  
on N. face. No timber or stones near.
- 80.09 The cor. to secs. 4, 5, S 19.  
Land descending a little W.  
Soil 2<sup>nd</sup> rate. No timber.
- ~~~~~
- Northon random line bet. Secs. 4 & 5  
Var. 12° 31' E.
- Descending a little W.
- 40.00 Set a temporary  $\frac{1}{4}$  Sec. cor.  
79.60 Intersect the N. boundary of



Subdivision of  $2^{\text{d}}$  17 S. R. 24 E.  
Gila and Salt River Meridian

Chs.

The township 11  $\text{M}$ s. E. of the  
cor. to sees. 4, 5, 32 & 33, which  
was recently set by myself  
and is a  $\text{m}$ . of earth, with  
pits dug in each see.  $5\frac{1}{2}$  ft.  
deep. In the S. E. pit is driven  
a stake 2 ins. square, marked  
T. 16 S. S. 33 on N. E.  
R. 24 E. S. 4 on S. E.  
T. 17 S. S. 5 on S. W. and  
S. 32 on N. W. faces, with  
4 notches on the E. and 2  
notches on the W. edges.

Thence I run

S. 0. 5' E. on true line bet. sees. 4 & 5  
Var.  $12^{\circ} 31' \text{E}$ .

39.60 Drove charred stakes 12 ins.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
dug pits  $18 \times 18 \times 12$  ins. N. 8 S.



Subdivision of T<sup>14</sup>. 1<sup>4</sup> S. R. 2<sup>7</sup> E.  
Gila and Salt River Meridians

Obs.

of cor.  $5\frac{1}{2}$  ft. dist. and  
raised md. of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base over it.  
In the W. pit drove stakes  
2 ft. long 2 ins. square, 12 ins.  
in the ground, marked  $\frac{1}{4}$  ft.  
on the W. face. No timber or stones.

79.60

The cor. to Secs. 4, 5, 8 & 9  
Land descending a little W.  
Soil 2<sup>nd</sup> rate No timber

Oct. 11, 1883

From the cor. to Secs. 5 & 6  
31 & 32 on the S. Boundary  
of the township, which was  
established by me and is a  
md. of earth with pits dug  
in each sec.  $5\frac{1}{2}$  ft. dist.  
In the S.E. pit is driven

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Obs.

a stake 2 ins. square, marked  
T<sub>1</sub>. 17 S. S. 32 on N. E.

R. 27 S. S. 5 on S. E.

T<sub>1</sub>. 18 S. S. 6 on S. W. and

S. 31 on N. W. faces, with  
5 notches on the E. and 1  
notch on the W. edge.

Thence I run

North bet. Secs. 31 & 32

Var.  $12^{\circ} 31' E$

As per observation.

Nearly level.

40.00 Drove charred stake 12 ins.

in the ground, for  $\frac{1}{4}$  sec.

Cor. dug pits 18 x 18 x 12 ins

N. & S. of Cor.  $5\frac{1}{2}$  ft. dist.

and raised mid. of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base over it

In the N. pit drove stake



Subdivision of T<sup>1</sup>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Obs.

2 ft. long, 2 ins. square, marked  
 4 S. on W. face. No timber or stones.  
 80.00 Drove charred stakes 12 ins  
 in the ground for the cor. to  
 Secs. 29, 30, 31 & 32, dug  
 pits 18x18x12 ins. in each  
 sec. 5 1/2 ft. dirt and raised  
 ind. of earth 2 ft. high 4 1/2 ft.  
 base over it. In the S.E. pit  
 drove stakes 2 ft. long, 2 ins.  
 square 12 ins. in the ground  
 marked  
 T<sup>1</sup>. 17 S. S. 29 on N.E.  
 R. 27 E. S. 32 on S.E.  
 S. 31 on S.W. and  
 S. 30 on N.W. faces, with  
 1 notch on S. and 5 notches  
 on the E. edges. No timber or stones.  
 Land level. Soil good. No timber.



Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridian

chs.

Easton random line bet Secs. 29 & 32  
Var. 12° 31' E.

140.00 Set a temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect the N & S. line 8 lbs.  
N. of the cor. to Secs. 28, 29, 32  
& 33. Thence I run

N. 89° 57' W. on true line bet Secs. 29 & 32  
Var. 12° 31' E.

40.03 Drove charred stake 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor. dug  
pits 18 x 18 x 12 ins. E. & W. of cor.  
and raised ind. of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base over it. In  
the E. pit drove stake 2 ft.  
long, 2 ins. square, 12 ins. in  
the ground, marked 'E.S.' on  
N. face. No timber or stumps met.

80.07 The cor. to Secs. 29, 30, 31 & 32.  
Land nearly level. Soil 2 rate. No timber.

Subdivision of  $2^d$  P. 17 S. R. 27 E.  
 Gold and Salt River Meridian

Chs.

140.00 ~~Run a random line bet. Secs. 30 & 31  
 Far.  $12^{\circ} 31' E.$~~   
 78.41 ~~Set a temporary  $\frac{1}{4}$  sec. cor.  
 intersect the W. Boundary  
 of the township 9 lks. N. of  
 the cor. to secs. 25, 30, 31 & 36  
 which was recently established  
 by myself and is a md. of  
 oak with pits in each sec.  
 $5\frac{1}{2}$  ft. dist. In the S.E. pit is  
 driven a stake 2 ft. long 2 ins.  
 square, marked;  
 T. 17 S. S. 30 on N.E.  
 R. 27 E. S. 31 on S.E.  
 R. 26 E. S. 36 on S.W. and  
 S. 25 on N.W. faces, with  
 1 notch on the S. and 5 notches  
 on the N. edges. Thence run  
 N.  $89^{\circ} 56' E.$  on true line bet. Secs. 30 & 31~~

Subdivision of T<sub>1</sub>, 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

Var. 12° 31' E.

38.41 Drove charred stake 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
dug pits 18 x 18 x 12 ins. E, & W.  
of cor. and raised ind. of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
over it. In the E. pit drove  
stake 2 ft. long, 2 ins. square 12 ins.  
in the ground, marked  $\frac{1}{4}$  S.  
on N. face. No timber or stones near.

78.41 The cor. to secs. 29, 30, 31 & 32  
Land nearly level. Soil 2<sup>nd</sup> rate.  
Good grass land. No timber.

North bet. Secs. 29 & 30

Var. 12° 31' E.

Nearly level.

40.00 Drove charred stake 12 ins.



Subdivision of T<sup>1</sup>/<sub>4</sub> S. R. 27 E.  
Gila and Salt River Meridian

Obs.

in the ground, for  $\frac{1}{4}$  sec.  
Cor. dug pits 18x18x12 ins. N.  
& S. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised mid. of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base over it. In  
the N. pit drove stake 2 ft.  
long, 2 ins. square, 12 ins. in  
the ground, marked  $\frac{1}{4}$  S. on  
W. face. No timber or stones used.

80.00 Drove Stake (charged) 12 ins.  
in the ground, for the cor. to  
secs. 19, 20, 29 & 30. dug pits  
18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft.  
dist. and raised mid. of earth  
2 ft. high  $4\frac{1}{2}$  ft. base over it. In  
the S.E. pit drove stake 2 ft.  
long, 2 ins. square 12 ins. in  
the ground, marked;  
T<sup>1</sup>/<sub>4</sub> S. S. 20 on N.E.

Subdivision of T<sup>1</sup>/<sub>4</sub> S. R. 27 E.  
Gila and Salt River Meridian

Chs.

R. 27 E. S. 29 on S. E.  
S. 30 on S. W. and  
S. 19 on N. W. faces, with  
2 notches on the S. and 5 notches  
on E. edges. No timber or stones,  
Land level. Soil good 2 rates,  
No timber.

East on random line bet. Secs. 20 & 29  
Var.  $12^{\circ} 31' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
80.10 Intersect the N. & S. line 18 lbs.  
S. of the cor. to Secs. 20, 21, 28  
& 29. Thence I run  
S.  $89^{\circ} 05' W.$  on true line bet. Secs. 20 & 29  
Var.  $12^{\circ} 31' E.$

40.05 Drove charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  sec.

Subdivision of Twp. 17 S. R. 24 E.  
Gila and Salt River Meridian  
chs.

dug pits E. & W. of cor.  $5\frac{1}{2}$   
ft. dist. and raised mid-  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base over it. In the E. pit  
above stake 2 ft. long, 2 ins.  
square, 12 ins. in the ground,  
marked  $\frac{1}{4}$  S. on N. face.  
No timber or stones near.

80.10

The cor. to secs. 19, 20, 29 & 30  
Land level. Soil 2 rate  
No timber.

~~~~~

Start on random line bet. Secs. 19 & 30

Far. $12^{\circ}31'$ E.

40.00

Set a temporary $\frac{1}{4}$ sec. cor.

78.39

Intersect the W. boundary of
the township 19 Tks. N. of the
cor. to secs. 19, 24, 25 & 30.

Subdivision of T₁. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

which was recently set by
myself, and is a ^{with} ind. of earth
pits in each sec. $5\frac{1}{2}$ ft. dist.
In the S.E. pit is driven a
slate 2 ins. square marked;
T₁. 17 S. S. 19 on N.E.
R. 27 E. S. 30 on S.E.
R. 26 E. S. 25 on S.W. and
S. 24 on N.W. ~~faces~~ with
2 notches on the S and 4 notches
on the N. Wedges. Thence I run
N. 89° 52' E. on true line bet. Secs. 19 & 30
Var. 12° 31' E.

35.39 Drove charred stake 12 ins in
the ground for $\frac{1}{4}$ Sec. cor.
dug pits 18 x 18 x 12 ins. E. & W.
of cor. $5\frac{1}{2}$ ft. dist. and
raised ind. of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base over it

Subdivision of T₁ 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

In the E. put drove stake 2 ft.
long, 2 in. square, 12 in. in
the ground, marked "4 S. on
N. face. No timber or stones near.
78.39 The cor. to secs. 19, 20, 29 & 30
Land level. Soil 2 rate
No timber.

North bet. Secs. 19 & 20
Lat. $12^{\circ} 31' E$.

Nearly level.

40.00 Drove charred stake 12 in.
in the ground, for "4 sec. cor.
dug pits 18 x 18 x 12 in. N. & S.
of cor. $5\frac{1}{2}$ ft. dist. and round
ed ends of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In the
N. put drove stake 2 ft. long

Subdivision of T₁. 17 S. R. 27 E.

Gita and Salt River Meridian

Chs.

2 ins. square, 12 ins. in the ground
marked 4 S. on W. face.

No timber or stumps near.

69.50 Road to Sulphur Springs, brs. N. W.

80.00 Drove charred stake 12 ins. in
the ground for the cor. to secs.
17, 18, 19 & 20. dug pits 18x18
x12 ins. in each sec. 5 1/2 ft. dist.
and raised ind. of earth
2 ft. high 4 1/2 ft. base over it.
In the S. E. pit drove stake
2 ft. long, 2 ins. square, 12 ins
in the ground, marked
T. 17 S. S. 17 on N. E.
R. 27 E. S. 20 on S. E.
S. 19 on S. W. and
S. 18 on N. W. faces, with
3 notches on the S. and 5
notches on the E. edges.

Subdivision of T¹. 17 S. R. 27 E.
Gila and Salt River Meridian

Obs. No timber or stones near.
Land nearly level. Soil 2 rods.
No timber.

~~~~~

East on random line bet. Secs. 17 & 20  
Gas. 12° 31' E.

Nearly level

140.00 Set a temporary  $\frac{1}{4}$  Sec. cor.

80.03 Intersect the N. & S. line

10 lbs. S. of the cor. to Secs.

16, 17, 20 & 21. Thence I run

S. 89° 56' W on true line bet. Secs. 17 & 20

Gas. 12° 31' E.

140.01 Drove charred stake 12 ins

in the ground for  $\frac{1}{4}$  Sec.

cor. dug pits 18 x 18 x 12 ins

E. & W. of cor. 5  $\frac{1}{2}$  ft. dist.

and raised ind. of earth

Subdivision of Twp. 17 S., R. 27 E.,  
Gila and Salt River Meridian

Chs. 1 1/2 ft. high, 3 1/2 ft. base over it,  
In the E. pit drove stake  
2 ft. long, 2 ins. square, 12 ins.  
in the ground, marked, 1/4 S.  
on N. face. No timber or stones near.

80.03 The cor. to Secs. 17, 18, 19 & 20,  
Land nearly level. Soil 2 rate  
good grass, No timber.  
A house - James Morgan's -  
is in the S.E. quarter of sec.  
17 and bears from the 1/4 Sec.  
Cor. bet. 17 & 20, N. 53° E. 5.23  
Chs. dist.

~~run~~

Wash on random line bet. Secs. 18 & 19  
Var. 12° 31' E.

Level.

24.00 Road to Sulphur Springs. bet. N.W.





Subdivision of  $\frac{1}{4}$  Sec. 17 S. R. 27 E.  
Gila and Salt River Meridian

78.48

in the ground, for  $\frac{1}{4}$  Sec. cor.  
dug pits 18x18x12 ins. E. & W.  
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
ind. of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In the E.  
pit drove stakes 2 ft. long  
2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N.  
face. No timber or stones near.  
The cor. to Secs. 17, 18, 19 & 20  
Land nearly level. Soil 2<sup>nd</sup> rate  
No timber, Oct. 12, 1883

~~~~~

North bet. Secs. 17 & 18
Tas. $12^{\circ}31'E.$

Level

40.00 Drove charred stakes 12 ins
in the ground, for $\frac{1}{4}$ Sec. cor.

Subdivision of Tr. 17 S. R. 27 E.
Gila and Salt River Meridian

Obs.

dug pits 18x18x12 ins. N. & S.
of cor. 5½ ft. dist. and
raised mid. of earth 1½ ft.
high, 3½ ft. base over it.

In the N. pit drove stake
2 ft. long, 2 ins. square, 12 ins.
in the ground, marked 4 S.
on W. face. No timber or stones

80.00 Drove charred stake 12 ins.
in the ground, for the cor.

to secs. 7, 8, 17 & 18. dug pits
18x18x12 ins. in each sec.

5½ ft. dist. and raised mid.
of earth 2 ft. high, 4½ ft. base
over it. In the S. E. pit

drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked:

N. 17 S. S. 8 on N. E.

Subdivision of $\frac{1}{4}$ Sec. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

R $\frac{1}{2}$ 7 $\frac{1}{2}$ E, S. 17 on S. E.
S. 18 on S. W, and
S. 7 on N. W, faces, with
4 notches on the S, and 5
notches on the E. edges.

No timber or stones near.

Land level. Soil good, 2nd rate.

No timber.

~~~~~

East on random line bet. Secs. 8 & 17  
Var. 12° 31' E.

Level,

40.00 Set a temporary  $\frac{1}{4}$  Sec. cor.  
79.92 Intersect the N. S. line 9 $\frac{1}{2}$  blocks  
N. of the cor. to Secs. 8, 9,  
16 & 17. Thence I run  
N. 89° 56' W, on true line bet. Secs. 8 & 17  
Var. 12° 31' E



Subdivision of T<sup>h</sup>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

39.96

Drove charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits 18x18x12 ins. E and W. of cor.  $5\frac{1}{2}$  ft. dist. and raised ind. of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. By the E. pit drove stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked  $\frac{1}{4}$  S. on W. face. No timber or stones near.

79.97

The cor. to secs. 7, 8, 17 & 18  
Land level. Soil 2 rate  
No timber.

~~~~~

Shot on random line bet. Secs. 7 & 8
Var. $12^{\circ}31'E.$

Level

Subdivision of T₁. 1st S. R. 27 E.
Gila and Salt River Meridian

Obs.

40.00

Set a temporary $\frac{1}{4}$ sec. cor.

78.40

Intersect the W. Boundary of
the ^{2nd 18 lbs. $\frac{1}{4}$ of the} cor. to Secs. 7, 12, 13 & 18
which was recently set by
myself, and is a ~~rod~~ $\frac{1}{4}$
cath with pits in each
sec. $5\frac{1}{2}$ ft. dist. In the S.E.
corner is driven a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked:

T. 1st S. S. 7 on N.E.

R. 27 E. S. 18 on S.E.

R. 26 E. S. 13 on S.W. and

S. 12 on N.W. faces, with
4 notches on S. and 2 notches

on N. edges. Thence I run

N. $89^{\circ}52'$ E. on true line bet Secs. 7 & 18

for $12^{\circ}31'$ E.

38.40

Drove charred stakes 12 ins

Subdivision of T₁. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

in the ground, for $\frac{1}{4}$ Sec. cor.
dug pits 18x18x12 ins. E & W,
of cor. 5 $\frac{1}{2}$ ft. dist. and raised
end of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft.
base over it. In the E. pit
drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked $\frac{1}{4}$ S. on N. face.

No timber or stones near.

78.40 The cor. to secs. 7, 8, 17 & 18

Land level. Soil 2nd rate

No timber.

North bet. Secs. 7 & 8

Var. 12 $^{\circ}$ 31' E.

Level

40.00 Drove charred stake 12 ins.
in the ground, for $\frac{1}{4}$ Sec.

Subdivision of T¹. 17 S. R. 27 E.
Gila and Salt River Meridian

Chs.

Cor. dug pits 18x18x12 ins,
N. & S. of cor. 5½ ft. dist. and rais.
ed mid. of earth 1½ ft. high
3½ ft. base over it. In the N.
pit drove stake 2 ft. long, 2 ins.
square, 12 ins. in the ground,
marked ¼ S. on W. face.
No timber or stumps met.

80.00 Drove charred stake 12 ins
in the ground for the cor.
to secs. 5, 6, 7 & 8. dug pits
18x18x12 ins. in each sec.
5½ ft. dist. and raised mid.
of earth 2 ft. high 4½ ft. base
over it. In the S.E. pit
drove stake 2 ft. long, 2 ins.
square 12 ins. in the ground
marked;
T. 17 S. S. 5 on N.E.

Subdivision of $\frac{1}{4}$ Sec. 17 S., R. 27 E.
Gila and Salt River Meridians

Chs.

R. 27 E. S. 8 on S. E.
S. 7 on S. W. and
S. 6 on N. W. faces, with
5 notches on the S. and 5 notches
on the E. edges. No timber or stones.
Land level. Soil 2 rate
No timber.

~~~~~

East on random line bet. Secs. 5 & 8  
Gas.  $12^{\circ} 31' E.$

47.00 Set a temporary  $\frac{1}{4}$  Sec. cor.

79.90 Intersect the N. & S. line 8 lbs.  
S. of the cor. to Secs. 4, 5, 8 & 9

thence I run

S.  $89^{\circ} 57' W.$  on true line bet. Secs. 5 & 8

Gas.  $12^{\circ} 31' E.$

39.95 Drove charred stake 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. cor.



Subdivision of T<sup>1</sup>/<sub>4</sub> Sec. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

Dug pits 18x18x12 ins. E, & W,  
of cor. 5 1/2 ft. dist. and raised  
mid. of earth 1 1/2 ft. high, 3 1/2  
ft. base over it. In the E  
pit drove stake 2 ft. long  
2 ins. square, 12 ins. in the ground  
marked 1/4 S, on N. face.

No timber or stones near.

79.90 The cor. to secs. 5, 6, 7 & 8  
Land level. Soil 2 rate  
No timber.

Wetson random timber. Secs. 6 & 7  
T<sup>1</sup>/<sub>4</sub> S, 12° 31' E.

Level.

40.00 Set a temporary 1/4 sec. cor.

78.45 Intersect the W. Boundary of  
the township 20 lbs. N. of the



Subdivision of T<sub>1</sub>, 1<sup>st</sup> S. R. 2<sup>nd</sup> E.  
Gila and Salt River Meridian  
chs.

cor. to Secs. 1, 6, 7 & 12, which  
was recently set by myself  
and is a ~~rod~~ of ~~lath~~  
with pits in each sec. 5 1/2 ft.  
dist. In the S.E. pit is driven  
a stake 2 ft. long, 2 ins. square  
marked.

T<sub>1</sub> 1<sup>st</sup> S. S. 6 on N.E.

R. 2<sup>nd</sup> E. S. 4 on S.E.

R. 2<sup>nd</sup> E. S. 12 on S.W. and

S. 1 on N.W. faces with  
notch on the N. and 5 notches  
on the S. Edges. Thence run.

N. 89° 51' E. on true line bet. Secs. 6 & 7

Var. 12° 31' E

38.45 Drove charred stakes 12 ins.  
in the ground for 1/4 sec. cor.  
dug pits 18 x 18 x 12 ins. E. & W.  
of cor. 5 1/2 ft. dist. and rais.

Subdivision of T<sub>1</sub>. 17 S. R. 27 E.  
Gila and Salt River Meridian

Chs.

ed mid. of earth 1½ ft. high,  
3½ ft. base over it. In the  
E. pit drove stakes 2 ft. long  
2 ins. square 12 ins. in the ground  
marked 4 S. on N. face.  
No timber or stones near.

78.45 Chs. cor. to secs. 5, 6, 7 & 8  
Land level Soil good 2" rate  
No timber, Grass.

North on a random line bet.  
Secs. 5 & 6  
Var. 12° 31' E.

Nearly level

40.011 Set a temporary ¼ sec. cor.  
79.67 Intersect the N. Boundary  
13 lbs. E. of the cor. to secs.  
5, 6, 31 & 32. which was



Subdivision of  $2^{\text{nd}}$   $1^{\text{st}}$  S. R. 27 E.  
 Gita and Salt River Meridian  
 Chs.

recently set by myself  
 and is a ind. of earth with  
 pits in each sec.  $5\frac{1}{2}$  ft. dist.  
 In the S.E. pit is driven a  
 stake 2 ins. square marked  
 $T. 16 S. S. 32$  on N.E.  
 $R. 27 E. S. 5$  on S.E.  
 $S. 17 S. S. 6$  on S.W. and  
 $S. 31$  on N.W. faces, with  
 5 notches on the E. and 1  
 notch on the W. edges.

Thence I run  
 $S. 0^{\circ} 6' E.$  on true line bet. Secs. 5 & 6  
 $1/4$  ac.  $12^{\circ} 31' E.$

39.67 Drove charred stake 12 ins.  
 in the ground, for  $1/4$  sec. cor.  
 dug pits  $18 \times 18 \times 12$  ins. N.  
 & S. of cor.  $5\frac{1}{2}$  ft. dist. and  
 raised ind. of earth  $1\frac{1}{2}$  ft.



Subdivision of T<sup>1</sup>. 7<sup>th</sup> S. R. 2<sup>nd</sup> E.  
Gila and Salt River Meridian

49.67  
 high, 3 $\frac{1}{2}$  ft. base over it. In  
 the N. part drove stakes 2 ft.  
 long, 2 ins. square 12 ins. in  
 the ground, marked '4' S. on  
 W. face. No timber or stones near.

The cor. to Secs. 5, 6, 7 & 8  
 Land nearly level  
 Soil good 2<sup>nd</sup> rate  
 Good grass. No timber  
 Oct. 13, 1883

General Description

The surface of T<sup>1</sup>. 7<sup>th</sup>  
 S. R. 2<sup>nd</sup> E. is mostly level  
 or descending a little W.  
 Along the N. boundary of  
 the township are some  
 low grassy hills. It is

Subdivision of Twp 17 S. R. 27 E.  
Gila and Salt River Meridian

all good grass land. The soil is mostly 2 rate. There is no timber in the township except a few scattering trees along the wash of "Five Mile" Creek in the Eastern part of the township. There are some settlers within its limits engaged in stock raising.

Theodore H. White  
U.S. Deputy Surveyor.