

BOOK 839

839

839

F I E L D   N O T E S

O F   T H E   S U R V E Y   O F   T H E

S U B D I V I S I O N   L I N E S

O F

Township 17 South, Range 28 East.

Gila and Salt River Base and  
Meridian,

ARIZONA.

By Theo. F. White, D.S., under  
Contract dated Dec. 6, 1881.  
Survey commenced April 11, 1882.  
Survey completed April 15, 1882.

# INDEX DIAGRAM.

Township 1.7 S. BOOK 839

Range 28 E

6	90	5	65	4	48	3	32	2	17	1
89		87		63		47		31		15
7	85	8	61	9	45	10	30	11	14	12
83		82		60		44		29		12
18	81	17	59	16	43	15	27	14	14	13
79		78		58		41		26		9
19	76	20	56	21	40	22	25	23	7	24
74		73		55		39		24		6
30	71	29	54	28	27	27	22	26	4	25
70		69		52		36		21		2
31	66	32	50	23	34	34	19	35	1	36

Gila and Salt River Meridian.

## ARIZONA.

1A 1B  
Preliminary Oaths of Assistants.

BOOK 839

We, *J. H. Mc. Clure*  
and *J. O. Ford*

6 do solemnly swear that we will well and faithfully execute the  
— 89 duties of Chain Carriers; that we will level the chain upon even  
7 and uneven ground, and plumb the tally pins, either by stick-  
— 83 ing or dropping the same; that we will report the true distance  
18 to all notable objects, and the true lengths of all lines that we  
79 assist in measuring, to the best of our skill and ability and in  
19 accordance with the instructions given us in the survey  
74 of the subdivision lines of  
30 Township No. 18 S. Range  
70 No 28 E. Gila & Salt River Bas  
31 & Meridian Territory of Arizona

*J. H. Mc. Clure*  
*J. O. Ford*

Sworn to and subscribed before me, this 10<sup>th</sup> day of  
March, 1887

*Paul Riccker*  
Notary Public  
Pima Co. Arizona

We, John Blake, Samuel H. Van  
Pelt, Geo. T. Wyatt & Jos. Schwarz.

do solemnly swear that we will well and truly perform the  
duties of

Assessors, Plagman &  
Moundmen respectively  
in the establishment of corners and other duties according to  
instructions given us, and to the best of our skill and ability.

in the survey of the subdivision  
lines of township No. 17 S. Range  
No. 28 E. Gila & Salt River  
Meridian Territory of Arizona.

John Blake  
Samuel Van Pelt  
Geo. T. Wyatt  
Jos. Schwarz

Sworn to and subscribed before me this 10<sup>th</sup> day of  
March, 1882

Paul Riccker  
Notary Public Pima Co.  
Arizona.



No. 839

BOOK 839

101

Subdivision N. 17 S. R. 28 E.

Gila & Salt River Meridian

chain

Survey commenced April 11.  
1882. with a Burt's improved  
Solar Compass.

I commence at the Cor. to Secs  
1. 2. 35 & 36 on the S. Bound-  
ary of the township, which is  
Porphyry Rock set firmly in  
the ground, marked with  
1 notch on E. & 5 notches on  
W. edges, with mound of stone  
alongside, Hence I run  
North bet. Secs. 35 & 36.

Var.  $12^{\circ} 31' E.$

(As per observation with Solar Compass)

4.000 Set a limestone  $16 \times 12 \times 7$  ins.

11 ins. in the ground, for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on W. face, and  
raised a mound of stone, alongside

## Subdivision T. 17 S. R. 28 E. cont.

chains

Pits unpracticable.

8000 Set a limestone  $16 \times 10 \times 5$  ins.

11 ins. in the ground, for cor. to

Secs. 25. 26. 35 &amp; 36. marked

with 1 notch on S &amp; E. edge, from which

An oak 8 ins. dia. br. h.  $31^{\circ} E$ . 17 lbs. dist.  
marked T. 17 S. R. 28 E. S. 25 B. T.An oak 9 ins. dia. br. S.  $41^{\circ} E$ . 46 lbs. dist.  
marked T. 17 S. R. 28 E. S. 36 B. T.An oak 14 ins. dia. br. S.  $62^{\circ} W$ . 46 lbs. dist.  
marked T. 17 S. R. 28 E. S. 35 B. T.An oak 8 ins. dia. br. h.  $29^{\circ} W$ . 102 lbs. dist.  
marked T. 17 S. R. 28 E. S. 26 B. T.

Land ascending E.

Soil 3<sup>d</sup> rate

No timber.

---

 East on a random line, bet.

## Subdivisions P. 17 S. R. 28 E. continued

chains

Secs. 25 &amp; 36.

Var.  $12^{\circ} 31' E$ 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.79.95 Intersect E. Boundary of town-  
ship, 10 lbs N. of cor. to Secs. 25, 30.

31 & 36. which is a Porphyry  
rock, set firmly in the ground  
marked with 5 notches on N. &  
1 notch on S. edges, with pits  $18 \times 18 \times 12$   
ins. in each sec.  $5\frac{1}{2}$  ft. dist. and  
mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
base, alongside Thence I run  
N.  $89^{\circ} 56' W$ . on a true line, bet.  
Secs. 25 & 36. with same oa.

39.97 Set a Porphyry rock  $14 \times 12 \times 8$  ins.  
10 ins. in the ground, for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on N. face, dug  
pits  $18 \times 18 \times 12$  ins. E & W. of cor.  
 $5\frac{1}{2}$  ft. dist. and raised a mound

Subdivisions T. 17 S. R. 28 E. cont.

chain  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
alongside.  
79.95 The cor. to Secs. 25, 26, 35 & 36.  
Land ascending E.  
Soil 3<sup>d</sup> rate  
No timber, a few scattering trees on  
E. end. \_\_\_\_\_

North bet. Secs. 25 & 26.  
Var.  $12^{\circ} 31' E.$

1.57 Dry wash 2000 wide corner S. W.  
2.00 Top of Bank  
4.65 Trail corner N. E.  
15.00 Wash course W.  
15.52 Leave Wash.  
23.00 Ascend W. slope of round Hill  
32.50 Top.  
40.00 Set a limestone 13 + 8 + 6 in.  
gives in the ground, for  $\frac{1}{4}$



## Subdivision S. 17 T. R. 28 E. continued

Chairs

sec. cor. marked  $\frac{1}{4}$  on W. face  
and raised a mound of stone  
alongside, from which  
a gopher 15 in. dia. br. S.  $66^{\circ}$  W. 261 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

48.00 Foot of hill on N.

53.14 Wash drains. W.

80.00 Set a limestone  $16 \times 10 \times 5$  in. 11  
in. in the ground, for cor. to  
Secs. 23, 24, 25 & 26. marked  
with 2 notches on S. and 1 notch  
on E. Edges, dug pits  $18 \times 18 \times 12$  in.  
in each sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft.  
high,  $4\frac{1}{2}$  ft. base alongside.  
Land rolling some broken  
ascending S.  
Soil 3<sup>d</sup> rate  
No timber.

## Subdivisions P. 17 S. R. 28 E. cont.

Chains

East on a random line, bet.  
Secs. 24 & 25.Var.  $12^{\circ} 31' E.$ 

- 4.00 Ascend W. slope  
 25.00 Top of low hill  
 38.50 Descend  
 40.00 Set temporary  $1/4$  sec. cor.  
 47.10 Foot of descent & trail come N.  
 73.00 Rocky gulch 10 lks wide drains  
 80.05 Intersect W. Boundary of town-  
 ship. 11 lks N. of cor. to Secs. 19, 24,  
 25 & 30. which is a Post 4 ins.  
 square, marked  
 P. 17 S. S. 19 on N. E.  
 R. 28 E. S. 30 on S. E.  
 R. 27 E. S. 25 on S. W. and  
 S. 24 on N. W. faces, with 4  
 notches on N. & 2 notches on S.  
 edges, with bearing trees.

## Subdivisions P. 17 S. R. 28 E. continued

chain

properly marked in each sec.

Thence Iron

N.  $89^{\circ} 56' W.$  on a true line, bet.

Secs. 24 &amp; 25. with same var.

40.02 Set a limestone  $13 \times 10 \times 7$  ins.  $\frac{9}{16}$  ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N face, from which an Oak 12 ins. dia. br. N.  $15^{\circ} E.$  152 lbs. dist. marked  $\frac{1}{4}$  S. B. T.

An Oak 15 ins. dia. br. S.  $37\frac{1}{2}^{\circ} E.$  120 lbs. dist. marked  $\frac{1}{4}$  S. B. T.

80.05 The cor. to Secs. <sup>23</sup> 24, 25 & <sup>26</sup> 26.

Land rolling &amp; broken

Soil poor &amp; rocky

No timber, except along Wash.

---

North, bet. Secs. 23 & 24.

Var.  $12^{\circ} 31' E.$

## Subdivision T. 17 S. R. 28 E. cont.

chains

37.00 Dry Wash 100 lks wide crosses N.  
then N. W.

39.00 Trail corner E of N.

40.00 Set a limestone  $14 \times 10 \times 7$  ins.  
10 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N. face,  
from which an Oak 10 ins. dia.  
brs. N.  $60^\circ$  W. 133 lks dist,  
marked  $\frac{1}{4}$  S. B. T.  
An Oak 8 ins. dia. brs. S.  $48\frac{1}{2}^\circ$  W. 79 lks dist.  
marked  $\frac{1}{4}$  S. B. T.

41.50 Ascend

55.50 Top of ridge corner N. W.

68.40 Gulch corner N. W.

80.00 Set a porphyry rock  $18 \times 12 \times 6$  ins.  
12 ins. in the ground, for. cor. to  
Secs. 13, 14, 23 & 24, marked with  
3 notches on S. & 1 notch on E. edges.  
and raised a mound of

## Subdivision N. 17 S. R. 28 E. continued

chains

stone alongside, Pits impracticable  
 Land Rolling & broken  
 Soil poor & rocky  
 Oak along wash.

---

East, on a random line, bet.  
 Secs. 13 & 24.

Var.  $12^{\circ} 31' E$ .

- 4.00 Descend  
 17.00 Bottom of descent  
 18.20 Trail to Bowie corner N.  
 40.00 Set temporary  $1/4$  sec. cor.  
 53.10 Gulch drains. N. W.  
 64.00 Wash drains. N.  
 64.70 Leave Wash  
 68.82 Trail corner N.  
 80.12 Intersect N. boundary of  
 township, 16 blocks S. of cor. to Secs.

Subdivisions P. 17 S. R. 28 E. cont.

chains

13.18. 19 x 24 which is a Granite stone, set firmly in the ground, marked with 3 notches on N. S. edges, and mound of stone alongside, with bearing trees in S. E. x S. W. secs. all properly marked.

Thence 3 mm

S.  $89^{\circ} 53' W.$  on a true line, bet. Secs. 13 x 24. with same os.

40.06 Set a limestone 12 x 11 x 5 in. 8 in. in the ground, for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside from which Dip is borne to N.  $20^{\circ} W.$

80.12

The cor. to Secs. 13. 14. 23 x 24. Land rolling & broken Soil poor & rocky

## Subdivisions P. 17 S. R. 28 E. cont.

chain

Oak along Wash.

North bet. Secs. 13 & 14  
Var.  $12^{\circ} 31' E$ 

- 3.00 Top of ridge extends N. W. & descend  
13.70 Foot + Wash drains W.  
14.21 Leave Wash  
24.49 Road course S. of W.  
25.85 Wash of Five mile creek drains W.  
27.65 Leave it.  
4.00 Set a granite stone  $18 \times 9 \times 7$  ins.  
Pins in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face, from which  
An Oak 14 ins. dia. br. S.  $57^{\circ} E$ . 222 lbs dist.  
marked  $\frac{1}{4}$  S. B. T.  
An Oak 6 ins. dia. br. S.  $11\frac{1}{4}^{\circ} W$ . 214 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
Tife's home br N.  $83\frac{1}{2}^{\circ} E$

## Subdivisions T. 17 S. R. 28 E. cont.

chains

44.00 Road to Downings Sawmill  
course E.80.00 Set a limestone  $13 \times 10 \times 10$  ins.  
given in the ground, for. cor.  
to Secs. 11. 12. 13. 14. marked  
with 4 notches on S. and 1 notch  
on E. edges, and raised a mound  
of stone, alongside, pits unpracticable.There is a Spring in the N. W. 40  
of the S. W.  $\frac{1}{4}$  of Secs 13.

Land rolling &amp; broken

Soil poor &amp; rocky

Some timber along Creek.

East on a random line, bet  
Secs. 12 & 13.Var.  $12^{\circ} 31' E$



## Subdivision S. 17 S. R. 28 E. continued

- Chains
- 24.00 Top of ridge extending N. W.
- 35.00 Foot on E.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 48.00 Top of ridge extends N. W.
- 71.60 Rocky point & descend
- 80.15 Intersect N. Boundary of township 15 lbs S. of cor. to Secs. 7, 12, 13 & 18. which is a limestone, set firmly in the ground marked with notches on N. & 4 notches on S. edge, and mound of stone alongside.
- Thence I run S.  $89^{\circ}54'$  W. on a true line, bet. Secs. 12 & 13. with same or <sup>rock</sup>
- 40.07 Set a Porphyry <sup>rock</sup>  $20 \times 10 \times 8$  ins. 15 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone

Subdivisions T. 17 S. R. 28 E. continued

- chains
- 80.15 alongside, Pits impracticable  
 The cor. to Secs. 11, 12, 13 & 14.  
 Land hilly & broken  
 Soil poor & rocky  
 No timber along line.
- +
- North bet. Secs. 11 & 12.  
 Var.  $12^{\circ} 31' E.$
- 30.00 Gulch drains N. W.
- 40.00 Set a granite stone  $18 \times 12 \times 6$   
 ins. 12 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N.  
 face, dug pits  $18 \times 18 \times 12$  ins.  
 N. & S. of cor.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base, alongside.
- 44.00 Ridge extends N.
- 50.00 Gulch drains N. as usual

## Subdivisions P. 17 S. R. 28 E. continued

chains

57.00 Top of ascent

80.00 Set a limestone 18+9+7 ins.  
12 ins. in the ground, for cor.  
to Secs. 12. 11+12. marked with  
5 notches on S. & 1 notch on E.  
edges, Aug pits 18+18+12 ins.  
in each sec. 5 1/2 ft. dist. and  
raised a mound of earth 3 ft  
high, 4 1/2 ft. base alongside.  
Land Rolling  
Soil stony  
No timber.

---

East on a random line, bet.  
Secs. 14 12.

Var. 12° 31' E.

40.00 Set temporary 1/4 sec cor.

80.11 Intersect W. Boundary of

## Subdivisions T. 17 S. R. 28 E. cont.

chains

township. 12 lks S. of cor. to  
Secs. 1, 6, 7 & 12, which is a  
mound of earth 2 ft. high,  $4\frac{1}{2}$   
ft. base, with pits  $18 \times 18 \times 12$  ins.  
in each sec.  $5\frac{1}{2}$  ft. dist. with  
stake in S. E. pit. 2 ins. square, marked  
T. 17 S. S. 6 on N. E.

R. 29 E. S. 7 on S. E.

R. 28 E. S. 12 on S. W. and  
S. 1 on N. W. faces, with 1 notch  
on N & 5 notches on S. edges,

Thence I run

S.  $89^{\circ}55'$  W. on a true line, bet.  
Secs. 1 & 12 with same va.

40.05 Set a granite rock  $12 \times 8 \times 6$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stone alongside. Pits

## Subdivisions T. 17 S. R. 28 E. continued

Chains

impracticable

- 80.11 The cor. to Secs. 1, 2, 11 & 12.  
 Land Rolling  
 Soil stony  
 No timber.
- 

North on a random line, bet.  
 Secs. 1 & 2.

Var.  $12^{\circ} 31' E.$

- 5.00 Top of rise extends N. & descend  
 11.00 Post.  
 40.00 Set temporary  $1/4$  sec. cor.  
 80.05 Intersect N. Boundary of  
 township. 18 lbs E. of cor. to sec.  
 1, 2, 35 & 36. which is a granite  
 stone, set firmly in the ground,  
 marked with 1 notch on E. & 5  
 notches on N. edge, and round

## Subdivisions S. 17 S. R. 28 E. cont.

chains

of stone along side,  
Thence I run

S.  $0^{\circ} 08'$  E. on a true line, bet.  
Secs. 1 & 2, with same va.

40.05 Deposited a charred stake 12 ins.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
dug pits 18 + 18 + 12 ins. N & S. of  
cor.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In N. pit  
drove a stake 2 ft. long, 2 ins.  
square, 12 ins. in the ground,  
marked  $\frac{1}{4}$  S. on N. face.

80.05 The cor. to Secs. 1.2. 11 & 12.  
Land Rolling  
Soil 3<sup>d</sup> rate  
No timber.

---

Subdivision S. 17 S. R. 28 E. continued

chains

From the Cor. to Secs. 2, 3,  
34 + 35. on S. Boundary of  
township which is a mound  
of earth 2 ft. high, 4 1/2 ft. base,  
with pits 18 + 18 + 12 in. in each  
sec. 5 1/2 ft. dist. and a stake  
in S. E. pit. 2 in. square, marked  
S. 17 S. S. 35 on N. E.  
R. 28 E. S. 2 on S. E.  
S. 18 S. S. 3 on S. W. and  
S. 34 on N. W. faces, with 2  
notches on E + 4 notches on  
W. edges. Hence I run  
North bet. Secs. 34 + 35.

Var. 12° 31' E.

4000 Set a granite stone 17 + 11 + 6 in.  
12 in. in the ground, for 1/4 sec.  
cor. marked 1/4 on W. face,  
and raised a mound of stone,

## Subdivision T. 17 S. R. 28 E. cont.

Chains

alongside Pits impracticable

48.00 Wash drains, W.

80.00 Deposited a charred stake

12 ins. in the ground, for <sup>the</sup> ~~the~~ ~~Secs. 26, 27, 34, 35~~ ~~the~~ dug pits 18 x 18 x 12

ins. in each sec. 5 1/2 ft. dist.

and raised a mound of earth,  
2 ft. high, 4 1/2 ft. base over it.In S. E. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked

T. 17 S. S. 26 on N. E.

R. 28 E. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. faces, with 1  
notch on S. and 2 notches on E. edge.

Land ascending E.

Soil 3<sup>d</sup> rate

No timber.



## Subdivision S. 17 S. R. 28 E. continued

chain East on a random line, bet.  
Secs. 26 + 35.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

66.32 Ascend Bank extends S. W.

66.60 Foot of wash drains S. W.

72.00 Trail

80.05 Intersect N + S. line 7 lbs S.  
of cor. to Secs. 25. 26. 35. 36.

Thence I run

S.  $89^{\circ} 57' W.$  on a true line,  
bet. Secs. 26 + 35. with same va.

40.02 Depicted a charred stake 12 ins.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
dug pits 18 + 18 + 12 ins. Et W. of  
cor.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base over it. In E. pit.  
drove a stake 2 ft. long, 2 ins.

## Subdivisions S. 17 S. R. 28 E. cont.

chains

squarely 12 ins. in the ground,  
marked  $\frac{1}{4}$  S. on N. face.

80.05 The cor. to Secs. 26, 27, 34 & 35.

Land ascending E.

Soil 3<sup>d</sup> rate

No timber.

North bet. Secs. 26 & 27

Var.  $12^{\circ} 31' E.$

40.00 Deposited a charred stake 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits  $18 \times 18 \times 12$  ins.

N & S. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, over it.

In N. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. face.

## Subdivision S. 17 S. R. 28 E. continued

chain  
80.00

Deposited a charred stake  
12 ins. in the ground, for cor.  
to Secs. 22, 23, 26 & 27.

dug pits 18 x 18 x 12 ins. in each  
sec. 5 1/2 ft. dist. and raised a  
mound of earth 2 ft. high,  
4 1/2 ft. base over it. In S. E.  
pit drove a stake 2 ft. long,  
2 ins. square, 12 ins. in the ground  
marked S. 17 S. S. 23 on N. E.  
R. 28 E. S. 26 on S. E.

S. 27 on S. W. and  
S. 22 on N. W. faces, with 2  
notches on S. & E. edges.

Land ascending E.  
Soil 3<sup>d</sup> rate

No timber.

April 12, 1882.

## Subdivisions N. 17 S. R. 28 E. cont.

chain

East, on a random line, bet.  
Secs. 23 & 26.Var.  $12^{\circ} 31' E.$ 

7.00 Ascend

16.00 Top of ascend extends S.

39.00 Dry wash drains S. W.

40.00 Set temporary  $1/4$  Sec. cor.79.91 Intersect N. & S. line 15 lbs S.  
of cor. to Secs. 23, 24, 25 & 26  
Thence S. W.S.  $89^{\circ} 54' W.$  on a true line, bet.  
Secs. 23 & 26, with same va.39.95 Set a limestone  $15 \times 11 \times 5$  ins.  
in the ground, for  $1/4$   
sec. cor. marked  $1/4$  on N. face,  
and raised a mound of stone  
alongside, Pit impracticable.79.91 The cor. to Secs. 22, 23, 26 & 27  
Land ascending E.

## Subdivisions S. 17 S. R. 28 E. cont.

chains

Soil 3<sup>d</sup> rate

No timber, except along Wash

North bet. Secs. 22 &amp; 23.

Var.  $12^{\circ} 31' E.$ 

40.00 Set a Porphyry rock  $15 \times 12 \times 4$  ins. 10 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside, Pits unpracticable.

75.00 Wash 100 lbs wide course S. W.

80.00 Set a limestone  $14 \times 11 \times 6$  ins. 10 ins. in the ground, for cor. to Secs. 14, 15, 22 & 23, marked with 3 notches on S. and 2 notches on E. edges, and raised a mound of stone alongside from which

## Subdivision P. 17 S. R. 28 E. cont.

chains

An Oak 24 ins. dia. bn. S.  $14^{\circ}$  W. 310 lks. dist.  
marked P. 17 S. R. 28 E. S. 14 B. S.

An Oak 24 ins. dia. bn. West. 29 oaks dist.  
marked S. 17 S. R. 28 E. S. 15 + 22 B. S.

Land rolling

Soil 9<sup>d</sup> rate

Scattering trees.

East on a random line, bet.  
secs. 14 + 23.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $1/4$  sec. cor.

43.00 Ascend

59.00 Top of ridge extends N. W.

72.50 Bottom

74.00 Gully drains N. W.

79.94 Intersect N + S. line 18 lks N.  
of cor. to secs. 13. 14. 23 + 24.

Subdivisions T. 17 S. R. 28 E. continued

chain

Hence I run

N. 89° 52' W. on a true line, bet.  
Secs. 14 & 23. with same ca.

39.97 Set a Porphyry rock 14x10x5  
ins. 10 ins. in the ground, for  
1/4 sec. cor. marked 1/4 on N face  
dug pits 18x18x12 ins. Ex W. of  
cor. 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high, 3 1/2  
ft. base alongside.

79.94 The cor. to Secs. 14, 15, 22 & 23.  
Land rolling  
Soil 3d rate  
Scattering trees.

North bet. Secs. 14 & 15.

Var. 12° 31' E.

8.00 Wash of 5 mile creek 100  
lbs wide drain W.

## Subdivision N. 17 S. R. 28 E. cont.

chains

- 12.00 Road course E.  
 37.00 Top of ascent extending E.  
 40.00 Set a Syenite rock 1578 x 6 ins.  
 10 ins. in the ground for 1/4 sec.  
 cor. marked 1/4 on N. face,  
 and raised a mound of stone  
 along side, Pits impracticable  
 45.00 Bottom of ridge on N.  
 80.00 Set a limestone 15711 x 7 ins.  
 10 ins. in the ground for cor.  
 to Secs. 10. 11. 14 x 15. marked  
 with 4 notches on S. and  
 2 notches on E. edge, and  
 raised a mound of stone  
 alongside. Pits impracticable

Land rolling  
 Soil 3<sup>d</sup> rate  
 Scattering trees.

---



Subdivisions P. 17 S. R. 28 E. continued

chains

Cast on a random line, bet. Secs. 11 + 14.

Var. 12° 31' E.

40.00 Set temporary 1/4 sec. cor.  
79.95 Intersect N + S. line <sup>13 Sec. 11</sup> of cor. to Secs. 11, 12, 13, + 14.

Place 1 mu

N. 89° 54' W. on a true line, bet. Secs. 11 + 14. with saw oa.

39.97 Set a limestone 12 x 10 x 6 ins. 8 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of stone alongside, Pits impracticable.

79.95 The cor. to Secs. 10, 11, 14 + 15. Land rolling Soil 3<sup>rd</sup> rate Scattering trees.

## Subdivision S. 17 S. R. 28 E. cont.

chains

North bet. Secs. 10 &amp; 11.

Var.  $12^{\circ} 31' E.$ 

40.00 Set a Syenite rock  $14 \times 8 \times 6$  ins.  
 10 ins. in the ground, for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on W. face,  
 dug pits  $18 \times 18 \times 12$  ins. N & S. of  
 cor.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base alongside.

80.00 Set a granite rock  $12 \times 8 \times 8$  ins.  
 8 ins. in the ground, for cor.  
 to Secs. 2, 3, 10 & 11. marked  
 with 5 notches on S. and 2  
 notches on E. edges, dug pits  
 $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 alongside,  
 Land rolling

Subdivisions T. 17 S. R. 28 E. continued

Chain

Soil 3<sup>d</sup> rate  
Scattering trees.

East on a random line, bet.  
Secs. 2 & 11.

Var.  $12^{\circ} 31' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.97 Intersect N & S. line 8 lks N.  
of cor. to Secs. 1, 2, 11 & 12  
Thence I run  
N.  $89^{\circ} 57' W$ . on a true line,  
bet. Secs. 2 & 11. with same var.
- 39.98 Departed a charred stake 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pit 18 x 18 x 12 ins. E & W.  
of cor. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base over it. In

## Subdivisions N. 17 S. R. 28 E. cont.

chains

E. pit drove a stake 2 ft. long  
 2 ins. square, 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on N. face.

79.97 The cor. to Secs. 2, 3, 10 & 11.  
 Land rolling  
 Soil 3<sup>d</sup> rate  
 No timber.

4

North on a random line  
 bet. Secs 2 & 3.

Var.  $12^{\circ} 31' E.$

4000 Set temporary  $\frac{1}{4}$  sec. cor.

79.88 Intersect N. Boundary of  
 township. 14 lbs E. of cor. to  
 Secs. 2, 3, 34 & 35, which is a  
 mound of earth 2 ft. high,  $4\frac{1}{2}$   
 ft. base, with pits 18 x 18 x 12  
 ins. in each sec. 5 $\frac{1}{2}$  ft. dist

## Subdivisions T. 17 S. R. 28 E. continued

In S. E. pit is a et alle 2 ins.  
square, marked,

T. 16 S. S. 35 on N. E.

R. 28 E. S. 2 on S. E.

T. 17 S. S. 3 on S. W. and

S. 34 on N. W. faces, with  
2 notches on E & 4 notches on  
W. edges, Thence I run

S. 0° 06' E. on a true line, bet.

Secs. 2 & 3. with same va.

39.88 Set a granite stone 12 x 8 x 6

ins. 8 ins. in the ground, for

1/4 sec. cor. marked 1/4 on W.

face, dug pits 18 x 18 x 12 ins.

W. S. of cor. 5 1/2 ft. dist. and

raised a mound of earth 1 1/2

ft. high, 3 1/2 ft. base alongside.

79.88 The cor. to Secs. 2, 3, 10, 11.

Land nearly flat.

## Subdivisions T. 17 S. R. 28 E. cont.

chains

Soil 2<sup>d</sup> rate  
No timber.

From the cor. to Secs. 3, 4,  
33 & 34, on S. Boundary of  
township, which is a mound  
of earth 2 ft. high, 4 1/2 ft.  
base, with pits 18 x 18 x 12 in.  
in each sec. 5 1/2 ft. dist. and  
stake in S. E. pit. 2 in. square  
marked T. 17 S. S. 34 on N. E.  
R. 28 E. S. 3 on S. E.  
T. 18 S. S. 4 on S. W. and  
S. 33 on N. W. faces, with 3  
notches on E & W. edges.  
Thence I run  
North bet. Secs. 33 & 34.  
Cor. 12° 31' E.

## Subdivisions T. 17 S. R. 28 E. continued

- chain  
3.50 Gully course N.
- 32.38 Low Bank course N.
- 32.69 Top.
- 40.00 Deposited a charred stake, 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits 18 x 18 x 12 ins. N. & S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit. drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  Sec N. face.
- 74.82 Gully drains N.
- 80.00 Set a granite 13 x 11 x 7 ins. pins in the ground for Cor. to Secs. 27, 28, <sup>marked with rusted m. pins on each</sup> 33 & 34. <sup>E. 1/2 Sec</sup> dug pits 18 x 18 x 12 ins. in each sec.  $3\frac{1}{2}$  ft. dist. and raised a mound of earth 2  $\frac{1}{2}$  ft. high

## Subdivisions T. 17 S. R. 28 E. cont.

chains

4 1/2 ft. base alongside  
 Land ascending a little E.  
 Soil 2<sup>d</sup> rate  
 No timber.

on a random line

East<sup>n</sup> bet. Secs. 27 & 34  
 Var.  $12^{\circ} 31' E.$

- 32.20 Road to Borvie course N.  
 40.00 Set temporary 1/4 sec. cor.  
 79.89 Intersect N & S. line 8 lks  
 N. of cor. to Secs. 26. 27. 34 & 35.  
 Thence I run  
 N.  $89^{\circ} 57' W.$  on a true line,  
 bet. Secs. 27 & 34, with same var.  
 39.94 Set a granite stone  $18 \times 12 \times 8$  ins  
 $12$  ins. in the ground, for 1/4 sec.  
 cor. marked 1/4 on N. face,  
 dug pits  $18 \times 18 \times 12$  ins. E & W.



## Subdivision T. 17 S. R. 28 E. continued

chains

of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high

$3\frac{1}{2}$  ft. base alongside.

79.89

Rel. cor. to Secs. 27, 28, 33 + 34

Land ascending a little E.

Soil 2<sup>d</sup> rate

No timber.

North bet. Secs. 27 + 28.

Var.  $120^{\circ} 31' E$ .

4.46 Run Road corner S. W.

4000 Set a granite stone  $10 \times 8 \times 7$  ins.

7 ins. in the ground, for  $\frac{1}{4}$

sec. cor. marked  $\frac{1}{4}$  on W. face,

Aug pits  $18 \times 18 \times 12$  ins. N + S.

of cor.  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth  $1\frac{1}{2}$  ft. high

$3\frac{1}{2}$  ft. base alongside.

8000

Deposited a charred stake

## Subdivisions P. 17 S. R. 28 E. cont.

chains

12 ins. in the ground, for cor.  
to Secs. 21, 22, 27 & 28. dug  
pits 18 x 18 x 12 ins. in each sec  
5 1/2 ft. dist. and raised a  
mound of earth 4 ft. high  
4 1/2 ft. base over it. In S. E.  
pit drove a stake 2 ft. long,  
2 ins. square, 12 ins. in the ground  
marked

P. 17 S. S. 22 on N. E.

R. 28 E. S. 27 on S. E.

S. 28 on S. W. and

S. 21 on N. W. faces, with  
2 notches on S. and 3 notches  
on E. edges,

Land ascending a little &  
Soil 2<sup>d</sup> rate

No timber.

## Subdivisions N. 17 S. R. 28 E. continued

chain.

East on a random line, bet.

Secs. 22 &amp; 27

Var.  $12^{\circ} 31' E.$ 

37.00 Road to Saurwill cross Ex N.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.80.06 Intersect N & S. line 12 lks S.  
of cor. to Secs. 22, 23, 26 & 27

Thence Iron

S.  $89^{\circ} 55' W.$  on a true line, bet.

Secs. 22 &amp; 27, with same or.

40.03 Deposited a charred stake 12 ins.

in the ground, for  $\frac{1}{4}$  sec. cor.

dug pits 18 &amp; 18 x 12 ins. Ex N.

of cor.  $5\frac{1}{2}$  ft. dist. andraised a mound of earth  $1\frac{1}{2}$ ft. high,  $3\frac{1}{2}$  ft. base over it.

In E. pit drove a stake

2 ft. long, 2 ins. square, 12 ins.

in the ground, marked  $\frac{1}{4}$

Subdivisions T. 17 S. R. 28 E. cont.

chains	S. on N. face.
80.06	The cor. to Secs. 21, 22, 27 & 28. Land ascending a little E. Soil 2 <sup>d</sup> rate No timber.
<hr/>	
North bet. Secs. 21 & 22 Var. 12° 31' E.	
0.85	Road to Downing Saw Mill corner N. E.
40.00	Set a limestone 15x12x9 ins. 10 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face, dug pits 18x18x12 ins. N. & S. of cor. 5 1/2 ft. dist and raised a mound, of earth 1 1/2 ft. high 3 1/2 ft. base alongside.
53.55	Road to Donbetone corner S. W.

## Subdivisions T. 17 S. R. 28 E. continued

chains  
80.00

Set a post 4 ft. long, 4 ins. square  
with marked stone, 12 ins. in the  
ground, for cor. to sec. 15. 16. 21 & 22.  
marked T. 17 S. 15 on N. E.

R. 28 E. S. 22 on S. E.

S. 21 on S. W. and

S. 16 on N. W. faces, with 3  
notches on S. & E. edges, dug  
pts 18x18x12 ins. in each sec.  
5 1/2 ft. dist. and raised a  
mound of earth 2 ft. high  
4 1/2 ft. base around post.

Land ascending a little E.

Some good soil

No timber.

---

Post on a random line  
bet. Secs. 15 & 22.

## Subdivision S. 17 S. R. 28 E. continued

chain

Var.  $12^{\circ} 31' E$ .40.00 Set temporary  $\frac{1}{4}$  sec. cor.

41.62 Road to Bowie course N.

69.00 Road to Domingo Sawmill  
course N. E.

71.90 Wash course N. W.

76.50 Enter wash course N. W.

76.90 Leave it.

80.04 Intersect W. line 11 E. N.  
of cor. to Secs. 14, 15, 22 & 23.  
Thud 2 mmN.  $89^{\circ} 55' W$ . on a true line,  
bet. Secs. 15 & 22, with same on40.02 Set a limestone  $15 \times 10 \times 8$  in.10 in. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  in. E & W  
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high

## Subdivisions P. 17 S. R. 28 E. continued

chains

3 1/2 ft. base alongside

80.04 The cor. to Secs. 15-16. 21x22

Land descending W.

Soil stony

oak along Wash.

North bet. Secs. 15 &amp; 16.

Var. 120 31' E.

7.40 Wash of 5 mile creek chain W.

9.54 leave it.

40.00 Set a post 3 ft. long, 3 ins. square,  
with marked stone, 12 ins. in  
the ground, for 1/4 sec. cor. marked  
1/4 S. on W. face, dug pits 18x18  
& 12 ins. N & S. of cor. 5 1/2 ft. dia.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
post.

## Subdivisions N. 17 S. R. 28 E. cont.

chains  
80.00

Set a granite stone  $14 \times 8 \times 7$  ins.  
10 ins. in the ground, for cor.  
to Secs. 9, 10, 15 & 16. marked  
with 4 notches on S. and 3  
notches on E. edges, dug pits  
 $18 \times 18 \pm 12$  ins. in each sec.  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
alongside.

Land nearly level

Soil good

Oak timber along Wash

April 13. 1882.

East on a random line, bet.  
Secs. 10 & 15.

Var.  $12^{\circ} 31' 8''$ 

28.89 Road to Bowie corner N.



## Subdivisions N. 17 S. R. 28 E. continued

- chains  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.00 Intersect W.S. line 15 lks N.  
 of cor. to Secs. 10. 11. 14 & 15.  
 Thence 9 mm  
 N.  $89^{\circ} 54'$  W. on a true line, bet.  
 Secs. 10 & 15, with same va.  
 40.03 Set a limestone  $14 \times 8 \times 6$  ins.  
 10 ins. in the ground, for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on N face  
 and raised a mound of stone  
 alongside, Pt. impracticable  
 80.07 The cor. to Secs. 9. 10. 15 & 16.  
 Land ascending gently E.  
 Soil good & 2<sup>d</sup> rate  
 No timber.

North bet. Secs. 9 & 10  
 Var.  $12^{\circ} 31'$  E.

## Subdivisions T. 17 S. R. 28 E. cont.

chains

40.00

Deposited a charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits  $18 \times 18 \times 12$  ins. N. S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S. on N. face,

80.00

Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 3, 4, 9, 10, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked T. 17 S. S. 3 on N. E.

## Subdivision N. 17 S. R. 28 E. continued

chains

N. 28 E. S. 10 on S. E.  
 S. 9 on S. W. and  
 S. 4 on N. W. faces, with 5  
 notches on S. and 3 notches  
 on E. edges.

Land mostly flat  
 Soil 2<sup>d</sup> rate  
 No timber.

East on a random line,  
 bet. Secs. 9 & 10.

Cor.  $12^{\circ} 31' E$

34.90 Road to Bowie corner N.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80.11 Intersect N & S line 9 lbs

S. of cor. to Secs. 2, 3, 10 & 11

Then I run

S.  $89^{\circ} 56' N$ . on a true line,

## Subdivisions N. 17 S. R. 28 E. cont.

Chains

- bet. Secs. 3 & 10. with same as.
- 40.05 Deposited a charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits 18 x 18 x 12 ins. E & W. of cor. 5  $\frac{1}{2}$  ft. dist. and raised a mound, 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In e. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S. on N. face.
- 80.11 The cor. to Secs. 3, 4, 9 & 10. Land nearly level  
Soil good  
No timber.

---

North on a random line  
bet. Secs. 3 & 4.

Var. 12° 31' E.

## Subdivisions T. 17 S. R. 28 E. continued

Chains.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
 79.91 Intersect N. Boundary of  
 township. 16 lks E. of cor. to  
 Secs. 3, 4, 33 & 34 which is a  
 mound of earth 2ft. high  $4\frac{1}{2}$   
 ft. base, with pits 18x18x12 ins.  
 in each sec.  $5\frac{1}{2}$  ft. dist. In  
 S. E. pit is a stake 2 ins. square  
 marked T. 16 S. 34 on N. E.

R. 28 E. S. 3 on S. E.

T. 17 S. 4 on S. W. and

S. 33 on N. W. faces, with  
 3 notches on E & W. edges,

Thence I run

S.  $0^{\circ} 07' E.$  on a true line,  
 bet. Secs. 3 & 4. with same cor.

39.91 Deposited a charred stake  
 12 ins. in the ground for  $\frac{1}{4}$  sec.  
 cor. dug pits 18x18x12 ins.

## Subdivisions N. 17 S. R. 28 E. cont.

chains

N. & S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $1/4$  S. on W. face,

79. 91 The cor. to Secs. 3, 4, 9 & 10.  
Land nearly level  
Soil good  
No timber.

+

From the cor. to Secs. <sup>4, 5.</sup> 32 & 33 on S. Boundary of the township which is a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base with pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. In S. E.

## Subdivision S. 17 S. R. 28 E. continued

chains

pit is a stake 2 ins. square, marked

S. 17 S. S. 33 on N. E.

R 28 E. S. 4 on S. E.

S. 17 S. S. 5 on S. W. and

S. 32 on N. W. faces, with 4

notches on E. & 2 notches on

W. edges. Thence I run

North bet. Secs. 32 & 33.

Var.  $12^{\circ} 31' E.$

40.00 Set a limestone  $22 \times 14 \times 10$  ins.

16 ins. in the ground, for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on W. face,

dug pits  $18 \times 18 \times 12$  ins. N & S.

of cor.  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth  $1\frac{1}{2}$  ft. high,

$3\frac{1}{2}$  ft. base, alongside.

80.00 Deposited a charred stake 12  
ins. in the ground, for cor. to  
Secs. 28, 29, 32 & 33. dug pits

## Subdivisions N. 17 S. R. 28 E. cont.

Chains

18 x 18 & 12 ins. in each sec. 5 1/2 ft.  
 dist. and raised a mound of  
 earth 2 ft. high, 4 1/2 ft. low  
 over it. In S. E. pit drove a  
 stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  
 N. 17 S. 28 on N. E.  
 R. 28 E. S. 33 on S. E.  
 S. 32 on S. W. and  
 S. 29 on N. W. faces, with 1  
 notch on S. and 4 notches  
 on E. edges.

Land ascending a little E.  
 Soil 3<sup>d</sup> rate  
 No timber.

---

East on a random line,  
 bet. Secs. 28 & 33



## Subdivision N. 17 S. R. 28 E. continued

chain

Var.  $12^{\circ} 31' E.$ 4000 Set temporary  $\frac{1}{4}$  sec. cor.80.12 Intersect N & S. line 10 lks S.  
of cor. to Secs. 27. 28. 33 & 34.

Thence Iron

S.  $89^{\circ} 56' W.$  on a true line  
bet. Secs. 28 & 33. with same va.4006 Set a limestone  $14 \times 12 \times 9$  ins.  
10 ins. in the ground for  $\frac{1}{4}$  sec.cor. marked  $\frac{1}{4}$  on N. face  
dug pits  $18 \times 18 \times 12$  ins. E & W.of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base alongside.

80.12 The cor. to Secs. 28. 29. 32 &amp; 33

Land ascending a little E.

Soil 3<sup>d</sup> rate

No timber.

## Subdivision P. 17 S. R. 28 E. cont.

chains

North bet. Secs. 28 &amp; 29.

Var.  $12^{\circ} 31' E$ .

- 20.50 Road to Tombstone corner S.W.
- 40.00 Set a Porphyry rock  $16 \times 10 \times 6$  ins. 11 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins. W.S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base along side.
- 80.00 Deposited a charred stake, 12 ins. in the ground for cor. to Secs. 20. 21. 28 & 29. dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground.

## Subdivisions T. 17 S. R. 28 E. continued

chain

marked S. 17 S. S. 21 on N. E.  
 R. 28 E. S. 28 on S. E.  
 S. 29 on S. W. and  
 S. 20 on N. W. faces, with  
 2 notches on S. and 4 notches  
 on E. edges,  
 Land ascending a little E.  
 Soil 3<sup>d</sup> rate  
 No timber.

East on a random line, bet.  
 Secs. 21 & 28.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $1/4$  sec. cor.  
 80.00 Intersect N. & S. line, 9 lks. N.  
 of cor. to Secs. 21, 22, 27 & 28.  
 Thence I run  
 N.  $89^{\circ} 56' W.$  on a true line,

## Subdivisions S. 17 S. R. 28 E. cont.

chains

bet. Secs. 21 &amp; 28, with same vs.

40.04 Unpointed a charred stake,  
12 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits  $18 \times 18 \times 12$  ins. E & W.  
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it. In E.  
pit drove a stake  $2\frac{1}{2}$  ft. long  
2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on its face.

80.08 The cor. to Secs. 20, 21, 28 & 29  
Land ascending a little E.  
Soil 3<sup>d</sup> rate  
No timber.

---

North bet. Secs. 20 & 21

Var.  $120^{\circ} 31' E$ .

35.00 Old Road to Tombstone corner S. W.

## Subdivisions T. 17 S. R. 28 E. continued. ed

Chairs.

40.00 Set a quartzite rock 12 x 10 x 6 ins.  
8 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on W. face,  
and raised a mound of stone  
alongside. Pits impracticable.

80.00 Set a post 4 ft. long, 4 ins. square  
with marked stone 12 ins. in the  
ground, for cor. to Secs. 16, 17, 20 &  
21. marked

T. 17 S. S. 16 on N. E.

R. 28 E. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. faces, with  
3 notches on S. & 4 notches  
on E. edges, Aug pits 18 x 18 x 12  
ins. in each sec. 5 ft. dist.

and raised a mound of  
earth 2 ft. high 4 ft. base  
around post.

## Subdivision S. 17 S. R. 28 E. cont.

chains

Land ascending a little E.  
Soil 3<sup>d</sup> rate  
No timber.

---

East on a random line, bet.  
Secs. 16 & 21.

Var.  $12^{\circ} 31' E$ .

- 4000 Set temporary  $\frac{1}{4}$  sec. cor.  
80.05 Intersect. N & S. line, 10 chs.  
S. of cor. to Secs. 15, 16, 21 & 22.  
Place I mm  
S.  $89^{\circ} 56' W$ . on a true line, bet.  
Secs 16 & 21. with same oa.  
40.02 Set a Post 3 ft. long, 3 ins. square,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S on N face,  
dug pits  $18 \times 18 \times 12$  ins. Et W.

## Subdivisions T. 17 S. R. 28 E. cont.

chains

of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.

80.05 The cor. to Secs. <sup>16. 17. 20. 21.</sup> ~~15. 16. 21. 22.~~

Land ascending a little E.

Soil 3<sup>d</sup> rate

No timber.

North, bet. Secs. 16 & 17.

Var.  $12^{\circ} 31' E$

14.50 Wash 50 lbs wide drains W.

40.00 Set a quartzite Rock  $15 \times 8 \times 7$   
ins. 10 ins. in the ground for

$\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face  
and raised a mound of stone  
along side, Pits impracticable.

80.00 Deposited a charred stake 12  
ins. in the ground for cor.

## Subdivisions N. 17 S. R. 28 E. cont.

chains

to Secs. 8, 9, 16 & 17, dug pits  
 18 x 18 x 12 ins. in each ec. 5 1/2 ft.  
 dist. and raised a mound of  
 earth 2 ft. high 4 1/2 ft. base over it.  
 In S. E. pit drove a stake 2 ft.

x long, 2 ins. square, 12 ins. in the  
 ground, marked

P. 17 S. S. 9 on N. E.

R. 28 E. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with 4  
 notches on S. & E. edges.

Land ascending a little E.

Soil 3<sup>d</sup> rate

Some Oak along Wash.

East on a random line, bet.  
 Secs. 9 & 16.



## Subdivision S. 17 S. R. 28 E. continued

chain

Var.  $12^{\circ} 31' E'$ 40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.09 Intersect N + S. line 17 lks S.  
of cor. to Secs. 9, 10, 15 & 16.

Thence Down

S.  $89^{\circ} 53' W.$  on at one line bet.  
Secs. 9 & 16. with same or.

40.04 Set a quartzite rock 16 + 8 + 6 in.

11 in. in the ground for  $\frac{1}{4}$  sec.cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone along  
side, Pits impracticable.

80.09 The cor. to Secs. 8, 9, 16 &amp; 17.

Land ascending a little E.

Soil 2<sup>d</sup> rate

No timber.

---

 North bet. Secs. 8 & 9.

## Subdivision P. 17 S. R. 28 E. cont.

Chain

Var.  $12^{\circ} 31' E.$ 

40.00

Deposited a charred stake  
12 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. dug pits  $18 \times 18 \times 12$   
ins. N. & S. of cor.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $9\frac{1}{2}$  ft. base, over it.  
In N. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on  
N. face.

80.00

Deposited a charred stake  
12 ins. in the ground, for cor.  
to Secs. 4, 5, 8 & 9. dug pits  
 $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
over it. In S. E. pit drove  
a stake 2 ft. long, 2 ins. square.

Catfish (3)

ECOK 839

Boston

Subdivisions T. 17 S. R. 28 E. continued

Chains

12 ins. in the ground, marked  
 T. 17 S. S. 4 on N. E.  
 R. 28 E. S. 9 on S. E.  
 S. 8 on S. W. and  
 S. 5 on N. W. faces, with  
 5 notches on S. and 4 notches  
 on E. edge.

Land descending a little W.  
 Soil 2<sup>d</sup> rate  
 No timber.

East on a random line,  
 bet. Secs. 4 & 9.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.93 Intersect N & S line 12 lbs  
 S. of cor. to Secs. 3, 4, 9 & 10

Subdivisions N. 17 S. R 28 E. cont.

chains

Thence I run

S. 89° 55' W. on a true line, bet. Secs. 4 & 9. with same va.

39.96

Deposited a charred stake 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E & W. of cor. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face.

79.93

The cor. to Secs. ~~3~~ ~~4~~ ~~9~~ ~~10~~ <sup>4, 5, 8, 9</sup> Land descending a little W. Soil 2<sup>d</sup> rate No timber.

Subdivisions S. 17 S. R. 28 E. continued

chains

North on a random line, bet.  
Secs. 4 + 5.

Var.  $12^{\circ} 31' E.$

4000

Set temporary  $1/4$  sec. cor.

8009

Intersect N. Boundary of  
township, 13 lks. N. of cor. to  
Secs. 4. 5. 32 + 33. which is a  
mound of earth 2 ft. high,  
4 1/2 ft. base, with pits <sup>10 x 18 ft.</sup> in each  
sec 5 1/2 ft. dist. In S. E. pit is  
a stake 2 ins. square, marked,  
S. 16 S. S. 33 on N. E.  
R. 28 E. S. 4 on S. E.  
S. 17 S. S. 5 on S. W. and  
S. 32 on N. W. faces, with  
4 notches on E + 2 notches on  
Wedges, Thence down  
S.  $0^{\circ} 06' W.$  on a true line, bet.  
Secs 4 + 5. with same va.

## Subdivisions P. 17 S. R. 28 E. continued

chains

40.09 deposited a charred stake 12  
 ins. in the ground, <sup>for 1/4 sec. cor.</sup> dug pits  
 18 x 18 x 12 ins. N & S. of cor. 5 1/2  
 ft. dist. and raised a mound  
 of earth 1 1/2 ft. high, 9 1/2 ft. base  
 over it. In N. pit drove a stake  
 2 ft. long, 2 ins. square, 12 ins. in  
 the ground, marked 1/4 S. on  
 N. face,

80.09 The cor. to Secs. 4, 5, 8 & 9.  
 Land descending a little W.  
 Soil 2<sup>d</sup> rate  
 No timber.

April 14, 1882.

---

From the Cor. to Secs. 5, 6, 3 1/4  
 32. on S. Boundary of

## Subdivision T. 17 S. R. 28 E. continued

chains

township, which is a mound of earth 2 ft. high, 4 1/2 ft. base, with pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. In S. E. pit is a stake 2 ft. long, 2 ins. square, marked - T. 17 S. S. 92 on N. E. R. 28 E. S. 5 on S. E.

T. 18 S. S. 6 on S. W. and S. 31 on N. W. faces, with 5 notches on E. & 1 notch on W. edges. Thence I run north lat. Secs. 31 & 32.

Var. 12° 31' E.

39.75 a Road to Dumbstone,  
46.00 Deposited a charred stake 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. N.W. of cor. 5 1/2 ft. dist. and raised

## Subdivision S. 17 S. R. 28 E. cont.

chains

a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base over it. In N. pit  
 drove a stake 2 ft. long, 2 ins.  
 square, 12 ins. in the ground  
 marked  $\frac{1}{4}$  S. on N. face.

80.00 Set a Porphyry rock  $16 \times 11 \times 5$   
 ins. 11 ins. in the ground for  
 cor. to sect. <sup>29.30.31+32</sup> marked with 1 notch  
 on S. and 5 notches on E.  
 edges, dug pits  $18 \times 18 \times 12$  ins.  
 in each sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base, alongside.  
 Land nearly flat  
 Soil 2<sup>d</sup> rate  
 No timber.

+



## Subdivisions S. 17 S. R. 28 E. cont.

chains

East on a random line, bet.  
Secs. 29 + 32.Var.  $12^{\circ} 31' E$ .4000 Set temporary  $1/4$  sec. cor.79.94 Intersect N + S. line 13 lks S.  
of cor. to Secs. 28, 29, 32 + 33.

Thence I run

S.  $89^{\circ} 54' W$ . on a true line,  
bet. Secs. 29 + 32, with same va.39.97 Deposited a charred stake 12  
ins. in the ground, for  $1/4$  sec.  
cor. dug pits 18 + 18 + 12 ins.E + W. of cor.  $5/2$  ft. dist. and  
raised a mound of earth  $1/2$   
ft. high,  $2 1/2$  ft. base over it.In E pit drove a stake 2 ft.  
long, 2 ins. square 12 ins. inthe ground, marked  $1/4$  v. on N face,  
thence to Secs. 29, 30, 31, + 32.

79.94

Land flat, Soil 2<sup>d</sup> rate, No timber

## Subdivision T. 17 S. R. 28 E. continued

chains

West on a random line, bet.  
Secs. 30 + 31.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.60 Intersect W. Boundary of  
township 9 lks S. of cor. to  
Secs. 25, 30, 31 + 36, which is a  
Porphyry rock set firmly in  
the ground, marked with 5  
notches on N. + 1 notch on S.  
edges, with pits  $18 \times 18 + 12$  in.  
in each sec.  $5\frac{1}{2}$  ft. dist. and  
mound of earth 2 ft high,  $4\frac{1}{2}$  ft  
base along side.

Thence I run

S.  $89^{\circ} 56' E.$  on a true line, bet.

Secs. 30 + 31. with same os.

38.60 Deposited a charred stake

## Subdivisions T. 17 S. R. 28 E. continued

chains

12 ins. in the ground, for  $\frac{1}{4}$  sec.  
 cor. dug pits 18+18+12 ins. E. W.  
 of cor.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base across it. In E. pit  
 drove a stake  $2\frac{1}{2}$  ft. long 2 ins. sq.  
 12 ins. in the ground, worked  
 $\frac{1}{4}$  S. on N. face.

78.60

The cor. to Secs. 29, 30, 31 & 32  
 Land nearly flat.  
 Soil 2<sup>d</sup> rate  
 No timber.

North bd. Secs. 29 & 30.

Var.  $12^{\circ} 31' E$ .

40.00

Repaired a charred stake  
 12 ins. in the ground, for  $\frac{1}{4}$

## Subdivision T. 17 S. R. 28 E. cont.

chains

sec. cor. dug pits  $18 \times 18 \times 12$  ins.  
 N. & S. of cor.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high,  $3\frac{1}{2}$  ft. base over it.

8000 In N. pit drove a stake 2 ft.  
 long, 2 ins. square, 12 ins. in the  
 ground, marked  $\frac{1}{4}$  S. on N. face.  
 Deposited a charred stake  
 12 ins. in the ground, for cor.  
 to secs. 19, 20, 29 & 30. dug  
 pits  $18 \times 18 \times 12$  ins. in each sec.  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base over it. In S. E.  
 pit drove a stake 2 ft. long  
 2 ins. square, 12 ins. in the ground,  
 marked T. 17 S. S. 20 on N. E.  
 R. 28 E. S. 29 on S. E.

## Subdivisions S. 17 S. R. 28 E. continued

chains

S. 30 on S. W. and  
 S. 19 on N. W. faces, with 2  
 notches on S. and 5 notches on  
 E. edges.

Land nearly flat

Soil 2<sup>d</sup> rate

No timber.

East on a random line,  
 bet. Secs. 20 & 29.

Var.  $12^{\circ} 31' E$

40.00 Set temporary  $1/4$  sec. cor.

79.93 Intersect W. S. line 12 lps. S.  
 of cor. to Secs. 20, 21, 28 & 29.

Thence I run

S.  $89^{\circ} 55' W$ . on a true line,  
 bet. Secs. 20 & 29, with same va.

## Subdivisions S. 17 S. R. 28 E. cont.

chains

- 39.96 Deposited a charred stake, 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits 18+18+12 ins. E+ N. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 8 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S. on N. face.
- 39.93 The cor. to Secs. 19. 20. 29+ 30. Land nearly flat  
Soil 2<sup>d</sup> rate  
No timber.

West on a random line, bet.  
Secs. 19+ 30.

Var.  $12^{\circ} 31' E.$

## Subdivisions T. 17 S. R. 28 E. continued

chain

4000

Set temporary  $\frac{1}{4}$  Sec. cor.

78.49

Intersect W. Boundary of town-  
ship 8 lks S. of cor. to Secs. 19,24, 25 & 30. which is a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft. base,  
with pits 18 x 18 x 12 ins. in each  
sec.  $5\frac{1}{2}$  ft. dist. and in S. E.  
pit a stake 2 ft long 2 ins.  
square, marked,

T. 17 S. S. 19 on N. E.

R. 28 E. S. 30 on S. E.

T. 18 S. S. 25 on S. W. and

S. 24 on N. W. faces, with 4  
notches on N. & 2 notches on S. edges.

Thence I run

S.  $89^{\circ}57'$  W. on a true line, bet.

Secs. 19 &amp; 30. with same va.

78.49

Deposited a charred stake 12

## Subdivisions P. 17 S. R. 28 E. continued

Chain

ins. in the ground, for  $\frac{1}{4}$  sec.  
 cor. dug pits 18+18+12 ins. E+W.  
 of cor.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base over it. In E. pit  
 drove a stake 1 ft. long, 2 ins.  
 square, 12 ins. in the ground,  
 marked  $\frac{1}{4}$  S. on N. face.

78.49 The cor. to Secs. 19, 20, 29+30  
 Land nearly flat  
 Soil 2<sup>d</sup> rate  
 No timber.

North bet. Secs. 19+20.  
 Var.  $12^{\circ}31'8''$ .

40.00 Deposited a charred stake  
 12 ins. in the ground, for  $\frac{1}{4}$  sec.



## Subdivisions T. 17 S. R. 28 E. continued

chain

cor. dug pits  $18 \times 18 \times 12$  ins. N.W. of cor.  $3\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $1/4$  S. on W. face,

8000

Set a Porphyry rock  $14 \times 9 \times 4$  ins. 10 ins. in the ground, for. cor. to Secs. 17, 18, 19 & 20. marked with 3 notches on S. and 5 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base, alongside  
 Land nearly flat  
 Soil 2d rate  
 No timber

## Subdivision N. 17 S. R. 28 E. cont.

Chain

East on a random line, bet.  
Secs. 17 + 20.

Var.  $12^{\circ} 31' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. S. line 11 lks N.  
of cor. to Secs. 16, 17, 20 + 21.

Thence I run

N.  $89^{\circ} 55' W$ . on a true line,  
bet. Secs. 17 + 20, with same or

40.01 deposited a charred stake,  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. dug pits 18 x 18 x 12 ins.

Ex N. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high,  $3\frac{1}{2}$  ft. base over it.

In pit drove a stake 2 ft.  
long 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N.

Subdivisions T. 17 S. R. 28 E. continued

chain

80.03 face  
 The cor. to Secs. 17, 18, 19 + 20  
~~18~~ ~~19~~ ~~20~~ ~~21~~  
 Land nearly flat  
 Soil 2<sup>d</sup> rate  
 No timber.

West on a random line, bet.  
 Secs. 18 + 19.

Var. 12° 31' E.

4000  
 78.50 Set. temporary 1/4 sec. cor.  
 Intersect N. Boundary of  
 township 10 lks N. of cor. to  
 Secs. 13, 18 + 19 + 24, which has  
 Post 4 ins. square, marked  
 T. 17 S. S. 18 on N. E.  
 R. 28 E. S. 19. on S. E.  
 R. 27 E. S. 24 on S. W. and  
 S. 13 on N. W. faces, with 3

## Subdivision N. 17 S. R. 28 E. cont.

chains

notches, on N & S. edges, and pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. with mound of earth 2 ft. high, 4 1/2 ft. base around Post.

Thence S. W.

N. 89° 56' E. on a true line, bet. Secs. 18 & 19, with same va.

38.50 Set a Post 3 ft. long 3 ins. square, with marked stone 12 ins. in the ground, for 1/4 sec. cor. marked 1/4 S. on N. face, and build a mound of stone around post, from which an Ash 15 ins. dia br. N. 49 1/2° W. 192 lbs. dist. marked 1/4 S. P. 5.

78.50 The cor. to Secs. 17, 18, 19 & 20 Land nearly flat.

## Subdivision N. 17 S. R. 28 E. continued.

chains

Soil 2<sup>d</sup> rate  
No timber.

---

North bet. Secs. 17 &amp; 18

Var.  $12^{\circ} 31' E'$ 

- 6.50 Wash 100 lbs wide drains W.  
4.00 Set apart 3 ft. long, 3 ins. square,  
with marked stone pins in the  
ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. face, and raised  
a mound of stone around post.  
80.00 Deposited a charred stake 12  
ins. in the ground for cor. to Secs.  
7, 8, 17 & 18. dug pits  $18 \times 18 \times 12$   
ins. in each sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base over it. One S. E. pit

## Subdivisions T. 17 S. R. 28 E. cont.

Chains

drove a stake 2 ft. long, 2 ins. square  
 12 ins. in the ground, marked  
 T. 17 S. S. 8 on N. E.  
 R. 28 E. S. 17 on S. E.  
 S. 18 on S. W. and  
 S. 7 on N. W. face, with 4  
 notches on N. & 5 notches on E.  
 edges.

Land nearly flat  
 Soil 2<sup>d</sup> rate  
 No timber.

East on a random line, bet.  
 Secs. 8 & 17.

Var.  $12^{\circ} 31' E'$

4000 Set temporary  $1/4$  sec. cor.

79.92 Intersect N. S. Boundary 16 Ch.

## Subdivisions N. 17. E. R. 28 E. continued

Chains

of cor. to Secs. 8, 9, 16 &amp; 17.

Thence I run

N.  $89^{\circ}53'$  W. on a true line,  
bet. Secs. 8 & 17. with same va.

39.96 Set a Porphyry rock  $12 \times 10 \times 7$   
ins. 8 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N.  
face, and raised a mound  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
alongside, Pit impracticable

79.92 The cor. to Secs. 7, 8, 17 & 18  
Land nearly flat  
Soil 2<sup>d</sup> rate  
No timber.

West on a random line bet.  
Secs. 7 & 18.

## Subdivisions S. 17 S. R. 28 E. cont.

chains

4000 Deposited a charred stake  
 12 ins. in the ground, for  $\frac{1}{4}$   
 sec. cor. dug pits 18+18+12  
 ins. N. S. of cor. 5  $\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base  
 over it. In N. pit drove a  
 stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  
 $\frac{1}{4}$  S. on N. face.

8000 Deposited a charred stake  
 12 ins. in the ground, for  
 cor. to Secs. 5, 6, 7 + 8, dug  
 pits 18+18+12 ins. in each  
 sec. 5  $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 2 ft. high,  
 4  $\frac{1}{2}$  ft. base over it. In S. E.  
 pit drove a stake 2 ft. long



Subdivisions T. 17 S. R. 28 E. continued

chains

2 ins. square, 12 ins. in the ground  
marked T. 17 S. 5 on N. E.

R. 28 E. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5  
notches on S. and E. edges,

Land nearly flat

Soil 2<sup>d</sup> rate

No timber.

East on a random line  
bet. Secs. 5 & 8.

Var.  $12^{\circ} 31' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.06 Intersect N. & S. line 15 lbs

N. of cor. to Secs. 4, 5, 8 & 9.

Thence down

## Subdivision N. 17 S. R. 28 E. cont.

chains

Var.  $12^{\circ} 31' E.$ 

- 4.00 Set temporary  $1/4$  sec. cor.  
 68.20 Old road course S. W.  
 78.35 Intersect W. Boundary of township. 13-lbs N. of cor. to Secs. 7, 12, 13 & 18 which is a mound of earth 2ft. high,  $4\frac{1}{2}$  ft. base with pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. in S. E. pit is a stake 2ft. long, 2 ins. square, ~~marked~~
- N. 17 S. S. 7 on N. E.  
 R. 28 E. S. 18 on S. E.  
 R. 29 E. S. 13 on S. W. and S. 12 on N. W. faces, with 2 notches on N. & 4 notches on S. edges. Hence I run N.  $89^{\circ} 54' E.$  on a true line,

## Subdivision S. 17 S. R. 28 E. continued

chains

- bet. Secs. 7 & 18. with same or.
- 38.35 Deposited a charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pit 18x18+12 ins. E. N. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins in the ground marked  $\frac{1}{4}$  S. on W. face.
- 78.35 The cor. to Secs. 7, 8, 17 & 18  
Land nearly flat  
Soil 2<sup>d</sup> rate  
No timber.

---

North bet. Secs. 7 & 8.

Var.  $12^{\circ} 31' E$ .

## Subdivisions N. 17 S. R. 28 E. cont.

Chains

38.20

Deposited a charred stake 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits 18+18+12 ins.

Et W. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In E. pit drove a stake 2 ft.  
long, 2 ins. square, 12 in. in the  
ground, marked  $\frac{1}{4}$  S. on N. face.

48.20

The cor. to Secs. 5, 6, 7 & 8.  
Land descending a little W.

Soil 2<sup>d</sup> rate

No timber.

---

North on a random line  
bet. Secs. 5 & 6.

Var.  $12^{\circ} 31' E$ .

## Subdivisions T. 17 S. R. 28 E. cont.

chain

- 5.30 Road S. W. and N. E.  
 4000 Set temporary  $\frac{1}{4}$  sec. cor  
 80.11 Intersect N. Boundary of  
 township. 12 lbs N. of cor.  
 to Secs. 5, 6, 31, & 32, which is a  
 mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. long, with pits 18" x 18" x 2  
 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
 In S. E. pit is a stake 2 ins.  
 square marked  
 T. 16 S. S. 32 on N. E.  
 R. 28 E. S. 5 on S. E.  
 T. 17 S. S. 6 on S. W. and  
 S. 31 on N. W. faces, with 5  
 notches on E & 1 notch on W,  
 edges. Thence Down  
 S. 0.05 N. on a true line bet.  
 Secs. 5 & 6. with same on.

## Subdivisions S. 17 S. R. 28 E. continued

c chains

40.11

Deposited a charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. dug pits 18x18x12 ins. N & S. of cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S. on N. face.

80.11

The cor. to Secs. 5, 6, 7 & 8. Land descending a little N. Soil 2<sup>d</sup> rate  
No timber

April 15, 1882.

---

Subdivision: <sup>of</sup> T<sub>1</sub> 17<sup>th</sup> S. R. 28 E.

General Description:

This township has mostly a plain surface descending a little to the West. There is excellent grazing throughout its extent. There is considerable oak timber found along the washes.

Theodore H. White  
U. S. Deputy Surveyor

100 (3) 94  
List of Names.

BOOK 839

A List of the Names of Individuals employed by  
*Theodore S. White* U. S. deputy  
surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the survey  
of the subdivision lines of  
Township No. 17 S. Range No.  
28 E. Gila & Salt River  
Base & Meridian Territory  
of Arizona

Showing the respective capacities in which they acted.

*J. H. McClure* Chairman.  
*J. O. Ford* Chairman.  
*John Blake* Axeman.  
*Saul H. Van Pelt* Flagman.  
*Jos. Schwarz, & Geo. S. Wyatt*  
*Norman*



95  
Final Oath of Assistants.

BOOK 839

We hereby certify that we assisted Theodore P. White U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivision lines of township No. 17 S. R. No 2 & E. Gila & Salt River Meridian Territory of Arizona.

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. Mc Cleave Chainman.

J. O. Ford Chainman.

John Blake Axeman.

Geo. Schwarz Flayman.

Sworn to and subscribed before me, this 3<sup>rd</sup> day of

May, 1882

Paul Piecker  
Notary Public Pima  
County Arizona

# Final Oath of Deputy Surveyor.

BOOK 839

I, Theodore A. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of  
~~instructions~~ <sup>Contract</sup> received from John Wasson, United States  
Surveyor-General for Arizona, bearing date the 10th

day of December 1881, I have well, faithfully  
and truly, in my own proper person, and in strict conformity  
with the instructions furnished by the United States Surveyor-  
General for Arizona, the Surveying Manual, and the laws of the  
United States, surveyed all those parts or portions of the

subdivision lines of township  
No. 17 S. R. 28 E. Gila &  
Salt River Base & Meridian  
Territory of Arizona.

..... as are represented  
in the foregoing Field Notes as having been surveyed by me and  
under my direction; and I do further solemnly swear that all  
the corners of said surveys have been established and perpetuated  
in strict accordance with the Surveying Manual, printed instruc-  
tions, the special instructions of the United States Surveyor-  
General for Arizona, and in the specific manner described in the


9597

field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846

*Theodore J. White*  
U. S. Deputy Surveyor.

BOOK 839

Sworn to and subscribed before me this 3<sup>rd</sup> day of May, 1882



*Paul Riceker*  
Notary Public Pima  
County, Arizona

BOOK 839

U. S. Surveyor General's Office,  
Tucson, Arizona, *July 5*, 18*82*

The foregoing Field Notes of the survey of *the*  
*Subdivisions of Tps 14 & R. 28 E-*

of the Gila and Salt River Base and Meridian, Arizona,  
executed by *Sheldon A. White*,  
D. S., under his contract of the *6th* day of  
*December*, 18*81*, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

*John Nasson.*  
Surveyor General.